

# कृषि निदेशालय उत्तराखण्ड, नन्दा की चौकी, प्रेमनगर, देहरादून।

(दूरभाष संख्या-0135-2772677, फ़ैक्स-0135-2771881, ई मेल-dir.agri.Uttarakhand@gmail.com)

पत्रांक-कृ.नि./5819 /SMAM /पंजी.-कृषि यंत्र /2024-25

दिनांक-10 जनवरी, 2025

1. समस्त मुख्य कृषि अधिकारी, उत्तराखण्ड।
2. समस्त कृषि एवं भूमि संरक्षण अधिकारी, उत्तराखण्ड।

**विषय- कृषि यंत्रों/उपकरणों हेतु पंजीकृत फर्म तथा माडल विषयक।**

निदेशालय के पत्र संख्या-कृ.नि./2213/पंजी/कृषि यंत्र/2024-25, दिनांक 26 जुलाई, 2024 के द्वारा विभिन्न कृषि यंत्रों/उपकरणों की विनिर्माता फर्मों के मेक/माडलों को सूचीबद्ध करने हेतु विज्ञापन जारी किया गया था। उक्त के क्रम में उत्तराखण्ड अधिप्राप्त नियम 2017, विभिन्न योजनाओं के अन्तर्गत कृषि यंत्रों/उपकरणों पर अनुदान उपलब्ध कराने जाने हेतु कृषि मशीनों तथा यंत्रों/उपकरणों के मूल विनिर्माता फर्मों से प्राप्त पंजीकृत प्रपत्रों का गठित पंजीकरण समिति द्वारा परीक्षण करने के उपरान्त विभिन्न कृषि यंत्रों/उपकरणों की विनिर्माता फर्मों के मेक/माडलों को सूचीबद्ध/पंजीकरण हेतु उपयुक्त पाया गया। सूचीबद्ध/पंजीकरण हेतु चिन्हित किए गए यंत्रों/उपकरणों का विवरण निम्नानुसार है।

क्र. सं.	फर्म का नाम	सूचीबद्ध/पंजीकरण होने वाले कृषि मशीनों/यंत्रों/उपकरणों का विवरण
1.	Bir singh & Sons Chandigarh Road, Samrala, Ludhiana Punjab	Super Seeder
2.	Bhagwan singh Engineering Works, Raikot Road, Malerkotla, Distt. Sangrur, PB	Super Seeder
3.	Dasmesh Agricultural Industries Pvt. Ltd., Rajkot Road, Malerkotla, Sangroor Punjab	Super Seeder/Reaper/Baler
4.	Dasmesh Mechanical Work, Nabha-Malairkotla Road, Amargarh, Sangrur, Punjab-PIN-148022	Super Seeder/Harvester
5.	Friends Farming Solutions, VPO hamidi, barnala, punjab	Super Seeder
6.	Gobind Agriculture Works, Near panjgrain kalan, Moga road, Kotkapura, Punjab	Super Seeder/Reaper
7.	GSA Industries, Village Daulatpur, Rasulpur Jaura Road, Patiala, Punjab	Super Seeder/ Reaper/Baler
8.	H.S. Agriculture, Main bus stand Ladda, Kattu walia road, Sangrur, Punjab	Super Seeder
9.	Jai Auto Pvt. Ltd. , dudhola, dhateer road, pirthla palwal, haryana	Super Seeder
10.	Lotay Engg. Works , Jakhepal, Sunam Sagror Punjab	Super Seeder/ Reaper
11.	Mahindra & Mahindra Ltd. F.E.S Swaraj Division, SAS Nagar, Mohali, Punjab	Super Seeder/ Harvester
12.	Maan Agriculture Works, Ludhiana bypass road, malerkotla, sangrur, punjab	Super Seeder/ Reaper
13.	Maschio Gasparado India Pvt Ltd, MIDC villagr, Karegaon, Ranjangaon Pune MH	Super Seeder/Baler
14.	Patiala Discs Corporation, Vill-Neelpur, New By Pass, Rajpura, Punjab	Super Seeder
15.	Ramsons Impex, Bhagwanpur, Haridwar	Super Seeder
16.	Saaron Mechanical Works Mansa Road, Cheema Mandi, Distt.-Sangrur, Punjab-148029	Super Seeder
17.	Sonalika Industries Hosiarpur Punjab	Super Seeder/Reaper/ Baler
18.	Steelboy Pvt. Ltd, Mohali Punjab	Super Seeder

19.	Tirth Agro Technology Pvt. Ltd., Rajkot Gujrat	Super Seeder/Harvester/ Baler
20.	Vinod kumar Virendra kumar, chandpur road nr Reliance Petrol Pump, Dhanaura, Dist Amroha UP	Super Seeder
21.	Vishvakarma Agro Industries, Sangroor Punjab	Super Seeder
22.	Akhtari Agriculture Works, Muradabad Road, Kashipur, US Nagar, Uttrakhand	Reaper
23.	BCS India Pvt. Ltd. Manngarh, Ludhiana Punjab	Reaper
24.	Dasmesh Agriculture Works, Patiala Road, Sangroor Punjab	Reaper
25.	E-Agrocare Machinerics & Equipments Pvt. Ltd., D-45, Shendra MIDC, Aurangabad, Maharasta	Reaper
26.	Guru Agro Industires, Fatehabad, Haryana	Reaper
27.	George Maijo Idustries Pvt. Ltd, Chennai	Reaper
28.	Indicon Agro Industries LLP, Kolkata WB	Reaper
29.	Jagdeep Agriculture Works, Sangroor Punjab	Reaper
30.	Jagatjit Agri India PVT LTD, ludhiana, PB	Reaper
31.	K.S. Agrotech Pvt. Ltd. Sangroor Punjab	Reaper
32.	Kirloskar Oil Engine Ltd, Maharastra	Reaper
33.	Mhaswadkar Autolines Pvt. Ltd., Maharastra	Reaper
34.	NIPHA India Pvt. Ltd, Kolkata	Reaper
35.	Perfect House Pvt. Ltd., Mumbai, Maharashtra	Reaper
36.	Roop Agriculture Works, Mansa Punjab	Reaper
37.	Ravindra Agriculture Industries, USNagar	Reaper
38.	Sandhu Agro industries, khatima, Usnagar	Reaper
39.	Vishvakarma Agro Industries, Sangrur Road, Near Power GRID DIRBA Sangror Punjab	Reaper
40.	VSM international Pvt Ltd, hisar, Haryana	Reaper
41.	Godabari Agro Machinery and sevice india Pvt. Ltd, Bhuvneshwar odisa	Harvester
42.	Guru Nanak Agri Engeneering Works, Punjab	Harvester
43.	International Cars & Motors Ltd. HP	Harvester
44.	Kartar Agro Industries, Amolh road Patiala Punjab	Harvester
45.	Preet Agro Industries Pvt. Ltd., Patiala Punjab	Harvester
46.	Tratctors and Farm Equipment Ltd. Channi Tamilnadu	Baler

सलंगन सूची के अनुसार कृषक द्वारा सूचीबद्ध/पंजीकृत विनिर्माता फर्म/फर्मों के अधिकृत डीलर से सलंगन सूची में अंकित माडल को क्रय करने पर ही अनुदान देय होगा। अनुदान देते समय निम्न बिन्दुओं को ध्यान में रखा जाए।

- उपरोक्त पंजीकरण पत्र जारी होने वाले दिनांक से दो वर्ष तक वैध रहेगा।
- कृषकों को कृषि यंत्रों/उपकरणों पर अनुदान **Submission on Agricultural Mechanization (SMAM)** की गाईडलाइन के अनुसार होगा। पैरा 6.4.2 अथवा संबंधित योजना की गाईडलाइन में इंगित व्यवस्था के अनुसार अनुपालन सुनिश्चित किया जाये। साथ ही यह ध्यान रखा जायेगा कि अनुसूचित जाति, अनुसूचित जनजाति, महिला तथा लघु सीमांत कृषकों को प्राथमिकता मिले।
- कृषि यंत्रों/उपकरणों पर अनुदान भारत सरकार/राज्य सरकार द्वारा निर्धारित/ अनुमन्य **अधिप्राप्त** सीमा तक ही देय होगा।
- सूचीबद्ध/पंजीकृत फर्म को बिल स्वयं अथवा विनिर्माता की संस्तुती पर नियमानुसार अधिकृत विक्रेता भी बिल जारी कर सकेगा बिल/कैश मैमो पर पूर्ण स्पेसिफिकेशन के साथ कृषि यंत्र का माडल/ब्राण्ड/गारंटी/क्रम संख्या/चेचिस संख्या, वारंटी अवधि का अनिवार्य रूप से अंकन करेगा।
- अनुदान कृषक/मूल विनिर्माता द्वारा अधिकृत विक्रेता से कृषक द्वारा क्रयित कृषि यंत्रों /उपकरणों के सूचीबद्ध माडल/मेक पर ही देय होगा। फर्म/अधिकृत विक्रेता नियमानुसार टैक्स का अंकन करते हुए टैक्स जमा करना होगा।

6. निदेशालय स्तर पर सूचीबद्ध/पंजीकृत फर्म/माडल/मेक [agrimachinery.nic.in](http://agrimachinery.nic.in) पर अपलोड करनी होगी, जो कम से कम एक वर्ष तक नहीं बदली जा सकेगी।
7. सूचीबद्ध/पंजीकृत फर्म द्वारा कृषि मशीनों/यंत्रों/उपकरणों की वर्तमान दरें भारत सरकार की [Agrimachinery.nic.in](http://Agrimachinery.nic.in) पर **DBT Agriculture Machinazation** पर अंकित करनी होगी, जो एक वर्ष तक बदली नहीं जा सकेगी।
8. कृषक द्वारा ऑनलाईन डी.बी.टी. पोर्टल पर डीलर से क्रय किए गए यंत्रों के बिल को डीलर पोर्टल पर अपलोड करेगा।
9. जनपद के कृषि एवं भूमि संरक्षण अधिकारी द्वारा गठित सत्यापन टीम द्वारा भौतिक सत्यापन सुनिश्चित कर लिये जाने के उपरांत **Submission on Agricultural Mechanization (SMAM)** की गाईडलाइन एवं राज्य सरकार द्वारा निर्धारित अनुदान की अधितम सीमा के अनुसार कार्यवाही करें।
10. सत्यापन के दौरान कृषक द्वारा क्रयित कृषि यंत्र/उपकरण विभाग द्वारा सूचीबद्ध/पंजीकृत किए गए कृषि यंत्रों/उपकरणों के अनुसार ही हो।
11. कृषकों को उपलब्ध कराये जा रहे कृषि यंत्रों/उपकरणों के मूल्य पोर्टल पर दर्शायी दरों से अधिक न हो, यदि दरें अधिक पायी जाती हैं तो संबंधित जनपद के मुख्य कृषि अधिकारी कार्यवाही करेंगे। कृषक जब मेक/माडल, गुणवत्ता एवं मोल भाव कर दर से पूर्णतया संतुष्ट हो जाने के बाद कृषि यंत्रों/उपकरणों को क्रय करें।
12. मुख्य कृषि अधिकारी/कृषि एवं भूमि संरक्षण अधिकारी अनुदानित यंत्रों की सूचना निदेशालय को उपलब्ध करायेंगे।

क्र०सं०	यंत्र का नाम/मेक एवं माडल	यंत्र आपूर्ति कहां से हुई/डीलर का नाम	संख्या	कुल कीमत	कुल वितरित अनुदान
1	2	3	4	5	6

13. फर्म को अपने फर्म का सर्विस सेंटर खोलना होगा। फर्म द्वारा अपने ग्राहकों को Maintenance का प्रशिक्षण देना होगा।
14. विभागीय उच्चाधिकारियों द्वारा कृषक को आपूर्तित कृषि यंत्रों/उपकरणों का निरीक्षण करने पर कृषि यंत्रों/उपकरणों को निर्धारित गुणवत्ता के अनुरूप न पाए जाने पर संबंधित विनिर्माता फर्म का पंजीकरण निरस्त कर दिया जायेगा। साथ ही ऐसी फर्म/अधिकृत विक्रेता को विभाग द्वारा काली सूची में डालने की कार्यवाही की जा सकती है।
15. सूचीबद्ध/पंजीकृत विनिर्माता फर्म/अधिकृत विक्रेता को कृषक द्वारा क्रयित कृषि यंत्रों/उपकरणों पर अनुदानित वर्ष एवं विभाग का नाम अनिवार्य रूप से अंकित करना होगा।
16. विनिर्माता सूचीबद्ध/पंजीकृत फर्म/अधिकृत विक्रेता को समय-समय पर विभाग द्वारा वांछित जानकारी उपलब्ध करानी होगी। ऐसा न करने पर संबंधित को पंजीकरण सूची से विलोपित किया जा सकता है।
17. सरकार द्वारा समय-समय पर जारी दिशा-निर्देशों के अनुसार उपरोक्त शर्तों/नियमों एवं इससे संबंधित प्रक्रिया में आवश्यकतानुसार संशोधित/परिवर्तन किया जा सकेगा।
18. सूचीबद्ध/पंजीकृत फर्म के अधिकृत विक्रेता द्वारा विभाग को उपलब्ध कराई गई किसी भी जानकारी के असत्य पाये जाने की दशा में संबंधित फर्म का पंजीकरण तत्काल प्रभाव से निरस्त कर दिया जायेगा।

19. प्रदायकों को मुख्य कृषि अधिकारी के आदेश एवं दिशा निर्देश के अनुसार कृषक/ कृषकों को जनपद/विकासखण्ड स्तर/न्याय पंचायत तक यंत्र उपलब्ध कराने होंगे। इस हेतु प्रदायकों को जिला स्तर पर अपना नेटवर्क स्थापित करना होगा। प्रदायक द्वारा जिले में नियुक्त अधिकृत विक्रेता के पास जी0एस0टी0 पंजीकरण तथा विक्रय उपरान्त सेवा की सुविधा उपलब्ध करायी जानी आवश्यक होगी। प्रदायकों की यह जिम्मेदारी होगी कि वे उनके द्वारा विक्रय की गयी सामग्री के लिये उचित मूल्य पर पुर्जें तथा विक्रय उपरान्त सेवा की सुविधा कृषकों को उपलब्ध करावें। लाभार्थियों को इसके लिये प्राप्त अनुरोध पत्र से 15 दिनों के अन्दर यदि यह व्यवस्था नहीं की जाती है, तो यथा आवश्यक कार्यवाही की जायेगी।

20. फर्म द्वारा कृषि मशीनों/यंत्रों/उपकरणों पर लेबलिंग प्लेट को **riveted** किया जाना अनिवार्य होगा, जिस पर निर्माता का नाम एवं पता मेक/मॉडल सीरियल नम्बर निर्माण का माह एवं वर्ष, टाईप, साईज, किस देश में निर्मित किया गया है लिखा होना चाहिए। इसके अतिरिक्त उपलब्ध कराए जा रहे स्पेसिफिकेशन में मार्किंग/लेबलिंग हेतु दिए गए निर्देशों का पालन किया जाए।


संलग्न –यथोपरि।

  
(के0सी0पाठक)  
कृषि निदेशक  
उत्तराखण्ड।

पत्रांक— /कृ0नि0/एस.एम.ए.एम/पंजीकरण—कृषि यंत्र/2024-25/दिनांकित।

प्रतिलिपि—: निम्नांकित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

1. अपर कृषि निदेशक, गढ़वाल मण्डल, पौड़ी।
2. संयुक्त कृषि निदेशक, कुमाऊँ मण्डल, हल्द्वानी (नैनीताल)।
3. संबंधित मूल विनिमाता फर्म को विभागीय बेवसाईट के माध्यम से।
4. अध्यक्ष, जिला यंत्रीकरण समिति।
5. विभागीय पोर्टल।

  
कृषि निदेशक  
उत्तराखण्ड।

पत्र संख्या-2213, दिनांक 26 जुलाई, 2024 के द्वारा जारी विज्ञापन से प्राप्त सुपर सीडर टिलर हेतु अनुमोदित/स्वीकृत पंजीकृत फर्मों/अधिकृत विक्रेता, मेक/मॉडल का विवरण

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक/मॉडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	Bir singh & Sons Chandigarh Road, Samrala, Ludhiana Punjab	Super Seeder	MCSS-D10	Horse Power-55 hp and above, Type of blade-L type, Size-23X187 rotar dia X Working width, Max PTO-44.74 kw, Size of box-1860X540X5.0mm, dimensions-640X460X8.0 mm LHS	FMTC TELANGANA	IMP-281/432, JUNE-2021	8 Jun-28	पंजीकरण हेतु चिह्नित किया गया है
2	Bir singh & Sons Chandigarh Road, Samrala, Ludhiana Punjab	Super Seeder	PSS 11DT-11 Tine	Working width-2010mm, Max Pto-60 hp, Size of box-2100X540X4.5 mm, Size of supporting flat-640X100X8.5 mm, Side plate, Type-MS Sheet, Dim- LHS-640X115X8.0 t, RHS-650X110X8.0 t	FMTC TELANGANA	IMP-248/393 July 2020	Jul-27	पंजीकरण हेतु चिह्नित किया गया है
3	Bir singh & Sons Chandigarh Road, Samrala, Ludhiana Punjab	Super Seeder	MCSS-D13	Horse Power-60 hp and above, Type of blade-L type, Size-23X256 rotar dia X Working width, Max PTO-44.74 kw/60hp, Size of box-2350X530X5.0mm, dimensions-650X460X8.0 mm	FMTC TELANGANA	IMP-282/433, JUNE-2021	Jun-28	पंजीकरण हेतु चिह्नित किया गया है
4	Bhagwan Engg. Works, Raikot Road, Malerkotla, Sangrur, Punjab	Super Seeder	BEW 11R	"c" Type blade, Rotor blade 54, Furrow opener 11, Hopper Trapeziodal MS sheet with cover	SLFMTTI, Lucknow	2011/232 June 2020	June 2024	पंजीकरण हेतु चिह्नित किया गया है
5	Bhagwan Engg. Works, Raikot Road, Malerkotla, Sangrur, Punjab	Super Seeder	BEW 13R	Traction mounted, "c" Type blade, Rotor blade 60, Furrow opener 13, 26 Disc, Hopper Trapeziodal MS sheet with cover	SLFMTTI, Hardoi road, Lucknow	2011/233 June 2020	June 2024	पंजीकरण हेतु चिह्नित किया गया है
6	Dashmesh Agricultural Industries Pvt. Ltd, Raikot, Malerkotla, Punjab	Super Seeder	Dasmesh-SUPER SEEDER 11 ROWS	Source of power-tractor, Power of tractor-50hp and above, Type of blade-L type, Max PTO-37.4kw Ps, Rated engine speed-2000 rpm, Size of box-2130X60X60mm, supporting flat-620X170X10mm	DFMPE CC SHAU HISAR	HAU/FMPE/21-22/SS-85, March 2022	Mar-29	पंजीकरण हेतु चिह्नित किया गया है
7	Dashmesh Agricultural Industries Pvt. Ltd, Raikot, Malerkotla, Punjab	Super Seeder	Dasmesh- 620 SUPER SEEDER 10 ROWS	Source of power-tractor, Power of tractor-50hp and above, Type of blade-L type, Max PTO-37.9kw Ps, Rated engine speed-1700 rpm, Size of box-1835X60X60mm, supporting flat-745x170x5mm	DFMPE CC SHAU HISAR	HAU/FMPE/19-20/SS-11, March 2020	Mar-27	पंजीकरण हेतु चिह्नित किया गया है
8	Dashmesh Agricultural Industries Pvt. Ltd, Raikot, Malerkotla, Punjab	Super Seeder	Dasmesh- 826 SUPER SEEDER 13 ROWS	Source of power-tractor, Power of tractor-50hp and above, Type of blade-L type, Max PTO-37.9kw Ps, Rated engine speed-1800 rpm, Size of box-2435X60X60mm, supporting flat-745x170x5mm	DFMPE CC SHAU HISAR	HAU/FMPE/19-20/SS-34, March 2020	Mar-27	पंजीकरण हेतु चिह्नित किया गया है
9	Dasmesh Machinial works, Nabha Malerkotla road, Amargargh, Sangrur, Punjab	Super Seeder	LANDFORCE LFSS1238-8 FEET	nominal width 190x13mm, nominal width 2460(rotor), power source 50&above, max pto power kw/hp 46.7hp, dimension of frame 2255x490mm,	FIMTTC RAU bikaner rajasthan	FIMTTC/MECH/23/22 87 September 2023	Sep-30	पंजीकरण हेतु चिह्नित किया गया है
10	Dasmesh Machinial works, Nabha Malerkotla road, Amargargh, Sangrur, Punjab	Super Seeder	LANDFORCE LFSS1237-7 FEET	nominal width 190x12mm, nominal width 2160(rotor), power source 50&above, max pto power kw/hp 47.54/63.75, dimension of frame 2250x480mm,	FIMTTC RAU bikaner rajasthan	FIMTTC/MECH/23/22 86 September 2023	Sep-30	पंजीकरण हेतु चिह्नित किया गया है

क्र.सं	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
11	Dasmesh Machinial works, Nabha Malerkotla road, Amargargh, Sangrur, Punjab	Super Seeder 10 ROWS	LANDFORCE 11T(11-TINES)	Max. PTO power, kW (Ps)- 28.2, Rated engine speed, rpm-1800, Drawbar power, power 55hp & above, size of box 1935x60x60mm,	CCSHAU HISAR	HAU/FMPE/20-21/SS-68 March2021	Mar-28	परीक्षण हेतु चिह्नित किया गया है
12	Friends Farming solution, VPO Hamidi, Barnala, Punjab	Super Seeder	NIDDER-NSS-11T(11-TINES)	nominal width-2310mm, Rotor nominal width-2000mm, power source as recommended-55hp & above, max PTO power, kw/hp-39.8/54.1, distance b/w two flanges-225mm, Rotor blades-54	FIMTTC RAU BIKANER Rajasthan	FIMTTC/MECH/20/14 20, JUNE-2020	Nov-27	परीक्षण हेतु चिह्नित किया गया है
13	Gobind Agriculture Works Panjhrain kalan, Kotkapura, Punjab	Super Seeder	12 Tines	Power Source-55 hp and above, Max PTO Power-37.3/50.7 hp, Nominal width-200X12+2400 mm, MS Plate, LHS-770X530X10.01, RHS-410X452X8.02	FIMTTC RAU Bikaner	FIMTTC/MECH/19/12 19 June 2020	Jun-27	परीक्षण हेतु चिह्नित किया गया है
14	Gobind Agriculture Works Panjhrain kalan, Kotkapura, Punjab	Super Seeder	11 Tines	Power Source-50 hp and above, Max PTO Power-37.9kW, nominal width 190x11mm, MS Plate, LHS-640x790x10.13 RHS LHS-640x790x10.13	FIMTTC RAU Bikaner	FIMTTC/MECH/21/16 61 June 2021	Jun-28	परीक्षण हेतु चिह्नित किया गया है
15	GSA Industries, Village Daulatpur, Rasulpur Jaura Road, Patiala, Punjab	Super Seeder	GSA SS 1072 17 Row - 10 feet	Tractor mounted type, horse power 75 and above, 2830x60x60 front, Rotor blades 72, LjF type, 17 no. of Furrow opener, hopper unit 120*130 for seed/fertilizer box. Trapezoidal MS sheet with cover	SLFMTTIR, Lucknow	SS/SLFMTTI, REHMANKHHERA/202 4-25/17/455 June 2024	Jun-31	परीक्षण हेतु चिह्नित किया गया है
16	GSA Industries, Village Daulatpur, Rasulpur Jaura Road, Patiala, Punjab	Super Seeder	GSA SS-754 AGRIZONE (11ROW)	Speed-3.5 kmph(apa), RPM-1800, Size of box Front-2095X60X60, Rear-2125X60X60mm, Type-MS Plate-Thickness-8 & 10 LHS & RHS, Horse power required-50/37.3 hp (apa)	SLFMTTIR, Lucknow	2011/311 July 2021	Jul-26	परीक्षण हेतु चिह्नित किया गया है
17	GSA Industries, Village Daulatpur, Rasulpur Jaura Road, Patiala, Punjab	Super Seeder	GSA-SSD-860 AGRIZONE ( 13 ROW)	Speed-2.5 kmph(apa), RPM-1600-1700, Size of box Front-2345X60X60, Rear-2370X60X60mm, Type-MS Plate-Thickness-8 & 10 LHS & RHS, Horse power required-60/37.3 hp (apa)	SLFMTTI, Hardoi road, Lucknow	2011/410 June 2023	Jun-30	परीक्षण हेतु चिह्नित किया गया है
18	GSA Industries, Village Daulatpur, Rasulpur Jaura Road, Patiala, Punjab	Super Seeder	GSA SS 966	Tractor mounted type, horse power 75 and above, 2790x60x60 front, Rotor blades 66, LjF type, 15 no. of Furrow opener, hopper unit 110*120 for seed/fertilizer box, Trapezoidal MS sheet with cover	SLFMTTI, Hardoi road, UP	2011/345 november 2021	Nov-26	परीक्षण हेतु चिह्नित किया गया है
19	GSA Industries, Village Daulatpur, Rasulpur Jaura Road, Patiala, Punjab	Super Seeder	GSA SS-684 AGRIZONE (10ROW)	Tractor mounted type, horse power 50 and above, 1845x60x60 front, 1865x60x60 Rear chasis box, Rotor blades 48, LjF type, 10 no. of Furrow opener, hopper unit 80/90 for seed/fertilizer box, Trapezoidal MS sheet with	SLFMTTI, Hardoi road, Lucknow	2011/283 May 2021	May-26	परीक्षण हेतु चिह्नित किया गया है
20	H.S. Agriculture, Main bus stand Ladda, Kattu wallia road, Sangrur, Punjab	Super Seeder	Mehar 11 Tines	nominal width 200x11mm, nominal width 2010(rotor), power source 50&above, max pto power kw/hp 37.9kW, dimension of frame 2100X610X8mm,	FIMTTC RAU BIKANER	FIMTTC/MECH/19/13 29 June-2020	Jun-27	परीक्षण हेतु चिह्नित किया गया है
21	H.S. Agriculture, Main bus stand Ladda, Kattu wallia road, Sangrur, Punjab	Super Seeder	MEHAR (15 DISC TYPE)	nominal width 183x15mm, nominal width 2648(rotor), power source 55&above, max pto power kw/hp 46.7hp, dimension of frame 2745x520mm,	FIMTTC RAU BIKANER	FIMTTC/MECH/22/19 90, June-2023	Jun-30	परीक्षण हेतु चिह्नित किया गया है
22	H.S. Agriculture, Main bus stand Ladda, Kattu wallia road, Sangrur, Punjab	Super Seeder	MEHAR (13 DISC TYPE)	nominal width 192x13mm, nominal width 2342(rotor), power source 50&above, max pto power kw/hp 46.7hp, dimension of frame 2438x520mm,	FIMTTC RAU BIKANER	FIMTTC/MECH/22/19 89, June-2023	Jun-30	परीक्षण हेतु चिह्नित किया गया है

क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की सैद्यता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
23	Jai Auto Pvt. Ltd. DUDHOLA, Dhateer road, Pirthia palwal haryana	Super Seeder - 7feet	TERRASOLI CROPICA 205 (CR-205)	Maximum PTO power, Kw- 36.4, Power at standard power take-off speed, 540+10 rpm, Kw- 37.5, Rated engine speed, rpm- 2100, Drawbar power, Kw- 37.8, Total opeational mass, kg= 905x1415x2320.	FMTTI LUCKNOW	IMP-2011/328, AUGUST-2021	Aug 2028	परीक्षण हेतु चिह्नित किया गया है
24	Jai Auto Pvt. Ltd. DUDHOLA, Dhateer road, Pirthia palwal haryana	Super Seeder - 8feet	TERRASOLI CROPICA 230 (CR-230)	Maximum PTO power, Kw- 36.4, Power at standard power take-off speed, 540+10 rpm, Kw- 37.5, Rated engine speed, rpm- 2100, Drawbar power, Kw- 37.8, Total opeational nominal width 190x11mm, nominal width 1990(rotor), power source 50&above, max pto power kw/hp 31.3/42, dimension of frame 2085x380mm,	FMTTI LUCKNOW	IMP-2011/329, AUGUST-2021	Aug 2028	परीक्षण हेतु चिह्नित किया गया है
25	Jai Auto Pvt. Ltd. Dudhola Dhateer road, Pirthia palwal haryana	Tractor operated Super seeder	SOILTECH-SSR 7 (11 tines)	nominal width 190x12mm, nominal width 2195(rotor), power source 55&above, max pto power kw/hp 49.9hp, dimension of frame 2330x585mm,	FIMTTC RAU bikaner rajasthan	FIMTTC/MECH/21/16 35 June 2021	Jun-28	परीक्षण हेतु चिह्नित किया गया है
26	Jai Auto Pvt. Ltd. Dudhola Dhateer road, Pirthia palwal haryana	Tractor operated Super seeder	SOILTECH-SSR 8 (12 tines)	nominal width 200x11=2200mm, power source 55hp and above, max PTO power 33.1kW, material MS plate, overall dimension 1314x2580x1480mm, mass 950kg	FIMTTC RAU bikaner rajasthan	FIMTTC/MECH/21/16 36 June 2021	Jun-28	परीक्षण हेतु चिह्नित किया गया है
27	Lotay Engg. Works , Jakhepal, Sunam Sagror Punjab	Super seeder	PARWINDERA & JS Super Seeder 11 Tines	Power- 50 hp and above, Tyne between tow SS Disc Design, Dimension of frame-2150x630x5mm, LHS-650x510x11.33, RHS-620x490x8.31mm, Material-MS Pipe, Size of flanges- 250mm	FIMTTC RAU bikaner rajasthan	FIMTTC/IMP/19/126 4 June 2020	Jun-27	परीक्षण हेतु चिह्नित किया गया है
28	Lotay Engg. Works , Jakhepal, Sunam Sagror Punjab	Super seeder	PARWINDERA & JS Super Seeder 13 Tines	Power- 50 hp and above, Tyne between tow SS Disc Design, Dimension of frame-2150x630x5mm, LHS-650x510x11.33, RHS-620x490x8.31mm, Material-MS Pipe, Size of flanges- 250mm	AITC-Raipur	No-060/October 2019	Oct-26	परीक्षण हेतु चिह्नित किया गया है
29	Mahindra & Mahindra Ltd. F.E.S.Swaraj Division, SAS Nagar, Mohali, Punjab	Super Seeder	MD 7FTSS	source of power tractor 55hp&above, max PTO power 55kW, size of box section 2120x60x60mm, type MS square pipe & MS flat fabricated	AMD ICAR-CIAE bhopal	41/2023 March 2024	Mar-31	परीक्षण हेतु चिह्नित किया गया है
30	Mahindra & Mahindra Ltd. F.E.S.Swaraj Division, SAS Nagar, Mohali, Punjab	Super Seeder	MD 8FTSS	source of power tractor 55hp&above, max PTO power 55kW, size of box section 2445x60x60mm, type MS square pipe & MS flat fabricated	AMD ICAR-CIAE bhopal	42/2023 March 2024	Mar-31	परीक्षण हेतु चिह्नित किया गया है
31	Maan Agriculture Works, Ludhiana byepass road, malerkotla, sangrur, punjab	Super Seeder	MAAN 11 ROWS	nominal width 200x11mm, nominal width 2050(rotor), power source 50&above, max pto power 37.9kW, Rated engine speed 1700rpm, dimension of frame	FIMTTC RAU bikaner rajasthan	FIMTTC/MECH/19/12 75 June 2020	Jun-27	परीक्षण हेतु चिह्नित किया गया है
32	Maan Agriculture Works, Ludhiana byepass road, malerkotla, sangrur, punjab	Super Seeder	MAAN 13 DISC TYPE	nominal width 190x13mm, nominal width 2240(rotor), power source 50&above, max pto power 346.7hp, dimension of frame 2445x530mm,	FIMTTC RAU bikaner rajasthan	FIMTTC/MECH/22/19 71 August 2022	Aug-29	परीक्षण हेतु चिह्नित किया गया है
33	Maschio Gasparido India Pvt. Ltd. MIDC Ranjangaon, Karegaon, Shirur, Pune, Maharashtra	Super Seeder-7 feet	MASCHIO GASPARDO-SS2011	Maximum PTO power, Kw-37.51, Power at standard power take off speed, 540+10 rpm, Kw- 37.5, Rated engine speed, rpm- 2100, Drawbar power, Kw- 37.8, Total operational mass, kg- 905x14.5x2320	FMTTI LUCKNOW	IMP-2011/325, AUGUST-2021	Aug-28	परीक्षण हेतु चिह्नित किया गया है
33-1	Maschio Gasparido India Pvt. Ltd. MIDC Ranjangaon, Karegaon, Shirur, Pune, Maharashtra	Super Seeder-8 feet	MASCHIO GASPARDO-SS2312	Maximum PTO power, Kw- 39.0, Power at standard power take off speed, 540+10 rpm, Kw- 35.3, Rated engine speed, rpm- 2100, Drawbar power, Kw- 37.3, Total operational mass, kg- 680x1150x1830	FMTTI LUCKNOW	IMP-2011/326, AUGUST-2021	Aug 2028	परीक्षण हेतु चिह्नित किया गया है

क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
34	Patiala Disc Corporation, Neelapur, Rajpura, Punjab	SUPER SEEDER 11 DISCS	(MOUNTED TYPE) PDC-SS(11-DICS-TINES)	Power at standard PTO speed, kW/hp- 51.32 hp, Rated engine speed- Max speed at no load=2200-2400 Low idle speed = 650-750 Speed at max. torque=1100-7300, Drawbar power kW- 27.2.	FIMTTTC BIKANER	FIMTTTC/MECH/19/10 09, JUNE-2021	Jun-28	परीक्षण हेतु चिन्हित किया गया है
35	Patiala Disc Corporation, Neelapur, Rajpura, Punjab	SUPER SEEDER 9 TINES	(MOUNTED TYPE) PDC-SS(09-TINES)	Power at standard PTO speed, kW/hp-51.32 hp, Rated engine speed- Max. speed at no load=2200-2400, Low idle speed=650-750, Speed at max. torque=1100-7300,	FIMTTTC BIKANER	FIMTTTC/MECH/19/12 09, JUNE-2020	Dec-27	परीक्षण हेतु चिन्हित किया गया है
36	Patiala Disc Corporation, Neelapur, Rajpura, Punjab	SUPER SEEDER 13 TINES	(MOUNTED TYPE) PDC-SS(13-TINES)	speed, kW-44.3, Rated engine speed- Max speed at no load= 2450-2600, Low idle speed= 600-700, Speed at max. torque= 1100-1500, Total operational mass, kg=1305/1210x2330/1940x3635/3150	FIMTTTC BIKANER	FIMTTTC/MECH/19/12 88, JUNE-2021	Jun-28	परीक्षण हेतु चिन्हित किया गया है
37	Patiala Disc Corporation, Neelapur, Rajpura, Punjab	SUPER SEEDER 15 TINES	(MOUNTED TYPE) PDC-SS(15-TINES)	Power at standard PTO speed, kW-44.3, nominal width 190x15mm, 260 rotor, power source 60& above, dimension of frame 2600x550mm	FIMTTTC BIKANER	FIMTTTC/MECH/20/13 86, JUNE-2021	Jun-28	परीक्षण हेतु चिन्हित किया गया है
38	Saaron Mechanical Works Mansa Road, Cheema Mandi, Distt.-Sangrur, Punjab	Super Seeder	JSS-D 12 Disc Type	tractor operated, horse power 55 and above, Rotor blades 66, Boron steel, 12 circular flanges, 6 blades on each lange with left right alternate combination, Furrow opener 12, high carbon steel, Propellar shaft with Telescopic having one universal joint on each segment, Hopper box 110/120	FIMTTTC, Bikaner	FIMTTTC/MECH/20/13 37 August 2020	Aug-27	परीक्षण हेतु चिन्हित किया गया है
39	Saaron Mechanical Works Mansa Road, Cheema Mandi, Distt.-Sangrur, Punjab	Super Seeder	JSS-D 11 Disc Type	tractor operated, horse power 45 and above, Rotor blades 48, Boron steel, Furrow opener 11, high carbon steel, Propellar shaft with Telescopic having one universal joint on each segment, Hopper box 100/110 kg, MS sheet fabricated, Trapezoidal shaped	FIMTTTC, Bikaner	FIMTTTC/MECH/20/13 36 August 2020	Aug-27	परीक्षण हेतु चिन्हित किया गया है
40	Saaron Mechanical Works Mansa Road, Cheema Mandi, Distt.-Sangrur, Punjab	Super Seeder	JAGJIT- JSS (D-13 Disc Tines)	tractor operated, mounted type, horse power 55 and above, Rotor blades 60, Boron steel, 11 circular langes, 6 blades on each lange with left right alternate combination, Furrow opener 13, Propellar shaft with Telescopic having one universal joint on each segment,	FIMTTTC, Bikaner tested	FIMTTTC/MECH/20/13 35 August 2020	Aug-27	परीक्षण हेतु चिन्हित किया गया है
41	Sonalika Industries- A unit of international Cars & Motors Ltd, Hosiarpur Punjab	SUPER SEEDER	SLSS-6 FEET	PTO power Kw/hp-37.5/51, Power source 50&above, nominal width 190x10mm, 1760 rotor, dimension of frame 1880x400mm	FIMTTTC, Bikaner tested	FIMTTTC/MECH/22/19 13 August 2022	Aug-29	परीक्षण हेतु चिन्हित किया गया है
42	Steel Boy Pvt. Ltd., saidpura, dera bassi, SAS nagar, Punjab	SUPER SEEDER-12 ROW	STB-SS-712	Recommended speed of machine-3.48to3.55 kmph, maxPTO power-33.8kw, engine speed-1800rpm, size of box 2145x60x60mm(front), 2155x60x60(rear), Rotor-blade-54	FMTTI LUCKNOW	IMP-2011/321, AUGUST-2021		परीक्षण हेतु चिन्हित किया गया है
43	Steel Boy Pvt. Ltd., saidpura, dera bassi, SAS nagar, Punjab	Tractor operated Super seeder	STEEL BOY 8-FEET/60B	nominal width 200x13mm, nominal width 2280(rotor), power source 50&above, max pto power kw/hp 46.7hp, dimension of frame2375x495mm,	FIMTTTC RAU bikaner rajasthan	FIMTTTC/MECH/23/22 51 July 2023	Jul-30	परीक्षण हेतु चिन्हित किया गया है
44	Tirth Agro Technology Pvt. Ltd.,Bhunava village NH27 Rajkot Gujrat	Super Seeder	SHAKTIMAN-(SSUS-8 GD)	nominal width 180x14mm, nominal width 2250(rotor), power source 65&above, max pto power kw/hp 42.5/57, dimension of frame2340X600mm,	FIMTTTC RAU BIKANER	FIMTTTC/MECH/22/19 35, August-2022	Aug-29	परीक्षण हेतु चिन्हित किया गया है



क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक / माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
45	Tirth Agro Technology Pvt. Ltd.,Bhunava village NH27 Rajkot Gujarat	Super Seeder	SHAKTIPAN- (SSUS-7 GD)	nominal width 180x12mm, nominal width 2045(rotor), power source 55&above, max pto power kw/hp 36.4/49.5, dimension of frame 2120X530mm,	FIMTTC RAU BIKANER	FIMTTC/MECH/22/19 36, August-2022	Aug-29	परीक्षण हेतु चिह्नित किया गया है
46	Vinod kumar Virendra kumar, chandpur road nr Reliance Petrol Pump, Dhanaura, Dist Amroha UP	Super Seeder (11 TYNE)	11 TYNE	Mounted type, tractor 50hp above, Rotor blade 48,C-type, 6 blades on each flange, Furrow opener curved disc opener, high carbon steel, seed box Hopper 80kg/ 85kg fertilizer	GBPUAT Pantnagar	CTE/FMP/TEST/ REPORT/2021-122 January 2021	Jul-28	परीक्षण हेतु चिह्नित किया गया है
47	Vishvakarma Agro Industries,Dirba mandi, Sangroor Punjab	SUPER SEEDER 11 ROW	VISHAVKARMA- 741	recommended power of tractor-55& above, max PTO power-33.0 kw, size of box-2065x60x60mm, size of supporting flat-640x190x8 mm, distance b/w two flanges-205mm, total no of blades-54	CCSHAU HISAR	HAU/FMPE/20-21/SS-63, MARCH-2021	Mar-28	परीक्षण हेतु चिह्नित किया गया है
48	Vishvakarma Agro Industries,Dirba mandi, Sangroor Punjab	SUPER SEEDER 12 ROW	VISHAVKARMA- 741	recommended power of tractor-50& above, max PTO power-36.2 kw, size of box-2325x60x60mm, size of supporting flat-635x190x8 mm, size of box-2225x60x60mm, rotor blade-66	CCSHAU HISAR	HAU/FMPE/19-20/SS-32, MARCH-2020	Mar-27	परीक्षण हेतु चिह्नित किया गया है
49	Vishvakarma Agro Industries,Dirba mandi, Sangroor Punjab	SUPER SEEDER 12 ROW	VISHAVKARMA- 741	recommended power of tractor-50& above, max PTO power-27.9 kw, size of box-2070x60x60mm, size of supporting flat-630x125x8 mm, size of box-2070x60x60mm, rotor blade-54	CCSHAU HISAR	HAU/FMPE/23-24/SS-105, February 2024	Feb-31	परीक्षण हेतु चिह्नित किया गया है
50	Ramsons Impex, Bhagwanpur, Haridwar	Manually Operated Seeder	RI SE105	Size of handle, (mm)- length- 1012, Width-222, Size of handle pipe, (mm)- Outer diameter-20.5, Inner diameter-19, Size of box, (mm)- 311x201x201, Thickness, (mm)- 6.5	GBPUAT Pantnagar Uttarakhnad	CTE/FMPE/2023-207	February 2030	परीक्षण हेतु चिह्नित किया गया है

उप कृषि निदेशक,  
तकनीकी समीक्षण,  
कृषि निदेशालय

संयुक्त कृषि निदेशक,  
गुणवत्ता नियंत्रण,  
कृषि निदेशालय

संयुक्त कृषि निदेशक,  
नियोजन  
कृषि निदेशालय

प्रतिनिधि,  
निदेशक उद्योग,  
उद्योग निदेशालय

प्रतिनिधि,  
विभागाध्यक्ष (फार्म मशीनरी),  
गोवर्धनविठ्ठल, पतनगर

अपर कृषि निदेशक,  
कृषि निदेशालय

प्रतिनिधि,  
कृषि निदेशक,  
उत्तराखण्ड I

कृषि निदेशक,  
उत्तराखण्ड I

पत्र संख्या-2213, दिनांक 26 जुलाई, 2024 के द्वारा जारी विज्ञापन से प्राप्त स्ट्र रीपर हेतु अनुमोदित/स्वीकृत पंजीकृत फर्मों/अधिकृत विक्रेता, मेक/मॉडल का विवरण

क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक/मॉडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
1	AKHTARI AGRO INDUSTRIES PVT.LTD	Straw Reaper	AKHTARI-A-757	Recommended power of tractor-45-60hp&above, MAX. PTO power-36.3kw, rated engine speed-1700 rpm, track width-2230mm, oil capacity-4.0L, no of tynes-5, knife stroke-80.0mm, cutter bar width-2210mm, overall dimension-3530x2460x1550 mass-1945kg	SLFMTTI LUKNOW	IMP-2011/297, JUNE-2021	June 2028	पंजीकरण हेतु निहित किया गया।
2	BCS India Pvt. Ltd. Manggarh, Ludhiana Punjab	Self Propelled Reaper	Gartia 120	Self propelled reaper, walk behinde, 4 stroke, air cooled, single cylinder, spark ignition engine, Bore/stroke-70/56, Capacity-215cc, type of valve-over head valve, Capacity	NRFMTTI Hissar	REAPER-11/2788/2022/February 2022	28-Feb-27	पंजीकरण हेतु निहित किया गया।
3	BCS India Pvt. Ltd. Manggarh, Ludhiana Punjab	Self propelled Reaper	730 VCR	4 Stroke, Air Cooled, Single Cylinder, Spark ignition engine, High idle speed-3800+150rpm, Low idle Speed-1400+150rpm, Max Speed-2200+200mm, Bore/stroke-77/58, Capacity-270cc	NRFMTTI-Hissar	Reaper-13/2798/2022/February 2022	Feb-27	पंजीकरण हेतु निहित किया गया।
4	Dasmesh Agricultural Industries Pvt. Ltd., Rajkot Road, Malerkotla, Sangroor Punjab	Tractor Operated Straw Reaper	Land Force LFSR 56	45 PTO hp and above, Telescopic with universal joints and splined hub at both ends, circular shaft with one universal joint, nos of spines 10 at both ends, V-belt & pulley through cutter bar auger, 14 Nos of knife guard, 28 Nos of blades, drive V-belt & pulley, mass 2100kg	Tested by NRFMTTI, Hissar	Comp-145/2427/2020 January 2020	Jan-27	पंजीकरण हेतु निहित किया गया।
5	Dasmesh Agricultural Industries Pvt. Ltd., Rajkot Road, Malerkotla, Sangroor Punjab	Tractor Operated Straw Reaper	Dasmesh 517 DLX	Model-Dasmesh 517 DLX, Tractor Pto Powered, Power-55hp and above, 4 wheel, general purpose 2 wheel drove agricultural tractor, Max PTO-37.4 kW, Speed-1700rpm	DFMPE-CAET-Hissar	HAU/FMPE/23-24/SR-48, August-2023	Jan-27	पंजीकरण हेतु निहित किया गया।
6	Dasmesh Agriculture Works, Patiala Road, Sangroor Punjab	Tractor Operated Straw Reaper	Dasmesh-55	Type-4 wheel, genera purpose 2 wheel drive, Max PTO-32.5kw, Speed -1700rpm, No and size-7.00-19, 10PR, Length and size-430X50X50mm	CAET-Haryana	HAU/FMPE/23-24/SR-47, August-2023	Aug 2030	पंजीकरण हेतु निहित किया गया।
7	E-Agrocare Machineries & Equipments Pvt. Ltd., D-45, Shendra MIDC, Aurangabad, Maharashtra	Power Reaper	4S-120	Single Cylinder, 4 stroke, Vertical, Air Cooled, Compression ignitin engine, High idle Speed-3250+50rpm, Low idle speed-1500+50rpm, Recommended speed-3000rpm, Max Power-3.6 kw,, Bore/ stroke-78/85mm	SRFMTTI-Anantapur A.P.	Machine-412/1244/January 2021	Dec-25	पंजीकरण हेतु निहित किया गया।
8	Guru Agro Industries, Fatehabad, Haryana	Reaper Cum Binder	SK-RR 3	Type-Tractor mounted PTO operated raper cum binder, Nominal size-2120mm, Recmended crop-Wheat& Paddy, 4 wheel, 2 wheel drive general purpose agricultural tractor	DFMPE-CAET-Hissar	HAU/FMPE/19-20/RB-01, November 2019	Nov 2026	पंजीकरण हेतु निहित किया गया।
9	George Maijo Industries Pvt. Ltd, Chennai	Paddy Reaper	MAIJO 5 PR	Size-1200mm, High idle speed-1950+50 rpm, Low idle speed-700+100/-75rpm, Recommended rated speed-1800rpm, Max Power-3.18 kw	SRFMTTI-Anantapur	Machine-626/1683, July 2024	Jun-31	पंजीकरण हेतु निहित किया गया।
10	George Maijo Industries Pvt. Ltd, Chennai	Paddy Reaper	MAIJO 7 PR	Size-1168mm, High idle speed-3700+100 rpm, Low idle speed-1200+200rpm, Recommended rated speed-3600rpm, Max Power-3.77kw	SRFMTTI-Anantapur	Machine-602/1659, July 2024	Jun-31	पंजीकरण हेतु निहित किया गया।

क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
11	GSA Industries, Village Daulatpur, Rasulpur Juran Road, Patiala PB	Tractor PTO Powered Straw Reaper	GSA-SR-757	45 HP & above, engine speed 1800rpm, Pneumatic wheel, Universal Telescopic type, oil capacity 4L, V-belt & pulley, 688 No. of strokes to 1700 rpm of engine, 30 No. of blades	SLFMTT, Lucknow	IMP-2011/303 June 2021	June 2028	पंजीकरण हेतु विहित किया गया।
12	GOBIND AGRICULTURE WORKS	Straw Reaper	TRACTOR OPERATED	Recommended power of tractor-45hp & above, Max. PTO power-33.5kw Rated engine speed-1570-1600rpm, track width-2150mm, no of tines-5, cutter Bar width-1980mm, knife stroke-68mm, no of strokes-445rpm, overall dimensions-6060x2340x2080mm,, mass-1950kg	FIMTTC BIKANER	FIMTTC/MECH/20/1477, JUNE-2021	17/06/2028	पंजीकरण हेतु विहित किया गया।
13	Indicon Agro Industries LLP, Kolkata WB	Self propelled Reaper	IR-120	Size-1168mm, High idle speed-3800+100 rpm, Low idle speed-1600+100rpm, Recommended rated speed-2600rpm, Max Power-3.77kw	NRFMTTI-Hisaar	Reaper-17/3022/2023, May 2023	May-29	पंजीकरण हेतु विहित किया गया।
14	Jagdeep Agriculture Works, Sangroor Punjab	Straw Reaper	JAGDEEP-742	Recommended power of tractor-above 50hp, max. PTO power, kw-36.2, rated speed-1800 rpm, recommended tyre pressure-2.5 kg/sq.cm, no. of tyne bars-5, cutter width-2220mm, knife stroke-75mm, cylinder width-	CCSHAU HISSAR	HAU/FMPE/19-20/SR-31, SEPTEMBER-2019	Sept 2026	पंजीकरण हेतु विहित किया गया।
15	Jagatjit Agri India PVT LTD, ludhiana, PB	Tractor Oprated Straw Reaper	JSR-60 inches	Power-45 hp and above, Max PTO-37.3/51 kW/hp, Trak width-2090mm, Tyre pressure-3.5kg/cm, length adjustable-1010mini, 1430 max.	FIMTTC-Bikaner	FIMTTC/MECH/21/1677, November2022	Nov-29	पंजीकरण हेतु विहित किया गया।
16	Jagatjit Agri India PVT LTD, ludhiana, PB	Tractor Oprated Straw Reaper	JSR-57inches	Power-41 hp and above, Max PTO-31.8kW Trak width-2010mm, Tyre pressure-3.5kg/cm, length adjustable-1010mini, 1430 max.	FIMTTC-Bikaner	FIMTTC/MECH/21/1676, November2022	Nov-29	पंजीकरण हेतु विहित किया गया।
17	Jagatjit Agri India PVT LTD, ludhiana, PB	Front Mounted type-Reaper Binder	JRBFTA-7 Feet	Working width-2200mm, Power-40 hp and above, Max PTO-17.6 hp, Speed-1000-1200 rpm	FIMTTC-Bikaner	FIMTTC/MECH/21/1705, January 2023	Jan-30	पंजीकरण हेतु विहित किया गया।
18	K.S. AGROTECH PVT. LTD, malerkotla, Punjab	STRAW REAPER	KSA 756 XH	Power-45hp and above,, Tractor PTO Powered straw reaper , Speed-1800 rpm, length-878mm mini, 1075 max.	FMTTI LUKNOW	IMP-2011/241	2018	पंजीकरण हेतु विहित किया गया।
19	K.S. AGROTECH PVT. LTD, malerkotla, Punjab	STRAW REAPER	KSA-759 XC	Power-45 hp and above, Type-4wheel, 2 wheel drove general purpose agricultural Tractor, Max PTO-42.5hp, Trak width -2080mm, Tyre Pressure -3.5,Mass of shaft-21,980 kg	FIMTTC-Bikaner	FIMTTC/MECH/23/2297, January 2024	Jan-31	पंजीकरण हेतु विहित किया गया।
20	Kirloskar Oil Engine Ltd, Maharashtra	Self Propelled Reaper	OSKAR RW-4201	Self-propelled, walk behind, Size of Reaper-1280mm, High idle speed-3300+100 rpm, low idle speed-1000+100 rpm, Max torque at output -1350 rpm, Max Power-5.30 kw	SRFMTTI-Anantapur	Machine-625/1682, July 2024	Jun-31	पंजीकरण हेतु विहित किया गया।
21	LOTAY ENGG WORKS, SANGRUR PB	Straw Reaper Combine	PARWINDERA & JS	power source above 40hp, material mild steel, tyre pressure 4.9kgf/cm2, overall dimension 3560x2580x2055mm, mass 1875kg	Tested by NRFMTTI, Hissar	938/2214/2018 September 2018	Scp-25	पंजीकरण हेतु विहित किया गया।
22	Maan Agriculture works, Ludhiana Bye pass road, Near Guljar Hospital,	Straw Reaper	MAAN	Tractor operated Straw Reaper, Pneumatic ribbed wheel, Universal telescopic type, Tyne bar pickup reel, drive V-belt & pulley, cylindrical MS sheet fabricated in tubular	FMTTI, RAU Bikaner	20/1540 December 2020	Jan-25	पंजीकरण हेतु विहित किया गया।
23	Mhaswadkar Autolines Pvt. Ltd., Maharashtra	Self Propelled Reaper	BAM120 DPWR	Size -980mm, High idle speed-3250+100 rpm, Low idel speed-1800+100rpm, Max power-3.90 kw, No of cylinder-1, Dipostion-vertical, Bore/stroke-78/62 mm	NERFMTTI-Assam	Machine-112/483, Febraury 2024	Feb-31	पंजीकरण हेतु विहित किया गया।

क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक / माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	5	6	7	8	9	10
24	Mhaswadkar Autolines Pvt. Ltd., Maharashtra	Self Propelled Reaper	BAM120 RP	Size - 1240mm, High idle speed-3600+100 rpm, Low idle speed-1400+100rpm, Max power-2.49 kw, No of cylinder-1, Diposition-Inclined, Bore/stroke-70/55 mm	NERFMTTI-Assam	Machine-111/482, February 2024	Feb-31	पंजीकरण हेतु विहित किया गया।
25	NIPHA India Pvt. Ltd, Kolkata	Power Reaper	NPR-4R-120	Self-propelled, walk behind, Size of Reaper-1200mm, High idle speed-1850+50 rpm, low idle speed-1200+50 rpm, Max torque at outpur -1350 rpm, Max Power-3.8 kw	SRFMTTI-Anantapur	Machine-541/1585, February 2024	Jan-31	पंजीकरण हेतु विहित किया गया।
26	Roop Agriculture Works, Mansa Punjab	Tractor Operated Reaper Binder	SRB-7	Main Crop- Wheat, Type of prime-General purpose agricultural tractor, Power-30 hp and above, Max PTO-42.5hp, Rated engine speed-1000-1200rpm	FIMTTI-Bikanaer	FIMTTT/MECH/21/1634, September 2021	Sep-28	पंजीकरण हेतु विहित किया गया।
27	Ravindra Agriculture Industries, USNagar	Straw Reaper	Ravindra 1313	Model-Ravindra 1313, Working width-2100mm, Power source-40hp and above, Max PTO-33.0 kW, PTO Speed-540 rpm, Tyre pressure-4.80 kgf	GBPUAT-Pantanagar	CTE/FMP/TEST-2022-199, October 2022	Oct 2022	पंजीकरण हेतु विहित किया गया।
28	SONALIKA INDUSTRIES, Hoshiarpur, Punjab	Straw Reaper	SLPCCSR, PADDY CHOPPER	Tractor PTO powered, trailed Paddy Chopper Cum Straw Reaper Combine, Working width, mm-2050, Engine No.-4100YL43D414929FN, No. and size-Two, 7.00-19, 10 PR, Max. PTO Power, kW- 33.0 kW a, No and size-Two 7.00-19, 10 PR, Recommended tyre pressure-4.9 (483), Recommended power source- Above 45 hp tractor, Length of shaft, mm- closed-985, Extended- 1275	NRFMTTI HISAR	148/2703/2021, JUNE-2021	30/06/2028	पंजीकरण हेतु विहित किया गया।
29	Sandhu Agro Industries, Khatima, US Nagar	Straw Reaper	HE MAN		GBPUAT Pantnagar	CTE/FMP/ 2019-102, October 2019	Jul-26	पंजीकरण हेतु विहित किया गया।
30	VSM INTERNATIONAL PVT. LTD., Hisar, Haryana	Self propelled Crop Reaper	XPR-120P	4 stroke, air cooled, single cylinder, spark ignition engine, Engine speed- High idle speed- 3780, Low idle speed-1500, Rated speed- 3600, Speed at max. torque- 2500,	NRFMTTI Hisar, Haryana	IMP-1008/2349/2019 September, 2019	30-Sep-26	पंजीकरण हेतु विहित किया गया।
31	Vishvakarma Agro Industries, Sangrur Road, Near Power GRID DIRBA Sangrur Punjab	Wheat Straw Reaper Combine	Vishvakarma -741	Speed-1800 rpm, Working width-2200mm, Power-50 Hp and above, Outdoor dia-440X35X35, No of theeth-21, Dia of splines-45mm	CAET-Hisaar	HAU/FMPE/19-20/SR-30 September 2019	Sept 2026	पंजीकरण हेतु विहित किया गया।
32	Vishvakarma Agro Industries, Sangrur Road, Near Power GRID DIRBA Sangrur Punjab	Wheat Straw Reaper Combine	Vishvakarma -741	Speed-1800 rpm, Working width-2200mm, Power-50 Hp and above, Outdoor dia-440X35X35, No of theeth-21, Dia of splines-45mm	CAET-Hisaar	HAU/FMPE/21-22/SR-40, August 2021	Aug 2028	पंजीकरण हेतु विहित किया गया।
33	Perfect House Pvt. Ltd., Mumbai, Maharashtra	Self Propelled Reaper	PA-R210-NC	4 stroke, Air Cooled, Single Cylinder, Spark ignition engine, High idle speed-3800+100rpm, Low idle Speed-1750+100rpm, Max Speed-3600mm, Bore/stroke-77/58, Capacity-270cc	NRFMTTI-Hisaar	Reaper-12/2792/2022/February 2022	Feb-27	पंजीकरण हेतु विहित किया गया।

*[Signature]*

प्रतिनिधि,  
विभागाध्यक्ष (फार्म मशीनरी),  
गो040पं0वि0वि0, पंतनगर

प्रतिनिधि,  
निदेशक उद्योग,  
उद्योग निदेशालय

*[Signature]*  
कृषि निदेशक,  
उत्तराखण्ड।

संयुक्त कृषि निदेशक,  
नियोजन,  
कृषि निदेशालय

*[Signature]*  
श्रिता नियंत्रक,  
कृषि निदेशालय

संयुक्त कृषि निदेशक,  
गुणवत्ता नियंत्रण,  
कृषि निदेशालय

उप कृषि निदेशक,  
तकनीकी सम्प्रक्षेपण,  
कृषि निदेशालय

*[Signature]*  
अपर कृषि निदेशक,  
कृषि निदेशालय

पत्र संख्या-2213, दिनांक 26 जुलाई, 2024, के द्वारा जारी विज्ञापन से बेला यंत्र हेतु अनुमोदित/स्वीकृत पंजीकृत फर्मों/अधिकृत विक्रेता, मेक/मॉडल का विवरण

क्र.सं	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मॉडल	यंत्र का स्पेसिफिकेशन	टैस्टिंग संस्था	टैस्ट रिपोर्ट की तिथि	टैस्ट की वधता तिथि	अप्युक्ति
1	Dasmesh Agricultural industries Pvt Ltd, Rajkot road, malerkotla, Punjab	Rectangular straw baler	DASMESH - 512	tractor horse power 50hp & above, PTO speed 540rpm, working width 1475mm, avg weight of baler 11.6 to 18.4kg, Max PTO power 37.9kW, Rated engine speed 1600rpm	CSSHU HISAR	HAU/FMPE/20-21/SB-10, August 2020	Aug-27	पंजीकरण हेतु चिन्हित किया गया है।
2	GSA Industries, Daulapaur, rasulpur, Patiala, Punjab	SQUARE BALER	Agrizone AZ-984	power source 50hp/37.3kW & above, avg weight of bale 19.1 to 25.1 kg, max PTO power 37.4kW/50.8HPs, mass of shaft 21.873kg	FIMTTC RAU BIKANER	FIMTTC/MECH/23/2233, September 2023	29-09-2030	पंजीकरण हेतु चिन्हित किया गया है।
3	Maschio Gaspardo India Pvt. Ltd., Pune, Maharashtra	SQUARE BALER	PITAGORA- L	PTO speed-540rpm, working width-1600 mm, Avg. Bale weight-16.6kg, MAX. PTO power-38.6kw, size of Bars-1490x25, no. of lines-22, no. of blade 7 overall dimension-4920x2785x1825, mass-1790 kg	FMTC LUDHIANA	FMPE/TC/COMM./2 022/1308, APRIL-2022	Apr-29	पंजीकरण हेतु चिन्हित किया गया है।
4	Maschio Gaspardo India Pvt. Ltd., Pune, Maharashtra	ROUND BALER	Entry 120	working width 2750mm, bale size length 1210 to 1255mm, dia 1205 to 1240mm, Max PTO power 31.7kW, length adjustable max 2430mm, min 1440mm, overall dimension 3515x2515x2000mm, mass 2250kg	FMTC LUDHIANA	FMPE/TC/COMM./2 023/1376, May-2023	May-30	पंजीकरण हेतु चिन्हित किया गया है।
5	Sonalika Industries-A unit of international cars & motors Ltd, Pipalanwala, hoshiarpur, punjab	Inline Square Baler	SL1SQB-1900	Recommended power source,- 50hp & above, PTO Power Max 37.30kW/50.70hp, Average observed weight of bale kg(paddy)-19.83 to 22.13kg	FIMTTC RAU BIKANER	FIMTTC/MECH/24/2 377, June 2024	27-06-2031	पंजीकरण हेतु चिन्हित किया गया है।
6	Tirth Agro Technology Pvt. Bhunava, Gondal, rajkot, gujarat	Shaktiman Bale Master	Shaktiman SBM-165	Power-35 PTO Hp and Above, Speed-2 to 10 kmph, Pto sepped -540 rpm, working width-1650mm, Max Pto power-25.5 kW	SRFMTTI-AP	343/1159 May 2020	30-04-2027	पंजीकरण हेतु चिन्हित किया गया है।
7	Tirth Agro Technology Pvt. Bhunava, Gondal, rajkot, gujarat	Shaktiman Silage Bale Master	SSBM-850	working width 970mm, average weight 340-400kg, weight of bale 340-400kg, overall dimension 7350x2280x3970mm, mass 6850kg	FMTC KERALA	IMP-112/136/2022, June-2022	Jun-29	पंजीकरण हेतु चिन्हित किया गया है।
8	Tirth Agro Technology Pvt. Bhunava, Gondal, rajkot, gujarat	Shaktiman Silage Bale Master	SSBM-600	working width 620mm, average weight 80-140kg, overall dimension 540x2040x3100mm, mass 4260kg	FMTC KERALA	IMP-253/278/2024 July 2024	Jul-31	पंजीकरण हेतु चिन्हित किया गया है।
9	Tirth Agro Technology Pvt. Bhunava, Gondal, rajkot, gujarat	Shaktiman Round Baler	SRB-60 Plus	power source 26kW/35hp & above, Pto speed 540rpm, Working width 925mm, avg weight of bale 18.4 to 24.5kg, max PTO power 38.2kW/45hp,	FMTC KERALA	IMP-113/137/2022 June 2022	Jun-29	पंजीकरण हेतु चिन्हित किया गया है।

क्र.सं	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मॉडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
10	Tirth Agro Technology Pvt. Bhunava, Gondal, rajkot, gujarat	Shaktiman Bale Master square baler	Shaktiman SBM-165 plus	Power source 33kw/45hp & above, PTO speed 540rpm, working width 1650mm, avg weigh of bale 16.40 to 25.50kg, max PTO power 28.1kw/38.2hp,	FMTK KERALA	IMP-114/138/2022 June 2022	Jun-29	परीक्षण हेतु चिन्हित किया गया है।
11	Tractors and Farm Equipment Ltd.	SQUARE BALER	MASSEY FEGUSON MF 1840	Recommended power source-50 PTO Hp & above, PTO speed-540rpm, Avrg. Weight of Bale-21.4to24.0 kg, working width-1930mm, recommended speed-3mph, MAX. PTO power-40.9kw, overall dimensions-5000x2600x1800mm, mass-1730kg	SRFMTTI ANANTPUR	270/973, FEBRUARY 2019	31/01/2026	परीक्षण हेतु चिन्हित किया गया है।

  
प्रतिनिधि,  
विभागध्यक्ष (फार्म मशीनरी),  
गोवर्धनविठो, पतनगर

संयुक्त कृषि निदेशक,  
नियोजन  
कृषि निदेशालय

प्रतिनिधि,  
निदेशक उद्योग,  
उद्योग निदेशालय

  
कृषि निदेशक,  
उत्तराखण्ड।

संयुक्त कृषि निदेशक,  
गुणवत्ता नियंत्रण,  
कृषि निदेशालय

अपर कृषि निदेशक,  
कृषि निदेशालय

उप कृषि निदेशक,  
तकनीकी समीक्षण,  
कृषि निदेशालय

पत्र संख्या-2213, दिनांक 26 जुलाई, 2024 के द्वारा जारी विज्ञापन से प्राप्त कंबाइन हार्वेस्टर यंत्र हेतु अनुमोदित/स्वीकृत पंजीकृत फर्मों/अधिकृत विक्रेता, मेक/मॉडल का विवरण

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक/मॉडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	Dashmesh Mechanical Works Malerkotla, Sangroor, Punjab	Tractor Mounted Combine Harvester	912 DLX	Model no FM 175, 5 Hp/3.7 kw, 2600 RPM, Horizontal, Water cooled, 4 stoke, Speed diesel engine	NRFMTTI hisar Haryana	COMB-217/2485/2020/ July 2020	31-07-2027	पंजीकरण हेतु चिह्नित किया गया है।
2	Dashmesh Mechanical Works Malerkotla, Sangroor, Punjab	Self Propelled Combine Harvester	9100 PLASMA	Max Speed 2530+50 rpm, Rated speed-2300+50 rpm, No load engine speed-1750rpm, Disposition-vertical inline, capacity cylinder-5799cm, Bore/stroke-104/113 mm	NRFMTTI hisar Haryana	COMB-335/3120/2023, December 2023	31-12-2030	पंजीकरण हेतु चिह्नित किया गया है।
3	Dashmesh Mechanical Works Malerkotla, Sangroor, Punjab	Self Propelled Combine Harvester	Dasmesh 7100 DLX	Max Speed 2420+50 rpm, Rated speed-2200+50 rpm, No load engine speed-1650rpm, Disposition-vertical inline, capacity cylinder-3839cm, Bore/stroke-104/113 mm	NRFMTTI hisar Haryana	COMB-227/2650/2021, January 2021/299/2954/ 2022, December 2022	31-01-2028	पंजीकरण हेतु चिह्नित किया गया है।
4	Dashmesh Mechanical Works Malerkotla, Sangroor, Punjab	Self Propelled Combine Harvester	Dasmesh 3100 DLX	Max Speed 2420+50 rpm, Rated speed-2200+50 rpm, No load engine speed-1650rpm, Disposition-vertical inline, capacity cylinder-3840cm, Bore/stroke-104/113 mm	NRFMTTI hisar Haryana	COMB-300/2969/2023, February 2023	28/02/20230	पंजीकरण हेतु चिह्नित किया गया है।
5	Godabari Agro Machinery and service india Pvt. Ltd, Bhuvneshwar odisa	Self Propelled Combine Harvester	GAM 4LZ 6.5	Max Speed 2800 rpm, Rated speed-2600 rpm, No load engine speed-2800rpm, Disposition-vertical inline, capacity cylinder-3840cm, Bore/stroke-15/115 mm	NRFMTTI hisar Haryana	COMB-259/2806/2022, February 2022	28-02-2029	पंजीकरण हेतु चिह्नित किया गया है।
6	Godabari Agro Machinery and service india Pvt. Ltd, Bhuvneshwar odisa	Self Propelled Combine Harvester	GAM 4LZ 4.5	Max Speed 2800 rpm, Rated speed-2600 rpm, No load engine speed-2800rpm, Disposition-vertical inline, capacity cylinder-2835.3cm, Bore/stroke-91/100mm	NRFMTTI hisar Haryana	COMB-260/2807/2022, February 2022	28-02-2029	पंजीकरण हेतु चिह्नित किया गया है।
7	Guru Nanak Agri Engineering Works, Punjab	COMBINE HARVESTER	BALKAR B-525	Four stroke, liquid cooled, direct injection, Max speed-2100 to 2200 rpm, Rated speed-2000rpm, no of cylinder-3, Bore/Stroke-110/122mm, capacity-3478.2cm <sup>3</sup> , fuel tank capacity-59.6L	NRFMTTI HISAR	COMB-267/2837/ 2022, APRIL- 2022	30/04/2027	पंजीकरण हेतु चिह्नित किया गया है।
8	Guru Nanak Agri Engineering Works, Punjab	Self Propelled Combine Harvester	Balkar 654	4 stroke, direct injection, turbo charged liquied cooled, compression ignition diesel engine, Max Speed - 2530+50rpm, Rated speed-2300+50rpm, No-6, Disposition-Vertical, Inline, Bore/stroke-1104/113mm,	NRFMTTI-Hisaar	COMB-356/3184/2024, May 2024	31-May-31	पंजीकरण हेतु चिह्नित किया गया है।
9	Kartar Agro Industries, Amolh road Patiala Punjab	Paddy Combine Harvester	KARTAR-3500 G	Four stroke, direct injection, compression ignition engine, engine speed, max-2530+50 rpm, low speed-850+100pm, Bore/stroke-104/113mm, capacity-5759 cm <sup>3</sup> , size of fuel tank-11210X775X350mm,	NRFMTTI HISAR	COMB-240/2758/2021, October 2021	31-08-2026	पंजीकरण हेतु चिह्नित किया गया है।

क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
10	Kartar Agro Industries, Amolh road Patiala Punjab	Self Propelled Combine Harvester	KARTAR-400 SV	Four stroke, direct injection, compression ignition engine, engine speed, max-2530+50 rpm, low speed-850+100pm, Bore/stroke-104/113mm, capacity-5759 cm <sup>3</sup> , size of fuel tank-11210X775X350mm,	NRFMTTI HISAR	COMB-319/3032/2023, May 2023	31-05-2030	पजीकरण हेतु चिह्नित किया गया है।
11	Kartar Agro Industries, Amolh road Patiala Punjab	Self Propelled Combine Harvester	KARTAR-4000	Rotor Dia Meter-165mm, Lugs on rotor in row-6 no., No of row-4, Length of flai-176.1 mm, Widht of flai-50mm, Thickness of flai-5.0mm, Length of blade blade-260mm, Thickness of blade-5.3mm	NRFMTTI HISAR	COMB-150/2389/2019, December 2019	31-12-2026	पजीकरण हेतु चिह्नित किया गया है।
12	MAHINDRA & MAHINDRA LTD. Swarj Division	Self Propelled Combine Harvester	SWARAJ 8200	Four stroke, direct injection, compression ignition engine, engine speed, max-2400 rpm, low speed-750+50 pm, Bore/stroke-96/122mm, capacity-3532 cm <sup>3</sup> , size of fuel tank-1250x635x340mm,	NRFMTTI HISAR	COMB-286/2931/2022, October 2022	31-10-2029	पजीकरण हेतु चिह्नित किया गया है।
13	PREET AGRO INDUSTRIES PVT. LTD. (PATIALA / PUNJAB)	COMBINE HARVESTER	PREET-949 T	FOUR STROKE, LIQUID COOLED, DIRECT INJECTION ,compression ignition, max speed-2400+50, bore/stroke-104/113mm, fuel tank capacity-50l, outer size-720x600x200mm	NRFMTTI HISAR	COMB-252/2782/2022, FEBRUARY-2022	28/02/2029	पजीकरण हेतु चिह्नित किया गया है।
14	PREET AGRO INDUSTRIES PVT. LTD. (PATIALA / PUNJAB)	COMBINE HARVESTER	PREET-7049 M	FOUR STROKE, LIQUID COOLED, DIRECT INJECTION ,compression ignition, max speed-2370+50, bore/stroke-104/113mm, fuel tank capacity-365l, size-1240x780x360mm	NRFMTTI HISAR	COMB-224/2642/2021, JANUARY-2021	31/01/2028	पजीकरण हेतु चिह्नित किया गया है।
15	PREET AGRO INDUSTRIES PVT. LTD. (PATIALA / PUNJAB)	COMBINE HARVESTER	PREET, 4949	FOUR STROKE, water COOLED, DIRECT INJECTION , max speed-2400, bore/stroke-104/118mm, fuel tank capacity-170L,	NRFMTTI HISAR	COMB-234/2693/2021, APRIL-2021	30/04/2028	पजीकरण हेतु चिह्नित किया गया है।
16	PREET AGRO INDUSTRIES PVT. LTD. (PATIALA / PUNJAB)	COMBINE HARVESTER	PREET-987D	FOUR STROKE, LIQUID COOLED, DIRECT INJECTION ,compression ignition, max speed-2370+50, bore/stroke-104/113mm, fuel tank capacity-365l, size-1270x780x355mm	NRFMTTI HISAR	COMB-213/2480/2020, JUNE-2020	30/06/2027	पजीकरण हेतु चिह्नित किया गया है।
17	PREET AGRO INDUSTRIES PVT. LTD. (PATIALA / PUNJAB)	Self Propelled Combine Harvester	PREET-849	4 stroke direct injection, turbo charge compression ignition engine, max speed-2420+50, bore/stroke-104/113 mm, fuel tank capacity-365l, size-1240x780x360mm	NRFMTTI HISAR	COMB-271/2854/2022, May 2022	31-05-2029	पजीकरण हेतु चिह्नित किया गया है।
18	International Cars & Motors Ltd. HP	Combine Harvester (BS III)	Sonalika 9614 Nova	Max. speed at no load, rpm- 2530+50, Rated speed rpm-2300+50, Engine speed- 1750+50, Low idle speed- 850+50, Bore/Stroke- 104/113	NRFMTTI hisar Haryana	COMB-311/3003/2023 April, 2023	30-04-2030	पजीकरण हेतु चिह्नित किया गया है।
19	Tirth Agro technology Pvt Ltd, gondal, Rajkot	Self Propelled Combine Harvester	Shaktiman Paddy Master-3776	4 stroke direct injection, turbo charge compression ignition engine, max speed-2400+50, bore/stroke-104/118mm, fuel tank capacity-700X460X430mm size-Low idle speed-950+50rpm	NRFMTTI-Hisaar	COMB-182/2158/2018, April, 2018	Apr 2025	पजीकरण हेतु चिह्नित किया गया है।
20	Tirth Agro technology Pvt Ltd, gondal, Rajkot	Self Propelled Combine Harvester	Shaktiman Paddy Master-3785	4 stroke direct injection, turbo charge compression ignition engine, max speed-2700+50, bore/stroke-98/100, mm, fuel tank capacity-630X470X435mm size-Low idle speed-1000+50 rpm	NRFMTTI-Hisaar	COMB-350/3159/2024, April 2024	30-04-2031	पजीकरण हेतु चिह्नित किया गया है।



क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
21	Tirth Agro technology Pvt Ltd, gondal, Rajkot	Self Propelled Sugar Cane Harvester	SSCH3737- MEGA	4 stroke direct injection, turbo charge compression ignition engine, max speed-2200+50, bore/stroke-107.0/124.0, mm, Low idle speed-Rated Speed-200+10, Ssposition-vertical inline, No-6	NRFMTTI-Hisaar	SCH- 11/3116/2023, December 2023	31-12-2030	पंजीकरण हेतु चिह्नित किया गया है।
22	Tirth Agro technology Pvt Ltd, gondal, Rajkot	Self Propelled Sugar Cane Harvester	SSCH3737TEJAS ULTRA	4 stroke direct injection, turbo charge compression ignition engine, max speed-2500+100, bore/stroke-110/135mm, Low idle speed-Rated Speed-2200 Dispositon-4, vertical inline, No-6	NRFMTTI-Hisaar	SCH- 08/3013/2023, April, 2023	30-04-2030	पंजीकरण हेतु चिह्नित किया गया है।
23	Tirth Agro technology Pvt Ltd, gondal, Rajkot	Self Propelled Sugar Cane Harvester	SSSCH3737-BS- IV	4 stroke direct injection, turbo charge compression ignition engine, max speed-2200+100, bore/stroke-107/124mm, Low idle speed-Rated Speed-750+1200, Dispositon- vertical	NRFMTTI-Hisaar	SCH- 09/3014/2023, April, 2023	30-04-2030	पंजीकरण हेतु चिह्नित किया गया है।

उप कृषि निदेशक,  
तकनीकी सम्प्रेक्षण,  
कृषि निदेशालय

संयुक्त कृषि निदेशक,  
गुणवत्ता नियंत्रण,  
कृषि निदेशालय

संयुक्त कृषि निदेशक,  
नियोजन,  
कृषि निदेशालय

प्रतिनिधि,  
निदेशक उद्योग,  
उद्योग निदेशालय

प्रतिनिधि,  
विनागायक (कर्म मशीनरी),  
गोपबन्धन/वि.पि.पं.पं.पं.

अपर कृषि निदेशक,  
कृषि निदेशालय

मि. निदेशक,  
कृषि निदेशालय

कृषि निदेशक,  
उत्तराखण्ड।