

कृषि निदेशालय उत्तराखण्ड, नन्दा की चौकी, प्रेमनगर, देहरादून।

(दूरभाष संख्या-0135-2772677, फ़ैक्स-0135-2771881, ई मेल-dir.agri.Uttarakhand@gmail.com)

पत्रांक-कृ.नि./7809/SMAM/पंजी.-कृषि यंत्र/2025-26

दिनांक- 10 फरवरी, 2026

1. समस्त मुख्य कृषि अधिकारी, उत्तराखण्ड।
2. समस्त कृषि एवं भूमि संरक्षण अधिकारी, उत्तराखण्ड।

विषय- कृषि यंत्रों/उपकरणों हेतु पंजीकृत फर्म तथा माडल विषयक।

कृषि निदेशालय के पत्र संख्या-कृ.नि./4844/पंजी/कृषि यंत्र/2025-26, दिनांक 12 सितम्बर, 2025 के द्वारा विभिन्न कृषि यंत्रों/उपकरणों की विनिर्माता फर्मों के मेक/माडलों को सूचीबद्ध करने हेतु विज्ञापन जारी किया गया था। उक्त के क्रम में उत्तराखण्ड अधिप्राप्त नियम 2017, विभिन्न योजनाओं के अन्तर्गत कृषि यंत्रों/उपकरणों पर अनुदान उपलब्ध कराने जाने हेतु कृषि मशीनों तथा यंत्रों/उपकरणों के मूल विनिर्माता फर्मों से प्राप्त पंजीकृत प्रपत्रों का गठित पंजीकरण समिति द्वारा परीक्षण करने के उपरान्त विभिन्न कृषि यंत्रों/उपकरणों की विनिर्माता फर्मों के मेक/माडलों को सूचीबद्ध/पंजीकरण हेतु उपयुक्त पाया गया। सूचीबद्ध/पंजीकरण हेतु चिन्हित किए गए यंत्रों/उपकरणों का विवरण निम्नानुसार है।

क्र. सं.	फर्म का नाम	सूचीबद्ध/पंजीकरण होने वाले कृषि मशीनों/यंत्रों/उपकरणों का विवरण
1.	BTL EPC Ltd., Shrachi Tower, 7th Floor, Anandapur, EM Bypass Kolkata	Power weeder
2.	BCS India Pvt. Ltd., Vill- Mangarh, P.O.Kohara, Distt- Ludhiana	Power weeder
3.	Bonhoeffer machines private limited, faridabad	Power weeder
4.	Bharat Agro Equipments, 27 Vidya Vihar-1, Phase-2 Kargi Road, Dehradun, Uttarakhand	Power weeder
5.	Bushra Impex, kalasipalyam new extension, Banglore	Power weeder
6.	CAM Agrotech Pvt. Ltd. Baraut, Baghpat, UP	Power weeder
7.	Competent Agriculture Machinery, Near C.O. Office, Delhi-Saharanpur Road, Baraut, Bagpat, U.P.	Power weeder
8.	Euro Farm Implements India Pvt. Ltd, DSIDC Industrial Complex Rotatak Road, Nangloi New Delhi	Power weeder
9.	E-Agrocare Machineries & Equipments Pvt. Ltd., D-45, Shendra MIDC, Aurangabad, Maharasta	Power weeder
10.	Falcon Garden Tools Pvt. Ltd. Ludhiana (P.B)	Power weeder
11.	Farm & Garden Technologies Pvt. Ltd., 544 P, Pace City-II, Sec-37, Gurgaon, Haryana-122001	Power weeder
12.	Farmworld Agrotech, 373, U.Khirasara Industiral Estate Road, Khisara, Lodhika, Rajkot Gujarat	Power weeder
13.	George Maijo Industries Pvt. Ltd. apex plaza, nungambakkam high road, chennai, tamil nadu	Power weeder
14.	Hindustan Agro Industrues Corporation, Hoshiarpur Punjab	Power weeder
15.	Kisan Kraft Ltd, Dasarahalli, HAF Post Hebbal Bangalore	Power weeder
16.	Kirloskar Oil Engines Ltd., Pune Maharastra	Power weeder
17.	Macan Agromart Pvt. Ltd., Plot No-31, Sector-82, Mohali Punjab	Power weeder
18.	Modhish Tractor Aur Kisan Pvt. Ltd, near Sun N Moon Chamber, Gopalbari Jaipur Rajasthan	Power weeder/Thresher
19.	Nipha India Limited (Earlier-Nipha Exports)48, ganga Jamuna, 28/1, Shakespeare sarani, Kolkata.	Power weeder

क्र. सं.	फर्म का नाम	सूचीबद्ध/पंजीकरण होने वाले कृषि मशीनों/यंत्रों/उपकरणों का विवरण
20.	Perfect House Pvt. Ltd. Additional MIDC, Satara, Mumbai	Power weeder
21.	Ratnagiri Impex Pvt. Ltd. 7th cross, new guddadahalli, mysore road, Bangalore	Power weeder/Thresher
22.	Royal Kisan Agro, C-1306, Srushti Residency, Behind RK Tower, Thane Maharashtra	Power weeder
23.	Supreme Sales Agency, 33/1, Netaji Subhas Road, Marshal House Kolkata, West Bengal	Power weeder
24.	Sukoon Solutions PVT LTD Ghaziabad	Power weeder
25.	VST Tillers Tractor Pvt. Ltd.,	Power weeder
26.	VSM International Pvt. Ltd., Hisar, Haryana	Power weeder
27.	VJ Materials Mart, Sirsi road, Deha, Unchasiwana, Karnal, Haryana	Power weeder
28.	Modish TractorAurKisan (P) Ltd., Jaipur, Rajasthan	Power weeder
29.	Gahir Agro Industries Limited	Power weeder
30.	UK Farm Tech, Naya Bazar, Hadluchaour, Lalkuan, Haldwani	Power weeder
31.	Bhoomi Agro Industries, Kishan Gate, Lodhika, GIDC, Metoda, Rajkot, Gujraat	Thresher
32.	Bansal Traders Vikasnagar, Dehradun	Thresher/Power Weeder
33.	Bala Ji Enterprises Roorkee Haridwar	Thresher
34.	Bir singh & Sons Chandigarh Road, Samrala, Ludhiana Punjab	Thresher
35.	Dasmesh Agro Industries, Pohir, Ludhiana, Ahmedgarh Punjab	Thresher
36.	Jagatjit Agri India Pvt. Ltd., Ludhiana	Thresher
37.	Kartar Agricultural Implements, Raiwaly Station Road, Kashipur USNagar	Thresher
38.	Punjab Agriculture Impliment Pvt. Ltd.	Thresher

सलग्न सूची के अनुसार कृषक द्वारा सूचीबद्ध/पंजीकृत विनिर्माता फर्म/फर्मों के अधिकृत डीलर से सलग्न सूची में अंकित माडल को क्रय करने पर ही अनुदान देय होगा। अनुदान देते समय निम्न बिन्दुओं को ध्यान में रखा जाए।

1. उपरोक्त पंजीकरण पत्र जारी होने वाले दिनांक से दो वर्ष तक वैध रहेगा।
2. कृषकों को कृषि यंत्रों/उपकरणों पर अनुदान Submission on Agricultural Mechanization(SMAM) की गाईडलाइन के अनुसार होगा। पैरा 6.4.2 अथवा संबंधित योजना की गाईडलाइन में इंगित व्यवस्था के अनुसार अनुपालन सुनिश्चित किया जाये, साथ ही यह ध्यान रखा जायेगा कि अनुसूचित जाति, अनुसूचित जनजाति, महिला तथा लघु सीमान्त कृषकों को प्राथमिकता मिले।
3. कृषि यंत्रों/उपकरणों पर अनुदान भारत सरकार/राज्य सरकार द्वारा निर्धारित/अनुमन्य अधिप्राप्त सीमा तक ही देय होगा।
4. सूचीबद्ध/पंजीकृत फर्म को बिल स्वयं अथवा विनिर्माता की संस्तुती पर नियमानुसार अधिकृत विक्रेता भी बिल जारी कर सकेगा बिल/कैश मैमो पर पूर्ण स्पेसिफिकेशन के साथ कृषि यंत्र का माडल/ब्राण्ड/गारन्टी/क्रम संख्या/चेचिस संख्या, वारन्टी अवधि का अनिवार्य रूप से अंकन करेगा।
5. अनुदान कृषक/मूल विनिर्माता द्वारा अधिकृत विक्रेता से कृषक द्वारा क्रयित कृषि यंत्रों/उपकरणों के सूचीबद्ध माडल/मेक पर ही देय होगा। फर्म/अधिकृत विक्रेता नियमानुसार टैक्स का अंकन करते हुए टैक्स जमा करना होगा।

6. निदेशालय स्तर पर सूचीबद्ध/पंजीकृत फर्म/माडल/मेक agrimachinery.nic.in पर अपलोड करनी होगी, जो कम से कम एक वर्ष तक नहीं बदली जा सकेगी।
9. सूचीबद्ध/पंजीकृत फर्म द्वारा कृषि मशीनों/यंत्रों/उपकरणों की वर्तमान दरें भारत सरकार की Agrimachinery.nic.in पर DBT Agriculture Mechanization पर अंकित करनी होगी, जो एक वर्ष तक बदली नहीं जा सकेगी।
8. कृषक द्वारा ऑनलाईन डी.बी.टी. पोर्टल पर डीलर से क्रय किए गए यंत्रों के बिल को डीलर पोर्टल पर अपलोड करेगा।
9. जनपद के कृषि एवं भूमि संरक्षण अधिकारी द्वारा गठित सत्यापन टीम द्वारा भौतिक सत्यापन सुनिश्चित कर लिए जाने के उपरान्त Submission on Agricultural Mechanization (SMAM) की गाईडलाइन एवं राज्य सरकार द्वारा निर्धारित अनुदान की अधिकतम सीमा के अनुसार कार्यवाही करें।
10. सत्यापन के दौरान कृषक द्वारा क्रयित कृषि यंत्र/उपकरण विभाग द्वारा सूचीबद्ध/पंजीकृत किए गए कृषि यंत्रों/उपकरणों के अनुसार ही हो।
11. कृषकों को उपलब्ध कराये जा रहे कृषि यंत्रों/उपकरणों के मूल्य पोर्टल पर दर्शायी दरों से अधिक न हो, यदि दरें अधिक पायी जाती हैं तो संबंधित जनपद के मुख्य कृषि अधिकारी कार्यवाही करेंगे। कृषक जब मेक/माडल, गुणवत्ता एवं मोल भाव कर दर से पूर्णतया संतुष्ट हो जाने के बाद कृषि यंत्रों/उपकरणों को क्रय करें।
12. मुख्य कृषि अधिकारी/कृषि एवं भूमि संरक्षण अधिकारी अनुदानित यंत्रों की सूचना निदेशालय को उपलब्ध करायेंगे।

क्र.स.	यंत्र का नाम/मेक एवं माडल	यंत्र आपूर्ति कहाँ से हुई/डीलर का नाम	संख्या	कुल कीमत	कुल वितरित अनुदान
1	2	3	4	5	6

13. फर्म को अपने फर्म का सर्विस सेंटर खोलना होगा। फर्म द्वारा अपने ग्राहकों को Maintenance का प्रशिक्षण देना होगा।
14. विभागीय उच्चाधिकारियों द्वारा कृषक को आपूर्तित कृषि यंत्रों/उपकरणों का निरीक्षण करने पर कृषि यंत्रों/उपकरणों को निर्धारित गुणवत्ता के अनुरूप न पाए जाने पर संबंधित विनिर्माता फर्म का पंजीकरण निरस्त कर दिया जायेगा। साथ ही ऐसी फर्म/अधिकृत विक्रेता को विभाग द्वारा काली सूची में डालने की कार्यवाही की जा सकती है।
15. सूचीबद्ध/पंजीकृत विनिर्माता फर्म/अधिकृत विक्रेता को कृषक द्वारा क्रयित कृषि यंत्रों/उपकरणों पर अनुदानित वर्ष एवं विभाग का नाम अनिवार्य रूप से अंकित करना होगा।
16. विनिर्माता सूचीबद्ध/पंजीकृत फर्म/अधिकृत विक्रेता को समय-समय पर विभाग द्वारा वांछित जानकारी उपलब्ध करानी होगी। ऐसा न करने पर संबंधित को पंजीकरण सूची से विलोपित किया जा सकता है।
17. सरकार द्वारा समय-समय पर जारी दिशा-निर्देशों के अनुसार उपरोक्त शर्तों/नियमों एवं इससे संबंधित प्रक्रिया में आवश्यकतानुसार संशोधित/परिवर्तन किया जा सकेगा।
18. सूचीबद्ध/पंजीकृत फर्म के अधिकृत विक्रेता द्वारा विभाग को उपलब्ध कराई गई किसी भी जानकारी के असत्य पाये जाने की दशा में संबंधित फर्म का पंजीकरण तत्काल प्रभाव से निरस्त कर दिया जायेगा।
19. प्रदायकों को मुख्य कृषि अधिकारी के आदेश एवं दिशा निर्देश के अनुसार कृषक/कृषकों को जनपद/विकासखण्ड स्तर/न्याय पंचायत तक यंत्र उपलब्ध कराने होंगे। इस हेतु प्रदायकों को जिला स्तर पर अपना नेटवर्क स्थापित करना होगा। प्रदायक द्वारा जिले में नियुक्त अधिकृत विक्रेता के पास जी0एस0टी0 पंजीकरण तथा विक्रय उपरान्त सेवा की सुविधा उपलब्ध करायी जानी आवश्यक होगी। प्रदायकों की यह जिम्मेदारी होगी कि वे उनके द्वारा विक्रय की गयी सामग्री के लिये उचित मूल्य पर पुर्जें तथा विक्रय उपरान्त सेवा की सुविधा कृषकों को उपलब्ध करावें। लाभार्थियों को

इसके लिये प्राप्त अनुरोध पत्र से 15 दिनों के अन्दर यदि यह व्यवस्था नहीं की जाती है, तो यथा आवश्यक कार्यवाही की जायेगी।

20. फर्म द्वारा कृषि मशीनों/यंत्रों/उपकरणों पर लेबलिंग प्लेट को Riveted किया जाना अनिवार्य होगा, जिस पर निर्माता का नाम एवं पता मेक/मॉडल सीरियल नम्बर निर्माण का माह एवं वर्ष, टाईप, साईज, किस देश में निर्मित किया गया है लिखा होना चाहिए। इसके अतिरिक्त उपलब्ध कराए जा रहे स्पेसिफिकेशन में मार्किंग/लेबलिंग हेतु दिए गए निर्देशों का पालन किया जाए।

संलग्न – यथोपरि।


कृषि निदेशक
उत्तराखण्ड।

पत्रांक— / कृ0नि0 / एस.एम.ए.एम / पंजीकरण-कृषि यंत्र / 2025-26 / दिनांकित।

प्रतिलिपि—: निम्नांकित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

1. अपर कृषि निदेशक, गढ़वाल मण्डल, पौड़ी।
2. संयुक्त कृषि निदेशक, कुमाऊँ मण्डल, हल्द्वानी (नैनीताल)।
3. संबंधित मूल विनिर्माता फर्म को विभागीय वेबसाईट के माध्यम से।
4. अध्यक्ष, जिला यंत्रीकरण समिति।
5. विभागीय पोर्टल।


कृषि निदेशक
उत्तराखण्ड।

पत्र संख्या-4844 दिनांक 12 सितम्बर, 2025 के द्वारा जारी विज्ञापन से प्राप्त पावर वीडर हेतु अनुमोदित/स्वीकृत पंजीकृत फर्मों/अधिकृत विक्रेता, मेक/मॉडल का विवरण

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक/मॉडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
1	BTL EPC Ltd., Shrachi Tower, 7th Floor, Anandapur, EM Bypass Kolkata	Diesel Power Weeder	SHRACHI-8D6	Diesel operated, 5.74 kw, 3250 rpm, overall dimension-1750*1500*1380mm, Air cooled, 4 stroke, capacity-418cc, capacity of fuel tank-5L, 5.74kW	SRFMTTL, Anantpur, AP	Machine-461/1441 October 2022	Sep-29	पंजीकरण हेतु चिह्नित किया गया है।
2	BTL EPC Ltd., Shrachi Tower, 7th Floor, Anandapur, EM Bypass Kolkata	Power Weeder	SHRACHI-6D3	Single cylinder, 5.1 kw, 3750 rpm, overall dimension-1700*1220*1440mm, Air cooled, 4 stroke, capacity-296cc, capacity of fuel tank-3.5L, 5.1kW	SRFMTTL, Anantpur, AP	Machine-327/1119 February 2020	Jan-27	पंजीकरण हेतु चिह्नित किया गया है।
3	BTL EPC Ltd., Shrachi Tower, 7th Floor, Anandapur, EM Bypass Kolkata	Power Weeder	SHRACHI-8X650 BD	Four stroke, single cylinder, vertical, air cooled, direct injection, compression ignition engine, Speed-3750+100 rpm, Low speed-1300 to 1600 rpm, Speed at max-1300+100 rpm, Max power -5.1 @3600rpm, 5.6kW,	SRFMTTL, Anantpur, AP	Machine-328/1120 February 2020	Jan-27	पंजीकरण हेतु चिह्नित किया गया है।
4	BTL EPC Ltd., Shrachi Tower, 7th Floor, Anandapur, EM Bypass Kolkata	Power Weeder	SHRACHI-4P3	High Speed-3750+100 rpm, Low idle speed-1900+100, Rated Speed-3600rpm, No-1, Disposition-Vertical, Bore/Stroke-68/54cc, Capacity of fuel tank-2.5 ltr, Make-USHA	SRFMTTL, Anantpur, AP	Machine-505/1520, July 2023	Jun-30	पंजीकरण हेतु चिह्नित किया गया है।
5	BTL EPC Ltd., Shrachi Tower, 7th Floor, Anandapur, EM Bypass Kolkata	Power Weeder	SHRACHI-7P3 CHAMP	High Speed-3800+100 rpm, Low idle speed-1800+100, Rated Speed-3600rpm, No-1, Disposition-Vertical, Bore/Stroke-77/58cc, Capacity of fuel tank-5.5 ltr, Make-USHA	SRFMTTL, Anantpur, AP	ICE/SRFMTTL, Anantapur/2025-26/27/27/1914 August, 2025	Jul-32	पंजीकरण हेतु चिह्नित किया गया है।
6	BTL EPC Ltd., Shrachi Tower, 7th Floor, Anandapur, EM Bypass Kolkata	Power Weeder	SHRACHI-6D3 CHAMP	High Speed-3800+100 rpm, Low idle speed-1400+200, Rated Speed-3600rpm, No-1, Disposition-Vertical, Bore/Stroke-247cc, Capacity of fuel tank-2.5 ltr, Make-USHA	SRFMTTL, Anantpur, AP	ICE/SRFMTTL, Anantapur/2025-26/26/26/1913 August 2025	Nov-29	पंजीकरण हेतु चिह्नित किया गया है।
7	BTL EPC Ltd., Shrachi Tower, 7th Floor, Anandapur, EM Bypass Kolkata	Power Weeder	SHRACHI-9P3	Max Speed-3800+100 rpm, Low Speed-1450+100 rpm, Max Power-5.5@3600rpm (7.48 HP), No-1, Disposition-Inclined, Bore/Stroke-77/58 mm, Capacity-270CC	SRFMTTL, Anantpur, AP	Machine-466/1453 December 2022	Nov-29	पंजीकरण हेतु चिह्नित किया गया है।
8	BTL EPC Ltd., Shrachi Tower, 7th Floor, Anandapur, EM Bypass Kolkata	Power Weeder	SHRACHI-9D6+	Single cylinder, 6.35 kw, 3800 rpm, overall dimension-1890*720*1350mm, Air cooled, 4 stroke, capacity-438cc, capacity of fuel tank-5L, 6.35kW	SRFMTTL, Anantpur, AP	467/1454 December 2022	Sep-29	पंजीकरण हेतु चिह्नित किया गया है।
9	BTL EPC Ltd., Shrachi Tower, 7th Floor, Anandapur, EM Bypass Kolkata	Power Weeder	SHRACHI-7P3H	Single cylinder, 3.8 kw, 3750 rpm, overall dimension-1600*900*1065mm, Air cooled, 4 stroke, capacity-196cc, capacity of fuel tank-3.6L, 3.8kW	SRFMTTL, Anantpur, AP	453/1431 October 2022	Sep-29	पंजीकरण हेतु चिह्नित किया गया है।
10	BTL EPC Ltd., Shrachi Tower, 7th Floor, Anandapur, EM Bypass Kolkata	Power Weeder	SHRACHI-7P3B	Single cylinder, 3.8 kw, 3750 rpm, overall dimension-1660*795*1115mm, Air cooled, 4 stroke, capacity-196cc, capacity of fuel tank-3.5L, 3.8kW	SRFMTTL, Anantpur, AP	455/1433 October 2022	Sep-29	पंजीकरण हेतु चिह्नित किया गया है।
11	BTL EPC Ltd., Shrachi Tower, 7th Floor, Anandapur, EM Bypass Kolkata	Power Weeder	SHRACHI-7P3	Single cylinder, 3.8 kw, 3750 rpm, overall dimension-1510*890*1250mm, Air cooled, 4 stroke, capacity-196cc, capacity of fuel tank-3.5L,	SRFMTTL, Anantpur, AP	454/1432 October 2022	Sep-29	पंजीकरण हेतु चिह्नित किया गया है।

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मैक / माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
12	BCS India Pvt. Ltd., Vill- Mangarh, P.O.Kohara, Distt- Ludhiana	Power Weeder	BCS MC-720P	petrol engine, high speed 3850rpm, low speed 1400rpm, max torque 2500rpm, bore/stroke 68/54mm, capacity 196cc, overall dimension 1685x610x930mm, mass 95kg, 3.69kW	NRFMTTL, Hisar, Haryana	1023/2370/2019 October 2019	Oct-26	वैधता तिथि अक्टूबर 2026 तक होने के कारण नई टेस्ट रिपोर्ट प्रस्तुत करने पर पंजीकरण विस्तारित किया जाएगा। पंजीकरण हेतु उक्त अवधि तक बिहित किया गया है।
13	BCS India Pvt. Ltd., Vill- Mangarh, P.O.Kohara, Distt- Ludhiana	Power Weeder	BCS MC-730P	petrol engine, high speed 3850rpm, low speed 1400rpm, max torque 2500rpm, bore/stroke 77/58mm, capacity 1270cc, overall dimension 1750x670x980mm, mass 130kg, 4.93kW	NRFMTTL, Hisar, Haryana	1009/2351/2019 September 2019	Sep-26	वैधता तिथि सितम्बर 2026 तक होने के कारण नई टेस्ट रिपोर्ट प्रस्तुत करने पर पंजीकरण विस्तारित किया जाएगा। पंजीकरण हेतु उक्त अवधि तक बिहित किया गया है।
14	BCS India Pvt. Ltd., Vill- Mangarh, P.O.Kohara, Distt- Ludhiana	Power Weeder	BCS GRATIA-80B	Air Cooled, 4 stroke, Single cylinder, petrol engine, Engine high speed-3800+100 rpm, Low Speed-1600+150 rpm, Rated Speed-3600 rpm, Disposition-Inclined, Bore/Stroke-70/55mm, Capacity-212CC	NRFMTTL, Hisar, Haryana	No- 192/3148/2024, April 2024	Apr-33	पंजीकरण हेतु बिहित किया गया है।
15	BCS India Pvt. Ltd., Vill- Mangarh, P.O.Kohara, Distt- Ludhiana	Power Weeder	BCS GRATIA-80H	petrol engine, high speed 3800rpm, low speed 1600rpm, max torque 2500rpm, bore/stroke 68/45mm, capacity 163cc, overall dimension 1564x860x940mm, mass 77.5kg, 2.84kW	NRFMTTL, Hisar, Haryana	117/2675/2021 February 2021	Feb-28	पंजीकरण हेतु बिहित किया गया है।
16	BCS India Pvt. Ltd., Vill- Mangarh, P.O.Kohara, Distt- Ludhiana	Power Weeder	BCS GRATIA-100B	petrol engine, high speed 3800rpm, low speed 1600rpm, max torque 2500rpm, bore/stroke 70/55mm, capacity 212cc, overall dimension 1550x915x1070mm, mass 86.2kg, 3.85kW	NRFMTTL, Hisar, Haryana	116/2674/2021 February 2021	Feb-28	पंजीकरण हेतु बिहित किया गया है।
17	BCS India Pvt. Ltd., Vill- Mangarh, P.O.Kohara, Distt- Ludhiana	Power Weeder	BCS GRATIA-100BH	petrol engine, high speed 3800rpm, low speed 1600rpm, max torque 2500rpm, bore/stroke 68/54mm, capacity 196cc, overall dimension 1525x900x1140mm, mass 71kg, 3.85kW	NRFMTTL, Hisar, Haryana	115/2673/2021 February 2021	Feb-28	पंजीकरण हेतु बिहित किया गया है।
18	BCS India Pvt. Ltd., Vill- Mangarh, P.O.Kohara, Distt- Ludhiana	Power Weeder	BCS GRATIA-105B	petrol engine, high speed 3800rpm, low speed 1600rpm, max torque 2500rpm, bore/stroke 70/55mm, capacity 212cc, overall dimension 1840x1230x1120mm, mass 111.1kg, 3.85kW	NRFMTTL, Hisar, Haryana	114/2672/2021 February 2021	Feb-28	पंजीकरण हेतु बिहित किया गया है।
19	Bonhoeffer machines private limited, faridabad	Power Weeder	BON-GT-950T	air cooled, stroke 4, single cylinder, petrol engine, high speed 3780rpm, low speed 1650rpm, max power 4.1kW, bore/stroke 70/54mm, capacity 208cc, 4.1kW	NRFMTTL, Hisar, Haryana	176/3029/2023 May 2023	May-30	पंजीकरण हेतु बिहित किया गया है।
20	Bonhoeffer machines private limited, Sector-23, Faridabad Haryana	Power Weeder	BON GT 500B	Air cooled, 4 stroke, single cylinder, petrol engine, high engine speed 3780+100rpm, low engine speed 1600+100rpm, rated speed 3600rpm, max power of engine 2.6kW, cylinder Ino., bore/stroke 64/45mm, capacity 149cc, fuel capacity 1.2litre, overall dimension	NRFMTTL, Hisar	620/1677 July 2024	Jun-31	पंजीकरण हेतु बिहित किया गया है।

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मॉक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की गैरता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
21	Bonhoeffer machines private limited, Sector-23, Faridabad haryana	Power Weeder	BON DI 950	Air cooled, 4 stroke, single cylinder, petrol engine, high engine speed 3800+100rpm, low engine speed 1150+100rpm, rated speed 3600rpm, max power of engine 4kW, cylinder 1no., bore/stroke 86/72mm, capacity 418cc, fuel capacity 4.5litre, overall dimension 1825x1220x1350mm, mass 155kg, 4.51KW	NRFMTTI Hisar	199/3200/2024 June 2024	Jun-31	पंजीकरण हेतु चिह्नित किया गया है।
22	Bharat Agro Equipments, 27 Vidya Vihar-1, Phase-2 Kargi Road, Dehradun, Uttarakhand	Power Weeder	RG 3.6-100Q-ZY, 3.9 Kw	Single Cylinder, Vertical, 4 Stroke, Air Cooled Engine, Size of Machine-Self Propelled, Max Speed-3600+200, Low Speed-1500+200, Max Power 4.4 KW, Bore/Stroke-70/55mm	SRFMTTI- Anantapur A.P.	398/1321/Dec 2021	Nov-28	पंजीकरण हेतु चिह्नित किया गया है।
23	Bushra Impex, kalasipalyam new extension, Bangalore	Power Weeder	XI-POWER, XI- 750 4.78kw/6.5hp	Air cooled, 4 stroke, single cylinder, petrol engine, high engine speed 3600+200rpm, low engine speed 1400+200rpm, rated speed 3400rpm, max power of engine 3.3kw/4.5hp, cylinder 1no., bore/stroke 68/54mm, capacity 196cc, fuel capacity 3litre, overall dimension 1580x660x1240mm, mass 82kg	SRFMTTI ANANTPUR	418/1357 MARCH 2022	Feb-29	पंजीकरण हेतु चिह्नित किया गया है।
24	Bushra Impex, kalasipalyam new extension, Bangalore	Power Weeder	XI-POWER, XI- 1150D 9.1kw/12.4hp	Air cooled, 4 stroke, single cylinder, petrol engine, high engine speed 3600+200rpm, low engine speed 1400+200rpm, rated speed 3400rpm, max power of engine 9.1kw/12.4hp, cylinder 1no., bore/stroke 92/75mm, capacity 498cc, fuel capacity 5litre, overall dimension 1860x1490x1500mm, mass 156kg	SRFMTTI ANANTPUR	440/1278, August, 2021	Jul-28	पंजीकरण हेतु चिह्नित किया गया है।
25	Bushra Impex, kalasipalyam new extension, Bangalore	Power Weeder	XI-POWER, XI- 750P 4.78kw/6.5hp	Air cooled, 4 stroke, single cylinder, petrol engine, high engine speed 3250+100rpm, low engine speed 1200+50rpm, rated speed 3000rpm, max power of engine 4.78kw/6.5hp, cylinder 1no., bore/stroke 77/58mm, capacity 270cc, fuel capacity 5.5litre, overall dimension 1740x1280x1430mm, mass 117kg	SRFMTTI ANANTPUR	565/1616 MAY 2024	Apr-31	पंजीकरण हेतु चिह्नित किया गया है।
26	Bushra Impex, kalasipalyam new extension, Bangalore	Power Weeder	XI-POWER, XI- 1050 4.05kw/5.51hp	Air cooled, 4 stroke, single cylinder, diesel engine, high engine speed 3250+100rpm, low engine speed 1400+50rpm, rated speed 3000rpm, max power of engine 4.05kw/5.51hp, cylinder 1no., bore/stroke 78/62mm, capacity 149cc, fuel capacity 3.5litre, overall dimension 1710x1300x1250mm, mass 113.50kg	SRFMTTI ANANTPUR	571/1624 MAY 2024	Apr-31	पंजीकरण हेतु चिह्नित किया गया है।
27	CAM Agrotech Pvt. Ltd. Baraut, Baghpat, UP	Power Weeder/Tiller (walk behind)	Blue Bell BB-788	4 stroke, single cylinder, air cooled, diesel engine, rated speed 3000rpm, bore/stroke 86/72mm, overall dimension 1575x688x1028mm, mass 80kg	GBPUAT, Pantnagar, Uttarakhand	CTE/FMP/2023- 234 July 2023	Aug-30	पंजीकरण हेतु चिह्नित किया गया है।
28	CAM Agrotech Pvt. Ltd. Baraut, Baghpat, UP	Power Weeder/ Tiller (walk behind)	Blue Bell BB-96	4 stroke, single cylinder, air cooled, petrol engine, rated speed 3600rpm, bore/stroke 73/56mm, capacity 198cc, overall dimension 1552x684x1022mm,	GBPUAT, Pantnagar, Uttarakhand	CTE/FMP/2023- 236 July 2023	Aug-30	पंजीकरण हेतु चिह्नित किया गया है।
29	Competent Agriculture Machinery Near C.O. Office, Delhi-Saharanpur Road, Baraut, Baghpat, U.P.	Power Weeder	CAM ID-705	Specification-425x368x382, Weight-15.50 kg, Max net torque(apax)- 12.5 NM@2600rpm, Engine oil capacity- 0.95 liter, Fuel tank capacity-4.50 liter	GBPUAT Pantnagar Uttarakhand	CTE/FMP/2023- 209, february b2023	Mar-30	पंजीकरण हेतु चिह्नित किया गया है।

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
30	Competent Agriculture Machinery, New C.O. Office, Delhi-Saharanpur Road, Baraut, Bagpat, U.P.	Power Weeder	CAM I G 4.1 A, 4.6 HP	4 stoke single cylinder, 4.6 hp, 3060 rpm, no. of flanges- 6, rotor blades- 24, average capacity- 0.223-0.280 ha/hr	NRFMTTL, Hisar, Haryana	158/2914/2022 September 2022	Sep-29	पंजीकरण हेतु चिन्हित किया गया है।
31	Euro Farm Implements India Pvt. Ltd, DSIDC Industrial Complex Rotarak Road, Nangloi New Delhi	Power Weeder	OLEO-MAC- MH1663	Self Propelled, Walk Behind Type, High Idle Speed- 3800+50rpm, Low idle Speed-1600+50rpm, No-1, Disposition-Overheat Valve, Horizontal, Bore/Stroke- 70/55mm	NRFMTTL-Hisar	ICE/NRFMTTL, Hisar/2025/26/4/4/33 40, July 2025	Jul-32	पंजीकरण हेतु चिन्हित किया गया है।
32	Euro Farm Implements India Pvt. Ltd, DSIDC Industrial Complex Rotarak Road, Nangloi New Delhi	Power Weeder	OLEO-MAC- MH766	Self Propelled, Walk Behind Type, High Idle Speed- 3800+50rpm, Low idle Speed-1600+50rpm, No-1, Disposition-Overheat Valve, Horizontal, Bore/Stroke- 70/55mm	NRFMTTL-Hisar	ICE/NRFMTTL, Hisar/2025/26/5/5/33 41, July 2025	Jul-32	पंजीकरण हेतु चिन्हित किया गया है।
32-1	Euro Farm Implements India Pvt. Ltd, DSIDC Industrial Complex Rotarak Road, Nangloi New Delhi	Power Weeder	OLEO-MAC- MH776	Self Propelled, Walk Behind Type, High Idle Speed- 3800+100rpm, Low idle Speed-1600+50rpm, Rated Speed-3600rpm, No-1, Disposition-Overheat Valve, Horizontal, Bore/Stroke-77/58mm	NRFMTTL-Hisar	ICE/NRFMTTL, Hisar/2025/26/7/7/33 96, November 2025	Nov-32	पंजीकरण हेतु चिन्हित किया गया है।
33	E-Agrocare Machineries & Equipments Pvt. Ltd., D-45, Shendra MIDC, Aurangabad, Maharashtra	Power Weeder	e-AGRO CARE G-105FQSD-A, 3.6 kw	Single Cylinder Vertical, Air Cooled, Direct Injection, Compression ignition engine, High idle speed-1400+100 rpm, Bore/stroke- 70/54mm	SRFMTTL, Anantpur, AP	490/1499 May 2023	Apr-30	पंजीकरण हेतु चिन्हित किया गया है।
34	E-Agrocare Machineries & Equipments Pvt. Ltd., D-45, Shendra MIDC, Aurangabad, Maharashtra	Power Weeder	G-105 P, 6 Hp	Self Propelled, Walk Behind, Single Cylinder, Vertical, Air Cooled, Direct Injection, Compression ignition engine, High idle speed-3600+100 rpm, low idle speed-1400+100 rpm.	SRFMTTL, Anantpur, AP	421/1364 April 2022	Mar-29	पंजीकरण हेतु चिन्हित किया गया है।
35	E-Agrocare Machineries & Equipments Pvt. Ltd., D-45, Shendra MIDC, Aurangabad, Maharashtra	Power Weeder	e-AGRO CARE D-105	5 Stroke Single Cylinder, Vertical, Air Cooled, petrol engine, High idle speed-3250+50 rpm, low idle speed-1400+100 rpm, Bore/stroke-70/54mm	NEKFM-TTL- Asam	Machine-116/487, March 2024	Mar-31	पंजीकरण हेतु चिन्हित किया गया है।
36	E-Agrocare Machineries & Equipments Pvt. Ltd., D-45, Shendra MIDC, Aurangabad, Maharashtra	Power Weeder	e-AGRO CARE D-531 E, 6.62 kw	Single Cylinder, Vertical, Air Cooled, Direct Injection, Diesel Engine, High idle speed-3200+100 rpm, low idle speed-1000+200 rpm, Bore/stroke-86/70 mm	SRFMTTL, Anantpur, AP	514/1537 September 2023	Aug-30	पंजीकरण हेतु चिन्हित किया गया है।
37	E-Agrocare Machineries & Equipments Pvt. Ltd., D-45, Shendra MIDC, Aurangabad, Maharashtra	Power Weeder	G-106 P,	Self Propelled, Walk Behind, Single Cylinder, inclined, Air Cooled, petrol engine, High Speed-3800+100 rpm, Low Speed-1400+100rpm, Recommended Speed-3600rpm, Bore/Stroke-77/58mm	SRFMTTL, Anantpur, AP	735/1837, February 2025	Jan-32	पंजीकरण हेतु चिन्हित किया गया है।
38	Falcon Garden Tools Pvt. Ltd. Ludhiana (P.B)	Power weeder	FRTC-2010 H	High idle speed-3700 to 4000, Low idle speed-1250 to 1600, Rated speed-3600rpm, speed at maximum torque-2500rpm	NRFMT&TL-Hisar Haryana	123/2750/Sep/2 021	30/Sep/2028	पंजीकरण हेतु चिन्हित किया गया है।
39	Falcon Garden Tools Pvt. Ltd. Ludhiana (P.B)	Power weeder	FRTC-2015 H	Type-Air cooled, 4 stroke, single cylinder, petrol engine, High idle speed-3700 to 4000, Low idle speed-1250 to 1600, Rated speed-3600rpm, speed at maximum torque-2500rpm	NRFMT&TL-Hisar Haryana	122/2749/Sep/2 021	Sep/2028	पंजीकरण हेतु चिन्हित किया गया है।
40	Farm & Garden Technologies Pvt. Ltd., 544 P, Pace City-II, Sec-37, Gurgaon, Haryana-122001	Power Weeder	TEXAS, Hobby 450TG	Self Propelled walk behind, Single cylinder, air cooled, 4 stoke, spark ignition, petrol engine, High speed-3700+100 rpm, Low speed-2000+200 rpm, Disposition-inclined, Bore/stroke-65/45, Capacity-149 cc	SRFMTTL-Anantpur	ICE/SRFMTTL, Anantpur/2025-26/13/13/1876, May 2025	Apr-32	पंजीकरण हेतु चिन्हित किया गया है।

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मॉडल / माइल	यंत्र का स्पेसिफिकेशन	देस्टिंग संस्था	देस्ट रिपोर्ट की तिथि	देस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
41	Farmworld Agrotech, 373, U.Khirasara Industrial Estate Road, Khisara, Lodhika, Rajkot Gujarat	Power weeder	Farm Word-FWMT270P	Power-7.3hp, RPM-3600, Lenth-1480mm, Width-1090, working dept-100-250, working width-750-1050, Fule tank capacity in liter=5, fule consumption/hr=1.40 to 1.60 & Area covered/hr in acre=0.300 to 0.370	NRFMT&TL, Hisar, Haryana	222/3300/Mar/2025	Mar-32	पंजीकरण हेतु विनिश्चित किया गया है।
42	Farmworld Agrotech, 373, U.Khirasara Industrial Estate Road, Khisara, Lodhika, Rajkot Gujarat	Power weeder	Farm Word-FWMT250D	Power-5.3hp, RPM-3600, Lenth-1600mm, Width-1130, working dept in mm-100-250, working width in mm-750-1050, Fule tank capacity in liter=2.5, fule consumption/hr=0.64 to 0.68 & Area covered/hr in acre=0.370 to 0.405	NRFMT&TL, Hisar, Haryana	220/3298/Mar/2025	Mar-32	पंजीकरण हेतु विनिश्चित किया गया है।
43	Farmworld Agrotech, 373, U.Khirasara Industrial Estate Road, Khisara, Lodhika, Rajkot Gujarat	Power weeder	Farm Word-FWMT210P	Power-5.3hp, RPM-3600, Lenth-1480mm, Width-640, working dept in mm-100, working width in mm-1170, Fule tank capacity in liter=3.6, fule consumption/hr=1.20 to 1.50 & Area covered/hr in acre=0.232 to 0.267	SRFMT&TL, Tractor Nagar, Anantapur, (A.P)	Machine-426/1264/March /2021	Feb-28	पंजीकरण हेतु विनिश्चित किया गया है।
44	Farmworld Agrotech, 373, U.Khirasara Industrial Estate Road, Khisara, Lodhika, Rajkot Gujarat	Power weeder	Farm Word-FWMT420DE	Power-8.7hp, RPM-3600, Lenth-1600mm, Width-985, working dept in mm-100, working width in mm-1460, Fule tank capacity in liter=5.50, fule consumption/hr=0.90 to 1.50 & Area covered/hr in acre=0.356 to 0.368	SRFMT&TL, Tractor Nagar, Anantapur, (A.P)	Machine-422/1256/March /2021	Feb-28	पंजीकरण हेतु विनिश्चित किया गया है।
45	George Maijo Industries Pvt. Ltd. apex plaza, nungambakkam high road, chennai, tamil nadu	Power Weeder	WM 1100NAM	4 Stroke, Single cylinder, vertical, air cooled, inclined, spark ignition, petrol engine, High Speed-3600+100rpm, low speed-1400+200rpm, rated speed-3300rpm, dispoition-inclined, bore/stroke-73/59mm, cpapcity-247cc	SRFMTTL Anantpur Andhra Pradesh	Machine-683/1761, October 2024	Oct-31	पंजीकरण हेतु विनिश्चित किया गया है।
46	George Maijo Industries Pvt. Ltd. apex plaza, nungambakkam high road, chennai, tamil nadu	Power Weeder	WM 1100C6 BR	4 Stroke, Single cylinder, vertical, forced air cooled, i, High Speed-3800+100 rpm, low speed-1400+200rpm, rated speed-3600rpm, dispoition-vertical, bore/stroke-86/72mm, cpapcity-418cc	SRFMTTL Anantpur Andhra Pradesh	ICE/SRFMTTL, ANANTAPUR/ 2025-26/23/23/1903, August 2025	Jul-32	पंजीकरण हेतु विनिश्चित किया गया है।
47	George Maijo Industries Pvt. Ltd. apex plaza, nungambakkam high road, chennai, tamil nadu	Power Weeder	M700ECO	4 Stroke, Single cylinder, vertical, air cooled, inclined, spark ignition, petrol engine, High Speed-3700+100 rpm, low speed-1400+200rpm, rated speed-3600rpm, dispoition-inclined, bore/stroke-70/55mm, cpapcity-212cc	SRFMTTL Anantpur Andhra Pradesh	Machine-672/1746, October 2024	Sep-31	पंजीकरण हेतु विनिश्चित किया गया है।
48	George Maijo Industries Pvt. Ltd. apex plaza, nungambakkam high road, chennai, tamil nadu	Power Weeder	WM 1100 CM	4 Stroke, Single cylinder, vertical, air cooled, inclined, spark ignition, petrol engine, High Speed-3840 rpm, low speed-1400rpm, rated speed-3600rpm, dispoition-inclined, bore/stroke-70/55mm, cpapcity-212cc	SRFMTTL Anantpur Andhra Pradesh	Machine-671/1745, October 2024	Sep-31	पंजीकरण हेतु विनिश्चित किया गया है।
49	Hindustan Agro Industries Corporation, Hoshiarpur Punjab	Power Weeder 9.00 HP	Kisaan- HAIC-186,	Power Weeder Walk Behind Type, Engine Speed High-3800+100rpm, Low Speed-1400+200rpm, Max Speed-2700+200rpm, Bore/Stroke-86/70mm, Capacity-406cc, Capacity Fuel Tank-4.3 Ltr	NRFMTTL-Hisar	PW-100/2539/2020/October 2020	Oct-27	पंजीकरण हेतु विनिश्चित किया गया है।
50	Kisan Kraft Ltd, Dasarhalli, HAF Post Hebhal Bangalore	Power weeder	KK-IC-210P	Type of machine-self propelled walk behind, high idle speed-3960, low idle speed-1400 to 1600, rated speed-3600rpm, speed at maximum torque(apa)-3000rpm	NRFMT&TL, Hisar, Haryana	156/2897/Sep/2022	Sep-29	पंजीकरण हेतु विनिश्चित किया गया है।
51	Kisan Kraft Ltd, Dasarhalli, HAF Post Hebhal Bangalore	Power weeder	KK-IC-250D	Type of machine-self propelled walk behind, 4 stroke, Single Cylinder, Air Cooled, high idle speed-3800, low idle speed-1400, rated speed-3600rpm, speed at maximum torque(apa)-3600rpm	NERFMT&TL, Biswanath, Assam	59/427/Mar/2022	Mar-29	पंजीकरण हेतु विनिश्चित किया गया है।

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मैक / माडल	यंत्र का स्पेसिफिकेशन	देस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
52	Kisan Kraft Ltd, Dasarahalli, HAF Post Hebbal Bangalore	Power weeder	KK-IC-256D	Type of machine-self propelled walk behind, working size of machine-620mm, Single Cylinder, 4 stroke, air cooled, vertical compression ignition engine, Fuel tank-cooled, max. power observed, kw-5(7.5)hp	NERFMT&TL, Biswanath, Assam	60/428/Mar/2022	Mar-29	पंजीकरण हेतु विनिर्दिष्ट किया गया है।
53	Kisan Kraft Ltd, Dasarahalli, HAF Post Hebbal Bangalore	Power weeder	KK-IC-208P	Type of machine-self propelled walk behind, size of machine-940mm, high idle speed-3800, low idle speed-1400, rated speed-3600rpm, speed at maximum torque(apa)-2800rpm, engine speed for field test-3200/3000, max. power observed, kw-1800/3000, max. power observed, kw-1800/3000	SRFMT&TL, Tractor Nagar, Anantapur, (A.P)	373/1199/Sep/2020	Aug-27	पंजीकरण हेतु विनिर्दिष्ट किया गया है।
54	Kisan Kraft Ltd, Dasarahalli, HAF Post Hebbal Bangalore	Power weeder	KK-IC-350D	Type of machine-self propelled walk behind, size of machine-600mm, high idle speed-1950, low idle speed-600, rated speed-1500rpm, speed at maximum torque(apa)-1800rpm, engine speed for field test-1800/3000, max. power observed, kw-3200/3000, max. power observed, kw-3200/3000	SRFMT&TL, Tractor Nagar, Anantapur, (A.P)	444/1412/Augus 1/2020	Aug-29	पंजीकरण हेतु विनिर्दिष्ट किया गया है।
55	Kisan Kraft Ltd, Dasarahalli, HAF Post Hebbal Bangalore	Power weeder	KK-IC-400D	Type of machine-self propelled walk behind, size of machine-940mm, high idle speed-3800, low idle speed-1400, rated speed-3000rpm, speed at maximum torque(apa)-3000rpm, engine speed for field test-3200/3000, max. power observed, kw-3200/3000	NRFMT&TL, Hisar, Haryana	162/2949/2022 Dec/2022	Aug-29	पंजीकरण हेतु विनिर्दिष्ट किया गया है।
56	Kisan Kraft Ltd, Dasarahalli, HAF Post Hebbal Bangalore	Power weeder	KK-IC-250P	Type of machine-self propelled walk behind, high idle speed-3800, low idle speed-1750, rated speed-3600rpm, speed at maximum torque(apa)-3000rpm, engine speed for field -3600, One Cylinder, Fuel tank-3.6	NRFMT&TL, Hisar, Haryana	163/2967/2023/ Jan-2023	Jan-30	पंजीकरण हेतु विनिर्दिष्ट किया गया है।
57	Kisan Kraft Ltd, Dasarahalli, HAF Post Hebbal Bangalore	Power weeder	KK-IC-200P	Type of machine-self propelled walk behind, Air, cooled, 4 stroke, single cylinder, petrol engine, High idle speed-3800, Low idle speed-1750, Rated speed-3600, speed at maximum torque-3000	NRFMT&TL, Hisar, Haryana	161/2941/2022/ Nov-2022	Nov-29	पंजीकरण हेतु विनिर्दिष्ट किया गया है।
58	Kisan Kraft Ltd, Dasarahalli, HAF Post Hebbal Bangalore	Power weeder	KK-SRT-910 DE	Type of machine-self propelled walk behind, Air, cooled, 4 stroke, diesel engine, High idle speed-1800, Low idle speed-800+100, Rated speed-1550+50, speed at maximum torque-1200	NRFMT&TL, Hisar, Haryana	Power Weeder- 99/2511/2020, September 2020	Sep-27	पंजीकरण हेतु विनिर्दिष्ट किया गया है।
59	Kisan Kraft Ltd, Dasarahalli, HAF Post Hebbal Bangalore	Power weeder	KK-IC-406 D	Type of machine-self propelled walk behind, size of machine-440mm, high idle speed-2800, low idle speed-1500, rated speed-3600rpm, speed at maximum torque(apa)-2800rpm, engine speed for field test-3000, max. power observed, kw-5(7.5)hp	SRFMT&TL, Tractor Nagar, Anantapur, (A.P)	374/1200/Sep/2020	Aug-27	पंजीकरण हेतु विनिर्दिष्ट किया गया है।
60	Kisan Kraft Ltd, Dasarahalli, HAF Post Hebbal Bangalore	Power weeder	KK-IC-410 P	Type of machine-self propelled walk behind, size of machine-440mm, high idle speed-2800, low idle speed-1500, rated speed-3600rpm, speed at maximum torque(apa)-2800rpm, engine speed for field test-3000, max. power observed, kw-5(7.5)hp	SRFMT&TL, Tractor Nagar, Anantapur, (A.P)	195/3161/2024 April, 2024	April 2031	पंजीकरण हेतु विनिर्दिष्ट किया गया है।
61	Kisan Kraft Ltd, Dasarahalli, HAF Post Hebbal Bangalore	Power weeder	KK-IC-300D	Type-single cylinder, four stroke, air cooled, Vertical, Compression ignition diesel engine, High idle speed-3800+100 rpm, Low idle speed-1400+200 rpm, Max power observed-4.4 kw	SRFMTTI ANANTPUR	471/1464/Jan-2023	Dec-30	पंजीकरण हेतु विनिर्दिष्ट किया गया है।

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक / माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
62	Kirloskar Oil Engines Ltd., Pune Maharashtra	power weeder	kirloskar Min T9 DLX	Type-Single Cylinder, Air Cooled, Four Stroke, Vertical, Compression ignition engine, High idle speed-3850+100, Low idle speed-1500+100rpm, Rated speed- 3600+100rpm, Disposition-Inclined, Bore /Stroke- 86/72mm	SRFMTTI- Anantapur A.P.	ICE/SRFMTTI, Anantapur/2025- 26/03/03/1858, April 2025	31-03-2032	पंजीकरण हेतु चिह्नित किया गया है।
63	Kirloskar Oil Engines Ltd., Pune Maharashtra	power weeder	kirloskar Min T9 D	Type-Single Cylinder, Air Cooled, Four Stroke, Vertical, Compression ignition engine, High idle speed-3800+100, Low idle speed-1500+100rpm, Rated speed- 3600+100rpm, Disposition-Inclined, Bore /Stroke- 86/72mm	SRFMTTI- Anantapur A.P.	ICE/SRFMTTI, Anantapur/2025- 26/02/02/1857, April 2025	31-03-2032	पंजीकरण हेतु चिह्नित किया गया है।
64	Kirloskar Oil Engines Ltd., Pune Maharashtra	power weeder	kirloskar Min T9	Type-Single Cylinder, Air Cooled, Four Stroke, Ignition, High idle speed-3780+100, Low idle speed- 1500+100rpm, Rated speed-3600+100rpm, Disposition- Inclined, Bore /Stroke-86/72mm	SRFMTTI- Anantapur A.P.	Machine- 656/1718, September 2024	31-08-2031	पंजीकरण हेतु चिह्नित किया गया है।
65	Kirloskar Oil Engines Ltd., Pune Maharashtra	power weeder	kirloskar Min T8P	Type-Single Cylinder, Air Cooled, Four Stroke, Inclined, spark engine, High idle speed-3850+100, Low idle speed- 1800+150rpm, Rated speed-3600rpm, Disposition- Inclined, Bore /Stroke-77/58mm	SRFMTTI- Anantapur A.P.	ICE/SRFMTTI, Anantapur/2025- 26/11/11/1871, May 2024	30-04-2032	पंजीकरण हेतु चिह्नित किया गया है।
66	Kirloskar Oil Engines Ltd., Pune Maharashtra	power weeder	kirloskar Min T6P	Type-Single Cylinder, Air Cooled, Four Stroke, Inclined, Spark Ignition, High idle speed-3850+100, Low idle speed-2150+100rpm, Rated speed-3600+100rpm, Disposition-Inclined, Bore /Stroke-68/54mm	SRFMTTI- Anantapur A.P.	Machine- 666/1736, October 2024	30-09-2031	पंजीकरण हेतु चिह्नित किया गया है।
67	Kirloskar Oil Engines Ltd., Pune Maharashtra	power weeder	kirloskar Min T55P	Type-Single Cylinder, Air Cooled, Four Stroke, Inclined spark engine, High idle speed-3855+100, Low idle speed- 1800+150rpm, Rated speed-3600+200rpm, Disposition- Inclined, Bore /Stroke-68/54mm	SRFMTTI- Anantapur A.P.	ICE/SRFMTTI, Anantapur/2025- 26/01/01/1856, April 2025	31-03-2032	पंजीकरण हेतु चिह्नित किया गया है।
68	Macan Agromart Pvt. Ltd., Plot No-31, Sector-82, Mohali Punjab	Power Weeder	CW-750P, 2.44 kw	High Idle Speed-3600rpm, Low idle speed-1450+50 rpm, Rated speed-3300rpm, Bore/Stroke-77/56mm, Air Cooled, 4 Stroke, Single Cylinder, Petrol Engine, Capacity-215cc, Compression ratio-8.5:1	NRFMTTI-Hisar Haryana	No-153/2886/2022 August 2022	Oct-29	पंजीकरण हेतु चिह्नित किया गया है।
69	Macan Agromart Pvt. Ltd., Plot No-31, Sector-82, Mohali Punjab	Power Weeder	CW-750PT, 6.00 kw	High Idle Speed-3780rpm, Low idle speed-1500+50 rpm, Rated speed-3600rpm, Bore/Stroke-70/55mm, Air Cooled, 4 Stroke, Single Cylinder, Petrol Engine, Capacity- 212cc, Capacity 3l, overall dimension 1335x1045x1345mm, mass 86.4kg	NRFMTTI-Hisar Haryana	No-185/3098/2023 October 2023	Oct-30	पंजीकरण हेतु चिह्नित किया गया है।
70	Macan Agromart Pvt. Ltd., Plot No-31, Sector-82, Mohali Punjab	Power Weeder	CW-750P HD, 6.00 kw	High Idle Speed-3700rpm, Low idle speed-1400+50 rpm, Rated speed-3400rpm, Bore/Stroke-77/58mm, Air Cooled, 4 Stroke, Single Cylinder, Petrol Engine, Capacity- 270cc, Capacity 5.2l, overall dimension 1500x1300x130mm, mass 130kg	NRFMTTI-Hisar Haryana	No-184/3097/2023 October 2023	Oct-30	पंजीकरण हेतु चिह्नित किया गया है।
71	Macan Agromart Pvt. Ltd., Plot No-31, Sector-82, Mohali Punjab	Power Weeder	CW 1060D 6hp	High Idle Speed-3750rpm, Low idle speed-1250 rpm, Rated speed-3600rpm, Bore/Stroke-78/62mm, Air Cooled, 4 Stroke, Single Cylinder, Diesel Engine, Capacity- 296cc, Compression ratio-20:1	NRFMTTI, Hisar, Haryana	No-160/2920/2022 Sept 2022	Sep-27	पंजीकरण हेतु चिह्नित किया गया है।

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अनुमति
1	2	3	4	5	6	7	8	9
72	Macan Agromart Pvt. Ltd., Plot No-31, Sector-82, Mohali Punjab	Power Weeder	CW 1190D 9hp	High Idle Speed-3750rpm, Low idle speed-1250 rpm, Rated speed-3600rpm, Bore/Stroke-86/72mm, Air Cooled, 4 Stroke, Single Cylinder, Diesel Engine, Capacity- 418cc, Compression ratio-19:1	NRFMTTL, Hisar, Haryana	No-159/2919/2022 Sept 2022	Sep-27	पंजीकरण हेतु विहित किया गया है।
73	Macan Agromart Pvt. Ltd., Plot No-31, Sector-82, Mohali Punjab	Power Weeder	CW750PTO	Type of Machine-Self Propelled, Walk Behind, Working size of machine-2024, Recommended high idle speed- 3800+100rpm, Low idle speed-1800+100rpm, Rated power-4.0 ap, 4 stroke, single cylinder, air cooled, spark ignition engine	NERFMTTL-Asam	ICE/NERFMTTL, B.Chariali/2025- 26/02/533, May 2025	May-32	पंजीकरण हेतु विहित किया गया है।
74	Modhish Tractor Aur Kisan Pvt. Ltd, near Sun N Moon Chamber, Gopalbati Jaipur Rajasthan	Power Weeder	Balwaan BW-25	Air Cooled, Single Cylinder, 2 stroke, Spark ignition engine, engine speed High-7000+100 rpm, Low speed- 3200+100 rpm, Max Power-2.4 kw, No of Cylinder-1	FMITTC	CSIR/CMERI/FM TTC/2024/077, December, 2024	Nov-31	पंजीकरण हेतु विहित किया गया है।
75	Modhish Tractor Aur Kisan Pvt. Ltd, near Sun N Moon Chamber, Gopalbati Jaipur Rajasthan	Power Weeder	Balwaan BP-650	Air Cooled, Single Cylinder, 4 stroke, OHV Spark ignition engine, engine speed High-2800 rpm, Low speed- 4000 rpm, Max Power-4.2 kw, No of Cylinder-1	FMITTC	CSIR/CMERI/FM TTC/2024/035, June 2024	May-31	पंजीकरण हेतु विहित किया गया है।
76	Modish TractorAurKisan (P) Ltd., Jaipur, Rajasthan	Power weeder	BP-700	Type-Self propelled, walk behind, rotary tiller, high idle speed-3750, low idle speed-1700, rated speed- 3300rpm, speed at maximum torque-2500rpm, full tank 3.6	NRFMT&TI-Hisar Haryana	139/2826/Mar/2 022	Mar/2029	पंजीकरण हेतु विहित किया गया है।
77	Nipha India Limited (Earlier-Nipha Exports)48, ganga Jamuna, 28/1, Shakespeare sarani, Kolkata.	Power Weeder	NIPHA 75GB	Single Cylinder, 4 stroke, air cooled, inclined, spark ignition, Max Power-32. kW, Max Speed-3575+50, Low speed-1500+50rpm, disposition-inclined, bore/stroke- 70/55mm, capacity-212cc	SRFMTTI ANANTPUR	426/1371, May 2022	Apr-29	पंजीकरण हेतु विहित किया गया है।
78	Nipha India Limited (Earlier-Nipha Exports)48, ganga Jamuna, 28/1, Shakespeare sarani, Kolkata.	Power Weeder	NIPHA 100 GG	Single Cylinder, 4 stroke, air cooled, inclined, spark ignition, Max Power-3.4 kW, Max Speed-3575+50, Low speed-1500+50rpm, disposition-inclined, bore/stroke- 70/55mm, capacity-212cc	SRFMTTI ANANTPUR	427/1372, May, 2022	Apr-29	पंजीकरण हेतु विहित किया गया है।
79	Nipha India Limited (Earlier-Nipha Exports)48, ganga Jamuna, 28/1, Shakespeare sarani, Kolkata.	Power Weeder	NIPHA 135D, 6.7 kw, 9.11 HP	size -1490mm, type-single cylinder, four stroke, air cooled, compression ignition, maxi speed- 3600+50, max power-6.7(9.11)kw,bore/stroke-86/72 mm, capacity-418 cc	SRFMTTI ANANTPUR	422/1366, APRIL- 2022	Mar-29	पंजीकरण हेतु विहित किया गया है।
80	Nipha India Limited (Earlier-Nipha Exports)48, ganga Jamuna, 28/1, Shakespeare sarani, Kolkata.	Power Weeder	NIPHA 100GG HD	single cylinder, 4 stroke, forced air cooled inclined, spark ignition engine, high idle speed 1760rpm, low speed 1440rpm, speed rated 3600rpm, power 4kW, bore/stroke 70/55mm, capacity 212cc, fuel 3.5l, overall dimension	FMITTC CSIR CMERI MGA Durgapur, WB	CSIR/CMERI/FM TTC/2024/003 MARCH 2024	Feb-31	पंजीकरण हेतु विहित किया गया है।
81	Nipha India Limited (Earlier-Nipha Exports)48, ganga Jamuna, 28/1, Shakespeare sarani, Kolkata.	Power Weeder	NIPHA 105 GG HD	single cylinder, 4 stroke, direct injection, air cooled petrol engine, High idle speed 3780+100 rpm, Low speed 1440+100mm, Max torque-15.35Nm, Rated Power-5.3 kW, Max Power observed-5.71 kW	FMITTC CSIR CMERI MGA Durgapur, WB	CSIR/CMERI/FM TTC/2024/043 September 2024	Aug-31	पंजीकरण हेतु विहित किया गया है।
82	Nipha India Limited (Earlier-Nipha Exports)48, ganga Jamuna, 28/1, Shakespeare sarani, Kolkata.	Power Weeder	NIPHA 105D,	size of machine-1200mm, type-single cylinder, four stroke, air cooled,compression ignition, maxi speed- 3600+50, low speed-1500+50, speed at maxi torque- 2800, bore/stroke-78/62 mm, capacity-296 cc, 4.1 kW, 5.6 hp	SRFMTTI ANANTPUR	425/1369, APRIL- 2022	Mar-29	पंजीकरण हेतु विहित किया गया है।

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक / माडल	यंत्र का स्पेसिफिकेशन	टैरिफिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
83	Perfect House Pvt. Ltd. Additional MIDC, Sataura, Mumbai	Power Weeder	PA-PW-8-.0GG	4 stroke, air cooled, single cylinder, petrol engine, Engine speed-3800+100 high, Low -1100+100 rpm, Rated speed-3600+100 rpm, Speed Max-3000+100 rpm, Disposition-inclined, Bore/Stroke-70X58 mm	NRFMTTI-Hisar Haryana	209/3246/2024, April, 2024	Aug-31	पंजीकरण हेतु चिह्नित किया गया है।
84	Perfect House Pvt. Ltd. Additional MIDC, Sataura, Mumbai	Power Weeder	PA-PW-3.0GG (FOX)	Single Cylinder, 4 stroke, air cooled, inclined, spark Ignition, Gasoline engine, High idle speed-3800+100, low idle speed-1100+100 rpm, rated speed-3600rpm, Disposition-inclined, Bore/Stroke-56X40mm	NRFMTTI-Hisar Haryana	2019/3295/2025, March 2025	Mar-32	पंजीकरण हेतु चिह्नित किया गया है।
85	Ratnagiri Impex Pvt. Ltd. 7th cross, new guddadahalli, mysore road, Bangalore	Power Weeder	AM-RT-5P, 3.4 kw 4.6 hp	4 stroke, single cylinder, Air cooled, vertical, comlpression ignition engine, Max. speed - 3800+100, Low idle speed- 1500, Max. power observed kw- 3.4(4.6)@ 3600 rpm, Bore/Stroke, mm (apa)- 70/55,	SRFMTTI ANANTPUR	355/1175/ June 2020	31.05.2027	पंजीकरण हेतु चिह्नित किया गया है।
86	Ratnagiri Impex Pvt. Ltd. 7th cross, new guddadahalli, mysore road, Bangalore	Power Weeder	OM-MH 180 RK, 3.4 kw, 4.6 hp	4stroke, single cylinder, Air cooled, vertical, comlpression ignition engine, Max. speed - 3800+100, Low idle speed- 1500, Max. power observed kw- 3.4(4.6)@ 3600 rpm, Bore/Stroke, mm (apa)- 70/55,	SRFMTTI ANANTPUR	619/1676 July 2024	Jun-31	पंजीकरण हेतु चिह्नित किया गया है।
87	Ratnagiri Impex Pvt. Ltd. 7th cross, new guddadahalli, mysore road, Bangalore	Power Weeder	Agriamate AM-RT-212	High Idle Speed-3800rpm, Low idle speed-1500+50 rpm, Rated speed-3600rpm, Bore/Stroke-70/58.47mm, Air Cooled, 4 Stroke, Single Cylinder, Petrol Engine, Capacity-225cc, Capacity 5l, overall dimension	SRFMTTI ANANTPUR	624/1681 July 2024	Jun-31	पंजीकरण हेतु चिह्नित किया गया है।
88	Ratnagiri Impex Pvt. Ltd. 7th cross, new guddadahalli, mysore road, Bangalore	Power Weeder	Agriamate AM-MPTC-5D-3G 3.8kW	High Idle Speed-3700rpm, Low idle speed-2500+50 rpm, Rated speed-3600rpm, Bore/Stroke-73/59mm, Air Cooled, 4 Stroke, Single Cylinder, diesel Engine, Capacity-247cc, Capacity 3.5l, overall dimension 1500X1300X1355mm, mass 88.5kg	SRFMTTI ANANTPUR	407/1338, JANUARY-2022	Dec-29	पंजीकरण हेतु चिह्नित किया गया है।
89	Ratnagiri Impex Pvt. Ltd. 7th cross, new guddadahalli, mysore road, Bangalore	Power Weeder	AM-MPTC-6600-6D, 4.5 kw, 6.1 hp	4 stroke, single cylinder, Air cooled, vertical, comlpression ignition engine, Max. speed - 1800+100, Low idle speed- 1200, Max. power observed kw- 4.4(6.0)@ 1700 rpm, Bore/Stroke, mm (apa)- 78/62,	SRFMTTI ANANTPUR	284/1027 June 2019	May-26	वैधता तिथि मई 2026 तक होने के कारण नई टेस्ट रिपोर्ट प्रस्तुत करने पर पंजीकरण विस्तारित किया जाएगा। पंजीकरण हेतु उक्त अवधि तक चिह्नित किया गया है।
90	Ratnagiri Impex Pvt. Ltd. 7th cross, new guddadahalli, mysore road, Bangalore	Power Weeder	Agriamate AM-MPT-1100-6D, 6 hp	Agriamate AM-MPT-1100-6D, Self propelled, Walk Behind, Size of Machine-900mm, Capacity-247 CC, Bore/stroke-78/62 mm, Fuel Tank- Mild Steel, Colling System-forced air Cooling, startin system-Manual, recoil Startin System	SRFMTTI Ananpur, AP	618/1675 July 2024	Jun-32	पंजीकरण हेतु चिह्नित किया गया है।
91	Ratnagiri Impex Pvt. Ltd. 7th cross, new guddadahalli, mysore road, Bangalore	Power Weeder	Agriamate AM-MPTC-1100-9D	High Idle Speed-3700rpm, Low idle speed-1150+50 rpm, Rated speed-3600rpm, Bore/Stroke-86/72mm, Air Cooled, 4 Stroke, Single Cylinder, Petrol Engine, Capacity-418cc, Capacity 5l, overall dimension	SRFMTTI ANANTPUR	618/1675 July 2024	Jun-32	पंजीकरण हेतु चिह्नित किया गया है।

क्र.सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मॉडल / माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
92	Royal Kisan Agro, C-1306, Srushti Residency, Behind RK Tower, Thane Maharashtra	Power Weeder	RK-ICP-UP170 SH	Single Cylinder, Air Cooled, 4 Stroke, Spark ignition, Petrol Engine, Max Power-3.80 kW, No-1 Disposition-Inclined, Bore/Stroke-70/55mm, High Speed-3600+100 rpm, Low Speed-1500+50, Recoom. Speed-3300 rpm	SRFMTTL-Anantpur	Machine-664/1731, September 2024	Sep-31	पंजीकरण हेतु विहित किया गया है।
93	Royal Kisan Agro, C-1306, Srushti Residency, Behind RK Tower, Thane Maharashtra	Power Weeder	RK170F	Single Cylinder, Air Cooled, 4 Stroke, Spark ignition, Petrol Engine, Max Power-3.80 kW, No-1 Disposition-Inclined, Bore/Stroke-70/55mm, High Speed-3200+100 rpm, Low Speed-1400+50, Recoom. Speed-3200 rpm	NRFMTTL-Hisar	No-172/3019/2023, May 2023	May-30	पंजीकरण हेतु विहित किया गया है।
94	Royal Kisan Agro, C-1306, Srushti Residency, Behind RK Tower, Thane Maharashtra	Power Weeder	RK173F	Single Cylinder, Air Cooled, 4 Stroke, Spark ignition, Petrol Engine, Max Power-3.80 kW, No-1 Disposition-Inclined, Bore/Stroke-73/59mm, High Speed-3500+500 rpm, Low Speed-1400+50, Recoom. Speed-3200 rpm	NRFMTTL-Hisar	No-173/3020/2023, May 2023	May-30	पंजीकरण हेतु विहित किया गया है।
95	Royal Kisan Agro, C-1306, Srushti Residency, Behind RK Tower, Thane Maharashtra	Power Weeder	RK-ICP-P177	Single Cylinder, Air Cooled, 4 Stroke, Spark ignition, Petrol Engine, Max Power-3.80 kW, No-1 Disposition-Vertical, Bore/Stroke-77/58mm, High Speed-3900+100 rpm, Low Speed-1400+200, Recoom. Speed-3600 rpm	SRFMTTL-Anantapur A.P.	ICE/SRFMTTL, Anantapur/2025-26/30/30/1923, September 2025	Aug-32	पंजीकरण हेतु विहित किया गया है।
96	Royal Kisan Agro, C-1306, Srushti Residency, Behind RK Tower, Thane Maharashtra	Power Weeder	RK-ICD-UP186-SH	Single Cylinder, Air Cooled, 4 Stroke, Spark ignition, Petrol Engine, Max Power-3.80 kW, No-1 Disposition-Vertical, Bore/Stroke-86/72mm, High Speed-3800+100 rpm, Low Speed-1800+200, Recoom. Speed-3600 rpm	SRFMTTL-Anantapur A.P.	Machine-665/1732, October, 2024	Sep-31	पंजीकरण हेतु विहित किया गया है।
97	Royal Kisan Agro, C-1306, Srushti Residency, Behind RK Tower, Thane Maharashtra	Power Weeder	RK-ICD-P178	Single Cylinder, Air Cooled, 4 Stroke, Spark ignition, Petrol Engine, Max Power-4.55 kW, No-1 Disposition-gravity, Bore/Stroke-78/62mm, High Speed-3250+100 rpm, Low Speed-1400+50, Recoom. Speed-3000 rpm	SRFMTTL-Anantapur A.P.	ICE/SRFMTTL, Anantapur/2025-26/29/29/1923, September 2025	Aug-32	पंजीकरण हेतु विहित किया गया है।
98	Ramsons Impex, Raipur Sahkari Udhyaog, Bhagwanpur Haridwar	Rotary Weeder/Power Weeder		Under Testing	GBPUAT Pantnagar			टेस्ट रिपोर्ट प्राप्त होने के उपरान्त पंजीकरण हेतु विहित किया जाएगा।
99	Supreme Sales Agency, 33/1, Netaji Subhas Road, Marshal House Kolkata, West Bengal	Power Weeder	SSG005P SS Gold	Vertical, Single Cylinder, 4 stroke OHV, 25 inclined horizontal Shaft, High speed-3600+100 rpm, low speed-1400+100 rpm, Max torque-15.24 Nm, Rated power-5.2 kW, Max Power-5.72 kW	FMTTL-CMERI-West Bengal	CSIR/CMERI/FM TTC/2023/024, October 2023	Sep-30	पंजीकरण हेतु विहित किया गया है।
100	Supreme Sales Agency, 33/1, Netaji Subhas Road, Marshal House Kolkata, West Bengal	Power Weeder	SSG009D SS Gold	Single Cylinder, 4 stroke, air cooled, diesel engine, Max Power-6.78 kW, Max Speed-3500+100 Low speed-1400+200 rpm, dispoition-Vertical, bore/stroke-86/72 mm, capacity-212cc	NERFMTTL-Asam	Machine 91/462, May 2023	May-30	पंजीकरण हेतु विहित किया गया है।
101	Sukoan Solutions PVT LTD Ghaziabad	Electrical Power Weeder	KRISHIRAI PRO 1200W/48V	Electrical machine, BL DC motor, 1200W/48V, IP54, speed 3000rpm max, battery lithium ion, power on/off switch havells, charger 10A 54 V	NRFMTTL, Hisar, Haryana	154/2887/2022 August 2022	Aug-29	पंजीकरण हेतु विहित किया गया है।

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मॉडल / माइल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अनुमति
1	2	3	4	5	6	7	8	9
102	Sona Agri Solution, Ramni Bus Stand, Raipura Jind Haryana	Power Weeder		Test Report Not Submitted				टेस्ट रिपोर्ट प्राप्त होने के उपरान्त पंजीकरण हेतु चिह्नित किया जाएगा।
103	VST Tillers Tractor Pvt. Ltd.,	Power weeder	VST FT 55 GE,	Working Width-1050 to 1100 mm, Max Speed-3800+150, Low idle speed-1440, Speed at maximum torque-2550+100, Max Power-4.0 (5.4)at 3550rpm, Bore/stroke-70/55mm, Capacity-212cc	NERFMTTL- Assam	101/472, September 2023	Sep-30	पंजीकरण हेतु चिह्नित किया गया है।
104	VST Tillers Tractor Pvt. Ltd.,	Power weeder	VST FT 50 GE,	Working Width-1050 to 1100 mm, Max Speed-3800+150, Low idle speed-1440, Speed at maximum torque-2550+100, Max Power-4.0 (5.4)at 3550rpm, Bore/stroke-70/55mm, Capacity-212cc, 4.4 kw, 6.0 hp	SRFMTTL ANANTPUR	384/1304, OCTOBER-2021	Oct-28	पंजीकरण हेतु चिह्नित किया गया है।
105	VST Tillers Tractor Pvt. Ltd.,	Power weeder	VST, Ranger 50C	Model- Ranger 50C, Size of machine-930 mm, Type-single cylinder, four stroke, air cooled, Recommended high idle speed-3800+100 rpm, Disposition-1, bore/stroke-	SRFMTTL ANANTPUR	2025- 26/10/10/1870, May 2025	Apr-32	पंजीकरण हेतु चिह्नित किया गया है।
106	VST Tillers Tractor Pvt. Ltd.,	Power weeder	VST FT 35 GE	Type of machine-self propelled walk behind, Working size-640mm, type-4 stroke, single cylinder, air cooled, Recommended -3800+50, Power observed-1.32kw	NERFMTTL Assam	94/465, July 2023	Jul-30	पंजीकरण हेतु चिह्नित किया गया है।
107	VSM International Pvt. Ltd., Hisar, Haryana	Power weeder	XPW-1050D(E)	Type of machine-self propelled walk behind, Engine speed-high idle speed-3750rpm, low idle speed-800, One Cylinder, fuel tank capacity-3.4,	NRFMT&TL, Hisar, Haryana	128/2773/2022/ Jan/2022	Jan-29	पंजीकरण हेतु चिह्नित किया गया है।
108	VSM International Pvt. Ltd., Hisar, Haryana	Power weeder	XPW 750 H Plus P.T.O	Type of machine-self propelled walk behind, Petrol engine, high idle speed-3780, low idle speed-1500 * 10, rated speed-3600rpm, speed at maximum torque(apa)-2500rpm	NRFMT&TL, Hisar, Haryana	IMP- 952/2230/Nov/2 018	Nov-25	वैधता तिथि समाप्त होने के कारण पंजीकरण हेतु चिह्नित नहीं किया गया है।
109	VSM International Pvt. Ltd., Hisar, Haryana	Power weeder	XPW-750T(E)	Type of machine-self propelled walk behind, high idle speed-3600, low idle speed-1450, rated speed-3600rpm, speed at maximum torque(apa)-2500rpm	NRFMT&TL, Hisar, Haryana	131/2776/Jan/2 022	Jan-29	पंजीकरण हेतु चिह्नित किया गया है।
110	VSM International Pvt. Ltd., Hisar, Haryana	Power weeder	1160D	Type of machine-self propelled walk behind, high idle speed-3700, low idle speed-1300, rated speed-3300rpm, speed at maximum torque(apa)-3600rpm	NRFMT&TL, Hisar, Haryana	130/2775/Jan/2 022	Jan-29	पंजीकरण हेतु चिह्नित किया गया है।
111	VSM International Pvt. Ltd., Hisar, Haryana	Power weeder	XPW-1150D BR	Type of machine-self propelled walk behind, high idle speed-3700, low idle speed-1300, rated speed-3600rpm, speed at maximum torque(apa)-3600rpm	NRFMT&TL, Hisar, Haryana	129/2774/Jan/2 022	Jan-29	पंजीकरण हेतु चिह्नित किया गया है।
112	VSM International Pvt. Ltd., Hisar, Haryana	Power weeder	XPW-1150 D PLUS	Type of machine-self propelled walk behind, high idle speed-3750, low idle speed-1400, rated speed-3450rpm, speed at maximum torque(apa)-2800rpm	NRFMT&TL, Hisar, Haryana	101/2540/Oct/2 020	Oct-27	पंजीकरण हेतु चिह्नित किया गया है।
113	VSM International Pvt. Ltd., Hisar, Haryana	Power weeder	XPW-1150P	Type of machine-self propelled walk behind, high idle speed-3850, low idle speed-1500, rated speed-3600rpm, speed at maximum torque(apa)-2500rpm	NRFMT&TL, Hisar, Haryana	108/2638/Jan/2 021	Jan-28	पंजीकरण हेतु चिह्नित किया गया है।
114	VSM International Pvt. Ltd., Hisar, Haryana	Power weeder	XPW-750T PTO	Type of machine-self propelled walk behind, high idle speed-3750, low idle speed-1400, rated speed-3450+50rpm, speed at maximum torque(apa)-2500rpm	NRFMT&TL, Hisar, Haryana	107/2637/Jan/2 021	Jan-28	पंजीकरण हेतु चिह्नित किया गया है।

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक / मॉडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
115	VJ Materials Mart, Sirsi road, Dehta, Unchasiwana, Karnal, Haryana	Power Weeder	GAJA HITECH Agro G-104P 3.75kW/5.10hp	High Idle Speed-3600rpm, Low idle speed-1400+100 rpm, Rated speed-3400rpm, Bore/Stroke-70/55mm, Air Cooled, 4 Stroke, Single Cylinder, Petrol Engine, Capacity-212cc, Capacity 5.5l, overall dimension	SRFMTTI Anantpur Andhra Pradesh	543/1587 February 2024	Jan-31	पंजीकरण हेतु विहित किया गया है।
116	Bansal Traders, Vikasnagar, Dehradun.	Power Weeder	SC-135	Make-Riuga Italy, 4 stroke single cylinder, air cooled petrol engine, Specification-420X380X410, Weight-19kg, Displacement-215cc, Pto shaft-clock wise	GBPUAT, Pantnagar, Utarakhand	Report-2021-141 March 2021	Mar-27	टेस्ट रिपोर्ट अग्रही है, टेस्ट रिपोर्ट प्राप्त होने के उपरान्त पंजीकरण हेतु विहित किया जाएगा।
117	Bansal Traders, Vikasnagar, Dehradun.	Power Weeder	POWER WEEDE (TILLER), 4.2 Hp	4 stroke, single cylinder, Air cooled, petrol engine, weight-15kg, oil capacity-0.6l, Bore/ stroke-78/62mm, max. speed-3600 to 3700 rpm, rated speed-3600 rpm, Overall dimensions-1845x660x1410mm, capacity of fuel tank-3.50L	GBPUAT PANTNAGAR	CTE/FMP/2020-112, JULY-2020	May-31	टेस्ट रिपोर्ट अग्रही है, टेस्ट रिपोर्ट प्राप्त होने के उपरान्त पंजीकरण हेतु विहित किया जाएगा।
118	Modish Tractor AurKisan (P) Ltd, Jaipur, Rajasthan	Power weeder	BP-650	Type of machine- self propelled, walk behind type, Prime mover-Single cylinder air cooled, 4 stroke, OHV, spark ignition engine, rotary tiller, high idle speed-2800, low idle speed-4000, rated speed-3600rpm, 3541-2500rpm, fuel tank-3.2	NRFMT&TI-Hisar Haryana	CSIR/CMERI/FM TTC/2024/035/June/2024	Jun-29	पंजीकरण हेतु विहित किया गया है।
119	Gahir Agro Industries limited	Rotary Weeder	Gahir-RW-23	Tractore Horse Power-50hp and above, Type of blade-Hatch L shape, Working width-1700mm, Type-MS Flat, Size of flat-610X65X12 mm front, 745X65X12 rear, Shape-Pyramind Type	CAET-Hisar	HAU/FMPE/22-23/Weed-09, June 2022		टेस्ट रिपोर्ट अग्रही है, टेस्ट रिपोर्ट प्राप्त होने के उपरान्त पंजीकरण हेतु विहित किया जाएगा।
120	UK Farm Tech, Naya Bazar, Hadluchaour, LalKuan, Haldwani	Power Weeder	FT-PPWR-07	Test Report Incomplete				

उप कृषि निदेशक,
तकनीकी समीक्षण,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
गुणवत्ता नियंत्रण,
कृषि निदेशालय

अपर कृषि निदेशक,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
नियोजन
कृषि निदेशालय

प्रतिनिधि,
निदेशक उद्यान,
उद्यान निदेशालय

कृषि निदेशक,
उत्तराखण्ड।

प्रतिनिधि,
विभागब्याक (फार्म मशीनरी),
गोन्दापर्वतवि०, पटनागर

पत्र संख्या-4844 दिनांक 12 सितम्बर, 2025 के द्वारा जारी विज्ञापन से प्राप्त श्रेसर हेतु अनुमोदित/स्वीकृत पंजीकृत फर्मों/अधिकृत विक्रेता, मेक/मॉडल का विवरण

क्र० सं०	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	मेक/मॉडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
1	Bhoomi Agro Industries, Kishan Gate, Ludhiana, GIDC, Metoda, Rajkot, Gujraat	Paddy Thresher		Test Report Not Submitted	GBPUAT Pantnagar Uttarakhand	CTE/FMP/2022-181, MARCH-2022	Mar-29	टेस्ट रिपोर्ट प्राप्त होने के उपरान्त पंजीकरण हेतु चिन्हित किया जाएगा।
2	Bansal Traders Vikasnagar, Dehradun	Wheat Thresher		size of box-62x62x4.5mm, Belt size-B-5.5, dia. Of pully-152mm, recommended power-5hp, speed-1440rpm, size of cylinder-268x463mm, concave clearance-27, overall dimensions-1182x1020x1255mm, Total mass-220kg				टेस्ट रिपोर्ट अग्री है, पूर्ण टेस्ट रिपोर्ट प्राप्त होने के उपरान्त पंजीकरण हेतु चिन्हित किया जाएगा।
3	Bala ji Enterprises Roorkee Haridwar	Thresher	Paddy Thresher	Stant-Angle-Steel, Cover-Flat-cloth, Drum-Steel, Gear-20-Teeth, Cast Steel, Total Weight 22.5 Kg	GBPUAT-Pantnagar	3777 /Test/28-07-2012	Jul-19	वैधता तिथि समाप्त होने के कारण पंजीकरण हेतु चिन्हित नहीं किया गया।
4	Bir singh & Sons Chandigarh Road, Samrala, Ludhiana Punjab	Thresher	Pammi BSS 72	Max PTO-31.55 kW, Type-Rectangular, Size of MS angle-430X63.67/63.67X5.64, Recommended crop-wheat, Recommended tractor power-35 hp & above	FMTTI-Kerla	H&TH/FMTTI KAU, Tavanur/2025-26/9/377, June 2025	May-32	पंजीकरण हेतु चिन्हित किया गया।
5	Bir singh & Sons Chandigarh Road, Samrala, Ludhiana Punjab	Maize Thresher	Pammi-BSS-116	Max. pto power-35kw, size of thresher1620X695mm, Max PTO-42.9hp, Main crop-Maize, Power requirement-35and above hp	FIMTTC-Bikaner	FIMTTC/THR/23/227 0, June 2024	Jun-31	पंजीकरण हेतु चिन्हित किया गया।
6	Bir singh & Sons Chandigarh Road, Samrala, Ludhiana Punjab	Paddy Thresher	PAMMI GL 257	Max. pto power-35kw, size of thresher-3263x1060, length of shaft-603/937, size of cylinder-1786x851mm, overall dimensions-4253x2053x2540mm, mass-1500kg	FMTTC KERALA	IMP-87/110/2021, NOVEMBER-2021	Nov-28	पंजीकरण हेतु चिन्हित किया गया।
7	Bir singh & Sons Chandigarh Road, Samrala, Ludhiana Punjab	Multi Crop Thresher	Pammi-Multicrop Thresher	Max. pto power-35kw, size of thresher-820X920mm, Max PTO-42.9hp, Main crop-Wheat, Power requirement-35and above hp	FIMTTC-Bikaner	FIMTTC/THR/22/200 7, June 2023	Jun-30	पंजीकरण हेतु चिन्हित किया गया।
8	Dasmesh Agro Industries, Pohir, Ludhiana, Ahmedgarh Punjab	Tractor operated Haramba Multicrop Thresher	LUCKY	Size of thresher-810X880 mm, Power source as recommended -35 hp & above, Main Crop-Wheat, Power requirement-35hp and above, type of drive-through propeller shaft	FIMTTC-Bikaner	FIMTTC/THR/21/162 2 July 2021	Jul-28	पंजीकरण हेतु चिन्हित किया गया
9	Dasmesh Agro Industries, Pohir, Ludhiana, Ahmedgarh Punjab	Tractor operated Wheat Thresher	LUCKY	Size of thresher-770X815 mm, Main Crop-Wheat, Power requirement-11.0hp and above, type of drive-through propeller shaft, Type-Rectangula, Size -2250X1040X1020mm	FIMTTC-Bikaner	FIMTTC/THR/21/161 5/ July 2021	Jul-28	पंजीकरण हेतु चिन्हित किया गया

क्र० सं०	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	मेक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
10	Jagajit Agri India Pvt. Ltd., Ludhiana	Tractor Operated Paddy Thresher	Jagajit TREBBIA-X	Max. pto power-36.4kw, Recommended power- 35 hp min, field tes-1500/1600, type-peg tooth, size of cylinder -1775X820mm, type-MS flat& square box	SLFMTTI-Lucknow	IMP-2011/438, March 2024	Mar-31	पंजीकरण हेतु विहित किया गया।
11	Kartar Agricultural Implements, Railway Station Road, Kashipur USNagar	Tractor Operated Multi Crop Thresher	KARTAR- 2024	Prime mover Use-New Holland-3630, Max Power 27.90 kw, Width-1932mm, Oust sie diameter- 543 mm, Speed-750-850mm, No of bars-6,	GBPUAT- Pantnagar	CTE/FMP/Test Report-2024-253, February 2024	Feb-31	पंजीकरण हेतु विहित किया गया
12	Modish TractorAurKisan (P) Ltd., Jaipur, Rajasthan	Corn Thresher	Balwan-CT- 600	Power-2hp, overall dimension (LxWxH)- 950x455x690mm, total weight-27kg,	FMT&TC, west bengal	CSIR/CMERI/FMTTC/2 024/033/June/2024	May-31	पंजीकरण हेतु विहित किया गया।
13	Modish TractorAurKisan (P) Ltd., Jaipur, Rajasthan	Corn Thresher	Balwan-CT- 500	Power-2hp, overall dimension (LxWxH)- 870x313x695mm, total weight-23kg,	FMT&TC, west bengal	CSIR/CMERI/FMTTC/2 024/032/June/2024	May-31	पंजीकरण हेतु विहित किया गया।
14	Punjab Agriculture Impliment Pvt. Ltd.	Multi Crop Thresher	SURYA S-669	Tractor operator multi crop thresher, Recommended- 35 & above, Type of drive-PTO shaft, Size of belt- 03, C-96, diameter of main shaft-63 mm, Cylinder speed-640 rpm	SLFMTTI-Lucknow	TH/SLFMTTI, REHMANKHERA/2024 25/55/493, January 2025	Jan-32	पंजीकरण हेतु विहित किया गया
15	Punjab Agriculture Impliment Pvt. Ltd.	Multi crop Thresher	Engine Operated 7.5 hp	Weight-356kg, Overall dimension in cm- 1110X700X1460mm, Drum operation speed-700- 820rpm, Power source-7.5 hp engine/motor operated, Type-Air colled diesel engine	AITC-Raipur	Rport no-559 date October 2018	Oct-25	वैधता लिखि समाप्त होने के कारण पंजीकरण हेतु विहित नहीं किया गया।
16	Ratnagiri Impex Pvt. Ltd. 7th cross, new guddadahalli, mysore road, Bangalore	Paddy Thresher	AM-PTMG-500- 3HPM (Agrimate)	Paddy Thresher (Engine/Electric Motor Oprated)	ICR-CCARL-Coa	7/5/2024-PME-1850- 06, October 2024	Oct-31	पंजीकरण हेतु विहित किया गया
17	Madho Agro Industry, Plot No. B-3, Focal Point, Mogga Punjab	Thresher		Test Report Incomplete	FIMTTC, Bikaner	FIMTTC/THR/18/107 7	Oct-26	पूर्ण टेस्ट रिपोर्ट जमा करने के उपरान्त पंजीकरण हेतु विहित किया गया
18		Thresher		Test Report Incomplete		FIMTTC/THR/18/107 5	Oct-26	

उप कृषि निदेशक,
तकनीकी समन्वयण,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
गुणवत्ता नियंत्रण,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
नियोजन,
कृषि निदेशालय

प्रतिनिधि,
निदेशक उद्योग,
उद्योग निदेशालय

प्रतिनिधि,
विमानाग्राहक (फार्म मशीनरी),
गोवर्धनचिह्नित, पतनगर

अपर कृषि निदेशक,
कृषि निदेशालय

वित्त नियंत्रक,
कृषि निदेशालय

कृषि निदेशक,
उत्तराखण्ड।