

कृषि निदेशालय उत्तराखण्ड, नन्दा की चौकी, प्रेमनगर, देहरादून।

(दूरभाष संख्या-0135-2772677, फ़ैक्स-0135-2771881, ई मेल-dir.agri.Uttarakhand@gmail.com)

पत्रांक-कृ.नि./7804SMAM/पंजी.-कृषि यंत्र/2025-26

दिनांक- 10 फरवरी, 2026

1. समस्त मुख्य कृषि अधिकारी, उत्तराखण्ड।

2. समस्त कृषि एवं भूमि संरक्षण अधिकारी, उत्तराखण्ड।

विषय- कृषि यंत्रों/उपकरणों हेतु पंजीकृत फर्म तथा माडल विषयक।

निदेशालय के पत्र संख्या-कृ.नि./4844/पंजी/कृषि यंत्र/2025-26, दिनांक 12 सितम्बर, 2025 के द्वारा विभिन्न कृषि यंत्रों/उपकरणों की विनिर्माता फर्मों के मेक/माडलों को सूचीबद्ध करने हेतु विज्ञापन जारी किया गया था। उक्त के क्रम में उत्तराखण्ड अधिप्राप्त नियम 2017, विभिन्न योजनाओं के अन्तर्गत कृषि यंत्रों/उपकरणों पर अनुदान उपलब्ध कराने जाने हेतु कृषि मशीनों तथा यंत्रों/उपकरणों के मूल विनिर्माता फर्मों से प्राप्त पंजीकृत प्रपत्रों का गठित पंजीकरण समिति द्वारा परीक्षण करने के उपरान्त विभिन्न कृषि यंत्रों/उपकरणों की विनिर्माता फर्मों के मेक/माडलों को सूचीबद्ध/पंजीकरण हेतु उपयुक्त पाया गया। सूचीबद्ध/पंजीकरण हेतु चिन्हित किए गए यंत्रों/उपकरणों का विवरण निम्नानुसार है।

क्र. सं.	फर्म का नाम	सूचीबद्ध/पंजीकरण होने वाले कृषि मशीनों/यंत्रों/उपकरणों का विवरण
1.	BTL EPC Ltd. 2 Jessore Road, Kolkata- West Bengal	Brush Cutter/ Chaff Cutter
2.	Bonhoeffer Machines Pvt. Ltd., Faridabad, HR	Brush Cutter
3.	Bushra Impex, 4th cross kalasipalyam, new extension, Bangalore	Brush Cutter
4.	Dharti Industries, Mahadev Foundry, Industrial Area, Solvant, Rajkot Gujraat	Brush Cutter
5.	E-Agro Care Machineries and Equipments, Pvt. Ltd. D-45, 5-star industrial area, shendra, aurangabad, Maharastra	Brush Cutter/ Chaff Cutter
6.	Farm & Garden Technologies Pvt. Ltd., 544 P, Pace City-II, Sec-37, Gurgaon, Haryana-122001	Brush Cutter
7.	Falcon Garden Tools Pvt.Ltd., Malerkotla Road, Alamgir, Ludhiana, Punjab	Brush Cutter
8.	Kisan Kraft Ltd., Dasarahalli, HAF Post Hebbal, Bangalore, Karnataka	Brush Cutter/ Chaff Cutter
9.	Lalji & Sons, 261/3 Purani Tehsil, Dehradun Road, Roorkee, Haridwar	Brush Cutter/Cultivator/Harrow
10.	Macan Agromart Pvt. Ltd., Plot No-31, Sector-82, Mohali Punjab	Brush Cutter
11.	Modhish Tractor Aur Kisan Pvt. Ltd, near Sun N Moon Chamber, Gopalbari Jaipur Rajasthan	Brush Cutter
12.	Supreme Sales Agency, 33/1, NS Road, Marshal House, Kolkata West Bangal	Brush Cutter
13.	Ratnagiri Impex Pvt.Ltd., Annapurna House, 1/1G, 7th Cross, Mysore Road, Bangalore	Brush Cutter/Chaff Cutter
14.	Royal Kisan Agro, C-1306, Srushti Residency, Behind RK Tower, Thane Maharastra	Brush Cutter/Chaff Cutter
15.	V.S.T. Tillers Tractors Ltd., Plot No-1, Dyavasandra Indl. Layout, Whitefield Road, Mahadevapura Post, Bangalore, Karnataka	Brush Cutter
16.	VSM International Pvt. Ltd., Hisar, Haryana	Brush Cutter
17.	VJ Materials Mart, 113 opp bus stand, erode, Tamil Nadu	Brush Cutter
18.	UK Farm Tech, Naya Bazar, Hadluchaour, Lalkuan, Haldwani	Brush Cutter
19.	Bansal Traders Vikasnagar , Dehradun	Chaff Cutter/Cultivator

क्र. सं.	फर्म का नाम	सूचीबद्ध/पंजीकरण होने वाले कृषि मशीनों/यंत्रों/उपकरणों का विवरण
20.	Euro Farm Imp. India. Pvt. Ltd. Rohtak Road, Nangloi, Delhi	Brush Cutter
21.	Competent Agriculture Machinery opp PN Sharma Park, Delhi Saharnpur Road, Baraut Bagpat UP	Chaff Cutter
22.	Darshan Singh & Co. G.T Road, Goraya, Distt-Jalandhar, Punjab	Chaff Cutter
23.	New Malwa, Agriculture Equipment, JAITU, Punjab	Chaff Cutter
24.	Beri Udyog Pvt.Ltd., 235-240, Sec-3, HSIDC, Karnal, Haryana-132002	Cultivator/Harrow
25.	Indo Farm Implements, 341, Sector-3S, HSIIDC, Karnal Haryana	Cultivator/Harrow/MB Plough
26.	Kartar Singh & Sons, Kashipur USNagar	Cultivator/Harrow
27.	Pratap Iron Works Near Namastey Chowk, G.T. Road, Karnal	Cultivator/Harrow
28.	Bansal Traders Vikasnagar, Dehradun	Harrow
29.	Tirth Agro Technology Pvt. Ltd, gujraat	MB Plough
30.	Jaswant Agriculture Works, Patiala Road, Sunam Sangroor, Punjab	MB Plough
31.	Jagatjit Agri India Pvt. Ltd. (Earlier -Saron Mechanical Works,Mansa Road, Cheema Mandi, Sangrur, Punjab)	MB Plough
32.	Maschio Gaspardo India Pvt. Ltd., Pune Maharastra	MB Plough
33.	LEMKEN India Agro Equipments Pvt. Ltd., D-59, MIDC, Butibori, Nagpur, MH	MB Plough
34.	Mukesh Agro Industries, New Krishi Upaj Mandi, Near Nahar Toll Kanta Mahow, Mandur MP	MB Plough
35.	New Swan Multi Tech Ltd., Raian Post Kohara, Ludhiana Punjab	MB Plough
36.	Tractor and Farm Equipment ltd, huzur gardens, sembian Chennai (TAFE)	MB Plough

सलग्न सूची के अनुसार कृषक द्वारा सूचीबद्ध/पंजीकृत विनिर्माता फर्म/फर्मों के अधिकृत डीलर से सलग्न सूची में अंकित माडल को क्रय करने पर ही अनुदान देय होगा। अनुदान देते समय निम्न बिन्दुओं को ध्यान में रखा जाए।

1. उपरोक्त पंजीकरण पत्र जारी होने वाले दिनांक से दो वर्ष तक वैध रहेगा।
2. कृषकों को कृषि यंत्रों/उपकरणों पर अनुदान Submission on Agricultural Mechanization(SMAM) की गाईडलाइन के अनुसार होगा। पैरा 6.4.2 अथवा संबंधित योजना की गाईडलाइन में इंगित व्यवस्था के अनुसार अनुपालन सुनिश्चित किया जाये, साथ ही यह ध्यान रखा जायेगा कि अनुसूचित जाति, अनुसूचित जनजाति, महिला तथा लघु सीमान्त कृषकों को प्राथमिकता मिले।
3. कृषि यंत्रों/उपकरणों पर अनुदान भारत सरकार/राज्य सरकार द्वारा निर्धारित/अनुमन्य अधिप्राप्त सीमा तक ही देय होगा।
4. सूचीबद्ध/पंजीकृत फर्म को बिल स्वयं अथवा विनिर्माता की संस्तुती पर नियमानुसार अधिकृत विक्रेता भी बिल जारी कर सकेगा बिल/कैश मैमो पर पूर्ण स्पेसिफिकेशन के साथ कृषि यंत्र का माडल/ब्राण्ड/गारंटी/क्रम संख्या/चेचिस संख्या, वारन्टी अवधि का अनिवार्य रूप से अंकन करेगा।
5. अनुदान कृषक/मूल विनिर्माता द्वारा अधिकृत विक्रेता से कृषक द्वारा क्रयित कृषि यंत्रों/उपकरणों के सूचीबद्ध माडल/मेक पर ही देय होगा। फर्म/अधिकृत विक्रेता नियमानुसार टेक्स का अंकन करते हुए टैक्स जमा करना होगा।
6. निदेशालय स्तर पर सूचीबद्ध/पंजीकृत फर्म/माडल/मेक agrimachinery.nic.in पर अपलोड करनी होगी, जो कम से कम एक वर्ष तक नहीं बदली जा सकेगी।

7. सूचीबद्ध/पंजीकृत फर्म द्वारा कृषि मशीनों/यंत्रों/उपकरणों की वर्तमान दरें भारत सरकार की Agrimachinery.nic.in पर DBT Agriculture Mechanization पर अंकित करनी होगी, जो एक वर्ष तक बदली नहीं जा सकेगी।
8. कृषक द्वारा ऑनलाईन डी.बी.टी. पोर्टल पर डीलर से क्रय किए गए यंत्रों के बिल को डीलर पोर्टल पर अपलोड करेगा।
9. जनपद के कृषि एवं भूमि संरक्षण अधिकारी द्वारा गठित सत्यापन टीम द्वारा भौतिक सत्यापन सुनिश्चित कर लिये जाने के उपरान्त Submission on Agricultural Mechanization (SMAM) की गाईडलाइन एवं राज्य सरकार द्वारा निर्धारित अनुदान की अधिकतम सीमा के अनुसार कार्यवाही करें।
10. सत्यापन के दौरान कृषक द्वारा क्रयित कृषि यंत्र/उपकरण विभाग द्वारा सूचीबद्ध/पंजीकृत किए गए कृषि यंत्रों/उपकरणों के अनुसार ही हो।
11. कृषकों को उपलब्ध कराये जा रहे कृषि यंत्रों/उपकरणों के मूल्य पोर्टल पर दर्शायी दरों से अधिक न हो, यदि दरें अधिक पायी जाती हैं तो संबंधित जनपद के मुख्य कृषि अधिकारी कार्यवाही करेंगे। कृषक जब मेक/माडल, गुणवत्ता एवं मोल भाव कर दर से पूर्णतया संतुष्ट हो जाने के बाद कृषि यंत्रों/उपकरणों को क्रय करें।
12. मुख्य कृषि अधिकारी/कृषि एवं भूमि संरक्षण अधिकारी अनुदानित यंत्रों की सूचना निदेशालय को उपलब्ध करायेंगे।

क्र.स.	यंत्र का नाम/मेक एवं माडल	यंत्र आपूर्ति कहां से हुई/डीलर का नाम	संख्या	कुल कीमत	कुल वितरित अनुदान
1	2	3	4	5	6

13. फर्म को अपने फर्म का सर्विस सेंटर खोलना होगा। फर्म द्वारा अपने ग्राहकों को Maintenance का प्रशिक्षण देना होगा।
14. विभागीय उच्चाधिकारियों द्वारा कृषक को आपूर्तित कृषि यंत्रों/उपकरणों का निरीक्षण करने पर कृषि यंत्रों/उपकरणों को निर्धारित गुणवत्ता के अनुरूप न पाए जाने पर संबंधित विनिर्माता फर्म का पंजीकरण निरस्त कर दिया जायेगा। साथ ही ऐसी फर्म/अधिकृत विक्रेता को विभाग द्वारा काली सूची में डालने की कार्यवाही की जा सकती है।
15. सूचीबद्ध/पंजीकृत विनिर्माता फर्म/अधिकृत विक्रेता को कृषक द्वारा क्रयित कृषि यंत्रों/उपकरणों पर अनुदानित वर्ष एवं विभाग का नाम अनिवार्य रूप से अंकित करना होगा।
16. विनिर्माता सूचीबद्ध/पंजीकृत फर्म/अधिकृत विक्रेता को समय-समय पर विभाग द्वारा वांछित जानकारी उपलब्ध करानी होगी। ऐसा न करने पर संबंधित को पंजीकरण सूची से विलोपित किया जा सकता है।
17. सरकार द्वारा समय-समय पर जारी दिशा-निर्देशों के अनुसार उपरोक्त शर्तों/नियमों एवं इससे संबंधित प्रक्रिया में आवश्यकतानुसार संशोधित/परिवर्तन किया जा सकेगा।
18. सूचीबद्ध/पंजीकृत फर्म के अधिकृत विक्रेता द्वारा विभाग को उपलब्ध कराई गई किसी भी जानकारी के असत्य पाये जाने की दशा में संबंधित फर्म का पंजीकरण तत्काल प्रभाव से निरस्त कर दिया जायेगा।
19. प्रदायकों को मुख्य कृषि अधिकारी के आदेश एवं दिशा निर्देश के अनुसार कृषक/कृषकों को जनपद/विकासखण्ड स्तर/न्याय पंचायत तक यंत्र उपलब्ध कराने होंगे। इस हेतु प्रदायकों को जिला स्तर पर अपना नेटवर्क स्थापित करना होगा। प्रदायक द्वारा जिले में नियुक्त अधिकृत विक्रेता के पास जी0एस0टी0 पंजीकरण तथा विक्रय उपरान्त सेवा की सुविधा उपलब्ध करायी जानी आवश्यक होगी। प्रदायकों की यह जिम्मेदारी होगी कि वे उनके द्वारा विक्रय की गयी सामग्री के लिये उचित मूल्य पर पुर्जें तथा विक्रय उपरान्त सेवा की सुविधा कृषकों को उपलब्ध करावें। लाभार्थियों को इसके लिये प्राप्त अनुरोध पत्र से 15 दिनों के अन्दर यदि यह व्यवस्था नहीं की जाती है, तो यथा आवश्यक कार्यवाही की जायेगी।

20. फर्म द्वारा कृषि मशीनों/यंत्रों/उपकरणों पर लेबलिंग प्लेट को Riveted किया जाना अनिवार्य होगा, जिस पर निर्माता का नाम एवं पता मेक/मॉडल सीरियल नम्बर निर्माण का माह एवं वर्ष, टाईप, साईज, किस देश में निर्मित किया गया है लिखा होना चाहिए। इसके अतिरिक्त उपलब्ध कराए जा रहे स्पेसिफिकेशन में मार्किंग/लेबलिंग हेतु दिए गए निर्देशों का पालन किया जाए।
संलग्न – यथोपरि।


कृषि निदेशक
उत्तराखण्ड।

पत्रांक— /कृ0नि0/एस.एम.ए.एम/पंजीकरण-कृषि यंत्र/2025-26/दिनांकित।

प्रतिलिपि—: निम्नांकित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित :—

1. अपर कृषि निदेशक, गढ़वाल मण्डल, पौड़ी।
2. संयुक्त कृषि निदेशक, कुमाऊँ मण्डल, हल्द्वानी (नैनीताल)।
3. संबंधित मूल विनिर्माता फर्म को विभागीय वेबसाईट के माध्यम से।
4. अध्यक्ष, जिला यंत्रीकरण समिति।
5. विभागीय पोर्टल।


कृषि निदेशक
उत्तराखण्ड।

क्र.सं. रैंग	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक/मॉडल	यंत्र का स्वीडिफिकेशन	देखिए संस्था	देस्ट रिपोर्ट की तिथि	देस्ट की वैधता तिथि	अव्युक्ति
1	2	3	4	5	6	7	8	9
1	BTL EPC Ltd. 2 Jessore Road, Kolkata- West Bengal	Brush Cutter	SRBCCG435	Single cylinder, air cooled, vertical, 4 stroke, spark ignition engine, High idle speed-8000+100 rpm, Low idle speed-3000+100 rpm, Rated speed-6500rpm, Power0.53kw, Capacity-37.7cc, type-air cooled	NERFMTTI ASSAM	36/379, MARCH-2021	Mar-28	पंजीकरण हेतु विहित किया गया है।
2		Brush Cutter	SRBCCG520-HB	High idle speed-9000+100 rpm, Low idle Speed-3000+200 rpm, Rated Power-0.53 rpm, Single cylinder, air cooled, vertical, 2 stroke	FMFTTI-Assam	35/378 March 2021	Mar-28	पंजीकरण हेतु विहित किया गया है।
3	Bonhoeffer Machines Pvt. Ltd., Faridabad, HR	Brush Cutter	BON-P-BC36	Max. Power kW (apa)-1.2, Recom. High idle speed, rpm- 10000, Recom. Low idle speed, rpm-2700, Recom. Rated speed for field operation, rpm-7500, Speed at max. torque, rpm-3300, Bore/Stroke, mm- 37.5/32, Capacity cc- 35.3	NRFMTTI Hisar Haryana	48/2991/2023 April, 2023	Apr-28	पंजीकरण हेतु विहित किया गया है।
3	Bonhoeffer Machines Pvt. Ltd., Faridabad, HR	Brush Cutter	BON-P-BP BC45	Max. Power kW (apa)-1.6 kW, Recom. High idle speed, rpm-10000, Recom. Low idle speed, rpm-2700, Recom. Rated speed for field operation, rpm-7500, Speed at max. torque, rpm- 3300, Bore/Stroke, mm- 41/34	NRFMTTI Hisar Haryana	49/2992/2023 April, 2023	Apr-28	पंजीकरण हेतु विहित किया गया है।
5	Bonhoeffer Machines Pvt. Ltd., Faridabad, HR	Brush Cutter	BON-P- BC45	Max. power kW(apa)- 1.6, Recom. High idle speed, rpm- 10000, Recom. Low idle speed, rpm-2700, Recom. Rated speed for field 7500, Speed at max. torque, rpm- 3300, Bore/Stroke, mm(apa)- 44/34, Capacity, cc (apa)- 44.8 cc	NRFMTTI Hisar Haryana	50/2993/2023 April, 2023	Apr-28	पंजीकरण हेतु विहित किया गया है।
6	Bushra Impex, 4th cross kalasipalyam, new extension, Bangalore	Brush Cutter	X1-POWER, X1-630	Two stroke, single cylinder, vertical, air cooled, spark ignition, petrol engine, Max Speed-9500+500rpm, Low idle -2800+200 rpm, Power-1.20kW/bore/stroke 40/34, Capacity-42.8cc, Fuel tank-1.15ltr. Overall dimension 1910x400X645mm, total mass 7.5kg	SRFMTTI, Anantpur Andhra Pradesh	machine 567/1618 May 2024	Apr-31	पंजीकरण हेतु विहित किया गया है।
7	Bushra Impex, 4th cross kalasipalyam, new extension, Bangalore	Brush Cutter	X1-POWER, X1-JX35	Four stroke, single cylinder, vertical, air cooled, spark ignition, petrol engine, Max Speed-9000+500rpm, Low idle -2800 to 3000rpm, Power-0.80kW/bore/stroke39/30, Capacity-35.9cc, Fuel tank-0.70ltr. Overall dimension 1910x350X565mm, total mass8.00kg	SRFMTTI, Anantpur Andhra Pradesh	machine 560/1611 April 2024	Mar-31	पंजीकरण हेतु विहित किया गया है।
8	Dharti Industries, Mahadev Foundry, Industrial Area, Solvant, Rajkot Gujraat	Brush Cutter	PLT-BC-35B	4 stroke, High speed-10000+200rpm, Low speed-3200+200rpm, max speed-7800rpm, No-01, disposition-single, Bore/stroke-39/30mm, Type of fuel system-air press system, Capacity of fuel tank-0.75 ltr.	FMFTTI-CSIR-CMERI- West Bengal	CSIR/CMERI/FMFTT C/2025/012, February 2025	Jan-32	पंजीकरण हेतु विहित किया गया है।
9	E-Agro Care Machineries and Equipments, Pvt. Ltd. D-45, 5-star industrial area, shendra, aurangabad, Maharashtra	Brush Cutter	BG-35	High idle speed-8000+100 rpm, Low idle Speed-3000+100 rpm, Rated Power-0.46kW, Single cylinder, air cooled, vertical, four stroke,	NERFMTTI ASSAM	97/468, August 2023	Aug-30	पंजीकरण हेतु विहित किया गया है।

क्र.सं.	निर्माणकर्ता का नाम	यंत्र का नाम	मॉडल / मादल	यंत्र का स्थापितकरण	देखरेख संस्था	देखरेख रिपोर्ट की तिथि	देखरेख की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
10	E-Agro Care Machineries and Equipments, Pvt. Ltd. D-45, 5-star industrial area, shendra, aurangabad, Maharashtra	Brush Cutter	BC-520	High idle speed-8000+200 rpm, Low idle Speed-3000+200 rpm, Rated Power-0.45@5500 rpm, Single cylinder, air cooled, vertical, 2 stroke	SRFMTTI-Anantapur, AP	398/1226 November 2020	Oct-27	यंत्रीकरण हेतु निश्चित किया गया है।
11	Farm & Garden Technologies Pvt. Ltd., 544 P, Pace City-II, Sec-37, Gurgaon, Haryana-122001	Brush Cutter	TEXAS, BC 358 D	4 stroke, single cylinder, air cooled, spark ignition, petrol engine, Max speed-9000+100 rpm, Low idle speed-2600+100, Speed maximum-5000, Wheat Rice, Bushes, Weeds, Grass and branches	SRFMTTI-Anantapur	H&HT/SRFMTTI, Anantapur/2025-26/05/05/1866, May 2025	Apr-32	यंत्रीकरण हेतु निश्चित किया गया है।
12	Farm & Garden Technologies Pvt. Ltd., 544 P, Pace City-II, Sec-37, Gurgaon, Haryana-122001	Brush Cutter	TEXAS, TX452050	4 stroke, single cylinder, air cooled, spark ignition, petrol engine, Max speed-9000+100 rpm, Low idle speed-5000+100, Speed maximum-7000, Paddy, Wheat, Bushes, Weeds, Grass and branches	SRFMTTI-Anantapur	H&HT/SRFMTTI, Anantapur/2025-26/07/07/1877, May 2025	Apr-32	यंत्रीकरण हेतु निश्चित किया गया है।
13	Falcon Garden Tools Pvt.Ltd., Malerkotla Road, Alangir, Ludhiana, Punjab	Brush Cutter	Falcon FBC-34N	four stroke, single cylinder, air cooled, spark ignition engine, Max Speed-8000+500rpm, Low idle -6500rpm ,bore/stroke 39/30, Capacity-35.8cc, Fuel tank-1.00ltr. Overall dimension 1930x635x370mm, total mass 9.50kg	NRFMTTI Hisar Haryana	58/3105/2023 November 2023	Nov-28	यंत्रीकरण हेतु निश्चित किया गया है।
14	Falcon Garden Tools Pvt.Ltd., Malerkotla Road, Alangir, Ludhiana, Punjab	Brush Cutter	Falcon FBC-35N	four stroke, single cylinder, air cooled, spark ignition engine, Max Speed-9000+500rpm, Low idle -3100+200rpm ,bore/stroke 39/30, Capacity-35.8cc, Fuel tank-1.00ltr. Overall dimension 1930x640x375mm, total mass 8.86kg	NRFMTTI Hisar Haryana	59/3106/2023 November 2023	Nov-28	यंत्रीकरण हेतु निश्चित किया गया है।
15	Falcon Garden Tools Pvt.Ltd., Malerkotla Road, Alangir, Ludhiana, Punjab	Brush Cutter	Falcon FBC-44N	two stroke, single cylinder, air cooled, spark ignition engine, Max Speed-8500+500rpm, Low idle -6500rpm ,bore/stroke 40/34, Capacity-42.7cc, Fuel tank-1.00ltr. Overall dimension 1890x635x350mm, total mass 8.80kg	NRFMTTI Hisar Haryana	60/3107/2023 November 2023	Nov-28	यंत्रीकरण हेतु निश्चित किया गया है।
16	Kisan Kraft Ltd., Dasarahalli, HAF Post Hebhal, Bangalore, Karnataka	Brush Cutter	KK-BC-8634	four stroke, air cooled, single cylinder, recommended idle speed 3000+150rpm, RATED speed-7800rpm, max. speed-5000 rpm, max. power-0.42kw, no. of cylinder-1, capacity of fuel tank-0.65L,bore-39, capacity-34cc	NERFMTTI ASSAM	47/411, DECEMBER-2021	Dec-30	यंत्रीकरण हेतु निश्चित किया गया है।
17	Kisan Kraft Ltd., Dasarahalli, HAF Post Hebhal, Bangalore, Karnataka	Brush Cutter	KK-SBC-3404	Single Cylinder, Air Cooled, Vertical, 4 stroke, spark ignition engine, High idle speed-8500+300 rpm, Low idle speed-3000+100 rpm, Disposition-vertical, Core/stroke-39/28mm	NERFMTTI-Assam	66/437, August 2022	Aug-29	यंत्रीकरण हेतु निश्चित किया गया है।
18	Kisan Kraft Ltd., Dasarahalli, HAF Post Hebhal, Bangalore, Karnataka	Brush Cutter	KK-BC-8640	Two stroke, air cooled, single cylinder, recommended idle speed 2500+150rpm, RATED speed-6600rpm, max. speed-5750rpm, max. power-0.66kw, no. of cylinder-1, capacity of fuel tank-1.1L,Borex stroke-40x34mm, capacity-42.7cc	NERFMTTI ASSAM	46/410, DECEMBER-2021	Dec-30	यंत्रीकरण हेतु निश्चित किया गया है।
19	Kisan Kraft Ltd., Dasarahalli, HAF Post Hebhal, Bangalore, Karnataka	Brush Cutter	KK-SBC-4302	Type-Single sylinde, air cooled, vertical, two stroke, spark ignition engine, Disposition-vertical, bore/stroke-40/34mm, Capacity-43cc	NERFMTTI ASSAM	67/438, August 2022	Aug-29	यंत्रीकरण हेतु निश्चित किया गया है।
20	Kisan Kraft Ltd., Dasarahalli, HAF Post Hebhal, Bangalore, Karnataka	Brush Cutter	KK-BC-2143	Engine operated side pack, Two stroke, single cylinder, air cooled, spark ignition, petrol engine, Max Speed-9000rpm, low idle speed-3000+200, Rated power-1.25 kW	SRFMTTI-Anantapur Assam	692/1784, December 2024	Nov-31	यंत्रीकरण हेतु निश्चित किया गया है।

क्र.सं.	प्रतिनिधित्व करने वाले का नाम	यंत्र का नाम	मॉडल/नंबर	यंत्र का स्पेसिफिकेशन	देखरेख संस्था	देखरेख की तिथि	देखरेख की वैधता तिथि	अवधि
1	2	3	4	5	6	7	8	9
21	Lalji And Sons Dehradun Road, Roorkee	Brush Cutter	RAW-BC4	Source of power-2.1 hp, single cylinder, 2 stroke petrol engine. Max. speed at no. load rpm-6500, low idle speed-2400, Rated speed rpm-6000 rpm, max. power-1.65kW @6500 rpm (apa), Bore/stroke-44/34, capacity (cc)-51.7,	(GBPLUAT) Pantnagar	CTE/MP/2021-150 July 2021	Jul-28	यंत्रिकाएं हेतु विकसित किया गया है।
22	Maacan Agromart Pvt. Ltd., Plot No-31, Sector-82, Mohali Punjab	Brush Cutter	Velmoc Agro, VGCH-1	Type of cutting attachment-Nylon rope and circular disc blade, Recoonde use-All kinds of weeds, bushes & paddy harvesting, Type-4 stroke, single cylinder, air cooled, spark ignition, petrol engine, Max Speed-9500+100 rpm, Low speed-3000+100 rpm	SRFMTTI-Anantapur	Machine-684/1767, December 2024	Nov-31	यंत्रिकाएं हेतु विकसित किया गया है।
23	Maacan Agromart Pvt. Ltd., Plot No-31, Sector-82, Mohali Punjab	Brush Cutter	Velmoc Agro, VGCH-1431	Type of cutting attachment-Nylon rope and circular disc blade, Recoonde use-All kinds of weeds, bushes, harvesting, Type-4 stroke, single cylinder, air cooled, spark ignition, Max Speed-9500+500 rpm, Low speed-3000+100 rpm	NERFMTTI-Aasam	Machine-156/530, March 2025	Mar-32	यंत्रिकाएं हेतु विकसित किया गया है।
24	Modhish Tractor Aur Kisan Pvt. Ltd, near Sun N Moon Chamber, Gopalbati Jaipur Rajasthan	Brush Cutter	Balwaan BX-50	Side Pack Brush Cutter, Type-Overhead Valve, Single Cylinder, Air Cooled, 4 Stroke, Saprk Ignition engine, high idle Speed-7000 rpm, Speed Max-5000 rpm, Fuel tank-Plastic, Tank capacity-0.550 ltr	FMTTC	CSIR/CMERI/FMTT C/2025-216/02/34/144	May-32	यंत्रिकाएं हेतु विकसित किया गया है।
25	Modhish Tractor Aur Kisan Pvt. Ltd, near Sun N Moon Chamber, Gopalbati Jaipur Rajasthan	Brush Cutter	BBC-4 BPN (Balwaan BX-35B)	Side Pack Brush Cutter, Type-Overhead Valve, Single Cylinder, Air Cooled, 4 Stroke, Saprk Ignition engine, high idle Speed-7000 +100rpm, Speed Max-5500 rpm, Fuel tank-Plastic, Tank capacity-0.700 ltr	FMTTC	CSIR/CMERI/FMTT C/24/2590/2020	Nov-27	यंत्रिकाएं हेतु विकसित किया गया है।
26	Modhish Tractor Aur Kisan Pvt. Ltd, near Sun N Moon Chamber, Gopalbati Jaipur Rajasthan	Brush Cutter	Balwaan BX-35	Self-propelled side pack, Type-Overhead Valve, Single Cylinder, Air Cooled, 4 Stroke, Saprk Ignition engine, high idle Speed-7000 +100rpm, Speed Max-5500 rpm, Fuel tank-Plastic, Tank capacity-0.700 ltr	FMTTC	CSIR/CMERI/FMTT C/2024/075	Nov-31	यंत्रिकाएं हेतु विकसित किया गया है।
27	Supreme Sales Agency, 33/1, NS Road, Marshal House, Kolkata West Bangal	Brush Cutter	SS Gold SSG 139 B	4 Stroke, Walk Behind Brush Cutter, Grasses and Samll Cutter, Recommended high idle speed-8000 rpm, Max torque 1.1Nm@5000rpm, Cylinder bore diameter-39.00	FMTTC-West Bangal	HT/AgFE/FTC/Supre me/4/23, July 2023	Jul-28	यंत्रिकाएं हेतु विकसित किया गया है।
28	Ratnagiri Impex Pvt.Ltd., Annapurna House, 1/1G, 7th Cross, Mysore Road, Bangalore	Power operated Brush Cutter	Agrimate AMS30	2.1 hp, self propelled, 2 stroke petrol engine, 51CC, nylon thread, working width- 35cm, handle twin, double grip, tube dia 28mm, weight- 8.0kg, effective capacity- 0.012 ha/hr	SRFMTTI, Anantpur Andhra Pradesh	489/1497 April 2023	Mar-30	यंत्रिकाएं हेतु विकसित किया गया है।
29	Ratnagiri Impex Pvt.Ltd., Annapurna House, 1/1G, 7th Cross, Mysore Road, Bangalore	Brush Cutter	AMH-2007-45	Speed-8500 rpm,, Power-0.51 kw, Bore/stroke-39/30, Capacity35.8, Valve clearance inlet-0.08+0.02, Exhaust-0.11+0.02	SRFMTTI, Anantpur Andhra Pradesh	393/1221 October 2020	Sep-27	यंत्रिकाएं हेतु विकसित किया गया है।
30	Ratnagiri Impex Pvt.Ltd., Annapurna House, 1/1G, 7th Cross, Mysore Road, Bangalore	Brush Cutter	AM-400-4S	Maximum Speed-9000+100 rpm, Low idle speed-2800 rpm, Rated Speed-6500+200 rpm, Speed at Maximum torque-5500, Engine power -0.77 kW, No-1, Disposition-vertical, Bor/Stroke-39/30mm/4pa	SRFMTTI, Anantpur Andhra Pradesh	Machine-463/1449, November 2022	Oct-29	यंत्रिकाएं हेतु विकसित किया गया है।

क्र.सं.	प्र. निर्माता फर्म का नाम	प्र. का नाम	मैक / माडल	प्र. का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की तैयारी तिथि	अवधि
1	2	3	4	5	6	7	8	9
31	Royal Kisan Agro, C-1306, Srushti Residency, Behind RK Tower, Thane Maharashtra	Bursh Cutter	RK-BC-UP43-SP Heima-H168	Reccom. Crop-Paddy, Wheat and any other Grass, Type-2 stroke, Single cylinder, air cooled and spark ignition, petrol engine, Max Speed-9500+1000rpm, low speed-3200+200 rpm Max torque-5000+200	SRFMTTL-Anantpur	Machine-609/1666, July 2024	Jun-31	परीक्षण हेतु विहित किया गया है।
32	Royal Kisan Agro, C-1306, Srushti Residency, Behind RK Tower, Thane Maharashtra	Bursh Cutter	RK-BC-UP52-SP	Reccom. Crop-Paddy, Wheat and any other Grass, Type-2 stroke, Single cylinder, air cooled and spark ignition, petrol engine, Max Speed-9500+1000rpm, low speed-3200+200 rpm Max torque-5000+200	SRFMTTL-Anantpur	Machine-610/1667, July 2024	Jun-31	परीक्षण हेतु विहित किया गया है।
33	Royal Kisan Agro, C-1306, Srushti Residency, Behind RK Tower, Thane Maharashtra	Bursh Cutter	RK-BC-UP35-BP	Reccom. Crop-Paddy, Wheat and any other Grass, Type-2 stroke, Single cylinder, air cooled and spark ignition, petrol engine, Max Speed-9500+500rpm, low speed-3000+100 rpm Max torque-5000+200	SRFMTTL-Anantpur	H&TH/SRFMTTL, Anantpur/2025-26/19/19/1921, September 2025	Aug-32	परीक्षण हेतु विहित किया गया है।
34	Royal Kisan Agro, C-1306, Srushti Residency, Behind RK Tower, Thane Maharashtra	Bursh Cutter	RK-BC-UP35-SP	Reccom. Crop-Paddy, Wheat and any other Grass, Type-2 stroke, Single cylinder, air cooled and spark ignition, petrol engine, Max Speed-9500+500rpm, low speed-3000+100 rpm Max torque-5000+200	SRFMTTL-Anantpur	H&TH/SRFMTTL, Anantpur/2025-26/18/18/1920, September 2025	Aug-32	परीक्षण हेतु विहित किया गया है।
35	V.S.T. Tillers Tractors Ltd., Plot No-1, Dyvasandra Indl. Layout, Whitefield Road, Mahadevapura Post, Bangalore, Karnataka	Brush Cutter	242 HD VST	high speed 8500rpm, low speed 2500rpm, power 0.5kW, bore/stroke 40/33mm, capacity 41.5cc, overall dimension 1940x640x430mm, mass 8.3kg	FMTTL-Assam	Machine-69/440 August 2022	Aug-29	परीक्षण हेतु विहित किया गया है।
36	VSM International Pvt. Ltd., Hisar, Haryana	Brush Cutter	XP-BBC-50	Type- Air cooled, Four stroke spark ignition engine Test conducted on - seasonal weeds & grass, One Cylinder, Full Tank 0.800	NRFMT&TL, Hisar, Haryana	Machine-23/2589/Nov/2020	Nov-27	परीक्षण हेतु विहित किया गया है।
37	VSM International Pvt. Ltd., Hisar, Haryana	Brush Cutter	XP-BC-50(SP)	Type- Air cooled, Four stroke spark ignition, One Cylinder, Full Tank-1.2	NRFMT&TL, Hisar, Haryana	Machine-53/3077/Sep/2023	Sep-28	परीक्षण हेतु विहित किया गया है।
38	VJ Materials Mart, 113 opp bus stand, erode, Tamil Nadu	Brush Cutter	CA/A Hittech Agro, BC 52-SP	Two stroke, single cylinder, vertical, air cooled, spark ignition, petrol engine, Max Speed-8400+400rpm, Low idle -3200rpm Power-0.76kW, bore/stroke 44/34, Capacity-51.7cc, Fuel tank-1.00ltr. Overall dimension 1900x410x640mm, total mass 7.50kg	SRFMTTL, Anantpur Andhra Pradesh	machine 538/1579 January 2024	Dec-30	परीक्षण हेतु विहित किया गया है।
39	UK Farm Tech	Brush Cutter	FT-BCB-4S36	Type-petrol powered 4 Stoke engine, High speed-9000rpm, Low idle speed-2750, Rated speed-7000, Maximum torque-6000rpm	GBPUAT Pantnagar	CTE/FMP/2022-196 Sep-2022	Sep-29	परीक्षण हेतु विहित किया गया है।
40	Ramsons Impex, Vikram Bhawan, Railway Road, Saharanpur UP	Brush Cutter		Under Testing	GBPUAT Pantnagar			टेस्ट रिपोर्ट प्राप्त होने के उपरान्त परीक्षण हेतु विहित किया जाएगा।
41	Euro Farm Imp. India. Pvt. Ltd. Rohak Road, Nangloi, Delhi	Brush Cutter	Sparta 310 BP	Single Cylinder, 2 Strokes, Forced air cooled, spark ignition, Recommended high speed-10000rpm, Recommended rated speed-2800 rpm, No-1 Dispotion-Vertical, Bore/Stroke-39/26mm, capacity-3.08	GBPUAT Pantnagar	H&C/CT/FMPE/Tes 1 Repot/2025-26/09/307, September 2025	Sep-32	परीक्षण हेतु विहित किया गया है।

क्र० सं०	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मैक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की शैलता तिथि	अनुमति
1	2	3	4	5	6	7	8	9
42	Euro Farm Imp. India. Pvt. Ltd. Rohtrak Road, Nangloi, Delhi	Brush Cutter	Sparta 44 H	Single Cylinder, 2 Strokes, Forced air cooled, spark ignition, Recommended high speed-10400rpm, Recommended rated speed-3000 rpm, No-1 Disposition-Vertical, Bore/Stroke- 40/32mm, capacity-40.2 cc	GBPUAT Pantnagar	H&C/CT/FMPE/Tes t Repot/2025- 26/09/304, September 2025	Sep-32	पंजीकरण हेतु निर्दिष्ट किया गया है।
43	Euro Farm Imp. India. Pvt. Ltd. Rohtrak Road, Nangloi, Delhi	Brush Cutter	Sparta 310 T	Single Cylinder, 2 Strokes, Forced air cooled, spark ignition, Recommended high speed-10000rpm, Recommended rated speed-2800 rpm, No-1 Disposition-Vertical, Bore/Stroke- 39/26mm, capacity-31 cc	GBPUAT Pantnagar	H&C/CT/FMPE/Tes t Repot/2025- 26/09/306, September 2025	Sep-32	पंजीकरण हेतु निर्दिष्ट किया गया है।
44	Euro Farm Imp. India. Pvt. Ltd. Rohtrak Road, Nangloi, Delhi	Brush Cutter	Sparta 40 BP	Single Cylinder, 2 Strokes, Forced air cooled, spark ignition, Recommended high speed-10400rpm, Recommended rated speed-3000 rpm, No-1 Disposition-Vertical, Bore/Stroke- 40/32mm, capacity-40.2 cc	GBPUAT Pantnagar	H&C/CT/FMPE/Tes t Repot/2025- 26/09/305, September 2025	Sep-32	पंजीकरण हेतु निर्दिष्ट किया गया है।

उप कृषि निदेशक,
तकनीकी सम्प्रेक्षण,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
गुणवत्ता नियंत्रण,
कृषि निदेशालय

अपर कृषि निदेशक,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
नियोजन,
कृषि निदेशालय

विकास नियंत्रक,
कृषि निदेशालय

प्रतिनिधि,
निदेशक उद्योग,
उद्योग निदेशालय

कृषि निदेशक,
उत्तराखण्ड।

प्रतिनिधि,
विभागध्यक्ष (कार्म मशीनरी),
नॉनजॉइंट/वि०, पतननगर

क्र. सं.	मूल विनिर्माता फर्म का नाम	यंत्र का नाम	मेक/मॉडल	यंत्र का स्पेसिफिकेशन	देस्टिंग संस्था	देस्ट रिपोर्ट की तिथि	देस्ट की वैधता तिथि	अन्युक्ति
1	2	3	4	5	6	7	8	9
1	BTL EPC Ltd., Shrachhi Tower, 7th Floor, Anandapur, EM Bypass Kolkata	Chaff Cutter - Electric Motor Operated	Shrachhi-3GCM	Main Frame ins fabricated with MS angle iron of Size 770X500 X3.0 (t), 570X290X3.0(t) mm trapezium shape, Size of angle-570X290mm, Type- V velt drive & pulley	SRFMTTI Anantpur AP	PHT/SRFMTTI, Anantapur/2025-26/04/04/1925, September 2025	Aug-32	पंजीकरण हेतु चिन्हित किया गया है।
2	BTL EPC Ltd., Shrachhi Tower, 7th Floor, Anandapur, EM Bypass Kolkata	Chaff Cutter - Electric Motor Operated	Shrachhi-3GCM	Main Frame ins fabricated with MS angle iron of Size 490X35/35X2.80 X3.0 (t), 600X35/35X2.80(t) mm trapezium shape, Size of angle-570X290mm, Type- V velt drive & pulley	SRFMTTI Anantpur AP	PHT/SRFMTTI, Anantapur/2025-26/03/03/1924, September 2025	Aug-32	पंजीकरण हेतु चिन्हित किया गया है।
3	Bansal Traders Vikasnagar, Dehradun	Electric Motor Operated Chaff Cutter	3 Hp	Driven Pulley size-8, Type-Ret-ular, Length-240mm, Width-90mm, Height-52mm, No of bar 8, Length of bar-70mm, width of bar-40mm,	GBPUAT Pantnagar Uttarakhand	2021-140 Date-March 2021	Mar-28	देस्ट रिपोर्ट ज़रूरी है, पूर्ण देस्ट रिपोर्ट प्राप्त होने के उपरान्त पंजीकरण हेतु चिन्हित किया जाएगा।
4	Competent Agriculture Machinery opp PN Sharma Palk, Delhi Saharnpur Road, Baraut Bagpat UP	Chaff Cutter	CAM-2.0P	Single phase electric motor, Recommend Power-3HP, Speed of motor-1440rpm, type of drive- open V-belt, Size of pulley-80mm, Weight-1.56 kg, No of blades-4, Diameter-200mm	GBPUAT Pantnagar Uttarakhand	H&TH/CT/FMP/Pantnagar/2024-25/03/284, March 2025	Mar-32	पंजीकरण हेतु चिन्हित किया गया है।
5	Darshan Singh & Co. G.T Road, Goraya, Dist- Jalandhar, Punjab	Power Operated Chaff Cutter	9 Mouth with 2 conventional blade & 2 Flywheel	Provision-Electric Motor is mounted on Main Frame, Type of drive-belt & pulley, No of blade -2, Diameter of flywheel-555mm, size of throat-9-232mm	DEMPI CAET hisar	HAU/DEMPI/22-23/Misc.EO.CC-09 January 2023	Jan-30	पंजीकरण हेतु चिन्हित किया गया है।
6	Darshan Singh & Co. G.T Road, Goraya, Dist- Jalandhar, Punjab	Power Operated Chaff Cutter	8 Mouth with 2 conventional blade & 1 Flywheel	Kisan com DSC/001/2016 PP, Fly wheel-Cast iron, Handle Grip-Timber, Handle support-Mild Steel, Bevel length is 12.0 mm	DEMPI CAET hisar	HAU/DEMPI/22-23/Misc.EO.CC-10 January 2023	Jan-30	पंजीकरण हेतु चिन्हित किया गया है।
7	Darshan Singh & Co. G.T Road, Goraya, Dist- Jalandhar, Punjab	Power Operated Chaff Cutter	9 Mouth with 2 conventional blade & 2 Flywheel	Provision-Electric Motor is mounted on Main Frame, Type of drive-V-belt & pulley, Rated speed-1430rpm, Type-belt and pulley type, No of blade -2, Diameter of flywheel-600mm, size of throat-9-255mm	DEMPI CAET hisar	HAU/DEMPI/23-24/Misc.EO.CC-11 November 2023	Nov-30	पंजीकरण हेतु चिन्हित किया गया है।
8	Darshan Singh & Co. G.T Road, Goraya, Dist- Jalandhar, Punjab	Power Operated Chaff Cutter	Double RC Blower 10 Mouth with 3 conventional blade & 1 Flywheel	Provision-Electric Motor is mounted on Main Frame, Type of drive-V-belt & pulley, Rated speed-1430rpm, Type-belt and pulley type, No of blade -3, Diameter of flywheel-870mm, size of throat-10-255mm	DEMPI CAET hisar	HAU/DEMPI/22-23/Misc.EO.CC-07 October 2022	Oct-29	पंजीकरण हेतु चिन्हित किया गया है।
9	E-Agrocare Machineries & Equipments Pvt. Ltd., D-45, Shendra MIDC, Aurangabad, Maharashtra	Chaff Cutter	EAC-003	Main frame is fabricated with ms angle iron of size-50X50X3.15 mm, Size of MS angle-1170X50X50X3.15mm, Size of platform-1170X770X430mm, Height-765mm, type-electric motor operated blade	SRFMTTI-Anantpur	Machine-528/561, November 2023	31-10-2028	पंजीकरण हेतु चिन्हित किया गया है।

क्र. सं.	1 विनिर्माता फर्म का नाम	यंत्र का नाम	मेक / माडल	यंत्र का स्पेसिफिकेशन	देस्टिंग संस्था	देस्ट रिपोर्ट की तिथि	देस्ट की वैधता तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
10	E-Agrocare Machineries & Equipments Pvt. Ltd., D-45, Shendra MIDC, Aurangabad, Maharashtra	Chaff Cutter	EAC-92T -0.6	4 legged made up of MS iron, the legs are jointed with each other with other supporting angle, Size of angle iron-36x36X02X517mm, Height -545mm, Size of platform-341X245mm, Diameter of main shaft-200mm	AITC-Raipur	2022-23/01, April 2022	06-04-2029	पंजीकरण हेतु विहित किया गया है।
11	Kisan Kraft Machine Tools Pvt. Ltd. Dasarahalli, Hebbal, Bangalore	Chaff Cutter	KisanKraft KK-FMC-500 Electric motor operated	Engine 3HP, Electric operated, Capacity 429-752 kg per hour, Size of MS angle irons-240X50/50-4-00-02 nos, height of platform-120mm, Single phase- AC induction	SRFMTTI Anantpur AP	731/1833, February 2025	31-01-2032	पंजीकरण हेतु विहित किया गया है।
12	New Malwa, Agriculture Equipment, JAITU, Punjab	Chaff Cutter	M-2	Chopping the green and dry fodder, 4 legged made up of MS iron, The legs are jointed with each, Size of angle-40X40X40X715, Size of platform-341X245, Size of motor-167X456mm	SLAITC- Raipur	Report-2024-25/02, December 2024	Dec-31	पंजीकरण हेतु विहित किया गया है।
13	Royal Kisan Agro, C-1306, Srushthi Residency, Behind RK Tower, Thane Maharashtra	Chaff Cutter, Electric Motor Operated	RK-CC-2.0	5 blade, electric motor operated, chopping of green and dry fodder, Size of MS angle iron-legs-500X35/35X2.80990-04 nos, Size of platform-610X310, Mass-64.00kg	SRFMTTI-Anantpur A.P.	Machine-667/1738, October 2024	Sep-31	पंजीकरण हेतु विहित किया गया है।
14	Shri Bala Ji Foundary, Amritsar Road, Batala Punjab	Chaff Cutter		Test Report Not Attached				देस्ट रिपोर्ट प्राप्त होने के उपरान्त पंजीकृत हेतु विहित किया जाएगा।

उप कृषि निदेशक,
राकनीकी सम्मेलन,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
गुणवत्ता नियंत्रण,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
नियोजन,
कृषि निदेशालय

प्रतिनिधि,
निदेशक चवान,
चवान निदेशालय

प्रतिनिधि
विभागध्यक्ष (कर्म मशीनरी),
गोवापकोविधि, पंतनगर

अपर कृषि निदेशक,
कृषि निदेशालय

वित्त नियंत्रक,
कृषि निदेशालय

कृषि निदेशक,
उत्तराखण्ड।

क्र.सं.	मूल निर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	मेक / मॉडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वेबसाइट तिथि	अवधि
1	Beri Udyog Pvt.Ltd., 235-240, Sec-3, HSIDC, Karnal, Haryana-132002	Tractor mounted Cultivator	11 Tyne Spring loaded	Tractor horse power required -50-55hp, Working width-2530mm, type-4 wheel agriculture tractor, Dimension of frame-2460X495mm	DFMPE-CAET-Hisar	HAU/FMPE/23-24/CUL-64, May 2023	May-30	पंजीकरण हेतु चिह्नित किया गया
2	Beri Udyog Pvt.Ltd., 235-240, Sec-3, HSIDC, Karnal, Haryana-132002	Tractor mounted Cultivator	Fielding-9 line	Tractor horse power required -40-45 hp, Working width-2070mm, type-4 wheel agriculture tractor, Dimension of frame-2000X495mm	DFMPE-CAET-Hisar	HAU/FMPE/23-24/CUL-67, May 2024	May-30	पंजीकरण हेतु चिह्नित किया गया
3	Beri Udyog Pvt.Ltd., 235-240, Sec-3, HSIDC, Karnal, Haryana-132002	Tractor mounted Cultivator	13 Tyne Spring Loaded	Tractor horse power required -45 hp & above, Working width-2958mm, type-4 wheel agriculture tractor, Dimension of frame-2915X500mm	DFMPE-CAET-Hisar	HAU/FMPE/18-19/CUL-51, February 2019	Feb-26	वेबसाइट तिथि फरवरी 2028 तक होने के कारण नई टेस्ट रिपोर्ट प्रस्तुत करने पर पंजीकरण विस्तारित किया जाएगा। पंजीकरण हेतु उक्त अवधि तक चिह्नित किया गया है।
4	Beri Udyog Pvt.Ltd., 235-240, Sec-3, HSIDC, Karnal, Haryana-132002	Tractor mounted Cultivator	FKRHDB25-9 9 Tyne RIGID Type	Tractor horse power required -45 hp & above, Working width-2070mm, type-4 wheel agriculture tractor, Dimension of frame-2005X460mm	DFMPE-CAET-Hisar	HAU/FMPE/23-24/CUL-65, May 2023	May-29	पंजीकरण हेतु चिह्नित किया गया
5	Beri Udyog Pvt.Ltd., 235-240, Sec-3, HSIDC, Karnal, Haryana-132002	Tractor mounted Cultivator	FKDRHD-9 9 Tyne RIGID Type	Tractor horse power required -50-55 hp, Working width-1875mm, type-4 wheel agriculture tractor, Dimension of frame-2125X385mm	DFMPE-CAET-Hisar	HAU/FMPE/25-26/CUL-70, August 2025	Aug-32	पंजीकरण हेतु चिह्नित किया गया
6	Beri Udyog Pvt.Ltd., 235-240, Sec-3, HSIDC, Karnal, Haryana-132002	Tractor mounted Cultivator-Tyres	FKSLOEHD-9 9 Tyne Spring loaded	Tractor horse power required -40-45 hp, Working width-2025mm, type-4 wheel agriculture tractor, Dimension of frame-2185X420mm	DFMPE-CAET-Hisar	HAU/FMPE/23-24/CUL-68, October 2023	Oct-30	पंजीकरण हेतु चिह्नित किया गया
7	Beri Udyog Pvt.Ltd., 235-240, Sec-3, HSIDC, Karnal, Haryana-132002	Tractor mounted Cultivator	FKSLOEHD25S-9 9 Tyne Spring loaded	Tractor horse power required -40 hp & above, Working width-2043mm, type-4 wheel agriculture tractor, Dimension of frame-2000X550mm	DFMPE-CAET-Hisar	HAU/FMPE/22-23/CUL-58, July 2022	Jul-29	पंजीकरण हेतु चिह्नित किया गया
8	Beri Udyog Pvt.Ltd., 235-240, Sec-3, HSIDC, Karnal, Haryana-132002	Tractor mounted Cultivator	FKSLOEHD 25S-11 Tyne Spring loaded	Tractor horse power required -50 hp & above, Working width-2043mm, type-4 wheel agriculture tractor, Dimension of frame-2460X470mm	DFMPE-CAET-Hisar	HAU/FMPE/22-23/CUL-63, January 2023	Jan-30	पंजीकरण हेतु चिह्नित किया गया
9	Beri Udyog Pvt.Ltd., 235-240, Sec-3, HSIDC, Karnal, Haryana-132002	Tractor mounted Cultivator	FKRHDB22-9 9 Tyne Rigid Type	Tractor horse power required -40-45 hp, Working width-2070mm, type-4 wheel agriculture tractor, Dimension of frame-2010X460mm	DFMPE-CAET-Hisar	HAU/FMPE/23-24/CUL-66, May 2023	May-30	पंजीकरण हेतु चिह्नित किया गया
10	Bansal Traders Vikasnagar, Dehradun	Spring loaded Cultivator	9 Tyne	Dimension of frame-60X60mm, no of tyres-9, type-reversible shovel, Size-554X8.5mm, length-54cm, curved-curved, Width at top/bottom-2030/1860mm, fixing shovel-3, 10 mm round	GBPUAT Pantnagar	CTE/FMP-2021-151 July 2021	Jul-28	टेस्ट रिपोर्ट अभी है, पूर्ण टेस्ट रिपोर्ट प्राप्त होने के उपरान्त पंजीकरण हेतु चिह्नित किया जाएगा।

क्र.सं.	मूल विनिर्माता फर्म का नाम	मशीन / यंत्र का प्रकार	शेक / माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वेबला तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
11	Indo Farm Implements, 341, Sector-35, HISIDC, Karnal Haryana	Tractor mounted spring loaded type Cultivator	STARKING-SKTSL 9 tine	Tractor operated, Nominal width-1855mm, recommended source of power-35 hp & above, Max PTO-22.11 kw, Length-530 mm, width-2005mm, ground clearance-460mm	FIMTTC-Bikaner	FIMTTC/IMP/22/2003, January 2023	Jan-30	पंजीकरण हेतु चिह्नित किया गया
12	Kartar Singh & Sons, Kashipur US Nagar	Tractor Drawan Mounted type	Cultivator 9 tyne 2024	9 tyne cultivator, Dimension of frame-60X60mm, Size-55X9mm, Length-56cm, Curved, Width at top bottam-2032/1860mm, no and size of bolts-2, 10mm	GBPUAT Pantnagar	Pantnagar/2024-25/05/257 May 2024	May-31	पंजीकरण हेतु चिह्नित किया गया
13	Lalji & Sons, 261/3 Purani Tehsil, Dehradun Road, Roorkee, Haridwar	Spring loaded 9 tyne Cultivator	RAW-C9T	Dimension of frame-61X61 square, No of tyne-9, Type-Revesible shovel, Material-Carbon steel, Size-55X8mm, Length-56cm, curve, Width at top/bottom 2032X1859mm, no of springs for each tyne-2	GBPUAT Pantnagar	CTE/FMP/2021-139 March 2021	Mar-28	पंजीकरण हेतु चिह्नित किया गया
14	Pralap Iron Works Near Namastey Chowk, G.T. Road, karnal	Nine Tyne Rigid Cultivator	CK9TRC	Size-1820mm, Max PTO-35 hp and above, No of tyne-9, Type- Rigid Tyne, Size 80 x 22 (width x thickness), Lenth-thickness(mm)-19,35 Curved(mm)-1010, Projected (mm)-520, width at top/bottom(mm)-80/30, Number & Size of holes on each tyne for fixing shovels(mm)-02, 9.5, No	FMTTC-Talangana	259/409 Dec, 2020	Dec-27	पंजीकरण हेतु चिह्नित किया गया
15	Pralap Iron Works Near Namastey Chowk, G.T. Road, karnal	Nine Tyne Spring Loaded Cultivator	CK9TSLC	Size-1900mm, Max PTO-40 hp and above, No of tyne-9, Type- Spring Loaded, Arrangement on main frame- Four on front row & five on rear row, Material(apa)- MS flat, Dimensions(mm)- 711 Curved X (50/36) (Top/Bottom)	FMTTC-Talangaana	193/324 July, 2019	Jul-26	बैंगला सिद्धि जुलाई 2020 तक होने के कारण नई टेस्ट रिपोर्ट प्रस्तुत करने पर पंजीकरण विस्तारित किया जाएगा। पंजीकरण हेतु उक्त अवधि तक चिह्नित किया गया है।
16	Pralap Iron Works Near Namastey Chowk, G.T. Road, karnal	Eleven Tyne Spring Loaded Cultivator	CK11TSLC	Power-60hp, working width of implement(mm)-2300, Main Fram- MS U-channel of 2490 x 75 x 40x 40x 5 (t) mm, size cross members of size of 400 x 75 x 40 x 40x 5 (t) mm are welded to it a spacing of 360, 365 & 365 from LHS & RHS, Dimensions of frame(mm)-2490x475	FMTTC-Talangaana	261/411 Jan, 2021	Jan-28	पंजीकरण हेतु चिह्नित किया गया

उप कृषि निदेशक,
एकनीकी समुदाय,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
गुणवत्ता नियंत्रण,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
नियोजन,
कृषि निदेशालय

प्रतिनिधि,
निदेशक उद्योग,
उद्योग निदेशालय

प्रतिनिधि,
विभागवार (फार्म मशीनरी),
गोवर्धन/वि०, पंतनगर

अपर कृषि निदेशक,
कृषि निदेशालय

विद्युत नियंत्रक,
कृषि निदेशालय

कृषि निदेशक,
उत्तराखण्ड।

क्र.सं.	पूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	मेक/माडल	यंत्र का स्पेसिफिकेशन	देस्टिंग संस्था	देस्ट रियार्ड की तिथि	देस्ट की चेयता तिथि	अभ्युक्ति
1	BERI UDYOG Pvt. Ltd. Plot No. 225 to 240, Sector-03, Karnal (Haryana)	Tractor drawn trailed offset disc harrow	Harrow 9X9 (FKCMH24-18)	Tractor horse power required -55 hp and above, Length of gang-1930 form, 14501930 rear, Size of shaft-815X815, Dia-28 front	CAET-Hisar	HAU/FMPE/18-19/HAR-47, March 2019	Mar-26	बैरला तिथि मार्च 2026 तक होने के कारण नई देस्ट रियार्ड प्रस्तुत करने पर पंजीकरण विस्तारित किया जाएगा। पंजीकरण हेतु उक्त अवधि तक विनिर्दिष्ट किया गया है।
2	BERI UDYOG Pvt. Ltd. Plot No. 225 to 240, Sector-03, Karnal (Haryana)	Tractor drawn disc harrow single action mounted type 7	FKRPDH-26-7	Single Action, Tractor Drawn Mount Type, Horse power-75 hp and above, Type of material-MS Pipe, Size of shaft-1870mm, dia-45mm	CAET-Hisar	HAU/FMPE/22-23/HAR-58, August-2022	Aug-29	पंजीकरण हेतु विनिर्दिष्ट किया गया।
3	BERI UDYOG Pvt. Ltd. Plot No. 225 to 240, Sector-03, Karnal (Haryana)	Tractor drawn offset disc harrow 7X7	FLTPD-14	Single Action, Tractor Drawn Mount Type, Horse power-45 hp and above, Type of material-MS Pipe, Size of shaft-1870mm, dia-45mm	CAET-Hisar	HAU/FMPE/21-22/HAR-54, December 2021	Dec-28	पंजीकरण हेतु विनिर्दिष्ट किया गया।
4	Bansal Traders Vikasnagar, Dehradun	Tractor drawn Trailed type Disc Harrow	7X7 RI	Max PTO-27.90 (37.93), Type- Square box type, Size of box-1525X605mm, Rear gant-1522X610mm, Type-Curved flat, Size of scraper-410 Dia-55mm	GBPUAT Pantnagar	CTE/FMP-2021-152 July 2021	Jul-28	पंजीकरण हेतु विनिर्दिष्ट किया गया।
5	Indo Farm Implements, 341, Sector-35, HSIIDC, Karnal Haryana	Tractor Operated Disc Harrow	Saurking-SKIM	Nominal Size-1500mm, Recommend tractor-35 hp and above, Prime mover use-MF7250, 7 hp, Max PTO-35.56 kw, Type-welded angle iron frame separate each gang, Size of angle-front-675X1675, Rear gang-675X1675	FIMTTC-Bikaner	FIMTTC/JMP/22/20 04, January, 2023	Jan-30	पंजीकरण हेतु विनिर्दिष्ट किया गया।
6	Kartar Sing and Sons, Railway Station Road, Kashipur, USNagar	Tractor drawn Trailed harrow	RAW-H14D	Max PTO-27.90kW, Type-Square box type, Size of box-100X100, Front gant-1930length, 790 width No-12, Dia 62mm, Size of bolt-100X10X5	GBPUAT Pantnagar	CTE/FMP/2014-16 September 2014	Jul-05	पंजीकरण हेतु विनिर्दिष्ट नहीं किया गया।
7	Lalji & Sons Purani Tehsil, Dehradun Road, Roorkee, Haridwar	Disc Type Harrow	RAW-H14D	Max PTO-27.90kW, Type-Square box type, Size of box-150X5535, Front gant-1520 length, 610 width No-12, Dia 62mm, Size of bolt-121X14.50X4.56	GBPUAT Pantnagar	CTE/FMP/2021-138 March 2021	Mar-28	पंजीकरण हेतु विनिर्दिष्ट किया गया।
8	Pratap Iron Works Near Namastey Chowk, G.T. Road, Karnal	7x7 Lift Chakli Harrow	CKDH-MH	Max PTO-45 hp and above, Dimensions of frame-length-1800mm, Width front/rear-1385/1390, No & size of supporting u-channel on main frame-02No & 430X16mm	FMTTC-Telangana	260/410 Dec/2020	Dec-27	पंजीकरण हेतु विनिर्दिष्ट किया गया।
9	Pratap Iron Works Near Namastey Chowk, G.T. Road, Karnal	Disc Harrow Trailing (9x9)	CKDH-TH	Power source-55hp and above, Constructional details- MS angle iron of size 75x75mm x 10.0 (t)mm & 40x40x5.0(t)mm Dimensions of frame(mm)- Length-2900, width at front/rear-2360/2390	FMTTC-TELANGANA	194/325/Jul/2019	Jul-26	बैरला तिथि जुलाई 2026 तक होने के कारण नई देस्ट रियार्ड प्रस्तुत करने पर पंजीकरण विस्तारित किया जाएगा। पंजीकरण हेतु उक्त अवधि तक विनिर्दिष्ट किया गया है।

क्र.सं.	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	मेक/माडल	यंत्र का स्पेसिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वेबसाइट तिथि	अभ्युक्ति
1	2	3	4	5	6	7	8	9
10	Pratap Iron Works Near Namastey Chowk, G.T. Road, karnal	Cropking Disc Harrow Trailing (7x7)	CKDH-TH7	Power source-40hp and above, Max. PTO power - 41.01 (55), kw, Constructional details- M.S hallow pipe of size 75x75mm angle iron of size 75x75x10.0(t)mm, Dimensions of frame(mm)- Length-3370, width at front/rear-1990/2000	FMTC-TELANGANA	294/448, NOVEMBER/2021	Nov-28	पंजीकरण हेतु विहित किया गया।
11	Pratap Iron Works Near Namastey Chowk, G.T. Road, karnal	Disc Harrow Trailing (8x8)	CKDH-TH8	Power source-40hp and above, Max. PTO power - 41.01 (55), Constructional details- M.S hallow pipe of size 75x75mm angle iron of size 75x75x10.0(t)mm, Dimensions of frame(mm)- Length-3370, width at front/rear-1990/2000	FMTC-TELANGANA	295/449/Nov, 2021	Nov-28	पंजीकरण हेतु विहित किया गया।
12	Pratap Iron Works Near Namastey Chowk, G.T. Road, karnal	Hydraulic Disc Harrow Trailing (10x10)	CKDHTH01	Power source-55hp and above, Constructional details- M.S-Channel size 100x50x50x6.0 (t)mm & MS angle iron of size 65x65x10.0(t)mm & 40x40x5.0(t)mm Main Frame MS square of Pipe size 1230x65x665, Dimensions of frame(mm)- Length-1200 Front/1280 rear, width at front/rear-2500/2600	FMTC-Telangana	195/326/jul/2019	Jul-26	कैबला तिथि जुलाई 2020 तक होने के कारण नई टेस्ट रिपोर्ट प्रस्तुत करने पर पंजीकरण रिवरसित किया जाएगा। पंजीकरण हेतु उक्त अवधि तक विहित किया गया है।
13	Sandhu Agro Industries, poliganj, majhola, khatima US Nagar	Tractor Drawn Tralled Type- Disc Harrow	HE-MAN	power-27.90kw, dimension-2990x2170x560mm, ground clearance-323mm, no. of disc- 8	GBPUAT Pantnagar	CTE/FMP test report/2017-60 August 2017	Aug-24	कैबला तिथि समाप्त होने के कारण पंजीकृत हेतु विहित नहीं किया गया।
14	Namdhari Ind. Gadarapur. U.S.Nagar							टैस्ट रिपोर्ट प्राप्त होने के उपरान्त पंजीकरण किया जाएगा।
15	Dashmesh Agriculture Implants, Sitaraganj, U.S.Nagar							टैस्ट रिपोर्ट प्राप्त होने के उपरान्त पंजीकरण किया जाएगा।

उप कृषि निदेशक,
तकनीकी सम्मेलन,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
गुणवत्ता नियंत्रण,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
नियोजन
कृषि निदेशालय

प्रतिनिधि,
निदेशक उद्योग,
उद्योग निदेशालय

प्रतिनिधि,
विभागध्यक्ष (कार्म मशीनरी),
गोवर्धनगिरि, पतनगर

अपर कृषि निदेशक,
कृषि निदेशालय

वित्त नियंत्रक,
कृषि निदेशालय

कृषि निदेशक,
उत्तराखण्ड।

क्र.	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	मेक/मॉडल	यंत्र का स्पेशिफिकेशन	टेस्टिंग संस्था	टेस्ट रिपोर्ट की तिथि	टेस्ट की वेबसाइट तिथि	अन्युक्ति
1	2	3	4	5	6	7	8	9
1	Tirth Agro Technology Pvt. Ltd, gujraat	Tractor Mounted 3 Bottom MB Plough	SMP-3AX 3 Bottom	No o plough-3. Size of plough-3X380mm, Power-55 hp and above, power source-5500 tractor, Dimensions-90X90X7mm, Size of steel-1290X90X90mm, Length-1385mm, Width-90X90mm	FIMTTT-Bikaner	FIMTTT/IMP/18/983 January 2019	Jan-26	कैबला तिथि जनवरी 2026 में समाप्त हो गयी है, नई टेस्ट रिपोर्ट प्रस्तुत करने पर पंजीकरण हेतु मान्य किया जाएगा। पंजीकरण हेतु विहित नहीं किया गया।
2	Tirth Agro Technology Pvt. Ltd, gujraat	MB PLOUGH	SMP-2AX	No o plough-2. Size of plough-2X380mm, Power-45 hp and above, power source-5500 tractor, Dimensions-90X90X7mm, Size of steel-1290X90X90mm, Length-1385mm, Width-90X90mm	FIMTTT-Bikaner	FIMTTT/IMP/18/982 December 2018	Dec-25	कैबला तिथि समाप्त होने के कारण पंजीकरण हेतु विहित नहीं किया गया। नई टेस्ट रिपोर्ट प्रस्तुत करने पर पंजीकरण हेतु विहित किया जाएगा।
3	Jaswant Agriculture Works, Patala Road, Sunam Sangroor, Punjab	Tractor mounted reversible MB Plough	MB 3 Bottom	No of plough bottom-3 bottom hydraulically Reversible MB Plough, Size of plough-365mm, Power-60hp, Max PTO-42.5 kw, Size of box-2320X100X100X-01 Nos	FIMTTT-Tavanur, Kerala	LD/FIMTTT KAU, Tavanur/2025-26/10/385, June 2025	May-32	पंजीकरण हेतु विहित किया गया।
4	Indo Farm Implements, 341, Sector-35, HSIDC, Karnal Haryana	Tractor Operated MB Plough	STARKING-SKMBP 2 Bottom	Tractor operated 2 bottom, MB Plough, Working width-2X330mm, Recommended source of power-35 & above hp, Max PTO-29.6 kw	FIMTTT-Bikaner	FIMTTT/IMP/22/200 5, September 2023	Sep-30	पंजीकरण हेतु विहित किया गया।
5	Jagatjit Agri India Pvt. Ltd. (Earlier -Saron Mechanical Works,Mansa Road, Cheema Mandi, Sangrur, Punjab)	MB PLOUGH	3 Bottom Hydraulic Rev. M.B. Plough	MS Plates of size-402X80X10 mm, MS flat of size-645X101X101 mm, Hexagonal headed bolts of size-86X19.8 mm and 83.2X13.8 mm, Dimension-length-1995mm, Width-90mm	SLFIMTTT Lucknow	2011/168 January 2019	Jan-26	कैबला तिथि जनवरी 2026 में समाप्त हो गयी है, नई टेस्ट रिपोर्ट प्रस्तुत करने पर पंजीकरण हेतु मान्य किया जाएगा। पंजीकरण हेतु विहित नहीं किया गया।
6	Jagatjit Agri India Pvt. Ltd. (Earlier -Saron Mechanical Works,Mansa Road, Cheema Mandi, Sangrur, Punjab)	MB PLOUGH	2 Bottom Hydraulic Rev. M.B. Plough	2 Bottom Hydraulically Reversible MB plough, Size of Plough-2X580mm, Source of Power-45 and above, Powe source used- PPTet 6049 Kw	SLFIMTTT Lucknow	2011/169 January 2019	Jan-26	कैबला तिथि जनवरी 2026 में समाप्त हो गयी है, नई टेस्ट रिपोर्ट प्रस्तुत करने पर पंजीकरण हेतु मान्य किया जाएगा। पंजीकरण हेतु विहित नहीं किया गया।
7	Maschio Gaspardo India Pvt. Ltd, Pune Maharastra	MB Plough-3 Bottom	SUMO 2+1 3 Bottom	3 Bottom hydraulically reversible MB Plough, size of plough-440mm, Source of power-52/70 hap and above, Max PTO Power-41 kw, Dimensions-01, 1379X90X90mm	ICAR-CIAE-Bhopal	LD/FMTC/ CIAE/2025-26/14/357/1135, July 2025	Jul-32	पंजीकरण हेतु विहित किया गया।
8	Maschio Gaspardo India Pvt. Ltd, Pune Maharastra	MB Plough-2 Bottom	SUMO 2 Bottom	2 Bottom hydraulically reversible MB Plough, size of plough-440X2mm, Max PTO-41(55.7) kw (ps), Length-545, Width-134X170mm, Size of plough-440mm	ICAR-CIAE-Bhopal	LD/FMTC/ CIAE/2025-26/13/356/1134, July 2025	Jul-32	पंजीकरण हेतु विहित किया गया।
9	LEMKEN India Agro Equipments Pvt. Ltd., D-59, MIDC, Buttori, Nagpur, MH	Tractor Mounted 2 bottom MB Plough	Opal 090E-2 Bottom	2 bottom hydraulically reversible MB Plough, size of plough-2X380mm, Source of power-45 ho to 60hp, Dimensions-2960mm, no & size -1, 20,00mm, Max PTO-48,47 kw	FMTC- Karnataka	LD/FMTC, RAICHUR/2025-26/08/08/857, September 2025	Sep-34	पंजीकरण हेतु विहित किया गया।

क्र.सं	मूल विनिर्माता फर्म का नाम	मशीन/यंत्र का प्रकार	मॉडल	यंत्र का स्पेसिफिकेशन	टेंडरिंग संस्था	टेंडर रिपोर्ट की तिथि	टेंडर की वेबसाइट तिथि	अव्युक्ति
2		3	4	5	6	7	8	9
10	LEMKEN India Agro Equipments Pvt. Ltd., D-59, MIDC, Butthori, Nagpur, MH	Hydraulically Reversible MB Plough	Opal 090E.3 Bottom	3 bottom hydraulically reversible MB Plough, size of plough-3X380 mm, Source of power-68.75 hp and above, Dimensions-1150mm, no & size-1, 20.00mm	FMTC/ Karnataka	LD/FMTC, RAICHUR/2025-26/09/09/858, September 2025	Sep-34	पंजीकरण हेतु विहित किया गया।
11	Mukesh Agro Industries, New Krishi Upaj Mandi, Near Nahar Toll Kanta Mahow, Mandasur MP	MB Plough	2+2 Hydraulic Reversible Plough	2 Bottom hydraulic reversible mould board plough, No of plough-2, Tractor used-farmtrac 60, Power-40-70 hp, Size of bolt-90X17.5 dia mm, dimension-1130X380	FMTC-Udaipur Rajasthan	CTAE/FMP/FMTC/2019/05, March 2019	Mar-26	वेबसाइट तिथि मार्च 2026 तक होने के कारण नई टेंडर रिपोर्ट प्रस्तुत करने पर पंजीकरण विस्तारित किया जाएगा।
12	Mukesh Agro Industries, New Krishi Upaj Mandi, Near Nahar Toll Kanta Mahow, Mandasur MP	MB Plough	3+3 Hydraulic Reversible Plough	3 Bottom hydraulic reversible mould board plough, No of plough-3, Tractor used-farmtrac 45, Power-40-60 hp, Size of bolt-120X11, 100X17.60mm dia mm, dimension-1600X400	FMTC-Udaipur Rajasthan	CTAE/FMP/FMTC/2020/01, January 2020	Jan-27	पंजीकरण हेतु विहित किया गया।
13	New Swan Multi Tech Ltd., Raian Post Kohara, Ludhiana Punjab	MB Plough	Swan Agro-HRP-3	Size of Plough-3X350+1050, Power source-55 hp and above, Max PTO-46/62.5 kW, Size of Steel-540X160X75mm, Dimension-2370X90X90mm, Main frame-Standard is centrally bolted to the main frame	FIMTTC-Bikaner	FIMTTC/IMP/19/1203, August 2020	Aug-27	पंजीकरण हेतु विहित किया गया।
14	Tractor and Farm Equipment Ltd, huzur gardens, sembian Chennai (TAFE)	Hydraulically Reversible Mould Board Plough	TAFE 330 MR 3 Bottom	No of plough bottom-6, size of plough- 900mm, Power-55-65 hp, 4wheel, 2 wheel drive general purpose agricultural tractor, Max PTO-50-60hp, Engine speed-1700 rpm	FMTC-Tamilnadu	FMTC//KLR/TR/0101-2024, April 2024	Jun-31	पंजीकरण हेतु विहित किया गया।
15	Tractor and Farm Equipment Ltd, huzur gardens, sembian Chennai (TAFE)	Hydraulically Reversible Mould Board Plough	TAFE 230 MR 2 Bottom	No of plough bottom-4, size of plough- 600mm, Power-45-55 hp, 4wheel, 2 wheel drive general purpose agricultural tractor, Max PTO-50-60hp, Engine speed-1700 rpm	FMTC-Tamilnadu	FMTC//KLR/TR/086-2023 April 2023	Jun-30	पंजीकरण हेतु विहित किया गया।
16	Tractor and Farm Equipment Ltd, huzur gardens, sembian Chennai (TAFE)	Hydraulically Reversible Mould Board Plough	TAFE 230 MRM	No of plough bottom-4, size of plough- 2X300mm, Power-45-55 hp, 4wheel, 2 wheel drive general purpose agricultural tractor, Max PTO-35KW, Engine speed-1700 rpm	FMTC-Tamilnadu	FMTC//KLR/TR/036-2019 May 2019	Jun-26	वेबसाइट तिथि जून 2026 तक होने के कारण नई टेंडर रिपोर्ट प्रस्तुत करने पर पंजीकरण विस्तारित किया जाएगा। पंजीकरण हेतु उक्त अवधि तक विहित किया गया है।

उप कृषि निदेशक,
तकनीकी सम्प्रदाय,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
गुणवत्ता नियंत्रण,
कृषि निदेशालय

संयुक्त कृषि निदेशक,
नियोजन,
कृषि निदेशालय

प्रतिनिधि,
निदेशक उद्योग,
उद्योग निदेशालय

प्रतिनिधि,
विभागध्यक्ष (फर्म मशीनरी),
गोठारपंजीकृत, पंतनगर

अपर कृषि निदेशक,
कृषि निदेशालय

वित्त निदेशक,
कृषि निदेशालय

कृषि निदेशक,
उत्तराखण्ड।