Name of Division:-400KV S/s, Kashipur Stock Inventory for the month of:-Dec-2019 Dismantle/Incom Item Code Unit Useable Obsolete Item Description S.No. Group Scrap plete/Damage AA0A002001 ACSR Conductor Moose Mtr. 18178 AA0A005001 ACSR Conductor Panther 7780 Mtr. AA5A501004 IPS Aluminium Tube 4" Mtr 40 N/A 650mm long welding sleeves for Alumn. Tube 4S414 No. 3 Universal type terminal connector to suit twin moose ACSR conductor 2 N/A No. on isolator 1600Amp. 21971 1 A 2817 N/A 160 KN Disc Insulator No. 70 KN Disc Insulator No. 2498 N/A 120 KN Disc Insulator No. 85 N/A 2.9 Weasel conductor (in pieces) Km. N/A 245KV clamp AL tube to Breaker NO. 2 NO. 3 N/A 245KV clamp AL tube to isolator 2 В N/A Filter Capacitor (Defected) No. 2 234 N/A 10X2.5 mm Control Cable. Mtr. 3 \mathbf{C} N/A 24 Core 2.5mm control cable mtr. 60 N/A Hexagonal voltes & nuts O/S 16x40 to 66mm Kg. 192 4 F M.S. round 40mm Dia 16.65 N/A MT. N/A 400KV earth rod and fixed contact Set 2 One Pole Complete 1600 Amp.CB with Pole Coloumn and Interrupter N/A No. 2 with MB and Operating Mechanism and without support structure Fixed, Moving & Arcing Contacts including Insulating Nozzle for One 1 N/A Set Pole of CB N/A Terminal Pad 1600 Amp No. 3 1 N/A Pipe Length Copper Set N/A Defected Semaphore for Isolator for 400,220&132 KV for each No. N/A Vibration damper for 7/3.66mm GS earth wire No. 70 Vibration damper suit for ACSR moose conductor N/A No. 40 N/A Copper Bond. No. 66 N/A Male Blade 132 Isolator No. 1 Female Blade 132 Isolator No. N/A 1 N/A 245KV Connector 4" Al. Tube to ACSR Moose. No. 8 245KV Connector 4" Al. Tube to Isolator. N/A No. 8 N/A 245KV Connector Twin moose to Isolator. No. 10 8 245KV Connector for ACSR Moose. No N/A Terminal connector 420KV HV bushing 5 No N/A Terminal connector 245KV LV bushing. No. 3 5 I N/A Terminal connector 245KV HV bushing No. 4 No. N/A Terminal connector 145KV LV bushing 4 N/A Terminal connector for Nuetral bushing No. 4 3 N/A 245KV connector Al tube to isolator (2500A) No. N/A 245KV connector Al tube to isolator (1600A) No. 3 245KV connector Al tube to CB No. 2 N/A N/A 245KV connector Al tube to CT No. 2 245KV male arm assembly NO. N/A NO. N/A 245KV female arm assembly N/A 145KV male arm assembly NO. 1 N/A 145KV earth rod and fixed contact Set 1 N/A 145KV post insulator stack Stack 2 N/A 36KV isolator with earthswitch NO. 1 N/A 400KV Terminal Connector moose to moose NO. 3 N/A 245KV, 2000A male finger set (PR Engg.make) No. 3 245KV, 2000A female finger set (PR Engg.make) No. 3 N/A N/A 245KV, 2000A male arm (PR Engg.make) No. 3 N/A Universal connector for twin moose CT No. 6 N/A 245KV, 2000A female arm (PR Engg.make) No. Bruint/damaged U type male contact made of copper No N/A No Damaged of 11kv steam rod made of copper N/A Brunt/damaged soleynized closing coil No N/A Brunt damaged top plate of 11kv Bicco make No Resion cast spout Assembly w/o socket adoptor link machnisum N/A No front&rear damaged. N/A suporting insulator damaged w/o nut bolt packing wash. No N/A Intrupting chamber insulator o/u damaged No N/A All type of Coupling for SF-6 Gas Set 1 N/A Defected Control Switch for Breaker for 400,220&132 KV for each 1 No N/A Breaker Failure Relay (RAICA) for 400,220 & 132 KV No. 3 Auto Reclose Relay with Check Synchronising Relay and Dead Line N/A 6 No. Charging Relay(RAAAM) for 400, 220 &132 KV

	400KV Double Tension Fitting with Double Anchoring point and				
N/A	complete with all hardware accessories viz. tension clamps, d-				
	shackles, corona ring etc. suitable for twin moose ACSR Conductor				
27/4	with sub-conductor spacing of 450mm	N.	2		
N/A	(a) Without turn buckle	No.	2		
	400KV Double Tension fitting with double anchoring point with all				
N/A	hardware accessories viz. tension clamp, d-shackle, corona ring etc.				
	suitable for quad moose ACSR conductor with sub-conductor spacing				
	of 450mm				
N/A	(a) Without turn buckle	No.	1		
N/A	(b) With turn buckle	No.	1		
	400KV Single suspension fitting, hardware with single anchoring				
N/A	point and complete with all hardware accessories with suspension				
1,712	clamp, d-shackle, corona ring etc. suitable for twin ACSR Moose				
	conductor with sub-conductor spacing of 450mm				
N/A	(a) With thorough type suspension clamp	No.	1		
N/A	(b) With drop type clamp	No.	2		
N/A	Rigid type terminal connector to suit 4" IPS Alumn. Tube on Isolator	No.	2		
1071	4\$421	110.	2		
N/A	Conductor with sub-conductor spacing of 450mm suitable for	No.	2		
	horizontal / vertical (universal) take off 4S404				
N/A	4" Alumn. Tube 5mtr. Length 8 Pcs.	Mtr.	40		
N/A	Flexible type spacer clamp to suit twin moose ACSR conductor with	No.	11		
14/74	450mm sub-conductor spacing 4S411	140.	11		
	220KV Double Tension Fitting with double anchoring point and				
N/A	complete with all hardware accessories viz. tension clamp, d-shackle,				
IN/A	corana ring etc. suitable for twin ACSR Moose Conductor with sub-				
	condutor spacing of 250mm				<u></u>
N/A	(a) With turn buckle	No.	2		
N/A	(b) Without turn buckle	No.	2		
	220KV Double Tension Fitting with double anchoring point and				
37/1	complete with all hardware accessories viz. tension clamp, d-shackle,				
N/A	corana ring etc. suitable for quad moose Conductor with sub-condutor				
	spacing of 250mm				
N/A	(a) With turn buckle	No.	2		
N/A	(b) Without turn buckle	No.	2		
1,712	220KV Single suspension insulator hardware with single anchoring	110.	_		
	point and complete with all hardware accessories viz. suspension				
N/A	clamp, d-shackle, corona ring etc. suitable for twin ACSR Moose				
	Conductor with sub-conductor spacing of 250mm				
N/A	(a) With thorough type suspension clamp	No.	1		
N/A	(b) With drop type suspension clamp	No.	1		
N/A	Cleat type clamp for 10.98mm dia GS-Earth wire 21996	No.	13		
14/74	Flexible type spacer clamp to suit twin moose ACSR conductor with	110.	13		
N/A	250mm sub-conductor spacing 2S211	No.	13		
	Insulator hardware with double anchoring point and complete with all				
N/A	hardware accessories viz. tension clamp, d-shackle etc. suitable for				
IN/A	single ACSR Moose Conductor				
N/A	(a) With turn buckle (Per Conductor)	No.	1		
N/A	(b) Without turn buckle (Per Conductor)	No.	1		
	132KV Double Tension Insulator hardware with double anchoring				
N/A	point and complete with all hardware accessories viz. tension clamp, d-				
	shackle etc. suitable for twin ACSR moose conductor with sub-				
****	conductor spacing of 250mm				
N/A	(a) With turn buckle (Per Conductor)	No.	1		
N/A	(b) Without turn buckle (Per Conductor)	No.	1		
	132KV Single Suspension Insulator hardware with single anchoring				
N/A	point and complete with all hardware accessories viz. tension clamp, d-				
	shackle etc. suitable for single ACSR moose conductor				
N/A	(a) With thorough type suspension clamp	No.	1		
N/A	(b) With drop type clamp	No.	1		
N/A	Earth wire tension clamp to suit 10.98mm dia GS-Sealed wire with D-	No.	1		
11/21	Shackle assembly	110.	1		
N/A	Flexible type spacer clamp to suit twin moose ACSR with 250mm sub-	No.	6		
14/71	conductor spacing 21991	110.	U		
N/A	400KV Jaw connecter and Blade	No.	4		
N/A	220KV Jaw connecter and Blade	No.	1		
N/A	132KV terminal connector to suit for ACSR moose on C.T. & CVT	No.	22		
IN/A	132K v terminal connector to suit for ACSK moose on C.1. & CV1	190.	22		<u> </u>
N/A	Multifunction Timer for 132KV CB.	No.	10		
N/A	PG Clamp Moose to Moose	No.	51		
N/A	Clamp 4" AL tube to BPI	NO.	4		
N/A	245KV isolator clamp(2500A)	NO.	3		
N/A	245KV isolator clamp(1600A)	NO.	3		
N/A	245KV clamp CT to wave trap	NO.	2		
N/A	2450KV CVT clamp	NO.	2		
·				•	 ·

400KV Double Tension Fitting with Double Anchoring point and

J

6

1	Г	****	Ta (2000)				1	
		N/A	245KV LA clamp	NO.	2			
		N/A	245KV Twin moose clamp	NO.	6			
	Ī	N/A	Isolator clump	NO.	2			
	F	N/A	400KV male arm assembly	NO.	3			
	+		·					
	l l	N/A	400KV female arm assembly	NO.	3			
		N/A	400KVRigid spacers 450mm	NO.	22			
		N/A	400KV universal terminal connector twin moose to isolator	NO.	3			
	Ī	N/A	400KV universal terminal connector twin moose to LA	NO.	3			
	F	N/A	400KV expen.terminal connector 4" AL tube to CB	NO.	3			
	H				3			
	_	N/A	400KV expen.terminal connector 4" AL tube to isolator	NO.				
		N/A	400KV rigid terminal connector 4" AL tube to isolator	NO.	3			
		N/A	Inter terminal connector 4" AL tube to twin moose	NO.	3			
		N/A	Earth clamp tension fitting	No.	40			
		N/A	Defected 245KV Surge counter	No.		3		
	-	N/A	Defected 145KV Surge Counter	No.		3		
		IV/A	Ü	NO.		J		
		N/A	390KV Surge Arrestor with insulating base and terminal connector but	No.	1			
			without surge monitor					
		NT/A	216KV Surge Arrestor with insulating base and terminal connector but	NT.	1			
_		N/A	without surge monitor (incomplete)	No.	1			
7	K		120KV Surge Arrestor with insulating base and terminal connector but					
		N/A		No.	1			
	-	****	without surge monitor (incomplete)					
		N/A	400KV LA with surge counter.	No.	1			
		N/A	220KV LA with surge counter.	No.	3			<u>L</u>
	ľ	N/A	132KV LA with Surge counter.	No.	1			
	F	N/A	400KV post insulator stack	Stack	6			1
8	L	N/A	*		1		-	†
0	L	IN/A	Auxiliary Contact (Defected)	No.	1		+	
		N/A	Annunciation Window with necessary annunciation relay gor 400,220	No.	18			
		11/11	& 132 KV	110.	10			<u></u>
	Ī	37/4	Disturbance Recorder Comprising of evaluation & acquisition unit (If	C :	4			
		N/A	stand open)	Set	1			
	H		Over Voltage Protection Relay with Timers (Stage-1 & Stage-2)					
		N/A		No.	1			
	L		RXEG-21					
		N/A	Restricted Earthfault Protection Relay with non linear resistor	No.	1			
	-	IN/A	(RADHA)	NO.	1			
			Breakup for Protection Relay with 2 O/C AND 1E/F Element (CDD					
		N/A	O/C2)	Set	1			
		37/1		α .				+
	_	N/A	Over Fluxing Relay	Set	1			
	N	N/A	CVT Fuse Failure Relay	Set	1			
		N/A	Power Supply Unit(B5LA)	No.	3			
		N/A	Stabilizer Unit (B4LA)	No.	3			1
9								+
		N/A	Pilot & Supervision Unit (P4LA)	No.	3			
		N/A	AF Convertor (P4LB)	No.	3			
		N/A	IF Convertor (P4LC)	No.	3			
		N/A	RX-RF Convertor (P4LD)	No.	3			
		N/A	TX-RF Convertor (P4LF)	No.	3			
			` /					
		N/A	Carrier Generator (P4LG)	No.	3			
		N/A	RF Hybrid (P3LA)	No.	3			
		N/A	RF Amplifier (P1LA)	No.	3			
		N/A	TX Filter (E5LA)	No.	3			1
	-	N/A	220V A.C. Relay 3C/OMPC (PLA Make)	No.	1		+	†
	-						+	
		N/A	240V D.C. Relay 3C/OMPC (PLA Make)	No.	1		-	ļ
		N/A	Defected DC Isolator switch of specification RPM2410CM, 25Amp.	No.		1		
		1 N/ A	440V (KAYCEE Make)	INO.		1		
	Ī	N/A	Defective main - I numerical distance realy REL - 521.	No.		2		
-	- t	N/A	Indo Kepp Make MCB 2-Pole, 415/220 V (Defected)	No.		1	1	1
			**				+	+
	L	N/A	Merlin Make MCB 3-Pole, 6 A (Defected)	No.		1	-	
	L	N/A	ABB Make MCB 2-Pole,10 A (Defected)	No.		1		
		N/A	Auxiliary Contact (Defected)	No.		1		<u> </u>
	Ī	N/A	Ammeter with Transducers for 400,220&132 KV	No.	1			
	ŀ	N/A	Watt meter with Transducers for 400,220&132 KV	No.	1			1
	ŀ		·				+	
		N/A	VAR meter with Transducers for 400,220&132 KV	No.	1		-	
	L	N/A	Voltmeter with Transducers for 400,220&132 KV	No.	2			
		N/A	Test Meter (N3NL)	No.	3	<u></u>		<u> </u>
	ľ	N/A	DSP Module (G4AA)	No.	3			
	ļ.	N/A	Relay Interface (G4AC)	No.	3		1	1
	-	N/A	O4LC Card		1		+	+
40	s			No.			+	
10		N/A	G4AA Card	No.	1		1	_
		N/A	P4LC Card	No.	1			
		N/A	P4LG Card	No.	1			
		N/A	Coupling Device	Set	1			
		N/A	Dummy Load	No.	1		+	†
	-						+	
		N/A	P3LL Card	No.	1			
	F		19BJ Card	No.	1		1	1
		N/A	17BJ Card					
		N/A N/A	P4LM Card (19BM)	No.	1			
					1 2			
		N/A	P4LM Card (19BM)	No.				

1	Ī	NT/A	D. C. at 1 W. Lenston C. L. at a Co. it 1. Co. 400 220 8 122 WW	NT.		1 1	
	ŀ	N/A N/A	Defected Voltmeter Selector Switch for 400,220&132 KV DC Voltmeter	No.	1	1	
	ŀ	N/A	DC ameter	NO.	1		
-		N/A	Tap Changer Contacts (Defected)	Set	1		
	ŀ	N/A	Bucholz Relay	No.	1		
	ŀ	N/A	HV Line Bushing 420 KV,800A	No.	1		
	ŀ	N/A	LV Bushing 245 KV,1250 A	No.	1		
	ŀ	N/A	52 KV Bushing 3150 A	No.	1		
	ŀ	N/A	36 KV ,800 A Bushing	No.	1		
		N/A	In Line Oil Pump 05100691 & 05100692	No.	2		
	ŀ	N/A	Winding Temperature Indicator	No.	1		
		N/A	Auxiliary Transformer	No.	1		
		N/A	Expansion Joint (Complete ReplacementFor One T/F)	No.	1		
		N/A	Oil Temperature Indicator	No.	1		
		N/A	Bucholz Relay	No.	1		
		N/A	420KV C.V.T. (defective)	No.	1		
11	V	N/A	145KV C.V.T.	No.	2		
	ŀ	N/A	400KV Current Transformer	No.	1		
	ŀ	N/A	400KV CT 2000/1000/ 1 Amp.	No.	3		
	ŀ	N/A	Defective 145KV C.T. 1000/500/1A	No.		1	
		N/A	Old defective (Deformation in metal base) 245KV C.T. 100/500/1A	No.		1	
		N/A	Defective 245KV CVT (Tank Bulging).	No.		1	
	ŀ	N/A	245KV C.T. 1000/500/1 Amp.	No.	1	1	
	ŀ	N/A	245KV CT 1600/800/1A	No.	1		
	ŀ	N/A	420KV C.V.T. (defective)	No.	•	1	
	ŀ	N/A	Defective 145KV C.T. 1000/500/1A	No.		1	
	•						
		N/A	Old defective (Deformation in metal base) 245KV C.T. 100/500/1A	No.		1	
		N/A	Dry Uncharged Cells for 220 V	No.	2		
	ŀ	N/A	Dry Uncharged Cells for 50 V	No.	2		
	ŀ	N/A	Defected Float Level Indicator	No.		5	
	ŀ	N/A	Defected Vent PLUG	No.		5	
	ŀ	N/A	MOV 60V	NO.	6		
	ľ	N/A	PCB current limit	NO.	2		
	ľ	N/A	PCB voltage decetor	NO.	3		
	ŀ	N/A	PCB mother board	NO.	1		
	ľ	N/A	PCB power supply board	NO.	2		
		N/A	PCB reg CTRL	NO.	2		
	ŀ	N/A	PCB gate pluse drive	NO.	5		
		N/A	PCB filter	NO.	1		
12	Y	N/A	PCB PLA relay	NO.	1		
	ľ	N/A	PCB auto mannual	NO.	1		
	ŀ	N/A	PCB filter	NO.	1		
	ľ	N/A	PCB LED indicator	NO.	1		
		N/A	PCB alarm board	NO.	2		
	ľ	N/A	PCB MST short circuit	NO.	1		
	ľ	N/A	Resistor variable	NO.	1		
	ľ	N/A	POT panel mount 20K	NO.	4		
	ļ	N/A	POT panel mount 100K	NO.	2		
	ļ	N/A	Resistor 10K 5%	NO.	7		
	ļ	N/A	SCR slow 170A	NO.	6		
	ļ	N/A	Control TXR 415V	NO.	1		
		N/A	Defected Operation Counter	No.		2	
	ļ	N/A	Defected Micro Filter Set	No.		1	
	ļ	NT/A	Defeated Bulber Codest O.P. and State Co. Lat. E. O. P. d.	g		1	
		N/A	Defected Rubber Gasket O Ring and Seals Complete For One Breaker	Set		1	
	ļ	N/A	Defected Molecular Filter For SF-6 Ckt.Breaker	Set		3	
	ļ	N/A	Defected Pressure Guage & Coupling Device of each type	Set		1	
	ļ	N/A	Defected Auxiliary Contact Assembly	No.		1	
	ļ	N/A	Defected Operation Counter	No.		2	
	-	N/A	Defected Rubber Gaskit O Ring and Seals Complete For One Breaker	Set		1	
	-	N/A	Defected Molecular Filter For SF-6 Ckt for One Pole of CB	Set		3	
		N/A	Defected CONTACTOR 3-Phase 250 V,20 A Sprecher Schuh Make	No.		1	
		N/A	Defected Pressure Guage & Coupling Device of each type	Set		1	
	ſ	N/A	Auxiliary Contact Assembly (Defected).	No.		1	
1	Ī	N/A	Operation Counter (Defected).	No.		2	
		N/A	Auxiliary Contact (1NO+1NC), (Defected).	No.		10	
		N/A	Auxiliary Contact Switch,(Defected).	No.		3	
	ľ		Y: : G :: 1 0 A :: G :: 1 (D C :: 1)	Set		1	
	-	N/A	Limit Switch & Auxiliary Switches (Defected)	Det			
			MOTOR Housing Bearing Assembly(Defected)	Set		1	
		N/A			_	1 1	
		N/A N/A	MOTOR Housing Bearing Assembly(Defected)	Set			

N/A Condensor Fan Motor (Defected) No. N/A Motor for AHU No. 1 N/A Set of Wound Resistor (Defected) Set 2 N/A Condensor Fan Motor (Defected) No. Lead acide battery T 800 P 2V damaged. No. N/A 1 N/A Old used broken disk Insulator 70 KN No. N/ADefective molecular filter FOR SF6 Circuit Breaker Set 3 N/A Defective contactor CA - 3 - 9C - 10, 220V DC No. No. **Defected Operation Counter** N/A No. 1 Defective micro filter set Defective rubber gas kit, O ring and sells complete N/A Set N/A Defective molecular filter FOR SF6 Circuit Breaker Set 3 N/A No. 1 Defective auxiliary contact assembly N/A Defective operation counter No. N/A Defective all types of coupling for SF6 gas Set N/A Defective rubber gas kit, O ring and sells complete Set 1 N/A 3 Defective molecular filter Set N/ADefective contactor 3 phase, 250V, 20Amp. No. 1 No. N/A Operation Counter (Defected). 2 N/A Defective auxiliary contact (1 No + 1 NC) No. 10 N/A No. Defective auxiliary contact switch N/A Defective limit switch and auxiliary switch Set Defective Motor hosing varing assembly rusted N/A Set 1 No. N/A 1 Defective auxiliary contact Defective MCB, 2 pole, 415/220V N/A No. N/A Defective MCB, 3 pole, 6 Amp. No. Defective MCB, 2 pole, 10 Amp. N/A No 1 N/A Defective motor hosing assembly Set N/A Defective Semaphore for isolator No. 2 N/A No. 2 Defective Semaphore for earth switch N/A Defective filter capacitor No. 2 N/A Defective potentio meter No. N/A Set Defective set of switches N/A Defective tap changer contact Set 2 N/A Set Defected and rusted auxiliary contact set 1 N/A Defective 420KV surge counter No. N/A Defected 245KV Surge counter No. 3 Defected 145KV Surge Counter N/A No. 3 No. N/A Defective lead acid battery 900AH (Damaged) N/A Defective compressor No. 9 MT. 10 N/AM.S. Scrap of equipment packing N/A Empty Transformer Oil Drum Rusted No. 150 Defected DC Isolator switch of specification RPM2410CM, 25Amp. N/A No. 1 440V (KAYCEE Make) N/A Defected Voltmeter Selector Switch for 400,220&132 KV No. 1 Defective main - I numerical distance realy REL - 521. N/ANo. 2 Defective 245KV CVT (Tank Bulging). N/A 2 N/A LZ 96 Distance Relay (Old and use) / Defective No. 400KV circuit breaker N/A No. 8 245KV circuit breaker 8 N/A No. N/A420KV isolator No. 3 N/A 245KV isolator No. 7

No.

No.

No.

No.

NO.

5

12

15

15

13 Other Items

N/A

N/A

N/A

N/A

N/A

145KV isolator

245KV 3-Phase isolator (G-Nandy)

390KV LA

196KV LA

120KV LA