



राष्ट्रीय गतिशील दिव्यांगजन संस्थान
National Institute for Locomotor Disabilities (Divyangjan)

(दिव्यांगजनसंश्लेषणविभाग, सामाजिकन्याय एवं अधिकारिता मंत्रालय, भारत सरकार)
(Department of Empowerment of PwDs (Divyangjan), Ministry of Social Justice and Empowerment, Govt. of India)
बी.टी. रोड बनहूगली, कोलकाता-700090 / B.T. Road, Bon-Hooghly, Kolkata-700090
Phone: 2531-0279, 2531-0610/Tele Fax: 2531-8379/E-mail: mail@nioh.in/web: www.niohkol.nic.in



ENQUIRY NO: Hostel Build/CRC-Patna/2914/P.C./2022/NILD

Date: 06.01.2023

Delivery required within: 30 Days after receiving the P.O.

Last date of submission of quotation: 26.01.2023

REF: INVITING OF ONLINE QUOTATIONS THROUGH WWW.EPROCURE.GOV.IN FOR THE PURCHASE OF **PHYSIOTHERAPY EQUIPMENT , SPEECH AND HEARING ITEMS FORCRC-PATNA.**

Sr No	Name of item	Specifications	QTY
1.	Interferential Therapy (IFT)	<ul style="list-style-type: none">Operating voltage: 220 V (AC), 50 HzCarrier Frequency - 4 kHzBeat Low AMF: 0 to 150 HzBeat High AMF: 0 to 100 HzVariable Therapy Mode such as 2 Pole, 4 Pole, Vector 40, Vector 100 & Russian stimulationOutput Intensity: 0 to 100 mATreatment Timer 0 to 99 MinutesOutput display: LCDPre-installed Clinical Protocols.The unit should have CEE or International certification regarding standards of equipment.	1No.
2.	Traction Machine and Bed	<ul style="list-style-type: none">Two section traction table with non-friction rolling lumber section.Traction fittings height should be adjustableCushion top with resin coverThe Unit should perform Static Force, Intermittent Force, Pulsation Force and Combination of Static, Intermittent, Pulsation Forces.Traction Unit should perform Lumber Traction and Cervical TractionProvision of Safety Switch controllable by patientLumbar Force range 10 kg to 50-60 Kg.Cervical Force range 3 kg to 10-12 Kg.Unit should provide with Belts, Straps and Flexion Stool for Lumbar and Cervical TractionStorage space/bag with enough space for all accessories	1No.
3.	TENS and EMS	<p>TENS:</p> <ul style="list-style-type: none">2 Channels with independent Intensity LevelsAdjustable Frequency from 2-250 HzPulse Width upto 800µS In Variable StepsVariable Burst Time in variable steps maximum upto 10 SecondsTreatment Timer up to 99 MinutesMore than 15-20 pre-installed Clinical ProtocolsLCD / Digital DisplayOperating voltage: 200 - 230 V, 50 HzThe unit should have CEE or International certification regarding standards of equipment. <p>EMS:</p> <ul style="list-style-type: none">LCD/Digital Display.Diagnostic Muscle Stimulation with Plain & Pulsed Galvanic and Plain & Surge faradic modeShould have Pulse Duration of .01, .03, .1, .3, 1, 3, 10, 30, 100, 300 msShould have Pulse frequency of 1, 3, 50 & 100 ppsFaradic continuous pulse train of 100 pps & width 0.5 millisecond.Surged Faradic: same output as faradic with slow rise saw tooth modeRise: 0.5 to 3.0 second in six steps.	1No.

		<ul style="list-style-type: none"> Rest: 0 to 9 seconds in 10 steps. Standard accessories: 4 sets of Plate & Silicon Rubber Electrode, 2 number Pen Electrode, 4 Elastic straps More than 15-20 preinstalled Clinical Protocols. The unit should have CEE or International certification regarding standards of equipment. 	
4.	Therapeutic Ultrasound (1MHZ & 3 MHZ head)	<ul style="list-style-type: none"> Operating Frequency: 1 MHz & 3 MHz Power Density: 3.1 W/cm² (Approx.) Max acoustic output: 15 W (approx.) Pulsed ratio: 1:1, 1:2, 1:4, 1:7, 1:10 & 1:12, Timer: 0 to 99 minutes Voltage: 220 V, 50 Hz ±10% With adjustable SS made 04-point cluster wheel trolley with voltage stabilizer. Pulsed and continuous therapy operation (10%, 20%, 50% AND 100%) Variable duty cycle output of 16 Hz, 48Hz or 100Hz. The unit should have CEE or International certification regarding standards of equipment. 	1No.
5.	Patient supporting belt/ Gait Belt (Mulligan belt)	<ul style="list-style-type: none"> Strong Preferably not leather or synthetic Buckle with strong grip 	02 Nos
6.	Thera Band	<ul style="list-style-type: none"> Exercise Bands set with each roll of 15cm width x 1.5 meter length. Should have five different Band's Colors & Resistances (yellow, green, red, silver and black) 	1 set
7.	Physio Balls	<ul style="list-style-type: none"> One each with size of 60 " , 80 " , 90". With stand 	3 Nos.
8.	Parallel Bar with Mirror	<ul style="list-style-type: none"> Height Adjustable Parallel Bars with Hand-Rails, made up of heavy-gauge iron tubing of 38mm dia with non-slippery P.V.C. sheath covering. Outer uprights of thick steel tubing (50mm dia) with Powder coating finish. Height & Width adjustable Arms are of 38mm dia. steel tubing with chrome-plated finish. Platform: Tubular steel constructed platform with incline on both ends & is covered with non-slip matting. Width- approx. 2.5 feet, Length: 6.5 feet). With Adjustable by means of setting Pins at the required holes & further stabilized by tightening the screws. Abduction Board: Detachable, Powder coated Abduction Board fits in the holes in the middle of the platform. Working Parts with Chrome-Plated finish & metal parts with powder coated finish. Mirror height- 6 ft Wheel chair compatible. 	1No.
Speech & Hearing items			
9.	REEL-4	Receptive –Expressive Emergent Language Test-Fourth Edition, Complete Kit Virginia L. Brown. Kenneth R. Bzoch. Richard League Includes: Examiners manual, 25 Examiner Record Booklets and 25vocabulary inventory forms each for forms A and B, all in a sturdy storage box	1No.
10.	FDA-2	Frenchay Dysarthria Assessment second edition Pamela enderby, Rebecca palmer Includes: Examiners manual, 25 rating forms and intelligibility cards, all in an organized folder	1No.
11.	SSI-4	Stuttering Severity Instrument- Fourth Edition Glyndon D. Riley Includes: Examiners manual and picture plates, and 50 test record and frequency computation forms all in a sturdy storage box.	1No.
12.	WAB-R complete kit (with Manipulatives)	Includes Examiners manual(print), stimulus book (print), 20 part 1 record forms(print), 10 part 2 record forms (print), 25 beside record forms (print), white plastic knife, white plastic fork, white plastic spoon, large safety pin	1No.

GENERAL INSTRUCTION AND TERMS & CONDITIONS

Tender documents can only be downloaded from the web site (www.eprocure.gov.in). The cost of tender paper amounting to Rs. **500.00** and EMD amounting Rs.17000.00 have to be deposited by the tenderer directly to the bank account of National Institute for Locomotor Disabilities (Divyangjan), Kolkata through online mode, on or before the last date of bid submission date of tender. The detail of the Bank Account of National Institute for Locomotor Disabilities (Divyangjan), Kolkata is mentioned below. The original copy of the transaction slip, duly signed by the tenderer, must be up loaded along with tender document.

BANK ACCOUNT DETAIL OF NILD, KOLKATA FOR DEPOSITION OF TENDER COST, EARNEST MONEY

Name of the Account Holder	National Institute for the Orthopaedically Handicapped
A/c No	53015297593
Name of the Bank	State Bank of India
Name of the Branch	NIOH Campus Kolkata
IFSC	SBIN0030468

Kindly online submit your quotation for the above items in two parts on Central Public Procurement Portal www.eprocure.gov.in

THE FOLLOWING DOCUMENTS SHOULD BE ENCLOSED IN TECHNICAL BID:

1.	Quotation should be enclosed with complete technical details and literature of the product.
2.	Compliance sheet with desired and quoted specifications given in comparative table
3.	Copy of latest and valid Trade license, Income Tax, GST / Sales Tax Clearance certificate etc should be submitted along with quotation
4.	Warranty of the items should be mentioned clearly (If any)
5.	The bidders/tenderers shall clarify /state whether he/they are manufacturer accredited agent or sole representative indicating principals and agent quoting on behalf of their manufacturers / principals with valid document
6.	Do not use the word “Compliance” / “COMPLIED”. Remark should be specific.
7.	Suppliers/firms should quote the items as per specification. Any deviation from the technical and financial bid proforma given in the tender document may attract cancellation of the bid.
8.	The firms are informed to upload the clear color picture of the equipment's for which they are submitting the bids.
9.	in absence of compliance of the point nos. 6, 7, & 8 as mentioned above, the bids will not be considered.
10.	tender document should be strictly as per format given

Part 2- Financial Bid

1. The price / rates for the item quoted must be valid for 06 **months**.
2. Any other relevant information that the bidder may like to furnish so as to add the credibility, financial solvency, client list and past performance of the bidder.

3.SUBMISSION AND OPENING OF QUOTATION:

(A). Telegraphic/ Cabled/ faxed/ e-mail etc, which are exposed Quotation will be summarily rejected.

(B) The Technical bids will be opened first as per Central Govt. GFR.

(C) The Financial bids will be opened of only the firms found technically suitable and after verify their valid document.

4. PRICE:-

(a). The price quoted should be F.O.R. National Institute for Locomotor Disabilities (Divyangjan),(erstwhile NIOH) B.T.Road, Bon-Hooghly, Kolkata-700090 in Indian Rupees only. Price quoted should never be exceed the Printed / Catalogued MRP of the product and price should be inclusive of all taxes and other charges (If any).

(b). the price quoted should be firm and remain valid for 06 months from the finalization of tender.

5. EARNEST MONEY AND SECURITY DEPOSIT:

All quotations must be accompanied with earnest money deposit as indicated above. Quotations without EMD will be rejected. The EMD will be refunded to the unsuccessful bidders, and shall be adjusted as part of security deposit in case of successful bidder. No interest will be paid on EMD or Security Deposit.

The SD money will be remained in custody of the institute till three months after expiry of warranty period or for a mutually agreed period from the date of installation / commissioning of the ordered materials.

6. RESPONSIBILITIES FOR EXECUTION OF CONTRACT:

The supplier is to be entirely responsible for the execution of the contract in all respect in accordance with the terms and conditions as specified in the acceptance of quotation and lawfully responsible for the supply at site and will replace any part or full, whatever the case may be, if found not in conformity with the specification as laid down. Non-fulfilment of contract as per terms and condition as stipulated shall cause forfeiting of EMD/Security deposit.

7. DELIVERY SCHEDULE:

Delivery should be free at site, Composite Regional Centre (CRC) Patna, Sheikhpura (Old Dharamshala), Near IGIMS Nursing College, Patna, Bihar- 800014. If the supplier fails to deliver the stores or any part thereof within the stipulated date of delivery, the competent authority of the Institute (NILD) will be entitled at their discretion to either:

- (a). Purchase the store from elsewhere, at the cost and risk of the supplier or
- (b) **Recover from the supplier liquidated damages liability @ 0. 5% per week of the order value** as per Govt. Rules.

8. REMOVAL OR REJECTION:

Any stores rejected by our quality control officer/expert must be removed by the supplier and replacement made within two weeks from the date of receipt of such intimation at his risk and cost.

9. CREDIBILITY OF FIRM/SUPPLIER:

The bidder should have its office/representative/service provider within a reasonable distance from the institute in Kolkata and have sales/ service installations in Kolkata preferably

10. BILLING & TERMS OF PAYMENT:

Bills in Four copies along with the Original receipted challan in five copies must be submitted to the Director, NILD, B.T.Road, Bon-hooghly, Kolkata-700090, duly pre-receipted by affixing revenue stamp and official seal. Admissible payment will be made after final supply and satisfactory installation certificate.

11. SETTLEMENT OF DISPUTES:

All disputes or differences of any kind whatsoever arising out of or in connection with execution of this contract, whether during the progress of the supply or after their completion, shall be referred by the supplier to the Director of the Institute and the competent authority of the institute shall within reasonable time shall examine the case on its merit and on basis of any representation made in this context and notify decisions thereon in writing. The decision of the Director of the Institute shall be binding upon the supplier. If the supplier is not satisfied with the decision of the competent authority of the Institute, on any matters in question, dispute/difference to be arbitrated upon shall be the jurisdiction of the High Court at Kolkata.

The High Court of Kolkata will only be the jurisdiction to deal with and decide on any dispute whatsoever arising out of this tender.

The Director of the National Institute for Locomotor Disabilities (Divyangjan), reserves the right to reject any or all the tenders without assigning any reasons or giving any explanation thereof. No claim for damages will be entertained in this regard.

In addition to above, all others terms & conditions will also be binding as applicable in Govt. of India Purchase Rule.

The above conditions are stipulated without any prejudice.

**DIRECTOR
NILD, KOLKATA**

ANNEXTURE-I

CHECKLIST OF SUBMITTING DOCUMENTS – (TO BE FILLED BY THE TENDERER)

SL. NO:	DOCUMENTS	PLEASE MARK “√” IF DOCUMENT SUBMITTED*
1	Tender document, downloaded from the web site Web: www.eprocure.gov.in	
2	Warranty of the items	
3	Delivery period:-	
4	Validity of the quotation	
5	Signed photo copy of latest and valid Trade license, Income Tax, GST / Pan card/ Sales Tax Clearance certificate / Partnership Deed (in case of Partnership firm must be submitted with the Quotation documents.	
6	Valid documents stating that bidder/ tendered is/are manufacturer accredited agent or sole representative indicating principals and agent quoting on behalf of their manufacturers / principals with valid documents.	
7	Brand of the product	
	Any other documents submitting by the Tenderer, to be mentioned here:	

***Mention “Not Applicable” if the document is irrelevant.**