

राष्ट्रीय गतिशील दिव्यांगजन संस्थान National Institute for Locomotor Disabilities (Divyangjan) (दिव्यांगजन सशक्तिकरणविभाग,सामाजिकन्यायएवंअधिकारितामंत्रालय,भारत सरकार) Department of Empowerment of PwDs (Divyangjan), Ministry of Social Justice and Empowerment, Govt. of India B.T. ROAD, BON-HOOGHLY, KOLKATA-700090 बी.टी .रोडबनहुगली,कोलकाता-700090 Phone: 2531-0279, 2531-0610/Tele Fax: 2531-8379/E-mail: <u>mail@nioh.in</u> and web: <u>www.niohkol.nic.in</u>



Date: 24.02.2022

Ref No: EI&IU/CRC-PATNA/2746/PC/2020/NILD/D Delivery required within: 30 Days after receiving the P.O. Last date of the tender- 16.03.2022

REF: INVITING OF ONLINE QUOTATIONS THROUGH WWW.EPROCURE.GOV.IN FOR THE PURCHASE OF P&O ITEMS FOR CRC-PATNA

SL.NO.	PARTICULARS	SPECIFICATION	QTY
01	Wooden Vice	IN" feature. When fully closed, the jaws meet only at the top to provide even clamping on the whole depth of the work piece Square body seating provides easy fitment under the bench top so that jaws are flush with the bench top the steel main screw has Buttress threads for smooth, accurate and responsive adjustment. Body and sliding jaw have provision for attaching wooden liners to protect the vice, the work piece and working tools Jaw Width - 150 MM Jaw Opening - 110 MM Jaw Depth - 65 MM Jaw Plate Thickness - 12MM Material - Cast Iron Fixed Use	02 Nos.
02	Shoe Anvil	VICE Size-Lx W x H - 23 cm x 15 cm x 9" Cast Iron. Sizes of each profile: 50mm x 45 mm; 16mm x 8mm tapering to 57mm in the middle then to 42mm; 135mm x 20mm tapering to 65mm in the middle then down to 40mm. Approximate size of tool 180mm x 150mm x 150mm.	02 Nos
03	Draping Table	Duly power coated heavy duty ms table 19 mm plywood with pasted sunmica pasted .There should be Vacuum connector. Draping platform is 3 nos. each in size 8 inch, 12 Inch and 15inch. Table Size 3 ft \times 2.5 ft \times 2ft.	01 No.
04	Adjustable parallel bar with mirror on both side	Equipment Adjustable height and width, without braces between the vertical tubes, vertical tubes that can be unscrewed, with base plate and mounting elements Material Steel construction, powder-coated handrail Length 118 1/8 inch Height adjustment 27 1/8 - 41 3/8 inch Width adjustment ± 5 7/8 inch Weight 112,43 lbs 127,87 lbs 143,30 lbs 182,98 lbs ColourSignal white To be used for Mounting the base plate in the floor screed; the vertical tubes can be screwed out when not need	01 No
	Casting Chair	Height – 900mm	01 No

		Depth of seat- 440mm	
		Height of seat – 440mm	
		Width of seat- 500mm	
		With cushion, Material of fabric seat cover – leather	
		Structure Material – SS.	
06	Stand Coating Frame		01 No
00	Stand Casting Frame	Stand casting frame for measurement of various Above knee	UTINO
		and Hip disarticulation prosthesis and standing support for	
07	Crinel Cesting From a	cast taking	01 No
07	Spinal Casting Frame	Spinal casting frame for measurement of various Spinal	01 NO
08		Orthosis and Cast taking	02 Nos
08	Wooden Hand Saw	Hand Saws are equipped with hardened steel blades with	02 NOS
		single tooth edges for a faster cut & smoother finish. It is ideal For Cutting Wood And Plywood	
		Strong and Versatile. Easy to sharpen. Durable and Sturdy plastic handle which assures firm grip.	
		It can be used in making various wooden crafts and carpentary	
		work at home, workshop, garage, etc.	
		A must have product for hobbyists & wood working	
		professionals.	
		Power Source-Hand powered	
		Cutting angle= 90 degree	
09	ML Caliper	Standard	02 Nos
10	APML Caliper	Standard	02 Nos
10	Shearing Cutter	Shearing cutter gear type Cutting blade length 14 inch	02 N03
12	Aparatus Bending	Material = Hardened En 8 grade	02 Nos
12	Brace	Standard = Export Quality	02 1105
	Diace	Part Weight = 1.700kg	
13	Bending Iron	Double end Spanner shape	02 Nos
15	Dending non	Material = Hardened Mild Steel	02 1103
		Standard = Export Quality	
		Part Weight = 900g	
14	Lateral Bender	Standard	02 Nos
15	Weight Machine	The apparatus comes with a zero adjustable feature. If the	02 Nos
	Wolght Maohino	needle doesn't point to zero, it doesn't mean that the machine	02 1100
		is faulty. It just requires you to set it to zero with the help of	
		the rolling the knob at the bottom.	
		The rust-proof platform is a great advantage of this weighing	
		scale. This feature encourages placing of this scale even in	
		the bathroom.	
		The maximum load that the machine can carry is 130 kg and	
		the scale is neatly marked into demarcations of 1 kilogram	
		each.	
		The scale shows both Kgs and lbs. It is a mechanical	
		weighing scale before weighing the user must ensure it	
		pointing to 0.	
16	Teflon Cloth	Width -1000mm	01 No
		Thickness – 0.5mm	
		Length – 10 mtr.	
		Heat resistance – (0-200) degree Celsius	
		Polytetrafluoroethylene both side coated glass fiber	
17	Knee Aligner	Standard	02 Nos
18	Ankle Aligner	Standard	02 Nos
19	Wall frame (for pouring)	Standard	01 No
20	Mandril for suction	Drape Disk (made of Silicone Rubber with Ring) AK and BK	02 Nos
	mounting and draping	Top assembly for Bubble Draping Outer Ring leak proof	
	for sockets	Wider base of support	
		Central hole for section	1

21	Orthotic Moulding Jig	Small	01 No
22	Orthotic Moulding Jig	Medium	01 No
23	Orthotic Moulding Jig	Large	01 No
24	Shoe Horn	Standard	
25	Heater	Stainless Steel Electric Hot Plate 1000W Dimensions L×W×H =18 ×15 × 12 Centimeters	
26	Pipe for suction machine	Standard	
27	Plastic bucket big size (pop storage)	Hight= 367MM , Width = 455MM Package Contents = 30 Ltr.	
28	Debur Tool	Economically priced, with the quality and performance of higher priced deburring tools, Two interchangeable blades; 5" Aluminum handle	
29	Hot Water Oven	Cover, grating insert, thermostat-controlled heating, includes electronic control, +/- 2.0K control accuracy, operating display with LED screen, safety thermostat, 1 m drain hose, grip bar (colour: black) Exterior dimensions W×D×H =675 × 470 × 250 mm Interior dimensions W×D×H = 600 × 400 × 100 mm Temperature range =30 - 95 °C Electrical connection in V/Hz/kW =1 × 230 N/PE / 50-60 / 1.5 Water depth= 70 mm Connecting cable =1.4 m with two-pin earthed plug	
30	Dril Cutter	 3Pcs/set HSS Step Drill Bit Set Hex Shank Cone Drill Titanium Bit Cone Hole Cutter Metal Countersink Drill Bits 3- 12, 4-12, 4-20mm The high-Speed steel step Drill Bit is made from high quality HSS steel and are Titanium coated to reduce friction and heat The Two Flute Design Tips Can Make The Penetration Faster Without ChippingProvided with small pressure step drills are sharp and perfect holes. The Two Flute Design Tips Can Make The Penetration Faster Without Chipping 	02 Nos
31	Buffering Tool	Non Woven Flap Wheel Diameter: 1"~8" Thickness: 1"~3" Material: non-woven fabric(coarse,middle,fine) For polishing curving surface of non-ferrous metal, stainless steel and rough plastic edges	02 Nos
32	Air Compressor	Piston compressor with one cylinder, fully automatic operation, neutral safety starter switch and motor circuit breaker, intake filter with noise damper, pressure gauge, air filter/pressure regulator with automatic hose coupling shut-off with made connector dia 6mm, safety and back flow valve, tank water drain valve, wheels, push handle and carrying handle Dimension= 420x980x780 mm Intake= 2 Min Power= 1x230x N/PE/50/1.9 Max. Pressure: 10.2 kg/cm sq Motor Power= 7.50HP Capacity= 21.19 CFM Working Pressure:-16 bar,	01 No

		Max. Pressure =16 bar weight= 19-20kg,	
		Max. Inlet temp= 55 c	
		Max. Ambient temp= 43 c	
33	Ossilator Cutter	Electric cutter, circular saw frames with oscilating movement , Blade size=1-3/4"-2 1/2 ,Cord length= 2-3M.	01 No
34	Spanner Set	Made from premium Chrome Vanadium steel, drop-forged, hardness reaches HRC 48. Mirror finishing in high-polish chrome, anti-corosion. Heavy duty ratchet and durable pawl design is perfect for strong griping. 72 teeth ratchet makes only 5°swing arc. Open and bi-hexagonal box ends combination wrenches set. Metric sizes: 8mm 9mm 10mm 11mm 12mm 13mm 14mm 15mm 16mm 17mm 18mm 19mm	
35	Box Spanner Set	 Material: Iron Finish: Chrome Color: Silver. All sizes : 6x7mm, 8x9mm, 10x11mm, 12x13mm, 14x15mm, 16x17mm, 18x19mm, 20x22mm. Made of high quality, durable and anticorrosion, rust-proof. 8 Pcs Tubular Box Wrench Set, supplied with Tommy bar in a heavy duty double pouch. Tommy bar length: Approx. 170mm Highly polished finish, Rust Resistant, Double ended design Net Quantity : 8 Units 	02 Nos
		Included Components : 8 U Tubular Box Spanner Set	
36	Surface Plate	Standard	01 No
37	Sprite Level	Item dimensions(L×W×H) =30 × 5 × 2 Centimeters,225 grams	01 No
38	Sprite Level Item dimensions(Lxwxr) = 50 x 5 x 2 Centimeters,225 grains LTTP Sheet Cutter Material= Chrome Vanadium Steel Blade Material = Alloy Steel, Aluminium Item Dimensions LxWxH= 30 x 7.5 x 3 Centimeters		02 Nos
39	Pylon 30mm Tube Cutter	Especially compact and handy design, cutting wheel for especially long service lives and especially suitable for stainless steel Integrated deburring knife, replacement cutting wheel in the handle, interchangeable cutting wheel Length =185 mm Weight =0.47 kg For trimming and deburring stainless steel tubes, suitable for tubes with diameters 3 – 35mm.	02 Nos

GENERAL INSTRUCTION AND TERMS & CONDITIONS

Tender documents can only be downloaded from the web site (www.eprocure.gov.in). The cost of tender paper amounting to Rs. 500.00 and EMD amounting Rs. 10000.00 have to be deposited by the tenderer directly to the bank account of National Institute for Locomotor Disabilities (Divyangjan), Kolkata through online mode, on or before the last date of bid submission date of tender. The detail of the Bank Account of National Institute for Locomotor Disabilities (Divyangjan), Kolkata is mentioned below. The original copy of the transaction slip, duly signed by the tenderer, must be up loaded along with tender document.

BANK ACCOUNT DETAIL OF NILD, KOLKATA FOR DEPOSITION OF TENDER COST, EARNEST MONEY

Name of the Account Holder	National Institute for the Orthopaedically Handicapped
A/c No	53015297593
Name of the Bank	State Bank of India
Name of the Branch	NIOH Campus Kolkata
IFSC	SBIN 0030468

Kindly online submit your quotation for the above items in two parts on Central Public Procurement Portal <u>www.eprocure.gov.in</u>

THE FOLLOWING DOCUMENTS SHOULD BE ENCLOSED IN TECHNICAL BID:

1.	Quotation should be enclosed with complete technical details and literature of the product.	
2.	Compliance sheet with desired and quoted specifications given in comparative table	
3.	Copy of latest and valid Trade license, Income Tax, GST / Sales Tax Clearance certificate etc should be submitted along with quotation	
4.	Warranty of the items should be mentioned clearly (If any)	
5.	The bidders/tenderers shall clarify /state whether he/they are manufacturer accredited agent or sole representative indicating principals and agent quoting on behalf of their manufacturers / principals with valid document	
6.	Do not use the word "Compliance" / "COMPLIED". Remark should be specific.	
7.	Suppliers/firms should quote the items as per specification. Any deviation from the technical and financial bid proforma given in the tender document may attract cancellation of the bid.	
8.	The firms are informed to upload the clear color picture of the equipment's for which they are submitting the bids.	
9.	in absence of compliance of the point nos. 6, 7, & 8 as mentioned above, the bids will not be considered.	
10.	tender document should be strictly as per format given	

Part 2- Financial Bid

- 1. The price / rates for the item quoted must be valid for 06 months.
- 2. Any other relevant information that the bidder may like to furnish so as to add the credibility, financial solvency, client list and past performance of the bidder.

3.SUBMISSION AND OPENING OF QUOTATION:

- (A). Telegraphic/ Cabled/ faxed/ e-mail etc, which are exposed Quotation will be summarily rejected.
- (B) The Technical bids will be opened first as per Central Govt. GFR.
- (C) The Financial bids will be opened of only the firms found technically suitable and after verify their valid document.

4. PRICE:-

(a). The price quoted should be F.O.R. National Institute for Locomotor Disabilities (Divyangjan), (erstwhile NIOH) B.T.Road, Bon-Hooghly, Kolkata-700090 inIndian Rupees only.Price quoted Should never be exceed the Printed / Catalogued MRP of the product and price should be inclusive of all taxes and other charges (If any).

(b). The price quoted should be firm and remain valid for 06 months from the finalization of tender.

5. SECURITY DEPOSIT:

The SD money will be remained in custody of the institute and will be released after expiry of the warranty period.

6. RESPONSIBILITIES FOR EXECUTION OF CONTRACT:

The supplier is to be entirely responsible for the execution of the contract in all respect in accordance with the terms and conditions as specified in the acceptance of quotation and lawfully responsible for the supply at site and will replace any part or full, whatever the case may be, if found not in conformity with the specification as laid down. Non-fulfillment of contract as per terms and condition as stipulated shall cause forfeiting of EMD/Security deposit.

7. DELIVERY SCHEDULE:

- 1. Delivery should be free at site, Composite Regional Centre (CRC), Patna, Sheikhpura (Old Dharamshala), Near IGIMS Nursing College, Patna, Bihar- 800014, If the supplier fails to deliver the stores or any part thereof within thestipulated date of delivery, the competent authority of the Institute (NILD) will be entitled at their discretion to either:
- (a). purchase the store from elsewhere, at the cost and risk of the supplier or
- (b) **Recover from the supplier liquidated damages liability @ 0. 5% per week of the order value** as per Govt. Rules.

8. REMOVAL OR REJECTION:

Any stores rejected by our quality control officer/expert must be removed by the supplier and replacement made within two weeks from the date of receipt of such intimation at his risk and cost.

9. CREDIBILITY OF FIRM/SUPPLIER:

The bidder should have its office/representative/service provider within a reasonable distance from the institute in Kolkata and have sales/ service installations in Kolkata preferably

10. BILLING & TERMS OF PAYMENT:

Bills in Four copies along with the Original receipted challan in five copies must be submitted to the Director, NILD, B.T.Road, Bon-hooghly, Kolkata-700090, duly pre-receipted by affixing revenue stamp and official seal. Admissible payment will be made after final supply and satisfactory installation certificate.

11.SETTELEMENT OF DISPUTES:

All disputes or differences of any kind whatsoever arising out of or in connection with execution of this contract, whether during the progress of the supply or after their completion, shall be referred by the supplier to the Director of the Institute and the competent authority of the institute shall within reasonable time shall examine the case on its merit and on basis of any representation made in this context and notify decisions thereon in writing. The decision of the Director of the Institute shall be binding upon the supplier. If the supplier is not satisfied with the decision of the competent authority of the Institute, on any matters in question, dispute/difference to be arbitrated upon shall be the jurisdiction of the High Court at Kolkata.

The High Court of Kolkata will only be the jurisdiction to deal with and decide on any dispute whatsoever arising out of this tender.

The Director of the National Institute for Locomotor Disabilities (Divyangjan), reserves the right to reject any or all the tenders without assigning any reasons or giving any explanation thereof. No claim for damages will be entertained in this regard.

In addition to above, all others terms & conditions will also be binding as applicable in Govt. of India Purchase Rule.

The above conditions are stipulated without any prejudice.

DIRECTOR NILD, KOLKATA

ANNEXTURE-I

CHECKLIST OF SUBMITTING DOCUMENTS – (TO BE FILLED BY THE TENDERER)

SL. NO:	DOCUMENTS	PLEASE MARK " V " IF DOCUMENT SUBMITTED*
1	Tender document, downloaded from the web site Web: www.eprocure.gov.in	
2	Warranty of the items	
3	Delivery period:-	
4	Validity of the quotation	
5	Signed photo copy of latest and valid Trade license, Income Tax, GST / Pan card/ Sales Tax Clearance certificate / Partnership Deed (in case of Partnership firm must be submitted with the Quotation documents.	
6	Valid documents stating that bidder/ tendered is/are manufacturer accredited agent or sole representative indicating principals and agent quoting on behalf of their manufacturers / principals with valid documents.	
7	Brand of the product	
	Any other documents submitting by the Tenderer, to be mentioned here:	

*Mention "Not Applicable" if the document is irrelevant.