



HARYANA RIGHT TO SERVICE COMMISSION  
S.C.O. No. 38 & 39 (2<sup>nd</sup> FLOOR), SECTOR 17-A, CHANDIGARH-160017  
E-mail: [rtsc-hry@gov.in](mailto:rtsc-hry@gov.in) Telephone: 0172-2711050

File No. HRTSC/SM-048/PHED/ 0449.

Dated: 07.02.2022

To

The Principal Secretary,  
Public Health Engineering Department, Haryana.  
Haryana  
E-mail: [psphedharyana1@gmail.com](mailto:psphedharyana1@gmail.com)

**Subject:- Complaint against pending sanction of sewerage connection.**

\*\*\*\*\*

I am directed to invite your kind attention on the subject cited above and forward herewith a copy of Suo-moto notice issued to the Engineer-in-Chief, PHED, Haryana dated 21.12.2021 and copy of reply dated 11.01.2022 received from Engineer-in-Chief, PHED, Haryana in respect of Suo-moto notice issued to him with the request to take appropriate action as deemed fit after considering the reply of EIC, PHED, Haryana.

**BY THE ORDER OF THE HARYANA RIGHT TO SERVICE COMMISSION AT  
CHANDIGARH.**



*S Khan*  
(Sube Khan)  
Under Secretary-cum-Registrar  
For Haryana Right to Service Commission  
E-mail: [rtsc-hry@gov.in](mailto:rtsc-hry@gov.in)

Hearing was postponed in this case. However, from the perusal of the detailed reply dated 11.01.2022, it is felt that the personal hearing is not required. Reply of the allegations at Sr.No.1 to 3 are not convincing in the sense that firstly, the estimate of storm water sewer line was framed on verbal request and 500 MM I/D (20 Mtrs.) storm water pipeline was dismantled probably without any plausible reason. However, it is not the mandate of this Commission to go into these reasons specially when there is no specific demand of any notified service by an eligible person under the provisions of the Act. Therefore, without further going into this case, the instant *suo moto* notice is hereby filed but PS, PHED is requested to take appropriate action as deemed fit after considering the reply of EIC, PHED in this case.

