



NOTICE INVITING TENDER

	UJVNL LTD. H.O.: "UJJWAL", Maharani Bagh, G.M.S. Road, Dehradun-248006 Telephones: 0135-2763808, Fax: 0135-2763508 CIN No. U40101UR2001SGC025866, Website: www.ujvnl.com
	Tender Notice Office of the Executive Engineer (Generation), Khodri Power Station, Dakpathar (Dehradun), invites sealed tenders from interested parties. Brief summary of tender is given below: Tender No: 04/EE(Gen)/Khodri/2025-26: Procurement of Oxide Inhibiting Electrical Joint Compound for 220kV switchyard at Khodri Power Station. Tender No: 05/EE(Gen)/Khodri/2025-26: Annual Preventive Maintenance of Generator of Unit No. 3 & 4 at Khodri Power Station. Estimated cost: Rs. 85,325/- & Rs. 24,96,082/- G.S.T extra, Date of availability of bid document on website: 25.09.2025, 10:00 hrs. Last date for submission of tender: 15.10.2025 up to 16:00 hrs. For fuller & further details, kindly visit our website. The tender documents can be downloaded from the Nigam's website "www.ujvnl.com" Executive Engineer (Generation) "Avoid wasteful use of Electricity"

	यूजेवीएनलिमिटेड मुख्यालय "उज्जवल" महारानीबाग, जी०एम०एस०रोड, देहरादून-248006 दूरभाष: 0135-2763808 फैक्स: 0135-2763508 CIN No. U40101UR2001SGC025866 वेबसाइट :www.ujvnl.com
	निविदा सूचना कार्यालय अधिशासी अभियन्ता (उत्पादन), खोदरी पावर स्टेशन, डाकपथर (देहरादून), द्वारा इच्छुक निविदादाताओं से मुहरबंद निविदायें आमंत्रित करता है। निविदा का संक्षिप्त विवरण निम्नवत है: निविदा सं०: 04/अ०अ०(उत्पा०)/खोदरी/2025-26: खोदरी विद्युत गृह पर 220 केवी स्विचयार्ड के लिये ऑक्साइड अवरोधक विद्युत ज्वाइंट कम्पाउण्ड की आपूर्ति का कार्य। निविदा सं०: 05/अ०अ०(उत्पा०)/खोदरी/2025-26: मशीन नं० 3 और 4 के वार्षिक अनुस्क्षण का कार्य। अनुमानित लागत कमशः रु० 85,325/- एवं रु० 24,96,082/-—जीएसटी अतिरिक्त, वेबसाइट पर निविदा प्रपत्र की उपलब्धता की तिथि: 25.09.2025, 10:00 बजे निविदा जमा करने की अन्तिम तिथि: 15.10.2025, 16:00 बजे तक। अन्य जानकारी हेतु कृपया हमारी वेबसाइट देखें। निविदा प्रपत्र निगम की वेबसाइट "www.ujvnl.com" से डाउनलोड किये जा सकते हैं। अधिशासी अभियन्ता (उत्पादन) "बिजली के दुरुपयोग से बचें"