

Government of Maharashtra

JOINT COMMISSIONER OF ANIMAL HUSBANDRY Institute of Veterinary Biological Products Aundh, Pune -411007, MAHARASHTRA



e-mail: ivbp.pune@gmail.com

Landline No: 020-25697962

O. No. IVBP/Workshop/Quo.RO Plant & EDI/3549/2024, Aundh, Pune-07, Dt:- 29 NOV 2024

NOTICE

To,

Subject :- Quotation for AMC for servicing of RO Plant & EDI plant...

With reference to the subject cited above this is to bring to your kind attention that, Institute of Veterinary Biological Products is a State Government run Institute located at Ganeshkhind Road, Aundh, Pune-411007.

This Institute intends to do AMC for servicing of RO Plant & EDI Plant for the year 2024-25. You are requested to quote your best competitive rates for this AMC for servicing of RO Plant & EDI Plant.

In this regards kindly take care of the following points

- 1. Ouote the rate for item inclusive of all taxes.
- 2. The Quotation rates must be valid for One Year from the date of work order.
- 3. AMC for servicing of RO Plant & EDI Plant has to be carried out for every three months i.e. Four times in a year So please mention the rates for AMC.
- 4. The Quotation for the AMC for servicing of RO Plant & EDI Plant, should be addressed to Joint Commissioner of Animal Husbandry, Institute of Veterinary Biological Products, Aundh, pune-07.
- 5. On the envelope mention "Quotation for AMC of RO Plant & EDI Plant 2024-25, Last Date 5/12/2024".
- Submission of Quotations does not necessarily entitle you for purchase order. If quotation rate is approved, work must be completed within **One Month** from the date of Purchase Order.
- 7. Particulars of item mentioned are strictly followed. No changes are made. If made, that would be treated as invalid.
- 8. Kindly don't enquire about orders after submitting the quotation. This office will contact you If Felt necessary for Further action.

(Dr. Y.A. Pathan) 29.1

Joint Commissioner Animal Husbandry, Institute of Veterinary Biological Products, Aundh, Pune-411007.

Copy: 1. Notice Board 2. IT Hub, Pune-67