



Government of Maharashtra
JOINT COMMISSIONER OF ANIMAL HUSBANDRY
Institute of Veterinary Biological Products
Aundh, Pune -411007, MAHARASHTRA



e-mail : ivbp.pune@gmail.com

Landline No : 020-25697962

Outward. No.IVBP/SPO-1/C.R.99/Quo. Dropper Bottle / 485 /2025, Aundh, Pune-7, Dt:-

13/12/25

To,

Subject - Quotation for Pre-Sterilized Dropper Bottle (50 ml) with nozzle & cap ...

With reference to the subject cited above this is to bring to your kind attention that, Institute of Veterinary Biological Products is a State Government run institute located at Ganeshkhind Road, Aundh, Pune 411 007.

This institute intends to purchase following Pre-Sterilized Dropper Bottle (50 ml) with nozzle & cap for the year 2024-25. You are requested to quote your best competitive rates for these Pre-Sterilized Dropper Bottle (50 ml) with nozzle & cap as per the specification mentioned below.


Demand for Pre-Sterilized Dropper Bottle (50 ml) with nozzle & cap for the year 2024-25

Sr. No.	Name of Item	Specifications	Packing Size	Total Demand/ Quantity	Basic rate per quantity (RS)	GST (RS)	Total Cost (RS)
01	02	03	04	05	06	07	08
1	Pre-sterilized dropper bottle (50 ml) with nozzle & cap	Bottle: Material- LDPE, Total height- 95.0 mm \pm 0.5 mm, Outer body diameter at bottom- 35.00 mm \pm 0.5 mm, Inner diameter of neck- 9.2 mm \pm 0.5 mm, Outer diameter of neck- 17.2 mm \pm 0.5 mm, Capacity- 50 ml, OFC- 64.0 ml \pm 2.0 ml, Sterilization- ETO sterilized, Colour- Natural, Surface finish- smooth, Self piercing cap Nozzle: Total height- 19.3 mm \pm 0.5 mm, Outer diameter at collar- 11.75 mm \pm 0.5 mm, Fitting diameter- 9.75 mm \pm 0.5 mm Cap: Total height with ring- 29.0 mm \pm 0.5 mm Outer diameter at collar- 19.9 mm \pm 0.5 mm Inner diameter at bottom w/o thread- 14.75 mm \pm 0.5 mm Knurlling diameter- 17.7 mm \pm 0.5 mm	500 Nos. bottles with nozzles & caps	20 pack (10000 Nos)			

In this regards kindly take care of the following points

1. Quote the rate for item inclusive of all taxes FOR to IVBP, Pune-7
2. The quotation rates must be valid up to 31st March 2025

3. The quotation for the supply of the **Pre-Sterilized Dropper Bottle (50 ml) with nozzle & cap** should be addressed to Joint Commissioner of Animal Husbandry, Institute of Veterinary Biological Products, Aundh, Pune-7.
4. On the envelope mention "**Quotation for supply of Pre-Sterilized Dropper Bottle (50 ml) with nozzle & cap 2024-25, Last Date 20/02/2025**".
5. Submission of quotations does not necessarily entitle you for purchase order. If quotation rate/s is approved, supply must be made within 5 days from the date of Purchase Order.
6. Particulars of item and packing mentioned are strictly followed. No changes are made. If made, that would be treated as invalid.
7. Kindly don't enquire about orders after submitting the quotations. This office will contact you if felt necessary for further action.


(Dr. Y. A. Pathan) 13/02/2025

Joint Commissioner Animal Husbandry
Institute of Veterinary Biological Products,
Aundh, Pune-411 007