

F. No. 283/41/2024-GRID SOLAR

भारत सरकार / Government of India

नवीन और नवीकरणीय ऊर्जा मंत्रालय / Ministry of New & Renewable Energy

ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003.

Dated: 14th October, 2024

OFFICE MEMORANDUM

Sub: Updation of List I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 – Reg.

- Ref:** (i) MNRE's O.M. No. 283/54/2018-GRID SOLAR-Part(1) dated 10.03.2021
(ii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 10.05.2023;
(iii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 22.03.2024;

Reference is invited to this Ministry's O.M.s of even no. dated 10.03.2021, regarding implementation of Approved Models and Manufacturers of Solar Photovoltaic Modules (Requirement for Compulsory Registration) Order, 2019 and publishing List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019.

2. This Ministry vide its O.M. No. 283/22/2023-GRID SOLAR/Pt dated 10.05.2023 and O.M. of even no. dated 22.03.2024 inter-alia directed that only such models of Solar PV Module Manufacturers will be enlisted under ALMM, which comply with the BIS Standards and are having the following minimum module efficiency:

Category	Application/ Use	Minimum Module Efficiency requirement for crystalline-Silicon technology based Solar PV Modules	Minimum Module Efficiency requirement for Cadmium Telluride Thin Film technology based Solar PV Modules
Category I	Utility / Grid Scale Power Plants	20.0%	19.00%
Category II	Rooftop and Solar Pumping	19.5%	18.50%
Category III	Solar Lighting	19.0%	18.00%

3. Post the O.M. dated 10.05.2023 and subsequent O.M. dated 22.03.2024, only such models of Solar PV Modules have been considered for enlistment under ALMM List-I, whose module efficiency is meeting the eligibility criteria as mentioned in table at para-2 above.

4. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 was last updated on 27.09.2024.

5. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 is hereby further revised and the Revision-XXIX of same is enclosed at Annexure-I. The details of provisional enlistments granted by MNRE in ALMM List-I are at pages after Annexure-I.

6. The ALMM enlistment validity is subject to valid BIS Registration; else deemed to be delisted.

7. The details of Registration No. (R. No.) which has been allotted by BIS is mentioned against each manufacturer / manufacturing unit enlisted in ALMM and further details related to BIS certification like validity, models included, etc. may be checked from BIS website by using the following link:
https://www.crsbis.in/BIS/Lims_registrationc.do?hmode=getLimsData

8. This issues with the approval of competent authority.



(Sanjay G. Karndhar)
Scientist-E

E-mail: karndhar.sg@nic.in

Encl: as above

To: All Concerned

Copy to: Director (Technical), NIC, MNRE for uploading this document on MNRE's website

List of Manufacturers and Models of Solar PV Modules Enlisted under ALMM Order (As on 14.10.2024)

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
1	Emmvee Photovoltaic Power Pvt. Ltd.	#13/1, International Airport Road (Bellary Road), Bettahalasuru Post, Bengaluru-562157, Karnataka	R-62001074	512	i	Mono C-Si PERC Modules	E390M72 (390 Wp)	E385M72	19.20	72 (Full Cells)	1500	10.03.2023	09.03.2027
								E390M72	19.45				
								E395M72	19.70				
								E320M60	19.04	60 (Full Cells)	1500	10.03.2023	09.03.2027
								E325M60	19.34				
								E330M60	19.64				
2	M/s Sova Solar Ltd.	Layout Plot No: 25, E.P.I.P, Banskopa, Durgapur 713212, West Bengal, India.	R-51000590	532	i	Mono C-Si PERC Modules	SS535144HCMP (535Wp)	SS520144HCMP	20.16	144 (Half-Cut Cells)	1500	10.03.2023	09.03.2027
								SS525144HCMP	20.35				
								SS530144HCMP	20.54				
								SS535144HCMP	20.74				
								SS540144HCMP	20.93				
								SS545144HCMP	21.13				
								SS550144HCMP	21.32				
					ii	Mono C-Si PERC Bifacial Modules	SS535144HCBP (535Wp)	SS55144HCMP	21.51	144 (Half-Cut Cells)	1500	10.03.2023	09.03.2027
								SS520144HCBP	20.16				
								SS525144HCBP	20.35				
								SS530144HCBP	20.54				
								SS535144HCBP	20.74				
								SS540144HCBP	20.93				
								SS545144HCBP	21.13				
SS550144HCBP	21.32												
3	M/s Solex Energy Ltd	Plot No. 131/A Phase-1, G.I.D.C, Vitthal Udyognagar, Anand, Gujarat	R-72002577	21	i	Mono C-Si PERC Modules	SESM24375 (375 Wp)	SESM24370	19.04	72 (Full Cells)	1000	10.03.2023	09.03.2027
								SESM24375	19.30				
								SESM24380	19.55				
							SE20CM120W320	19.21	120 (Half Cells)	1000	10.03.2023	09.03.2027	
							SE24CM144W375	19.01	144 (Half Cells)	1000	10.03.2023	09.03.2027	
						SE24CM144W380	19.30						
						SE24CM144W385	19.51						
4	Saatvik Green Energy Pvt. Ltd.	Village Dubli, Tehsil- Barara, Dist- Ambala -133101, Haryana	R-91003670	566	i	Mono C-Si PERC Modules	SGE 190-36M (190 Wp)	SGE 190-36M	19.11	36 (Full Cells)	1000	10.03.2023	09.03.2027
								ii	Mono C-Si PERC Modules	SGE 255-48M (255 Wp)	SGE 255-48M	19.37	48 (Full Cells)
					iii	Mono C-Si PERC Modules	SGE 285-54M (285 Wp)	SGE 280-54M	19.15	54 (Full Cells)	1000	10.03.2023	09.03.2027
								SGE 285-54M	19.49				
					iv	Mono C-Si PERC Modules	SGE 315-60M (315 Wp)	SGE 310-60M	19.08	60 (Full Cells)	1500	10.03.2023	09.03.2027
								SGE 315-60M	19.41				
					v	Mono C-Si PERC Modules	SGE 375-72M (375 Wp)	SGE 370-72M	19.09	72 (Full Cells)	1500	10.03.2023	09.03.2027
								SGE 375-72M	19.35				
					vi	Mono C-Si PERC Modules	SGE570-156MHC, (570 Wp)	SGE 380-72M	19.61	156 (Half Cut Cells)	1500	10.03.2023	09.03.2027
								SGE555-156MHC	19.78				
								SGE560-156MHC	19.96				
								SGE565-156MHC	20.14				
								SGE570-156MHC	20.32				
								SGE575-156MHC	20.50				
								SGE580-156MHC	20.67				
					vii	Mono C-Si PERC Modules	SGE530-144MHC, (530 Wp)	SGE585-156MHC	20.85	144 (Half Cut Cells)	1500	10.03.2023	09.03.2027
								SGE590-156MHC	21.03				
SGE520-144MHC	20.13												
SGE525-144MHC	20.32												
SGE530-144MHC	20.52												
SGE535-144MHC	20.70												
SGE540-144MHC	20.90												
SGE545-144MHC	21.10												
SGE550-144MHC	21.29												
SGE470-132MHC	19.78												
			SGE475-132MHC	20.01									
				SGE480-132MHC	20.23								

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity						
												From	To (subject to valid BIS Registration; else deemed to be delisted)					
					viii	Mono PERC C-Si Module	NSM400-108 (400 Wp)	NSM400-108	20.47	108 (Half Cut Cells)	1500	10.03.2023	09.03.2027					
								NSM405-108	20.72									
								NSM410-108	20.98									
					ix	Mono PERC C-Si Module	NSM360-96 (360 Wp)	NSM350-96	20.06	96 (Half Cut Cells)	1500	10.03.2023	09.03.2027					
								NSM355-96	20.35									
								NSM360-96	20.64									
					x	Mono PERC C-Si Module	NSM270-72 (270 Wp)	NSM365-96	20.92	72 (Half Cut Cells)	1500	10.03.2023	09.03.2027					
								NSM260-72	19.62									
								NSM265-72	20.00									
					xi	Mono PERC C-Si Module	NSM470-156 (470 Wp)	NSM270-72	20.38	156 (Half Cut Cells)	1500	10.03.2023	09.03.2027					
								NSM275-72	20.76									
								NSM460-156	19.65									
								NSM465-156	19.86									
								NSM470-156	20.07									
								NSM475-156	20.29									
								NSM480-156	20.50									
					xii	Mono PERC C-Si Module	NSM450-144 (450 Wp)	NSM485-156	20.72	144 (Half Cut Cells)	1500	10.03.2023	09.03.2027					
								NSM435-144	20.08									
								NSM440-144	20.32									
								NSM445-144	20.78									
								NSM450-144	20.55									
					xiii	Mono PERC C-Si Module	NSM405-132 (405 Wp)	NSM455-144	21.01	132 (Half Cut Cells)	1500	10.03.2023	09.03.2027					
								NSM460-144	21.64									
								NSM465-144	21.47									
								NSM395-132	19.85									
								NSM400-132	20.10									
					xiv	Mono PERC C-Si Module	NSM370-120 (370 Wp)	NSM405-132	20.35	120 (Half Cut Cells)	1500	10.03.2023	09.03.2027					
								NSM410-132	20.60									
								NSM415-132	20.85									
								NSM360-120	19.84									
					xv	Mono PERC C-Si Module	NSM330-108 (330 Wp)	NSM365-120	20.11	108 (Half Cut Cells)	1500	10.03.2023	09.03.2027					
								NSM370-120	20.39									
								NSM375-120	20.66									
								NSM320-108	19.52									
								NSM325-108	19.82									
					xvi	Mono PERC C-Si Module	NSM290-96 (290 Wp)	NSM330-108	20.13	96 (Half Cut Cells)	1500	10.03.2023	09.03.2027					
								NSM335-108	20.43									
								NSM340-108	20.74									
								NSM285-96	19.47									
					xvii	Mono PERC C-Si Module	NSM220-72 (220 Wp)	NSM295-96	19.81	72 (Half Cut Cells)	1500	10.03.2023	09.03.2027					
								NSM295-96	20.15									
								NSM300-96	20.49									
					xviii	Mono PERC C-Si Module	NSM395 (395 Wp)	NSM215-72	19.32	72 (Half Cut Cells)	1500	10.03.2023	09.03.2027					
								NSM220-72	19.77									
								NSM225-72	20.22									
					6	Jakson Engineers Ltd.	Plot No-25, Ecotech-III, Udyog Kendra, Greater NOIDA-201306, Gautam Budha Nagar, Uttar Pradesh, India.	R-93005959	1162	i	Mono C-Si PERC Modules	JH-440M, (440Wp)	NSM385	19.40	120 (Half-Cut Cells)	1500	17.08.2023	16.08.2027
													NSM390	19.65				
													NSM395	19.90				
NSM400	20.15																	
JH-420M	19.26																	
JH-425M	19.49																	
JH-430M	19.71																	
JH-435M	19.94																	
JH-440M	20.17																	
JH-445M	20.40																	
JH-450M	20.63																	
JH-455M	20.86																	
JH-460M	21.09																	
JH-470M	19.66																	
JH-475M	19.87																	
ii	Mono C-Si PERC Modules	JH-490M, (490Wp)	JH-480M	20.08	132 (Half-Cut Cells)	1500	17.08.2023	16.08.2027										
			JH-485M	20.29														
			JH-490M	20.50														
			JH-495M	20.71														
			JH-500M	20.92														
JH-505M	21.13																	

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					iii	Mono C-Si PERC Modules	JH-535M, (535Wp)	JH-510M JH-515M JH-520M JH-525M JH-530M JH-535M JH-540M JH-545M JH-550M JH-555M JH-580M JH-585M JH-590M JH-595M JH-600M	21.34 19.85 20.04 20.23 20.43 20.62 20.81 21.00 21.20 21.39 20.67 20.85 21.03 21.21 21.38	144 (Half-Cut Cells)	1500	17.08.2023	16.08.2027
					iv	Mono C-Si PERC Modules	JH-580M, (580Wp)	JP-H385M JP-H390M JP-H395M JP-H400M JP-H405M	19.37 19.62 19.87 20.12 20.37	72 (Full Cells)	1500	17.08.2023	16.08.2027
					v	Mono C-Si PERC Modules	JP-H395M, (385Wp-405Wp)	JH-380M JH-385M JH-390M JH-395M JH-400M JH-405M JH-410M JH-415M	19.28 19.53 19.79 20.04 20.29 20.55 20.88 21.06	108 (Half-Cut Cells)	1500	17.08.2023	16.08.2027
					vi	Mono C-Si PERC Modules	JH-400M, (400Wp)	JH-380BB JH-385BB JH-390BB JH-395BB JH-400BB JH-405BB JH-410BB JH-415BB	19.48 19.73 19.99 20.25 20.50 20.76 21.01 21.27	108 (Half Cut Cells)	1500	17.08.2023	16.08.2027
					vii	Mono c-Si Bifacial PERC Module	JH-400BB	JH-420BB JH-425BB JH-430BB JH-435BB JH-440BB JH-445BB JH-450BB JH-455BB JH-460BB	19.39 19.62 19.85 20.08 20.31 20.54 20.77 21.00 21.23	120 (Half Cut Cells)	1500	17.08.2023	16.08.2027
					viii	Mono c-Si Bifacial PERC Module	JH-440BB	JH-475BB JH-480BB JH-485BB JH-490BB JH-495BB JH-500BB JH-505BB JH-510BB JH-515BB JH-520BB JH-525BB JH-530BB	20.02 20.23 20.44 20.65 20.86 21.07 21.29 21.50 21.71 20.15 20.34 20.53	132 (Half Cut Cells)	1500	17.08.2023	16.08.2027
					ix	Mono c-Si Bifacial PERC Module	JH-490BB	JH-535BB JH-540BB JH-545BB JH-550BB JH-555BB	20.73 20.92 21.11 21.31 21.50	144 (Half Cut Cells)	1500	17.08.2023	16.08.2027
					x	Mono c-Si Bifacial PERC Module	JH-535BB	JH-380BT JH-385BT JH-390BT JH-395BT	19.48 19.73 19.99 20.25	108 (Half Cut Cells)	1500	17.08.2023	16.08.2027

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xi	Module	JH-400BT	JH-400BT	20.50	108 (Half Cut Cells)	1500	17.08.2023	16.08.2027
								JH-405BT	20.76				
								JH-410BT	21.01				
								JH-415BT	21.27				
								JH-420BT	19.39				
								JH-425BT	19.62				
								JH-430BT	19.85				
					xii	Mono c-Si Bifacial PERC Module	JH-440BT	JH-435BT	20.08	120 (Half Cut Cells)	1500	17.08.2023	16.08.2027
								JH-440BT	20.31				
								JH-445BT	20.54				
								JH-450BT	20.77				
								JH-455BT	21.00				
								JH-460BT	21.23				
								JH-475BT	20.02				
								JH-480BT	20.23				
								JH-485BT	20.44				
								JH-490BT	20.65				
								JH-495BT	20.86				
								JH-500BT	21.07				
								JH-505BT	21.29				
								JH-510BT	21.50				
								JH-515BT	21.71				
								JH-520BT	20.15				
								JH-525BT	20.34				
								JH-530BT	20.53				
								JH-535BT	20.73				
								JH-540BT	20.92				
								JH-545BT	21.11				
								JH-550BT	21.31				
								JH-555BT	21.50				
								JH-380BW	19.48				
								JH-385BW	19.73				
								JH-390BW	19.99				
								JH-395BW	20.25				
								JH-400BW	20.50				
								JH-405BW	20.76				
								JH-410BW	21.01				
								JH-415BW	21.27				
								JH-420BW	19.39				
								JH-425BW	19.62				
								JH-430BW	19.85				
								JH-435BW	20.08				
								JH-440BW	20.31				
								JH-445BW	20.54				
								JH-450BW	20.77				
								JH-455BW	21.00				
								JH-460BW	21.23				
								JH-475BW	20.02				
								JH-480BW	20.23				
								JH-485BW	20.44				
								JH-490BW	20.65				
								JH-495BW	20.86				
								JH-500BW	21.07				
								JH-505BW	21.29				
								JH-510BW	21.50				
								JH-515BW	21.71				
								JH-520BW	20.15				
								JH-525BW	20.34				
								JH-530BW	20.53				
								JH-535BW	20.73				
								JH-540BW	20.92				
								JH-545BW	21.11				
								JH-550BW	21.31				
								JH-555BW	21.50				
								JN-400BT	20.50				
								JN-405BT	20.76				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xix	N-Type TOPCon Module (Glass to Transparent Backsheet)	JN-420BT (420 Wp)	JN-410BT JN-415BT JN-420BT JN-425BT JN-430BT JN-435BT JN-440BT	21.01 21.27 21.53 21.78 22.04 22.29 22.55	108 (Half Cut Cells)	1500	17.08.2023	16.08.2027
					xx	N-Type TOPCon Module (Glass to Transparent Backsheet)	JN-470BT (470 Wp)	JN-445BT JN-450BT JN-455BT JN-460BT JN-465BT JN-470BT JN-475BT JN-480BT JN-485BT JN-490BT	20.54 20.77 21.00 21.23 21.46 21.70 21.93 22.16 22.39 22.62	120 (Half Cut Cells)	1500	17.08.2023	16.08.2027
					xxi	N-Type TOPCon Module (Glass to Transparent Backsheet)	JN-520BT (520 Wp)	JN-495BT JN-500BT JN-505BT JN-510BT JN-515BT JN-520BT JN-525BT JN-530BT JN-535BT JN-540BT	20.86 21.07 21.28 21.50 21.71 21.92 22.13 22.34 22.55 22.76	132 (Half Cut cells)	1500	17.08.2023	16.08.2027
					xxii	N-Type TOPCon Module (Glass to Transparent Backsheet)	JN-570BT (570 Wp)	JN-545BT JN-550BT JN-555BT JN-560BT JN-565BT JN-570BT JN-575BT JN-580BT JN-585BT JN-590BT	21.12 21.31 21.50 21.70 21.89 22.08 22.28 22.47 22.66 22.86	144 (Half Cut Cells)	1500	17.08.2023	16.08.2027
					xxiii	N-Type TOPCon Module (Glass to Glass)	JN-420G (420 Wp)	JN-400G JN-405G JN-410G JN-415G JN-420G JN-425G JN-430G JN-435G	20.50 20.76 21.01 21.27 21.53 21.78 22.04 22.29	108 (Half Cut Cells)	1500	17.08.2023	16.08.2027
					xxiv	N-Type TOPCon Module (Glass to Glass)	JN-470G (470 Wp)	JN-445G JN-450G JN-455G JN-460G JN-465G JN-470G JN-475G JN-480G JN-485G	20.54 20.77 21.00 21.23 21.46 21.70 21.93 22.16 22.39	120 (Half Cut Cells)	1500	17.08.2023	16.08.2027
					xxv	N-Type TOPCon Module (Glass to Glass)	JN-520G (520 Wp)	JN-495G JN-500G JN-505G JN-510G JN-515G JN-520G JN-525G JN-530G	20.86 21.07 21.28 21.50 21.71 21.92 22.13 22.34	132 (Half Cut cells)	1500	17.08.2023	16.08.2027
					xxvi	N-Type TOPCon Module	JN-570G	JN-545G JN-550G JN-555G JN-560G	21.12 21.31 21.50 21.70	144 (Half Cut Cells)	1500	17.08.2023	16.08.2027

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
						(Glass to Glass)	(570 Wp)	JN-565G JN-570G JN-575G JN-580G	21.89 22.08 22.28 22.47	244 (Half Cut Cells)	1500	29.09.2023	28.09.2027
7	Insolation Energy Pvt. Ltd	Khasra No 766/2, Vill-Bagwara, Teh-Amer Jaipur, Rajasthan	R-84002330	174	i	Mono c-Si PERC Module	INA72MP375	INA72MP375	19.23	72 (Full Cells)	1500	29.09.2023	28.09.2027
					ii	Mono c-Si PERC Module	INA72MP385	INA72MP395 INA72MP390 INA72MP385 INA72MP380	19.80 19.55 19.30 19.05	72 (Full Cells)	1500	29.09.2023	28.09.2027
8	Gautam Solar Pvt. Ltd.	Plot No-67-70, Sector-8A IIE, Sidcul Haridwar- 249403, Uttarakhand	R-83006041	710	i	Mono c-Si PERC Modules	G2XBifacial1767-HAE (590 Wp) (565Wp-595Wp)	G2XBifacial1734-HAE G2XBifacial1741-HAE G2XBifacial1747-HAE G2XBifacial1754-HAE G2XBifacial1760-HAE G2XBifacial1767-HAE G2XBifacial1773-HAE	20.20 20.38 20.56 20.74 20.92 21.10 21.28	156 (Half Cut Cells)	1500	29.09.2023	28.09.2027
					ii	Mono c-Si PERC Modules	G2XBifacial1695-HAD (535 Wp) (510Wp-550Wp)	G2XBifacial1663-HAD G2XBifacial1669-HAD G2XBifacial1676-HAD G2XBifacial1682-HAD G2XBifacial1689-HAD G2XBifacial1695-HAD G2XBifacial1702-HAD G2XBifacial1708-HAD G2XBifacial1715-HAD	19.74 19.94 20.13 20.32 20.52 20.71 20.90 21.10 21.29	144 (Half Cut Cells)	1500	29.09.2023	28.09.2027
					iii	Mono c-Si PERC Modules	G2XBifacial1643-HAB (495 Wp) (485Wp-505Wp)	G2XBifacial1656-HAB G2XBifacial1650-HAB G2XBifacial1643-HAB G2XBifacial1637-HAB G2XBifacial1630-HAB	21.13 20.92 20.71 20.50 20.29	132 (Half Cut Cells)	1500	29.09.2023	28.09.2027
					iv	Mono c-Si PERC Modules	G2XBifacial1585-HAA (450 Wp) (440Wp-460Wp)	G2XBifacial1598-HAA G2XBifacial1591-HAA G2XBifacial1585-HAA G2XBifacial1578-HAA G2XBifacial1572-HAA	21.09 20.87 20.64 20.41 20.18	120 (Half Cut Cells)	1500	29.09.2023	28.09.2027
					v	Mono c-Si PERC Modules	G2XBifacial1526-HAY (405 Wp) (390Wp-415Wp)	G2XBifacial1539-HAY G2XBifacial1533-HAY G2XBifacial1526-HAY G2XBifacial1520-HAY G2XBifacial1507-HAY	21.06 20.80 20.55 20.30 19.79	108 (Half Cut Cells)	1500	29.09.2023	28.09.2027
					vi	Mono c-Si PERC Modules	G2XBifacial1468-HAX (360 Wp) (365Wp-350Wp)	G2XBifacial1474-HAX G2XBifacial1468-HAX G2XBifacial1461-HAX G2XBifacial1455-HAX	20.71 20.43 20.14 19.86	96 (Half Cut Cells)	1500	29.09.2023	28.09.2027
					vii	Mono c-Si PERC Modules	G2X590-HAE (590 Wp)	G2X565-HAE G2X570-HAE G2X575-HAE G2X580-HAE G2X585-HAE G2X590-HAE G2X595-HAE	20.20 20.38 20.56 20.74 20.92 21.10 21.28	156 (Half Cut Cells)	1500	29.09.2023	28.09.2027
					viii	Mono c-Si PERC Modules	G2X530-HAD (530 Wp)	G2X510-HAD G2X515-HAD G2X520-HAD G2X525-HAD G2X530-HAD G2X535-HAD G2X540-HAD G2X545-HAD G2X550-HAD	19.74 19.94 20.13 20.32 20.52 20.71 20.90 21.10 21.29	144 (Half Cut Cells)	1500	29.09.2023	28.09.2027
					ix	Mono c-Si PERC Modules	G2X495-HAB (495 Wp)	G2X505-HAB G2X500-HAB G2X495-HAB	21.13 20.92 20.71	132 (Half Cut Cells)	1500	29.09.2023	28.09.2027

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								G2X490-HAB	20.50				
								G2X485-HAB	20.29				
								G2X460-HAA	21.09				
					x	Mono c-Si PERC Modules	G2X450-HAA (450 Wp)	G2X455-HAA	20.87	120 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2X450-HAA	20.64				
								G2X445-HAA	20.41				
								G2X440-HAA	20.18				
								G2X415-HAY	21.06				
								G2X410-HAY	20.80				
					xi	Mono c-Si PERC Modules	G2X405-HAY (405 Wp)	G2X405-HAY	20.55	108 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2X400-HAY	20.30				
								G2X390-HAY	19.79				
								G2X365-HAX	20.71				
								G2X360-HAX	20.43				
								G2X355-HAX	20.14				
					xii	Mono c-Si PERC Modules	G2X360-HAX (360 Wp)	G2X350-HAX	19.86	96 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								GS-410-AAA	19.03				
								GS-415-AAA	19.26				
								GS-420-AAA	19.49				
								GS-425-AAA	19.72				
								GS-430-AAA	19.95				
					xiii	Mono c-Si PERC Modules	GS-420-AAA (420 Wp)	GS-380-AAB	19.13	78 (Full Cells)	1500	29.09.2023	28.09.2027
								GS-385-AAB	19.39				
								GS-390-AAB	19.64				
								GS-395-AAB	19.89				
								GS-400-AAB	20.14				
								GS-405-AAB	20.39				
					xiv	Mono c-Si PERC Modules	GS-400-AAB (400 Wp)	GS-410-AAB	20.64	72 (Full Cells)	1500	29.09.2023	28.09.2027
								GS-415-AAB	20.90				
								GS-420-AAB	21.15				
								GS-350-AAC	19.13				
								GS-355-AAC	19.40				
								GS-360-AAC	19.67				
					xv	Mono c-Si PERC Modules	GS-360-AAC (360 Wp)	GS-365-AAC	19.95	66 (Full Cells)	1500	29.09.2023	28.09.2027
								GS-320-AAD	19.16				
								GS-325-AAD	19.46				
								GS-330-AAD	19.76				
								GS-335-AAD	20.06				
								GS-290-AAE	19.21				
					xvi	Mono c-Si PERC Modules	GS-330-AAD (330 Wp)	GS-295-AAE	19.54	54 (Full Cells)	1500	29.09.2023	28.09.2027
								GS-300-AAE	19.87				
								GS-260-AAF	19.26				
								GS-265-AAF	19.63				
								GS-230-AAG	19.33				
								GS-195-AAH	19.26				
					xvii	Mono c-Si PERC Modules	GS-295-AAE (295 Wp)	GS-200-AAH	19.75	48 (Full Cells)	1500	29.09.2023	28.09.2027
								GS-205-AAH	20.25				
								GS-210-AAH	20.74				
								G2X590-HAD	22.82				
								G2X1767-UHAD	22.78				
								G2X588-HAD	22.74				
					xviii	Mono c-Si PERC Modules	GS-260-AAF (260 Wp)	G2X587-HAD	22.70	42 (Full Cells)	1500	29.09.2023	28.09.2027
								G2X1758T-UHAD	22.66				
								G2X585-HAD	22.63				
								G2X1752-UHAD	22.59				
								G2X583-HAD	22.55				
								G2X582-HAD	22.51				
					xix	Mono c-Si PERC Modules	GS-230-AAG (230 Wp)	G2X1743T-UHAD	22.47	36 (Full Cells)	1500	29.09.2023	28.09.2027
								G2X580-HAD	22.43				
								G2X1737-UHAD	22.39				
								G2X578-HAD	22.36				
								G2X577-HAD	22.32				
								G2X1728T-UHAD	22.28				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xxi	N-Type TOPCon Module	G2X575-HAD (575Wp) (551Wp-590Wp)	G2X575-HAD 22.24 G2X1722-UHAD 22.20 G2X573-HAD 22.16 G2X572-HAD 22.12 G2X1713T-UHAD 22.08 G2X570-HAD 22.05 G2X1707-UHAD 22.01 G2X568-HAD 21.97 G2X567-HAD 21.93 G2X1698T-UHAD 21.89 G2X565-HAD 21.85 G2X1692-UHAD 21.81 G2X563-HAD 21.78 G2X562-HAD 21.74 G2X1683T-UHAD 21.70 G2X560-HAD 21.66 G2X1677-UHAD 21.62 G2X558-HAD 21.58 G2X557-HAD 21.54 G2X1668T-UHAD 21.50 G2X555-HAD 21.47 G2X1662-UHAD 21.43 G2X553-HAD 21.39 G2X552-HAD 21.35 G2X1653T-UHAD 21.31	22.24 22.20 22.16 22.12 22.08 22.05 22.01 21.97 21.93 21.89 21.85 21.81 21.78 21.74 21.70 21.66 21.62 21.58 21.54 21.50 21.47 21.43 21.39 21.35 21.31	144 (Half Cut Cells)	1500	29.09.2023	28.09.2027
					xxii	N-Type TOPCon Module	G2X480-HAA (480 Wp) (461Wp-495Wp)	G2X495-HAA 22.70 G2X1482-UHAA 22.65 G2X493-HAA 22.61 G2X492-HAA 22.56 G2X1473T-UHAA 22.52 G2X490-HAA 22.47 G2X1467-UHAA 22.42 G2X488-HAA 22.38 G2X487-HAA 22.33 G2X1458T-UHAA 22.29 G2X485-HAA 22.24 G2X1452-UHAA 22.19 G2X483-HAA 22.15 G2X482-HAA 22.10 G2X1443T-UHAA 22.06 G2X480-HAA 22.01 G2X1437-UHAA 21.97 G2X478-HAA 21.92 G2X477-HAA 21.87 G2X1428T-UHAA 21.83 G2X475-HAA 21.78 G2X1422-UHAA 21.74 G2X473-HAA 21.69 G2X472-HAA 21.64 G2X1413T-UHAA 21.60 G2X470-HAA 21.55 G2X1407-UHAA 21.51 G2X468-HAA 21.46 G2X467-HAA 21.42 G2X1398T-UHAA 21.37 G2X465-HAA 21.32 G2X1392-UHAA 21.28 G2X463-HAA 21.23 G2X462-HAA 21.19 G2X1383T-UHAA 21.14	22.70 22.65 22.61 22.56 22.52 22.47 22.42 22.38 22.33 22.29 22.24 22.19 22.15 22.10 22.06 22.01 21.97 21.92 21.87 21.83 21.78 21.74 21.69 21.64 21.60 21.55 21.51 21.46 21.42 21.37 21.32 21.28 21.23 21.19 21.14	120 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2X450-HAY 22.83 G2X1347-UHAY 22.78 G2X448-HAY 22.73 G2X447-HAY 22.68 G2X1338T-UHAY 22.63 G2X445-HAY 22.58	22.83 22.78 22.73 22.68 22.63 22.58				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity			
												From	To (subject to valid BIS Registration; else deemed to be delisted)		
					xxiii	N-Type TOPCon Module	G2X430-HAY (430 Wp) (416Wp-450Wp)	G2X1332-UHAY	22.53	108 (Half Cut Cells)	1500	29.09.2023	28.09.2027		
														G2X443-HAY	22.48
														G2X442-HAY	22.43
														G2X1323T-UHAY	22.38
														G2X440-HAY	22.32
														G2X1317-UHAY	22.27
														G2X438-HAY	22.22
														G2X437-HAY	22.17
														G2X1308T-UHAY	22.12
														G2X435-HAY	22.07
														G2X1302-UHAY	22.02
														G2X433-HAY	21.97
														G2X432-HAY	21.92
														G2X1293T-UHAY	21.87
														G2X430-HAY	21.82
														G2X1287-UHAY	21.77
														G2X428-HAY	21.72
														G2X427-HAY	21.67
														G2X1278T-UHAY	21.61
														G2X425-HAY	21.56
														G2X1272-UHAY	21.51
														G2X423-HAY	21.46
														G2X422-HAY	21.41
														G2X1263T-UHAY	21.36
														G2X420-HAY	21.31
														G2X1257-UHAY	21.26
														G2X418-HAY	21.21
														G2X417-HAY	21.16
														G2X1248T-UHAY	21.11
								xxiv	Bifacial N-Type TOPCon Module (Glass to Glass)					G2G1740-HAD (580Wp) (567Wp - 590Wp)	G2G1770-HAD
							G2G1767-UHAD			22.78					
							G2G1764N-UHAD			22.74					
							G2G1761B-UHAD			22.70					
							G2G1758NB-UHAD			22.66					
							G2G1755-HAD			22.63					
							G2G1752-UHAD			22.59					
							G2G1749N-UHAD			22.55					
							G2G1746B-UHAD			22.51					
							G2G1743NB-UHAD			22.47					
							G2G1740-HAD			22.43					
							G2G1737-UHAD			22.39					
							G2G1734N-UHAD			22.36					
							G2G1731B-UHAD			22.32					
							G2G1728NB-UHAD			22.28					
							G2G1725-HAD			22.24					
							G2G1722-UHAD			22.20					
							G2G1719N-UHAD			22.16					
							G2G1716B-UHAD			22.12					
							G2G1713NB-UHAD			22.08					
							G2G1710-HAD			22.05					
							G2G1707-UHAD			22.01					
							G2G1704N-UHAD			21.97					
							G2G1701B-UHAD			21.93					
							G2G1635-HAB			22.80					
							G2G1632-UHAB			22.76					
							G2G1629N-UHAB			22.72					
							G2G1626B-UHAB	22.67							
							G2G1623NB-UHAB	22.63							
							G2G1620-HAB	22.59							
							G2G1617-UHAB	22.55							
							G2G1614N-UHAB	22.51							
							G2G1611B-UHAB	22.46							
							G2G1608NB-UHAB	22.42							
							G2G1605-HAB	22.38							
							G2G1602-UHAB	22.34							
							G2G1599N-UHAB	22.30							

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xxv	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1560-HAB (520Wp) (496Wp - 545Wp)	G2G1596B-UHAB G2G1593NB-UHAB G2G1590-HAB G2G1587-UHAB G2G1584N-UHAB G2G1581B-UHAB G2G1578NB-UHAB G2G1575-HAB G2G1572-UHAB G2G1569N-UHAB G2G1566B-UHAB G2G1563NB-UHAB G2G1560-HAB G2G1557-UHAB G2G1554N-UHAB G2G1551B-UHAB G2G1548NB-UHAB G2G1545-HAB G2G1542-UHAB G2G1539N-UHAB G2G1536B-UHAB G2G1533NB-UHAB G2G1530-HAB G2G1527-UHAB G2G1524N-UHAB G2G1521B-UHAB G2G1518NB-UHAB G2G1515-HAB G2G1512-UHAB G2G1509N-UHAB G2G1506B-UHAB G2G1503NB-UHAB G2G1500-HAB G2G1497-UHAB G2G1494N-UHAB G2G1491B-UHAB G2G1488NB-UHAB G2G1485-HAB G2G1482-UHAB G2G1479N-UHAB G2G1476B-UHAB G2G1473NB-UHAB G2G1470-HAB G2G1467-UHAB G2G1464N-UHAB G2G1461B-UHAB G2G1458NB-UHAB G2G1455-HAB G2G1452-UHAB G2G1449N-UHAB G2G1446B-UHAB G2G1443NB-UHAB G2G1440-HAB G2G1425-HAB G2G1410-HAB G2G1485-HAA G2G1482-UHAA G2G1479N-UHAA G2G1476B-UHAA G2G1473NB-UHAA G2G1470-HAA G2G1467-UHAA G2G1464N-UHAA G2G1461B-UHAA G2G1458NB-UHAA G2G1470-HAA	22.26 22.21 22.17 22.13 22.09 22.05 22.00 21.96 21.92 21.88 21.84 21.79 21.75 21.71 21.67 21.63 21.59 21.54 21.50 21.46 21.42 21.38 21.33 21.29 21.25 21.21 21.17 21.13 21.08 21.04 21.00 20.96 20.92 20.87 20.83 20.79 20.75 20.71 20.67 20.62 20.58 20.54 20.50 20.46 20.41 20.37 20.33 20.29 20.25 20.21 20.16 20.12 20.08 19.87 19.66 22.70 22.65 22.61 22.56 22.52 22.47 22.42 22.38 22.33 22.29 22.47	132 (Half Cut Cells)	1500	29.09.2023	28.09.2027
					xxvi	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1470-HAB (490Wp) (470Wp - 495Wp)	G2G1485-HAB G2G1482-UHAB G2G1479N-UHAB G2G1476B-UHAB G2G1473NB-UHAB G2G1470-HAB G2G1467-UHAB G2G1464N-UHAB G2G1461B-UHAB G2G1458NB-UHAB G2G1455-HAB G2G1452-UHAB G2G1449N-UHAB G2G1446B-UHAB G2G1443NB-UHAB G2G1440-HAB G2G1425-HAB G2G1410-HAB G2G1485-HAA G2G1482-UHAA G2G1479N-UHAA G2G1476B-UHAA G2G1473NB-UHAA G2G1470-HAA G2G1467-UHAA G2G1464N-UHAA G2G1461B-UHAA G2G1458NB-UHAA G2G1470-HAA	20.71 20.67 20.62 20.58 20.54 20.50 20.46 20.41 20.37 20.33 20.29 20.25 20.21 20.16 20.12 20.08 19.87 19.66 22.70 22.65 22.61 22.56 22.52 22.47 22.42 22.38 22.33 22.29 22.47	132 (Half Cut Cells)	1500	29.09.2023	28.09.2027

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xxix	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1290-HAY (430Wp) (410Wp - 450Wp)	G2G1302-UHAY G2G1299N-UHAY G2G1296B-UHAY G2G1293NB-UHAY G2G1290-HAY G2G1287-UHAY G2G1284N-UHAY G2G1281B-UHAY G2G1278NB-UHAY G2G1275-HAY G2G1272-UHAY G2G1269N-UHAY G2G1266B-UHAY G2G1263NB-UHAY G2G1260-HAY G2G1257-UHAY G2G1254N-UHAY G2G1251B-UHAY G2G1248NB-UHAY G2G1245-HAY G2G1230-HAY G2G1215-HAY G2G1200-HAY G2G1185-HAY G2G1170-HAY	22.02 21.97 21.92 21.87 21.82 21.77 21.72 21.67 21.61 21.56 21.51 21.46 21.41 21.36 21.31 21.26 21.21 21.16 21.11 21.06 20.80 20.55 20.30 20.04 19.79	108 (Half Cut Cells)	1500	29.09.2023	28.09.2027
					xxx	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1185-HAY (395Wp) (390Wp - 405Wp)	G2G1200-HAX G2G1197-UHAX G2G1194N-UHAX G2G1191B-UHAX G2G1188NB-UHAX G2G1185-HAX G2G1182-UHAX G2G1179N-UHAX G2G1176B-UHAX G2G1173NB-UHAX G2G1170-HAX G2G1167-UHAX G2G1164N-UHAX G2G1161B-UHAX G2G1158NB-UHAX G2G1155-HAX G2G1152-UHAX G2G1149N-UHAX G2G1146B-UHAX G2G1143NB-UHAX G2G1140-HAX G2G1125-HAX G2G1122-UHAX G2G1119N-UHAX G2G1116B-UHAX G2G1113NB-UHAX	22.70 22.64 22.58 22.53 22.47 22.41 22.36 22.30 22.24 22.19 22.13 22.07 22.02 21.96 21.90 21.85 21.79 21.73 21.68 21.62 21.56 21.28 21.22 21.17 21.11 21.05	108 (Half Cut Cells)	1500	29.09.2023	28.09.2027
					xxxi	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1155-HAX (385Wp) (371Wp - 400Wp)	G2G1110-HAX G2G1107-UHAX G2G1104N-UHAX G2G1101B-UHAX G2G1098NB-UHAX G2G1095-HAX G2G1092-UHAX G2G1089N-UHAX G2G1086B-UHAX G2G1083NB-UHAX G2G1080-HAX G2G1077-UHAX G2G1074N-UHAX G2G1071B-UHAX G2G1068NB-UHAX	21.00 20.94 20.88 20.83 20.77 20.71 20.66 20.60 20.54 20.49 20.43 20.37 20.32 20.26 20.20	96 (Half Cut Cells)	1500	29.09.2023	28.09.2027
					xxxii	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1065-HAX (355Wp) (340Wp - 370Wp)			96 (Half Cut Cells)	1500	29.09.2023	28.09.2027

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								G2G1065-HAX	20.14				
								G2G1062-UHAX	20.09				
								G2G1059N-UHAX	20.03				
								G2G1056B-UHAX	19.97				
								G2G1053NB-UHAX	19.92				
								G2G1050-HAX	19.86				
								G2G1035-HAX	19.58				
								G2G1020-HAX	19.29				
								G2G1050-HAC	22.53				
								G2G1047-UHAC	22.46				
								G2G1044N-UHAC	22.40				
								G2G1041B-UHAC	22.34				
								G2G1038NB-UHAC	22.27				
								G2G1035-HAC	22.21				
								G2G1032-UHAC	22.14				
								G2G1029N-UHAC	22.08				
								G2G1026B-UHAC	22.01				
								G2G1023NB-UHAC	21.95				
								G2G1020-HAC	21.88				
								G2G1017-UHAC	21.82				
								G2G1014N-UHAC	21.76				
								G2G1011B-UHAC	21.69				
					xxxiii	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1005-HAC (335Wp) (321Wp - 350Wp)	G2G1008NB-UHAC	21.63	84 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2G1005-HAC	21.56				
								G2G1002-UHAC	21.50				
								G2G999N-UHAC	21.43				
								G2G996B-UHAC	21.37				
								G2G993NB-UHAC	21.31				
								G2G990-HAC	21.24				
								G2G987-UHAC	21.18				
								G2G984N-UHAC	21.11				
								G2G981B-UHAC	21.05				
								G2G978NB-UHAC	20.98				
								G2G975-HAC	20.92				
								G2G972-UHAC	20.86				
								G2G969N-UHAC	20.79				
								G2G966B-UHAC	20.73				
								G2G963NB-UHAC	20.66				
								G2G960-HAC	20.60				
								G2G957-UHAC	20.53				
								G2G954N-UHAC	20.47				
								G2G951B-UHAC	20.40				
								G2G948NB-UHAC	20.34				
								G2G945-HAC	20.28				
								G2G942-UHAC	20.21				
								G2G939N-UHAC	20.15				
								G2G936B-UHAC	20.08				
								G2G933NB-UHAC	20.02				
								G2G930-HAC	19.95				
								G2G915-HAC	19.63				
								G2G912-UHAC	19.57				
								G2G909N-UHAC	19.50				
								G2G906B-UHAC	19.44				
								G2G903NB-UHAC	19.37				
								G2G900-HAC	19.31				
								G2G915-HAF	22.68				
								G2G912-UHAF	22.60				
								G2G909N-UHAF	22.53				
								G2G906B-UHAF	22.45				
								G2G903NB-UHAF	22.38				
								G2G900-HAF	22.31				
								G2G897-UHAF	22.23				
								G2G894N-UHAF	22.16				
								G2G891B-UHAF	22.08				
								G2G888NB-UHAF	22.01				
								G2G885-HAF	21.93				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xxxv	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G885-HAF (295Wp) (281Wp - 305Wp)	G2G882-UHAF G2G879N-UHAF G2G876B-UHAF G2G873NB-UHAF G2G870-HAF G2G867-UHAF G2G864N-UHAF G2G861B-UHAF G2G858NB-UHAF G2G855-HAF G2G852-UHAF G2G849N-UHAF G2G846B-UHAF G2G843NB-UHAF	21.86 21.79 21.71 21.64 21.56 21.49 21.41 21.34 21.27 21.19 21.12 21.04 20.97 20.89	72 (Half Cut Cells)	1500	29.09.2023	28.09.2027
					xxxvi	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G810-HAF (270Wp) (260Wp - 280Wp)	G2G840-HAF G2G825-HAF G2G810-HAF G2G795-HAF G2G780-HAF	20.82 20.45 20.08 19.70 19.33	72 (Half Cut Cells)	1500	29.09.2023	28.09.2027
					xxxvii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	G2X1740N-UHAD (580Wp) (567Wp - 590Wp)	G2X1770N-UHAD G2X1767N-UHAD G2X1764N-UHAD G2X1761N-UHAD G2X1758N-UHAD G2X1755N-UHAD G2X1752N-UHAD G2X1749N-UHAD G2X1746N-UHAD G2X1743N-UHAD G2X1740N-UHAD G2X1737N-UHAD G2X1734N-UHAD G2X1731N-UHAD G2X1728N-UHAD G2X1725N-UHAD G2X1722N-UHAD G2X1719N-UHAD G2X1716N-UHAD G2X1713N-UHAD G2X1710N-UHAD G2X1707N-UHAD G2X1704N-UHAD G2X1701N-UHAD	22.82 22.78 22.74 22.70 22.66 22.63 22.59 22.55 22.51 22.47 22.43 22.39 22.35 22.32 22.28 22.24 22.20 22.16 22.12 22.08 22.04 22.01 21.97 21.93	144 (Half Cut Cells)	1500	29.09.2023	28.09.2027
					xxxviii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	G2X1590N-UHAB (530Wp) (505Wp - 550Wp)	G2X1650N-UHAB G2X1647N-UHAB G2X1644N-UHAB G2X1641N-UHAB G2X1638N-UHAB G2X1635N-UHAB G2X1632N-UHAB G2X1629N-UHAB G2X1626N-UHAB G2X1623N-UHAB G2X1620N-UHAB G2X1617N-UHAB G2X1614N-UHAB G2X1611N-UHAB G2X1608N-UHAB G2X1605N-UHAB G2X1590N-UHAB G2X1575N-UHAB G2X1560N-UHAB G2X1545N-UHAB G2X1530N-UHAB G2X1515N-UHAB	23.01 22.97 22.92 22.88 22.84 22.80 22.76 22.71 22.67 22.63 22.59 22.55 22.51 22.46 22.42 22.38 22.17 21.96 21.75 21.54 21.33 21.12	132 (Half Cut Cells)	1500	29.09.2023	28.09.2027
							G2X1500N-UHAA	22.93					

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity								
												From	To (subject to valid BIS Registration; else deemed to be delisted)							
					xxxix	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	G2X1455N-UHAA (485Wp) (470Wp - 500Wp)	G2X1497N-UHAA	22.88	120 (Half Cut Cells)	1500	29.09.2023	28.09.2027							
								G2X1494N-UHAA	22.84											
								G2X1491N-UHAA	22.79											
								G2X1488N-UHAA	22.74											
								G2X1485N-UHAA	22.70											
								G2X1482N-UHAA	22.65											
								G2X1479N-UHAA	22.61											
								G2X1476N-UHAA	22.56											
								G2X1473N-UHAA	22.51											
								G2X1470N-UHAA	22.47											
								G2X1467N-UHAA	22.42											
								G2X1464N-UHAA	22.38											
								G2X1461N-UHAA	22.33											
								G2X1458N-UHAA	22.29											
								G2X1455N-UHAA	22.24											
								G2X1440N-UHAA	22.01											
								G2X1425N-UHAA	21.78											
								G2X1410N-UHAA	21.55											
					XL	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	G2X1320N-UHAY (440Wp) (425Wp - 450Wp)	G2X1350N-UHAY	22.83	108 (Half Cut Cells)	1500	29.09.2023	28.09.2027							
								G2X1347N-UHAY	22.78											
								G2X1344N-UHAY	22.73											
								G2X1341N-UHAY	22.68											
								G2X1338N-UHAY	22.63											
								G2X1335N-UHAY	22.58											
								G2X1332N-UHAY	22.53											
								G2X1329N-UHAY	22.48											
								G2X1326N-UHAY	22.43											
								G2X1323N-UHAY	22.37											
								G2X1320N-UHAY	22.32											
								G2X1305N-UHAY	22.07											
					XLI	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	G2X1170N-UHAX (390Wp) (380Wp - 400Wp)	G2X1200N-UHAX	22.70	96 (Half Cut Cells)	1500	29.09.2023	28.09.2027							
								G2X1185N-UHAX	22.41											
								G2X1170N-UHAX	22.13											
								G2X1155N-UHAX	21.85											
					XLII	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	G2X1035N-UHAC (345Wp) (335Wp - 350Wp)	G2X1140N-UHAX	21.56	84 (Half Cut Cells)	1500	29.09.2023	28.09.2027							
								G2X1050N-UHAC	22.53											
								G2X1035N-UHAC	22.21											
								G2X1020N-UHAC	21.88											
					XLIII	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	G2X885N-UHAF (295Wp) (285Wp - 305Wp)	G2X1005N-UHAC	21.56	72 (Half Cut Cells)	1500	29.09.2023	28.09.2027							
								G2X915N-UHAF	22.68											
								G2X900N-UHAF	22.31											
								G2X885N-UHAF	21.93											
								G2X870N-UHAF	21.56											
								G2X855N-UHAF	21.19											
					9	Novasys Greenergy Pvt. Ltd	Khasra No. 185, Mouza: Mahalgaon, Tehsil: Kamptee, Nagpur-441202, Maharashtra	R-71010499	261	i	Mono c-Si PERC Modules	NOVA195MP36 (195Wp)	NOVA195MP36	19.4	36 (Full Cell)	1500	10.11.2023	09.11.2027		
													NOVA255MP48	19.2						
													NOVA260MP48	19.6						
													NOVA315MP60	19.2						
NOVA320MP60	19.5																			
NOVA325MP60	19.8																			
NOVA330MP60	20.1																			
NOVA340MP66	19																			
NOVA345MP66	19.3																			
NOVA350MP66	19.6																			
NOVA355MP66	19.9																			
NOVA360MP66	20.1																			
NOVA285MP54	19.2																			
NOVA290MP54	19.5																			
NOVA295MP54	19.9																			
NOVA380MP72	19.14																			
NOVA385MP72	19.4																			
NOVA390MP72	19.65																			
ii	Mono c-Si PERC Modules	NOVA250MP48 (250Wp)	NOVA250MP48	19.2									48 (Full Cell)	1500					10.11.2023	09.11.2027
			NOVA260MP48	19.6																
			NOVA315MP60	19.2																
			NOVA320MP60	19.5																
			NOVA325MP60	19.8																
			NOVA330MP60	20.1																
iii	Mono c-Si PERC Modules	NOVA320MP60 (320Wp)	NOVA320MP60	19.5	60 (Full Cell)	1500	10.11.2023	09.11.2027												
			NOVA325MP60	19.8																
			NOVA330MP60	20.1																
			NOVA340MP66	19																
			NOVA345MP66	19.3																
			NOVA350MP66	19.6																
iv	Mono c-Si PERC Modules	NOVA350MP66 (350Wp)	NOVA355MP66	19.9	66 (Full Cell)	1500	10.11.2023	09.11.2027												
			NOVA360MP66	20.1																
			NOVA285MP54	19.2																
			NOVA290MP54	19.5																
			NOVA295MP54	19.9																
			NOVA380MP72	19.14																
v	Mono c-Si PERC Modules	NOVA290MP54 (290Wp)	NOVA385MP72	19.4	72 (Full Cells)	1500	10.11.2023	09.11.2027												
			NOVA390MP72	19.65																
			NOVA285MP54	19.2																
			NOVA290MP54	19.5																
			NOVA295MP54	19.9																
			NOVA380MP72	19.14																
vi	Mono c-Si PERC Modules	NOVA380MP72 (380Wp)	NOVA385MP72	19.4	72 (Full Cells)	1500	10.11.2023	09.11.2027												
			NOVA390MP72	19.65																
			NOVA285MP54	19.2																
			NOVA290MP54	19.5																
			NOVA295MP54	19.9																
			NOVA380MP72	19.14																

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					vii	Mono c-Si PERC Modules	NOVA380MP144 (380Wp)	NOVA395MP72	19.9	144 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								NOVA380MP144	19				
								NOVA385MP144	19.3				
								NOVA390MP144	19.5				
								NOVA395MP144	19.8				
					viii	Mono c-Si PERC Modules	NOVA350MP96 (350 Wp)	NOVA335MP96	19.06	96 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								NOVA340MP96	19.35				
								NOVA345MP96	19.63				
								NOVA350MP96	19.92				
								NOVA355MP96	20.21				
								NOVA360MP96	20.5				
								NOVA365MP96	20.78				
					ix	Mono c-Si PERC Modules	NOVA265MP72 (265 Wp)	NOVA255MP72	19.06	72 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								NOVA260MP72	19.45				
								NOVA265MP72	19.81				
								NOVA270MP72	20.19				
								NOVA275MP72	20.57				
x	Mono c-Si PERC Modules	NOVA390MP108 (390 Wp)	NOVA375MP108	19.11	108 (Half Cut Cells)	1500	10.11.2023	09.11.2027					
			NOVA380MP108	19.37									
			NOVA385MP108	19.63									
			NOVA390MP108	19.88									
			NOVA395MP108	20.14									
			NOVA400MP108	20.4									
xi	Mono c-Si PERC Modules	NOVA415MP108 (415 Wp)	NOVA410MP108	20.91	108 (Half Cut Cells)	1500	10.11.2023	09.11.2027					
			NOVA415MP108	21.17									
xii	Mono c-Si PERC Modules	NOVA435MP120 (435 Wp)	NOVA415MP120	19.11	120 (Half Cut Cells)	1500	10.11.2023	09.11.2027					
			NOVA420MP120	19.34									
			NOVA425MP120	19.57									
			NOVA430MP120	19.8									
			NOVA435MP120	20.03									
			NOVA440MP120	20.26									
			NOVA445MP120	20.49									
			NOVA450MP120	20.72									
			NOVA455MP120	20.95									
xiii	Mono c-Si PERC Modules	NOVA460MP 120 (460 Wp)	NOVA460MP 120	21.18	120 (Half Cut Cells)	1500	10.11.2023	09.11.2027					
xiv	Mono c-Si PERC Modules	NOVA475MP132 (475 Wp)	NOVA455MP132	19.2	132 (Half Cut Cells)	1500	10.11.2023	09.11.2027					
			NOVA460MP132	19.41									
			NOVA465MP132	19.62									
			NOVA470MP132	19.83									
			NOVA475MP132	20.04									
			NOVA480MP132	20.25									
			NOVA485MP132	20.46									
			NOVA490MP132	20.67									
xv	Mono c-Si PERC Modules	NOVA500MP132 (500 Wp)	NOVA495MP132	20.89	132 (Half Cut Cells)	1500	10.11.2023	09.11.2027					
			NOVA500MP132	21.1									
			NOVA505MP132	21.31									
xvi	Mono c-Si PERC Modules	NOVA520MP144 (520 Wp)	NOVA495MP144	19.16	144 (Half Cut Cells)	1500	10.11.2023	09.11.2027					
			NOVA500MP144	19.35									
			NOVA505MP144	19.54									
			NOVA510MP144	19.74									
			NOVA515MP144	19.94									
			NOVA520MP144	20.13									
			NOVA525MP144	20.31									
			NOVA530MP144	20.51									
			NOVA535MP144	20.7									
			NOVA540MP144	20.89									
NOVA545MP144	21.09												
xvii	Mono c-Si PERC Modules	NOVA550MP144 (550Wp)	NOVA550MP144	21.28	144 (Half Cut Cells)	1500	10.11.2023	09.11.2027					
10	M/s. Pahal Solar	189, Block No.-71, Olpad Sayan Road, Atodara, Olpad Surat-394540, Gujarat	R-72001848	282				PS_550	21.29				
								PS_545	21.09				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					i	Mono c-Si PERC Modules	PS_540 (540Wp)	PS_540 PS_535 PS_530 PS_525	20.9 20.71 20.51 20.32	144 (Half Cut Cell)	1500	10.11.2023	09.11.2027
					ii	Mono c-Si PERC Modules	PS_500 (500Wp)	PS_500 PS_495 PS_445	19.35 19.16 20.37	132 (Half Cut Cell)	1500	10.11.2023	09.11.2027
					iii	Mono c-Si PERC Modules	PS_445 (445Wp)	PS_440 PS_435 PS_430	20.14 19.91 19.68	144 (Half Cut Cell)	1500	10.11.2023	09.11.2027
					iv	Mono c-Si PERC Modules	PS_415 (415 Wp)	PS_415	19	132 (Half Cut Cell)	1500	10.11.2023	09.11.2027
					v	Mono c-Si PERC Modules	PS_370 (370 Wp)	PS_380 PS_375 PS_370	19.53 19.28 19.02	132 (Half Cut Cell)	1500	10.11.2023	09.11.2027
					vi	Bifacial N-type TOPCon Modules	PSN_155 (155Wp)	PSN_150 PSN_155 PSN_160	19.90 20.56 21.22	40 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					vii	Bifacial N-type TOPCon Modules	PSN_210 (210Wp)	PSN_200 PSN_205 PSN_210 PSN_215	19.28 19.76 20.24 20.72	56 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					viii	Bifacial N-type TOPCon Modules	PSN_255 (255Wp)	PSN_220 PSN_245 PSN_250 PSN_255	21.21 20.79 21.22 21.64	64 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					ix	Bifacial N-type TOPCon Modules	PSN_280 (280Wp)	PSN_260 PSN_265 PSN_270 PSN_275	22.06 22.49 20.38 20.76	72 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					x	Bifacial N-type TOPCon Modules	PSN_305 (305Wp)	PSN_280 PSN_285 PSN_290 PSN_295 PSN_300	21.13 21.51 21.89 20.18 20.52	80 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					xi	Bifacial N-type TOPCon Modules	PSN_335 (335Wp)	PSN_305 PSN_310 PSN_315 PSN_320	20.86 21.21 21.55 20.87	84 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					xii	Bifacial N-type TOPCon Modules	PSN_360 (360Wp)	PSN_325 PSN_330 PSN_335 PSN_340	21.19 21.52 21.85 22.17	96 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					xiii	Bifacial N-type TOPCon Modules	PSN_380 (380Wp)	PSN_345 PSN_350 PSN_355 PSN_360 PSN_365	22.50 20.06 20.35 20.64 20.92	96 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					xiv	Bifacial N-type TOPCon Modules	PSN_410 (410Wp)	PSN_370 PSN_375 PSN_380 PSN_385 PSN_390	21.21 21.50 21.78 22.07 22.36	108 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								PSN_400 PSN_405 PSN_410 PSN_415 PSN_420 PSN_425	20.48 20.74 20.99 21.25 21.50 21.76				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity																	
												From	To (subject to valid BIS Registration; else deemed to be delisted)																
						Bifacial N-type TOPCon Modules	PSN_435 (435Wp)	PSN_430	22.02	108 (Half Cut Cells)	1500	10.11.2023	09.11.2027																
								PSN_435	22.27																				
								PSN_440	22.53																				
								PSN_445	22.78																				
								PSN_450	23.04																				
										Bifacial N-type TOPCon Modules	PSN_480 (480Wp)	PSN_460	21.26	120 (Half Cut Cells)	1500	10.11.2023	09.11.2027												
												PSN_465	21.49																
												PSN_470	21.72																
												PSN_475	21.95																
												PSN_480	22.18																
												PSN_485	22.41																
												PSN_490	22.64																
												PSN_495	22.87																
												PSN_500	21.07																
												PSN_505	21.28																
										Bifacial N-type TOPCon Modules	PSN_520 (520Wp)	PSN_510	21.49	132 (Half Cut Cells)	1500	10.11.2023	09.11.2027												
												PSN_515	21.70																
												PSN_520	21.91																
												PSN_525	22.13																
												PSN_530	22.34																
												PSN_535	20.71																
												PSN_540	20.90																
										Bifacial N-type TOPCon Modules	PSN_560 (560Wp)	PSN_545	21.09	144 (Half Cut Cells)	1500	10.11.2023	09.11.2027												
												PSN_550	21.29																
												PSN_555	21.48																
												PSN_560	21.67																
												PSN_565	21.87																
												PSN_570	22.06																
												PSN_575	22.25																
												PSN_580	22.45																
												PSN_585	20.91																
												PSN_590	21.09																
										Bifacial N-type TOPCon Modules	PSN_610 (610Wp)	PSN_595	21.27	156 (Half Cut Cells)	1500	10.11.2023	09.11.2027												
												PSN_600	21.45																
												PSN_605	21.63																
												PSN_610	21.81																
												PSN_615	21.99																
												PSN_620	22.17																
												PSN_625	22.34																
												PSN_630	22.52																
													M/s Pixon Green Energy Pvt. Ltd.					R.S. No. 157/1, 158/1, 158/2, 165/1, 166 of Khijadiya Nana, R.S. No. 15/1 of Depaliya, Padadhari, Rajkot Gujarat-360110	R-72004570	745	i	Mono c-Si PERC Modules	PIX MP3 72 390 (390 Wp)	PIX MP3 72 380	19.14	72 (Full Cells)	1500	10.11.2023	09.11.2027
																								PIX MP3 72 385	19.4				
					PIX MP3 72 390	19.65																							
					PIX MP3 72 395	19.9																							
					PIX MP3 72 400	20.15																							
					PIX MPH 132 625	19.93																							
					ii	Mono c-Si PERC Module	PIX MPH 132 645 (645Wp)	PIX MPH 132 630	20.09	132 (Half cut cells)	1500			10.11.2023	09.11.2027														
								PIX MPH 132 635	20.25																				
								PIX MPH 132 640	20.41																				
								PIX MPH 132 645	20.57																				
PIX MPH 132 650	20.72																												
PIX MPH 132 655	20.88																												
PIX MPH 132 660	21.04																												
iii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	PIX MBHTB 132 645 (645Wp)	PIX MBHTB 132 625	19.93	132 (Half cut cells)	1500	10.11.2023	09.11.2027																					
			PIX MBHTB 132 630	20.09																									
			PIX MBHTB 132 635	20.25																									
			PIX MBHTB 132 640	20.41																									
			PIX MBHTB 132 645	20.57																									
			PIX MBHTB 132 650	20.72																									
PIX MBHTB 132 655	20.88																												

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					iv	Mono c-Si PERC Module	PIX MPH 120 600 (600Wp)	PIX MBHTB 132 660 PIX MPH 120 570 PIX MPH 120 575 PIX MPH 120 580 PIX MPH 120 585 PIX MPH 120 590 PIX MPH 120 595 PIX MPH 120 600	21.04 19.94 20.11 20.29 20.46 20.64 20.81 20.99	120 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					v	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	PIX MBHTB 120 600 (600Wp)	PIX MBHTB 120 570 PIX MBHTB 120 575 PIX MBHTB 120 580 PIX MBHTB 120 585 PIX MBHTB 120 590 PIX MBHTB 120 595 PIX MBHTB 120 600	19.94 20.11 20.29 20.46 20.64 20.81 20.99	120 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					vi	Mono c-Si PERC Module	PIX MPH 108 530 (530Wp)	PIX MPH 108 510 PIX MPH 108 515 PIX MPH 108 520 PIX MPH 108 525 PIX MPH 108 530 PIX MPH 108 535 PIX MPH 108 540	19.76 19.95 20.14 20.34 20.53 20.73 20.92	108 (half cut cell)	1500	10.11.2023	09.11.2027
					vii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	PIX MBHTB 108 530 (530Wp)	PIX MPHTB 108 510 PIX MPHTB 108 515 PIX MPHTB 108 520 PIX MPHTB 108 525 PIX MPHTB 108 530 PIX MPHTB 108 535 PIX MPHTB 108 540	19.76 19.95 20.14 20.34 20.53 20.73 20.92	108 (Half cut cell)	1500	10.11.2023	09.11.2027
					viii	Mono c-Si PERC Module	PIX MPH 156 585 (585Wp)	PIX MPH 156 560 PIX MPH 156 565 PIX MPH 156 570 PIX MPH 156 575 PIX MPH 156 580 PIX MPH 156 585 PIX MPH 156 590 PIX MPH 156 595	20.00 20.18 20.36 20.54 20.71 20.89 21.07 21.25	156 (Half cut cells)	1500	10.11.2023	09.11.2027
					ix	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	PIX MBHTB 156 585 (585Wp)	PIX MBHTB 156 560 PIX MBHTB 156 565 PIX MBHTB 156 570 PIX MBHTB 156 575 PIX MBHTB 156 580 PIX MBHTB 156 585 PIX MBHTB 156 590 PIX MBHTB 156 595	20.00 20.18 20.36 20.54 20.71 20.89 21.07 21.25	156 (Half cut cells)	1500	10.11.2023	09.11.2027
					x	Mono c-Si PERC Module	PIX MPH 144 535 (535Wp)	PIX MPH 144 510 PIX MPH 144 515 PIX MPH 144 520 PIX MPH 144 525 PIX MPH 144 530 PIX MPH 144 535 PIX MPH 144 540 PIX MPH 144 545	19.74 19.94 20.13 20.32 20.52 20.71 20.90 21.09	144 (Half cut cells)	1500	10.11.2023	09.11.2027
					xi	Mono c-Si PERC Module	PIX MPH 144 535 (535Wp)	PIX MPH 144 510 PIX MPH 144 515 PIX MPH 144 520 PIX MPH 144 525 PIX MPH 144 530 PIX MPH 144 535 PIX MPH 144 540 PIX MPH 144 545	19.74 19.94 20.13 20.32 20.52 20.71 20.90 21.09	144 (Half cut cells)	1500	10.11.2023	09.11.2027
					xii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	PIX MBHTB 144 535 (535Wp)	PIX MBHTB 144 510 PIX MBHTB 144 515 PIX MBHTB 144 520 PIX MBHTB 144 525 PIX MBHTB 144 530	19.74 19.94 20.13 20.32 20.52	144 (Half cut cells)	1500	10.11.2023	09.11.2027

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								PIX MBHTB 144 535	20.71				
								PIX MBHTB 144 540	20.90				
								PIX MBHTB 144 545	21.09				
					xiii	Mono c-Si PERC Module	PIX MPH 132 490 (490 Wp)	PIX MPH 132 470	19.74	132 (Half cut cell)	1500	10.11.2023	09.11.2027
							PIX MPH 132 475	19.95					
							PIX MPH 132 480	20.16					
							PIX MPH 132 485	20.37					
							PIX MPH 132 490	20.58					
							PIX MPH 132 495	20.79					
							PIX MPH 132 500	21.00					
							PIX MBHTB 132 470	19.74					
					xiv	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	PIX MBHTB 132 490 (490 Wp)	PIX MBHTB 132 475	19.95	132 (Half cut cell)	1500	10.11.2023	09.11.2027
							PIX MBHTB 132 480	20.16					
							PIX MBHTB 132 485	20.37					
							PIX MBHTB 132 490	20.58					
							PIX MBHTB 132 495	20.79					
							PIX MBHTB 132 500	21.00					
							PIX MBHDTB 156 560	20.00					
							PIX MBHDTB 156 565	20.18					
					xv	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	PIX MBHDTB 156 575 (575 Wp)	PIX MBHDTB 156 570	20.36	156 (Half cut cells)	1500	10.11.2023	09.11.2027
							PIX MBHDTB 156 575	20.54					
							PIX MBHDTB 156 580	20.72					
							PIX MBHDTB 156 585	20.89					
							PIX MBHDTB 156 590	21.07					
							PIX MBHDTB 156 595	21.25					
							PIX MBHDTB 144 510	19.74					
							PIX MBHDTB 144 515	19.94					
					xvi	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	PIX MBHDTB 144 525 (525 Wp)	PIX MBHDTB 144 520	20.13	144 (Half cut cells)	1500	10.11.2023	09.11.2027
							PIX MBHDTB 144 525	20.32					
							PIX MBHDTB 144 530	20.52					
							PIX MBHDTB 144 535	20.71					
							PIX MBHDTB 144 540	20.90					
							PIX MBHDTB 144 545	21.10					
							PIX MBHDTB 132 470	19.75					
							PIX MBHDTB 132 475	19.96					
					xvii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	PIX MBHDTB 132 485 (485 Wp)	PIX MBHDTB 132 480	20.17	132 (Half cut cells)	1500	10.11.2023	09.11.2027
							PIX MBHDTB 132 485	20.38					
							PIX MBHDTB 132 490	20.59					
							PIX MBHDTB 132 495	20.80					
							PIX MBHDTB 132 500	21.01					
							PIX MBHDTB 120 420	19.35					
							PIX MBHDTB 120 425	19.58					
							PIX MBHDTB 120 430	19.81					
					xviii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	PIX MBHDTB 120 440 (440 Wp)	PIX MBHDTB 120 435	20.04	120 (Half cut cells)	1500	10.11.2023	09.11.2027
							PIX MBHDTB 120 440	20.27					
							PIX MBHDTB 120 445	20.50					
							PIX MBHDTB 120 450	20.73					
							PIX MBHDTB 120 455	20.96					
							PIX MBHDTB 108 375	19.10					
							PIX MBHDTB 108 380	19.36					
							PIX MBHDTB 108 385	19.61					
					xix	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	PIX MBHDTB 108 395 (395 Wp)	PIX MBHDTB 108 390	19.87	108 (Half cut cells)	1500	10.11.2023	09.11.2027
							PIX MBHDTB 108 395	20.12					
							PIX MBHDTB 108 400	20.38					
							PIX MBHDTB 108 405	20.63					
							PIX MBHDTB 108 410	20.89					
							PIX MPH 156 560	20.00					
							PIX MPH 156 565	20.18					
							PIX MPH 156 570	20.36					
					xx	Mono c-Si PERC Module	PIX MPH 156 575 (575 Wp)	PIX MPH 156 575	20.54	156 (Half cut cells)	1500	10.11.2023	09.11.2027
							PIX MPH 156 580	20.72					
							PIX MPH 156 585	20.89					
							PIX MPH 156 590	21.07					
							PIX MPH 156 595	21.25					
							PIX MPH 144 510	19.74					
							PIX MPH 144 515	19.94					

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xxi	Mono c-Si PERC Module	PIX MPH 144 530 (530 Wp)	PIX MPH 144 520	20.13	144 (Half cut cells)	1500	10.11.2023	09.11.2027
								PIX MPH 144 525	20.32				
								PIX MPH 144 530	20.52				
								PIX MPH 144 535	20.71				
								PIX MPH 144 540	20.90				
								PIX MPH 144 545	21.10				
					xxii	Mono c-Si PERC Module	PIX MPH 132 490 (490 Wp)	PIX MPH 132 470	19.75	132 (Half cut cells)	1500	10.11.2023	09.11.2027
								PIX MPH 132 475	19.96				
								PIX MPH 132 480	20.17				
								PIX MPH 132 485	20.38				
								PIX MPH 132 490	20.59				
								PIX MPH 132 495	20.80				
					xxiii	Mono c-Si PERC Module	PIX MPH 120 440 (440 Wp)	PIX MPH 132 500	21.01	120 (Half cut cells)	1500	10.11.2023	09.11.2027
								PIX MPH 120 420	19.35				
								PIX MPH 120 425	19.58				
								PIX MPH 120 430	19.81				
								PIX MPH 120 435	20.04				
								PIX MPH 120 440	20.27				
					xxiv	Mono c-Si PERC Module	PIX MPH 108 395 (395 Wp)	PIX MPH 120 445	20.50	108 (Half cut cells)	1500	10.11.2023	09.11.2027
								PIX MPH 120 450	20.73				
PIX MPH 120 455	20.96												
PIX MPH 108 375	19.10												
PIX MPH 108 380	19.36												
PIX MPH 108 385	19.61												
12	Alpex Solar Pvt. Ltd.	Plot No. I-25 & I-26, UPSIDC, Site-5, Kasna, Greater Noida, Uttar Pradesh-201306	R-93007480	248	i	MONO C-Si PERC Modules.	ALP380WM, (380Wp-385Wp)	ALP380WM (380 Wp)	19.38	72 (Full Cells)	1500	10.11.2023	09.11.2027
								ALP385WM (385 Wp)	19.64				
13	Vikram Solar Ltd.	B1000A, B1100C, Indospace Industrial Park, Panruti Pvt. Ltd., Survey No-2/A, Sriperumbudur Taluk, Panaiyur Village, Kanchipuram-603302, Tamil Nadu	R-61002070	1099	i	Mono c-Si PERC Modules	SOMERA VSMH.72.550.05 (550 Wp)	SOMERA VSMH.72.555.05	21.52	144 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								SOMERA VSMH.72.550.05	21.33				
								SOMERA VSMH.72.545.05	21.13				
								SOMERA VSMH.72.540.05	20.94				
					ii	Mono c-Si PERC Modules	SOMERA VSMH.60.455.05 (455 Wp)	SOMERA VSMH.60.460.05	21.28	120 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								SOMERA VSMH.60.455.05	21.05				
								SOMERA VSMH.60.450.05	20.82				
								SOMERA VSMH.60.445.05	20.59				
					iii	Bifacial Mono c-Si PERC Modules	PARADEA VSM DH.72.545.05 (545 Wp)	PARADEA VSM DH.72.550.05	21.33	144 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								PARADEA VSM DH.72.545.05	21.13				
								PARADEA VSM DH.72.540.05	20.94				
								PARADEA VSM DH.72.535.05	20.75				
					iv	Mono c-Si PERC Modules	PREXOS VSM DH.72.535.05 (535 Wp)	PREXOS VSM DH.72.535.05	20.75	144 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								PREXOS VSM DH.72.530.05	20.55				
								PARADEA VSM DH.66.660.05	21.25				
								PARADEA VSM DH.66.655.05	21.09				
					v	Bifacial Mono c-Si PERC Modules	PARADEA VSM DH.66.650.05 (650 Wp)	PARADEA VSM DH.66.650.05	20.92	132 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								PARADEA VSM DH.66.645.05	20.76				
								PARADEA VSM DH.66.640.05	20.60				
								PARADEA VSM DH.66.635.05	20.44				
vi	Bifacial Mono c-Si PERC Modules	PARADEA VSM DH.60.590.05 (590 Wp)	PARADEA VSM DH.60.600.05	21.20	120(Half Cut Cells)	1500	10.11.2023	09.11.2027					
			PARADEA VSM DH.60.595.05	21.02									
			PARADEA VSM DH.60.590.05	20.85									
			PARADEA VSM DH.60.585.05	20.67									
vii	Mono c-Si PERC Modules	SOMERA VSMH.66.655.05 (655 Wp)	PARADEA VSM DH.60.580.05	20.50	132 (Half Cut Cells)	1500	10.11.2023	09.11.2027					
			SOMERA VSMH.66.670.05	21.57									
			SOMERA VSMH.66.665.05	21.41									
			SOMERA VSMH.66.660.05	21.25									
			SOMERA VSMH.66.655.05	21.09									
			SOMERA VSMH.66.650.05	20.92									
							SOMERA VSMH.66.645.05	20.76					
							SOMERA VSMH.66.640.05	20.60					

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					viii	Mono c-Si PERC Modules	SOMERA VSMH.60.600.05 (600 Wp)	SOMERA VSMH.60.610.05 SOMERA VSMH.60.605.05 SOMERA VSMH.60.600.05 SOMERA VSMH.60.595.05 SOMERA VSMH.60.590.05 SOMERA VSMH.60.585.05 SOMERA VSMH.60.580.05	21.55 21.38 21.20 21.02 20.85 20.67 20.49	120 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					ix	Mono c-Si PERC Modules	SOMERA VSMH.72.450.05 (450 Wp)	SOMERA VSMH.72.455.05 SOMERA VSMH.72.450.05 SOMERA VSMH.72.445.05 SOMERA VSMH.72.440.05	20.46 20.23 20.01 19.79	144 (Half Cut Cells)	1500	10.11.2023	09.11.2027
14	M/s. Contendre Greenergy Pvt. Ltd.	Unit No: I/6, Rajlakhmi HiTech Industrial Park, Sonale Village, Bhiwandi-421302, Maharashtra	R-71013196	49	i	Mono c-Si PERC Modules	CG MB72-405 (405 Wp)	CG MB72-395 CG MB72-400 CG MB72-405 CG MB72-410 CG MB72-415	19.17 19.41 19.66 19.90 20.14	72 (Full Cells)	1500	30.12.2023	29.12.2027
		Co-ALMM with M/s. Credence Solar Panels Private Limited Manufacturing Address: Plot No. 18&19, Survey No. 142/2, Rajkot-Jamnagar Highway, Padadhari, Rajkot, Gujarat	R-72008656	30 (As per Co-Branding Agreement)	ii	Mono c-Si PERC Module	CG-X144-525 (525 Wp)	CG-X144-500 CG-X144-505 CG-X144-510 CG-X144-515 CG-X144-520 CG-X144-525 CG-X144-530 CG-X144-535 CG-X144-540 CG-X144-545 CG-X144-550	19.04 19.24 19.43 19.62 19.81 20.00 20.19 20.38 20.57 20.76 20.95	144 (Half Cut Cells)	1500	10.04.2024	24.01.2025
15	M/s. ECE (India) Energies Pvt. Ltd.	F-27, Express Highway, MIDC, Amravati-444607, Maharashtra, India.	R-71012220	40	i	Mono c-Si PERC Module	ECE060M310 (310Wp)	ECE060M310	19.19	60 (Full Cells)	1500	04.03.2024	03.03.2028
					ii	Mono c-Si PERC Module	ECE060M340 (340Wp)	ECE060M340	19.23	66 (Full Cells)	1500	04.03.2024	03.03.2028
					iii	Mono c-Si PERC Module	ECE060M370 (370Wp)	ECE060M370	19.17	72 (Full Cells)	1500	04.03.2024	03.03.2028
		Co-ALMM with M/s Navitas Green Solutions Pvt. Ltd. Manufacturing Address: Plot No. B-20/3, Road No. 13, 14, Palsana-Baleswar Rd, Hoziwala Industrial Estate, Sachin, Surat-394230, Gujarat	R-72008389	100 (As per Co-Branding Agreement)	iv	Mono c-Si PERC Module	ECE072M220 (220 Wp)	ECE072M215 ECE072M220 ECE072M225 ECE072M260	19.32 19.77 20.22 19.62	72 (Half Cut Cells)	1500	10.04.2024	28.05.2025
					v	Mono c-Si PERC Module	ECE072M270 (270 Wp)	ECE072M265 ECE072M270 ECE072M275	20.00 20.38 20.76	72 (Half Cut Cells)	1500	10.04.2024	28.05.2025
					vi	Mono c-Si PERC Module	ECE096M295 (295 Wp)	ECE096M285 ECE096M290 ECE096M295 ECE096M300 ECE096M350	19.42 19.81 20.15 20.49 20.06	96 (Half Cut Cells)	1500	10.04.2024	28.05.2025
					vii	Mono c-Si PERC Module	ECE096M360 (360 Wp)	ECE096M355 ECE096M360 ECE096M365	20.35 20.64 20.92	96 (Half Cut Cells)	1500	10.04.2024	28.05.2025
					viii	Mono c-Si PERC Module	ECE108M330 (330 Wp)	ECE108M320 ECE108M325 ECE108M330 ECE108M335 ECE108M340 ECE108M390	19.52 19.82 20.13 20.43 20.74 19.96	108 (Half Cut Cells)	1500	10.04.2024	28.05.2025
					ix	Mono c-Si PERC Module	ECE108M400 (400 Wp)	ECE108M395 ECE108M400 ECE108M405 ECE108M410	20.21 20.47 20.72 20.98	108 (Half Cut Cells)	1500	10.04.2024	28.05.2025
					x	Mono c-Si PERC Module	ECE120M370 (370 Wp)	ECE120M360 ECE120M365 ECE120M370 ECE120M375	19.84 20.11 20.39 20.66	120 (Half Cut Cells)	1500	10.04.2024	28.05.2025
					xi	Mono c-Si PERC Module	ECE120M445 (445 Wp)	ECE120M435 ECE120M440 ECE120M445	20.10 20.33 20.56	120 (Half Cut Cells)	1500	10.04.2024	28.05.2025

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								ECE120M450	20.79	132 (Half Cut Cells)	1500	10.04.2024	28.05.2025
								ECE120M455	21.02				
								ECE132M395	19.85				
								ECE132M400	20.10				
								ECE132M405	20.35				
								ECE132M410	20.06				
								ECE132M415	20.85				
								ECE132M480	20.22				
								ECE132M485	20.43				
								ECE132M490	20.64				
								ECE132M495	20.85				
								ECE132M500	21.06				
								ECE144M435	20.09				
								ECE144M440	20.32				
								ECE144M445	20.55				
								ECE144M450	20.78				
								ECE144M455	21.01				
								ECE144M460	21.24				
								ECE144M465	21.48				
								ECE144M525	20.32				
								ECE144M530	20.51				
								ECE144M535	20.71				
								ECE144M540	20.90				
								ECE144M545	21.09				
								ECE144M550	21.29				
								ECE144M555	21.48				
								ECE144M560	21.67				
								ECE156M460	19.30				
ECE156M465	19.51												
ECE156M470	19.72												
ECE156M475	19.93												
ECE156M480	20.14												
ECE156M485	20.35												
ECE156M570	20.39												
ECE156M575	20.57												
ECE156M580	20.74												
ECE156M585	20.92												
16	Rayzon Solar Private Limited	Block No. 94/1/1F, 94/1/3, 102/1, 103, 104, 105, 109, 110, 118, 119, 120, Kim Mandvi Road, Near Hariya Talav, B/H Aron Pipe, Kim Mandvi Road, Karanj, Surat - 394110, Gujarat, India.	R-72002305	1637	i	Mono c-Si PERC Modules	RS400WC (400 Wp)	RS385WC RS390WC RS395WC RS400WC RS405WC RS410WC RS415WC RS420WC RS425WC	19.72 19.96 20.22 20.47 20.75 20.97 21.22 21.48 19.67	108 (Half Cut Cells)	1500	04.03.2024	03.03.2028
					ii	Mono c-Si PERC Modules	RS445WC (445 Wp)	RS430WC RS435WC RS440WC RS445WC RS450WC RS455WC RS460WC RS465WC	19.88 20.12 20.37 20.60 20.84 21.00 21.23 21.47	120 (Half Cut Cells)	1500	04.03.2024	03.03.2028
					iii	Mono c-Si PERC Modules	RS490WC (490 Wp)	RS470WC RS475WC RS480WC RS485WC RS490WC RS495WC RS500WC RS505WC RS510WC	19.84 20.02 20.26 20.46 20.66 20.87 21.06 21.28 21.49	132 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								RS515WC RS520WC	19.96 20.17				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					iv	Mono c-Si PERC Modules	RS535WC (535 Wp)	RS525WC 20.34 RS530WC 20.55 RS535WC 20.74 RS540WC 20.94 RS545WC 21.10 RS550WC 21.32 RS555WC 21.52 RS560WC 21.71		144 (Half Cut Cells)	1500	04.03.2024	03.03.2028
					v	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	RSB530WC (530 Wp)	RSB505WC 19.56 RSB510WC 19.79 RSB515WC 19.99 RSB520WC 20.18 RSB525WC 20.37 RSB530WC 20.56 RSB535WC 20.75 RSB540WC 20.94 RSB545WC 21.13 RSB550WC 21.32 RSB460WC 19.40		144 (Half Cut Cells)	1500	04.03.2024	03.03.2028
					vi	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	RSB480WC (480 Wp)	RSB465WC 19.60 RSB470WC 19.84 RSB475WC 20.02 RSB480WC 20.26 RSB485WC 20.46 RSB490WC 20.66 RSB495WC 20.87 RSB500WC 21.08		132 (Half Cut Cells)	1500	04.03.2024	03.03.2028
					vii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	RSB435WC (435 Wp)	RSB415WC 19.18 RSB420WC 19.42 RSB425WC 19.65 RSB430WC 19.86 RSB435WC 20.10 RSB440WC 20.35 RSB445WC 20.58 RSB450WC 20.81 RSB455WC 21.02		120 (Half Cut Cells)	1500	04.03.2024	03.03.2028
					viii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	RSB390WC (390 Wp)	RSB380WC 19.47 RSB385WC 19.72 RSB390WC 19.96 RSB395WC 20.22 RSB400WC 20.47 RSB405WC 20.75 RSB410WC 21.00		108 (Half Cut Cells)	1500	04.03.2024	03.03.2028
					ix	Bifacial Mono c-Si PERC Modules (Glass to Glass)	RSG530WC (530 Wp)	RSG505WC 19.57 RSG510WC 19.76 RSG515WC 19.95 RSG520WC 20.15 RSG525WC 20.34 RSG530WC 20.53 RSG535WC 20.73 RSG540WC 20.92 RSG545WC 21.12 RSG550WC 21.31 RSG555WC 21.50 RSG460WC 19.40 RSG465WC 19.60 RSG470WC 19.84		144 (Half Cut Cells)	1500	04.03.2024	03.03.2028

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
17	M/s. Kosol Energie Pvt.	Survey No: 415/B, Opp. Super Gas,	R-72003417	637	x	Bifacial Mono c-Si PERC Modules (Glass to Glass)	RSG480WC (480 Wp)	RSG475WC	20.02	132 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								RSG480WC	20.26				
								RSG485WC	20.46				
								RSG490WC	20.66				
								RSG495WC	20.87				
								RSG500WC	21.08				
					RSG415WC	19.18							
					xi	Bifacial Mono c-Si PERC Modules (Glass to Glass)	RSG435WC (435 Wp)	RSG420WC	19.42	120 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								RSG425WC	19.65				
								RSG430WC	19.86				
								RSG435WC	20.10				
								RSG440WC	20.35				
								RSG445WC	20.58				
								RSG450WC	20.81				
								RSG455WC	21.02				
								RSG380WC	19.47				
								RSG385WC	19.72				
					xii	Bifacial Mono c-Si PERC Modules (Glass to Glass)	RSG390WC (390 Wp)	RSG390WC	19.96	108 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								RSG395WC	20.22				
								RSG400WC	20.47				
								RSG405WC	20.75				
								RSG410WC	21.00				
								RSG415WC	21.25				
					xii	Bifacial N Type TOPCon Module (Glass to Glass)	RS560144TGC (560 Wp)	RS535144TGC	20.73	144 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								RS540144TGC	20.92				
								RS545144TGC	21.12				
								RS550144TGC	21.31				
								RS555144TGC	21.50				
								RS560144TGC	21.70				
								RS565144TGC	21.89				
								RS570144TGC	22.08				
								RS575144TGC	22.28				
								RS580144TGC	22.47				
								RS585144TGC	22.66				
								RS590144TGC	22.85				
					xiv	Bifacial N Type TOPCon Module (Glass to Glass)	RS510132TGC (510 Wp)	RS485132TGC	20.43	132 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								RS490132TGC	20.64				
								RS495132TGC	20.85				
								RS500132TGC	21.06				
								RS505132TGC	21.27				
								RS510132TGC	21.49				
								RS515132TGC	21.70				
								RS520132TGC	21.91				
								RS525132TGC	22.12				
								RS530132TGC	22.33				
								RS535132TGC	22.54				
								RS445120TGC	20.54				
								RS450120TGC	20.77				
								RS455120TGC	21.00				
					xv	Bifacial N Type TOPCon Module (Glass to Glass)	RS465120TGC (465 Wp)	RS460120TGC	21.23	120 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								RS465120TGC	21.46				
								RS470120TGC	21.70				
								RS475120TGC	21.93				
								RS480120TGC	22.16				
								RS485120TGC	22.39				
								RS395108TGC	20.24				
								RS400108TGC	20.50				
								RS405108TGC	20.76				
								RS410108TGC	21.01				
					xvi	Bifacial N Type TOPCon Module (Glass to Glass)	RS415108TGC (415 Wp)	RS415108TGC	21.27	108 (Half Cut Cells)	1500	04.03.2024	03.03.2028
RS420108TGC	21.53												
RS425108TGC	21.78												
RS430108TGC	22.04												
RS435108TGC	22.30												
RS440108TGC	22.56												
RS445108TGC	22.82												
RS450108TGC	23.08												
KE570M	22.06												

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
Ltd.	Village: Bhayla, Bavla-Bagodra Highway, Ta: Bavla, Dist: Ahmedabad-382220, Gujarat, India.			150	i	Mono c-Si PERC Modules	KE550M (550 Wp)	KE565M	21.87	144 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								KE560M	21.68				
								KE555M	21.48				
								KE550M	21.29				
								KE545M	21.10				
								KE540M	20.90				
								KE535M	20.71				
								KE530M	20.52				
								KE570T	22.06				
								KE565T	21.87				
					ii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	KE550T (550 Wp)	KE560T	21.68				
								KE555T	21.48				
								KE550T	21.29				
								KE545T	21.10				
								KE540T	20.90				
								KE535T	20.71				
								KE530T	20.52				
								KE460M	21.21				
								KE455M	20.98				
								KE450M	20.75				
					iii	Mono c-Si PERC Modules	KE445M (445 Wp)	KE445M	20.52				
								KE440M	20.29				
								KE435M	20.06				
								KE430M	19.83				
								KE460T	21.21				
								KE455T	20.98				
					iv	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	KE445T (445 Wp)	KE450T	20.75				
								KE445T	20.52				
								KE440T	20.29				
								KE435T	20.06				
								KE430T	19.83				
								KE415M	21.24				
					v	Mono c-Si PERC Modules	KE400M (400 Wp)	KE410M	20.98				
								KE405M	20.73				
								KE400M	20.47				
								KE395M	20.22				
								KE390M	19.96				
								KE385M	19.70				
					vi	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	KE400T (400 Wp)	KE415T	21.24				
								KE410T	20.98				
KE405T	20.73												
KE400T	20.47												
KE395T	20.22												
KE390T	19.96												
vii	Mono c-Si PERC Modules	KE255M (255 Wp)	KE255M	19.22									
			KE280M	19.05									
viii	Mono c-Si PERC Modules	KE285M (285 Wp)	KE285M	19.39									
			KE315M	19.17									
ix	Mono c-Si PERC Modules	KE325M (325 Wp)	KE320M	19.47									
			KE325M	19.78									
			KE330M	20.08									
			KE335M	20.38									
			KE380M	19.16									
x	Mono c-Si PERC Modules	KE390M (390 Wp)	KE385M	19.42									
			KE390M	19.67									
			KE395M	19.92									
			CSPL-144MHC-TF-520	20.14									
			CSPL-144MHC-TF-525	20.33									
18	M/s. Citizen Solar Pvt. Ltd.	New Survey No-966, Village: Indrad, Chhatral Kadi Road, Ta: Kadi, Dist.: Mehsana, Gujarat-382715, India.	R-72001929	150	i	Mono c-Si PERC Module (Glass to Transparent backsheet)	CSPL-144MHC-TF-535 (535Wp)	CSPL-144MHC-TF-530	20.52	144 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								CSPL-144MHC-TF-535	20.72				
								CSPL-144MHC-TF-540	20.91				
								CSPL-144MHC-TF-545	21.11				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								CSPL-144MHC-TF-550	21.30				
								CSPL-144MHC-TF-555	21.49				
								CSPL-144MHC-TF-560	21.69				
					ii	Mono c-Si PERC Module	CSPL-144MHC-WF-520	CSPL-144MHC-WF-520	20.14	144 (Half Cut Cells)	1500	04.03.2024	03.03.2028
							CSPL-144MHC-WF-525	20.33					
							CSPL-144MHC-WF-530	20.52					
							CSPL-144MHC-WF-535	20.72					
							CSPL-144MHC-WF-540	20.91					
							CSPL-144MHC-WF-545	21.11					
							CSPL-144MHC-WF-550	21.30					
							CSPL-144MHC-WF-555	21.49					
							CSPL-144MHC-WF-560	21.69					
					iii	Mono c-Si PERC Module (Glass to Transparent backsheet)	CSPL-132MHC-TF-485	CSPL-132MHC-TF-480	20.21				
							CSPL-132MHC-TF-485	20.42					
							CSPL-132MHC-TF-490	20.63					
					iv	Mono c-Si PERC Module	CSPL-132MHC-WF-485	CSPL-132MHC-WF-480	20.21	132 (Half Cut Cells)	1500	04.03.2024	03.03.2028
							CSPL-132MHC-WF-485	20.42					
							CSPL-132MHC-WF-490	20.63					
							CSPL-132MHC-WF-495	20.84					
					v	Mono c-Si PERC Module (Glass to Transparent backsheet)	CSPL-120MHC-TF-440	CSPL-120MHC-TF-435	20.04	120 (Half Cut Cells)	1500	04.03.2024	03.03.2028
							CSPL-120MHC-TF-440	20.27					
							CSPL-120MHC-TF-445	20.50					
							CSPL-120MHC-TF-450	20.73					
					vi	Mono c-Si PERC Module	CSPL-120MHC-WF-440	CSPL-120MHC-WF-435	20.04	120 (Half Cut Cells)	1500	04.03.2024	03.03.2028
							CSPL-120MHC-WF-440	20.27					
							CSPL-120MHC-WF-445	20.50					
							CSPL-120MHC-WF-450	20.73					
					vii	Mono c-Si PERC Module (Glass to Transparent backsheet)	CSPL-108MHC-TF-395	CSPL-108MHC-TF-390	19.88	108 (Half Cut Cells)	1500	04.03.2024	03.03.2028
							CSPL-108MHC-TF-395	20.14					
							CSPL-108MHC-TF-400	20.39					
							CSPL-108MHC-TF-405	20.65					
					viii	Mono c-Si PERC Module	CSPL-108MHC-WF-395	CSPL-108MHC-WF-390	19.88	108 (Half Cut Cells)	1500	04.03.2024	03.03.2028
							CSPL-108MHC-WF-395	20.14					
							CSPL-108MHC-WF-400	20.39					
							CSPL-108MHC-WF-405	20.65					
					ix	Mono c-Si PERC Modules.	CSPL24M390 (390 Wp)	CSPL24M380	19.15	72 (Full Cells)	1500	04.03.2024	03.03.2028
							CSPL24M385	19.41					
							CSPL24M390	19.66					
							CSPL24M395	19.91					
							CSPL24M400	20.16					
19	M/s. Redren Energy Pvt. Ltd	Survey No. 154/1, 154/2, Opposite Rangpar, Bus Stand, National Highway No. 27, Jalida, Wankaner, Morbi-363621, Gujarat, India	R-72001775	77	i	Mono c-Si PERC Module	RPLUS24380 (380 Wp)	RPLUS24380	19.11	72 (Full Cells)	1500	05.04.2024	04.04.2028
								RPLUS20330	20.05				
					ii	Mono c-Si PERC Module	RPLUS20320 (320 Wp)	RPLUS20325	19.74	60 (Full Cells)	1500	05.04.2024	04.04.2028
							RPLUS20320	19.44					
							RPLUS20315	19.14					
					iii	Mono c-Si PERC Module	RPLUS18300 (300 Wp)	RPLUS18300	20.37	54 (Full Cells)	1500	05.04.2024	04.04.2028
							RPLUS18295	20.03					
							RPLUS18290	19.69					
							RPLUS18285	19.35					
					iv	Mono c-Si PERC Module	RSM10MP-72HCMF550 (550Wp)	RSM10MP-72HCMF550	21.29	144 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10MP-72HCMF545	21.10				
					v	Mono c-Si PERC Module	RSM10MP-72HCMF520 (520Wp)	RSM10MP-72HCMF540	20.90	144 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10MP-72HCMF535	20.71				
								RSM10MP-72HCMF530	20.52				
								RSM10MP-72HCMF525	20.32				
								RSM10MP-72HCMF520	20.13				
								RSM10MP-72HCMF515	19.94				
								RSM10MP-72HCMF510	19.74				
								RSM10MP-72HCMF505	19.55				
								RSM10MP-72HCMF500	19.35				
								RSM10MP-72HCMF495	19.16				
								RSM10MP-66HCMF505	21.27				
								RSM10MP-66HCMF500	21.06				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity								
												From	To (subject to valid BIS Registration; else deemed to be delisted)							
					vi	Mono c-Si PERC Module	RSM10MP-66HCF500 (500 Wp)	RSM10MP-66HCF495	20.84	132 (Half Cut Cells)	1500	05.04.2024	04.04.2028							
								RSM10MP-66HCF490	20.63											
								RSM10MP-66HCF485	20.42											
								RSM10MP-66HCF480	20.21											
								RSM10MP-66HCF475	20.03											
					vii	Mono c-Si PERC Module	RSM10MP-66HCF470 (470 Wp))	RSM10MP-66HCF470	19.79	132 (Half Cut Cells)	1500	05.04.2024	04.04.2028							
								RSM10MP-66HCF465	19.58											
								RSM10MP-66HCF460	19.37											
					viii	Mono c-Si PERC Module	RSM10MP-60HCF460 (460 Wp)	RSM10MP-60HCF460	21.25	120 (Half Cut Cells)	1500	05.04.2024	04.04.2028							
								RSM10MP-60HCF455	21.02											
					ix	Mono c-Si PERC Module	RSM10MP-60HCF435 (435 Wp)	RSM10MP-60HCF450	20.79	120 (Half Cut Cells)	1500	05.04.2024	04.04.2028							
								RSM10MP-60HCF445	20.55											
								RSM10MP-60HCF440	20.32											
								RSM10MP-60HCF435	20.09											
								RSM10MP-60HCF430	19.86											
								RSM10MP-60HCF425	19.63											
								RSM10MP-60HCF420	19.40											
								RSM10MP-60HCF415	19.17											
								RSM10MP-54HCF420	21.48											
								x	Mono c-Si PERC Module					RSM10MP-54HCF400 (400 Wp)	RSM10MP-54HCF415	21.23	108 (Half Cut Cells)	1500	05.04.2024	04.04.2028
					RSM10MP-54HCF410	20.97														
					RSM10MP-54HCF405	20.71														
					RSM10MP-54HCF400	20.46														
					RSM10MP-54HCF395	20.20														
					RSM10MP-54HCF390	19.95														
					RSM10MP-54HCF385	19.69														
					RSM10MP-54HCF380	19.44														
					i	Mono c-Si PERC Module	PE-490HM, (490Wp)			PE-470HM	19.80	132 (Half Cut Cells)	1500		05.04.2024	04.04.2028				
										PE-475HM	20.01									
								PE-480HM	20.22											
								PE-485HM	20.43											
								PE-490HM	20.64											
								PE-495HM	20.86											
								PE-510HM	21.49											
								PE-505HM	21.28											
								PE-500HM	21.07											
								ii	Mono c-Si PERC Module	PE-530HM, (530 Wp)	PE-515HM			19.94			144 (Half-Cut Cells)	1500	05.04.2024	04.04.2028
					PE-520HM	20.13														
					PE-525HM	20.32														
					PE-530HM	20.52														
PE-535HM	20.71																			
PE-540HM	20.90																			
PE-545HM	21.10																			
PE-550HM	21.29																			
PE-555HM	21.48																			
iii	Bifacial Mono c-Si PERC Module	PE-530HGB, (530 Wp)	PE-510HGB	19.74	144 (Half-Cut Cells)	1500	05.04.2024				04.04.2028									
			PE-515HGB	19.94																
			PE-520HGB	20.13																
			PE-525HGB	20.32																
			PE-530HGB	20.52																
			PE-535HGB	20.71																
			PE-540HGB	20.90																
			PE-545HGB	21.10																
			PE-550HGB	21.29																
			iv	Mono c-Si PERC Module				PE-565HM, (565 Wp)	PE-555HM	19.86		156 (Half-Cut Cells)	1500	05.04.2024	04.04.2028					
PE-560HM	20.04																			
PE-565HM	20.22																			
PE-570HM	20.40																			
PE-575HM	20.58																			
PE-580HM	20.76																			
PE-585HM	20.94																			
PE-590HM	21.12																			
PE-520HB	21.91																			
PE-515HB	21.70																			

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity						
												From	To (subject to valid BIS Registration; else deemed to be delisted)					
					v	Bifacial Mono c-Si PERC Module	PE-500HB, (500Wp)	PE-510HB	21.49	132 (Half-Cut Cells)	1500	05.04.2024	04.04.2028					
								PE-505HB	21.28									
								PE-500HB	21.07									
								PE-495HB	20.86									
								PE-490HB	20.64									
					vi	Bifacial Mono c-Si PERC Module	PE-535HB, (535Wp)	PE-550HB	21.29	144 (Half-Cut Cells)	1500	05.04.2024	04.04.2028					
								PE-545HB	21.10									
								PE-540HB	20.90									
								PE-535HB	20.71									
								PE-530HB	20.52									
					vii	Bifacial N-Type TOPCon Modules	PE-565THB144, (565Wp)	PE-525HB	20.32	144 (Half-Cut Cells)	1500	05.04.2024	04.04.2028					
								PE-545THB144	21.10									
								PE-550THB144	21.29									
								PE-555THB144	21.48									
								PE-560THB144	21.68									
								PE-565THB144	21.87									
								PE-570THB144	22.07									
								PE-575THB144	22.26									
								PE-580THB144	22.45									
								PE-585THB144	22.65									
					viii	Bifacial N-Type TOPCon Modules	PE-515THB132, (515Wp)	PE-590THB144	22.84	132 (Half-Cut Cells)	1500	05.04.2024	04.04.2028					
								PE-495THB132	20.86									
								PE-500THB132	21.07									
								PE-505THB132	21.28									
								PE-510THB132	21.49									
								PE-515THB132	21.70									
								PE-520THB132	21.91									
								PE-525THB132	22.12									
								PE-530THB132	22.33									
								PE-535THB132	22.54									
					x	Bifacial N-Type TOPCon Modules	PE-470THB120, (470Wp)	PE-450THB120	20.80	120 (Half-Cut Cells)	1500	05.04.2024	04.04.2028					
								PE-455THB120	21.03									
								PE-450THB120	21.26									
								PE-460THB120	21.49									
								PE-465THB120	21.72									
								PE-470THB120	21.95									
								PE-475THB120	22.18									
								PE-480THB120	22.42									
								PE-485THB120	22.65									
								PE-490THB120	22.88									
					21	M/s. Sri Savitr Solar Pvt. Ltd	Plot No. 34/1, Sy No. 374, C.I.E. Phase 2, Gandhi Nagar, Quthbulapur, Ranga Reddy, Hyderabad, Telangana - 500037, India	R-63000922	40	i	Mono c-Si PERC Module	SSSPL-72TP-265 (265 Wp)	SSSPL-72TP-255	19.20	72 (Half Cut Cells)	1500	05.04.2024	04.04.2028
													SSSPL-72TP-260	19.58				
													SSSPL-72TP-265	19.96				
													SSSPL-72TP-270	20.33				
													SSSPL-72TP-275	20.71				
ii	Mono c-Si PERC Module	SSSPL-72TP-280 (280 Wp)	SSSPL-72TP-280	21.08						72 (Half Cut Cells)	1500	05.04.2024	04.04.2028					
			SSSPL-108TP-380	19.47														
			SSSPL-108TP-390	19.98														
iii	Mono c-Si PERC Module	SSSPL-108TP-390 (390 Wp)	SSSPL-108TP-400	20.49						108 (Half Cut Cells)	1500	05.04.2024	04.04.2028					
			SSSPL-108TP-410 (410Wp)	21.00										108 (Half Cut Cells)	1500	05.04.2024	04.04.2028	
			SSSPL-120TP-420	19.42														
v	Mono c-Si PERC Module	SSSPL-120TP-440 (440Wp)	SSSPL-120TP-430	19.89						120 (Half Cut Cells)	1500	05.04.2024	04.04.2028					
			SSSPL-120TP-440	20.35														
			SSSPL-120TP-450	20.81														
			SSSPL-120TP-460	21.27														
			SSSPL-132TP-470	19.81														
vi	Mono c-Si PERC Module	SSSPL-132TP-485 (485 Wp)	SSSPL-132TP-475	20.02						132 (Half Cut Cells)	1500	05.04.2024	04.04.2028					
			SSSPL-132TP-480	20.23														
			SSSPL-132TP-485	20.44														
			SSSPL-132TP-490	20.66														
			SSSPL-132TP-495	20.87														
			SSSPL-132TP-500	21.07														
			SSSPL-144TP-500	19.36														
			SSSPL-144TP-510	19.75														

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity		
												From	To (subject to valid BIS Registration; else deemed to be delisted)	
					vii	Mono c-Si PERC Module	SSSPL-144TP-520 (520 Wp)	SSSPL-144TP-520 SSSPL-144TP-530 SSSPL-144TP-540	20.14 20.52 20.91	144 (Half Cut Cells)	1500	05.04.2024	04.04.2028	
					viii	Mono c-Si PERC Module	SSSPL-144TP-550 (550 Wp)	SSSPL-144TP-550	21.30	144 (Half Cut Cells)	1500	05.04.2024	04.04.2028	
22	M/s. Bluebird Solar Pvt. Ltd	Plot No: 5, Ecotech-II, Udyog Vihar, Khasra No. 739, Greater Noida-201306, Uttar Pradesh, India	R-93014680	100	i	Mono c-Si PERC Modules	BBS24MF395 (395Wp)	BBS24MF380	19.10	72 (Full Cells)	1500	05.04.2024	04.04.2028	
								BBS24MF385	19.35					
								BBS24MF390	19.60					
								BBS24MF395	19.85					
								BBS24MF400	20.10					
								BBS24MF405	20.35					
					ii	Mono c-Si PERC Module	BBS24MC460 (460Wp)	BBS24MC440	19.73	120 (Half Cut Cells)	1500	05.04.2024	04.04.2028	
								BBS24MC445	19.95					
								BBS24MC450	20.18					
								BBS24MC455	20.40					
								BBS24MC460	20.63					
								BBS24MC465	20.85					
					iii	Mono c-Si PERC Module	BBS24MC495 (495Wp)	BBS24MC470	21.08	132 (Half Cut Cells)	1500	05.04.2024	04.04.2028	
								BBS24MC475	21.31					
								BBS24MC480	19.45					
								BBS24MC485	19.65					
								BBS24MC490	19.85					
								BBS24MC495	20.05					
					iv	Mono c-Si PERC Module	BBS24MC525 (525Wp)	BBS24MC500	20.25	144 (Half Cut Cells)	1500	05.04.2024	04.04.2028	
								BBS24MC505	20.46					
BBS24MC510	20.66													
BBS24MC515	19.96													
BBS24MC520	20.15													
BBS24MC525	20.34													
BBS24MC530	20.53													
BBS24MC535	20.73													
23	M/s. Rajasthan Electronics and Instruments Limited (REIL)	2, Kanakpura Industrial Area, Sirsi Road, Jaipur-302040	R-84003077	23	i	Mono c-Si Module	385W72 (385 Wp)	390W72	20.07	72 (Full Cell)	1500	18.08.2024	17.08.2028	
								385W72	19.82					
								380W72	19.56					
		Co-ALMM with M/s Sova Solar Ltd	Manufacturing Address: Layout Plot No: 25, E.P.I.P, Banskopa, Durgapur 713212, West Bengal	R-51002631	2 (As per Co-Branding Agreement)	ii	Mono c-Si PERC Module	RSS535144HCMP (535Wp)	375W72	19.30	144 (Half Cut Cells)	1500	08.07.2024	31.03.2026
									RSS520144HCMP	20.16				
									RSS525144HCMP	20.35				
									RSS530144HCMP	20.54				
									RSS535144HCMP	20.74				
									RSS540144HCMP	20.93				
									RSS545144HCMP	21.13				
RSS550144HCMP	21.32													
Co-ALMM with M/s Cosmic PV Power Private Limited	Manufacturing Address: Survey No. 1605/1, Block No 2098/1/B, Tadkeshvar, Mandavi, Surat-394170, Gujarat	R-72010197	2 (As per Co-Branding Agreement)	iii	Mono c-Si PERC Module	RCOS TWIN-530 (530 Wp)	RSS555144HCMP	21.51	144 (Half Cut Cells)	1500	08.07.2024	17.03.2026		
							RCOS TWIN-550	21.3						
							RCOS TWIN-545	21.1						
							RCOS TWIN-540	20.9						
							RCOS TWIN-535	20.71						
							RCOS TWIN-530	20.51						
							RCOS TWIN-525	20.32						
RCOS TWIN-520	20.13													
Co-ALMM with M/s Grew Energy Private Limited	Manufacturing Address: Khasra No. 2215, 2216, 1654, 1655, 1656, 2217, 2214, DDDU Jaipur, Rajasthan-303008	R-84004561	2 (As per Co-Branding Agreement)	iv	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RGMB72HM10540 (540Wp)	RCOS TWIN-515	19.93	144 (Half Cut Cells)	1500	08.07.2024			
							RCOS TWIN-510	19.74						
							RGMB72HM10550	21.29						
							RGMB72HM10545	21.1						
							RGMB72HM10540	20.9						
				v	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RGMB66HM10495 (495Wp)	RGMB72HM10535	20.71	132 (Half Cut Cells)	1500	08.07.2024			
							RGMB72HM10530	20.52						
							RGMB72HM10525	20.32						
							RGMB66HM10505	21.26						
							RGMB66HM10500	21.05						
RGMB66HM10495	20.83													
RGMB66HM10490	20.62													

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					vi	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	RGMB60HM10450 (450 Wp)	RGMB66HM10485	20.41	120 (Half Cut Cells)	1500	08.07.2024	30.04.2026
								RGMB66HM10480	20.2				
								RGMB60HM10460	21.24				
								RGMB60HM10455	21.01				
								RGMB60HM10450	20.78				
								RGMB60HM10445	20.54				
								RGMB60HM10440	20.31				
								RGMB60HM10435	20.08				
								RGMB54HM10415	21.21				
								RGMB54HM10410	20.96				
								RGMB54HM10405	20.7				
								RGMB54HM10400	20.45				
								RGMB54HM10395	20.19				
								RGMB54HM10390	19.94				
								RGMB48HM10365	20.9				
								RGMB48HM10360	20.61				
								RGMB48HM10355	20.33				
								RGMB48HM10350	20.04				
					RGMB48HM10345	19.75							
					RGMB48HM10340	19.47							
					RGMB48HM10335	19.19							
					RGMB48HM10330	18.91							
					RGMB48HM10325	18.63							
					RGMB48HM10320	18.35							
					RGMB48HM10315	18.07							
					RGMB48HM10310	17.79							
					RGMB48HM10305	17.51							
					RGMB48HM10300	17.23							
					RGMB48HM10295	16.95							
					RGMB48HM10290	16.67							
					RGMB48HM10285	16.39							
					RGMB48HM10280	16.11							
					RGMB48HM10275	15.83							
					RGMB48HM10270	15.55							
					RGMB48HM10265	15.27							
					RGMB48HM10260	14.99							
					RGMB48HM10255	14.71							
					RGMB48HM10250	14.43							
					RGMB48HM10245	14.15							
					RGMB48HM10240	13.87							
					RGMB48HM10235	13.59							
					RGMB48HM10230	13.31							
RGMB48HM10225	13.03												
RGMB48HM10220	12.75												
RGMB48HM10215	12.47												
RGMB48HM10210	12.19												
RGMB48HM10205	11.91												
RGMB48HM10200	11.63												
RGMB48HM10195	11.35												
RGMB48HM10190	11.07												
RGMB48HM10185	10.79												
RGMB48HM10180	10.51												
RGMB48HM10175	10.23												
RGMB48HM10170	9.95												
RGMB48HM10165	9.67												
RGMB48HM10160	9.39												
RGMB48HM10155	9.11												
RGMB48HM10150	8.83												
RGMB48HM10145	8.55												
RGMB48HM10140	8.27												
RGMB48HM10135	7.99												
RGMB48HM10130	7.71												
RGMB48HM10125	7.43												
RGMB48HM10120	7.15												
RGMB48HM10115	6.87												
RGMB48HM10110	6.59												
RGMB48HM10105	6.31												
RGMB48HM10100	6.03												
RGMB48HM10095	5.75												
RGMB48HM10090	5.47												
RGMB48HM10085	5.19												
RGMB48HM10080	4.91												
RGMB48HM10075	4.63												
RGMB48HM10070	4.35												
RGMB48HM10065	4.07												
RGMB48HM10060	3.79												
RGMB48HM10055	3.51												
RGMB48HM10050	3.23												
RGMB48HM10045	2.95												
RGMB48HM10040	2.67												
RGMB48HM10035	2.39												
RGMB48HM10030	2.11												
RGMB48HM10025	1.83												
RGMB48HM10020	1.55												
RGMB48HM10015	1.27												
RGMB48HM10010	0.99												
RGMB48HM10005	0.71												
RGMB48HM10000	0.43												
RGMB48HM10000	0.15												
24	M/s. Sahaj Solar Private Ltd	Plot No. D4, Survey No. 742,745, Gallops Industrial Park, Village Rajoda, Sarkhej – Bavla Road, NH 8B, Ahmedabad, Gujarat – 382220, India	R-72005630	54	i	Mono PERC c-Si Module	SS-535 (535 Wp)	SS-520	20.12	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028
SS-525	20.31												
SS-530	20.51												
SS-535	20.70												
SS-540	20.89												
SS-545	21.09												
SS-550	21.28												
SS-132C480	20.22												
SS-132C485	20.43												
SS-132C490	20.64												
SS-132C495	20.86												
SS-132C500	21.07												
SS-132C505	21.27												
SS-132C510	21.49												
SS-132C515	21.70												
SS-120C440	20.34												
SS-132C490	20.64												
SS-132C495	20.86												
SS-132C500	21.07												
SS-132C505	21.27												
SS-132C510	21.49												
SS-132C515	21.70												
SS-120C440	20.34												
					ii	Mono PERC c-Si Module	SS-132C495 (495 Wp)			132 (Half Cut Cells)	1500	18.08.2024	17.08.2028

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					iii	Mono PERC c-Si Module	SS-120C445 (445 Wp)	SS-120C445 SS-120C450 SS-120C455	20.57 20.79 21.02	120 (Half Cut Cells)	1500	18.08.2024	17.08.2028
25	M/s. Raajratna Ventures Limited	Survey No. 69/2, Ahmedabad-Mehsana Highway, Opp Madhu Mill, Village Chandarda, Tal Kadi, Dist. Mehsana, Gujarat - 382715, India	R-72003379	79	i	Mono c-Si PERC Modules	R435M (435Wp)	R420M	19.27	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								R425M	19.50				
					ii	Mono c-Si PERC Modules	R530M (530Wp)	R430M R435M R440M R445M R450M R510M R515M R520M R525M R530M R535M R540M R545M R550M	19.73 19.73 19.96 20.18 20.41 20.64 19.73 19.93 20.12 20.31 20.51 20.70 20.89 21.09 21.28	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028
26	M/s. Mundra Solar Energy Ltd	Taluka Mundra, Survey No.180/P, Sector-01, South Of APL/CGPL Power Plant, Near EMC Bridge, Tunda, Kachchh- 370435 Gujarat	R-72005460	2125	i	Mono c-Si PERC Modules	ASM-M10-144-525 (525Wp)	ASM-M10-144-500	19.48	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								ASM-M10-144-501	19.51				
								ASM-M10-144-502	19.55				
								ASM-M10-144-503	19.59				
								ASM-M10-144-504	19.63				
								ASM-M10-144-505	19.67				
								ASM-M10-144-506	19.71				
								ASM-M10-144-507	19.75				
								ASM-M10-144-508	19.79				
								ASM-M10-144-509	19.83				
								ASM-M10-144-510	19.86				
								ASM-M10-144-511	19.9				
								ASM-M10-144-512	19.94				
								ASM-M10-144-513	19.98				
								ASM-M10-144-514	20.02				
								ASM-M10-144-515	20.06				
								ASM-M10-144-516	20.1				
								ASM-M10-144-517	20.14				
								ASM-M10-144-518	20.18				
								ASM-M10-144-519	20.22				
								ASM-M10-144-520	20.25				
								ASM-M10-144-521	20.29				
								ASM-M10-144-522	20.33				
								ASM-M10-144-523	20.37				
								ASM-M10-144-524	20.41				
								ASM-M10-144-525	20.45				
								ASM-M10-144-526	20.49				
								ASM-M10-144-527	20.53				
								ASM-M10-144-528	20.57				
								ASM-M10-144-529	20.6				
								ASM-M10-144-530	20.64				
								ASM-M10-144-531	20.68				
								ASM-M10-144-532	20.72				
								ASM-M10-144-533	20.76				
								ASM-M10-144-534	20.8				
								ASM-M10-144-535	20.84				
								ASM-M10-144-536	20.88				
								ASM-M10-144-537	20.92				
								ASM-M10-144-538	20.96				
								ASM-M10-144-539	20.99				
								ASM-M10-144-540	21.03				
								ASM-M10-144-541	21.07				
								ASM-M10-144-542	21.11				
								ASM-M10-144-543	21.15				
								ASM-M10-144-544	21.18				
								ASM-M10-144-545	21.22				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								ASM-M10-144-546	21.27	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								ASM-M10-144-547	21.3				
								ASM-M10-144-548	21.34				
								ASM-M10-144-549	21.38				
								ASM-M10-144-550	21.42				
								ASB-M10-144-500	19.48				
								ASB-M10-144-501	19.51				
								ASB-M10-144-502	19.55				
								ASB-M10-144-503	19.59				
								ASB-M10-144-504	19.63				
								ASB-M10-144-505	19.67				
								ASB-M10-144-506	19.71				
								ASB-M10-144-507	19.75				
								ASB-M10-144-508	19.79				
								ASB-M10-144-509	19.83				
								ASB-M10-144-510	19.86				
								ASB-M10-144-511	19.9				
								ASB-M10-144-512	19.94				
								ASB-M10-144-513	19.98				
								ASB-M10-144-514	20.02				
								ASB-M10-144-515	20.06				
								ASB-M10-144-516	20.1				
								ASB-M10-144-517	20.14				
								ASB-M10-144-518	20.18				
								ASB-M10-144-519	20.22				
								ASB-M10-144-520	20.25				
								ASB-M10-144-521	20.29				
								ASB-M10-144-522	20.33				
								ASB-M10-144-523	20.37				
								ASB-M10-144-524	20.41				
								ASB-M10-144-525	20.45				
								ASB-M10-144-526	20.49				
								ASB-M10-144-527	20.53				
								ASB-M10-144-528	20.57				
								ASB-M10-144-529	20.6				
								ASB-M10-144-530	20.64				
								ASB-M10-144-531	20.68				
								ASB-M10-144-532	20.72				
								ASB-M10-144-533	20.76				
								ASB-M10-144-534	20.8				
								ASB-M10-144-535	20.84				
								ASB-M10-144-536	20.88				
								ASB-M10-144-537	20.92				
								ASB-M10-144-538	20.96				
								ASB-M10-144-539	20.99				
								ASB-M10-144-540	21.03				
								ASB-M10-144-541	21.07				
								ASB-M10-144-542	21.11				
								ASB-M10-144-543	21.15				
								ASB-M10-144-544	21.18				
ASB-M10-144-545	21.22												
ASB-M10-144-546	21.27												
ASB-M10-144-547	21.3												
ASB-M10-144-548	21.34												
ASB-M10-144-549	21.38												
ASB-M10-144-550	21.42												
27	M/s. Renewsys India Pvt. Ltd	Plot No. E141, Additional Industrial Area, MIDC, Patalganga, Tal. Panvel, Karade Khurd, Raigad-410202 Maharashtra	R-71018970	1060	1	Bifacial Mono c-Si PERC Module	DESERV EXTREME-575 (575 Wp)	DESERV EXTREME-590	21.02	156 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								DESERV EXTREME-585	20.84				
								DESERV EXTREME-580	20.66				
								DESERV EXTREME-575	20.48				
								DESERV EXTREME-570	20.30				
								DESERV EXTREME-565	20.13				
								DESERV EXTREME-560	21.56				
								DESERV EXTREME-555	21.37				
								DESERV EXTREME-550	21.18				
								DESERV EXTREME-545	20.99				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					2	Bifacial Mono c-Si PERC Module	DESERV EXTREME-540 (540 Wp)	DESERV EXTREME-540	20.79	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								DESERV EXTREME-535	20.60				
								DESERV EXTREME-530	20.41				
								DESERV EXTREME-525	20.22				
								DESERV EXTREME-520	20.02				
								DESERV EXTREME-515	19.83				
					3	Bifacial Mono c-Si PERC Module	DESERV EXTREME-500 (500 Wp)	DESERV EXTREME-510	19.63	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								DESERV EXTREME-505	19.44				
								DESERV EXTREME-500	19.25				
								DESERV EXTREME-495	19.06				
								DESERV EXTREME-455	20.91				
								DESERV EXTREME-450	20.68				
					4	Bifacial Mono c-Si PERC Module	DESERV EXTREME-455 (455 Wp)	DESERV EXTREME-445	20.45	120 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								DESERV EXTREME-440	20.22				
								DESERV EXTREME-435	19.99				
								DESERV EXTREME-420	21.44				
								DESERV EXTREME-415	21.18				
								DESERV EXTREME-410	20.93				
					5	Bifacial Mono c-Si PERC Module	DESERV EXTREME-415 (415 Wp)	DESERV EXTREME-405	20.67	108 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								DESERV EXTREME-590	21.02				
								DESERV SGALACTIC-585	20.84				
								DESERV SGALACTIC-580	20.66				
								DESERV SGALACTIC-575	20.48				
								DESERV SGALACTIC-570	20.30				
					6	Mono c-Si PERC Modules	DESERV SGALACTIC-575 (575Wp)	DESERV SGALACTIC-565	20.13	156 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								DESERV SGALACTIC-560	21.56				
								DESERV SGALACTIC-555	21.37				
								DESERV SGALACTIC-550	21.18				
								DESERV SGALACTIC-545	20.99				
								DESERV SGALACTIC-540	20.79				
					7	Mono c-Si PERC Module	DESERV SGALACTIC-555 (555 Wp)	DESERV SGALACTIC-535	20.60	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								DESERV SGALACTIC-530	20.41				
								DESERV SGALACTIC-525	20.22				
								DESERV SGALACTIC-520	20.02				
								DESERV SGALACTIC-515	19.83				
								DESERV SGALACTIC-510	19.63				
8	Mono c-Si PERC Module	DESERV SGALACTIC-535 (535 Wp)	DESERV SGALACTIC-505	19.44	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028					
			DESERV SGALACTIC-500	19.25									
			DESERV SGALACTIC-495	19.06									
			DESERV SGALACTIC-465	21.37									
			DESERV SGALACTIC-460	21.14									
			DESERV SGALACTIC-420	21.44									
9	Mono c-Si PERC Module	DESERV SGALACTIC-500 (500 Wp)	DESERV SGALACTIC-415	21.18	108 (Half Cut Cells)	1500	18.08.2024	17.08.2028					
			DESERV SGALACTIC-410	20.93									
			DESERV SGALACTIC-405	20.67									
			DESERV SGALACTIC-405	20.67									
			DESERV SGALACTIC-405	20.67									
			DESERV SGALACTIC-405	20.67									
10	Mono c-Si PERC Module	DESERV SGALACTIC-465 (465 Wp)	BIN-17-605	21.64	156 (Half Cut Cells)	1500	18.08.2024	17.08.2028					
			BIN-17-610	21.82									
			BIN-17-615	22.00									
			BIN-17-620	22.18									
			BIN-17-625	22.36									
			BIN-08-560	21.68									
11	Mono c-Si PERC Module	DESERV SGALACTIC-415 (415 Wp)	BIN-08-565	21.87	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028					
			BIN-08-570	22.07									
			BIN-08-575	22.26									
			BIN-08-580	22.45									
			WSMD-520	20.2									
			WSMD-525	20.39									
28	M/s. Waaree Energies Limited	Survey No. 1934, 1939, 1941, 1942, NH 48, Degam, Chikhali, Navasari, Gujarat - 396530, India	R-72005533	9668	i	Bifacial N - Type TOPCon Module	BIN-17-615 (615 Wp)	WSMD-530	20.58	144 (Half-Cut Cells)	1500	18.08.2024	17.08.2028
								WSMD-535	20.78				
								WSMD-540	20.97				
								WSMD-545	21.17				
								WSMD-550	21.36				
								WSMD-580	20.35				
WSMD-585	20.52												

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					iv	Mono c-Si PERC Modules	WSMD-600 (600Wp)	WSMD-590	20.7	120 (Half-Cut Cells)	1500	18.08.2024	17.08.2028
								WSMD-595	20.88				
								WSMD-600	21.06				
								WSMD-605	21.24				
					v	Mono c-Si PERC Modules	WSMD-650 (650Wp)	WSMD-630	20.16	132 (Half-Cut Cells)	1500	18.08.2024	17.08.2028
								WSMD-635	20.32				
								WSMD-640	20.48				
								WSMD-645	20.64				
					vi	Bifacial Mono c-Si PERC Modules	Bi-55-540 (540Wp)	WSMD-650	20.8	144 (Half-Cut Cells)	1500	18.08.2024	17.08.2028
								Bi-55-520	20.2				
								Bi-55-525	20.39				
								Bi-55-530	20.58				
								Bi-55-535	20.78				
								Bi-55-540	20.97				
					vii	Bifacial Mono c-Si PERC Modules	Bi-66-600 (600Wp)	Bi-55-545	21.17	120 (Half-Cut Cells)	1500	18.08.2024	17.08.2028
								Bi-55-550	21.36				
								Bi-66-580	20.35				
								Bi-66-585	20.52				
					viii	Bifacial Mono c-Si PERC Modules	Bi-68-650 (650Wp)	Bi-66-590	20.7	132 (Half-Cut Cells)	1500	18.08.2024	17.08.2028
								Bi-66-595	20.88				
Bi-66-600	21.06												
Bi-68-630	20.16												
Bi-68-635	20.32												
Bi-68-640	20.48												
29	M/s. Goldi Sun Private Limited	City Survey No. 920, Vijalpore Road, TA, Distt. Navsari, Gujarat - 396445, India	R-72006149	2444	i	Mono c-Si PERC Module	GS10-M144-WF-525 (525 Wp)	Bi-68-645	20.64	144 (Half-Cut Cells)	1500	27.09.2024	26.09.2028
								Bi-68-650	20.8				
								GS10-M144-WF-500	19.36				
								GS10-M144-WF-505	19.54				
								GS10-M144-WF-510	19.75				
								GS10-M144-WF-515	19.94				
								GS10-M144-WF-520	20.13				
								GS10-M144-WF-525	20.33				
								GS10-M144-WF-530	20.53				
								GS10-M144-WF-535	20.73				
					ii	Bifacial Mono c-Si PERC Module	GS10-B144-TF-535 (535Wp)	GS10-M144-WF-540	20.92	144 (Half-Cut Cells)	1500	27.09.2024	26.09.2028
								GS10-M144-WF-545	21.11				
								GS10-M144-WF-550	21.30				
								GS10-B144-TF-525	20.33				
					iii	Bifacial Mono c-Si PERC Module	GS10-B144-GF-535 (535Wp)	GS10-B144-TF-530	20.53	144 (Half-Cut Cells)	1500	27.09.2024	26.09.2028
								GS10-B144-TF-535	20.73				
								GS10-B144-TF-540	20.92				
								GS10-B144-TF-545	21.10				
								GS10-B144-TF-550	21.30				
								GS10-B144-GF-525	20.34				
iv	Mono c-Si PERC Module	GS10-M132-WF-500 (500Wp)	GS10-B144-GF-530	20.53	132 (Half Cut Cells)	1500	27.09.2024	26.09.2028					
			GS10-B144-GF-540	20.73									
v	N-Type TOPCon Modules	GS10-T144-GF-575 (575Wp)	GS10-M132-WF-505	21.28	144 (Half Cut Cells)	1500	27.09.2024	26.09.2028					
			GS10-T144-GF-555	21.47									
			GS10-T144-GF-560	21.67									
			GS10-T144-GF-565	21.86									
			GS10-T144-GF-570	22.05									
			GS10-T144-GF-575	22.26									
			GS10-T144-GF-580	22.45									
			GS10-T144-GF-585	22.64									
			GS10-T144-GF-590	22.83									
			GS10-T144-GF-595	23.03									
vi	N-Type TOPCon Modules	GS10-T132-GF-535 (535Wp)	GS10-T132-GF-515	21.68	132 (Half Cut Cells)	1500	27.09.2024	26.09.2028					
			GS10-T132-GF-520	21.89									
			GS10-T132-GF-525	22.10									
			GS10-T132-GF-530	22.31									
			GS10-T132-GF-535	22.52									
			GS10-T132-GF-540	22.73									

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					vii	N-Type TOPCon Modules	GS10-T120-GF-485 (485Wp)	GS10-T132-GF-545	22.94	120 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								GS10-T132-GF-550	23.15				
								GS10-T120-GF-465	21.47				
								GS10-T120-GF-470	21.70				
								GS10-T120-GF-475	21.93				
								GS10-T120-GF-480	22.16				
								GS10-T120-GF-485	22.39				
								GS10-T120-GF-490	22.62				
								GS10-T120-GF-495	22.85				
								GS10-T120-GF-500	23.08				
					viii	N-Type TOPCon Modules	GS10-T108-GF-425 (425Wp)	GS10-T108-GF-415	21.15	108 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								GS10-T108-GF-420	21.41				
								GS10-T108-GF-425	21.66				
								GS10-T108-GF-430	21.92				
								GS10-T108-GF-435	22.17				
								GS10-T108-GF-440	22.43				
								GS10-T108-GF-445	22.68				
								GS10-T108-GF-450	22.94				
								SASA255C-72	19.06				
								SASA260C-72	19.43				
SASA265C-72	19.80												
SASA270C-72	20.18												
SASA275C-72	20.55												
SASA335C-96	19.06												
SASA340C-96	19.34												
SASA345C-96	19.63												
SASA350C-96	19.91												
SASA355C-96	20.20												
SASA360C-96	20.48												
SASA365C-96	20.76												
SASA375C-108	19.11												
SASA380C-108	19.37												
SASA385C-108	19.62												
SASA390C-108	19.88												
SASA395C-108	20.13												
SASA400C-108	20.39												
SASA405C-108	20.64												
SASA410C-108	20.90												
SASA415C-120	19.11												
SASA420C-120	19.34												
SASA425C-120	19.57												
SASA430C-120	19.80												
SASA435C-120	20.03												
SASA440C-120	20.26												
SASA445C-120	20.49												
SASA450C-120	20.72												
SASA455C-120	20.95												
SASA460C-132	19.41												
SASA465C-132	19.62												
SASA470C-132	19.83												
SASA475C-132	20.04												
SASA480C-132	20.25												
SASA485C-132	20.46												
SASA490C-132	20.67												
SASA495C-132	20.88												
SASA500C-132	21.10												
SASA500C-144	19.35												
SASA505C-144	19.55												
SASA510C-144	19.74												
SASA515C-144	19.94												
SASA520C-144	20.13												
SASA525C-144	20.32												
SASA530C-144	20.52												
SASA535C-144	20.71												
SASA540C-144	20.90												
SASA545C-144	21.09												

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								SASA50C-144	21.29			27.09.2024	26.09.2028
								SASA380M72	19.11			27.09.2024	26.09.2028
								SASA385M72	19.37			27.09.2024	26.09.2028
					vii	Mono c-Si PERC Module	SASA390M72 (390 Wp)	SASA390M72	19.62	72 (Full Cells)	1500	27.09.2024	26.09.2028
								SASA395M72	19.87			27.09.2024	26.09.2028
								SASA400M72	20.17			27.09.2024	26.09.2028
								SASA350M66	19.20			27.09.2024	26.09.2028
					viii	Mono c-Si PERC Module	SASA355M66 (355 Wp)	SASA355M66	19.48	66 (Full Cells)	1500	27.09.2024	26.09.2028
								SASA360M66	19.75			27.09.2024	26.09.2028
								SASA320M60	19.25			27.09.2024	26.09.2028
					ix	Mono c-Si PERC Module	SASA325M60 (325 Wp)	SASA325M60	19.55	60 (Full Cells)	1500	27.09.2024	26.09.2028
								SASA330M60	19.85			27.09.2024	26.09.2028
								SASA290M54	19.30			27.09.2024	26.09.2028
					x	Mono c-Si PERC Module	SASA300M54 (300 Wp)	SASA295M54	19.63	54 (Full Cells)	1500	27.09.2024	26.09.2028
								SASA300M54	19.90			27.09.2024	26.09.2028
								SASA305M54	20.34			27.09.2024	26.09.2028
								SASA255M48	19.00			27.09.2024	26.09.2028
					xi	Mono c-Si PERC Module	SASA260M48 (260 Wp)	SASA260M48	19.37	48 (Full Cells)	1500	27.09.2024	26.09.2028
								SASA265M48	19.74			27.09.2024	26.09.2028
								SASA24MPC385	19.17			27.09.2024	26.09.2028
								SASA24MPC390	19.42			27.09.2024	26.09.2028
					xii	Mono c-Si PERC Module	SASA24MPC395 (395 Wp)	SASA24MPC395	19.67	144 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								SASA24MPC400	19.70			27.09.2024	26.09.2028
								SASA24MPC405	20.20			27.09.2024	26.09.2028
31	M/s. SUNBOND Energy Pvt. Ltd.	S.No. 181/P2 Opp. 66 kV substation, Mitana- Padadhari Road , Mitana, Rajkot, Gujarat 363650, India	R-72005762	60				SEPL72F360M	18.1				
					i	Mono C-Si PERC Modules	SEPL72F375M, (375Wp)	SEPL72F365M	18.36	72 (Full Cells)	1500	27.09.2022	26.09.2024
								SEPL72F370M	18.62				
								SEPL72F375M	18.87				
								SEPL72F380M	19.12				
								SEPL72F385M	19.38				
								SEPL72F390M	19.63				
								SEPL66F325M	17.86				
					ii	Mono C-Si PERC Modules	SEPL66F340M, (340Wp)	SEPL66F330M	18.12	66 (Full Cells)	1500	27.09.2022	26.09.2024
								SEPL66F335M	18.41				
								SEPL66F340M	18.67				
								SEPL66F345M	18.95				
								SEPL66F350M	19.22				
								SEPL66F355M	19.49				
								SEPL60F295M	17.75				
					iii	Mono C-Si PERC Modules	SEPL60F310M, (310Wp)	SEPL60F300M	18.05	60 (Full Cells)	1500	27.09.2022	26.09.2024
								SEPL60F305M	18.36				
								SEPL60F310M	18.67				
								SEPL60F315M	18.98				
								SEPL60F320M	19.26				
								SEPL60F325M	19.59				
								SEPL54F275M	18.34				
					iv	Mono C-Si PERC Modules	SEPL54F280M, (280Wp)	SEPL54F280M	18.67	54 (Full Cells)	1500	27.09.2022	26.09.2024
								SEPL54F285M	18.99				
								SEPL54F290M	19.33				
								SEPL48F240M	17.93				
					v	Mono C-Si PERC Modules	SEPL48F250M, (250Wp)	SEPL48F245M	18.29	48 (Full Cells)	1500	27.09.2022	26.09.2024
								SEPL48F250M	18.67				
								SEPL48F255M	19.01				
								SEPL48F260M	19.39				
								SEPL144C360M	17.93				
								SEPL144C365M	18.18				
								SEPL144C370M	18.43				
					vi	Mono C-Si PERC Modules	SEPL144C375M, (375Wp)	SEPL144C375M	18.68	144 (Half Cut Cells)	1500	27.09.2022	26.09.2024
								SEPL144C380M	18.93				
								SEPL144C385M	19.18				
								SEPL144C390M	19.44				
								SEPL36F155P	15.77				
					vii	Multi C-Si Modules	SEPL36F160P, (160Wp)	SEPL36F160P	16.25	36 (Full Cells)	1500	27.09.2022	26.09.2024
								SEPL36F165P	16.74				
								SEPL48F200P	14.91				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity						
												From	To (subject to valid BIS Registration; else deemed to be delisted)					
					viii	Multi C-Si Modules	SEPL48F210P, (210Wp)	SEPL48F205P	15.27	48 (Full Cells)	1500	27.09.2022	26.09.2024					
								SEPL48F210P	15.66									
					ix	Multi C-Si Modules	SEPL54F235P, (235Wp)	SEPL48F215P	16.04	54 (Full Cells)	1500	27.09.2022	26.09.2024					
								SEPL48F220P	16.41									
					x	Multi C-Si Modules	SEPL60F265P, (265Wp)	SEPL48F225P	16.48	60 (Full Cells)	1500	27.09.2022	26.09.2024					
								SEPL48F230P	17.23									
					xi	Multi C-Si Modules	SEPL66F290P, (290Wp)	SEPL54F225P	14.99	66 (Full Cells)	1500	27.09.2022	26.09.2024					
								SEPL54F230P	15.32									
					xii	Multi C-Si Modules	SEPL72F315P, (315Wp)	SEPL54F235P	15.65	72 (Full Cells)	1500	27.09.2022	26.09.2024					
								SEPL54F240P	15.99									
					xiii	Multi C-Si Modules	SEPL72C295P, (295Wp)	SEPL54F245P	16.67	72 (Full Cells)	1500	27.09.2022	26.09.2024					
								SEPL60F255P	15.43									
					xiv	Multi C-Si Module	SEPL72F340P (340 Wp)	SEPL60F260P	15.72	72 (Full Cell)	1500	27.09.2022	26.09.2024					
								SEPL60F265P	16.01									
					xv	Mono-PERC C-Si Module	SEPL72F400M (400Wp)	SEPL60F270P	16.33	72 (Full Cell)	1500	27.09.2022	26.09.2024					
								SEPL60F275P	16.54									
					xvi	Mono-PERC C-Si Module	SEPLM10-525 (525 Wp)	SEPL66F280P	15.41	144 (Half Cut Cell)	1500	27.09.2022	26.09.2024					
								SEPL66F285P	15.64									
					32	M/s. Emmvee Photovoltaic Power Private Limited	Sy. No. 66-70/3, Pemmanahalli Village, Sompura Hobli, Dabaspet, Nelamangala Taluk, Bengaluru rural District, Karnataka	R-62002976	676	i	Mono c-Si PERC Modules	E520HCMW144 (520 Wp)	SEPL66F290P	15.92	144 (Half Cut Cells)	1500	27.09.2024	26.09.2028
													SEPL66F295P	16.2				
					ii	Bifacial Mono c-Si PERC Modules (Glass to Glass)	E520HCBG144 (520 Wp)	SEPL66F300P	16.48	144 (Half Cut Cells)	1500	27.09.2024	26.09.2028					
								SEPL72F300P	15.12									
								SEPL72F305P	15.36									
								SEPL72F315P	15.6									
								SEPL72F320P	15.89									
								SEPL72F325P	16.19									
								SEPL72F330P	16.4									
								SEPL72C285P	14.37									
								SEPL72C290P	14.61									
								SEPL72C295P	14.87									
								SEPL72F335P	16.91									
								SEPL72F340P	17.12									
								SEPL72F400M	20.16									
								SEPLM10-500	19.35									
								SEPLM10-505	19.54									
								SEPLM10-510	19.74									
								SEPLM10-515	19.93									
								SEPLM10-520	20.12									
								SEPLM10-525	20.32									
								SEPLM10-530	20.51									
								SEPLM10-535	20.71									
								SEPLM10-540	20.9									
								SEPLM10-545	21.09									
								SEPLM10-550	21.29									
								E545HCMW144	21.10									
								E540HCMW144	20.90									
								E535HCMW144	20.71									
								E530HCMW144	20.52									
								E525HCMW144	20.32									
								E520HCMW144	20.13									
								E515HCMW144	19.94									
								E510HCMW144	19.74									
								E505HCMW144	19.55									
								E500HCMW144	19.36									
								E495HCMW144	19.16									
								E545HCBG144	21.10									
								E540HCBG144	20.90									
								E535HCBG144	20.71									
								E530HCBG144	20.52									
								E525HCBG144	20.32									
								E520HCBG144	20.13									
								E515HCBG144	19.94									
								E510HCBG144	19.74									

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity					
												From	To (subject to valid BIS Registration; else deemed to be delisted)				
								E505HCBG144	19.55								
								E500HCBG144	19.36								
								E495HCBG144	19.16								
					iii	Mono c-Si PERC Modules	E430HCMW120 (430 Wp)	E450HCMW120	20.74	120 (Half Cut Cells)	1500	27.09.2024	26.09.2028				
								E445HCMW120	20.51								
								E440HCMW120	20.28								
								E435HCMW120	20.05								
								E430HCMW120	19.82								
								E425HCMW120	19.59								
								E420HCMW120	19.36								
								E415HCMW120	19.13								
								E450HCBG120	20.74								
								E445HCBG120	20.51								
					iv	Bifacial Mono c-Si PERC Modules (Glass to Glass)	E430HCBG120 (430 Wp)	E440HCBG120	20.28	120 (Half Cut Cells)	1500	27.09.2024	26.09.2028				
								E435HCBG120	20.05								
								E430HCBG120	19.82								
								E425HCBG120	19.59								
								E420HCBG120	19.36								
								E415HCBG120	19.13								
					v	Mono c-Si PERC Modules	E550HCMW144 (550 Wp)	E550HCMW144	21.29					144 Half Cut Cells	1500	27.09.2024	26.09.2028
					vi	Bifacial Mono c-Si PERC Module (Glass to Glass)	E550HCBG144 (550 Wp)	E550HCBG144	21.29					144 Half Cut Cells	1500	27.09.2024	26.09.2028
					vii	Bifacial Mono c-Si PERC Modules (Glass to Glass)	E395HCBG108 (395 Wp)	E385HCBG108	19.74					108 Half Cut Cells	1500	27.09.2024	26.09.2028
									E390HCBG108								
									E395HCBG108	20.25							
									E400HCBG108	20.51							
									E405HCBG108	20.76							
					viii	Bifacial Mono c-Si PERC Module (Glass to Glass)	E490HCBG132 (490 Wp)	E480HCBG132	20.19	132 Half Cut Cells	1500	27.09.2024	26.09.2028				
									E485HCBG132					20.40			
									E490HCBG132					20.61			
									E495HCBG132					20.82			
									E500HCBG132					21.03			
					ix	Mono c-Si PERC Module	E395HCMW108 (395 Wp)	E385HCMW108	19.74	108 Half Cut Cells	1500	27.09.2024	26.09.2028				
									E390HCMW108					20.00			
									E395HCMW108					20.25			
									E400HCMW108					20.51			
									E405HCMW108					20.76			
					x	Mono c-Si PERC Module	E490HCMW132 (490 Wp)	E480HCMW132	20.19	132 Half Cut Cells	1500	27.09.2024	26.09.2028				
									E485HCMW132					20.40			
									E490HCMW132					20.61			
									E495HCMW132					20.82			
									E500HCMW132					21.03			
					xi	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	E525HCBT144 (525 Wp)	E505HCBT144	21.29	144 (Half Cut Cells)	1500	27.09.2024	26.09.2028				
									E545HCBT144					21.10			
									E540HCBT144					20.90			
									E535HCBT144					20.71			
									E530HCBT144					20.52			
									E525HCBT144					20.32			
									E520HCBT144					20.13			
									E515HCBT144					19.94			
									E510HCBT144					19.74			
									E505HCBT144					19.55			
						E500HCBT144	19.35										
					xii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	E495HCBT144 (495 Wp)	E495HCBT144	19.16	144 (Half Cut Cells)	1500	27.09.2024	26.09.2028				
					xiii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	E490HCBT132 (490 Wp)	E500HCBT132	21.03	132 (Half Cut Cells)	1500	27.09.2024	26.09.2028				
									E495HCBT132					20.81			
									E490HCBT132					20.60			
									E485HCBT132					20.39			
									E480HCBT132					20.18			
						E450HCBT120	20.74										
							E445HCBT120	20.51									

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
				25	xiv	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	E430HCBT120 (430 Wp)	E440HCBT120	20.28	120 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								E435HCBT120	20.05				
								E430HCBT120	19.82				
								E425HCBT120	19.59				
								E420HCBT120	19.36				
					xv	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	E395HCBT108 (395 Wp)	E405HCBT108	20.76	108 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								E400HCBT108	20.51				
								E395HCBT108	20.25				
								E390HCBT108	19.99				
					xvi	Bifacial N-Type TOPCon Modules (Glass to Glass)	E555HCBG144-T (555 Wp)	E385HCBT108	19.74	144 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								E580HCBG144-T	22.45				
								E575HCBG144-T	22.26				
								E570HCBG144-T	22.06				
								E565HCBG144-T	21.87				
								E560HCBG144-T	21.68				
								E555HCBG144-T	21.48				
								E550HCBG144-T	21.29				
					xvii	Bifacial N-Type TOPCon Modules (Glass to Glass)	E525HCBG144-T (525 Wp)	E545HCBG144-T	21.10	144 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								E540HCBG144-T	20.90				
					xviii	Bifacial N-Type TOPCon Modules (Glass to Glass)	E505HCBG132-T (505 Wp)	E535HCBG144-T	20.71	132 (Half Cut Cells)	1500	27.09.2024	26.09.2028
E530HCBG144-T	20.52												
E530HCBG132-T	22.29												
E525HCBG132-T	22.08												
E520HCBG132-T	21.87												
E515HCBG132-T	21.66												
E510HCBG132-T	21.45												
E505HCBG132-T	21.24												
E500HCBG132-T	21.03												
E495HCBG132-T	20.81												
xix	Bifacial N-Type TOPCon Modules (Glass to Glass)	E460HCBG120-T (460 Wp)	E490HCBG132-T	20.60				120 (Half Cut Cells)	1500				
			E485HCBG132-T	20.39									
			E480HCBG132-T	20.18									
			E480HCBG120-T	22.13									
			E475HCBG120-T	21.90									
			E470HCBG120-T	21.66									
			E465HCBG120-T	21.43									
			E460HCBG120-T	21.20									
xx	Bifacial N-Type TOPCon Modules (Glass to Glass)	E415HCBG108-T (415 Wp)	E455HCBG120-T	20.97	108 (Half Cut Cells)	1500	27.09.2024	26.09.2028					
			E450HCBG120-T	20.74									
			E445HCBG120-T	20.51									
			E440HCBG120-T	20.28									
			E435HCBG108-T	22.30									
			E430HCBG108-T	22.04									
			E425HCBG108-T	21.79									
			E420HCBG108-T	21.53									
			E415HCBG108-T	21.28									
			E410HCBG108-T	21.02									
33	M/s. Abhishek Solar Industries Pvt. Ltd	P.O- Vikash Neori, Beside Premchand Mahto High School, Ranchi-835217, Jharkhand	R-58000086	25	i	Multi C-Si Modules	ASPD-325 (325 Wp)	E405HCBG108-T	20.76	72 Full Cells	1500	25.01.2023	24.01.2025
								E400HCBG108-T	20.51				
								E395HCBG108-T	20.25				
								ASPD-315	16.19				
					ii	Multi C-Si Modules	ASP-325 (325 Wp)	ASPD-325	16.81	72 Full Cells	1500	25.01.2023	24.01.2025
								ASPD-335	17.35				
								ASP-315	16.19				
					iii	Multi C-Si Modules	ASP-265 (265 Wp)	ASP-325	16.81	60 Full Cells	1500	25.01.2023	24.01.2025
								ASP-335	17.35				
								ASP-260	15.9				
								ASP-265	16.25				
					iv	Multi C-Si Modules	ASPD-265 (265 Wp)	ASP-270	16.54	60 Full Cells	1500	25.01.2023	24.01.2025
								ASP-275	16.93				
ASPD-260	15.95												
ASPD-265	16.15												
ASPD-270	16.56												

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity																												
												From	To (subject to valid BIS Registration; else deemed to be delisted)																											
								ASPD-275	16.48	54 Full Cells	1500	25.01.2023	24.01.2025																											
								ASPD-230	15.67																															
								ASPD-240	16.35																															
								ASPD-190	15.12																															
								ASPD-200	16.31																															
								ASPD-160 (160 Wp)	ASPD-160					16.1	36 Full Cells	1000	25.01.2023	24.01.2025																						
								ASPD-125 (125 Wp)	ASPD-125					16.05	36 Cut Cells	1000	25.01.2023	24.01.2025																						
								ASP-100 (100 Wp)	ASP-100					15.5	36 Cut Cells	1000	25.01.2023	24.01.2025																						
								ASPD-75 (75 Wp)	ASPD-75					14.55	36 Cut Cells	1000	25.01.2023	24.01.2025																						
								ASP-75 (75 Wp)	ASP-75					14.55	36 Cut Cells	1000	25.01.2023	24.01.2025																						
								ASPD-60 (60 Wp)	ASPD-60					14.8	36 Cut Cells	1000	25.01.2023	24.01.2025																						
								ASPD-40 (40 Wp)	ASPD-40					13.87	36 Cut Cells	1000	25.01.2023	24.01.2025																						
								34	M/s. Aatmanirbhar Solar Pvt. Ltd.					Survey no 192, Dudhathal, Kheda, Gujarat - 387620, India	R-72005940	100			ASPL380MP72 (380 Wp)	ASPL365MP72	18.39	72 FULL CELL	1500	25.01.2023	24.01.2025															
								ASPL370MP72	18.64																															
								ASPL375MP72	18.89																															
								ASPL380MP72	19.14																															
								ASPL385MP72	19.4																															
								ASPL390MP72	19.65																															
								ASPL395MP72	19.9																															
								ASPL305P72	15.72	72 FULL CELL	1500	25.01.2023	24.01.2025																											
								ASPL310P72	15.98																															
								ASPL315P72	16.23																															
								ASPL320P72	16.49																															
								ASPL325P72	16.75																															
								ASPL330P72	17.01																															
								ASPL335P72	17.26																															
35	M/s. Ameya Solar & Semiconductor Pvt. Ltd.	Survey No. 161/1/1A, Rajpeta Road, Maridimamba Temple, Nagavaram Village, Munugapaka Mandlam, Vishaka Patnam, Andhra Pradesh-531033, India	R-66001040	14			ASSPL-1210 (10 Wp)	ASSPL-1210	9.52					36 (Cut Cells)	600	25.01.2023	24.01.2025																							
															ASSPL-1240 (40 Wp)	12.4	36 (Cut Cells)	600	25.01.2023	24.01.2025																				
															ASSPL-1250 (50 Wp)	13.43	36 (Cut Cells)	600	25.01.2023	24.01.2025																				
															ASSPL-1275 (75 Wp)	14.01	36 (Cut Cells)	600	25.01.2023	24.01.2025																				
															ASSPL-12100 (100 Wp)	ASSPL-12100	14.53	36 (Cut Cells)	600	25.01.2023	24.01.2025																			
															ASSPL-12160 (160 Wp)	ASSPL-12160	16.2	36 (Full Cells)	1000	25.01.2023	24.01.2025																			
																			ASSPL-20250	15.19	60 (Full Cells)	1500	25.01.2023	24.01.2025																
																			ASSPL-20260	15.8																				
																			ASSPL-20270	16.4																				
																			ASSPL-24300	15.32																				
																			ASSPL-24310	15.83																				
																			ASSPL-24320	16.34																				
																			ASSPL-24330	16.85																				
																												ASSPL-24340	17.36	72 (Full Cells)	1500	25.01.2023	24.01.2025							
ASSPL-24350	18.87																																							
36	M/s. Agrawal Renewable Energy Pvt. Ltd	Plot No. 66/0, Dhoop Building, Volvoi Road, Cult, Ponda, South Goa - 403401, India	R-71013536	143										DHOOP PM72 330Wp														DHOOP PM72 330Wp	17					72 (Full Cells)	1500	25.01.2023	24.01.2025			
																																							DHOOP PM72 335Wp	17.26
																																							DHOOP PM72 340Wp	17.52
																																							DHOOP PM72 345Wp	17.78
										DHOOP PM72 350Wp	18.03																													
										DHOOP PM72 355Wp	18.3																													
										DHOOP PM72 360Wp	18.55																													
																					DHOOP PM72 370Wp	19.01	72 (Full Cells)	1500															25.01.2023	24.01.2025
																					DHOOP PM72 375Wp	19.26																		
																					DHOOP PM72 380Wp	19.52																		
																					DHOOP PM72 385Wp	19.78																		

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								DHOOP PM72 390Wp	20.04				
								DHOOP PM72 395Wp	20.29				
								DHOOP PM72 400Wp	20.55				
					iii	Multi C-Si Modules	DHOOP PP48 210 (210Wp)	DHOOP PP48 200Wp	15.2	48 (Full Cells)	1500	25.01.2023	24.01.2025
							DHOOP PP48 205Wp	15.64					
							DHOOP PP48 210Wp	15.89					
							DHOOP PP48 215Wp	16.27					
					iv	Multi C-Si Modules	DHOOP PP48 225 (225Wp)	DHOOP PP48 220Wp	16.64	48 (Full Cells)	1500	25.01.2023	24.01.2025
							DHOOP PP48 225Wp	17.02					
							DHOOP PP48 230Wp	17.4					
							DHOOP PP48 235Wp	17.78					
					v	Multi C-Si Modules	DHOOP PP60 260 (260Wp)	DHOOP PP60 250Wp	15.16	60 (Full Cells)	1500	25.01.2023	24.01.2025
							DHOOP PP60 255Wp	15.46					
							DHOOP PP60 260Wp	15.76					
							DHOOP PP60 265Wp	16.07					
					vi	Multi C-Si Modules	DHOOP PP60 275Wp	DHOOP PP60 270Wp	16.37	60 (Full Cells)	1500	25.01.2023	24.01.2025
							DHOOP PP60 275Wp	16.67					
							DHOOP PP60 280Wp	17.08					
							DHOOP PP72 300Wp	15.41					
					vii	Multi C-Si Modules	DHOOP PP72 315 (315Wp)	DHOOP PP72 305Wp	15.67	72 (Full Cells)	1500	25.01.2023	24.01.2025
							DHOOP PP72 310Wp	15.92					
							DHOOP PP72 315Wp	16.18					
							DHOOP PP72 320Wp	16.44					
							DHOOP PP72 325Wp	16.69					
							DHOOP PP72 330Wp	16.95					
					vii	Multi C-Si Modules	DHOOP PP72 335 (335Wp)	DHOOP PP72 335Wp	17.26	72 (Full Cells)	1500	25.01.2023	24.01.2025
							DHOOP PP72 340Wp	17.52					
					ix	Multi C-Si Modules	DHOOP PP36 100 (100Wp)	DHOOP PP36 100Wp	14.63	36 (Cut Cells)	1500	25.01.2023	24.01.2025
					x	Multi C-Si Modules	DHOOP PP36 110 (110Wp)	DHOOP PP36 110Wp	16.18	36 (Cut Cells)	1500	25.01.2023	24.01.2025
					xi	Multi C-Si Modules	DHOOP PP36 120 (120Wp)	DHOOP PP36 120Wp	16.51	36 (Cut Cells)	1500	25.01.2023	24.01.2025
					xii	Multi C-Si Modules	DHOOP PP36 150 (150Wp)	DHOOP PP36 150Wp	15.01	36 (Full Cells)	1500	25.01.2023	24.01.2025
					xiii	Multi C-Si Modules	DHOOP PP36 160 (160Wp)	DHOOP PP36 160Wp	16.14	36 (Full Cells)	1500	25.01.2023	24.01.2025
					xiv	Multi C-Si Modules	DHOOP PP36 40 (40Wp)	DHOOP PP36 40Wp	13.31	36 (Cut Cells)	1500	25.01.2023	24.01.2025
					xv	Multi C-Si Modules	DHOOP PP36 50 (50Wp)	DHOOP PP36 50Wp	13.35	36 (Cut Cells)	1500	25.01.2023	24.01.2025
					xvi	Multi C-Si Modules	DHOOP PP36 60 (60Wp)	DHOOP PP36 60Wp	13.74	36 (Cut Cells)	1500	25.01.2023	24.01.2025
					xvii	Multi C-Si Modules	DHOOP PP36 75 (75Wp)	DHOOP PP36 75Wp	14.27	36 (Cut Cells)	1500	25.01.2023	24.01.2025
					xviii	Multi C-Si Modules	DHOOP PP36 80 (80Wp)	DHOOP PP36 80Wp	14.75	36 (Cut Cells)	1500	25.01.2023	24.01.2025
					xix	Bifacial Mono c-Si PERC Module	DHF-72HG-520 (520 Wp)	DHF-72HG-495	19.11	144 (Half Cut Cells)	1500	25.01.2023	24.01.2025
							DHF-72HG-500	19.30					
							DHF-72HG-505	19.50					
							DHF-72HG-510	19.69					
							DHF-72HG-515	19.88					
							DHF-72HG-520	20.08					
							DHF-72HG-525	20.27					
							DHF-72HG-530	20.46					
					xx	Bifacial Mono c-Si PERC Module	DHF-72HG-545 (545 Wp)	DHF-72HG-535	20.66	144 (Half Cut Cells)	1500	25.01.2023	24.01.2025
							DHF-72HG-540	20.85					
							DHF-72HG-545	21.04					
							DHF-72HG-550	21.24					
					xxi	Bifacial Mono c-Si PERC Module	DHF-66HG-470 (470 Wp)	DHF-66HG-455	19.12	132 (Half Cut Cells)	1500	25.01.2023	24.01.2025
							DHF-66HG-460	19.33					
							DHF-66HG-465	19.54					
							DHF-66HG-470	19.75					
							DHF-66HG-475	19.96					
							DHF-66HG-480	20.17					
					xxii	Bifacial Mono c-Si PERC Module	DHF-66HG-495 (495 Wp)	DHF-66HG-485	20.38	132 (Half Cut Cells)	1500	25.01.2023	24.01.2025
							DHF-66HG-490	20.59					
							DHF-66HG-495	20.80					
							DHF-66HG-500	21.01					
					xxiii	Bifacial Mono c-Si PERC Module	DHF-54HG-380 (380 Wp)	DHF-66HG-505	21.22	108 (Half Cut Cells)	1500	25.01.2023	24.01.2025
							DHF-54HG-375	19.13					
							DHF-54HG-380	19.38					
							DHF-54HG-385	19.64					
							DHF-54HG-390	19.89					
							DHF-54HG-395	20.15					

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xxiv	Bifacial Mono c-Si PERC Module	DHF-54HG-405 (405 Wp)	DHF-54HG-400 DHF-54HG-405 DHF-54HG-410	20.40 20.66 20.91	108 (Half Cut Cells)	1500	25.01.2023	24.01.2025
					xxv	Bifacial Mono c-Si PERC Module	DHF-60HG-575 (575 Wp)	DHF-60HG-600 DHF-60HG-595 DHF-60HG-590 DHF-60HG-585 DHF-60HG-580 DHF-60HG-575 DHF-60HG-570 DHF-60HG-565 DHF-60HG-560 DHF-60HG-555 DHF-60HG-550	20.75 20.58 20.40 20.23 20.06 19.88 19.71 19.54 19.37 19.19 19.20	120 (Half Cut Cells)	1500	25.01.2023	24.01.2025
					xxvi	Bifacial Mono c-Si PERC Module	DHF-54HG-515 (515 Wp)	DHF-54HG-540 DHF-54HG-535 DHF-54HG-530 DHF-54HG-525 DHF-54HG-520 DHF-54HG-515 DHF-54HG-510 DHF-54HG-505 DHF-54HG-500 DHF-54HG-495	20.78 20.58 20.39 20.20 20.01 19.81 19.62 19.43 19.24 19.05	108 (Half Cut Cells)	1500	25.01.2023	24.01.2025
					xxvii	Bifacial Mono c-Si PERC Module	DHF-48HG-460 (460 Wp)	DHF-48HG-480 DHF-48HG-475 DHF-48HG-470 DHF-48HG-465 DHF-48HG-460 DHF-48HG-455 DHF-48HG-450 DHF-48HG-445	20.69 20.48 20.26 20.05 19.83 19.62 19.40 19.18	96 (Half Cut Cells)	1500	25.01.2023	24.01.2025
					xxviii	Mono c-Si PERC Module	DHF-72H-525 (525 Wp)	DHF-72H-550 DHF-72H-545 DHF-72H-540 DHF-72H-535 DHF-72H-530 DHF-72H-525 DHF-72H-520 DHF-72H-515 DHF-72H-510 DHF-72H-505	21.24 21.04 20.85 20.66 20.46 20.27 20.08 19.88 19.69 19.50	144 (Half Cut Cells)	1500	25.01.2023	24.01.2025
					xxix	Mono c-Si PERC Module	DHF-72H-500 (500 Wp)	DHF-72H-500 DHF-72H-495	19.30 19.11	144 (Half Cut Cells)	1500	25.01.2023	24.01.2025
					xxx	Mono c-Si PERC Module	DHF-66H-490 (490 Wp)	DHF-66H-505 DHF-66H-500 DHF-66H-495 DHF-66H-490 DHF-66H-485 DHF-66H-480 DHF-66H-475 DHF-66H-470	21.22 21.01 20.80 20.59 20.38 20.17 19.96 19.75	132 (Half Cut Cells)	1500	25.01.2023	24.01.2025
					xxxi	Mono c-Si PERC Module	DHF-66H-460 (4600 Wp)	DHF-66H-465 DHF-66H-460 DHF-66H-455	19.54 19.33 19.12	132 (Half Cut Cells)	1500	25.01.2023	24.01.2025
					xxxii	Mono c-Si PERC Module	DHF-54H-400 (400 Wp)	DHF-54H-410 DHF-54H-405 DHF-54H-400 DHF-54H-395 DHF-54H-390 DHF-54H-385	20.91 20.66 20.40 20.15 19.89 19.64	108 (Half Cut Cells)	1500	25.01.2023	24.01.2025
					xxxiii	Mono c-Si PERC Module	DHF-54H-380 (380 Wp)	DHF-54H-380 DHF-54H-375 DHF-60H-600 DHF-60H-595	19.38 19.13 20.76 20.58	108 (Half Cut Cells)	1500	25.01.2023	24.01.2025
								DHF-60H-590	20.40				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xxxiv	Mono c-Si PERC Module	DHF-60H-575 (575 Wp)	DHF-60H-585	20.23	120 (Half Cut Cells)	1500	25.01.2023	24.01.2025
								DHF-60H-580	20.06				
								DHF-60H-575	19.88				
								DHF-60H-570	19.71				
								DHF-60H-565	19.54				
								DHF-60H-560	19.37				
								DHF-60H-555	19.19				
								DHF-60H-550	19.02				
								DHF-54H-540	20.78				
					xxxv	Mono c-Si PERC Module	DHF-54H-515 (515 Wp)	DHF-54H-535	20.58	108 (Half Cut Cells)	1500	25.01.2023	24.01.2025
								DHF-54H-530	20.39				
								DHF-54H-525	20.20				
								DHF-54H-520	20.01				
								DHF-54H-515	19.81				
								DHF-54H-510	19.62				
								DHF-54H-505	19.43				
								DHF-54H-500	19.24				
								DHF-54H-495	19.05				
					xxxvi	Mono c-Si PERC Module	DHF-48H-460 (460 Wp)	DHF-48H-480	20.69	96 (Half Cut Cells)	1500	25.01.2023	24.01.2025
								DHF-48H-475	20.48				
								DHF-48H-470	20.26				
								DHF-48H-465	20.05				
								DHF-48H-460	19.83				
								DHF-48H-455	19.62				
								DHF-48H-450	19.40				
								DHF-48H-445	19.18				
								DHF-48H-445	19.18				
37	M/s. Sunify Solar LLP	Sr. 624 on N/H- 947, Village Sarvad TA Morbi-363660, Gujarat, India	R-72005800	89	i	Multi C-Si Modules	SS72F330P (330 Wp)	SS72F315P	16.23	72 (Full Cell)	1500	25.01.2023	24.01.2025
								SS72F320P	16.49				
								SS72F325P	16.75				
								SS72F330P	17.01				
					ii	Multi C-Si Modules	SS66F290P (290 Wp)	SS66F280P	15.67	66 (Full Cell)	1500	25.01.2023	24.01.2025
								SS66F285P	15.95				
								SS66F290P	16.23				
								SS66F295P	16.51				
					iii	Multi C-Si Modules	SS60F255P (255 Wp)	SS66F300P	16.79	60 (Full Cell)	1500	25.01.2023	24.01.2025
								SS60F250P	15.4				
								SS60F255P	15.71				
								SS60F260P	16.01				
					iv	Multi C-Si Modules	SS60F265P (265 Wp)	SS60F265P	16.32	60 (Full Cell)	1500	25.01.2023	24.01.2025
								SS60F270P	16.63				
								SS72F370M	18.62				
								SS72F375M	18.87				
					v	Mono C-Si PERC Modules	SS72F385M (385 Wp)	SS72F380M	19.12	72 (Full Cell)	1500	25.01.2023	24.01.2025
								SS72F385M	19.38				
								SS72F390M	19.63				
								SS66F325M	17.86				
					vi	Mono C-Si PERC Modules	SS66F340M (340 Wp)	SS66F330M	18.12	66 (Full Cell)	1500	25.01.2023	24.01.2025
								SS66F335M	18.41				
								SS66F340M	18.67				
								SS66F345M	18.95				
								SS66F350M	19.22				
								SS66F355M	19.49				
					vii	Mono C-Si PERC Modules	SS60F310M (310 Wp)	SS60F295M	17.75	60 (Full Cell)	1500	25.01.2023	24.01.2025
								SS60F300M	18.05				
								SS60F305M	18.36				
								SS60F310M	18.67				
								SS60F315M	18.98				
								SS60F320M	19.26				
					viii	Mono C-Si PERC Modules	SS144C390M (390 Wp)	SS60F325M	19.59	144 (Half Cut Cell)	1500	25.01.2023	24.01.2025
								SS144C375M	18.67				
								SS144C380M	18.92				
								SS144C385M	19.17				
SS144C390M	19.42												
SS132C480M	20.21												
ix	Mono c-Si PERC Module	SS132C490M (490 Wp)	SS132C485M	20.45	132 (Half Cut Cell)	1500	25.01.2023	24.01.2025					
			SS132C490M	20.64									

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity								
												From	To (subject to valid BIS Registration; else deemed to be delisted)							
					x	Mono c-Si PERC Module	SS144C505M (505 Wp)	SS132C495M	20.85	144 (Half Cut Cell)	1500	25.01.2023	24.01.2025							
								SS132C500M	21.06											
								SS144C505M	19.55											
					xi	Mono c-Si PERC Module	SS144C535M (535 Wp)	SS144C510M	19.75	144 (Half Cut Cell)	1500	25.01.2023	24.01.2025							
								SS144C515M	19.94											
								SS144C520M	20.13											
								SS144C525M	20.32											
								SS144C530M	20.52											
								SS144C535M	20.71											
								SS144C540M	20.9											
								SS144C545M	21.1											
								SS144C550M	21.29											
					xii	Mono c-Si PERC Module	SS156C565M (565 Wp)	SS144C555M	21.48	156 (Half Cut Cell)	1500	25.01.2023	24.01.2025							
								SS144C560M	21.68											
								SS156C565M	20.21											
38	M/s. Unique Sun Power LLP	Bl No. 2281/2/1/1, Sub Plot 1-A, Tadkeshwar, Near Areth Minnor Canal, Mandvi, Surat, Gujarat-394170, India	R-72005550	43	i	Multi C-Si Modules	SUN36P075 (75 Wp)	SUN36P075	7.45	36 (Cut Cell)	600	25.01.2023	24.01.2025							
								ii	Multi C-Si Modules					SUN36P100 (100 Wp)	SUN36P100	9.94	36 (Cut Cell)	600	25.01.2023	24.01.2025
								iii	Multi C-Si Modules					SUN36P150 (150 Wp)	SUN36P150	14.91	36 (Cut Cell)	600	25.01.2023	24.01.2025
					iv	Multi C-Si Modules	SUN36P160 (160Wp)	SUN36P155	15.41	36 (Full Cell)	1000	25.01.2023	24.01.2025							
								SUN36P160	15.94											
								SUN36P165	16.41											
					v	Multi C-Si Modules	SUN48P210 (210 Wp)	SUN48P205	15.23	48 (Full Cell)	1000	25.01.2023	24.01.2025							
								SUN48P210	15.6											
								SUN48P220	16.34											
					vi	Multi C-Si Modules	SUN60P265 (265 Wp)	SUN60P260	15.61	60 (Full Cell)	1500	25.01.2023	24.01.2025							
								SUN60P265	15.91											
								SUN60P270	16.21											
								SUN60P275	16.51											
					vii	Multi C-Si Modules	SUN72P325 (325 Wp)	SUN72P310	15.56	72 (Full Cell)	1500	25.01.2023	24.01.2025							
								SUN72P315	15.88											
SUN72P320	16.13																			
SUN72P325	16.39																			
SUN72P330	16.64																			
SUN72P333	16.79																			
viii	Mono PERC C-Si Module	SUN144P535 (535 Wp)	SUN72P335	16.9	144 (Half Cut Cell)	1500	25.01.2023	24.01.2025												
			SUN144P550	21.34																
			SUN144P545	21.14																
			SUN144P540	20.95																
			SUN144P535	20.76																
			SUN144P530	20.56																
			SUN144P525	20.37																
ix	Mono PERC C-Si Module	SUN120P445 (445 Wp)	SUN144P520	20.18	120 (Half Cut Cell)	1500	25.01.2023	24.01.2025												
			SUN120P465	21.45																
			SUN120P460	21.23																
			SUN120P455	21.01																
			SUN120P450	20.79																
			SUN120P445	20.55																
x	Mono PERC C-Si Module	SUN108P410 (410 Wp)	SUN120P440	20.30	108 (Half Cut Cell)	1500	25.01.2023	24.01.2025												
			SUN120P435	20.07																
			SUN108P420	21.43																
			SUN108P415	21.16																
			SUN108P410	20.90																
			SUN108P405	20.65																
			SUN108P400	20.39																
39	M/s. Ankur Traders & Engineers Private Limited	D-130, B.S. Road, Industrial Area, Ghaziabad-201009, Uttar Pradesh	R-93009695	45	i	Mono PERC C-Si Module	ASM585(585 Wp)	ASM560	20.03	156 (Half Cut Cells)	1500	25.01.2023	24.01.2025							
								ASM565	20.21											
								ASM570	20.39											
								ASM575	20.57											
								ASM580	20.75											
								ASM585	20.93											
								ASM505	19.55											
								ASM510	19.74											

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					ii	Mono PERC C-Si Module	ASM530 (530 Wp)	ASM515	19.94	144 (Half Cut Cells)	1500	25.01.2023	24.01.2025
								ASM520	20.13				
								ASM525	20.32				
								ASM530	20.52				
								ASM535	20.71				
								ASM540	20.9				
								ASM545	21.09				
								ASM550	21.29				
					iii	Mono PERC C-Si Module	ASM480 (480 Wp)	ASM500	21.07	132 (Half Cut Cells)	1500	25.01.2023	24.01.2025
								ASM495	20.85				
								ASM490	20.64				
								ASM485	20.43				
								ASM480	20.22				
								ASM475	20.01				
								ASM470	19.8				
								ASM465	19.59				
					iv	Mono PERC C-Si Module	ASM430 (430 Wp)	ASM460	19.38	120 (Half Cut Cells)	1500	25.01.2023	24.01.2025
								ASM450	20.79				
								ASM445	20.57				
								ASM440	20.33				
								ASM435	20.1				
								ASM430	19.87				
								ASM425	19.64				
								ASM420	19.41				
					v	Mono PERC C-Si Module	ASM260 (260 Wp)	ASM415	19.18	72 (Half Cut Cells)	1500	25.01.2023	24.01.2025
								ASM410	18.94				
								ASM250	18.87				
								ASM255	19.25				
ASM260	19.62												
ASM265	20												
ASM270	20.38												
ASM125	18.39												
vi	Mono PERC C-Si Module	ASM130 (130 Wp)	ASM130	19.12	36 (Half Cut Cells)	1500	25.01.2023	24.01.2025					
			ASM135	19.86									
			AS325WP	16.62									
			AS330WP	16.87									
			AS335WP	17.13									
			AS340WP	17.38									
			AS345WP	17.64									
			AS350WP	17.9									
40	M/s. Bharat Heavy Electricals. Ltd	P.B No-1245, Malleshwaram West, Bangalore-560012, Karnataka	R-62001350	214	i	Multi C-Si Modules	L20265P-265W (265 Wp)	L20265P-255W	15.46	60 (Full Cells)	1000	25.01.2023	24.01.2025
								L20265P-260W	15.76				
								L20265P-265W	16.07				
								L20265P-270W	16.37				
								L20265P-275W	16.67				
								L24315P-300W	15.4				
					ii	Multi C-Si Modules	L24315P-315W (315 Wp)	L24315P-305W	15.7	72 (Full Cells)	1000	25.01.2023	24.01.2025
								L24315P-310W	15.9				
								L24315P-315W	16.2				
								L24315P-320W	16.5				
								L24315P-325W	16.7				
								L24315P-330W	17				
					iii	Multi C-Si Modules	PSAAA1B-260W (260 Wp)	PSAAA1B-250W	15.4	60 (Full Cells)	1500	25.01.2023	24.01.2025
								PSAAA1B-255W	15.71				
								PSAAA1B-260W	16.02				
								PSAAA1B-265W	16.33				
								PSAAA1B-270W	16.64				
								PSAAB1B-300W	15.48				
					iv	Multi C-Si Modules	PSAAB1B-315W (315 Wp)	PSAAB1B-305W	15.73	72 (Full Cells)	1500	25.01.2023	24.01.2025
								PSAAB1B-310W	15.99				
								PSAAB1B-315W	16.25				
								PSAAB1B-320W	16.51				
								PSAAB1B-325W	16.77				
								MSABB1B-370W	18.5				
v	Mono PERC C-Si Modules	MSABB1B-385W (385 Wp)	MSABB1B-375W	18.75	72 (Full Cells)	1500	25.01.2023	24.01.2025					
			MSABB1B-380W	19									
			MSABB1B-385W	19.25									

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								MSABB1B-390W	19.5				
								MSABB1B-395W	19.75				
								MSABB1B-400W	20				
41	M/s. Credence Solar Panels Private Limited	Plot No. 18&19, Survey No. 142/2, Rajkot-Jamnagar Highway, Padadhari, Rajkot, Gujarat	R-72006165	500	i	Mono PERC C-Si Module	CS-QU650-132 (650 Wp)	CS-QU670-132	21.60	132 (Half Cut Cell)	1500	25.01.2023	24.01.2025
								CS-QU665-132	21.50				
								CS-QU660-132	21.30				
								CS-QU655-132	21.10				
								CS-QU650-132	20.44				
								CS-QU645-132	20.28				
								CS-QU640-132	20.13				
								CS-QU635-132	19.97				
								CS-QU630-132	19.81				
								CS-QU625-132	19.66				
								CS-QU620-132	19.5				
								ii	Mono PERC C-Si Module				
					CS-QU585-120	20.58							
					CS-QU580-120	20.41							
					CS-QU575-120	20.23							
					CS-QU570-120	20.05							
					CS-QU565-120	19.88							
					CS-QU560-120	19.7							
					CS-QU555-120	19.53							
					CS-QU550-120	19.35							
					CS-QU540-110	20.67							
					iii	Mono PERC C-Si Module	CS-QU525-110 (525 Wp)	CS-QU535-110	20.48	110 (Half Cut Cell)	1500	25.01.2023	24.01.2025
								CS-QU530-110	20.28				
								CS-QU525-110	20.09				
								CS-QU520-110	19.9				
								CS-QU515-110	19.71				
								CS-QU510-110	19.52				
								CS-QU505-110	19.33				
								CS-QU500-110	19.14				
					iv	Mono PERC Bifacial C-Si Module	CS-QB650-132 (650 Wp)	CS-QB650-132	20.47	132 (Half Cut Cell)	1500	25.01.2023	24.01.2025
								CS-QB645-132	20.31				
								CS-QB640-132	20.15				
								CS-QB635-132	19.99				
								CS-QB630-132	19.84				
								CS-QB625-132	19.68				
								CS-QB620-132	19.52				
					v	Mono PERC Bifacial C-Si Module	CS-QB575-120 (575 Wp)	CS-QB590-120	20.77	120 (Half Cut Cell)	1500	25.01.2023	24.01.2025
								CS-QB585-120	20.6				
								CS-QB580-120	20.42				
								CS-QB575-120	20.25				
								CS-QB570-120	20.07				
								CS-QB565-120	19.89				
CS-QB560-120	19.72												
CS-QB555-120	19.54												
CS-QB550-120	19.37												
CS-QB540-110	20.67												
vi	Mono PERC Bifacial C-Si Module	CS-QB525-110 (525 Wp)	CS-QB535-110	20.48	110 (Half Cut Cell)	1500	25.01.2023	24.01.2025					
			CS-QB530-110	20.28									
			CS-QB525-110	20.09									
			CS-QB520-110	19.9									
			CS-QB515-110	19.71									
			CS-QB510-110	19.52									
			CS-QB505-110	19.33									
			CS-QB500-110	19.14									
vii	Mono PERC C-Si Module	CS-HN525-144 (525 Wp)	CS-HN550-144	20.95	144 (Half Cut Cell)	1500	25.01.2023	24.01.2025					
			CS-HN545-144	20.76									
			CS-HN540-144	20.57									
			CS-HN535-144	20.38									
			CS-HN530-144	20.19									
			CS-HN525-144	20									
			CS-HN520-144	19.81									
			CS-HN515-144	19.62									
			CS-HN510-144	19.43									

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					viii	Multi C-Si Module	CS-SN325-144 (325 Wp)	CS-HN505-144	19.24	144 (Half Cut Cell)	1500	25.01.2023	24.01.2025
								CS-HN500-144	19.04				
								CS-SN340-144	17.1				
								CS-SN335-144	16.85				
								CS-SN330-144	16.6				
								CS-SN325-144	16.35				
								CS-SN320-144	16.1				
								CS-SN315-144	15.85				
					ix	Bifacial Mono c-Si PERC Module (Glass to Glass)	CS-QB670-132 (670 Wp)	CS-SN310-144	15.59	132 (Half Cut Cells) 12 BB (Cell Size 210x210mm)	1500	25.01.2023	24.01.2025
								CS-QB655-132	21.08				
								CS-QB660-132	21.25				
								CS-QB665-132	21.41				
								CS-QB670-132	21.57				
								CS-QB675-132	21.73				
								CS-QB680-132	21.89				
								CS-QB685-132	22.05				
					x	Bifacial Mono c-Si PERC Module (Glass to Glass)	CS-QB610-120 (610 Wp)	CS-QB595-120	21.01	120 (Half Cut Cells) 12 BB (Cell Size 210x210mm)	1500	25.01.2023	24.01.2025
								CS-QB600-120	21.2				
								CS-QB605-120	21.37				
								CS-QB610-120	21.54				
								CS-QB615-120	21.72				
								CS-QB620-120	21.9				
								CS-QB545-110	20.86				
								CS-QB550-110	21.05				
					xi	Bifacial Mono c-Si PERC Module (Glass to Glass)	CS-QB560-110 (560 Wp)	CS-QB555-110	21.24	110 (Half Cut Cells) 12 BB (Cell Size 210x210mm)	1500	25.01.2023	24.01.2025
								CS-QB560-110	21.43				
								CS-QB565-110	21.62				
								CS-QB570-110	21.81				
								CS-HB545-156	19.66				
								CS-HB550-156	19.84				
								CS-HB555-156	20.02				
								CS-HB560-156	20.2				
					xii	Bifacial Mono c-Si PERC Module (Glass to Glass)	CS-HB570-156 (570 Wp)	CS-HB565-156	20.38	156 (Half Cut cells) 10 BB (Cell Size 182x182mm)	1500	25.01.2023	24.01.2025
								CS-HB570-156	20.56				
								CS-HB575-156	20.74				
								CS-HB580-156	20.92				
								CS-HB585-156	21.1				
								CS-HB590-156	21.28				
								CS-HB595-156	21.46				
								CS-HB505-144	19.7				
								CS-HB510-144	19.89				
								CS-HB515-144	20.09				
								CS-HB520-144	20.28				
								CS-HB525-144	20.47				
					xiii	Bifacial Mono c-Si PERC Module (Glass to Glass)	CS-HB530-144 (530 Wp)	CS-HB530-144	20.67	144 (Half Cut Cells) 10 BB (Cell Size 182x182mm)	1500	25.01.2023	24.01.2025
								CS-HB535-144	20.87				
								CS-HB540-144	21.06				
								CS-HB545-144	21.26				
CS-HB550-144	21.45												
SGM-400	20.61												
SGM-395	20.36												
SGM-390	20.01												
SGM-385	19.84												
SGM-380	19.58												
SGM-375	19.33												
SGM-345	19.3												
SGM-340	19.02												
42	M/s. Ganesh Green Bharat Limited (Formally Known as M/s. Ganesh Electrical Pvt. Ltd.)	Survey No. 319/320/321, Tundali, Tundali approach road, Behind Honest Restaurant, Near Nadasan Flyover, Mehsna - 382732, Gujarat	R-72005886	131	i	Mono PERC C-Si Modules	SGM-390 (390 Wp)	SGM-330	20.33	72 (Full Cell)	1500	25.01.2023	24.01.2025
								SGM-330	20.33				
								SGM-330	20.33				
								SGM-150	15.03				
								SG-330	17.01				
v	Multi C-Si Modules	SG-315 (315 Wp)	SG-325	16.75	72 (Full Cell)	1500	25.01.2023	24.01.2025					
			SG-320	16.49									
			SG-315	16.23									
			SG-310	15.98									
			SG-310	15.98									

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								SG-300	15.46				
					vi	Multi C-Si Modules	SG-300Z (300 Wp)	SG-300Z	16.78	66 (Full Cell)	1500	25.01.2023	24.01.2025
					vii	Multi C-Si Modules	SG-250 (250 Wp)	SG-250	15.4	60 (Full Cell)	1500	25.01.2023	24.01.2025
					viii	Multi C-Si Modules	SG-200 (200 Wp)	SG-200	15.2	48 (Full Cell)	1500	25.01.2023	24.01.2025
					ix	Multi C-Si Modules	SG-200Z (200 Wp)	SG-200Z	16.89	42 (Full Cell)	1500	25.01.2023	24.01.2025
					x	Multi C-Si Modules	SG-150 (150 Wp)	SG-150	15.03	36 (Full Cell)	1500	25.01.2023	24.01.2025
					1	N-Type TOPCon Module	SGTP144-550 (550Wp)	SGTP144-525	20.32	144 (Half Cut Cells)	1500	25.01.2023	24.01.2025
				SGTP144-530				20.52					
				SGTP144-535				20.71					
				SGTP144-540				20.90					
				SGTP144-545				21.09					
				SGTP144-550				21.29					
				SGTP144-555				21.48					
				SGTP144-560				21.68					
				SGTP144-565				21.87					
				SGTP144-570				22.06					
				SGTP144-575	22.26								
				2	N-Type TOPCon Module	SGTP132-495 (495Wp)	SGTP132-475	20.00	132 (Half Cut Cells)	1500	25.01.2023	24.01.2025	
							SGTP132-480	20.21					
							SGTP132-485	20.42					
							SGTP132-490	20.63					
							SGTP132-495	20.84					
							SGTP132-500	21.06					
							SGTP132-505	21.27					
							SGTP132-510	21.48					
							SGTP132-515	21.69					
							SGTP120-425	19.63					
				3	N-Type TOPCon Module	SGTP120-445 (445Wp)	SGTP120-430	19.86	120 (Half Cut Cells)	1500	25.01.2023	24.01.2025	
							SGTP120-435	20.09					
							SGTP120-440	20.32					
							SGTP120-445	20.56					
							SGTP120-450	20.79					
							SGTP120-455	21.02					
							SGTP120-460	21.25					
							SGTP120-465	21.48					
							SGTP108-385	19.71					
							SGTP108-390	19.97					
				4	N-Type TOPCon Module	SGTP108-400 (400Wp)	SGTP108-395	20.23	108 (Half Cut Cells)	1500	25.01.2023	24.01.2025	
							SGTP108-400	20.48					
							SGTP108-405	20.74					
							SGTP108-410	20.99					
							SGTP108-415	21.25					
							SGTP108-420	21.50					
				5	Mono c-Si PERC Module	SGMJ144-535 (535Wp)	SGMJ144-520	20.13	144 (Half Cut Cells)	1500	25.01.2023	24.01.2025	
							SGMJ144-525	20.32					
							SGMJ144-530	20.52					
							SGMJ144-535	20.71					
							SGMJ144-540	20.90					
							SGMJ144-545	21.09					
				6	Mono c-Si PERC Module	SGMJ132-455 (455Wp)	SGMJ144-550	21.29	132 (Half Cut Cells)	1500	25.01.2023	24.01.2025	
							SGMJ132-455	19.16					
				7	Mono c-Si PERC Module	SGMJ132-480 (480Wp)	SGMJ132-460	19.37	132 (Half Cut Cells)	1500	25.01.2023	24.01.2025	
							SGMJ132-465	19.58					
							SGMJ132-470	19.79					
							SGMJ132-475	20.00					
							SGMJ132-480	20.21					
							SGMJ132-485	20.42					
							SGMJ132-490	20.63					
							SGMJ132-495	20.84					
							SGMJ132-500	21.06					

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity			
												From	To (subject to valid BIS Registration; else deemed to be delisted)		
					9	Mono c-Si PERC Module	SGMJ120-435 (435Wp)	SGMJ120-415 SGMJ120-420 SGMJ120-425 SGMJ120-430 SGMJ120-435 SGMJ120-440 SGMJ120-445 SGMJ120-450 SGMJ120-455	19.17 19.40 19.63 19.86 20.09 20.32 20.56 20.79 21.02	120 (Half Cut Cells)	1500	25.01.2023	24.01.2025		
					10	Mono c-Si PERC Module	SGMJ108-385 (385Wp)	SGMJ108-375 SGMJ108-380 SGMJ108-385 SGMJ108-390 SGMJ108-395	19.20 19.46 19.71 19.97 20.23	108 (Half Cut Cells)	1500	25.01.2023	24.01.2025		
43	M/s. H R Solar Solution Private Limited	Raghudebpur, NH-6, Panchla, Block-Uluberia-II, Uluberia, Howrah - 711322, West Bengal	R-51001686	136	i	Multi C-Si Modules	H315P72 (315 Wp)	H300P72	14.9	72 (Full Cell)	1500	25.01.2023	24.01.2025		
								H305P72	15.14						
								H310P72	15.39						
								H315P72	15.64						
								H320P72	15.89						
					ii	Multi C-Si Modules	H335P72 (335 Wp)	H325P72	16.14	72 (Full Cell)	1500	25.01.2023	24.01.2025		
								H330P72	16.39						
								H335P72	16.63						
								H150P36	14.76						
								H155P36	15.26						
					iii	Multi C-Si Modules	H155P36 (155 Wp)	H160P36	15.75	36 (Full Cell)	1500	25.01.2023	24.01.2025		
								H500M144	19.36						
								H505M144	19.55						
								H510M144	19.74						
								H515M144	19.94						
					iv	Mono c-Si PERC Module	H525M144 (525 Wp)	H520M144	20.13	144 (Half Cut Cells)	1500	25.01.2023	24.01.2025		
								H525M144	20.32						
								H530M144	20.52						
								H535M144	20.71						
								H540M144	20.9						
H545M144	21.1														
v	Mono c-Si PERC Module	H400M72 (400 Wp)	H385M72	19.11				72 (Full Cells)	1500					25.01.2023	24.01.2025
			H390M72	19.36											
			H395M72	19.61											
			H400M72	19.86											
			H405M72	20.11											
							H410M72	20.36							
44	M/s. Innovative Solar Solutions	No. 102/C Shed, 2nd main Road, Machohalli, Bagagramm (Post) Bangalore-560072, Karnataka	R-62002550	24	i	Multi C-Si Modules	INV-P-24V-320wp	INV-P-24V-320wp	16.5	72 (Full Cell)	1500	25.01.2023	24.01.2025		
					ii	Multi C-Si Modules	INV-P-24V-260wp	INV-P-24V-260wp	15.97	72 (Cut Cell)	1500	25.01.2023	24.01.2025		
					iii	Multi C-Si Modules	INV-P-24V-200wp	INV-P-24V-200wp	14.91	72 (Cut Cell)	1500	25.01.2023	24.01.2025		
					iv	Multi C-Si Modules	INV-P-20V-260wp	INV-P-20V-260wp	15.97	60 (Full Cell)	1500	25.01.2023	24.01.2025		
					v	Multi C-Si Modules	INV-P-12V-160wp	INV-P-12V-160wp	16.2	36 (Full Cell)	1000	25.01.2023	24.01.2025		
					vi	Multi C-Si Modules	INV-P-12V-125wp	INV-P-12V-125wp	14.9	36 (Cut Cell)	1000	25.01.2023	24.01.2025		
					vii	Multi C-Si Modules	INV-P-12V-100wp	INV-P-12V-100wp	14.8	36 (Cut Cell)	1000	25.01.2023	24.01.2025		
					viii	Multi C-Si Modules	INV-P-12V-80wp	INV-P-12V-80wp	15.5	36 (Cut Cell)	1000	25.01.2023	24.01.2025		
					ix	Multi C-Si Modules	INV-P-12V-60wp	INV-P-12V-60wp	13.5	36 (Cut Cell)	1000	25.01.2023	24.01.2025		
					x	Multi C-Si Modules	INV-P-12V-50wp	INV-P-12V-50wp	13.6	36 (Cut Cell)	1000	25.01.2023	24.01.2025		
					xi	Multi C-Si Modules	INV-P-12V-40wp	INV-P-12V-40wp	14.1	36 (Cut Cell)	1000	25.01.2023	24.01.2025		
		Co-ALMM with M/s Spark Solar	R-71028517	15 (As per Co-				INV 545-144R M10	21.12						

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
		Technologies Pvt. Ltd. Manufacturing Address: N-4, Rajlaxmi Hitech Textile Park, Sonale Village, Off. Mumbai Nasik Highway Bhiwandi, Thane-421302, Maharashtra	R-96003131	31	xii	Mono c-Si PERC Modules	INV 535-144R M10 (535 Wp)	INV 540-144R M10	20.92	144 (Half Cut Cells)	1500	08.07.2024	24.01.2025
								INV 535-144R M10	20.73				
								INV 530-144R M10	20.54				
								INV 525-144R M10	20.34				
					xiii	Mono c-Si PERC Modules	INV 495-132R M10 (495 Wp)	INV 500-132R M10	21.06	(132 Half Cut Cells)	1500	08.07.2024	24.01.2025
								INV 495-132R M10	20.85				
								INV 490-132R M10	20.64				
45	M/s Plaza Power & Infrastructure Co	923/56, Village Katha, Baddi, Solan-173205, Himachal Pradesh	R-96003131	31	i	Multi C-Si Modules	PS36CPD040Wp (40 Wp)	PS36CPD040Wp	13.9	36 (Cut Cells)	600	25.01.2023	24.01.2025
					ii	Multi C-Si Modules	PS36CPD050Wp (50Wp)	PS36CPD050Wp	13.76	36 (Cut Cells)	600	25.01.2023	24.01.2025
					iii	Multi C-Si Modules	PS36CPD055Wp (55 Wp)	PS36CPD055Wp	15.15	36 (Cut Cells)	600	25.01.2023	24.01.2025
					iv	Multi C-Si Modules	PS36CPD060Wp (60Wp)	PS36CPD060Wp	16.53	36 (Cut Cells)	600	25.01.2023	24.01.2025
					v	Multi C-Si Modules	PS36CPD065Wp (65 Wp)	PS36CPD065Wp	17.9	36 (Cut Cells)	600	25.01.2023	24.01.2025
					vi	Multi C-Si Modules	PS36CPD070Wp (70 Wp)	PS36CPD070Wp	13.53	36 (Cut Cells)	600	25.01.2023	24.01.2025
					vii	Multi C-Si Modules	PS36CPD075Wp (75Wp)	PS36CPD075Wp	14.51	36 (Cut Cells)	600	25.01.2023	24.01.2025
					viii	Multi C-Si Modules	PS36CPD080Wp (80 Wp)	PS36CPD080Wp	15.48	36 (Cut Cells)	600	25.01.2023	24.01.2025
					ix	Multi C-Si Modules	PS36CPD090Wp (90 Wp)	PS36CPD090Wp	14.91	36 (Cut Cells)	600	25.01.2023	24.01.2025
					x	Multi C-Si Modules	PS36CPD100Wp (100Wp)	PS36CPD100Wp	14.92	36 (Cut Cells)	1000	25.01.2023	24.01.2025
					xi	Multi C-Si Modules	PS36CPD115Wp (115 Wp)	PS36CPD110Wp	16.42	36 (Cut Cells)	1000	25.01.2023	24.01.2025
								PS36CPD115Wp	14.43				
								PS36CPD120Wp	15.05				
					xii	Multi C-Si Modules	PS36CPD130Wp (130Wp)	PS36CPD125Wp	15.68	36 (Cut Cells)	1000	25.01.2023	24.01.2025
								PS36CPD130Wp	16.31				
					xiii	Multi C-Si Modules	PS36CPD140Wp (140 Wp)	PS36CPD140Wp	13.75	36 (Cut Cells)	1000	25.01.2023	24.01.2025
					xiv	Multi C-Si Modules	PS36FP155Wp (155 Wp)	PS36FP150Wp	14.73	36 (Full Cells)	1000	25.01.2023	24.01.2025
								PS36FP155Wp	15.22				
								PS36FP160Wp	15.72				
xv	Multi C-Si Modules	PS36FP165Wp (165Wp)	PS36FP165Wp	16.21	36 (Full Cells)	1000	25.01.2023	24.01.2025					
xvi	Multi C-Si Modules	PS36FPD155Wp (155 Wp)	PS36FPD150Wp	14.73	36 (Full Cells)	1000	25.01.2023	24.01.2025					
			PS36FPD155Wp	15.22									
			PS36FPD160Wp	15.72									
xvii	Multi C-Si Modules	PS60FPD260Wp (260 Wp)	PS60FPD250Wp	15.48	60 (Full Cells)	1500	25.01.2023	24.01.2025					
			PS60FPD255Wp	15.79									
			PS60FPD260Wp	16.1									
			PS60FPD265Wp	16.41									
			PS60FPD270Wp	16.72									
xviii	Multi C-Si Modules	PS60FP260Wp (260 Wp)	PS60FP250Wp	15.48	60 (Full Cells)	1500	25.01.2023	24.01.2025					
			PS60FP255Wp	15.79									
			PS60FP260Wp	16.1									
			PS60FP265Wp	16.41									
			PS60FP270Wp	16.72									
xix	Multi C-Si Modules	PS72FP320Wp (320 Wp)	PS72FP305Wp	15.44	72 (Full Cells)	1500	25.01.2023	24.01.2025					
			PS72FP310Wp	15.7									
			PS72FP315Wp	15.95									
			PS72FP320Wp	16.2									
			PS72FP325Wp	16.46									
			PS72FP330Wp	16.71									
			PS72FP335Wp	16.96									

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
		Rajasthan			i	Mono PERC C-Si Module	GM375F72 (375 Wp)	GM370F72 GM375F72 GM380F72 GM385F72 GM390F72	19.07 19.33 19.58 19.84 20.1	72 (Full Cells)	1500	27.02.2023	26.02.2025
					ii	Multi C-Si Module	GI320F72 (320 Wp)	GI305F72 GI310F72 GI315F72 GI320F72 GI325F72 GI330F72 GI335F72	15.72 15.98 16.23 16.49 16.75 17.01 17.27	72 (Full Cells)	1500	27.02.2023	26.02.2025
					iii	Multi C-Si Module	GI165F36 (165 Wp)	GI165F36 GI170F36	16.71 17.22	36 (Full Cells)	1000	27.02.2023	26.02.2025
					iv	Multi C-Si Module	GI150F36 (150 Wp)	GI150F36	15.19	36 (Full Cells)	1000	27.02.2023	26.02.2025
49	M/s. Spark Solar Technologies Pvt. Ltd.	N-4, Rajlaxmi Hitech Textile Park, Sonale Village, Off. Mumbai Nasik Highway Bhiwandi, Thane-421302, Maharashtra	R-71023310	42	i	Mono PERC C-Si Modules	SS 535-144R M10 (535 Wp)	SS 545-144R M10 SS 540-144R M10 SS 535-144R M10 SS 530-144R M10 SS 525-144R M10 SS 500-132R M10	21.12 20.92 20.73 20.54 20.34 21.06	144 (Half Cut Cell)	1500	31.05.2023	30.05.2027
					ii	Mono PERC C-Si Modules	SS 495-132R M10 (495 Wp)	SS 495-132R M10 SS 490-132R M10	20.85 20.64	132 (Half Cut Cell)	1500	31.05.2023	30.05.2027
50	M/s. Rhine Solar Limited	Killa No. 80/6, Janti Kalan Rd, Sersa, Kundli, Sonipat-131028, Haryana	R-91008249	71	i	Mono PERC C-Si Module	RSL72FM-380WP, (380 Wp)	RSL72FM-390WPP RSL72FM-380WPP RSL72FM-370WPP	19.6 19.4 19.2	72 (Full Cell)	1500	31.05.2023	30.05.2027
					ii	Mono c-Si PERC Module	RSL590M (590 Wp)	RSL600M RSL595M RSL590M RSL585M RSL580M RSL575M	21.28 21.11 20.94 20.77 20.60 20.40	156 (Half Cut Cell)	1500	31.05.2023	30.05.2027
					iii	Mono c-Si PERC Module	RSL545M (545 Wp)	RSL570M RSL565M RSL560M RSL555M RSL550M RSL545M RSL540M RSL535M RSL530M RSL525M	22.07 21.87 21.68 21.49 21.30 21.10 20.91 20.72 20.51 20.33	144 (Half Cut Cell)	1500	31.05.2023	30.05.2027
					iv	Mono c-Si PERC Module	RSL500M (500 Wp)	RSL520M RSL515M RSL510M RSL505M RSL500M RSL495M RSL490M RSL485M RSL480M RSL475M	21.70 21.48 21.28 21.06 20.86 20.65 20.44 20.23 20.03 19.81	132 (Half Cut Cell)	1500	31.05.2023	30.05.2027
					v	Mono c-Si PERC Module	RSL470M (470 Wp)	RSL470M RSL465M	19.61 19.40	132 (Half Cut Cell)	1500	31.05.2023	30.05.2027
					vi	Mono c-Si PERC Module	RSL440M (440 Wp)	RSL460M RSL455M RSL450M RSL445M RSL440M RSL435M RSL430M RSL425M RSL420M RSL395M RSL390M	21.04 20.82 20.59 20.35 20.13 19.89 19.68 19.44 19.22 20.03 19.76	120 (Half Cut Cell)	1500	31.05.2023	30.05.2027

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					vii	Mono c-Si PERC Module	RSL380M (380 Wp)	RSL385M RSL380M RSL375M	19.51 19.26 19.01	108 (Half Cut Cell)	1500	31.05.2023	30.05.2027
					viii	Mono c-Si PERC Module	RSL345M (345 Wp)	RSL360M RSL355M RSL350M RSL345M RSL340M RSL335M	20.48 20.20 19.92 19.63 19.35 19.07	96 (Half Cut Cell)	1500	31.05.2023	30.05.2027
51	M/s Swelect HHV Solar Photovoltaics Pvt. Ltd	SF – No. 169/1-2, 168/3A-3E,169/4-9,166/1B1B,166/1B2A-2E,166/1B2L,166/1B2M, Kuppapalayam Village, Avinashi Taluk, Coimbatore-641107, Tamil Nadu	R-61003433	627	i	Mono-PERC C-Si Module	SWM11BN6520 (520 Wp)	SWM11BN6540 SWM11BN6535 SWM11BN6530 SWM11BN6525 SWM11BN6520 SWM11BN6515 SWM11BN6510 SWM11BN6505 SWM11BN6500	20.77 20.57 20.38 20.19 20 19.81 19.62 19.42 19.23	144 (Half Cut Cell)	1500	31.05.2023	30.05.2027
					ii	Mono-PERC C-Si Module	SWM11BN4475 (475 Wp)	SWM11BN4495 SWM11BN4490 SWM11BN4485 SWM11BN4480 SWM11BN4475 SWM11BN4470 SWM11BN4465 SWM11BN4460 SWM11BN4455 SWM11BN2450	20.71 20.5 20.29 20.09 19.87 19.66 19.46 19.25 19.04 20.65	132 (Half Cut Cell)	1500	31.05.2023	30.05.2027
					iii	Mono-PERC C-Si Module	SWM11BN2430 (430 Wp)	SWM11BN2445 SWM11BN2440 SWM11BN2435 SWM11BN2430 SWM11BN2425 SWM11BN2420 SWM11BN2415 SWM11BN0405	20.42 20.19 19.96 19.73 19.5 19.27 19.04 20.57	120 (Half Cut Cell)	1500	31.05.2023	30.05.2027
					iv	Mono-PERC C-Si Module	SWM11BN0390 (390 Wp)	SWM11BN0400 SWM11BN0395 SWM11BN0390 SWM11BN0385 SWM11BN0380 SWM11BN0375	20.32 20.06 19.81 19.55 19.3 19.05	108 (Half Cut Cell)	1500	31.05.2023	30.05.2027
					v	Mono c-Si PERC Module	SWM11BB0385 (385 Wp)	SWM11BB0375 SWM11BB0380 SWM11BB0385 SWM11BB0390 SWM11BB0395 SWM11BB0400 SWM11BB0405 SWM11BB0410	19.20 19.46 19.71 19.97 20.22 20.48 20.74 20.99	108 (Half Cut Cells)	1500	31.05.2023	30.05.2027
					vi	Mono c-Si PERC Module	SWM11BB2435 (435 Wp)	SWM11BB2415 SWM11BB2420 SWM11BB2425 SWM11BB2430 SWM11BB2435 SWM11BB2440 SWM11BB2445 SWM11BB2450 SWM11BB2455 SWM11BB4455 SWM11BB4460 SWM11BB4465	19.17 19.40 19.63 19.86 20.10 20.32 20.56 20.79 21.02 19.16 19.37 19.58	120 (Half Cut Cells)	1500	31.05.2023	30.05.2027
					vii	Mono c-Si PERC Module	SWM11BB4470 (470 Wp)	SWM11BB4470	19.79	120 (Half Cut Cells)	1500	31.05.2023	30.05.2027

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					vii	Mono c-Si PERC Module	SWM11BB4470 (470 Wp)	SWM11BB4475 20.00		132 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWM11BB4480 20.21					
								SWM11BB4485 20.42					
								SWM11BB4490 20.63					
					viii	Mono c-Si PERC Module	SWM11BB4500 (500 Wp)	SWM11BB4495 20.84		132 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWM11BB4500 21.06					
								SWM11BB6500 19.35					
								SWM11BB6505 19.55					
								SWM11BB6510 19.74					
								SWM11BB6515 19.94					
								SWM11BB6520 20.13					
					ix	Mono c-Si PERC Module	SWM11BB6525 (525 Wp)	SWM11BB6525 20.32		144 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWM11BB6530 20.52					
								SWM11BB6535 20.71					
								SWM11BB6540 20.90					
								SWM11BB6545 21.10					
								SWM11BB6550 21.29					
								SWM11BB8540 19.32					
								SWM11BB8545 19.50					
								SWM11BB8550 19.67					
								SWM11BB8555 19.85					
								SWM11BB8560 20.03					
								SWM11BB8565 20.21					
								SWM11BB8570 20.39					
								SWM11BB8575 20.57					
								SWM11BB8580 20.75					
								SWM11BB8585 20.93					
					xi	Mono c-Si PERC Module	SWM11BB8595 (595 Wp)	SWM11BB8590 21.11		156 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWM11BB8595 21.28					
								SWM11BT0375 19.20					
								SWM11BT0380 19.46					
								SWM11BT0385 19.71					
								SWM11BT0390 19.97					
								SWM11BT0395 20.22					
								SWM11BT0400 20.48					
								SWM11BT0405 20.74					
								SWM11BT0410 20.99					
								SWM11BT2415 19.17					
								SWM11BT2420 19.40					
								SWM11BT2425 19.63					
								SWM11BT2430 19.86					
								SWM11BT2435 20.10					
								SWM11BT2440 20.32					
								SWM11BT2445 20.56					
								SWM11BT2450 20.79					
								SWM11BT2455 21.02					
								SWM11BT4455 19.16					
								SWM11BT4460 19.37					
								SWM11BT4465 19.58					
								SWM11BT4470 19.79					
								SWM11BT4475 20.00					
								SWM11BT4480 20.21					
								SWM11BT4485 20.42					
								SWM11BT4490 20.63					
								SWM11BT4495 20.84					
					xv	Bifacial Mono c-Si PERC Module	SWM11BT4500 (500 Wp)	SWM11BT4500 21.06		132 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWM11BT6500 19.35					
								SWM11BT6505 19.55					
								SWM11BT6510 19.74					
								SWM11BT6515 19.94					
								SWM11BT6520 20.13					
								SWM11BT6525 20.32					
								SWM11BT6530 20.52					
								SWM11BT6535 20.71					

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity								
												From	To (subject to valid BIS Registration; else deemed to be delisted)							
					xvii	Bifacial Mono c-Si PERC Module	SWM11BT8560 (560 Wp)	SWM11BT6540	20.90	156 (Half Cut Cells)	1500	31.05.2023	30.05.2027							
								SWM11BT6545	21.10											
								SWM11BT6550	21.29											
								SWM11BT8540	19.32											
								SWM11BT8545	19.50											
								SWM11BT8550	19.67											
								SWM11BT8555	19.85											
								SWM11BT8560	20.03											
								SWM11BT8565	20.21											
								SWM11BT8570	20.39											
								SWM11BT8575	20.57											
								SWM11BT8580	20.75											
					SWM11BT8585	20.93														
					xviii	Bifacial Mono c-Si PERC Module	SWM11BT8595 (595 Wp)	SWM11BT8590	21.11	156 (Half Cut Cells)	1500	31.05.2023	30.05.2027							
								SWM11BT8595	21.28											
					xix	Mono c-Si PERC Module	SWM11BN6550 (550 Wp)	SWM11BN6545	20.96	144 (Half Cut Cells)	1500	31.05.2023	30.05.2027							
								SWM11BN6550	21.15											
					xx	Mono c-Si PERC Module	SWM11BN8560 (560 Wp)	SWM11BN8535	19.03	156 (Half Cut Cells)	1500	31.05.2023	30.05.2027							
								SWM11BN8540	19.21											
								SWM11BN8545	19.39											
								SWM11BN8550	19.57											
SWM11BN8555	19.74																			
SWM11BN8560	19.92																			
SWM11BN8565	20.10																			
SWM11BN8570	20.28																			
SWM11BN8575	20.46																			
SWM11BN8580	20.63																			
SWM11BN8585	20.81																			
xxi	Mono c-Si PERC Module	SWM11BN8595 (595 Wp)	SWM11BN8590	20.99				156 (Half Cut Cells)	1500					31.05.2023	30.05.2027					
			SWM11BN8595	21.17																
52	M/s. SAEL Solar Mfg Private Limited	Village-Hukumat Singh Wala, Moga Road, Ferozepur-142052, Punjab	R-97001058	117	i	Mono C-Si PERC Module	SL72M6-390 (390 Wp)	SL72M6-380	19.15	72 (Full Cell)	1500	31.05.2023	30.05.2027							
								SL72M6-385	19.4											
								SL72M6-390	19.64											
								SL72M6-395	19.9											
								SL72M6-400	20.15											
								SL72M6-405	20.4											
					ii	Mono c-Si PERC Module	SL144HC-530 (530 Wp)	SL144HC-505	19.54	144 (Half Cut Cells)	1500	31.05.2023	30.05.2027							
								SL144HC-510	19.73											
								SL144HC-515	19.93											
								SL144HC-520	20.12											
								SL144HC-525	20.31											
								SL144HC-530	20.5											
								SL144HC-535	20.7											
								SL144HC-540	20.97											
								SL144HC-545	21.08											
								SL144HC-550	21.28											
								SL144HC-555	21.47											
								i	Mono PERC c-Si Modules					INA-144MHC-WF-530 (530Wp)	INA-144MHC-WF-520	20.14	144 (Half Cut Cell)	1500	31.05.2023	30.05.2027
															INA-144MHC-WF-525	20.33				
															INA-144MHC-WF-530	20.53				
															INA-144MHC-WF-535	20.72				
INA-144MHC-WF-540	20.91																			
INA-144MHC-WF-545	21.11																			
INA-144MHC-TF-520	20.14																			
INA-144MHC-TF-525	20.33																			
INA-144MHC-TF-530	20.53																			
ii	Bifacial Mono PERC c-Si Modules	INA-144MHC-TF-530 (530Wp)	INA-144MHC-TF-535	20.72	144 (Half Cut Cell)	1500	31.05.2023	30.05.2027												
			INA-144MHC-TF-540	20.91																
			INA-144MHC-TF-545	21.11																
			INA-132MHC-WF-480	20.19																
			INA-132MHC-WF-485	20.41																
			INA-132MHC-WF-490	20.62																
iii	Mono PERC c-Si Modules	INA-132MHC-WF-490 (490Wp)	INA-132MHC-WF-495	20.83	132 (Half Cut Cell)	1500	31.05.2023	30.05.2027												
			INA-132MHC-WF-500	21.04																
53	M/s. Insolation Green Energy Pvt. Ltd	Khasra No 11/1, 1136/9, Chomu, Jatavali, Jaipur-302001, Rajasthan	R-84003549	617	i	Mono PERC c-Si Modules	INA-144MHC-WF-530 (530Wp)	INA-144MHC-WF-520	20.14	144 (Half Cut Cell)	1500	31.05.2023	30.05.2027							
								INA-144MHC-WF-525	20.33											
								INA-144MHC-WF-530	20.53											
								INA-144MHC-WF-535	20.72											
								INA-144MHC-WF-540	20.91											
								INA-144MHC-WF-545	21.11											
								INA-144MHC-TF-520	20.14											
								INA-144MHC-TF-525	20.33											
								INA-144MHC-TF-530	20.53											
								INA-144MHC-TF-535	20.72											
ii	Bifacial Mono PERC c-Si Modules	INA-144MHC-TF-530 (530Wp)	INA-144MHC-TF-540	20.91	144 (Half Cut Cell)	1500	31.05.2023	30.05.2027												
			INA-144MHC-TF-545	21.11																
			INA-132MHC-WF-480	20.19																
			INA-132MHC-WF-485	20.41																
			INA-132MHC-WF-490	20.62																
			INA-132MHC-WF-495	20.83																
iii	Mono PERC c-Si Modules	INA-132MHC-WF-490 (490Wp)	INA-132MHC-WF-495	20.83	132 (Half Cut Cell)	1500	31.05.2023	30.05.2027												
			INA-132MHC-WF-500	21.04																

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					iv	Bifacial Mono PERC c-Si Modules	INA-132MHC-TF-490 (490Wp)	INA-132MHC-TF-480	20.19	132 (Half Cut Cell)	1500	31.05.2023	30.05.2027
								INA-132MHC-TF-485	20.41				
								INA-132MHC-TF-490	20.62				
								INA-132MHC-TF-495	20.83				
								INA-132MHC-TF-500	21.04				
					v	Mono PERC c-Si Modules	INA-120MHC-WF-440 (440Wp)	INA-120MHC-WF-435	20.04	120 (Half Cut Cell)	1500	31.05.2023	30.05.2027
								INA-120MHC-WF-440	20.27				
								INA-120MHC-WF-445	20.5				
								INA-120MHC-WF-450	20.73				
								INA-120MHC-TF-435	20.04				
					vi	Bifacial Mono PERC c-Si Modules	INA-120MHC-TF-440 (440Wp)	INA-120MHC-TF-440	20.27	120 (Half Cut Cell)	1500	31.05.2023	30.05.2027
								INA-120MHC-TF-445	20.5				
								INA-120MHC-TF-450	20.73				
								INA-108MHC-WF-390	19.86				
								INA-108MHC-WF-395	20.11				
					vii	Mono PERC c-Si Modules	INA-108MHC-WF-395 (395Wp)	INA-108MHC-WF-400	20.37	108 (Half Cut Cell)	1500	31.05.2023	30.05.2027
								INA-108MHC-WF-405	20.62				
								INA-108MHC-TF-390	19.86				
								INA-108MHC-TF-395	20.11				
								INA-108MHC-TF-400	20.37				
viii	Bifacial Mono PERC c-Si Modules	INA-108MHC-TF-395 (395Wp)	INA-108MHC-TF-400	20.62	108 (Half Cut Cell)	1500	31.05.2023	30.05.2027					
			INA-108MHC-TF-405	20.62									
			INA-144MHC-WF-550	21.29									
			INA-144MHC-WF-555	21.48									
			INA-144MHC-WF-560	21.68									
ix	Mono c-Si PERC Module	INA-144MHC-WF-555	INA-144MHC-TF-550	21.29	144 Half Cut Cells	1500	31.05.2023	30.05.2027					
			INA-144MHC-TF-555	21.48									
			INA-144MHC-TF-560	21.68									
			INA-144MHC-TF-560	21.68									
			INA-144MHC-TF-560	21.68									
54	M/s. Australian Premium Solar (India) Pvt. Ltd	Tajpur, National Highway No. 08, Ta: Prantij, Dist: Sabarkantha - 383205, Gujarat	R-72001791	25	i	Mono c-Si PERC Module	APSAM-520/144 (520Wp)	APSAM-545/144	21.12	144 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								APSAM-540/144	20.91				
								APSAM-535/144	20.73				
								APSAM-530/144	20.53				
								APSAM-525/144	20.35				
								APSAM-520/144	20.16				
								APSAM-515/144	19.98				
								APSAM-510/144	19.79				
								APSAM-505/144	19.60				
								APSAM-500/144	19.42				
					ii	Mono c-Si PERC Module	APSAM-485/132 (485Wp)	APSAM-495/132	20.85	132 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								APSAM-490/132	20.64				
								APSAM-485/132	20.43				
								APSAM-480/132	20.22				
								APSAM-475/132	20.01				
					iii	Mono c-Si PERC Module	APSAM-440/120 (440Wp)	APSAM-450/120	20.73	120 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								APSAM-445/120	20.50				
								APSAM-440/120	20.27				
								APSAM-435/120	20.04				
								APSAM-410/108	20.98				
iv	Mono c-Si PERC Module	APSAM-400/108 (400Wp)	APSAM-405/108	20.72	108 (Half Cut Cell)	1500	01.09.2023	31.08.2027					
			APSAM-400/108	20.47									
			APSAM-395/108	20.21									
			APSAM-390/108	19.96									
			APSAM-365/96	20.92									
v	Mono c-Si PERC Module	APSAM-360/96 (360Wp)	APSAM-360/96	20.64	96 (Half Cut Cell)	1500	01.09.2023	31.08.2027					
			APSAM-355/96	20.35									
			APSAM-350/96	20.06									
			APSAM-275/72	20.82									
			APSAM-270/72	20.45									
vi	Mono c-Si PERC Module	APSAM-265/72 (265Wp)	APSAM-265/72	20.07	72 (Half Cut Cell)	1500	01.09.2023	31.08.2027					
			APSAM-260/72	19.69									
			Orb410M66-15	21.02									
			Orb405M66-15	20.77									
			Orb400M66-15	20.51									
55	M/s. Orb Energy Private Limited	No. 95, Digital Park Road, 2nd Stage, Yeshwanthapura, Bangalore - 560022, Karnataka	R-62001708	71	i	Mono c-Si PERC Modules	Orb410M66-15 (410Wp)	Orb395M66-15	20.25	66 (Full Cell)	1500	01.09.2023	31.08.2027
								Orb390M66-15	20.00				
								Orb450M72-15	21.19				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					ii	Mono c-Si PERC Modules	Orb450M72-15 (450Wp)	Orb445M72-15 Orb440M72-15 Orb435M72-15 Orb430M72-15	20.95 20.72 20.48 20.25	72 (Full Cell)	1500	01.09.2023	31.08.2027
56	M/s. Solex Energy Limited	Plot No 1A, Block 938, Tadkeshwar, Kim Mandvi Road, Mandvi, Surat-394110, Gujarat	R-72008125	581	i	Mono c-Si PERC Module	SMF72HM10-510 (510Wp)	SMF72HM10-500 SMF72HM10-505 SMF72HM10-510 SMF72HM10-515 SMF72HM10-520 SMF72HM10-525	19.36 19.55 19.74 19.94 20.13 20.32	144 (Half Cut Cell)	1500	01.09.2023	31.08.2027
					ii	Mono c-Si PERC Module	SMF72HM10-540 (540Wp)	SMF72HM10-530 SMF72HM10-535 SMF72HM10-540 SMF72HM10-545 SMF72HM10-550	20.52 20.71 20.91 21.10 21.30	144 (Half Cut Cell)	1500	01.09.2023	31.08.2027
					iii	Mono c-Si PERC Module	SMFB72HM10-510 (510Wp)	SMFB72HM10-500 SMFB72HM10-505 SMFB72HM10-510 SMFB72HM10-515 SMFB72HM10-520 SMFB72HM10-525	19.36 19.55 19.74 19.94 20.13 20.32	144 (Half Cut Cell)	1500	01.09.2023	31.08.2027
					iv	Mono c-Si PERC Module	SMFB72HM10-540 (540Wp)	SMFB72HM10-530 SMFB72HM10-535 SMFB72HM10-540 SMFB72HM10-545 SMFB72HM10-550	20.52 20.71 20.91 21.10 21.30	144 (Half Cut Cell)	1500	01.09.2023	31.08.2027
					v	Mono c-Si PERC Module	SMF66HM10-475 (475Wp)	SMF66HM10-460 SMF66HM10-465 SMF66HM10-470 SMF66HM10-475 SMF66HM10-480	19.37 19.59 19.80 20.02 20.24	132 (Half Cut Cell)	1500	01.09.2023	31.08.2027
					vi	Mono c-Si PERC Module	SMF66HM10-495 (495Wp)	SMF66HM10-485 SMF66HM10-490 SMF66HM10-495 SMF66HM10-500	20.44 20.65 20.86 21.07	132 (Half Cut Cell)	1500	01.09.2023	31.08.2027
					vii	Mono c-Si PERC Module	SMFB66HM10-475 (475Wp)	SMFB66HM10-460 SMFB66HM10-465 SMFB66HM10-470 SMFB66HM10-475 SMFB66HM10-480	19.37 19.59 19.80 20.02 20.24	132 (Half Cut Cell)	1500	01.09.2023	31.08.2027
					viii	Mono c-Si PERC Module	SMFB66HM10-495 (495Wp)	SMFB66HM10-485 SMFB66HM10-490 SMFB66HM10-495 SMFB66HM10-500	20.44 20.65 20.86 21.07	132 (Half Cut Cell)	1500	01.09.2023	31.08.2027
					ix	Mono c-Si PERC Module	SMF60HM10-440 (440Wp)	SMF60HM10-420 SMF60HM10-425 SMF60HM10-430 SMF60HM10-435 SMF60HM10-440 SMF60HM10-445 SMF60HM10-450	19.37 19.61 19.83 20.06 20.29 20.51 20.75	120 (Half Cut Cell)	1500	01.09.2023	31.08.2027
					x	Mono c-Si PERC Module	SMFB60HM10-440 (440Wp)	SMFB60HM10-420 SMFB60HM10-425 SMFB60HM10-430 SMFB60HM10-435 SMFB60HM10-440 SMFB60HM10-445 SMFB60HM10-450	19.37 19.61 19.83 20.06 20.29 20.51 20.75	120 (Half Cut Cell)	1500	01.09.2023	31.08.2027

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								SMFB60HM10-455	20.98				
								SMFB60HM10-460	21.21				
								SMF54HM10-375	19.20				
								SMF54HM10-380	19.46				
					xi	Mono c-Si PERC Module	SMF54HM10-385 (385Wp)	SMF54HM10-385	19.73	108 (Half Cut Cell)	1500	01.09.2023	31.08.2027
							SMF54HM10-390	19.98					
							SMF54HM10-395	20.23					
							SMF54HM10-400	20.49					
							SMF54HM10-405	20.73					
					xii	Mono c-Si PERC Module	SMF54HM10-405 (405Wp)	SMF54HM10-405	20.73	108 (Half Cut Cell)	1500	01.09.2023	31.08.2027
							SMF54HM10-410	21.00					
							SMF54HM10-415	21.24					
					xiii	Mono c-Si PERC Module	SMFB54HM10-385 (385Wp)	SMFB54HM10-375	19.20	108 (Half Cut Cell)	1500	01.09.2023	31.08.2027
							SMFB54HM10-380	19.46					
							SMFB54HM10-385	19.73					
							SMFB54HM10-390	19.98					
							SMFB54HM10-395	20.23					
					xiv	Mono c-Si PERC Module	SMFB54HM10-405 (405Wp)	SMFB54HM10-400	20.49	108 (Half Cut Cell)	1500	01.09.2023	31.08.2027
							SMFB54HM10-405	20.73					
							SMFB54HM10-410	21.00					
							SMFB54HM10-415	21.24					
					xv	Mono c-Si PERC Module	SMF48HM10-345 (345Wp)	SMF48HM10-335	19.21	96 (Half Cut Cell)	1500	01.09.2023	31.08.2027
							SMF48HM10-340	19.50					
							SMF48HM10-345	19.78					
							SMF48HM10-350	20.06					
					xvi	Mono c-Si PERC Module	SMF48HM10-365 (365Wp)	SMF48HM10-355	20.34	96 (Half Cut Cell)	1500	01.09.2023	31.08.2027
							SMF48HM10-360	20.62					
							SMF48HM10-365	20.91					
							SMF48HM10-370	21.19					
					xvii	Mono c-Si PERC Module	SMFB48HM10-345 (345Wp)	SMFB48HM10-335	19.21	96 (Half Cut Cell)	1500	01.09.2023	31.08.2027
							SMFB48HM10-340	19.50					
							SMFB48HM10-345	19.78					
							SMFB48HM10-350	20.06					
					xviii	Mono c-Si PERC Module	SMFB48HM10-365 (365Wp)	SMFB48HM10-355	20.34	96 (Half Cut Cell)	1500	01.09.2023	31.08.2027
							SMFB48HM10-360	20.62					
							SMFB48HM10-365	20.91					
							SMFB48HM10-370	21.19					
					xix	Mono c-Si PERC Module	SMF42HM10-305 (305Wp)	SMF42HM10-295	19.21	84 (Half Cut Cell)	1500	01.09.2023	31.08.2027
							SMF42HM10-300	19.54					
							SMF42HM10-305	19.88					
							SMF42HM10-310	20.2					
							SMF42HM10-315	20.5					
							SMF42HM10-320	20.8					
							SMF42HM10-295	19.21					
					xx	Mono c-Si PERC Module	SMFB42HM10-305 (305Wp)	SMFB42HM10-300	19.54	84 (Half Cut Cell)	1500	01.09.2023	31.08.2027
							SMFB42HM10-305	19.88					
							SMFB42HM10-310	20.2					
							SMFB42HM10-315	20.5					
							SMFB42HM10-320	20.8					
					xxi	Mono c-Si PERC Module	SMF36HM10-265 (265Wp)	SMF36HM10-255	19.25	72 (Half Cut Cell)	1500	01.09.2023	31.08.2027
							SMF36HM10-260	19.63					
							SMF36HM10-265	19.99					
							SMF36HM10-270	20.36					
							SMF36HM10-275	20.73					
					xxii	Mono c-Si PERC Module	SMFB36HM10-265 (265Wp)	SMFB36HM10-255	19.25	72 (Half Cut Cell)	1500	01.09.2023	31.08.2027
							SMFB36HM10-260	19.63					
							SMFB36HM10-265	19.99					
							SMFB36HM10-270	20.36					
							SMFB36HM10-275	20.73					
					xxiii	Bifacial Mono c-Si PERC Module	SMB72HM10-525 (525Wp)	SMB72HM10-500	19.36	144 (Half Cut Cell)	1500	01.09.2023	31.08.2027
							SMB72HM10-505	19.55					
							SMB72HM10-510	19.74					
							SMB72HM10-515	19.94					
							SMB72HM10-520	20.13					
							SMB72HM10-525	20.32					

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								SMB72HM10-530	20.52				
								SMB72HM10-535	20.71				
								SMB72HM10-540	20.91				
								SMB72HM10-545	21.10				
								SMB72HM10-550	21.30				
					xxiv	Bifacial Mono c-Si PERC Modules	SMBB72HM10-525 (525Wp)	SMBB72HM10-500	19.36	144 (Half Cut Cell)	1500	01.09.2023	31.08.2027
							SMBB72HM10-505	19.55					
							SMBB72HM10-510	19.74					
							SMBB72HM10-515	19.94					
							SMBB72HM10-520	20.13					
							SMBB72HM10-525	20.32					
							SMBB72HM10-530	20.52					
							SMBB72HM10-535	20.71					
							SMBB72HM10-540	20.91					
							SMBB72HM10-545	21.10					
							SMBB72HM10-550	21.30					
					xxv	Bifacial Mono c-Si PERC Modules	SMB66HM10-465 (465Wp)	SMB66HM10-455	19.16				
							SMB66HM10-460	19.37					
							SMB66HM10-465	19.59					
							SMB66HM10-470	19.80					
							SMB66HM10-475	20.02					
							SMB66HM10-480	20.24					
					xxvi	Bifacial Mono c-Si PERC Modules	SMB66HM10-490 (490Wp)	SMB66HM10-485	20.65	132 (Half Cut Cell)	1500	01.09.2023	31.08.2027
							SMB66HM10-490	20.86					
							SMB66HM10-495	21.07					
							SMB66HM10-500	21.28					
					xxvii	Bifacial Mono c-Si PERC Modules	SMBB66HM10-465 (465Wp)	SMBB66HM10-455	19.16	132 (Half Cut Cell)	1500	01.09.2023	31.08.2027
							SMBB66HM10-460	19.37					
							SMBB66HM10-465	19.59					
							SMBB66HM10-470	19.80					
					xxviii	Bifacial Mono c-Si PERC Modules	SMBB66HM10-490 (490Wp)	SMBB66HM10-475	20.02	132 (Half Cut Cell)	1500	01.09.2023	31.08.2027
							SMBB66HM10-480	20.24					
							SMBB66HM10-485	20.44					
							SMBB66HM10-490	20.65					
							SMBB66HM10-495	20.86					
							SMBB66HM10-500	21.07					
					xxix	Bifacial Mono c-Si PERC Modules	SMB60HM10-435 (435Wp)	SMB60HM10-415	19.13	120 (Half Cut Cell)	1500	01.09.2023	31.08.2027
							SMB60HM10-420	19.37					
							SMB60HM10-425	19.61					
							SMB60HM10-430	19.83					
							SMB60HM10-435	20.06					
							SMB60HM10-440	20.29					
							SMB60HM10-445	20.51					
							SMB60HM10-450	20.75					
							SMB60HM10-455	20.98					
							SMB60HM10-460	21.20					
					xxx	Bifacial Mono c-Si PERC Modules	SMBB60HM10-435 (435Wp)	SMBB60HM10-415	19.13	120 (Half Cut Cell)	1500	01.09.2023	31.08.2027
							SMBB60HM10-420	19.37					
							SMBB60HM10-425	19.61					
							SMBB60HM10-430	19.83					
							SMBB60HM10-435	20.06					
							SMBB60HM10-440	20.29					
							SMBB60HM10-445	20.51					
							SMBB60HM10-450	20.75					
							SMBB60HM10-455	20.98					
							SMBB60HM10-460	21.20					
					xxxi	Bifacial Mono c-Si PERC Modules	SMB54HM10-385 (385Wp)	SMB54HM10-375	19.2	108 (Half Cut Cell)	1500	01.09.2023	31.08.2027
							SMB54HM10-380	19.46					
							SMB54HM10-385	19.73					
							SMB54HM10-390	19.98					
					xxxii	Bifacial Mono c-Si PERC Modules	SMB54HM10-405 (405Wp)	SMB54HM10-395	20.23	108 (Half Cut Cell)	1500	01.09.2023	31.08.2027
							SMB54HM10-400	20.49					
							SMB54HM10-405	20.73					
							SMB54HM10-410	21.00					
					xxxiii	Bifacial Mono c-Si PERC Modules	SMBB54HM10-385 (385Wp)	SMBB54HM10-375	19.20	108 (Half Cut Cell)	1500	01.09.2023	31.08.2027
							SMBB54HM10-380	19.46					

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xxxiii	Modules	SMBB54HM10-385 (385Wp)	SMBB54HM10-385	19.73	108 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMBB54HM10-390	19.98				
					xxxiv	Bifacial Mono c-Si PERC Modules	SMBB54HM10-405 (405Wp)	SMBB54HM10-395	20.23	108 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMBB54HM10-400	20.49				
								SMBB54HM10-405	20.73				
								SMBB54HM10-410	21.00				
								SMB48HM10-335	19.21				
					xxxv	Bifacial Mono c-Si PERC Modules	SMB48HM10-350 (350Wp)	SMB48HM10-340	19.50	96 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMB48HM10-345	19.78				
								SMB48HM10-350	20.06				
								SMB48HM10-355	20.34				
								SMB48HM10-360	20.62				
								SMB48HM10-365	20.91				
								SMBB48HM10-335	19.21				
								SMBB48HM10-340	19.50				
					xxxvi	Bifacial Mono c-Si PERC Modules	SMBB48HM10-350 (350Wp)	SMBB48HM10-345	19.78	96 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMBB48HM10-350	20.06				
								SMBB48HM10-355	20.34				
								SMBB48HM10-360	20.62				
								SMBB48HM10-365	20.91				
					xxxvii	Bifacial Mono c-Si PERC Modules	SMB42HM10-305 (305Wp)	SMB42HM10-295	19.21	84 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMB42HM10-300	19.54				
								SMB42HM10-305	19.88				
								SMB42HM10-310	20.20				
								SMB42HM10-315	20.50				
								SMB42HM10-320	20.80				
								SMBB42HM10-295	19.21				
					xxxviii	Bifacial Mono c-Si PERC Modules	SMBB42HM10-305 (305Wp)	SMBB42HM10-300	19.54	84 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMBB42HM10-305	19.88				
								SMBB42HM10-310	20.20				
								SMBB42HM10-315	20.50				
								SMBB42HM10-320	20.80				
xxxix	Bifacial Mono c-Si PERC Modules	SMB36HM10-265 (265Wp)	SMB36HM10-255	19.25	72 (Half Cut Cell)	1500	01.09.2023	31.08.2027					
			SMB36HM10-260	19.63									
			SMB36HM10-265	19.66									
			SMB36HM10-270	20.36									
			SMB36HM10-275	20.73									
xl	Bifacial Mono c-Si PERC Modules	SMBB36HM10-265 (265Wp)	SMBB36HM10-255	19.25	72 (Half Cut Cell)	1500	01.09.2023	31.08.2027					
			SMBB36HM10-260	19.63									
			SMBB36HM10-265	19.99									
			SMBB36HM10-270	20.36									
			SMBB36HM10-275	20.73									
xli	Mono c-Si PERC Module	JKM-SMF-540P-72HL4-V (540Wp)	JKM-SMF-530P-72HL4-V	20.52	144 (Half Cut Cell)	1500	01.09.2023	31.08.2027					
			JKM-SMF-535P-72HL4-V	20.71									
			JKM-SMF-540P-72HL4-V	20.91									
			JKM-SMF-545P-72HL4-V	21.10									
			JKM-SMF-550P-72HL4-V	21.30									
			GS10-M144-WF-500	19.36					144 (Half Cut Cell)	1500	20.09.2023	19.09.2027	
			GS10-M144-WF-505	19.56									
GS10-M144-WF-510	19.75												
GS10-M144-WF-515	19.94												
GS10-M144-WF-520	20.14												
GS10-M144-WF-525	20.33												
GS10-M144-WF-530	20.53												
GS10-M144-WF-535	20.73												
GS10-M144-WF-540	20.92												
GS10-M144-WF-545	21.12												
GS10-M144-WF-550	21.31												
GS10-M132-WF-480	20.22	132 (Half Cut Cell)	1500	20.09.2023	19.09.2027								
GS10-M132-WF-485	20.43												
GS10-M132-WF-490	20.64												
GS10-M132-WF-495	20.85												
GS10-M132-WF-500	21.06												
GS10-M132-WF-505	21.28												
58	M/s. Tata Power Solar Systems Ltd	Sy No. 43P and 44(P), Electronic City, 2nd Stage, Consisting Hosur Road,	R-62001090	577				TP455HGZ(H)	20.46				
								TP450HGZ(H)	20.23				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity		
												From	To (subject to valid BIS Registration; else deemed to be delisted)	
		Bangalore-560100, Karnataka			i	Mono c-Si PERC Module	TP440HGZ(H), (440Wp)	TP445HGZ(H) TP440HGZ(H) TP435HGZ(H) TP430HGZ(H) TP425HGZ(H) TP595LG10	20.01 19.78 19.56 19.34 19.11 21.36	144 (Half Cut Cell)	1500	20.09.2023	19.09.2027	
					ii	Mono c-Si PERC Module	TP570LG10, (570Wp)	TP590LG10 TP585LG10 TP580LG10 TP575LG10 TP570LG10 TP565LG10 TP560LG10 TP555LG10 TP550HG10	21.18 21.00 20.83 20.65 20.47 20.29 20.11 19.93 21.34	156 (Half Cut Cell)	1500	20.09.2023	19.09.2027	
					iii	Mono c-Si PERC Module	TP525HG10, (525Wp)	TP540HG10 TP5435HG10 TP530HG10 TP525HG10 TP520HG10 TP515HG10 TP510HG10 TP505HG10 TP500VG10	21.14 20.95 20.76 20.56 20.37 20.17 19.98 19.79 19.59 20.82	144 (Half Cut Cell)	1500	20.09.2023	19.09.2027	
					iv	Mono c-Si PERC Module	TP480VG10, (480Wp)	TP495VG10 TP490VG10 TP485VG10 TP480VG10 TP475VG10 TP470VG10 TP465VG10 TP460VG10 TP455MG10 TP450MG10 TP445MG10 TP440MG10	20.61 20.40 20.19 19.98 19.77 19.57 19.36 19.15 20.81 20.58 20.35 20.12	132 (Half Cut Cell)	1500	20.09.2023	19.09.2027	
					v	Mono c-Si PERC Module	TP440MG10, (440Wp)	TP435MG10 TP430MG10 TP425MG10 TP420MG10 TP4105G10 TP4055G10 TP4005G10 TP3955G10 TP3905G10 TP3855G10	19.89 19.66 19.43 19.21 20.72 20.47 20.21 19.96 19.71 19.46	120 (Half Cut Cell)	1500	20.09.2023	19.09.2027	
					vi	Mono c-Si PERC Module	TP4005G10, (400Wp)	TP460VG10TB TP465VG10TB TP470VG10TB TP475VG10TB TP480VG10TB TP485VG10TB TP490VG10TB TP495VG10TB TP500VG10TB	19.19 19.40 19.60 19.81 20.02 20.23 20.44 20.65 20.86	132 (Half Cut Cells)	1500	20.09.2023	19.09.2027	
					vii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	TP480VG10TB (480 Wp)	TP420MG10TB TP425MG10TB TP430MG10TB TP435MG10TB TP440MG10TB TP445MG10TB TP450MG10TB TP455MG10TB TP505HG10TB	19.21 19.44 19.67 19.90 20.12 20.35 20.58 20.81 19.59	120 (Half Cut Cells)	1500	20.09.2023	19.09.2027	
					viii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	TP435MG10TB (435 Wp)							

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					ix	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	TP530HG10TB (530 Wp)	TP510HG10TB	19.78	144 (Half Cut Cells)	1500	20.09.2023	19.09.2027
								TP515HG10TB	19.98				
								TP520HG10TB	20.17				
								TP525HG10TB	20.37				
								TP530HG10TB	20.56				
								TP535HG10TB	20.75				
								TP540HG10TB	20.95				
								TP545HG10TB	21.14				
								TP550HG10TB	21.34				
								TP555LG10B	19.93				
								TP560LG10B	20.11				
								TP565LG10B	20.29				
					x	Bifacial Mono c-Si PERC Module (Glass to Glass Backsheet)	TP570LG10B (570 Wp)	TP570LG10B	20.47	156 (Half Cut Cells)	1500	20.09.2023	19.09.2027
								TP575LG10B	20.64				
								TP580LG10B	20.82				
								TP585LG10B	21.00				
								TP590LG10B	21.18				
								TP595LG10B	21.36				
								TP505HG10B	19.59				
								TP510HG10B	19.78				
								TP515HG10B	19.98				
								TP520HG10B	20.17				
								TP525HG10B	20.37				
								TP530HG10B	20.56				
					xi	Bifacial Mono c-Si PERC Module (Glass to Glass Backsheet)	TP530HG10B (530 Wp)	TP535HG10B	20.75	144 (Half Cut Cells)	1500	20.09.2023	19.09.2027
								TP540HG10B	20.95				
								TP545HG10B	21.14				
								TP550HG10B	21.34				
								TP460VG10B	19.19				
								TP465VG10B	19.40				
								TP470VG10B	19.60				
								TP475VG10B	19.81				
								TP480VG10B	20.02				
								TP485VG10B	20.23				
								TP490VG10B	20.44				
								TP495VG10B	20.65				
					TP500VG10B	20.86							
					xii	Bifacial Mono c-Si PERC Module (Glass to Glass Backsheet)	TP480VG10B (480 Wp)	TP420MG10B	19.21	132 (Half Cut Cells)	1500	20.09.2023	19.09.2027
								TP425MG10B	19.44				
								TP430MG10B	19.67				
								TP435MG10B	19.90				
								TP440MG10B	20.12				
								TP445MG10B	20.35				
								TP450MG10B	20.58				
								TP455MG10B	20.81				
								TP500HG10B	19.40				
								TP505HG10B	19.59				
								TP510HG10B	19.78				
TP515HG10B	19.98												
TP520HG10B	20.17												
xiii	Bifacial Mono c-Si PERC Module (Glass to Glass Backsheet)	TP435MG10B (435 Wp)	TP525HG10B	20.37	144 (Half Cut Cells)	1500	28.08.2024	20.02.2025					
			TP525HG10B	20.37									
			TP530HG10B	20.56									
			TP535HG10B	20.75									
			TP540HG10B	20.95									
			TP545HG10B	21.14									
			TP550HG10B	21.34									
			TP555HG10B	21.53									
			TP555LG10B	19.93									
			TP560LG10B	20.11									
			TP565LG10B	20.29									
			TP570LG10B	20.47									
xiv	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP525HG10B (525 Wp)	TP575LG10B	20.64	144 (Half Cut Cells)	1500	28.08.2024	20.02.2025					
			TP580LG10B	20.82									
			TP585LG10B	21.00									
			TP550HG10B	21.34									
			TP555HG10B	21.53									
			TP555LG10B	19.93									
xv	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP550HG10B (550 Wp)	TP560LG10B	20.11	156 (Half Cut Cells)	1500	28.08.2024	20.02.2025					
			TP565LG10B	20.29									
			TP570LG10B	20.47									
			TP575LG10B	20.64									
			TP580LG10B	20.82									
			TP585LG10B	21.00									
xvi	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP585LG10B (585 Wp)											

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								TP590LG10B	21.18				
								TP595LG10B	21.36				
								TP600LG10B	21.54				
								TP520HG10V	20.16				
								TP525HG10V	20.36				
								TP530HG10V	20.55				
					xvii	Mono c-Si PERC Modules	TP535HG10V (535 Wp)	TP535HG10V	20.75	144 Half Cut Cells	1500	28.08.2024	16.10.2024
								TP540HG10V	20.94				
								TP545HG10V	21.13				
								TP550HG10V	21.33				
								TP505HG10VBi	19.58				
								TP510HG10VBi	19.78				
								TP515HG10VBi	19.97				
								TP520HG10VBi	20.16				
					xviii	Bifacial Mono c-Si PERC Modules (Glass to Glass)	TP535HG10VBi (535 Wp)	TP525HG10VBi	20.36	144 Half Cut Cells	1500	28.08.2024	16.10.2024
								TP530HG10VBi	20.55				
								TP535HG10VBi	20.75				
								TP540HG10VBi	20.94				
								TP545HG10VBi	21.13				
								TP550HG10VBi	21.33				
								TP570LG10VB	20.47				
								TP575LG10VB	20.64				
								TP580LG10VB	20.82				
								TP585LG10VB	21.00				
					xix	Bifacial Mono c-Si PERC Modules (Glass to Glass)	TP580LG10VB (580 Wp)	TP590LG10VB	21.18	156 Half Cut Cells	1500	28.08.2024	16.10.2024
								S1585M10-156	20.93				
								S1580M10-156	20.75				
								S1575M10-156	20.57				
								S1570M10-156	20.39				
								S1565M10-156	20.21				
								S1560M10-156	20.03				
								S1555M10-156	19.85				
								S1550M10-156	19.68				
								S1545M10-156	19.5				
								S1540M10-156	19.32				
								S1550M10-144	21.27				
								S1545M10-144	21.08				
								S1540M10-144	20.89				
								S1535M10-144	20.69				
								S1530M10-144	20.5				
								S1525M10-144	20.31				
								S1520M10-144	20.11				
								S1515M10-144	19.92				
								S1510M10-144	19.73				
								S1505M10-144	19.53				
								S1500M10-144	19.34				
								S1495M10-132	20.84				
								S1490M10-132	20.63				
								S1485M10-132	20.41				
								S1480M10-132	20.2				
								S1475M10-132	19.99				
								S1470M10-132	19.78				
								S1465M10-132	19.57				
								S1460M10-132	19.36				
								S1455M10-132	19.15				
								S1450M10-120	20.78				
								S1445M10-120	20.55				
								S1440M10-120	20.31				
								S1435M10-120	20.08				
								S1430M10-120	19.85				
								S1425M10-120	19.62				
								S1420M10-120	19.39				
								S1415M10-120	19.16				
								S1405M10-108	20.69				
								S1400M10-108	20.44				
								S1395M10-108	20.18				
59	M/s. Surya International Enterprise Private Limited	Plot No. S4-E1-21, EMC Park, Infovally II, Harekrushnapur, Jatani, Bhubaneswar-751019, Orissa	R-52000175	77				S1565M10-156 (565)		156 (Half Cut Cell)	1500	16.11.2023	15.11.2027
								S1560M10-156	20.03				
								S1555M10-156	19.85				
								S1550M10-156	19.68				
								S1545M10-156	19.5				
								S1540M10-156	19.32				
								S1550M10-144	21.27				
								S1545M10-144	21.08				
								S1540M10-144	20.89				
								S1535M10-144	20.69				
								S1530M10-144	20.5				
								S1525M10-144	20.31				
								S1520M10-144	20.11				
								S1515M10-144	19.92				
								S1510M10-144	19.73				
								S1505M10-144	19.53				
								S1500M10-144	19.34				
								S1495M10-132	20.84				
								S1490M10-132	20.63				
								S1485M10-132	20.41				
								S1480M10-132	20.2				
								S1475M10-132	19.99				
								S1470M10-132	19.78				
								S1465M10-132	19.57				
								S1460M10-132	19.36				
								S1455M10-132	19.15				
								S1450M10-120	20.78				
								S1445M10-120	20.55				
								S1440M10-120	20.31				
								S1435M10-120	20.08				
								S1430M10-120	19.85				
								S1425M10-120	19.62				
								S1420M10-120	19.39				
								S1415M10-120	19.16				
								S1405M10-108	20.69				
								S1400M10-108	20.44				
								S1395M10-108	20.18				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity			
												From	To (subject to valid BIS Registration; else deemed to be delisted)		
					v	Mono PERC C-Si Modules	SI390M10-108 (390)	SI390M10-108	19.93	108 (Half Cut Cell)	1500	16.11.2023	15.11.2027		
								SI385M10-108	19.67						
								SI380M10-108	19.41						
								SI375M10-108	19.16						
								SI365M10-96	20.87						
					vi	Mono PERC C-Si Modules	SI345M10-96 (350)	SI360M10-96	20.59	96 (Half Cut Cell)	1500	16.11.2023	15.11.2027		
								SI355M10-96	20.3						
								SI350M10-96	20.02						
								SI340M10-96	19.44						
								SI335M10-96	19.16						
					vii	Mono PERC C-Si Modules	SI305M10-84 (305)	SI320M10-84	20.78	84 (Half Cut Cell)	1500	16.11.2023	15.11.2027		
								SI315M10-84	20.45						
								SI310M10-84	20.13						
								SI305M10-84	19.8						
								SI300M10-84	19.48						
					viii	Mono PERC C-Si Modules	SI260M10-72 (260)	SI295M10-84	19.15	72 (Full Cell)	1500	16.11.2023	15.11.2027		
								SI270M10-72	20.38						
								SI265M10-72	20.01						
								SI260M10-72	19.63						
								SI255M10-72	19.25						
ix	Mono PERC C-Si Modules	SI230M10-64 (230)	SI240M10-64	19.99	64 (Full Cell)	1500	16.11.2023	15.11.2027							
			SI235M10-64	19.61											
			SI230M10-64	19.24											
			ISSM10-500-144	19.92					144 (Half Cut Cells)	1500	16.11.2023	15.11.2027			
			ISSM10-505-144	20.12											
i	Mono c-Si PERC Module	ISSM10-525-144 (525Wp)	ISSM10-510-144	20.23											
			ISSM10-515-144	20.28											
			ISSM10-520-144	20.38											
			ISSM10-525-144	20.47											
			ISSM10-530-144	20.51											
			ISSM10-535-144	20.59											
			ISSM10-540-144	20.67											
			ISSM10-545-144	20.71											
			ISSM10-550-144	20.83											
			RPS2MH72MB515	19.93	144 (Half Cut Cell)	1500	16.11.2023	15.11.2027							
			RPS2MH72MB520	20.13											
			RPS2MH72MB525	20.32											
			RPS2MH72MB530	20.52											
			RPS2MH72MB535	20.71											
			RPS2MH72MB540	20.9											
RPS2MH72MB545	21.1														
RPS2MH72MB550	21.29														
RPS2MH72BD515	19.93														
RPS2MH72BD520	20.13														
RPS2MH72BD525	20.32														
RPS2MH72BD530	20.52														
RPS2MH72BD535	20.71														
RPS2MH72BD540	20.9														
RPS2MH72BD545	21.1														
RPS2MH72BD550	21.29														
i	Mono c-Si PERC Module	AS-575-HM156 (575 Wp)	AS-555-HM156	19.88	156 Half Cut Cells	1500	24.01.2024	23.01.2028							
			AS-560-HM156	20.05											
			AS-565-HM156	20.22											
			AS-570-HM156	20.40											
			AS-575-HM156	20.59											
			AS-580-HM156	20.78											
			AS-585-HM156	20.96											
			AS-590-HM156	21.13											
			AS-595-HM156	21.30											
			ii	Mono c-Si PERC Module					AS-525-HM144 (525 Wp)	AS-500-HM144	19.36	144 Half Cut Cells	1500	24.01.2024	23.01.2028
										AS-505-HM144	19.54				
										AS-510-HM144	19.75				
										AS-515-HM144	19.94				
										AS-520-HM144	20.13				
										AS-525-HM144	20.32				
AS-530-HM144	20.52														

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								AS-535-HM144	20.70				
								AS-540-HM144	20.92				
								AS-545-HM144	21.11				
								AS-550-HM144	21.31				
					iii	Mono c-Si PERC Module	AS-475-HM132 (475 Wp)	AS-455-HM132	19.18	132 Half Cut Cells	1500	24.01.2024	23.01.2028
				AS-460-HM132				19.37					
				AS-465-HM132				19.60					
				AS-470-HM132				19.80					
				AS-475-HM132				20.01					
				AS-480-HM132				20.23					
				AS-485-HM132				20.44					
				AS-490-HM132				20.64					
				AS-495-HM132				20.85					
				AS-375-HM108				19.21					
				AS-380-HM108	19.47	108 Half Cut Cells	1500	24.01.2024	23.01.2028				
				AS-385-HM108	19.73								
				AS-390-HM108	19.99								
				AS-395-HM108	20.27								
				AS-400-HM108	20.47								
				AS-415-HM120	19.20	120 Half Cut Cells	1500	24.01.2024	23.01.2028				
				AS-420-HM120	19.42								
				AS-425-HM120	19.64								
				AS-430-HM120	19.87								
				AS-435-HM120	20.11								
				AS-440-HM120	20.33								
				AS-445-HM120	20.56								
				AS-450-HM120	20.79								
63	M/s. Icon Solar En Power Technologies Private Limited	PH No. 09, Gram Dighari Mandir Hasaud, The Arang, Raipur- 492001, Chhattisgarh, India	R-59000140	186	i	Mono c-Si PERC Module	ISEN575 (575 Wp)	ISEN560	20.03	156 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								ISEN565	20.21				
								ISEN570	20.39				
								ISEN575	20.57				
								ISEN580	20.75				
					ii	Mono c-Si PERC Module	ISEN540 (540 Wp)	ISEN585	20.93	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								ISEN590	21.11				
								ISEN520	20.12				
								ISEN525	20.32				
								ISEN530	20.52				
					iii	Mono c-Si PERC Module	ISEN500 (500 Wp)	ISEN535	20.71	132 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								ISEN540	20.9				
								ISEN545	21.1				
								ISEN550	21.3				
								ISEN555	21.48				
					iv	Mono c-Si PERC Module	ISEN440 (440 Wp)	ISEN500	21.05	120 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								ISEN510	21.47				
								ISEN420	19.41				
								ISEN425	19.64				
								ISEN430	19.87				
ISEN435	20.1												
ISEN440	20.34												
ISEN445	20.57												
ISEN450	20.8												
ISEN455	21.03												
v	Mono c-Si PERC Module	ISEN395 (395 Wp)	ISEN460	21.26	108 (Half Cut Cells)	1500	24.02.2024	23.02.2028					
			ISEN380	19.46									
			ISEN385	19.72									
			ISEN390	19.97									
			ISEN395	20.23									
			ISEN400	20.48									
			ISEN405	20.74									
64	M/s. Waaree Energies Limited	Unit 2B, Survey No. 267, NH-48, Nandigram Village, Taluke Umbergaon, District Valsad, Gujarat 396105	R-72003085	1156	i	Mono c-Si PERC Module	WSMD-540 (540Wp)	ISEN410	21	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								WSMD-520	20.2				
								WSMD-525	20.39				
								WSMD-530	20.58				
								WSMD-535	20.78				
								WSMD-540	20.97				
								WSMD-545	21.17				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					ii	Bifacial Mono c- Si PERC Module	Bi-55-540 (540Wp)	WSMD-550 Bi-55-520 Bi-55-525 Bi-55-530 Bi-55-535 Bi-55-540 Bi-55-545 Bi-55-550	21.36 20.2 20.39 20.58 20.78 20.97 21.17 21.36	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
					iii	N TOPCon Module	WSMT-570 (570Wp)	WSMT-560 WSMT-565 WSMT-570 WSMT-575 WSMT-580 WSMT-605 WSMT-610	21.75 21.94 22.14 22.33 22.53 21.74 21.92	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
					iv	N TOPCon Module	WSMT-615 (615Wp)	WSMT-615 WSMT-620 WSMT-625	22.1 22.28 22.46	156 (Half Cut Cells)	1500	24.02.2024	23.02.2028
					v	N TOPCon Module(Bifacial)	BIN-17-615 (615Wp)	BIN-17-605 BIN-17-610 BIN-17-615 BIN-17-620 BIN-17-625	21.64 21.82 22 22.18 22.35	156 (Half Cut Cells)	1500	24.02.2024	23.02.2028
					vi	N TOPCon Module(Bifacial)	BIN-08-570 (570Wp)	BIN-08-560 BIN-08-565 BIN-08-570 BIN-08-575 BIN-08-580	21.67 21.87 22.06 22.25 22.45	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
65	M/s. Waaree Energies Limited	Survey No 38/1, Tumb Village, Tumb, Umbergaon, Valsad, Gujarat - 396150	R-72002038	1095	i	Mono c- Si PERC Module	WSMD-440 (440Wp)	WSMD-420 WSMD-425 WSMD-430 WSMD-435 WSMD-440 WSMD-445 WSMD-450	19.32 19.55 19.78 20.01 20.24 20.47 20.7	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
					ii	Mono c- Si PERC Module	WSMD-540 (540Wp)	WSMD-520 WSMD-525 WSMD-530 WSMD-535 WSMD-540 WSMD-545 WSMD-550	20.2 20.39 20.58 20.78 20.97 21.17 21.36	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
					iii	Mono c- Si PERC Bifacial Module	Bi-31-440(440Wp)	Bi-31-420 Bi-31-425 Bi-31-430 Bi-31-435 Bi-31-440 Bi-31-445 Bi-31-450	19.32 19.55 19.78 20.01 20.24 20.47 20.7	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
					iv	Bifacial Mono c-Si PERC Module	Bi-55-540 (540Wp)	Bi-55-520 Bi-55-525 Bi-55-530 Bi-55-535 Bi-55-540 Bi-55-545 Bi-55-550	20.2 20.39 20.58 20.78 20.97 21.17 21.36	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
					v	Mono c- Si PERC Module	WSMDI-400 (400Wp)	WSMDI-395 WSMDI-400 WSMDI-405 WSMDI-410 WSMDI-415	19.79 20.03 20.28 20.53 20.78	132 (Half Cut Cells)	1500	24.02.2024	23.02.2028
66	M/s. Mundra Solar PV Limited	Survey No 180P, Co Mundra Solar Technopark Pvt. Ltd, Electronic manufacturing Cluster EMC, Village Vandh & Tunda, mundra, Kutch Adani Ports & SEZ, Tunda, Kachchh - -	R-72008532	1942				ASM-M10-144-500 ASM-M10-144-501 ASM-M10-144-502 ASM-M10-144-503 ASM-M10-144-504	19.47 19.51 19.55 19.59 19.63				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
		370435, Gujarat											
					i	Mono c-Si PERC Modules	ASM-M10-144-523 (523Wp)	ASM-M10-144-505 ASM-M10-144-506 ASM-M10-144-507 ASM-M10-144-508 ASM-M10-144-509 ASM-M10-144-510 ASM-M10-144-511 ASM-M10-144-512 ASM-M10-144-513 ASM-M10-144-514 ASM-M10-144-515 ASM-M10-144-516 ASM-M10-144-517 ASM-M10-144-518 ASM-M10-144-519 ASM-M10-144-520 ASM-M10-144-521 ASM-M10-144-522 ASM-M10-144-523 ASM-M10-144-524 ASM-M10-144-525 ASM-M10-144-526 ASM-M10-144-527 ASM-M10-144-528 ASM-M10-144-529 ASM-M10-144-530 ASM-M10-144-531 ASM-M10-144-532 ASM-M10-144-533 ASM-M10-144-534 ASM-M10-144-535 ASM-M10-144-536 ASM-M10-144-537 ASM-M10-144-538 ASM-M10-144-539 ASM-M10-144-540 ASM-M10-144-541 ASM-M10-144-542 ASM-M10-144-543 ASM-M10-144-544 ASM-M10-144-545	19.67 19.7 19.74 19.78 19.82 19.86 19.9 19.94 19.98 20.02 20.05 20.09 20.13 20.17 20.21 20.25 20.29 20.33 20.37 20.41 20.44 20.48 20.52 20.56 20.6 20.64 20.68 20.72 20.76 20.8 20.83 20.87 20.91 20.95 20.99 21.03 21.07 21.11 21.15 21.18 21.22	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
					ii	Bifacial c-Si PERC Modules	ASB-M10-144-548 (548Wp)	ASB-M10-144-520 ASB-M10-144-521 ASB-M10-144-522 ASB-M10-144-523 ASB-M10-144-524 ASB-M10-144-525 ASB-M10-144-526 ASB-M10-144-527 ASB-M10-144-528 ASB-M10-144-529 ASB-M10-144-530 ASB-M10-144-531 ASB-M10-144-532 ASB-M10-144-533 ASB-M10-144-534 ASB-M10-144-535 ASB-M10-144-536 ASB-M10-144-537 ASB-M10-144-538 ASB-M10-144-539 ASB-M10-144-540 ASB-M10-144-541 ASB-M10-144-542 ASB-M10-144-543 ASB-M10-144-544	20.25 20.29 20.33 20.37 20.41 20.44 20.48 20.52 20.56 20.6 20.64 20.68 20.72 20.76 20.8 20.83 20.87 20.91 20.95 20.99 21.03 21.07 21.11 21.15 21.18	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								ASB-M10-144-545	21.22				
								ASB-M10-144-546	21.26				
								ASB-M10-144-547	21.3				
								ASB-M10-144-548	21.34				
								ASB-M10-144-549	21.38				
								ASB-M10-144-550	21.42				
					iii	Bifacial n-type TOPCon Modules	ASB-M10-144-563 (563Wp)	ASB-M10-144-550	21.42	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								ASB-M10-144-551	21.46				
								ASB-M10-144-552	21.5				
								ASB-M10-144-553	21.54				
								ASB-M10-144-554	21.57				
								ASB-M10-144-555	21.61				
								ASB-M10-144-556	21.65				
								ASB-M10-144-557	21.69				
								ASB-M10-144-558	21.73				
								ASB-M10-144-559	21.77				
								ASB-M10-144-560	21.81				
								ASB-M10-144-561	21.85				
								ASB-M10-144-562	21.89				
								ASB-M10-144-563	21.92				
								ASB-M10-144-564	21.96				
								ASB-M10-144-565	22				
								ASB-M10-144-566	22.04				
								ASB-M10-144-567	22.08				
								ASB-M10-144-568	22.12				
								ASB-M10-144-569	22.16				
								ASB-M10-144-570	22.2				
								ASB-M10-144-571	22.24				
								ASB-M10-144-572	22.28				
								ASB-M10-144-573	22.31				
								ASB-M10-144-574	22.35				
								ASB-M10-144-575	22.39				
67	M/s. Vikram Solar Ltd.	Special Economic Zone (SEZ), Sector 2,Falta, 24 Parganas (South) - 743504, West Bengal	R-51000566	1151	i	Mono c-Si PERC Module	SOMERA VSMH.72.545.05 (545 Wp)	SOMERA VSMH.72.550.05	21.33	144 (Half cut Cells)	1500	24.02.2024	23.02.2028
								SOMERA VSMH.72.545.05	21.13				
								SOMERA VSMH.72.540.05	20.94				
								SOMERA VSMH.72.535.05	20.75				
					ii	Mono c-Si PERC Module	SOMERA VSMH.60.455.05 (455 Wp)	SOMERA VSMH.60.460.05	21.28	120 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								SOMERA VSMH.60.455.05	21.05				
								SOMERA VSMH.60.450.05	20.82				
								SOMERA VSMH.60.445.05	20.59				
					iii	Bifacial Mono c-Si PERC Module	PARADEA VSMDH.72.545.05 (545 Wp)	PARADEA VSMDH.72.550.05	21.33	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								PARADEA VSMDH.72.545.05	21.13				
								PARADEA VSMDH.72.540.05	20.94				
								PARADEA VSMDH.72.535.05	20.75				
					iv	Mono c-Si PERC Module	SOMERA VSMH.72.445.05 (445 Wp)	SOMERA VSMH.72.450.05	20.23	144 (Half Cut cells)	1500	24.02.2024	23.02.2028
								SOMERA VSMH.72.445.05	20.01				
								SOMERA VSMH.72.440.05	19.79				
								PARADEA VSMDH.78.570.05	20.47				
					v	Mono c-Si PERC Modules (Glass to Glass)	PARADEA VSMDH.78.585.05 (585 Wp)	PARADEA VSMDH.78.575.05	20.64	156 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								PARADEA VSMDH.78.580.05	20.82				
								PARADEA VSMDH.78.585.05	21.00				
								PARADEA VSMDH.78.590.05	21.18				
								PARADEA VSMDH.78.595.05	21.36				
					vi	Mono c-Si PERC Modules (Glass to Glass)	PARADEA VSMDH.66.500.05 (500 Wp)	PARADEA VSMDH.66.490.05	20.61	132 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								PARADEA VSMDH.66.500.05	21.04				
68	M/s. TP Solar Limited	Plot No. A 109, Near Elcot Road, TP Solar Limited, Sipcot Road and OSR Park, Gangaikondan Road, Sipcot Industrial Park, Gangaikondan Industrial Park, Tirunelveli, Tamil Nadu- 627352	R-61004146	5222	i	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP575LG108 (575Wp)	TP555LG108	19.93	156(Half Cut Cells)	1500	22.03.2024	21.03.2028
								TP560LG108	20.11				
								TP565LG108	20.29				
								TP570LG108	20.47				
								TP575LG108	20.65				
								TP580LG108	20.83				
								TP585LG108	21.00				
								TP590LG108	21.18				
								TP595LG108	21.36				
								TP600LG108	21.54				
								TP500HG108	19.40				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					ii	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP520HG10B (520Wp)	TP505HG10B 19.59 TP510HG10B 19.79 TP515HG10B 19.98 TP520HG10B 20.17 TP525HG10B 20.37 TP530HG10B 20.56 TP535HG10B 20.76 TP540HG10B 20.95		144 (Half cut Cells)	1500	22.03.2024	21.03.2028
					iii	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP550HG10B (550 Wp)	TP545HG10B 21.14 TP550HG10B 21.34 TP555HG10B 21.53 TP460VG10B 19.19 TP465VG10B 19.47		144 (Half cut Cells)	1500	22.03.2024	21.03.2028
					iv	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP470VG10B (470 Wp)	TP470VG10B 19.61 TP475VG10B 19.81 TP480VG10B 20.02 TP485VG10B 20.23 TP490VG10B 20.44		132 (Half cut Cells)	1500	22.03.2024	21.03.2028
					v	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP500VG10B (500 Wp)	TP495VG10B 20.65 TP500VG10B 20.86 TP505VG10B 21.07		132 (Half cut Cells)	1500	22.03.2024	21.03.2028
					vi	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP435MG10B (435 Wp)	TP420MG10B 19.21 TP425MG10B 19.44 TP430MG10B 19.66 TP435MG10B 19.89 TP440MG10B 20.12 TP445MG10B 20.35 TP450MG10B 20.58		120 (Half Cut Cells)	1500	22.03.2024	21.03.2028
					vii	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP460MG10B (460 Wp)	TP455MG10B 20.81 TP460MG10B 21.03 TP465MG10B 21.26		120 (Half Cut Cells)	1500	22.03.2024	21.03.2028
					viii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	TP575LG10TB (575Wp)	TP555LG10TB 19.93 TP560LG10TB 20.11 TP565LG10TB 20.29 TP570LG10TB 20.47 TP575LG10TB 20.65 TP580LG10TB 20.83 TP585LG10TB 21.00 TP590LG10TB 21.18 TP595LG10TB 21.36 TP600LG10TB 21.54		156(Half Cut Cells)	1500	22.03.2024	21.03.2028
					ix	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	TP520HG10TB (520Wp)	TP500HG10TB 19.40 TP505HG10TB 19.59 TP510HG10TB 19.79 TP515HG10TB 19.98 TP520HG10TB 20.17 TP525HG10TB 20.37 TP530HG10TB 20.56 TP535HG10TB 20.76 TP540HG10TB 20.95		144 (Half cut Cells)	1500	22.03.2024	21.03.2028
					x	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	TP550HG10TB (550 Wp)	TP545HG10TB 21.14 TP550HG10TB 21.34 TP555HG10TB 21.53		144 (Half cut Cells)	1500	22.03.2024	21.03.2028
					xi	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	TP470VG10TB (470 Wp)	TP460VG10TB 19.19 TP465VG10TB 19.47 TP470VG10TB 19.61 TP475VG10TB 19.81 TP480VG10TB 20.02 TP485VG10TB 20.23 TP490VG10TB 20.44		132 (Half cut Cells)	1500	22.03.2024	21.03.2028
					xii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	TP500VG10TB (500 Wp)	TP495VG10TB 20.65 TP500VG10TB 20.86 TP505VG10TB 21.07 TP420MG10TB 19.21		132 (Half cut Cells)	1500	22.03.2024	21.03.2028

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xiii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	TP435MG10TB (435 Wp)	TP425MG10TB 19.44 TP430MG10TB 19.66 TP435MG10TB 19.89 TP440MG10TB 20.12 TP445MG10TB 20.35 TP450MG10TB 20.58		120 (Half Cut Cells)	1500	22.03.2024	21.03.2028
					xiv	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	TP460MG10TB (460 Wp)	TP455MG10TB 20.81 TP460MG10TB 21.03 TP465MG10TB 21.26		120 (Half Cut Cells)	1500	22.03.2024	21.03.2028
69	M/s. Solberry Energy Private Limited	Survey No.-164/002 & 165, Near Kamla Amrut Ind.Estate, Village-Indrad, Tal.-Kadi, Dist. - Mehsana - 382715, Gujarat, India	R-72009490	56	i	Mono c-Si PERC Module	SE144H520M (520 Wp)	SE144H540M 20.92 SE144H535M 20.73 SE144H530M 20.53 SE144H525M 20.34 SE144H520M 20.15 SE144H515M 19.95 SE144H510M 19.76 SE144H505M 19.57		144 (Half Cut Cells)	1500	10.04.2024	09.04.2028
					ii	Mono c-Si PERC Module	SE132H480M (480 Wp)	SE132H500M 21.06 SE132H495M 20.85 SE132H490M 20.64 SE132H485M 20.43 SE132H480M 20.22 SE132H475M 20.01 SE132H470M 19.80 SE132H465M 19.60		132 (Half cut Cells)	1500	10.04.2024	09.04.2028
					iii	Mono c-Si PERC Module	SE120H440M (440 Wp)	SE120H460M 21.23 SE120H455M 21.00 SE120H450M 20.77 SE120H445M 20.54 SE120H440M 20.31 SE120H435M 20.10 SE120H430M 19.85 SE120H425M 19.62 SE120H420M 19.39		120 (Half Cut Cells)	1500	10.04.2024	09.04.2028
					iv	Mono c-Si PERC Module	SE108H400M (400 Wp)	SE108H410M 20.97 SE108H405M 20.71 SE108H400M 20.45 SE108H395M 20.20 SE108H390M 19.94 SE108H385M 19.69		108 (Half cut cells)	1500	10.04.2024	09.04.2028
					v	Mono c-Si PERC Module	SE108H375M (375 Wp)	SE108H380M 19.43 SE108H375M 19.18 SE96H360M 20.62 SE96H355M 20.33 SE96H350M 20.05 SE96H345M 19.76 SE96H340M 19.47 SE96H335M 19.19		108 (Half cut cells)	1500	10.04.2024	09.04.2028
					vi	Mono c-Si PERC Module	SE96H345M (345 Wp)	SE144H540MB 20.92 SE144H535MB 20.73 SE144H530MB 20.53 SE144H525MB 20.34 SE144H520MB 20.15 SE144H515MB 19.95 SE144H510MB 19.76 SE144H505MB 19.57		96 (Half Cut Cells)	1500	10.04.2024	09.04.2028
					vii	Bifacial Mono c-Si PERC Module	SE144H520MB (520 Wp)	SE132H500MB 21.06 SE132H495MB 20.85 SE132H490MB 20.64 SE132H485MB 20.43 SE132H480MB 20.22 SE132H475MB 20.01 SE132H470MB 19.80 SE132H465MB 19.60 SE120H460MB 21.23 SE120H455MB 21.00		144 (Half Cut Cells)	1500	10.04.2024	09.04.2028
					viii	Bifacial Mono c-Si PERC Module	SE132H480MB (480 Wp)			132 (Half cut Cells)	1500	10.04.2024	09.04.2028

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					ix	Bifacial Mono c-Si PERC Module	SE120H440MB (440 Wp)	SE120H450MB	20.77	120 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								SE120H445MB	20.54				
								SE120H440MB	20.31				
								SE120H435MB	20.10				
								SE120H430MB	19.85				
								SE120H425MB	19.62				
					x	Bifacial Mono c-Si PERC Module	SE108H400MB (400 Wp)	SE120H420MB	19.39				
								SE108H410MB	20.97				
								SE108H405MB	20.71				
								SE108H400MB	20.45				
								SE108H395MB	20.20				
								SE108H390MB	19.94				
xi	Bifacial Mono c-Si PERC Module	SE108H375MB (375Wp)	SE108H385MB	19.69									
			SE108H380MB	19.43									
xii	Bifacial Mono c-Si PERC Module	SE96H345MB (345 Wp)	SE108H375MB	19.18									
			SE96H360MB	20.62									
			SE96H355MB	20.33									
			SE96H350MB	20.05									
			SE96H345MB	19.76									
			SE96H340MB	19.47									
70	M/s.Premier Energies International Private Limited	Plot No. S-95, S-96, S-100, S-101, S-102, S-103 & S-104, Raviryala, Raviryala(V), Maheswaram(M), Rangareddy (D), Telangana - 501359, India	R-63003719	1320	i	Bifacial N-type TOPCon Module (Glass to Transparent)	PEI-144-565THB-M10 (565 Wp)	SE96H335MB	19.19	144 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								PEI-144-545THB-M10	21.09				
								PEI-144-550THB-M10	21.28				
								PEI-144-555THB-M10	21.47				
								PEI-144-560THB-M10	21.67				
								PEI-144-565THB-M10	21.86				
								PEI-144-570THB-M10	22.05				
								PEI-144-575THB-M10	22.25				
								PEI-144-580THB-M10	22.44				
								PEI-144-585THB-M10	22.63				
								PEI-144-590THB-M10	22.83				
								ii	N-type TOPCon Module (Glass to Transparent)				
PEI-132-500THB-M10	21.06												
PEI-132-505THB-M10	21.28												
PEI-132-510THB-M10	21.49												
PEI-132-515THB-M10	21.70												
PEI-132-520THB-M10	21.91												
PEI-132-525THB-M10	22.12												
PEI-132-530THB-M10	22.33												
PEI-132-535THB-M10	22.54												
PEI-132-540THB-M10	22.75												
PEI-144-535HB-M10	20.70												
iii	Bifacial Mono c-Si PERC Modules (Glass to Transparent))	PEI-144-535HB-M10 (535 Wp)	PEI-144-540HB-M10	20.89									
			PEI-144-545HB-M10	21.09									
			PEI-144-550HB-M10	21.28									
			PEI-144-555HB-M10	21.48									
			PEI-144-560HB-M10	21.67									
			PEI-132-470HB-M10	19.80									
iv	Bifacial Mono c-Si PERC Modules (Glass to Transparent)	PEI-132-490HB-M10 (490 Wp)	PEI-132-475HB-M10	20.01									
			PEI-132-480HB-M10	20.22									
			PEI-132-485HB-M10	20.43									
			PEI-132-490HB-M10	20.64									
			PEI-132-495HB-M10	20.86									
			PEI-132-500HB-M10	21.07									
			PEI-132-505HB-M10	21.28									
			PEI-132-510HB-M10	21.49									
			PEI-144-535HGB-M10	20.70									
			PEI-144-540HGB-M10	20.89									
			PEI-144-545HGB-M10	21.09									
			v	Bifacial Mono c-Si PERC Modules (Glass to Glass)	PEI-144-535HGB-M10 (535 Wp)	PEI-144-550HGB-M10	21.28						
PEI-144-555HGB-M10	21.48												
PEI-144-560HGB-M10	21.67												
PEI-132-470HGB-M10	19.80												
PEI-132-475HGB-M10	20.01												
PEI-132-480HGB-M10	20.22												
	Bifacial Mono c-Si PERC						PEI-132-485HGB-M10	20.43					

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity								
												From	To (subject to valid BIS Registration; else deemed to be delisted)							
					vi	Modules (Glass to Glass)	PEI-132-490HGB-M10 (490 Wp)	PEI-132-490HGB-M10	20.64	132 (Half Cut Cells)	1500	10.04.2024	09.04.2028							
								PEI-132-495HGB-M10	20.86											
								PEI-132-500HGB-M10	21.07											
								PEI-132-505HGB-M10	21.28											
								PEI-132-510HGB-M10	21.49											
								PEI-144-545THGB-M10	21.09											
					vii	Bifacial N-type TOPCon Module (Glass to Glass)	PEI-144-565THGB-M10 (565 Wp)	PEI-144-550THGB-M10	21.28	144 (Half Cut Cells)	1500	10.04.2024	09.04.2028							
								PEI-144-555THGB-M10	21.47											
								PEI-144-560THGB-M10	21.67											
								PEI-144-565THGB-M10	21.86											
								PEI-144-570THGB-M10	22.05											
								PEI-144-575THGB-M10	22.25											
								PEI-144-580THGB-M10	22.44											
								PEI-144-585THGB-M10	22.63											
								PEI-144-590THGB-M10	22.83											
								viii	N-type TOPCon Module (Glass to Glass)					PEI-132-520THGB-M10 (520 Wp)	PEI-132-495THGB-M10	20.85	132 (Half Cut Cells)	1500	10.04.2024	09.04.2028
															PEI-132-500THGB-M10	21.06				
															PEI-132-505THGB-M10	21.28				
					PEI-132-510THGB-M10	21.49														
					PEI-132-515THGB-M10	21.70														
					PEI-132-520THGB-M10	21.91														
					71	M/s. Total Solar Technologies Private Limited	Block No. 84 Paiki, Opposite Chachawadi Temple, Changodar, Chachawadi Vasna, Changodar, Ahmedabad - 382213, Gujarat, India	R-72009466	52	i	Mono c-Si PERC Module	TST144MPH-535 (535Wp)	TST144MPH-525	20.00	144 (Half Cut Cells)	1500	10.04.2024	09.04.2028		
													TST144MPH-530	20.18						
													TST144MPH-535	20.38						
ii	Mono c-Si PERC Module	TST132MPH-490 (490Wp)	TST144MPH-540	20.58						132 (Half cut Cells)	1500	10.04.2024	09.04.2028							
			TST132MPH-480	19.91																
			TST132MPH-485	20.11																
			TST132MPH-490	20.32																
			TST132MPH-495	20.53																
			TST132MPH-500	20.74																
iii	Mono c-Si PERC Module	TST120MPH-445 (445Wp)	TST120MPH-440	19.99						120 (Half Cut Cells)	1500	10.04.2024	09.04.2028							
			TST120MPH-445	20.22																
			TST120MPH-450	20.45																
iv	Mono c-Si PERC Module	TST108MPH-400 (400Wp)	TST120MPH-455	20.68						108 (Half cut cells)	1500	10.04.2024	09.04.2028							
			TST108MPH-390	19.60																
			TST108MPH-395	19.86																
			TST108MPH-400	20.11																
			TST108MPH-405	20.36																
v	Mono c-Si PERC Module	TST96MPH-360 (360Wp)	TST108MPH-410	20.61						96 (Half Cut Cells)	1500	10.04.2024	09.04.2028							
			TST96MPH-350	19.68																
			TST96MPH-355	19.96																
vi	Mono c-Si PERC Module	TST84MPH-315 (315Wp)	TST96MPH-360	20.24						84 (Half Cut Cells)	1500	10.04.2024	09.04.2028							
			TST96MPH-365	20.52																
			TST84MPH-305	19.46																
			TST84MPH-310	19.78																
vii	Mono c-Si PERC Module	TST72MPH-270 (270Wp)	TST84MPH-315	20.09	72 (Half cut Cells)	1500	10.04.2024	09.04.2028												
			TST84MPH-320	20.41																
			TST72MPH-260	19.16																
viii	Mono c-Si PERC Module	TST60MPH-220 (220Wp)	TST72MPH-265	19.53	60 (Half Cut Cells)	1500	10.04.2024	09.04.2028												
			TST72MPH-270	19.90																
			TST72MPH-275	20.27																
			TST60MPH-220	19.22																
			TST60MPH-225	19.66																
			IBMPF-380	19.30																
72	M/s. Integrated Batteries India Pvt Ltd	Plot No. 40, Sector -10, Greater Noida, Uttar Pradesh - 201310, India	R-93017612	93	i	Mono c-Si PERC Modules	IBMPF-395 (395 Wp)	IBMPF-385	19.55	108 (Half Cut Cells)	1500	10.04.2024	09.04.2028							
								IBMPF-390	19.81											
								IBMPF-395	20.06											
								IBMPF-400	20.31											
								IBMPH-405	20.57											
								IBMPH-410	20.82											
								IBMPH-415	19.05											
								IBMPH-420	19.28											

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					ii	Mono c-Si PERC Modules	IBMPH-435 (435 Wp)	IBMPH-425	19.51	120 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								IBMPH-430	19.74				
								IBMPH-435	19.97				
								IBMPH-440	20.19				
								IBMPH-445	20.42				
								IBMPH-450	20.65				
					iii	Mono c-Si PERC Modules	IBMPH-480 (480 Wp)	IBMPH-455	20.88	132 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								IBMPH-460	19.26				
								IBMPH-465	19.47				
								IBMPH-470	19.68				
								IBMPH-475	19.89				
								IBMPH-480	20.10				
					iv	Mono c-Si PERC Modules	IBMPH-525 (525 Wp)	IBMPH-485	20.31	144 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								IBMPH-490	20.52				
								IBMPH-495	20.73				
								IBMPH-500	20.93				
								IBMPH-505	19.57				
								IBMPH-510	19.77				
								IBMPH-515	19.96				
								IBMPH-520	20.16				
								IBMPH-525	20.35				
73	M/s.ReNew Photovoltaics Private Limited	Plot No. 232, TP-2/A, Dholera Special Investment Region, Dholera, Ahmedabad - 382455, Gujarat, India	R-72009903	856	i	Bifacial Mono c-Si PERC Module	RPS2MH72BD550 (550Wp)	RPS2MH72BD535	20.71	144 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								RPS2MH72BD540	20.90				
								RPS2MH72BD545	21.10				
								RPS2MH72BD550	21.30				
								RPS2MH72BD555	21.48				
								RPS2MH72BD560	21.68				
74	M/s. Grew Energy Private Limited	Khasra No. 2215, 2216, 1654, 1655, 1656, 2217, 2214, DUDU Jaipur, Rajasthan - 303008, India	R-84004332	1179	i	Mono c-Si PERC Module	GMF72HM10540 (540 Wp)	GMF72HM10525	20.32	144 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								GMF72HM10530	20.51				
								GMF72HM10535	20.71				
								GMF72HM10540	20.90				
								GMF72HM10545	21.09				
								GMF72HM10550	21.29				
					ii	Bifacial Mono c-Si PERC Module (Glass to Transparent BackSheet)	GMB72HM10540 (540 Wp)	GMB72HM10525	20.32	144 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								GMB72HM10530	20.51				
								GMB72HM10535	20.71				
								GMB72HM10540	20.90				
								GMB72HM10545	21.09				
								GMB72HM10550	21.29				
					iii	Mono c-Si PERC Module	GMF66HM10490 (490 Wp)	GMF66HM10480	20.20	132 (Half cut Cells)	1500	10.04.2024	09.04.2028
								GMF66HM10485	21.41				
								GMF66HM10490	20.62				
								GMF66HM10495	20.83				
								GMF66HM10500	21.04				
								GMF66HM10505	21.25				
					iv	Bifacial Mono c-Si PERC Module (Glass to Transparent BackSheet)	GMB66HM10490 (490 Wp)	GMB66HM10480	20.20	132 (Half cut Cells)	1500	10.04.2024	09.04.2028
								GMB66HM10485	21.41				
								GMB66HM10490	20.62				
								GMB66HM10495	20.83				
								GMB66HM10500	21.04				
								GMB66HM10505	21.25				
v	Mono c-Si PERC Module	GMF60HM10450 (450 Wp)	GMF60HM10435	20.08	120 (Half Cut Cells)	1500	10.04.2024	09.04.2028					
			GMF60HM10440	20.31									
			GMF60HM10445	20.54									
			GMF60HM10450	20.77									
			GMF60HM10455	21.00									
			GMF60HM10460	21.23									
vi	Bifacial Mono c-Si PERC Module (Glass to Transparent BackSheet)	GMB60HM10450 (450 Wp)	GMB60HM10435	20.08	120 (Half Cut Cells)	1500	10.04.2024	09.04.2028					
			GMB60HM10440	20.31									
			GMB60HM10445	20.54									
			GMB60HM10450	20.77									
			GMB60HM10455	21.00									
			GMB60HM10455	21.00									

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity						
												From	To (subject to valid BIS Registration; else deemed to be delisted)					
					vii	Mono c-Si PERC Module	GMF54HM10400 (400 Wp)	GM860HM10460	21.23	108 (Half Cut Cells)	1500	10.04.2024	09.04.2028					
								GMF54HM10390	19.93									
								GMF54HM10395	20.19									
								GMF54HM10400	20.44									
								GMF54HM10405	20.70									
								GMF54HM10410	20.95									
					viii	Bifacial Mono c-Si PERC Module (Glass to Transparent BackSheet)	GMB54HM10400 (400 Wp)	GMF54HM10415	21.21									
								GMB54HM10390	19.93									
								GMB54HM10395	20.19									
								GMB54HM10400	20.44									
								GMB54HM10405	20.70									
								GMB54HM10410	20.95									
					ix	Mono c-Si PERC Module	GMF48HM10350 (350 Wp)	GMB54HM10415	21.21									
								GMF48HM10340	19.46									
								GMF48HM10345	19.75									
								GMF48HM10350	20.04									
								GMF48HM10355	20.32									
								GMF48HM10360	20.61									
					x	Bifacial Mono c-Si PERC Module (Glass to Transparent BackSheet)	GMB48HM10350 (350 Wp)	GMF48HM10365	20.90									
								GMB48HM10340	19.46									
								GMB48HM10345	19.75									
								GMB48HM10350	20.04									
								GMB48HM10355	20.32									
								GMB48HM10360	20.61									
					xi	N Type TOPCon Module	GTG78HM10615 (615 Wp)	GMB48HM10365	20.90									
								GTG78HM10635	22.72									
								GTG78HM10630	22.54									
								GTG78HM10625	22.36									
								GTG78HM10620	22.18									
								GTG78HM10615	22.00									
					xii	N Type TOPCon Module	GTG72HM10580 (580 Wp)	GTG78HM10610	21.82									
								GTG78HM10605	21.64									
								GTG72HM10590	22.84									
								GTG72HM10585	22.64									
								GTG72HM10580	22.45									
								GTG72HM10575	22.26									
					xiii	N Type TOPCon Module	GTG66HM10525 (525 Wp)	GTG72HM10570	22.06									
								GTG66HM10540	22.73									
								GTG66HM10535	22.52									
								GTG66HM10530	22.31									
								GTG66HM10525	22.10									
								GTG66HM10520	21.89									
					xiv	N Type TOPCon Module	GTG60HM10475 (475 Wp)	GTG66HM10515	21.68									
								GTG60HM10490	22.62									
								GTG60HM10485	22.39									
								GTG60HM10480	22.16									
								GTG60HM10475	21.93									
								GTG60HM10470	21.70									
					xv	N Type TOPCon Module	GTG54HM10425 (425 Wp)	GTG60HM10465	21.47									
								GTG54HM10440	22.49									
								GTG54HM10435	22.24									
								GTG54HM10430	21.98									
								GTG54HM10425	21.73									
								GTG54HM10420	21.47									
					xvi	N Type TOPCon Module	GTG48HM10375 (375 Wp)	GTG54HM10415	21.21									
								GTG48HM10390	22.33									
								GTG48HM10385	22.04									
								GTG48HM10380	21.76									
								GTG48HM10375	21.47									
								GTG48HM10370	21.19									
					75	M/s. AG Solar Urja Udyog	Plot No. 428 & 443, Khata No. 212/215, Rengali, Sambalpur - 768212, Orissa, India	R-52000205	53	i	Mono c-Si PERC Modules	ASU144CM545Wp (545 Wp)	GTG48HM10365	20.90	144 (Half Cut Cells)	1500	10.04.2024	09.04.2028
													ASU144CM520Wp	20.15				
													ASU144CM525Wp	20.34				
													ASU144CM530Wp	20.53				
													ASU144CM535Wp	20.73				
													ASU144CM540Wp	20.92				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
76	M/s. FS India Solar Ventures Private Limited	Plot No. A-1/1, Sipcot Industrial Park, Pillaipakkam - 602105, Tamil Nadu, India	R-61004316	3212	i	Cadmium Telluride Thin Film Module	FS-7525-FT1 (525 Wp)	ASU144CM545Wp	21.12	268 (Thin Film Cells)	1500	29.04.2024	28.04.2028
								ASU144CM550Wp	21.31				
								FS-7505-FT1	18.06				
								FS-7510-FT1	18.23				
								FS-7515-FT1	18.41				
								FS-7520-FT1	18.60				
								FS-7525-FT1	18.77				
								FS-7530-FT1	18.95				
								FS-7532-FT1	19.02				
								FS-7535-FT1	19.13				
					FS-7540-FT1	19.30							
					ii	Cadmium Telluride Thin Film Module	FS-7525A-FT1 (525 Wp)	FS-7505A-FT1	18.06	268 (Thin Film Cells)	1500	29.04.2024	28.04.2028
								FS-7510A-FT1	18.23				
								FS-7515A-FT1	18.41				
								FS-7520A-FT1	18.60				
								FS-7525A-FT1	18.77				
								FS-7530A-FT1	18.95				
								FS-7532A-FT1	19.02				
								FS-7535A-FT1	19.13				
								FS-7540A-FT1	19.30				
77	M/s. RenewSys India Pvt Ltd	Sy No. 114/P, Srinagar (V), Fabcity, Maheswaram(M), Ranga Reddy District, Telangana - 501359, India	R-63000760	576				i	Bifacial N type TOPCon Modules				
					DESERV EXTREME-645	23.12							
					DESERV EXTREME-640	22.94							
					DESERV EXTREME-635	22.76							
					DESERV EXTREME-630	22.59							
					ii	Bifacial N type TOPCon Modules	DESERV EXTREME-590 (590 Wp)	DESERV EXTREME-625	22.41	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								DESERV EXTREME-620	22.23				
								DESERV EXTREME-615	22.05				
								DESERV EXTREME-600	23.26				
								DESERV EXTREME-595	23.06				
					iii	Bifacial N type TOPCon Modules	DESERV EXTREME-490 (490 Wp)	DESERV EXTREME-590	22.87	120 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								DESERV EXTREME-585	22.68				
								DESERV EXTREME-580	22.48				
								DESERV EXTREME-575	22.29				
								DESERV EXTREME-570	22.09				
					iv	Bifacial N type TOPCon Modules	DESERV EXTREME-440 (440 Wp)	DESERV EXTREME-565	21.90	108 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								DESERV EXTREME-560	23.06				
								DESERV EXTREME-495	22.83				
								DESERV EXTREME-490	22.60				
								DESERV EXTREME-485	22.37				
v	N type TOPCon Modules	DESERV SGALACTIC-635 (635 Wp)	DESERV EXTREME-480	22.13	156 (Half Cut Cells)	1500	24.05.2024	23.05.2028					
			DESERV EXTREME-475	21.90									
			DESERV EXTREME-470	21.67									
			DESERV EXTREME-465	21.44									
			DESERV EXTREME-450	22.97									
vi	N type TOPCon Modules	DESERV SGALACTIC-590 (590 Wp)	DESERV EXTREME-445	22.72	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028					
			DESERV EXTREME-440	22.46									
			DESERV EXTREME-435	22.21									
			DESERV EXTREME-430	21.95									
			DESERV EXTREME-425	21.70									
vii	N type TOPCon Modules	DESERV SGALACTIC-490	DESERV EXTREME-420	21.44	120 (Half Cut Cells)	1500	24.05.2024	23.05.2028					
			DESERV EXTREME-415	21.18									
			DESERV SGALACTIC-635	22.76									
			DESERV SGALACTIC-630	22.59									
			DESERV SGALACTIC-625	22.41									
viii	N type TOPCon Modules	DESERV SGALACTIC-490	DESERV SGALACTIC-620	22.23	120 (Half Cut Cells)	1500	24.05.2024	23.05.2028					
			DESERV SGALACTIC-615	22.05									
			DESERV SGALACTIC-590	22.87									
			DESERV SGALACTIC-585	22.68									
			DESERV SGALACTIC-580	22.48									
ix	N type TOPCon Modules	DESERV SGALACTIC-490	DESERV SGALACTIC-575	22.29	120 (Half Cut Cells)	1500	24.05.2024	23.05.2028					
			DESERV SGALACTIC-570	22.09									
			DESERV SGALACTIC-565	21.90									
			DESERV SGALACTIC-490	22.60									
			DESERV SGALACTIC-485	22.37									
x	N type TOPCon Modules	DESERV SGALACTIC-490	DESERV SGALACTIC-480	22.13	120 (Half Cut Cells)	1500	24.05.2024	23.05.2028					
			DESERV SGALACTIC-475	21.90									
			DESERV SGALACTIC-470	21.67									
			DESERV SGALACTIC-465	21.44									
			DESERV SGALACTIC-450	22.97									

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					vii	N type TOPCon Modules	(490 Wp)	DESERV SGALACTIC-475 DESERV SGALACTIC-470 DESERV SGALACTIC-465	21.90 21.67 21.44	120 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					viii	N type TOPCon Modules	DESERV SGALACTIC-440 (440 Wp)	DESERV SGALACTIC-440 DESERV SGALACTIC-435 DESERV SGALACTIC-430 DESERV SGALACTIC-425 DESERV SGALACTIC-420 DESERV SGALACTIC-415	22.46 22.21 21.95 21.70 21.44 21.18	108 (Half Cut Cells)	1500	24.05.2024	23.05.2028
78	M/s. Oswal Solar Structure Pvt. Ltd.	Opp DD International Pvt Ltd, Link Road, Village Kutail, Karnal- 132037, Haryana, India	R-91013995	170	i	Mono c-Si PERC Module	OSWAL265MPD72 (265 Wp)	OSWAL255MPD72 OSWAL260MPD72 OSWAL265MPD72 OSWAL270MPD72 OSWAL275MPD72	19.06 19.43 19.80 20.18 20.55	72 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					ii	Mono c-Si PERC Module	OSWAL265MPN72 (265 Wp)	OSWAL255MPN72 OSWAL260MPN72 OSWAL265MPN72 OSWAL270MPN72 OSWAL275MPN72	19.06 19.43 19.80 20.18 20.55	72 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					iii	Mono c-Si PERC Module	OSWAL350MPD96 (350 Wp)	OSWAL335MPD96 OSWAL340MPD96 OSWAL345MPD96 OSWAL350MPD96 OSWAL355MPD96 OSWAL360MPD96 OSWAL365MPD96	19.06 19.34 19.63 19.91 20.20 20.48 20.76	96 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					iv	Mono c-Si PERC Module	OSWAL350MPN96 (350 Wp)	OSWAL335MPN96 OSWAL340MPN96 OSWAL345MPN96 OSWAL350MPN96 OSWAL355MPN96 OSWAL360MPN96 OSWAL365MPN96	19.06 19.34 19.63 19.91 20.20 20.48 20.76	96 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					v	Mono c-Si PERC Module	OSWAL390MPD108 (390 Wp)	OSWAL375MPD108 OSWAL380MPD108 OSWAL385MPD108 OSWAL390MPD108 OSWAL395MPD108 OSWAL400MPD108 OSWAL405MPD108	19.11 19.37 19.62 19.88 20.13 20.39 20.64	108 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					vi	Mono c-Si PERC Module	OSWAL410MPD108 (410 Wp)	OSWAL410MPD108	20.90	108 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					vii	Mono c-Si PERC Module	OSWAL390MPN108 (390 Wp)	OSWAL375MPN108 OSWAL380MPN108 OSWAL385MPN108 OSWAL390MPN108 OSWAL395MPN108 OSWAL400MPN108 OSWAL405MPN108	19.11 19.37 19.62 19.88 20.13 20.39 20.64	108 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					viii	Mono c-Si PERC Module	OSWAL410MPN108 (410 Wp)	OSWAL410MPN108	20.90	108 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					ix	Mono c-Si PERC Module	OSWAL435MPD120 (435 Wp)	OSWAL415MPD120 OSWAL420MPD120 OSWAL425MPD120 OSWAL430MPD120 OSWAL435MPD120 OSWAL440MPD120 OSWAL445MPD120 OSWAL450MPD120 OSWAL455MPD120	19.11 19.34 19.57 19.80 20.03 20.26 20.49 20.72 20.95	120 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					x	Mono c-Si PERC Module	OSWAL435MPN120 (435 Wp)	OSWAL415MPN120 OSWAL420MPN120 OSWAL425MPN120 OSWAL430MPN120 OSWAL435MPN120 OSWAL440MPN120	19.11 19.34 19.57 19.80 20.03 20.26	120 (Half Cut Cells)	1500	24.05.2024	23.05.2028

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xi	Mono c-Si PERC Module	OSWAL475MPD132 (475 Wp)	OSWAL445MPN120	20.49	132 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								OSWAL450MPN120	20.72				
								OSWAL455MPN120	20.95				
								OSWAL455MPD132	19.20				
								OSWAL460MPD132	19.41				
								OSWAL465MPD132	19.62				
								OSWAL470MPD132	19.83				
								OSWAL475MPD132	20.04				
								OSWAL480MPD132	20.25				
								OSWAL485MPD132	20.46				
					OSWAL490MPD132	20.67							
					OSWAL495MPD132	20.88							
					xii	Mono c-Si PERC Module	OSWAL500MPD132 (500 Wp)	OSWAL500MPD132	21.10	132 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					xiii	Mono c-Si PERC Module	OSWAL475MPN132 (475 Wp)	OSWAL455MPN132	19.20	132 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								OSWAL460MPN132	19.41				
								OSWAL465MPN132	19.62				
								OSWAL470MPN132	19.83				
								OSWAL475MPN132	20.04				
								OSWAL480MPN132	20.25				
								OSWAL485MPN132	20.46				
								OSWAL490MPN132	20.67				
OSWAL495MPN132	20.88												
xiv	Mono c-Si PERC Module	OSWAL500MPN132 (500 Wp)	OSWAL500MPN132	21.10	132 (Half Cut Cells)	1500	24.05.2024	23.05.2028					
xv	Mono c-Si PERC Module	OSWAL520MP144 (520 Wp)	OSWAL495MP144	19.16	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028					
			OSWAL500MP144	19.35									
			OSWAL505MP144	19.54									
			OSWAL510MP144	19.74									
			OSWAL515MP144	19.94									
			OSWAL520MP144	20.13									
			OSWAL525MP144	20.32									
			OSWAL530MP144	20.51									
			OSWAL535MP144	20.71									
			OSWAL540MP144	20.90									
			OSWAL545MP144	21.09									
xvi	Mono c-Si PERC Module	OSWAL550MP144 (550 Wp)	OSWAL550MP144	21.29	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028					
xvii	Mono c-Si PERC Module	OSWAL520MPN144 (520 Wp)	OSWAL495MPN144	19.16	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028					
			OSWAL500MPN144	19.35									
			OSWAL505MPN144	19.54									
			OSWAL510MPN144	19.74									
			OSWAL515MPN144	19.94									
			OSWAL520MPN144	20.13									
			OSWAL525MPN144	20.32									
			OSWAL530MPN144	20.51									
			OSWAL535MPN144	20.71									
			OSWAL540MPN144	20.90									
			OSWAL545MPN144	21.09									
xviii	Mono c-Si PERC Module	OSWAL550MPN144 (550 Wp)	OSWAL550MPN144	21.29	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028					
xix	Mono c-Si PERC Module	OSWAL570MP156 (570 Wp)	OSWAL550MP156	19.70	156 (Half Cut Cells)	1500	24.05.2024	23.05.2028					
			OSWAL555MP156	19.88									
			OSWAL560MP156	20.06									
			OSWAL565MP156	20.24									
			OSWAL570MP156	20.42									
			OSWAL575MP156	20.59									
			OSWAL580MP156	20.77									
			OSWAL585MP156	20.95									
			OSWAL590MP156	21.13									
			OSWAL595MP156	21.31									
			OSWAL599MP156	21.49									
79	M/s. HQL Lamps Manufacturing Co Pvt Ltd.	Plot No. 459-B, Sector - 53, Phase III, EPIP Industrial Estate, Kundali, Sonapat-131028, Haryana, India	R-91014206	46	i	Mono c-Si PERC Modules	HQL144CMD535Wp (535 Wp)	HQL144CMD520Wp HQL144CMD525Wp HQL144CMD530Wp HQL144CMD535Wp HQL144CMD540Wp	20.14 20.34 20.53 20.73 20.92	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
80	M/s. ADM Solar Power & Infrastructure Pvt. Ltd.	Plot No: 22/1, The Printer House Private Limited, Mathura Road, Ballabgarh, Sikri Industrial Area, Faridabad, Haryana -121004, India	R-93011576	141	i	Mono c-Si PERC Module	ADM270-72M (270Wp)	HQL144CMD545Wp	21.12	72 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								HQL144CMD550Wp	21.31				
								ADM260-72M	19.76				
								ADM265-72M	20.14				
								ADM270-72M	20.52				
								ADM275-72M	20.90				
								ADM280-72M	21.28				
					ii	Mono c-Si PERC Module	ADM360-96M (360Wp)	ADM350-96M	19.93	96 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								ADM355-96M	20.22				
								ADM360-96M	20.50				
								ADM365-96M	20.79				
								ADM370-96M	21.07				
					iii	Mono c-Si PERC Module	ADM405-108M (405Wp)	ADM400-108M	20.33	108 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								ADM405-108M	20.58				
								ADM410-108M	20.83				
								ADM415-108M	21.09				
					iv	Mono c-Si PERC Module	ADM450-120M (450Wp)	ADM445-120M	20.43	120 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								ADM450-120M	20.66				
								ADM455-120M	20.89				
								ADM460-120M	21.12				
					v	Mono c-Si PERC Module	ADM500-132M (500Wp)	ADM485-132M	20.31	132 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								ADM490-132M	20.52				
								ADM495-132M	20.73				
								ADM500-132M	20.94				
								ADM505-132M	21.15				
								ADM510-132M	21.36				
								ADM500-144M	19.38				
								ADM505-144M	19.58				
								ADM510-144M	19.77				
								ADM515-144M	19.97				
					vi	Mono c-Si PERC Module	ADM525-144M (525Wp)	ADM520-144M	20.16	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								ADM525-144M	20.35				
								ADM530-144M	20.51				
								ADM535-144M	20.71				
								ADM540-144M	20.90				
ADM545-144M	21.09												
ADM550-144M	21.29												
ADM555-144M	21.48												
ADM575-156M	20.57												
ADM580-156M	20.74												
vii	Mono c-Si PERC Module	ADM590-156M (590Wp)	ADM585-156M	20.92	156 (Half Cut Cells)	1500	24.05.2024	23.05.2028					
			ADM590-156M	21.10									
			COS TWIN-510	19.74									
			COS TWIN-515	19.93									
			COS TWIN-520	20.13									
81	M/s. Cosmic PV Power Pvt. Ltd.	Survey No. 1605/1, Block No. 2098/1/B, Tadkeshvar, Mandavi, Surat-394170, Gujarat, India	R-72009539	185	i	Mono c-Si PERC Module	COS TWIN-525 (525Wp)	COS TWIN-525	20.32	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								COS TWIN-530	20.51				
								COS TWIN-535	20.71				
								COS TWIN-540	20.90				
								COS TWIN-545	21.10				
								COS TWIN-550	21.30				
								LUM 24590M	21.11				
								LUM 24585M	20.93				
								LUM 24580M	20.75				
								LUM 24575M	20.57				
								LUM 24570M	20.39				
								LUM 24565M	20.21				
								LUM 24560M	20.03				
								LUM 24555M	19.85				
82	M/s. Luminous Power Technologies Pvt. Ltd.	Plot No- CP-17 To CP-22, Sector-City Park, Luminous Plant, P.N.D.T IIE Sidcul, Pant Nagar, Rudrapur, Udham Singh Nagar - 263153, Uttarakhand, India	R- 83011410	300	i	Mono c-Si PERC Module	LUM 24570M (570 Wp)	LUM 24550M	21.28	156 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								LUM 24545M	21.09				
								LUM 24540M	20.89				
								LUM 24535M	20.70				
								LUM 24530M	20.51				
								LUM 24525M	20.31				
								LUM 24520M	20.12				
					ii	Mono c-Si PERC Module	LUM 24525M (525 Wp)	LUM 24550M	21.28	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								LUM 24545M	21.09				
								LUM 24540M	20.89				
								LUM 24535M	20.70				
								LUM 24530M	20.51				
								LUM 24525M	20.31				
								LUM 24520M	20.12				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								LUM 24515M	19.93				
								LUM 24510M	19.73				
								LUM 24505M	19.54				
								LUM 24500M	19.34				
					iii	Mono c-Si PERC Module	LUM 24475M (475 Wp)	LUM 24495M	20.85	132 (Half Cut Cells)	1500	24.05.2024	23.05.2028
							LUM 24490M	20.64					
							LUM 24485M	20.43					
							LUM 24480M	20.22					
							LUM 24475M	20.01					
							LUM 24470M	19.80					
							LUM 24465M	19.59					
							LUM24460M	19.38					
							LUM24455M	19.17					
							LUM 24450M	20.80					
				iv	Mono c-Si PERC Module	LUM 24430M (430 Wp)	LUM 24445M	20.57	120 (Half Cut Cells)	1500	24.05.2024	23.05.2028	
							LUM 24440M	20.33					
							LUM 24435M	20.10					
							LUM 24430M	19.87					
							LUM 24425M	19.64					
							LUM 24420M	19.41					
							LUM 24400M	20.48					
				v	Mono c-Si PERC Module	LUM 24385M (385 Wp)	LUM 24395M	20.23	108 (Half Cut Cells)	1500	24.05.2024	23.05.2028	
							LUM 24390M	19.97					
							LUM 24385M	19.71					
							LUM 24380M	19.46					
							LUM 24375M	19.20					
							LUM 24630T156	22.54					
							LUM 24625T156	22.36					
							LUM 24620T156	22.18					
							LUM 24615T156	22.00					
							LUM 24610T156	21.82					
				vi	N type TOPCon Modules	LUM 24600T156 (600 Wp)	LUM 24605T156	21.64	156 (Half Cut Cells)	1500	24.05.2024	23.05.2028	
							LUM 24600T156	21.46					
							LUM 24595T156	21.28					
							LUM 24590T156	21.11					
							LUM 24585T156	20.93					
							LUM 24580T156	20.75					
							LUM 24575T156	20.57					
							LUM 24570T156	20.39					
							LUM 24590T144	22.83					
							LUM 24585T144	22.63					
				vii	N type TOPCon Modules	LUM 24565T144 (565 Wp)	LUM 24580T144	22.44	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028	
							LUM 24575T144	22.25					
							LUM 24570T144	22.05					
							LUM 24565T144	21.86					
							LUM 24560T144	21.67					
							LUM 24555T144	21.47					
							LUM 24550T144	21.28					
							LUM 24545T144	21.09					
							LUM 24540T144	20.89					
				viii	N type TOPCon Modules	LUM 24535T144 (535 Wp)	LUM 24535T144	20.70					144 (Half Cut Cells)
							LUM 24535T144	20.70					
				ix	Mono c-Si PERC Module	AMS 24570M (570 Wp)	AMS 24590M	21.11	156 (Half Cut Cells)	1500	24.05.2024	23.05.2028	
							AMS 24585M	20.93					
							AMS 24580M	20.75					
							AMS 24575M	20.57					
							AMS 24570M	20.39					
							AMS 24565M	20.21					
							AMS 24560M	20.03					
							AMS 24555M	19.85					
							AMS 24550M	21.28					
							AMS 24545M	21.09					
				x	Mono c-Si PERC Module	AMS 24530M (530 Wp)	AMS 24540M	20.89	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028	
							AMS 24535M	20.70					
							AMS 24530M	20.51					
							AMS 24525M	20.31					
							AMS 24520M	20.12					

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								AMS 24520M	20.12	132 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								AMS 24515M	19.93				
								AMS 24510M	19.74				
								AMS 24505M	19.54				
								AMS 24500M	19.35				
								AMS 24495M	20.85				
								AMS 24490M	20.64				
								AMS 24485M	20.43				
								AMS 24480M	20.22				
								AMS 24475M	20.01				
								AMS 24470M	19.80				
								AMS 24465M	19.59				
								AMS24460M	19.38				
								AMS24455M	19.17				
								AMS 24450M	20.80				
								AMS 24445M	20.57				
								AMS 24440M	20.33				
								AMS 24435M	20.10				
								AMS 24430M	19.87				
								AMS 24425M	19.64				
								AMS 24420M	19.41				
								AMS 24415M	19.18				
								AMS 24400M	20.48				
								AMS 24395M	20.23				
								AMS 24390M	19.97				
								AMS 24385M	19.71				
								AMS 24380M	19.46				
								AMS 24375M	19.20				
								AMS 24630T156	22.54				
								AMS 24625T156	22.36				
								AMS 24620T156	22.18				
								AMS 24615T156	22.00				
								AMS 24610T156	21.82				
								AMS 24605T156	21.64				
								AMS 24600T156	21.46				
								AMS 24595T156	21.28				
								AMS 24590T156	21.11				
								AMS 24585T156	20.93				
								AMS 24580T156	20.75				
								AMS 24575T156	20.57				
								AMS 24570T156	20.39				
								AMS 24590T144	22.83				
								AMS 24585T144	22.63				
								AMS 24580T144	22.44				
								AMS 24575T144	22.25				
								AMS 24570T144	22.05				
								AMS 24565T144	21.86				
								AMS 24560T144	21.67				
AMS 24555T144	21.47												
AMS 24550T144	21.28												
AMS 24545T144	21.09												
AMS 24540T144	20.89												
AMS 24535T144	20.70												
TP495HG10	19.20												
TP500HG10	19.40												
TP505HG10	19.59												
TP510HG10	19.79												
TP515HG10	19.98												
TP520HG10	20.17												
TP525HG10	20.37												
TP530HG10	20.56												
TP535HG10	20.76												
TP540HG10	20.95												
TP545HG10	21.10												
ECO 380MH	19.11												

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity		
												From	To (subject to valid BIS Registration; else deemed to be delisted)	
	Technologies Private Limited	limited, Boisar Chillar Road, Sai Baba Bolevard Township, Boisar East, Palghar - 401501, Maharashtra, India			i	Mono c-Si PERC Module	ECO 400MH (400 Wp)	ECO 385MH ECO 390MH ECO 395MH ECO 400MH E550HCBG144 E545HCBG144 E540HCBG144 E535HCBG144 E530HCBG144 E525HCBG144 E520HCBG144 E515HCBG144 E510HCBG144 E505HCBG144 E500HCBG144	19.36 19.62 19.87 20.12 21.29 21.10 20.90 20.71 20.52 20.32 20.13 19.94 19.74 19.55 19.36	72 (Full Cells)	1500	08.07.2024	07.07.2028	
85	M/s. Emmvee Energy Private Limited	Sy. No. 66-70/3, Sompura Industrial Area, Pemmanahalli Village, Sompura Hobli, Nelamangala Taluk, Bengaluru Rural District, Karnataka - 562111, India	R-62004626	1504	i	Bifacial Mono c-Si PERC Modules (Glass to Glass)	E525HCBG144 (525 Wp)	E550HCBG144 E545HCBG144 E540HCBG144 E535HCBG144 E530HCBG144 E525HCBG144 E520HCBG144 E515HCBG144 E510HCBG144 E505HCBG144 E500HCBG144	21.10 20.90 20.71 20.52 20.32 20.13 19.94 19.74 19.55 19.36	144 (Half Cut Cells)	1500	08.07.2024	07.07.2028	
					ii	Bifacial Mono c-Si PERC Modules (Glass to Glass)	E495HCBG144 (495 Wp)	E495HCBG144	19.16	144 (Half Cut Cells)	1500	08.07.2024	07.07.2028	
					iii	Bifacial Mono c-Si PERC Modules (Glass to Glass)	E490HCBG132 (490 Wp)	E500HCBG132 E495HCBG132 E490HCBG132 E485HCBG132 E480HCBG132 E450HCBG120 E445HCBG120 E440HCBG120 E435HCBG120 E430HCBG120 E425HCBG120 E420HCBG120 E415HCBG120	21.03 20.82 20.61 20.40 20.19 20.74 20.51 20.28 20.05 19.82 19.59 19.36 19.13	132 (Half Cut Cells)	1500	08.07.2024	07.07.2028	
					iv	Bifacial Mono c-Si PERC Modules (Glass to Glass)	E430HCBG120 (430 Wp)	E405HCBG108 E400HCBG108 E395HCBG108 E390HCBG108 E385HCBG108	20.76 20.51 20.25 20.00 19.74	108 (Half Cut Cells)	1500	08.07.2024	07.07.2028	
					v	Bifacial Mono c-Si PERC Modules (Glass to Glass)	E395HCBG108 (395 Wp)	E580HCBG144-T E575HCBG144-T E570HCBG144-T E565HCBG144-T E560HCBG144-T E555HCBG144-T E550HCBG144-T E545HCBG144-T E540HCBG144-T E535HCBG144-T E530HCBG144-T	22.45 22.26 22.07 21.87 21.68 21.48 21.29 21.10 20.90 20.71 20.52	144 (Half Cut Cells)	1500	08.07.2024	07.07.2028	
					vi	Bifacial N-Type TOPCon Modules (Glass to Glass)	E555HCBG144-T (555 Wp)	E525HCBG144-T	20.32	144 (Half Cut Cells)	1500	08.07.2024	07.07.2028	
					vii	Bifacial N-Type TOPCon Modules (Glass to Glass)	E525HCBG144-T (525 Wp)	E530HCBG132-T E525HCBG132-T E520HCBG132-T E515HCBG132-T E510HCBG132-T E505HCBG132-T E500HCBG132-T E495HCBG132-T E490HCBG132-T E485HCBG132-T E480HCBG132-T E475HCBG120-T E470HCBG120-T	22.29 22.08 21.87 21.66 21.45 21.24 21.03 20.82 20.61 20.40 20.19 22.13 21.90 21.67	132 (Half Cut Cells)	1500	08.07.2024	07.07.2028	
					viii	Bifacial N-Type TOPCon Modules (Glass to Glass)	E505HCBG132-T (505 Wp)							

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					ix	Bifacial N-Type TOPCon Modules (Glass to Glass)	E460HCBG120-T (460 Wp)	E465HCBG120-T	21.44	120 (Half Cut Cells)	1500	08.07.2024	07.07.2028
								E460HCBG120-T	21.20				
					x	Bifacial N-Type TOPCon Modules (Glass to Glass)	E415HCBG108-T (415 Wp)	E455HCBG120-T	20.97	108 (Half Cut Cells)	1500	08.07.2024	07.07.2028
								E450HCBG120-T	20.74				
								E445HCBG120-T	20.51				
								E440HCBG120-T	20.28				
								E435HCBG108-T	22.30				
								E430HCBG108-T	22.05				
								E425HCBG108-T	21.79				
								E420HCBG108-T	21.53				
								E415HCBG108-T	21.28				
								E410HCBG108-T	21.02				
								E405HCBG108-T	20.76				
								E400HCBG108-T	20.51				
								E395HCBG108-T	20.25				
86	M/s. Lubi Electronics	Survey No. 75, Opposite Essar Petrol Pump, Prantiya, Gandinagar - 382355, Gujarat, India	R-72002380	40	i	Mono c-Si PERC Module	LE24M395 (395 Wp)	LE24M410	20.88	72 (Full Cells)	1500	08.07.2024	07.07.2028
								LE24M405	20.63				
								LE24M400	20.37				
								LE24M395	20.12				
								LE24M390	19.86				
								LE24M385	19.61				
								LE24M380	19.36				
87	M/s Avaada Electro Private Limited	Khasra No. 1145, 1146, 1150, 1151, 1152, 1154, 1156, Village - Kot, Tehsil - Dadri, Pargana, Dadri, Gautam Buddha Nagar - 203207, Uttar Pradesh, India	R-93030724	554	i	Bifacial N-Type TOPCon Modules	AVN72M10G575 (575 Wp)	AVN72M10G565	21.87	144 (Half Cut Cells)	1500	28.08.2024	27.08.2028
								AVN72M10G570	22.06				
								AVN72M10G575	22.26				
								AVN72M10G580	22.45				
								AVN72M10G585	22.64				
					ii	Bifacial N-Type TOPCon Modules	AVN66M10G525 (525 Wp)	AVN66M10G515	21.69	132 (Half Cut Cells)	1500	28.08.2024	27.08.2028
								AVN66M10G520	21.90				
								AVN66M10G525	22.11				
								AVN66M10G530	22.32				
								AVN66M10G535	22.53				
								AVN60M10G465	21.47				
					iii	Bifacial N-Type TOPCon Modules	AVN60M10G475 (475 Wp)	AVN60M10G470	21.70	120 (Half Cut Cells)	1500	28.08.2024	27.08.2028
								AVN60M10G475	21.93				
								AVN60M10G480	22.16				
								AVN60M10G485	22.39				
88	M/s. Laxmi Solar Power System Private Limited	Khasra No. 192, Harsun Tildahdih Kharora near ITBP camp, Raipur - 493225, Chhattisgarh, India	R-59000442	121	i	Mono c-Si PERC Modules	LSP 530 (530 Wp)	LSP 520	20.13	144 (Half Cut Cells)	1500	28.08.2024	27.08.2028
								LSP 525	20.32				
								LSP 530	20.52				
								LSP 535	20.71				
								LSP 540	20.90				
					ii	Mono c-Si PERC Modules	LSP 435 (435 Wp)	LSP 420	19.41	120 (Half Cut Cells)	1500	28.08.2024	27.08.2028
								LSP 425	19.64				
								LSP 430	19.87				
								LSP 435	20.10				
								LSP 440	20.33				
								LSP 445	20.57				
								LSP 450	20.80				
					iii	Mono c-Si PERC Modules	LSP 400 (400 Wp)	LSP 390	19.97	108 (Half Cut Cells)	1500	28.08.2024	27.08.2028
								LSP 395	20.23				
								LSP 400	20.48				
								LSP 405	20.74				
								LSP 410	20.99				
89	M/s. Uratom Solar (India) Private Limited	Survey No. 752 P1, National Highway 27, Near Chordi Village, Gondal - 360311, Gujarat, India	R-72010081	46	i	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	USM10 - 144 - 530 WP (530 Wp)	USM10 - 144 - 510 WP	19.72	144 (Half Cut Cells)	1500	28.08.2024	27.08.2028
								USM10 - 144 - 515 WP	19.91				
								USM10 - 144 - 520 WP	20.10				
								USM10 - 144 - 525 WP	20.30				
								USM10 - 144 - 530 WP	20.49				
								USM10 - 144 - 535 WP	20.68				
								USM10 - 144 - 540 WP	20.88				
								USM10 - 144 - 545 WP	21.07				
								USM10 - 144 - 550 WP	21.26				
					ii	Bifacial Mono c-Si PERC Module (Glass to Transparent	USM10 - 132 - 490 WP (490 Wp)	USM10 - 132 - 495 WP	19.14	132 (Half Cut Cells)	1500	28.08.2024	27.08.2028
								USM10 - 132 - 500 WP	19.33				
								USM10 - 132 - 505 WP	19.52				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					iii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	USM10 - 120 - 440 Wp (440 Wp)	USM10 - 120 - 425 WP 19.63 USM10 - 120 - 430 WP 19.86 USM10 - 120 - 435 WP 20.09 USM10 - 120 - 440 WP 20.32 USM10 - 120 - 445 WP 20.55 USM10 - 120 - 450 WP 20.78 USM10 - 120 - 455 WP 21.01 USM10 - 120 - 460 WP 21.24		120 (Half Cut Cells)	1500	28.08.2024	27.08.2028
90	M/s Powertrac Solar Pojects Limited	LS No. - 248/Z, Opp. Rai Bus stand, Wadhwan-Limbdi Highway, Taluko Wadhwan, Sankali, Surendranagar-363030, Gujarat, India	R-72007269	47	i	Mono c-Si PERC Modules	PSPL144MPM530 (530 Wp)	PSPL144MPM505 19.54 PSPL144MPM510 19.73 PSPL144MPM515 19.93 PSPL144MPM520 20.12 PSPL144MPM525 20.31 PSPL144MPM530 20.51 PSPL144MPM535 20.70 PSPL144MPM540 20.89 PSPL144MPM545 21.09 PSPL144MPM550 21.28		144 (Half Cut Cells)	1500	27.09.2024	26.09.2028
					ii	Mono c-Si PERC Modules	PSPL156MPM570 (570 Wp)	PSPL156MPM545 19.49 PSPL156MPM550 19.67 PSPL156MPM555 19.85 PSPL156MPM560 20.02 PSPL156MPM565 20.20 PSPL156MPM570 20.38 PSPL156MPM575 20.56 PSPL156MPM580 20.74 PSPL156MPM585 20.92 PSPL156MPM590 21.10 PSPL156MPM595 21.28		156 (Half Cut Cells)	1500	27.09.2024	26.09.2028
91	M/s. Sun N Sand Exim (India) Pvt. Ltd.	Plot No- 106, Sector 16, HSIIDC Industrial Estate, Bahadurgarh, Distt. Jhajjar, Haryana – 124507, India	R-91004529	69	i	Mono c-Si PERC Modules	SNS120CM340Wp (340 Wp)	SNS120CM330Wp 19.58 SNS120CM335Wp 19.88 SNS120CM340Wp 20.18 SNS120CM345Wp 20.47 SNS120CM350Wp 20.77 SNS120CM435Wp 20.06 SNS120CM440Wp 20.29 SNS120CM445Wp 20.52 SNS120CM450Wp 20.75 SNS120CM455Wp 20.99 SNS120CM460Wp 21.22		120 (Half Cut Cell)	1500	27.09.2024	26.09.2028
					ii	Mono c-Si PERC Modules	SNS120CM450Wp (450 Wp)	SNS132CM365Wp 19.78 SNS132CM370Wp 20.05 SNS132CM375Wp 20.33 SNS132CM380Wp 20.6 SNS132CM385Wp 20.87 SNS132CM475Wp 20.01 SNS132CM480Wp 20.22 SNS132CM485Wp 20.43 SNS132CM490Wp 20.64 SNS132CM495Wp 20.86 SNS132CM500Wp 21.07 SNS132CM505Wp 21.28 SNS132CM510Wp 21.49		120 (Half Cut Cell)	1500	27.09.2024	26.09.2028
					iii	Mono c-Si PERC Modules	SNS132CM375Wp (375 Wp)	SNS144CM530Wp 20.52 SNS144CM535Wp 20.71 SNS144CM540Wp 20.9 SNS144CM545Wp 21.1 SNS144CM550Wp 21.29 SNS144CM555Wp 21.48 SNS144CM560Wp 21.68 SNS144CM565Wp 21.87 SNS144CM570Wp 22.07		132 (Half Cut Cell)	1500	27.09.2024	26.09.2028
					iv	Mono c-Si PERC Modules	SNS132CM490Wp (490 Wp)	SNS144CM530Wp 20.52 SNS144CM535Wp 20.71 SNS144CM540Wp 20.9 SNS144CM545Wp 21.1 SNS144CM550Wp 21.29 SNS144CM555Wp 21.48 SNS144CM560Wp 21.68 SNS144CM565Wp 21.87 SNS144CM570Wp 22.07		132 (Half Cut Cell)	1500	27.09.2024	26.09.2028
					v	Mono c-Si PERC Modules	SNS144CM550Wp (550 Wp)	SNS144CM530Wp 20.52 SNS144CM535Wp 20.71 SNS144CM540Wp 20.9 SNS144CM545Wp 21.1 SNS144CM550Wp 21.29 SNS144CM555Wp 21.48 SNS144CM560Wp 21.68 SNS144CM565Wp 21.87 SNS144CM570Wp 22.07		144 (Half Cut Cell)	1500	27.09.2024	26.09.2028
					vi	Mono c-Si PERC Modules	SNS36CM135Wp (135 Wp)	SNS36CM135Wp 19.61	19.61	36 (Half Cut Cell)	600	27.09.2024	26.09.2028
					vii	Mono c-Si PERC Modules	SNS36CM155Wp (155 Wp)	SNS36CM150Wp 19.41 SNS36CM155Wp 20.05	19.41 20.05	36 (Half Cut Cell)	600	27.09.2024	26.09.2028

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					viii	Mono c-Si PERC Modules	SNS36CM175Wp (175 Wp)	SNS36CM175Wp SNS36CM180Wp	19.64 20.2	36 (Half Cut Cell)	600	27.09.2024	26.09.2028
					ix	Mono c-Si PERC Modules	SNS96CM275Wp (275 Wp)	SNS96CM265Wp SNS96CM270Wp SNS96CM275Wp SNS96CM280Wp	19.49 19.85 20.22 20.59	96 (Half Cut Cell)	1500	27.09.2024	26.09.2028
					x	Mono c-Si PERC Modules	SNS96CM360Wp (360 Wp)	SNS96CM350Wp SNS96CM355Wp SNS96CM360Wp SNS96CM365Wp SNS96CM370Wp	20.03 20.31 20.6 20.89 21.17	96 (Half Cut Cell)	1500	27.09.2024	26.09.2028
92	Junna Solar Systems Limited	Unit – II Plot Number 21, Chandanvaely, Sy No 195, Shabad Mandal, Hythabad, Ranga Reddy, Telangana, India-501503	R-63004146	94	i	Mono c-Si PERC Module	JUNNA525MP144 (525 Wp)	JUNNA550MP144 JUNNA545MP144 JUNNA540MP144 JUNNA535MP144 JUNNA530MP144 JUNNA525MP144 JUNNA520MP144 JUNNA515MP144 JUNNA510MP144 JUNNA505MP144 JUNNA500MP144	21.31 21.12 20.92 20.73 20.53 20.34 20.15 19.95 19.76 19.57 19.37	144 (Half Cut Cell)	1500V	27.09.2024	26.09.2028
					ii	Mono c-Si PERC Module	JUNNA480MP132 (480 Wp)	JUNNA500MP132 JUNNA495MP132 JUNNA490MP132 JUNNA485MP132 JUNNA480MP132 JUNNA475MP132 JUNNA470MP132 JUNNA465MP132 JUNNA460MP132	21.06 20.85 20.64 20.43 20.22 20.01 19.80 19.59 19.38	132 (Half Cut Cell)	1500V	27.09.2024	26.09.2028
					iii	Mono c-Si PERC Module	JUNNA435MP120 (435 Wp)	JUNNA455MP120 JUNNA450MP120 JUNNA445MP120 JUNNA440MP120 JUNNA435MP120 JUNNA430MP120 JUNNA425MP120 JUNNA420MP120 JUNNA415MP120	21.00 20.77 20.54 20.31 20.08 19.85 19.62 19.39 19.16	120 (Half Cut Cell)	1500V	27.09.2024	26.09.2028
					iv	Mono c-Si PERC Module	JUNNA395MP108 (395 Wp)	JUNNA410MP108 JUNNA405MP108 JUNNA400MP108 JUNNA395MP108 JUNNA390MP108 JUNNA385MP108 JUNNA380MP108	20.97 20.71 20.45 20.20 19.94 19.69 19.43	108 (Half Cut Cell)	1500V	27.09.2024	26.09.2028
					v	Mono c-Si PERC Module	JUNNA350MP96 (350 Wp)	JUNNA365MP96 JUNNA360MP96 JUNNA355MP96 JUNNA350MP96 JUNNA345MP96 JUNNA340MP96 JUNNA335MP96	20.91 20.62 20.33 20.05 19.76 19.47 19.19	96 (Half Cut Cell)	1500V	27.09.2024	26.09.2028
					vi	Mono c-Si PERC Module	JUNNA265MP72 (265 Wp)	JUNNA275MP72 JUNNA270MP72 JUNNA265MP72 JUNNA260MP72 JUNNA255MP72	20.75 20.37 19.99 19.61 19.24	72 (Half Cut Cell)	1500V	27.09.2024	26.09.2028
93	M/s SAEL Solar P6 Pvt. Ltd.	Land Kh. No. 354/2, New Kh. No. 844/354, Village Patan, Tehsil Kishangarh, Ajmer - 305801, Rajasthan, India	R-84004898	2065	i	Bifacial N-Type TOPCon Module (Glass to Glass)	SL156GTG-630 T (630 Wp)	SL156GTG-630 T SL156GTG-625 T SL156GTG-620 T SL156GTG-615 T SL156GTG-610 T SL156GTG-605 T SL156GTG-600 T	22.58 22.4 22.23 22.05 21.87 21.69 21.51	156 (Half Cut Cells)	1500	14.10.2024	13.10.2028

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	SL144GTG-580T (580 Wp)	SL144GTG-580T SL144GTG-575T SL144GTG-570T SL144GTG-565T	22.53 22.34 22.14 21.95	144(Half Cut Cells)	1500	14.10.2024	13.10.2028
					iii	Mono c-Si PERC Module	SL144HC-530 (530 Wp)	SL144HC-545 SL144HC-540 SL144HC-535 SL144HC-530 SL144HC-525 SL144HC-520	21.09 20.89 20.7 20.51 20.31 20.12	144(Half Cut Cells)	1500	14.10.2024	13.10.2028

F. No. 283/54/2018- GRID SOLAR- Part (1)
भारत सरकार / Government of India
नवीन और नवीकरणीय ऊर्जा मंत्रालय/ Ministry of New & Renewable Energy
ग्रिड सौर ऊर्जा प्रभाग/ Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi - 110003
Dated: 22nd March, 2024

To,

M/s. Alpex Solar Limited
Plot No. I-25 & I-26, UPSIDC, Site-5,
Surajpur, Greater Noida, District: Gautam Budh Nagar,
Uttar Pradesh-201306, India
Email id: lakhan.singh@alpexonline.com

Sub: Provisional ALMM enlistment of Additional Solar PV Module Models of M/s. Alpex Solar Limited - reg.

Sir,

This is in reference to the application received from M/s. Alpex Solar Limited requesting for provisional enlistment of its additional models in ALMM List-I.

2. In this regard, the undersigned is directed to convey that in accordance with MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt. dated 10.05.2023, provisional enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, is hereby granted to M/s Alpex Solar Limited, Plot No. I-25 & I-26, UPSIDC, Site-5, Surajpur, Greater Noida, District: Gautam Budh Nagar, Uttar Pradesh-201306, India, in respect of 05 additional solar PV module models as mentioned in Appendix-I. The final enlistment in ALMM will be done subsequently, subject to the applicant fulfilling the conditions/ provisions mentioned in the ALMM Order / Guidelines or any other instructions issued / conveyed to the applicant and the scrutiny by the Government.

3. Neither Ministry of New & Renewable Energy (MNRE), Government of India and National Institute of Solar Energy (NISE), nor any of their officers, employees, representatives shall be liable for any loss, liability, damage or expense arising out of or in connection with the Solar PV Module Models which have been granted Provisional Enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, but fail to get Final enlistment in MNRE's ALMM List-I.

4. This is being issued with the approval of competent authority.

Yours faithfully,



(Sanjay G. Karndhar)
Scientist-E

Email: karndhar.sg@nic.in

Copy to: Director General, National Institute of Solar Energy (NISE).

Copy for internal circulation to: PS to Secretary / PS to JS (DDJ)

Copy to NIC, MNRE, for uploading on MNRE's Website

Appendix-I

Name of Manufacturer	M/s. Alpex Solar Limited
Plant Address	Plot No. I-25 & I-26, UPSIDC, Site-5, Surajpur, Greater Noida, District: Gautam Budh Nagar, Uttar Pradesh-201306, India
Whether Manufacturer already enlisted in ALMM	Yes
Already Enlisted Capacity	248 MW/Year
Applied Capacity	600 MW/Year
Application Type	Model Addition

Details of Additional Models:

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS granted (Yes/No)	No. of Cells in Module	System Voltage (V)	Remarks
1	Mono c-Si PERC Module	ALP24L535WM (535Wp)	ALP24L520WM	20.05	Registration No.: R-93007480	144 (Half Cut Cells)	1500	Provisionally Enlisted
			ALP24L525WM	20.24				
			ALP24L530WM	20.44				
			ALP24L535WM	20.63				
2	Mono c-Si PERC Module	ALP22L495WM (495Wp)	ALP24L540WM	20.82				
			ALP22L480WM	20.14				
			ALP22L485WM	20.35				
			ALP22L490WM	20.56				
			ALP22L495WM	20.77				
			ALP22L500WM	20.98				
			ALP22L505WM	21.19				
3	Mono c-Si PERC Module	ALP20L455WM (455Wp)	ALP22L510WM	21.39				
			ALP22L515WM	21.60				
			ALP20L435WM	20.01				
			ALP20L440WM	20.24				
			ALP20L445WM	20.47				
			ALP20L450WM	20.70				
			ALP20L455WM	20.93				
			ALP20L460WM	21.16				
4	Mono c-Si PERC Module	ALP18L400WM (400Wp)	ALP20L465WM	21.39				
			ALP20L470WM	21.62				
			ALP20L475WM	21.85				
			ALP18L390WM	19.86				
			ALP18L395WM	20.11				
			ALP18L400WM	20.36				
5	Mono c-Si PERC Module	ALP12L275WM (275Wp)	ALP18L405WM	20.62				
			ALP18L410WM	20.87				
			ALP18L415WM	21.13				
			ALP12L265WM	19.85				
			ALP12L270WM	20.22				
			ALP12L275WM	20.6	72 (Half Cut Cells)	1500		
			ALP12L280WM	20.97				
			ALP12L285WM	21.34				



F. No. 283/54/2018- GRID SOLAR- Part (1)
भारत सरकार / Government of India
नवीन और नवीकरणीय ऊर्जा मंत्रालय/ Ministry of New & Renewable Energy
ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi - 110003
Dated: 10th April, 2024

To,

M/s. Saatvik Green Energy Pvt. Ltd.
Village-Dubli, Tehsil-Barara,
District: Ambala-133101, Haryana, India.
Email id: pushpendra@saatvikgroup.com

Sub: Provisional ALMM enlistment of Additional Solar PV Module Models of M/s. Saatvik Green Energy Pvt. Ltd. - reg.

Sir,

This is in reference to the application received from M/s. Saatvik Green Energy Pvt. Ltd. requesting for provisional enlistment of its additional models in ALMM List-I.

2. In this regard, the undersigned is directed to convey that in accordance with MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt. dated 10.05.2023, provisional enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, is hereby granted to M/s Saatvik Green Energy Pvt. Ltd., Village-Dubli, Tehsil-Barara, District-Ambala-133101, Haryana, India, in respect of 05 additional solar PV module models as mentioned in Appendix-I. The final enlistment in ALMM will be done subsequently, subject to the applicant fulfilling the conditions/ provisions mentioned in the ALMM Order / Guidelines or any other instructions issued / conveyed to the applicant and the scrutiny by the Government.

3. Neither Ministry of New & Renewable Energy (MNRE), Government of India and National Institute of Solar Energy (NISE), nor any of their officers, employees, representatives shall be liable for any loss, liability, damage or expense arising out of or in connection with the Solar PV Module Models which have been granted Provisional Enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, but fail to get Final enlistment in MNRE's ALMM List-I.

4. This is being issued with the approval of competent authority.

Yours faithfully,



(Sanjay G. Karndhar)
Scientist-E

Email: karndhar.sg@nic.in

Copy to: Director General, National Institute of Solar Energy (NISE).

Copy for internal circulation to: PS to Secretary / PS to JS (DDJ)

Copy to NIC, MNRE, for uploading on MNRE's Website as additional page(s) to the ALMM List-I hosted on MNRE's website.

Appendix-I

Name of Manufacturer	M/s. Saatvik Green Energy Pvt. Ltd.
Plant Address	Village- Dubli, Tehsil-Barara, District- Ambala-133101, Haryana
Whether Manufacturer already enlisted in ALMM	Yes
Already Enlisted Capacity	566 MW/Year
Applied Capacity	2500 MW/Year
Application Type	Model Addition

Details of Additional Models:

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS granted (Yes/No)	No. of Cells in Module	System Voltage in Volt	Remarks
1	Bifacial N Type TOPCon Module	SGE425-108TGG (425 Wp)	SGE410-108TGG	20.97	Registration No.: R-91003670	108 (Half Cut Cells)	1500	Provisionally Enlisted
			SGE415-108TGG	21.22				
			SGE420-108TGG	21.48				
			SGE425-108TGG	21.74				
			SGE430-108TGG	21.99				
			SGE435-108TGG	22.25				
			SGE440-108TGG	22.51				
2	Bifacial N Type TOPCon Module	SGE475-120TGG (475 Wp)	SGE460-120TGG	21.21				
			SGE465-120TGG	21.46				
			SGE470-120TGG	21.68				
			SGE475-120TGG	21.91				
			SGE480-120TGG	22.14				
			SGE485-120TGG	22.37				
3	Bifacial N Type TOPCon Module	SGE520-132TGG (520 Wp)	SGE510-132TGG	21.46				
			SGE515-132TGG	21.67				
			SGE520-132TGG	21.88				
			SGE525-132TGG	22.09				
			SGE530-132TGG	22.30				
4	Bifacial N Type TOPCon Module	SGE575-144TGG (575 Wp)	SGE535-132TGG	22.51				
			SGE560-144TGG	21.68				
			SGE565-144TGG	21.87				
			SGE570-144TGG	22.06				
			SGE575-144TGG	22.26				
			SGE580-144TGG	22.45				
5	Bifacial N Type TOPCon Module	SGE615-156TGG (615 Wp)	SGE585-144TGG	22.64				
			SGE590-144TGG	22.84				
			SGE600-156TGG	21.47				
			SGE605-156TGG	21.65				
			SGE610-156TGG	21.83				
			SGE615-156TGG	22.01				
			SGE620-156TGG	22.19				
			SGE625-156TGG	22.37				

RA

F. No. 283/41/2024- GRID SOLAR
भारत सरकार / Government of India
नवीन और नवीकरणीय ऊर्जा मंत्रालय / Ministry of New & Renewable Energy
ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi - 110003
Dated: 24th May, 2024

To,

M/s. Vikram Solar Limited
B1000A, B1100C, Indospace Industrial Park,
Panruti Pvt Ltd., Survey No-2/A, Sriperumbudur Taluk,
Panaiyyur, Kanchipuram, Tamil Nadu-631605, India
Email id: madhab.das@vikramsolar.com

Sub: Provisional ALMM enlistment of Additional Solar PV Module Models of M/s. Vikram Solar Limited- reg.

Sir,

This is in reference to the application received from M/s. Vikram Solar Limited requesting for provisional enlistment of its additional models in ALMM List-I.

2. In this regard, the undersigned is directed to convey that in accordance with MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt. dated 10.05.2023, provisional enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, is hereby granted to M/s Vikram Solar Limited, B1000A, B1100C, Indospace Industrial Park, Panruti Pvt Ltd., Survey No-2/A, Sriperumbudur Taluk, Panaiyyur, Kanchipuram, Tamil Nadu-631605, India in respect of 03 additional solar PV module models as mentioned in Appendix-I. The final enlistment in ALMM will be done subsequently, subject to the applicant fulfilling the conditions/provisions mentioned in the ALMM Order / Guidelines or any other instructions issued / conveyed to the applicant and the scrutiny by the Government.

3. Neither Ministry of New & Renewable Energy (MNRE), Government of India and National Institute of Solar Energy (NISE), nor any of their officers, employees, representatives shall be liable for any loss, liability, damage or expense arising out of or in connection with the Solar PV Module Models which have been granted Provisional Enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, but fail to get Final enlistment in MNRE's ALMM List-I.

4. This is being issued with the approval of competent authority.

Yours faithfully,



(Sanjay G. Karndhar)
Scientist-E
Email: karndhar.sg@nic.in

Copy to: Director General, National Institute of Solar Energy (NISE).

Copy for internal circulation to: PS to Secretary / PPS to JS (DDJ)

Copy to NIC, MNRE, for uploading on MNRE's Website as additional page(s) to the ALMM List-I hosted on MNRE's website.

Appendix-I

Name of Manufacturer	M/s. Vikram Solar Limited
Plant Address	B1000A, B1100C, Indospace Industrial Park, Panruti Pvt. Ltd., Survey No-2/A, Sriperumbudur Taluk, Panaiyyur, Kanchipuram, Tamil Nadu-631605, India
Whether Manufacturer already enlisted in ALMM	Yes
Already Enlisted Capacity	1099 MW/Year
Applied Capacity	1500 MW/Year
Application Type	Model Addition

Details of Additional Models:

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS granted (Yes/No)	No. Of Cells in Module	System Voltage (V)	Remarks
1	Bifacial Mono c-Si PERC Modules	PARADEA VSMDH.78.585.05 (585 Wp)	PARADEA VSMDH.78.590.05	21.18	Registration No.: R-61002070	156 (Half Cut Cells)	1500	Provisionally Enlisted
			PARADEA VSMDH.78.585.05	21.00				
			PARADEA VSMDH.78.580.05	20.82				
2	Bifacial Mono c-Si PERC Modules	PARADEA VSMDH.72.560.05 (560 Wp)	PARADEA VSMDH.72.565.05	21.91				
			PARADEA VSMDH.72.560.05	21.72				
			PARADEA VSMDH.72.555.05	21.52				
3	Bifacial n Type TOPCon Modules	HYPER SOL VSMDH.72.565.05 (565 Wp)	HYPER SOL VSMDH.72.575.05	22.26				
			HYPER SOL VSMDH.72.570.05	22.06				
			HYPER SOL VSMDH.72.565.05	21.87				
			HYPER SOL VSMDH.72.560.05	21.68				



F. No. 283/41/2024- GRID SOLAR
भारत सरकार / Government of India
नवीन और नवीकरणीय ऊर्जा मंत्रालय/ Ministry of New & Renewable Energy
ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi - 110003
Dated: 08th July, 2024

To,

M/s. Spark Solar Technologies Pvt. Ltd.
N-4, Rajlaxmi Hitech Textile Park,
Sonale Village, Off. Mumbai Nasik Highway,
Bhiwandi, Thane - 421302,
Maharashtra, India.
Email id: siddhartha@sparksolar.in

Sub: Provisional ALMM enlistment of Additional Solar PV Module Models of M/s. Spark Solar Technologies Private Limited- reg.

Sir,

This is in reference to the application received from **M/s. Spark Solar Technologies Private Limited** requesting for provisional enlistment of its additional models in ALMM List-I.

2. In this regard, the undersigned is directed to convey that in accordance with MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt. dated 10.05.2023, provisional enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, is hereby granted to M/s. Spark Solar Technologies Private Limited, N-4, Rajlaxmi Hitech Textile Park, Sonale Village, Off. Mumbai Nasik Highway, Bhiwandi, Thane -421302, Maharashtra, India in respect of 04 additional solar PV module models as mentioned in Appendix-I. The final enlistment in ALMM will be done subsequently, subject to the applicant fulfilling the conditions/ provisions mentioned in the ALMM Order / Guidelines or any other instructions issued / conveyed to the applicant and the scrutiny by the Government.

3. Neither Ministry of New & Renewable Energy (MNRE), Government of India and National Institute of Solar Energy (NISE), nor any of their officers, employees, representatives shall be liable for any loss, liability, damage or expense arising out of or in connection with the Solar PV Module Models which have been granted Provisional Enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, but fail to get Final enlistment in MNRE's ALMM List-I.

4. This is being issued with the approval of competent authority.

Yours faithfully,



(Sanjay G. Karndhar)
Scientist-E
Email: karndhar.sg@nic.in

Copy to: Director General, National Institute of Solar Energy (NISE).

Copy for internal circulation to: PS to Secretary / PS to JS (DDJ)

Copy to NIC, MNRE, for uploading on MNRE's Website as additional page(s) to the ALMM List-I hosted on MNRE's website.

Appendix-I

Name of Manufacturer	M/s. Spark Solar Technologies Private Limited
Plant Address	N-4, Rajlaxmi Hitech Textile Park, Sonale Village, Off. Mumbai Nasik Highway Bhiwandi, Thane-421302, Maharashtra, India
Whether Manufacturer already enlisted in ALMM	Yes
Already Enlisted Capacity	42 MW/Year
Applied Capacity	52 MW/Year
Application Type	Model Addition

Details of Additional Models:

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS R. No.	No. of Cells in Module	System Voltage (V)	Remarks
1	Bifacial N-Type TOPCon Modules	SS 580-144 TB (580 Wp)	SS 600-144 TB	23.23	R-71023310	144 (Half Cut Cells)	1500	Provisionally enlisted
			SS 595-144 TB	23.03				
			SS 590-144 TB	22.84				
			SS 585-144 TB	22.64				
			SS 580-144 TB	22.45				
			SS 575-144 TB	22.26				
			SS 570-144 TB	22.06				
			SS 565-144 TB	21.87				
			SS 560-144 TB	21.68				
2	N-Type TOPCon Modules	SS 580-144 T (580 Wp)	SS 600-144 T	23.23	R-71023310	144 (Half Cut Cells)	1500	Provisionally enlisted
			SS 595-144 T	23.03				
			SS 590-144 T	22.84				
			SS 585-144 T	22.64				
			SS 580-144 T	22.45				
			SS 575-144 T	22.26				
			SS 570-144 T	22.06				
			SS 565-144 T	21.87				
			SS 560-144 T	21.68				
SS 555-144 T	21.48							
3	Bifacial N-Type TOPCon Modules	SS 545-132 TB (545 Wp)	SS 550-132 TB	23.16	R-71023310	132 (Half Cut Cells)	1500	Provisionally enlisted
			SS 545-132 TB	22.95				
			SS 540-132 TB	22.40				
			SS 535-132 TB	22.53				

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS R. No.	No. of Cells in Module	System Voltage (V)	Remarks
4	N-Type TOPCon Modules	SS 545-132 T (545 Wp)	SS 550-132 T	23.16		132 (Half Cut Cells)	1500	
			SS 545-132 T	22.95				
			SS 540-132 T	22.40				

SK

F. No. 283/41/2024- GRID SOLAR
भारत सरकार / Government of India
नवीन और नवीकरणीय ऊर्जा मंत्रालय/ Ministry of New & Renewable Energy
ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi - 110003
Dated: 08th July, 2024

To,

M/s. Sova Solar Limited
Layout Plot No: 25, E.P.I.P,
Banskopa, Durgapur-713212,
West Bengal, India.
Email id: krish@sovasolar.com

Sub: Provisional ALMM enlistment of Additional Solar PV Module Models of M/s. Sova Solar Limited- reg.

Sir,

This is in reference to the application received from M/s. Sova Solar Limited requesting for provisional enlistment of its additional models in ALMM List-I.

2. In this regard, the undersigned is directed to convey that in accordance with MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt. dated 10.05.2023, provisional enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, is hereby granted to M/s. Sova Solar Limited, Layout Plot No: 25, E.P.I.P, Banskopa, Durgapur - 713212, West Bengal, India in respect of 02 additional solar PV module models as mentioned in Appendix-I. The final enlistment in ALMM will be done subsequently, subject to the applicant fulfilling the conditions/ provisions mentioned in the ALMM Order / Guidelines or any other instructions issued / conveyed to the applicant and the scrutiny by the Government.

3. Neither Ministry of New & Renewable Energy (MNRE), Government of India and National Institute of Solar Energy (NISE), nor any of their officers, employees, representatives shall be liable for any loss, liability, damage or expense arising out of or in connection with the Solar PV Module Models which have been granted Provisional Enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, but fail to get Final enlistment in MNRE's ALMM List-I.

4. This is being issued with the approval of competent authority.

Yours faithfully,



(Sanjay G. Karndhar)
Scientist-E
Email: karndhar.sg@nic.in

Copy to: Director General, National Institute of Solar Energy (NISE).

Copy for internal circulation to: PS to Secretary / PS to JS (DDJ)

Copy to NIC, MNRE, for uploading on MNRE's Website as additional page(s) to the ALMM List-I hosted on MNRE's website.

Appendix-I

Name of Manufacturer	M/s. Sova Solar Limited
Plant Address	Layout Plot No: 25, E.P.I.P, Banskopa, Durgapur - 713212, West Bengal, India
Whether Manufacturer already enlisted in ALMM	Yes
Already Enlisted Capacity	532 MW/Year
Applied Capacity	1000 MW/Year
Application Type	Model Addition

Details of Additional Models:

S. No	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS R. No.	No. of Cells in Module	System Voltage in Volts	Remarks
1	N-Type TOPCON Modules (Glass to Glass)	SS56514 4HCGT (565Wp)	SS58014 4HCGT	22.48	R-51000590	144 (Half Cut Cells)	1500	Provisionally enlisted
			SS57514 4HCGT	22.29				
			SS57014 4HCGT	22.09				
			SS56514 4HCGT	21.90				
			SS56014 4HCGT	21.71				
			SS55514 4HCGT	21.51				
			SS55014 4HCGT	21.32				
			SS54514 4HCGT	21.12				
			SS54014 4HCGT	20.93				
2	Mono c-Si PERC Modules (Glass to Transparent Backsheet)	SS49013 2HCMP (490Wp)	SS50513 2HCMP	21.27	R-51000590	132 (Half Cut Cells)	1500	Provisionally enlisted
			SS50013 2HCMP	21.06				
			SS49513 2HCMP	20.85				
			SS49013 2HCMP	20.64				
			SS48513 2HCMP	20.43				
			SS48013 2HCMP	20.22				
			SS47513 2HCMP	20.01				
			SS47013 2HCMP	19.80				

SK

F. No. 283/41/2024- GRID SOLAR
भारत सरकार / Government of India
नवीन और नवीकरणीय ऊर्जा मंत्रालय/ Ministry of New & Renewable Energy
ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi - 110003
Dated: 08th July, 2024

To,

M/s. Aatmanirbhar Solar Pvt. Ltd.
Survey No.192, Dudhathal,
Kheda-387620,
Gujarat, India
Email id: niket@aatmanirbharsolar.com

Sub: Provisional ALMM enlistment of Additional Solar PV Module Models of M/s. Aatmanirbhar Solar Pvt. Ltd., Gujarat- reg.

Sir,

This is in reference to the application received from M/s. Aatmanirbhar Solar Pvt. Ltd. requesting for provisional enlistment of its additional models in ALMM List-I.

2. In this regard, the undersigned is directed to convey that in accordance with MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt. dated 10.05.2023, provisional enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, is hereby granted to M/s Aatmanirbhar Solar Pvt. Ltd., Survey No. 192, Dudhathal, Kheda-387620, Gujarat, India, in respect of 07 additional solar PV module models as mentioned in Appendix-I. The final enlistment in ALMM will be done subsequently, subject to the applicant fulfilling the conditions/ provisions mentioned in the ALMM Order / Guidelines or any other instructions issued / conveyed to the applicant and the scrutiny by the Government.

3. Neither Ministry of New & Renewable Energy (MNRE), Government of India and National Institute of Solar Energy (NISE), nor any of their officers, employees, representatives shall be liable for any loss, liability, damage or expense arising out of or in connection with the Solar PV Module Models which have been granted Provisional Enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, but fail to get Final enlistment in MNRE's ALMM List-I.

4. This is being issued with the approval of competent authority.

Yours faithfully,



(Sanjay G. Karndhar)
Scientist-E
Email: karndhar.sg@nic.in

Copy to: Director General, National Institute of Solar Energy (NISE).

Copy for internal circulation to: PS to Secretary / PS to JS (DDJ)

Copy to NIC, MNRE, for uploading on MNRE's Website as additional page(s) to the ALMM List-I hosted on MNRE's website.

Appendix-I

Name of Manufacturer	M/s. Aatmanirbhar Solar Pvt. Ltd.
Plant Address	Survey No 192, Dudhathal, Kheda - 387620, Gujarat, India
Whether Manufacturer already enlisted in ALMM	Yes
Already Enlisted Capacity	100 MW/Year
Applied Capacity	100 MW/Year
Application Type	Model Addition

Details of Additional Models:

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS R. No.	No. of Cells in Module	System Voltage in Volts	Remarks
1	Mono c-Si PERC Module	ASPL405M P108 (405 Wp)	ASPL390M P108	19.97	R-72005940	108 (Half Cut Cells)	1500	Provisionally Enlisted
			ASPL395M P108	20.23				
			ASPL400M P108	20.48				
			ASPL405M P108	20.74				
			ASPL410M P108	21.00				
			ASPL415M P108	21.25				
2	Mono c-Si PERC Module	ASPL535M P144 (535 Wp)	ASPL525M P144	20.32				
			ASPL530M P144	20.52				
			ASPL535M P144	20.71				
			ASPL540M P144	20.90				
			ASPL545M P144	21.10				
			ASPL550M P144	21.29				
3	Bifacial Mono c-Si PERC Module	ASPL585M P156 (585 Wp)	ASPL580M P156	20.75	R-72005940	156 (Half Cut Cells)	1500	Provisionally Enlisted
			ASPL585M P156	20.93				
			ASPL590M P156	21.11				
4			ASPL415T PC108	21.25			108 (Half	

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS R. No.	No. of Cells in Module	System Voltage in Volts	Remarks
	N Type TOPCon Module	ASPL425T PC108 (425 Wp)	ASPL420T PC108	21.51		Cut Cells)		
			ASPL425T PC108	21.76				
			ASPL430T PC108	22.02				
			ASPL435T PC108	22.28				
5	N Type TOPCon Module	ASPL470T PC120 (470 Wp)	ASPL460T PC120	21.25		120 (Half Cut Cells)	1500	
			ASPL465T PC120	21.48				
			ASPL470T PC120	21.71				
			ASPL475T PC120	21.94				
			ASPL480T PC120	22.17				
6	Bifacial N Type TOPCon Module	ASPL565T PC144 (565 Wp)	ASPL545T PC144	21.10		144 (Half Cut Cells)	1500	
			ASPL550T PC144	21.29				
			ASPL555T PC144	21.48				
			ASPL560T PC144	21.68				
			ASPL565T PC144	21.87				
			ASPL570T PC144	22.06				
			ASPL575T PC144	22.26				
			ASPL580T PC144	22.45				
			ASPL585T PC144	22.64				
7	Bifacial N Type TOPCon Module	ASPL620T PC156 (620 Wp)	ASPL605T PC156	21.64	156 (Half Cut Cells)	1500		
			ASPL610T PC156	21.82				
			ASPL615T PC156	22.00				
			ASPL620T PC156	22.18				
			ASPL625T PC156	22.36				
			ASPL630T PC156	22.54				

SB

F. No. 283/41/2024- GRID SOLAR
भारत सरकार / Government of India
नवीन और नवीकरणीय ऊर्जा मंत्रालय/ Ministry of New & Renewable Energy
ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi - 110003
Dated: 01st August, 2024

To,

M/s. Bluebird Solar Private Limited
Plot No:5, Ecotech-II, Udyog Vihar,
Khasra No. 739, Greater Noida-201306
Uttar Pradesh, India.
Email id: abhay@bluebirdsolar.in

Sub: Provisional ALMM enlistment of Additional Solar PV Module Models of M/s. Bluebird Solar Private Limited- reg.

Sir,

This is in reference to the application received from M/s. Bluebird Solar Private Limited requesting for provisional enlistment of its additional models in ALMM List-I.

2. In this regard, the undersigned is directed to convey that in accordance with MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt. dated 10.05.2023, provisional enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, is hereby granted to M/s Bluebird Solar Private Limited, Plot No: 5, Ecotech-II, Udyog Vihar, Khasra No. 739, Greater Noida-201306, Uttar Pradesh, India, in respect of 05 additional solar PV module models as mentioned in Appendix-I. The final enlistment in ALMM will be done subsequently, subject to the applicant fulfilling the conditions/ provisions mentioned in the ALMM Order / Guidelines or any other instructions issued / conveyed to the applicant and the scrutiny by the Government.

3. Neither Ministry of New & Renewable Energy (MNRE), Government of India and National Institute of Solar Energy (NISE), nor any of their officers, employees, representatives shall be liable for any loss, liability, damage or expense arising out of or in connection with the Solar PV Module Models which have been granted Provisional Enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, but fail to get Final enlistment in MNRE's ALMM List-I.

4. This is being issued with the approval of competent authority.

Yours faithfully,



(Sanjay G. Karndhar)
Scientist-E
Email: karndhar.sg@nic.in

Copy to: Director General, National Institute of Solar Energy (NISE).

Copy for internal circulation to: PS to Secretary / PS to JS (DDJ)

Copy to NIC, MNRE, for uploading on MNRE's Website as additional page(s) to the ALMM List-I hosted on MNRE's website.

Appendix-I

Name of Manufacturer	M/s. Bluebird Solar Private Limited
Plant Address	Plot No: 5, Ecotech-II, Udyog Vihar, Khasra No. 739, Greater Noida-201306, Uttar Pradesh, India
Whether Manufacturer already enlisted in ALMM	Yes
Already Enlisted Capacity	100 MW/Year
Applied Capacity	100 MW/Year
Application Type	Model Addition

Details of Additional Models:

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS R. No.	No. of Cells in Module	System Voltage (Volts)	Remarks
1	Bifacial Mono c-Si PERC Module	BBS24M C460-TB (460 Wp)	BBS24MC 440-TB	19.76	R-93014680	120 (Half Cut Cells)	1500	Provisionally Enlisted
			BBS24MC 445-TB	19.99				
			BBS24MC 450-TB	20.21				
			BBS24MC 455-TB	20.44				
			BBS24MC 460-TB	20.66				
			BBS24MC 465-TB	20.89				
			BBS24MC 470-TB	21.11				
			BBS24MC 475-TB	21.33				
2	Bifacial Mono c-Si PERC Module	BBS24M C495-TB (495 Wp)	BBS24MC 480-TB	19.94	R-93014680	132 (Half Cut Cells)	1500	Provisionally Enlisted
			BBS24MC 485-TB	20.14				
			BBS24MC 490-TB	20.35				
			BBS24MC 495-TB	20.56				
			BBS24MC 500-TB	20.77				
			BBS24MC 505-TB	20.97				
			BBS24MC 510-TB	21.18				
3	Bifacial Mono c-Si		BBS24MC 520-TB	19.12	R-93014680	144 (Half)	1500	Provisionally Enlisted

SK

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS R. No.	No. of Cells in Module	System Voltage (Volts)	Remarks
	PERC Module	BBS24M C525-TB (525 Wp)	BBS24MC 525-TB	19.31		Cut Cells)		
			BBS24MC 530-TB	19.49				
			BBS24MC 535-TB	19.67				
			BBS24MC 540-TB	19.86				
			BBS24MC 545-TB	20.04				
			BBS24MC 550-TB	20.23				
			4	Bifacial Mono c-Si PERC Module				
BBS24MC 560-TB	20.59							
BBS24MC 565-TB	20.78							
BBS24MC 570-TB	20.96							
BBS24MC 575-TB	21.14							
5	Mono c-Si PERC Module	BBS24M C570 (570 Wp)	BBS24MC 555	20.41		144 (Half Cut Cells)	1500	
			BBS24MC 560	20.59				
			BBS24MC 565	20.78				
			BBS24MC 570	20.96				
			BBS24MC 575	21.14				

F. No. 283/41/2024- GRID SOLAR
भारत सरकार / Government of India
नवीन और नवीकरणीय ऊर्जा मंत्रालय/ Ministry of New & Renewable Energy
ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi - 110003
Dated: 01st August, 2024

To,

M/s. Icon Solar En Power Technologies Private Limited
PH No. 09,
Gram Dighari Mandir Hasaud,
The Arang, Raipur-492001,
Chhattisgarh, India.
Email id: iconsolaren@gmail.com

Sub: Provisional ALMM enlistment of Additional Solar PV Module Models of M/s. Icon Solar En Power Technologies Private Limited - reg.

Sir,

This is in reference to the application received from M/s Icon Solar En Power Technologies Private Limited requesting for provisional enlistment of its additional models in ALMM List-I.

2. In this regard, the undersigned is directed to convey that in accordance with MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt. dated 10.05.2023, provisional enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, is hereby granted to M/s Icon Solar En Power Technologies Private Limited, PH No. 09, Gram Dighari Mandir Hasaud, The Arang, Raipur-492001, Chhattisgarh, India, in respect of 05 additional solar PV module models as mentioned in Appendix-I. The final enlistment in ALMM will be done subsequently, subject to the applicant fulfilling the conditions/ provisions mentioned in the ALMM Order / Guidelines or any other instructions issued / conveyed to the applicant and the scrutiny by the Government.

3. Neither Ministry of New & Renewable Energy (MNRE), Government of India and National Institute of Solar Energy (NISE), nor any of their officers, employees, representatives shall be liable for any loss, liability, damage or expense arising out of or in connection with the Solar PV Module Models which have been granted Provisional Enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, but fail to get Final enlistment in MNRE's ALMM List-I.

4. This is being issued with the approval of competent authority.

Yours faithfully,



(Sanjay G. Karndhar)
Scientist-E

Email: karndhar.sg@nic.in

Copy to: Director General, National Institute of Solar Energy (NISE).

Copy for internal circulation to: PS to Secretary / PS to JS (DDJ)

Copy to NIC, MNRE, for uploading on MNRE's Website as additional page(s) to the ALMM List-I hosted on MNRE's website.

Appendix-I

Name of Manufacturer	M/s Icon Solar En Power Technologies Private Limited
Plant Address	PH No. 09, Gram Dighari Mandir Hasaud, The Arang, Raipur-492001, Chhattisgarh, India
Whether Manufacturer already enlisted in ALMM	Yes
Already Enlisted Capacity	186 MW/Year
Applied Capacity	400 MW/Year
Application Type	Model Addition

Details of Additional Models:

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS R. No.	No. of Cells in Module	System Voltage in Volts	Remarks
1	Bifacial N-type TOPCon Module	ISEN610N-TOP (610 Wp)	ISEN620N-TOP	22.19	R-59000140	156 (Half Cut Cell)	1500	Provisionally Enlistment
			ISEN615N-TOP	22.01				
			ISEN610N-TOP	21.83				
			ISEN605N-TOP	21.65				
			ISEN600N-TOP	21.47				
2	Bifacial N-type TOPCon Module	ISEN575N-TOP (575 Wp)	ISEN590N-TOP	22.84				
			ISEN585N-TOP	22.64				
			ISEN580N-TOP	22.45				
			ISEN575N-TOP	22.26				
			ISEN570N-TOP	22.06				
			ISEN565N-TOP	21.87				
			ISEN560N-TOP	21.68				
3	Bifacial N-type TOPCon Module	ISEN530N-TOP (530 Wp)	ISEN540N-TOP	22.74		132 (Half Cut Cell)	1500	
			ISEN535N-TOP	22.53				
			ISEN530N-TOP	22.32				



S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS R. No.	No. of Cells in Module	System Voltage in Volts	Remarks
			ISEN525N-TOP	22.11				
			ISEN520N-TOP	21.90				
4	Bifacial N-type TOPCon Module	ISEN480N-TOP (480 Wp)	ISEN500N-TOP	23.11				
			ISEN495N-TOP	22.88				
			ISEN490N-TOP	22.65				
			ISEN485N-TOP	22.41				
			ISEN480N-TOP	22.18				
			ISEN475N-TOP	21.95				
			ISEN470N-TOP	21.72				
			ISEN465N-TOP	21.49				
			ISEN460N-TOP	21.26				
5	Bifacial N-type TOPCon Module	ISEN430N-TOP (430 Wp)	ISEN440N-TOP	22.53				
			ISEN435N-TOP	22.28				
			ISEN430N-TOP	22.02				
			ISEN425N-TOP	21.76				
			ISEN420N-TOP	21.51				

F. No. 283/41/2024- GRID SOLAR

भारत सरकार / Government of India

नवीन और नवीकरणीय ऊर्जा मंत्रालय/ Ministry of New & Renewable Energy

ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003

Dated: 28th August, 2024

To,

M/s. Vikram Solar Limited

Sec-II, Falta Special Economic Zone, Falta,
District: South 24-Parganas, P.S: Ramnagar,
P.O: Falta S.O-743504, West Bengal, India.
Email id: gopal.kumar@vikramsolar.com

Sub: Provisional ALMM enlistment of Additional Solar PV Module Models of M/s. Vikram Solar Limited– reg.

Sir,

This is in reference to the application received from **M/s. Vikram Solar Limited** requesting for provisional enlistment of its additional models in ALMM List-I.

2. In this regard, the undersigned is directed to convey that in accordance with MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt. dated 10.05.2023, provisional enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, is hereby granted to M/s Vikram Solar Limited, Sec-II, Falta Special Economic Zone, Falta, District: South 24-Parganas, P.S: Ramnagar, P.O: Falta S.O-743504, West Bengal, India in respect of 02 additional solar PV module models as mentioned in Appendix-I. The final enlistment in ALMM will be done subsequently, subject to the applicant fulfilling the conditions/ provisions mentioned in the ALMM Order / Guidelines or any other instructions issued / conveyed to the applicant and the scrutiny by the Government.

3. Neither Ministry of New & Renewable Energy (MNRE), Government of India and National Institute of Solar Energy (NISE), nor any of their officers, employees, representatives shall be liable for any loss, liability, damage or expense arising out of or in connection with the Solar PV Module Models which have been granted Provisional Enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, but fail to get Final enlistment in MNRE's ALMM List-I.

4. This is being issued with the approval of competent authority.

Yours faithfully,



(Sanjay G. Karndhar)
Scientist-E
Email: karndhar.sg@nic.in

Copy to: Director General, National Institute of Solar Energy (NISE).

Copy for internal circulation to: PS to Secretary / PS to JS (DDJ)

Copy to NIC, MNRE, for uploading on MNRE's Website as additional page(s) to the ALMM List-I hosted on MNRE's website.

Appendix-I

Name of Manufacturer	M/s. Vikram Solar Limited
Plant Address	Sec-II, Falta Special Economic Zone, Falta, District: South 24-Parganas, P.S: Ramnagar, P.O: Falta S.O-743504, West Bengal, India.
Whether Manufacturer already enlisted in ALMM	Yes
Already Enlisted Capacity	1,325 MW/Year
Applied Capacity	1,500 MW/Year
Application Type	Model Addition

Details of Additional Models:

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS R. No.	No. of Cells in Module	System Voltage in Volts	Remarks
1	Mono c-Si PERC Modules (Glass to Glass)	PARADEA VSMDH.78.58 5.05 (585 Wp)	PARADEA VSMDH.78.570.05	20.47	R-510005 66	156 (Half Cut Cells)	1500	Provisionally Enlisted
			PARADEA VSMDH.78.575.05	20.64				
			PARADEA VSMDH.78.580.05	20.82				
			PARADEA VSMDH.78.585.05	21.00				
			PARADEA VSMDH.78.590.05	21.18				
			PARADEA VSMDH.78.595.05	21.36				
2	Mono c-Si PERC Modules (Glass to Glass)	PARADEA VSMDH.66.50 0.05 (500 Wp)	PARADEA VSMDH.66.490.05	20.61		132 (Half Cut Cells)	1500	
			PARADEA VSMDH.66.500.05	21.04				



F. No. 283/41/2024- GRID SOLAR

भारत सरकार / Government of India

नवीन और नवीकरणीय ऊर्जा मंत्रालय/ Ministry of New & Renewable Energy

ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003

Dated: 28th August, 2024

To,

M/s. Novasys Greenergy Private Limited
Khasra No. 185, Mouza: Mahalgaon,
Tehsil: Kamptee, Nagpur - 441202
Maharashtra, India.
Email id: sushilbansal@novasysgreen.com

Sub: Provisional ALMM enlistment of Additional Solar PV Module Models of M/s. Novasys Greenergy Private Limited– reg.

Sir,

This is in reference to the application received from **M/s. Novasys Greenergy Private Limited** requesting for provisional enlistment of its additional models in ALMM List-I.

2. In this regard, the undersigned is directed to convey that in accordance with MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt. dated 10.05.2023, provisional enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, is hereby granted to M/s Novasys Greenergy Private Limited, Khasra No. 185, Mouza: Mahalgaon, Tehsil: Kamptee, Nagpur-441202, Maharashtra, India, in respect of 06 additional solar PV module models as mentioned in Appendix-I. The final enlistment in ALMM will be done subsequently, subject to the applicant fulfilling the conditions/ provisions mentioned in the ALMM Order / Guidelines or any other instructions issued / conveyed to the applicant and the scrutiny by the Government.

3. Neither Ministry of New & Renewable Energy (MNRE), Government of India and National Institute of Solar Energy (NISE), nor any of their officers, employees, representatives shall be liable for any loss, liability, damage or expense arising out of or in connection with the Solar PV Module Models which have been granted Provisional Enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, but fail to get Final enlistment in MNRE's ALMM List-I.

4. This is being issued with the approval of competent authority.

Yours faithfully,



(Sanjay G. Karndhar)
Scientist-E
Email: karndhar.sg@nic.in

Copy to: Director General, National Institute of Solar Energy (NISE).

Copy for internal circulation to: PS to Secretary / PS to JS (DDJ)

Copy to NIC, MNRE, for uploading on MNRE's Website as additional page(s) to the ALMM List-I hosted on MNRE's website.

Appendix-I

Name of Manufacturer	M/s. Novasys Greenergy Private Limited
Plant Address	Khasra No. 185, Mouza: Mahalgaon, Tehsil: Kamptee, Nagpur-441202, Maharashtra, India.
Whether Manufacturer already enlisted in ALMM	Yes
Already Enlisted Capacity	261 MW/Year
Applied Capacity	500 MW/Year
Application Type	Model Addition

Details of Additional Models:

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS R. No.	No. of Cells in Module	System Voltage in Volts	Remarks
1	Bifacial Mono c-Si PERC Modules	NOVA265BF72 (265 Wp)	NOVA260BF72	19.43	R-71010499	72 (Half Cut Cell)	1500	Provisionally Enlisted
			NOVA265BF72	19.80				
			NOVA270BF72	20.18				
			NOVA275BF72	20.55				
2	Bifacial Mono c-Si PERC Modules	NOVA355BF96 (355 Wp)	NOVA345BF96	19.63				
			NOVA350BF96	19.91				
			NOVA355BF96	20.20				
			NOVA360BF96	20.48				
3	Bifacial Mono c-Si PERC Modules	NOVA400BF108 (400 Wp)	NOVA380BF108	19.37				
			NOVA385BF108	19.62				
			NOVA390BF108	19.88				
			NOVA395BF108	20.13				
			NOVA400BF108	20.39				
			NOVA405BF108	20.64				
			NOVA410BF108	20.90				
4	Bifacial Mono c-Si PERC Modules	NOVA440BF120 (440 Wp)	NOVA425BF120	19.57				
			NOVA430BF120	19.80				
			NOVA435BF120	20.03				
			NOVA440BF120	20.26				
			NOVA445BF120	20.49				
			NOVA450BF120	20.72				
			NOVA455BF120	20.95				
NOVA460BF120	21.18							

SX

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS R. No.	No. of Cells in Module	System Voltage in Volts	Remarks	
5	Bifacial Mono c-Si PERC Modules	NOVA485BF132 (485 Wp)	NOVA465BF132	19.58		132 (Half Cut Cell)	1500		
			NOVA470BF132	19.79					
			NOVA475BF132	20.00					
			NOVA480BF132	20.21					
			NOVA485BF132	20.42					
			NOVA490BF132	20.63					
			NOVA495BF132	20.84					
			NOVA500BF132	21.06					
			NOVA505BF132	21.27					
6	Bifacial Mono c-Si PERC Modules	NOVA535BF144 (535 Wp)	NOVA520BF144	20.13		144 (Half Cut Cell)	1500		
			NOVA525BF144	20.32					
			NOVA530BF144	20.52					
			NOVA535BF144	20.71					
			NOVA540BF144	20.90					
			NOVA545BF144	21.10					
			NOVA550BF144	21.29					

SK

F. No. 283/41/2024- GRID SOLAR
भारत सरकार / Government of India
नवीन और नवीकरणीय ऊर्जा मंत्रालय/ Ministry of New & Renewable Energy
ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003
Dated: 27th September, 2024

To,

M/s. Sunbond Energy Private Limited
S. No. 181/P2 Opp. 66 kV substation,
Mitana-Padadhari Road, Mitana,
Rajkot-363650, Gujarat, India.

Sub: Provisional ALMM enlistment of Additional Solar PV Module Models of M/s. Sunbond Energy Private Limited– reg.

Sir / Madam,

This is in reference to the application received from **M/s. Sunbond Energy Private Limited** requesting for provisional enlistment of its additional models in ALMM List-I.

2. In this regard, the undersigned is directed to convey that in accordance with MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt. dated 10.05.2023, provisional enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, is hereby granted to M/s Sunbond Energy Private Limited, S. No. 181/P2, Opp. 66 kV substation, Mitana-Padadhari Road, Mitana, Rajkot-363650, Gujarat, India, in respect of 13 additional solar PV module models as mentioned in Appendix-I. The final enlistment in ALMM will be done subsequently, subject to the applicant fulfilling the conditions/ provisions mentioned in the ALMM Order / Guidelines or any other instructions issued / conveyed to the applicant and the scrutiny by the Government.

3. Neither Ministry of New & Renewable Energy (MNRE), Government of India and National Institute of Solar Energy (NISE), nor any of their officers, employees, representatives shall be liable for any loss, liability, damage or expense arising out of or in connection with the Solar PV Module Models which have been granted Provisional Enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, but fail to get Final enlistment in MNRE's ALMM List-I.

4. This is being issued with the approval of competent authority.

Yours faithfully,



(Sanjay G. Karndhar)
Scientist-E

Email: karndhar.sg@nic.in

Copy to: Director General, National Institute of Solar Energy (NISE).

Copy for internal circulation to: PS to Secretary


Copy to NIC, MNRE, for uploading on MNRE's Website as additional page(s) to the ALMM List-I hosted on MNRE's website.

Appendix-I

Name of Manufacturer	M/s. Sunbond Energy Pvt. Ltd.
Plant Address	S. No. 181/P2, Opp. 60 kV substation, Mitana-Padadhari Road, Mitana, Rajkot-363650, Gujarat, India
Whether Manufacturer already enlisted in ALMM	Yes
Already Enlisted Capacity	60 MW/Year
Applied Capacity	290 MW/Year
Application Type	Model Addition

Details of Additional Models:

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS R. No.	No. of Cells in Module	System Voltage in Volts	Remarks
1	Mono c-Si PERC Modules	SEPLM10-490 (490 Wp)	SEPLM10-495	19.16	R-720057 62	144 (Half Cut Cell)	1500	Provisionally Enlisted
2	Mono c-Si PERC Modules	SEPLM10-460 (460 Wp)	SEPLM10-480	20.10		132 (Half Cut Cell)	1500	
			SEPLM10-475	19.89				
			SEPLM10-470	19.68				
			SEPLM10-465	19.47				
			SEPLM10-460	19.26				
3	Mono c-Si PERC Modules	SEPLM10-425 (425 Wp)	SEPLM10-455	19.05		120 (Half Cut Cell)	1500	
			SEPLM10-440	20.20				
			SEPLM10-435	19.97				
			SEPLM10-430	19.74				
			SEPLM10-425	19.51				
4	Mono c-Si PERC Modules (Glass to Transparent Backsheet)	SEPLM10B156-580 (580 Wp)	SEPLM10-420	19.28		156 (Half Cut Cell)	1500	
			SEPLM10-415	19.05				
			SEPLM10B156-600	21.47				
			SEPLM10B156-595	21.29				
			SEPLM10B156-590	21.11				
			SEPLM10B156-585	20.94				
			SEPLM10B156-580	20.76				
5	Mono c-Si PERC Modules (Glass to Transparent Backsheet)	SEPLM10B144-540 (540 Wp)	SEPLM10B156-575	20.58		144 (Half Cut Cell)	1500	
			SEPLM10B156-570	20.40				
			SEPLM10B156-565	20.22				
			SEPLM10B144-560	21.68				
			SEPLM10B144-555	21.48				
			SEPLM10B144-550	21.29				
6	Mono c-Si PERC Modules (Glass to Transparent Backsheet)	SEPLM10B132-500 (500 Wp)	SEPLM10B144-545	21.10		132 (Half Cut Cell)	1500	
			SEPLM10B144-540	20.90				
			SEPLM10B144-535	20.71				
			SEPLM10B144-530	20.52				
			SEPLM10B132-515	21.69				
7	Mono c-Si PERC Modules (Glass to Transparent Backsheet)	SEPLM10B120-460 (460 Wp)	SEPLM10B132-510	21.48	120 (Half Cut Cell)	1500		
			SEPLM10B132-505	21.27				
			SEPLM10B132-500	21.06				
			SEPLM10B132-495	20.84				
			SEPLM10B132-490	20.63				
			SEPLM10B120-480	22.21				
			SEPLM10B120-475	21.98				
			SEPLM10B120-470	21.74				
			SEPLM10B120-465	21.51				
			SEPLM10B120-460	21.28				
			SEPLM10B120-455	21.05				
			SEPLM10B120-450	20.82				



S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS R. No.	No. of Cells in Module	System Voltage in Volts	Remarks
8	Mono c-Si PERC Modules (Glass to Transparent Backsheet)	SEPLM10B108-420 (420 Wp)	SEPLM10B108-440	22.53		108 (Half Cut Cell)	1500	
			SEPLM10B108-435	22.27				
			SEPLM10B108-430	22.02				
			SEPLM10B108-425	21.76				
			SEPLM10B108-420	21.51				
			SEPLM10B108-415	21.25				
			SEPLM10B108-410	20.99				
9	N-Type TOPCon Modules (Glass to Transparent Backsheet)	SEPLT16B156-620 (620 Wp)	SEPLT16B156-640	22.90		156 (Half Cut Cell)	1500	
			SEPLT16B156-635	22.72				
			SEPLT16B156-630	22.55				
			SEPLT16B156-625	22.37				
			SEPLT16B156-620	22.19				
			SEPLT16B156-615	22.01				
			SEPLT16B156-610	21.83				
10	N-Type TOPCon Modules (Glass to Transparent Backsheet)	SEPLT16B144-580 (580 Wp)	SEPLT16B144-595	23.03		144 (Half Cut Cell)	1500	
			SEPLT16B144-590	22.84				
			SEPLT16B144-585	22.64				
			SEPLT16B144-580	22.45				
			SEPLT16B144-575	22.26				
11	N-Type TOPCon Modules (Glass to Transparent Backsheet)	SEPLT16B132-540 (540 Wp)	SEPLT16B144-570	22.06		132 (Half Cut Cell)	1500	
			SEPLT16B132-560	23.58				
			SEPLT16B132-555	23.37				
			SEPLT16B132-550	23.16				
			SEPLT16B132-545	22.95				
			SEPLT16B132-540	22.74				
			SEPLT16B132-535	22.53				
12	N-Type TOPCon Modules (Glass to Transparent Backsheet)	SEPLT16B120-500 (500 Wp)	SEPLT16B132-530	22.32		120 (Half Cut Cell)	1500	
			SEPLT16B120-525	22.11				
			SEPLT16B120-520	24.06				
			SEPLT16B120-515	23.83				
			SEPLT16B120-510	23.59				
			SEPLT16B120-505	23.36				
			SEPLT16B120-500	23.13				
			SEPLT16B120-495	22.90				
			SEPLT16B120-490	22.67				
13	N-Type TOPCon Modules (Glass to Transparent Backsheet)	SEPLT16B108-430 (430 Wp)	SEPLT16B120-485	22.44		108 (Half Cut Cell)	1500	
			SEPLT16B120-480	22.21				
			SEPLT16B120-475	21.98				
			SEPLT16B108-450	23.04				
			SEPLT16B108-445	22.79				
			SEPLT16B108-440	22.53				
			SEPLT16B108-435	22.27				
SEPLT16B108-430	22.02							
	SEPLT16B108-425	21.76						
	SEPLT16B108-420	21.51						
	SEPLT16B108-415	21.25						

SK

F. No. 283/41/2024- GRID SOLAR
भारत सरकार / Government of India
नवीन और नवीकरणीय ऊर्जा मंत्रालय/ Ministry of New & Renewable Energy
ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003
Dated: 14th October, 2024

To

M/s. Credence Solar Panels Private Limited,
Plot no 18 and 19, Survey No 142/2,
Rajkot-Jamnagar highway, Padadhari,
Rajkot, Gujarat, India- 360110

Sub: Provisional ALMM enlistment of Additional Solar PV Module Models of M/s. Credence Solar Panels Private Limited - reg.

Sir / Madam,

This is in reference to the application received from **M/s. Credence Solar Panels Private Limited** requesting for provisional enlistment of its additional models in ALMM List-I.

2. In this regard, the undersigned is directed to convey that in accordance with MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt. dated 10.05.2023, provisional enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, is hereby granted to **M/s. Credence Solar Panels Private Limited, Plot no 18 and 19, Survey No 142/2, Rajkot-Jamnagar highway, Padadhari, Rajkot, Gujarat, India- 360110**, in respect of 2 additional solar PV module models as mentioned in Appendix-I. The final enlistment in ALMM will be done subsequently, subject to the applicant fulfilling the conditions/ provisions mentioned in the ALMM Order / Guidelines or any other instructions issued / conveyed to the applicant and the scrutiny by the Government.

3. Neither Ministry of New & Renewable Energy (MNRE), Government of India and National Institute of Solar Energy (NISE), nor any of their officers, employees, representatives shall be liable for any loss, liability, damage or expense arising out of or in connection with the Solar PV Module Models which have been granted Provisional Enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, but fail to get Final enlistment in MNRE's ALMM List-I.

4. This is being issued with the approval of competent authority.

Yours faithfully,



(Sanjay G. Karndhar)
Scientist-E

Email: karndhar.sg@nic.in

Copy to: Director General, National Institute of Solar Energy (NISE).

Copy for internal circulation to: PS to Secretary


Copy to NIC, MNRE, for uploading on MNRE's Website as additional page(s) to the ALMM List-I hosted on MNRE's website

Appendix-I

Name of Manufacturer	Credence Solar Panels Private Limited
Plant Address	Plot no 18 and 19, Survey No 142/2, Rajkot-Jamnagar highway, Padadhari, Rajkot, Gujarat, India- 360110
Whether Manufacturer already enlisted in ALMM	Yes
Already Enlisted Capacity	500 MW/Year
Applied Capacity	500 MW/Year
Application Type	Model Addition

Details of Additional Models:

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS R. No.	No. of Cells in Module	System Voltage (V)	Remarks
1	Bifacial N-Type TOPCon Module (Glass to Glass)	CS-HBT580-144 (580 Wp)	CS-HBT560-144	21.68	R-72006165	144 (Half cut Cells)	1500	Provisionally enlisted
			CS-HBT565-144	21.87				
			CS-HBT570-144	22.07				
			CS-HBT575-144	22.26				
			CS-HBT580-144	22.45				
			CS-HBT585-144	22.65				
			CS-HBT590-144	22.84				
			CS-HBT595-144	23.03				
2	Bifacial N-Type TOPCon Module (Glass to Glass)	CS-HBT625-156 (625 Wp)	CS-HBT600-144	23.23	R-72006165	156 (Half Cut Cells)	1500	Provisionally enlisted
			CS-HBT610-156	21.81				
			CS-HBT615-156	21.99				
			CS-HBT620-156	22.17				
			CS-HBT625-156	22.35				
			CS-HBT630-156	22.53				
			CS-HBT635-156	22.71				
CS-HBT640-156	22.89							



F. No. 283/41/2024- GRID SOLAR
भारत सरकार / Government of India
नवीन और नवीकरणीय ऊर्जा मंत्रालय/ Ministry of New & Renewable Energy
ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003
Dated: 14th October, 2024

To

M/s. Unique Sun Power LLP,
BL No. 2281/2/1/1, Sub Plot 1-A,
Tadkeshwar, Near Areth Minnor Canal,
Mandvi, Surat, Gujarat-394170, India

Sub: Provisional ALMM enlistment of Additional Solar PV Module Models of M/s. Unique Sun Power LLP - reg.

Sir / Madam,

This is in reference to the application received from **M/s. Unique Sun Power LLP** requesting for provisional enlistment of its additional models in ALMM List-I.

2. In this regard, the undersigned is directed to convey that in accordance with MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt. dated 10.05.2023, provisional enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, is hereby granted to **M/s. Unique Sun Power LLP, BL No. 2281/2/1/1, Sub Plot 1-A, Tadkeshwar, Near Areth Minnor Canal, Mandvi, Surat, Gujarat-394170, India**, in respect of 5 additional solar PV module models as mentioned in Appendix-I. The final enlistment in ALMM will be done subsequently, subject to the applicant fulfilling the conditions/provisions mentioned in the ALMM Order / Guidelines or any other instructions issued / conveyed to the applicant and the scrutiny by the Government.

3. Neither Ministry of New & Renewable Energy (MNRE), Government of India and National Institute of Solar Energy (NISE), nor any of their officers, employees, representatives shall be liable for any loss, liability, damage or expense arising out of or in connection with the Solar PV Module Models which have been granted Provisional Enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, but fail to get Final enlistment in MNRE's ALMM List-I.

4. This is being issued with the approval of competent authority.

Yours faithfully,



(Sanjay G. Karndhar)
Scientist-E

Email: karndhar.sg@nic.in

Copy to: Director General, National Institute of Solar Energy (NISE).

Copy for internal circulation to: PS to Secretary

Copy to NIC, MNRE, for uploading on MNRE's Website as additional page(s) to the ALMM List-I hosted on MNRE's website

Appendix-I

Name of Manufacturer	M/s. Unique Sun Power LLP
Plant Address	BL No. 2281/2/1/1, Sub Plot 1-A, Tadkeshwar, Near Areth Minnor Canal, Mandvi, Surat, Gujarat-394170, India
Whether Manufacturer already enlisted in ALMM	Yes
Already Enlisted Capacity	43 MW/Year
Applied Capacity	200 MW/Year
Application Type	Model Addition

Details of Additional Models:

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS R. No.	No. of Cells in Module	System Voltage (V)	Remarks
1	N-TYPE TOPCon Module	SUN156P615 (615 Wp)	SUN156P630	22.53	R-72005550	156 (Half Cut Cells)	1500	Provisionally enlisted
			SUN156P625	22.35				
			SUN156P620	22.17				
			SUN156P615	21.99				
			SUN156P610	21.81				
			SUN156P605	21.63				
SUN156P600	21.45							
2	N-TYPE TOPCon Module	SUN144T565 (565 Wp)	SUN144T590	22.83				
			SUN144T585	22.63				
			SUN144T580	22.44				
			SUN144T575	22.25				
			SUN144T570	22.05				
			SUN144T565	21.86				
			SUN144T560	21.67				
			SUN144T555	21.47				
			SUN144T550	21.28				
SUN144T545	21.09							
SUN144T540	20.89							
3	N-TYPE TOPCon Module	SUN132T520 (520 Wp)	SUN132T535	22.53				
			SUN132T530	22.32				
			SUN132T525	22.11				
			SUN132T520	21.90				
			SUN132T515	21.69				
			SUN132T510	21.48				
SUN132T500	21.06							
4	N-TYPE TOPCon Module	SUN120T480 (480 Wp)	SUN120T490	22.67				
			SUN120T485	22.44				
			SUN120T480	22.21				
			SUN120T470	21.74				
SUN120T460	21.28							
5	N-TYPE TOPCon Module	SUN108T420 (420 Wp)	SUN108T440	22.52				
			SUN108T435	22.26				
			SUN108T430	22.01				
			SUN108T420	21.49				
			SUN108T410	20.98				
SUN108T400	20.47							

SH

F. No. 283/41/2024- GRID SOLAR
भारत सरकार / Government of India
नवीन और नवीकरणीय ऊर्जा मंत्रालय/ Ministry of New & Renewable Energy
ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003
Dated: 14th October, 2024

To

M/s. Ganesh Green Bharat Limited
Survey No. 319/320/321,
Tundali, Tundali approach road,
Behind Honest Restaurant,
Near Nadasan Flyover,
Mehsana - 382732, Gujarat, India

Sub: Provisional ALMM enlistment of Additional Solar PV Module Models of M/s. Ganesh Green Bharat Limited - reg.

Sir / Madam,

This is in reference to the application received from **M/s. Ganesh Green Bharat Limited** requesting for provisional enlistment of its additional models in ALMM List-I.

2. In this regard, the undersigned is directed to convey that in accordance with MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt. dated 10.05.2023, provisional enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, is hereby granted to **M/s. Ganesh Green Bharat Limited, Survey No. 319/320/321, Tundali, Tundali approach road, Behind Honest Restaurant, Near Nadasan Flyover, Mehsana - 382732, Gujarat, India**, in respect of 13 additional solar PV module models as mentioned in Appendix-I. The final enlistment in ALMM will be done subsequently, subject to the applicant fulfilling the conditions/ provisions mentioned in the ALMM Order / Guidelines or any other instructions issued / conveyed to the applicant and the scrutiny by the Government.

3. Neither Ministry of New & Renewable Energy (MNRE), Government of India and National Institute of Solar Energy (NISE), nor any of their officers, employees, representatives shall be liable for any loss, liability, damage or expense arising out of or in connection with the Solar PV Module Models which have been granted Provisional Enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, but fail to get Final enlistment in MNRE's ALMM List-I.

4. This is being issued with the approval of competent authority.

Yours faithfully,



(Sanjay G. Karndhar)
Scientist-E
Email: karndhar.sg@nic.in

Copy to: Director General, National Institute of Solar Energy (NISE).

Copy for internal circulation to: PS to Secretary

Copy to NIC, MNRE, for uploading on MNRE's Website as additional page(s) to the ALMM List-I hosted on MNRE's website

Appendix-I

Name of Manufacturer	M/s. Ganesh Green Bharat Limited
Plant Address	Survey No. 319/320/321, Tundali, Tundali approach road, Behind Honest Restaurant, Near Nadasan Flyover, Mehsna - 382732, Gujarat, India
Whether Manufacturer already enlisted in ALMM	Yes
Already Enlisted Capacity	131 MW/Year
Application Type	Model Addition

Details of Additional Models:

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS R. No.	No. of Cells in Module	System Voltage (V)	Remarks
1	Bifacial N-TYPE TOPCon Module (Glass to Glass)	SGTP 156BG-615 (615 Wp)	SGTP156BG-630	22.53	R-72005886	156 (Half Cut Cells)	1500	Provisionally enlisted
			SGTP156BG-625	22.35				
			SGTP156BG-620	22.17				
			SGTP156BG-615	21.99				
			SGTP156BG-610	21.81				
			SGTP156BG-605	21.63				
			SGTP156BG-600	21.46				
2	Bifacial N-TYPE TOPCon Module (Glass to Glass)	SGTP 144BG-575 (575 Wp)	SGTP156BG-595	21.28				
			SGTP144BG-600	23.23				
			SGTP144BG-595	23.03				
			SGTP144BG-590	22.84				
			SGTP144BG-585	22.65				
			SGTP144BG-580	22.45				
			SGTP144BG-575	22.26				
3	Bifacial N-TYPE TOPCon Module (Glass to Glass)	SGTP 132BG-530 (530 Wp)	SGTP144BG-570	22.07				
			SGTP144BG-565	21.87				
			SGTP144BG-560	21.68				
			SGTP144BG-555	21.48				
			SGTP132BG-555	23.37				
			SGTP132BG-550	23.16				
			SGTP132BG-545	22.95				
4	Bifacial N-TYPE TOPCon Module (Glass to Glass)	SGTP 120BG-480 (480 Wp)	SGTP132BG-540	22.74				
			SGTP132BG-535	22.53				
			SGTP132BG-530	22.32				
			SGTP132BG-525	22.11				
			SGTP132BG-520	21.90				
			SGTP132BG-515	21.69				
			SGTP132BG-510	21.48				
5	Bifacial N-TYPE TOPCon Module (Glass to Glass)	SGTP 108BG-430 (430 Wp)	SGTP120BG-500	23.08				
			SGTP120BG-495	22.85				
			SGTP120BG-490	22.62				
			SGTP120BG-485	22.39				
			SGTP120BG-480	22.16				
			SGTP120BG-475	21.93				
			SGTP120BG-470	21.70				
5	Bifacial N-TYPE TOPCon Module (Glass to Glass)	SGTP 108BG-430 (430 Wp)	SGTP120BG-465	21.47				
			SGTP120BG-460	21.24				
			SGTP108BG-450	22.99				
			SGTP108BG-445	22.74				
			SGTP108BG-440	22.48				
			SGTP108BG-435	22.22				
			SGTP108BG-430	21.97				
5	Bifacial N-TYPE TOPCon Module (Glass to Glass)	SGTP 108BG-430 (430 Wp)	SGTP108BG-425	21.71				
			SGTP108BG-420	21.46				
			SGTP108BG-415	21.20				
5	Bifacial N-TYPE TOPCon Module (Glass to Glass)	SGTP 108BG-430 (430 Wp)	SGTP108BG-410	20.95		108 (Half Cut Cells)	1500	

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS R. No.	No. of Cells in Module	System Voltage (V)	Remarks
6	Bifacial Mono c-Si Perc Module (Glass to Glass)	SGMJ 156BG-570 (570 Wp)	SGMJ156BG-595	21.28		156 (Half Cut Cells)	1500	
			SGMJ156BG-590	21.10				
			SGMJ156BG-585	20.92				
			SGMJ156BG-580	20.74				
			SGMJ156BG-575	20.56				
			SGMJ156BG-570	20.38				
			SGMJ156BG-565	20.20				
			SGMJ156BG-560	20.03				
			SGMJ156BG-555	19.85				
			SGMJ156BG-550	19.67				
SGMJ156BG-545	19.49							
7	Bifacial Mono c-Si Perc Module (Glass to Glass)	SGMJ 156BG-540 (540 Wp)	SGMJ156BG-540	19.31		156 (Half Cut Cells)	1500	
8	Bifacial Mono c-Si Perc Module (Glass to Glass)	SGMJ 144BG-525 (525 Wp)	SGMJ144BG-550	21.29		144 (Half Cut Cells)	1500	
			SGMJ144BG-545	21.10				
			SGMJ144BG-540	20.90				
			SGMJ144BG-535	20.71				
			SGMJ144BG-530	20.52				
			SGMJ144BG-525	20.32				
			SGMJ144BG-520	20.13				
			SGMJ144BG-515	19.94				
			SGMJ144BG-510	19.74				
			SGMJ144BG-505	19.55				
SGMJ144BG-500	19.36							
9	Bifacial Mono c-Si Perc Module (Glass to Glass)	SGMJ 144BG-495 (495 Wp)	SGMJ144BG-495	19.16		144 (Half Cut Cells)	1500	
10	Bifacial Mono c-Si Perc Module (Glass to Glass)	SGMJ 132BG-480 (480 Wp)	SGMJ132BG-500	21.06		132 (Half Cut Cells)	1500	
			SGMJ132BG-495	20.85				
			SGMJ132BG-490	20.64				
			SGMJ132BG-485	20.42				
			SGMJ132BG-480	20.21				
			SGMJ132BG-475	20.00				
			SGMJ132BG-470	19.79				
			SGMJ132BG-465	19.58				
SGMJ132BG-460	19.37							
11	Bifacial Mono c-Si Perc Module (Glass to Glass)	SGMJ 132BG-455 (455 Wp)	SGMJ132BG-455	19.16		132 (Half Cut Cells)	1500	
12	Bifacial Mono c-Si Perc Module (Glass to Glass)	SGMJ 120BG-435 (435 Wp)	SGMJ120BG-455	21.01		120 (Half Cut Cells)	1500	
			SGMJ120BG-450	20.78				
			SGMJ120BG-445	20.55				
			SGMJ120BG-440	20.31				
			SGMJ120BG-435	20.08				
			SGMJ120BG-430	19.85				
			SGMJ120BG-425	19.62				
			SGMJ120BG-420	19.39				
SGMJ120BG-415	19.16							
13	Bifacial Mono c-Si Perc Module (Glass to Glass)	SGMJ 108BG-385 (385 Wp)	SGMJ108BG-395	20.18		108 (Half Cut Cells)	1500	
			SGMJ108BG-390	19.93				
			SGMJ108BG-385	19.67				
			SGMJ108BG-380	19.41				
			SGMJ108BG-375	19.16				