

F. No. 283/41/2024-GRID SOLAR

भारत सरकार / Government of India

नवीन और नवीकरणीय ऊर्जा मंत्रालय / Ministry of New & Renewable Energy

ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003.

Dated: 26th December, 2024

OFFICE MEMORANDUM

Sub: Updation of List I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 – Reg.

Ref:

- (i) MNRE's O.M. No. 283/54/2018-GRID SOLAR-Part(1) dated 10.03.2021;
- (ii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 10.05.2023;
- (iii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 22.03.2024;

Reference is invited to this Ministry's O.M.s of even no. dated 10.03.2021, regarding implementation of Approved Models and Manufacturers of Solar Photovoltaic Modules (Requirement for Compulsory Registration) Order, 2019 and publishing List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019.

2. This Ministry vide its O.M. No. 283/22/2023-GRID SOLAR/Pt dated 10.05.2023 and O.M. of even no. dated 22.03.2024 inter-alia directed that only such models of Solar PV Module Manufacturers will be enlisted under ALMM, which comply with the BIS Standards and are having the following minimum module efficiency:

Category	Application/ Use	Minimum Module Efficiency requirement for crystalline-Silicon technology based Solar PV Modules	Minimum Module Efficiency requirement for Cadmium Telluride Thin Film technology based Solar PV Modules
Category I	Utility / Grid Scale Power Plants	20.0%	19.00%
Category II	Rooftop and Solar Pumping	19.5%	18.50%
Category III	Solar Lighting	19.0%	18.00%

3. Post the O.M. dated 10.05.2023 and subsequent O.M. dated 22.03.2024, only such models of Solar PV Modules have been considered for enlistment under ALMM List-I, whose module efficiency is meeting the eligibility criteria as mentioned in table at para-2 above.

4. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 was last updated on 02.12.2024.

5. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 is hereby further revised and the Revision-XXXII of same is enclosed at Annexure-I. The details of provisional enlistments granted by MNRE in ALMM List-I are at pages after Annexure-I.

6. The ALMM enlistment validity is subject to valid BIS Registration; else deemed to be delisted.

7. The details of Registration No. (R. No.) which has been allotted by BIS is mentioned against each manufacturer / manufacturing unit enlisted in ALMM and further details related to BIS certification like validity, models included, etc. may be checked from BIS website by using the following link:
https://www.crsbis.in/BIS/Lims_registration.do?hmode=getLimsData

8. This issues with the approval of competent authority.



(Sanjay G. Karndhar)
Scientist-E

E-mail: karndhar.sg@nic.in

Encl: as above

To: All Concerned

Copy to: Director (Technical), NIC, MNRE for uploading this document on MNRE's website

List of Manufacturers and Models of Solar PV Modules Enlisted under ALMM Order (As on 26.12.2024)

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity					
												From	To (subject to valid BIS Registration; else deemed to be delisted)				
1	Emmvee Photovoltaic Power Pvt. Ltd.	#13/1, International Airport Road (Bellary Road), Bettahalsuru Post, Bengaluru-562157, Karnataka	R-62001074	512	i	Mono C-Si PERC Modules	E390M72 (390 Wp)	E385M72 E390M72 E395M72	19.20 19.45 19.70	72 (Full Cells)	1500	10.03.2023	09.03.2027				
					ii	Mono C-Si PERC Modules	E325M60 (325 Wp)	E320M60 E325M60 E330M60	19.04 19.34 19.64					60 (Full Cells)	1500	10.03.2023	09.03.2027
2	M/s Sova Solar Ltd.	Layout Plot No: 25, E.P.I.P, Banskopa, Durgapur 713212, West Bengal, India.	R-51000590	532	i	Mono C-Si PERC Modules	SS535144HCMP (535Wp)	SS520144HCMP	20.16	144 (Half-Cut Cells)	1500	10.03.2023	09.03.2027				
								SS525144HCMP	20.35								
								SS530144HCMP	20.54								
								SS535144HCMP	20.74								
								SS540144HCMP	20.93								
								SS545144HCMP	21.13								
								SS550144HCMP	21.32								
					ii	Mono C-Si PERC Bifacial Modules	SS535144HCBP (535Wp)	SS555144HCMP	21.51								
								SS520144HCBP	20.16								
								SS525144HCBP	20.35								
								SS530144HCBP	20.54								
								SS535144HCBP	20.74								
								SS540144HCBP	20.93								
					iii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	SS535144HCMP (535Wp)	SS545144HCBP	21.13								
								SS550144HCMP	21.32								
3	M/s Solex Energy Ltd	Plot No. 131/A Phase-1, G.I.D.C, Vitthal Udyognagar, Anand, Gujarat	R-72002577	21	i	Mono C-Si PERC Modules	SESM24375 (375 Wp)	SESM24370	19.04	72 (Full Cells)	1000	10.03.2023	09.03.2027				
								SESM24375	19.30								
								SESM24380	19.55								
					ii	Mono C-Si PERC Modules	SES20CM120W320 (320 Wp)	SES20CM120W320	19.21	120 (Half Cells)	1000	10.03.2023	09.03.2027				
								SES24CM144W375	19.01								
					iii	Mono C-Si PERC Modules	SES24CM144W380 (380 Wp)	SES24CM144W380	19.30	144 (Half Cells)	1000	10.03.2023	09.03.2027				
								SES24CM144W385	19.51								
								SGE190-36M	19.11					36 (Full Cells)	1000	10.03.2023	09.03.2027
								SGE255-48M	19.37								
ii	Mono C-Si PERC Modules	SGE285-54M (285 Wp)	SGE280-54M	19.15	54 (Full Cells)	1000	10.03.2023	09.03.2027									
			SGE285-54M	19.49													
iii	Mono C-Si PERC Modules	SGE315-60M (315 Wp)	SGE310-60M	19.08	60 (Full Cells)	1500	10.03.2023	09.03.2027									
			SGE315-60M	19.41													
iv	Mono C-Si PERC Modules	SGE375-72M (375 Wp)	SGE370-72M	19.09	72 (Full Cells)	1500	10.03.2023	09.03.2027									
			SGE375-72M	19.35													
4	Saatvik Green Energy Pvt. Ltd.	Village Dubli, Tehshil- Barara, Dist- Ambala -133101, Haryana	R-91003670	1740	i	Mono C-Si PERC Modules	SGE190-36M (190 Wp)	SGE190-36M	19.11	36 (Full Cells)	1000	10.03.2023	09.03.2027				
								SGE255-48M	19.37								
					ii	Mono C-Si PERC Modules	SGE285-54M (285 Wp)	SGE280-54M	19.15	54 (Full Cells)	1000	10.03.2023	09.03.2027				
								SGE285-54M	19.49								
					iii	Mono C-Si PERC Modules	SGE315-60M (315 Wp)	SGE310-60M	19.08	60 (Full Cells)	1500	10.03.2023	09.03.2027				
								SGE315-60M	19.41								
					iv	Mono C-Si PERC Modules	SGE375-72M (375 Wp)	SGE370-72M	19.09	72 (Full Cells)	1500	10.03.2023	09.03.2027				
								SGE375-72M	19.35								
					v	Mono C-Si PERC Modules	SGE380-72M (380 Wp)	SGE380-72M	19.61	72 (Full Cells)	1500	10.03.2023	09.03.2027				
								SGE555-156MHC	19.78								
SGE560-156MHC	19.96																
SGE565-156MHC	20.14																
SGE570-156MHC	20.32																
SGE575-156MHC	20.50																
SGE580-156MHC	20.67																
SGE585-156MHC	20.85																
vi	Mono C-Si PERC Modules	SGE530-144MHC (530 Wp)	SGE590-156MHC	21.03	144 (Half Cut Cells)	1500	10.03.2023	09.03.2027									
			SGE520-144MHC	20.13													
			SGE525-144MHC	20.32													
			SGE530-144MHC	20.52													
			SGE535-144MHC	20.70													
			SGE540-144MHC	20.90													
			SGE545-144MHC	21.10													
			SGE550-144MHC	21.29													
			SGE470-132MHC	19.78													

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					viii	Mono C-Si PERC Modules	SGE485-132MHC, (485 Wp)	SGE475-132MHC	20.01	132 (Half Cut Cells)	1500	10.03.2023	09.03.2027
								SGE480-132MHC	20.23				
								SGE485-132MHC	20.41				
								SGE490-132MHC	20.63				
								SGE495-132MHC	20.84				
								SGE500-132MHC	21.05				
					ix	Mono C-Si PERC Modules	SGE440-120MHC, (440 Wp)	SGE420-120MHC	19.37	120 (Half Cut Cells)	1500	10.03.2023	09.03.2027
								SGE425-120MHC	19.60				
								SGE430-120MHC	19.83				
								SGE435-120MHC	20.06				
								SGE440-120MHC	20.29				
								SGE445-120MHC	20.52				
					x	Mono C-Si PERC Modules	SGE395-108MHC, (395 Wp)	SGE450-120MHC	20.76	108 (Half Cut Cells)	1500	10.03.2023	09.03.2027
								SGE455-120MHC	20.99				
								SGE380-108MHC	19.44				
								SGE385-108MHC	19.69				
								SGE390-108MHC	19.95				
								SGE395-108MHC	20.20				
xi	Mono C-Si PERC Modules	SGE 395-72M, (395 Wp)	SGE400-108MHC	20.46	72 (Full Cell)	1500	10.03.2023	09.03.2027					
			SGE405-108MHC	20.71									
			SGE410-108MHC	20.98									
			SGE 385-72M	19.22									
xii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	SGE535-144MBHC (535 Wp)	SGE 390-72M	19.47	144 (Half Cut Cells)	1500	10.03.2023	09.03.2027					
			SGE 395-72M	19.72									
			SGE 400-72M	19.97									
			SGE525-144MBHC	20.32									
			SGE530-144MBHC	20.52									
			SGE535-144MBHC	20.71									
xiii	Bifacial N Type TOPCon Module	SGE425-108TGG (425 Wp)	SGE540-144MBHC	20.90	108 (Half Cut Cells)	1500	10.03.2023	09.03.2027					
			SGE545-144MBHC	21.10									
			SGE550-144MBHC	21.29									
			SGE410-108TGG	20.97									
			SGE415-108TGG	21.22									
			SGE420-108TGG	21.48									
xiv	Bifacial N Type TOPCon Module	SGE475-120TGG (475 Wp)	SGE425-108TGG	21.74	120 (Half Cut Cells)	1500	10.03.2023	09.03.2027					
			SGE430-108TGG	21.99									
			SGE435-108TGG	22.25									
			SGE440-108TGG	22.51									
			SGE460-120TGG	21.21									
			SGE465-120TGG	21.46									
xv	Bifacial N Type TOPCon Module	SGE520-132TGG (520 Wp)	SGE470-120TGG	21.68	132 (Half Cut Cells)	1500	10.03.2023	09.03.2027					
			SGE475-120TGG	21.91									
			SGE480-120TGG	22.14									
			SGE485-120TGG	22.37									
			SGE490-120TGG	22.60									
			SGE510-132TGG	21.46									
xvi	Bifacial N Type TOPCon Module	SGE575-144TGG (575 Wp)	SGE515-132TGG	21.67	144 (Half Cut Cells)	1500	10.03.2023	09.03.2027					
			SGE520-132TGG	21.88									
			SGE525-132TGG	22.09									
			SGE530-132TGG	22.30									
			SGE535-132TGG	22.51									
			SGE560-144TGG	21.68									
xvii	Bifacial N Type TOPCon Module	SGE615-156TGG (615 Wp)	SGE565-144TGG	21.87	156 (Half Cut Cells)	1500	10.03.2023	09.03.2027					
			SGE570-144TGG	22.06									
			SGE575-144TGG	22.26									
			SGE580-144TGG	22.45									
			SGE585-144TGG	22.64									
			SGE590-144TGG	22.84									
xviii	Mono c-Si PERC Module	SGE500-144 MHC (500 Wp)	SGE600-156TGG	21.47	144 (Half Cut Cells)	1500	10.03.2023	09.03.2027					
			SGE605-156TGG	21.65									
			SGE610-156TGG	21.83									
			SGE615-156TGG	22.01									
			SGE620-156TGG	22.19									
			SGE625-156TGG	22.37									
5	Navitas Green Solutions Pvt. Ltd.	Plot No. B-20/3, Road No. 13, 14, Palsana-Baleswar Rd, Hoziwala Industrial Estate, Sachin, Surat-394230,	R-72003140	250	i	Mono C-Si PERC Modules	NSM375 (375 Wp)	NSM370	19.07	72 (Full Cells)	1500	10.03.2023	09.03.2027
							NSM375	19.33					
							NSM380	19.58					

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
		Gujarat			ii	Mono C-Si PERC Modules	NSM320-60 (320 Wp)	NSM310-60 NSM315-60 NSM320-60 NSM325-60 NSM330-60 NSM340-66	19.09 19.40 19.71 20.02 20.33 19.03	60 (Full Cells)	1500	10.03.2023	09.03.2027
					iii	Mono C-Si PERC Modules	NSM350-66 (350 Wp)	NSM345-66 NSM350-66 NSM355-66	19.31 19.59 19.87	66 (Full Cells)	1500	10.03.2023	09.03.2027
					iv	Mono PERC C-Si Module	NSM580-156 (580 Wp)	NSM570-156 NSM575-156 NSM580-156 NSM585-156	20.39 20.57 20.74 20.92	156 (Half Cut Cells)	1500	10.03.2023	09.03.2027
					v	Mono PERC C-Si Module	NSM540-144 (540 Wp)	NSM525-144 NSM530-144 NSM535-144 NSM540-144 NSM545-144 NSM550-144 NSM555-144 NSM560-144	20.32 20.51 20.71 20.90 21.09 21.29 21.48 21.67	144 (Half Cut Cells)	1500	10.03.2023	09.03.2027
					vi	Mono PERC C-Si Module	NSM500-132 (500 Wp)	NSM480-132 NSM485-132 NSM490-132 NSM495-132 NSM500-132	20.21 20.42 20.64 20.85 21.06	132 (Half Cut Cells)	1500	10.03.2023	09.03.2027
					vii	Mono PERC C-Si Module	NSM445-120 (445 Wp)	NSM435-120 NSM440-120 NSM445-120 NSM450-120 NSM455-120	20.09 20.33 20.56 20.79 21.02	120 (Half Cut Cells)	1500	10.03.2023	09.03.2027
					viii	Mono PERC C-Si Module	NSM400-108 (400 Wp)	NSM390-108 NSM395-108 NSM400-108 NSM405-108 NSM410-108	19.96 20.21 20.47 20.72 20.98	108 (Half Cut Cells)	1500	10.03.2023	09.03.2027
					ix	Mono PERC C-Si Module	NSM360-96 (360 Wp)	NSM350-96 NSM355-96 NSM360-96 NSM365-96	20.06 20.35 20.64 20.92	96 (Half Cut Cells)	1500	10.03.2023	09.03.2027
					x	Mono PERC C-Si Module	NSM270-72 (270 Wp)	NSM260-72 NSM265-72 NSM270-72 NSM275-72	19.62 20.00 20.38 20.76	72 (Half Cut Cells)	1500	10.03.2023	09.03.2027
					xi	Mono PERC C-Si Module	NSM470-156 (470 Wp)	NSM460-156 NSM465-156 NSM470-156 NSM475-156 NSM480-156 NSM485-156	19.65 19.86 20.07 20.29 20.50 20.72	156 (Half Cut Cells)	1500	10.03.2023	09.03.2027
					xii	Mono PERC C-Si Module	NSM450-144 (450 Wp)	NSM435-144 NSM440-144 NSM445-144 NSM450-144 NSM455-144 NSM460-144 NSM465-144	20.08 20.32 20.78 20.55 21.01 21.64 21.47	144 (Half Cut Cells)	1500	10.03.2023	09.03.2027
					xiii	Mono PERC C-Si Module	NSM405-132 (405 Wp)	NSM395-132 NSM400-132 NSM405-132 NSM410-132 NSM415-132	19.85 20.10 20.35 20.60 20.85	132 (Half Cut Cells)	1500	10.03.2023	09.03.2027
					xiv	Mono PERC C-Si Module	NSM370-120 (370 Wp)	NSM360-120 NSM365-120 NSM370-120 NSM375-120	19.84 20.11 20.39 20.66	120 (Half Cut Cells)	1500	10.03.2023	09.03.2027
					xv	Mono PERC C-Si Module	NSM330-108 (330 Wp)	NSM320-108 NSM325-108 NSM330-108 NSM335-108 NSM340-108	19.52 19.82 20.13 20.43 20.74	108 (Half Cut Cells)	1500	10.03.2023	09.03.2027

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xvi	Mono PERC C-Si Module	NSM290-96 (290 Wp)	NSM285-96	19.47	96 (Half Cut Cells)	1500	10.03.2023	09.03.2027
								NSM290-96	19.81				
								NSM295-96	20.15				
								NSM300-96	20.49				
					xvii	Mono PERC C-Si Module	NSM220-72 (220 Wp)	NSM215-72	19.32	72 (Half Cut Cells)	1500	10.03.2023	09.03.2027
								NSM220-72	19.77				
								NSM225-72	20.22				
								NSM385	19.40				
					xviii	Mono PERC C-Si Module	NSM395 (395 Wp)	NSM390	19.65	72 (Full Cells)	1500	10.03.2023	09.03.2027
								NSM395	19.90				
								NSM400	20.15				
								JH-420M	19.26				
6	Jakson Engineers Ltd.	Plot No-25, Ecotech-III, Udyog Kendra, Greater NOIDA-201306, Gautam Budha Nagar, Uttar Pradesh, India.	R-93005959	1162	i	Mono C-Si PERC Modules	JH-440M, (440Wp)	JH-425M	19.49	120 (Half-Cut Cells)	1500	17.08.2023	16.08.2027
								JH-430M	19.71				
								JH-435M	19.94				
								JH-440M	20.17				
								JH-445M	20.40				
								JH-450M	20.63				
								JH-455M	20.86				
								JH-460M	21.09				
								JH-470M	19.66				
								JH-475M	19.87				
								JH-480M	20.08				
								JH-485M	20.29				
JH-490M	20.50												
JH-495M	20.71												
JH-500M	20.92												
JH-505M	21.13												
JH-510M	21.34												
ii	Mono C-Si PERC Modules	JH-490M, (490Wp)	JH-515M	19.85	132 (Half-Cut Cells)	1500	17.08.2023	16.08.2027					
			JH-520M	20.04									
			JH-525M	20.23									
			JH-530M	20.43									
			JH-535M	20.62									
			JH-540M	20.81									
			JH-545M	21.00									
			JH-550M	21.20									
			JH-555M	21.39									
			JH-580M	20.67									
			JH-585M	20.85									
			JH-590M	21.03									
JH-595M	21.21												
JH-600M	21.38												
iii	Mono C-Si PERC Modules	JH-535M, (535Wp)	JP-H385M	19.37	144 (Half-Cut Cells)	1500	17.08.2023	16.08.2027					
			JP-H390M	19.62									
			JP-H395M	19.87									
			JP-H400M	20.12									
			JP-H405M	20.37									
			JH-380M	19.28									
			JH-385M	19.53									
			JH-390M	19.79									
			JH-395M	20.04									
			JH-400M	20.29									
			JH-405M	20.55									
			JH-410M	20.88									
JH-415M	21.06												
iv	Mono C-Si PERC Modules	JH-580M, (580Wp)	JH-380BB	19.48	156 (Half-Cut Cells)	1500	17.08.2023	16.08.2027					
			JH-385BB	19.73									
			JH-390BB	19.99									
			JH-395BB	20.25									
			JH-400BB	20.50									
			JH-405BB	20.76									
			JH-410BB	21.01									
			JH-415BB	21.27									
			JH-420BB	19.39									
			JH-425BB	19.62									
			JH-430BB	19.85									
			JH-435BB	20.08									
v	Mono C-Si PERC Modules	JP-H395M, (385Wp-405Wp)	JH-440BB	20.31	108 (Half-Cut Cells)	1500	17.08.2023	16.08.2027					
			JH-445BB	20.54									
			JH-450BB	20.77									
			JH-455BB	21.00									
			JH-380M	19.28									
			JH-385M	19.53									
			JH-390M	19.79									
			JH-395M	20.04									
			JH-400M	20.29									
			JH-405M	20.55									
			JH-410M	20.88									
			JH-415M	21.06									
vi	Mono C-Si PERC Modules	JH-400M, (400Wp)	JH-380BB	19.48	108 (Half Cut Cells)	1500	17.08.2023	16.08.2027					
			JH-385BB	19.73									
			JH-390BB	19.99									
			JH-395BB	20.25									
			JH-400BB	20.50									
			JH-405BB	20.76									
			JH-410BB	21.01									
			JH-415BB	21.27									
			JH-420BB	19.39									
			JH-425BB	19.62									
			JH-430BB	19.85									
			JH-435BB	20.08									
vii	Mono c-Si Bifacial PERC Module	JH-400BB	JH-440BB	20.31	120 (Half Cut Cells)	1500	17.08.2023	16.08.2027					
			JH-445BB	20.54									
			JH-450BB	20.77									
			JH-455BB	21.00									
			JH-380M	19.28									
			JH-385M	19.53									
			JH-390M	19.79									
			JH-395M	20.04									
			JH-400M	20.29									
			JH-405M	20.55									
			JH-410M	20.88									
			JH-415M	21.06									
viii	Mono c-Si Bifacial PERC Module	JH-440BB	JH-380BB	19.48	108 (Half Cut Cells)	1500	17.08.2023	16.08.2027					
			JH-385BB	19.73									
			JH-390BB	19.99									
			JH-395BB	20.25									
			JH-400BB	20.50									
			JH-405BB	20.76									
			JH-410BB	21.01									
			JH-415BB	21.27									
			JH-420BB	19.39									
			JH-425BB	19.62									
			JH-430BB	19.85									
			JH-435BB	20.08									

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								JH-460BB	21.23				
					ix	Mono c-Si Bifacial PERC Module	JH-490BB	JH-475BB	20.02	132 (Half Cut Cells)	1500	17.08.2023	16.08.2027
				JH-480BB				20.23					
				JH-485BB				20.44					
				JH-490BB				20.65					
				JH-495BB				20.86					
				JH-500BB				21.07					
				JH-505BB				21.29					
				JH-510BB				21.50					
				JH-515BB				21.71					
				JH-520BB				20.15					
				JH-525BB	20.34	144 (Half Cut Cells)	1500	17.08.2023	16.08.2027				
				JH-530BB	20.53								
				JH-535BB	20.73								
				JH-540BB	20.92								
				JH-545BB	21.11								
				JH-550BB	21.31								
				JH-555BB	21.50								
				JH-380BT	19.48					108 (Half Cut Cells)	1500	17.08.2023	16.08.2027
				JH-385BT	19.73								
				JH-390BT	19.99								
				JH-395BT	20.25								
				JH-400BT	20.50								
				JH-405BT	20.76								
				JH-410BT	21.01								
				JH-415BT	21.27								
				JH-420BT	19.39	120 (Half Cut Cells)	1500	17.08.2023	16.08.2027				
				JH-425BT	19.62								
				JH-430BT	19.85								
				JH-435BT	20.08								
				JH-440BT	20.31								
				JH-445BT	20.54								
				JH-450BT	20.77								
				JH-455BT	21.00								
				JH-460BT	21.23								
				JH-475BT	20.02					132 (Half Cut Cells)	1500	17.08.2023	16.08.2027
				JH-480BT	20.23								
				JH-485BT	20.44								
				JH-490BT	20.65								
				JH-495BT	20.86								
				JH-500BT	21.07								
				JH-505BT	21.29								
				JH-510BT	21.50								
				JH-515BT	21.71								
				JH-520BT	20.15	144 (Half Cut Cells)	1500	17.08.2023	16.08.2027				
				JH-525BT	20.34								
				JH-530BT	20.53								
				JH-535BT	20.73								
				JH-540BT	20.92								
				JH-545BT	21.11								
				JH-550BT	21.31								
				JH-555BT	21.50								
				JH-380BW	19.48					108 (Half Cut Cells)	1500	17.08.2023	16.08.2027
				JH-385BW	19.73								
				JH-390BW	19.99								
				JH-395BW	20.25								
				JH-400BW	20.50								
				JH-405BW	20.76								
				JH-410BW	21.01								
				JH-415BW	21.27								
				JH-420BW	19.39	120 (Half Cut Cells)	1500	17.08.2023	16.08.2027				
				JH-425BW	19.62								
				JH-430BW	19.85								
				JH-435BW	20.08								
				JH-440BW	20.31								
				JH-445BW	20.54								
				JH-450BW	20.77								
				JH-455BW	21.00								
				JH-460BW	21.23								
				JH-475BW	20.02								
				JH-480BW	20.23								
				JH-485BW	20.44								

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xvii	Mono c-Si Bifacial PERC Module	JH-490BW	JH-490BW JH-495BW JH-500BW JH-505BW JH-510BW JH-515BW	20.65 20.86 21.07 21.29 21.50 21.71	132 (Half Cut Cells)	1500	17.08.2023	16.08.2027
					xviii	Mono c-Si Bifacial PERC Module	JH-535BW	JH-520BW JH-525BW JH-530BW JH-535BW JH-540BW JH-545BW JH-550BW JH-555BW	20.15 20.34 20.53 20.73 20.92 21.11 21.31 21.50	144 (Half Cut Cells)	1500	17.08.2023	16.08.2027
					xix	N-Type TOPCon Module (Glass to Transparent Backsheet)	JN-420BT (420 Wp)	JN-400BT JN-405BT JN-410BT JN-415BT JN-420BT JN-425BT JN-430BT JN-435BT JN-440BT	20.50 20.76 21.01 21.27 21.53 21.78 22.04 22.29 22.55	108 (Half Cut Cells)	1500	17.08.2023	16.08.2027
					xx	N-Type TOPCon Module (Glass to Transparent Backsheet)	JN-470BT (470 Wp)	JN-445BT JN-450BT JN-455BT JN-460BT JN-465BT JN-470BT JN-475BT JN-480BT JN-485BT JN-490BT	20.54 20.77 21.00 21.23 21.46 21.70 21.93 22.16 22.39 22.62	120 (Half Cut Cells)	1500	17.08.2023	16.08.2027
					xxi	N-Type TOPCon Module (Glass to Transparent Backsheet)	JN-520BT (520 Wp)	JN-495BT JN-500BT JN-505BT JN-510BT JN-515BT JN-520BT JN-525BT JN-530BT JN-535BT	20.86 21.07 21.28 21.50 21.71 21.92 22.13 22.34 22.55	132 (Half Cut cells)	1500	17.08.2023	16.08.2027
					xxii	N-Type TOPCon Module (Glass to Transparent Backsheet)	JN-570BT (570 Wp)	JN-540BT JN-545BT JN-550BT JN-555BT JN-560BT JN-565BT JN-570BT JN-575BT JN-580BT JN-585BT JN-590BT	21.12 21.31 21.50 21.70 21.89 22.08 22.28 22.47 22.66 22.86	144 (Half Cut Cells)	1500	17.08.2023	16.08.2027
					xxiii	N-Type TOPCon Module (Glass to Glass)	JN-420G (420 Wp)	JN-400G JN-405G JN-410G JN-415G JN-420G JN-425G JN-430G JN-435G	20.50 20.76 21.01 21.27 21.53 21.78 22.04 22.29	108 (Half Cut Cells)	1500	17.08.2023	16.08.2027
					xxiv	N-Type TOPCon Module (Glass to Glass)	JN-470G (470 Wp)	JN-445G JN-450G JN-455G JN-460G JN-465G JN-470G JN-475G JN-480G JN-485G JN-495G	20.54 20.77 21.00 21.23 21.46 21.70 21.93 22.16 22.39 20.86	120 (Half Cut Cells)	1500	17.08.2023	16.08.2027
								JN-500G	21.07				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity			
												From	To (subject to valid BIS Registration; else deemed to be delisted)		
					xxv	N-Type TOPCon Module (Glass to Glass)	JN-520G (520 Wp)	JN-505G	21.28	132 (Half Cut cells)	1500	17.08.2023	16.08.2027		
								JN-510G	21.50						
								JN-515G	21.71						
								JN-520G	21.92						
								JN-525G	22.13						
								JN-530G	22.34						
					xxvi	N-Type TOPCon Module (Glass to Glass)	JN-570G (570 Wp)	JN-545G	21.12	144 (Half Cut Cells)	1500	17.08.2023	16.08.2027		
								JN-550G	21.31						
								JN-555G	21.50						
								JN-560G	21.70						
								JN-565G	21.89						
								JN-570G	22.08						
								JN-575G	22.28						
								JN-580G	22.47						
7	Insolation Energy Pvt. Ltd	Khasra No 766/2, Vill-Bagwara, Teh-Amer Jajpur, Rajasthan	R-84002330	174	i	Mono c-Si PERC Module	INA72MP375	INA72MP375	19.23	72 (Full Cells)	1500	29.09.2023	28.09.2027		
ii					Mono c-Si PERC Module	INA72MP385	INA72MP385	19.80	72 (Full Cells)	1500	29.09.2023	28.09.2027			
8	Gautam Solar Pvt. Ltd.	Plot No-67-70, Sector-8A IIE, Sidcul Haridwar- 249403, Uttarakhand	R-83006041	710	i	Mono c-Si PERC Modules	G2XBifacial1767-HAE (590 Wp) 595Wp)	(565Wp)	G2XBifacial1734-HAE	20.20	156 (Half Cut Cells)	1500	29.09.2023	28.09.2027	
									G2XBifacial1741-HAE	20.38					
									G2XBifacial1747-HAE	20.56					
									G2XBifacial1754-HAE	20.74					
									G2XBifacial1760-HAE	20.92					
									G2XBifacial1767-HAE	21.10					
									G2XBifacial1773-HAE	21.28					
									G2XBifacial1663-HAD	19.74					
					ii	Mono c-Si PERC Modules	G2XBifacial1695-HAD (535 Wp) (510Wp-550Wp)		G2XBifacial1663-HAD	19.94	144 (Half Cut Cells)	1500	29.09.2023	28.09.2027	
									G2XBifacial1669-HAD	20.13					
									G2XBifacial1676-HAD	20.32					
									G2XBifacial1689-HAD	20.52					
									G2XBifacial1695-HAD	20.71					
									G2XBifacial1702-HAD	20.90					
									G2XBifacial1708-HAD	21.10					
									G2XBifacial1715-HAD	21.29					
					iii	Mono c-Si PERC Modules	G2XBifacial1643-HAB (495 Wp) (485Wp-505Wp)		G2XBifacial1656-HAB	21.13	132 (Half Cut Cells)	1500	29.09.2023	28.09.2027	
									G2XBifacial1650-HAB	20.92					
									G2XBifacial1643-HAB	20.71					
									G2XBifacial1637-HAB	20.50					
					iv	Mono c-Si PERC Modules	G2XBifacial1585-HAA (450 Wp) (440Wp-460Wp)		G2XBifacial1630-HAB	20.29	120 (Half Cut Cells)	1500	29.09.2023	28.09.2027	
									G2XBifacial1598-HAA	21.09					
									G2XBifacial1591-HAA	20.87					
									G2XBifacial1585-HAA	20.64					
					v	Mono c-Si PERC Modules	G2XBifacial1526-HAY (405 Wp) (390Wp-415Wp)		G2XBifacial1578-HAA	20.41	108 (Half Cut Cells)	1500	29.09.2023	28.09.2027	
									G2XBifacial1572-HAA	20.18					
									G2XBifacial1539-HAY	21.06					
									G2XBifacial1533-HAY	20.80					
vi	Mono c-Si PERC Modules	G2XBifacial1526-HAY (405 Wp) (390Wp-415Wp)		G2XBifacial1526-HAY	20.55	96 (Half Cut Cells)	1500	29.09.2023	28.09.2027						
				G2XBifacial1520-HAY	20.30										
				G2XBifacial1507-HAY	19.79										
				G2XBifacial1474-HAX	20.71										
vii	Mono c-Si PERC Modules	G2XBifacial1468-HAX (360 Wp) (365Wp-350Wp)		G2XBifacial1468-HAX	20.43	156 (Half Cut Cells)	1500	29.09.2023	28.09.2027						
				G2XBifacial1461-HAX	20.14										
				G2XBifacial1455-HAX	19.86										
				G2X565-HAE	20.20										
viii	Mono c-Si PERC Modules	G2X590-HAE (590 Wp)		G2X570-HAE	20.38	144 (Half Cut Cells)	1500	29.09.2023	28.09.2027						
				G2X575-HAE	20.56										
				G2X580-HAE	20.74										
				G2X585-HAE	20.92										
														G2X590-HAE	21.10
														G2X595-HAE	21.28
														G2X510-HAD	19.74
														G2X515-HAD	19.94
														G2X520-HAD	20.13
														G2X525-HAD	20.32
														G2X530-HAD	20.52
														G2X535-HAD	20.71
														G2X540-HAD	20.90
														G2X545-HAD	21.10

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								G2X550-HAD	21.29				
					ix	Mono c-Si PERC Modules	G2X495-HAB (495 Wp)	G2X505-HAB	21.13	132 (Half Cut Cells)	1500	29.09.2023	28.09.2027
				G2X500-HAB				20.92					
				G2X495-HAB				20.71					
				G2X490-HAB				20.50					
				G2X485-HAB				20.29					
				x	Mono c-Si PERC Modules	G2X450-HAA (450 Wp)	G2X460-HAA	21.09	120 (Half Cut Cells)	1500	29.09.2023	28.09.2027	
							G2X455-HAA	20.87					
							G2X450-HAA	20.64					
							G2X445-HAA	20.41					
							G2X440-HAA	20.18					
				xi	Mono c-Si PERC Modules	G2X405-HAY (405 Wp)	G2X415-HAY	21.06	108 (Half Cut Cells)	1500	29.09.2023	28.09.2027	
							G2X410-HAY	20.80					
							G2X405-HAY	20.55					
							G2X400-HAY	20.30					
							G2X390-HAY	19.79					
				xii	Mono c-Si PERC Modules	G2X360-HAX (360 Wp)	G2X365-HAX	20.71	96 (Half Cut Cells)	1500	29.09.2023	28.09.2027	
							G2X360-HAX	20.43					
							G2X355-HAX	20.14					
				xiii	Mono c-Si PERC Modules	GS-420-AAA (420 Wp)	G2X350-HAX	19.86	78 (Full Cells)	1500	29.09.2023	28.09.2027	
							GS-410-AAA	19.03					
							GS-415-AAA	19.26					
							GS-420-AAA	19.49					
							GS-425-AAA	19.72					
				xiv	Mono c-Si PERC Modules	GS-400-AAB (400 Wp)	GS-430-AAA	19.95	72 (Full Cells)	1500	29.09.2023	28.09.2027	
							GS-380-AAB	19.13					
							GS-385-AAB	19.39					
							GS-390-AAB	19.64					
							GS-395-AAB	19.89					
							GS-400-AAB	20.14					
							GS-405-AAB	20.39					
							GS-410-AAB	20.64					
							GS-415-AAB	20.90					
							GS-420-AAB	21.15					
				xv	Mono c-Si PERC Modules	GS-360-AAC (360 Wp)	GS-350-AAC	19.13	66 (Full Cells)	1500	29.09.2023	28.09.2027	
							GS-355-AAC	19.40					
							GS-360-AAC	19.67					
							GS-365-AAC	19.95					
				xvi	Mono c-Si PERC Modules	GS-330-AAD (330 Wp)	GS-320-AAD	19.16	60 (Full Cells)	1500	29.09.2023	28.09.2027	
							GS-325-AAD	19.46					
							GS-330-AAD	19.76					
				xvii	Mono c-Si PERC Modules	GS-295-AAE (295 Wp)	GS-335-AAD	20.06	54 (Full Cells)	1500	29.09.2023	28.09.2027	
							GS-290-AAE	19.21					
							GS-295-AAE	19.54					
				xviii	Mono c-Si PERC Modules	GS-260-AAF (260 Wp)	GS-300-AAE	19.87	48 (Full Cells)	1500	29.09.2023	28.09.2027	
							GS-260-AAF	19.26					
				xix	Mono c-Si PERC Modules	GS-230-AAG (230 Wp)	GS-265-AAF	19.63	42 (Full Cells)	1500	29.09.2023	28.09.2027	
							GS-230-AAG	19.33					
				xx	Mono c-Si PERC Modules	GS-200-AAH (200 Wp)	GS-195-AAH	19.26	36 (Full Cells)	1500	29.09.2023	28.09.2027	
							GS-200-AAH	19.75					
							GS-205-AAH	20.25					
							GS-210-AAH	20.74					
							GS-215-AAH	21.23					
							G2X590-HAD	22.82					
							G2X1767-UHAD	22.78					
							G2X588-HAD	22.74					
							G2X587-HAD	22.70					
							G2X1758T-UHAD	22.66					
							G2X585-HAD	22.63					
							G2X1752-UHAD	22.59					
							G2X583-HAD	22.55					
							G2X582-HAD	22.51					
							G2X1743T-UHAD	22.47					
							G2X580-HAD	22.43					
							G2X1737-UHAD	22.39					
							G2X578-HAD	22.36					
							G2X577-HAD	22.32					
							G2X1728T-UHAD	22.28					
							G2X575-HAD	22.24					

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xxiii	N-Type TOPCon Module	G2X430-HAY (430 Wp) (416Wp - 450Wp)	G2X437-HAY 22.17 G2X1308T-UHAY 22.12 G2X435-HAY 22.07 G2X1302-UHAY 22.02 G2X433-HAY 21.97 G2X432-HAY 21.92 G2X1293T-UHAY 21.87 G2X430-HAY 21.82 G2X1287-UHAY 21.77 G2X428-HAY 21.72 G2X427-HAY 21.67 G2X1278T-UHAY 21.61 G2X425-HAY 21.56 G2X1272-UHAY 21.51 G2X423-HAY 21.46 G2X422-HAY 21.41 G2X1263T-UHAY 21.36 G2X420-HAY 21.31 G2X1257-UHAY 21.26 G2X418-HAY 21.21 G2X417-HAY 21.16 G2X1248T-UHAY 21.11	22.17 22.12 22.07 22.02 21.97 21.92 21.87 21.82 21.77 21.72 21.67 21.61 21.56 21.51 21.46 21.41 21.36 21.31 21.26 21.21 21.16 21.11	108 (Half Cut Cells)	1500	29.09.2023	28.09.2027
					xxiv	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1740-HAD (580WP) (567Wp - 590Wp)	G2G1770-HAD 22.82 G2G1767-UHAD 22.78 G2G1764N-UHAD 22.74 G2G1761B-UHAD 22.70 G2G1758NB-UHAD 22.66 G2G1755-HAD 22.63 G2G1752-UHAD 22.59 G2G1749N-UHAD 22.55 G2G1746B-UHAD 22.51 G2G1743NB-UHAD 22.47 G2G1740-HAD 22.43 G2G1737-UHAD 22.39 G2G1734N-UHAD 22.36 G2G1731B-UHAD 22.32 G2G1728NB-UHAD 22.28 G2G1725-HAD 22.24 G2G1722-UHAD 22.20 G2G1719N-UHAD 22.16 G2G1716B-UHAD 22.12 G2G1713NB-UHAD 22.08 G2G1710-HAD 22.05 G2G1707-UHAD 22.01 G2G1704N-UHAD 21.97 G2G1701B-UHAD 21.93	22.82 22.78 22.74 22.70 22.66 22.63 22.59 22.55 22.51 22.47 22.43 22.39 22.36 22.32 22.28 22.24 22.20 22.16 22.12 22.08 22.05 22.01 21.97 21.93	144 (Half Cut Cells)	1500	29.09.2023	28.09.2027
					xxv	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1560-HAB (520Wp) (496Wp - 545Wp)	G2G1635-HAB 22.80 G2G1632-UHAB 22.76 G2G1629N-UHAB 22.72 G2G1626B-UHAB 22.67 G2G1623NB-UHAB 22.63 G2G1620-HAB 22.59 G2G1617-UHAB 22.55 G2G1614N-UHAB 22.51 G2G1611B-UHAB 22.46 G2G1608NB-UHAB 22.42 G2G1605-HAB 22.38 G2G1602-UHAB 22.34 G2G1599N-UHAB 22.30 G2G1596B-UHAB 22.26 G2G1593NB-UHAB 22.21 G2G1590-HAB 22.17 G2G1587-UHAB 22.13 G2G1584N-UHAB 22.09 G2G1581B-UHAB 22.05 G2G1578NB-UHAB 22.00 G2G1575-HAB 21.96 G2G1572-UHAB 21.92 G2G1569N-UHAB 21.88 G2G1566B-UHAB 21.84 G2G1563NB-UHAB 21.79 G2G1560-HAB 21.75	22.80 22.76 22.72 22.67 22.63 22.59 22.55 22.51 22.46 22.42 22.38 22.34 22.30 22.26 22.21 22.17 22.13 22.09 22.05 22.00 21.96 21.92 21.88 21.84 21.79 21.75	132 (Half Cut Cells)	1500	29.09.2023	28.09.2027

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								G2G1557-UHAB	21.71				
								G2G1554N-UHAB	21.67				
								G2G1551B-UHAB	21.63				
								G2G1548NB-UHAB	21.59				
								G2G1545-HAB	21.54				
								G2G1542-UHAB	21.50				
								G2G1539N-UHAB	21.46				
								G2G1536B-UHAB	21.42				
								G2G1533NB-UHAB	21.38				
								G2G1530-HAB	21.33				
								G2G1527-UHAB	21.29				
								G2G1524N-UHAB	21.25				
								G2G1521B-UHAB	21.21				
								G2G1518NB-UHAB	21.17				
								G2G1515-HAB	21.13				
								G2G1512-UHAB	21.08				
								G2G1509N-UHAB	21.04				
								G2G1506B-UHAB	21.00				
								G2G1503NB-UHAB	20.96				
								G2G1500-HAB	20.92				
								G2G1497-UHAB	20.87				
								G2G1494N-UHAB	20.83				
								G2G1491B-UHAB	20.79				
								G2G1488NB-UHAB	20.75				
								G2G1485-HAB	20.71				
								G2G1482-UHAB	20.67				
								G2G1479N-UHAB	20.62				
								G2G1476B-UHAB	20.58				
								G2G1473NB-UHAB	20.54				
								G2G1470-HAB	20.50				
								G2G1467-UHAB	20.46				
								G2G1464N-UHAB	20.41				
								G2G1461B-UHAB	20.37				
								G2G1458NB-UHAB	20.33				
								G2G1455-HAB	20.29				
								G2G1452-UHAB	20.25				
								G2G1449N-UHAB	20.21				
								G2G1446B-UHAB	20.16				
								G2G1443NB-UHAB	20.12				
								G2G1440-HAB	20.08				
								G2G1425-HAB	19.87				
								G2G1410-HAB	19.66				
								G2G1485-HAA	22.70				
								G2G1482-UHAA	22.65				
								G2G1479N-UHAA	22.61				
								G2G1476B-UHAA	22.56				
								G2G1473NB-UHAA	22.52				
								G2G1470-HAA	22.47				
								G2G1467-UHAA	22.42				
								G2G1464N-UHAA	22.38				
								G2G1461B-UHAA	22.33				
								G2G1458NB-UHAA	22.29				
								G2G1455-HAA	22.24				
								G2G1452-UHAA	22.19				
								G2G1449N-UHAA	22.15				
								G2G1446B-UHAA	22.10				
								G2G1443NB-UHAA	22.06				
								G2G1440-HAA	22.01				
								G2G1437-UHAA	21.97				
								G2G1434N-UHAA	21.92				
								G2G1431B-UHAA	21.87				
								G2G1428NB-UHAA	21.83				
								G2G1425-HAA	21.78				
								G2G1422-UHAA	21.74				
								G2G1419N-UHAA	21.69				
								G2G1416B-UHAA	21.64				
								G2G1413NB-UHAA	21.60				
								G2G1410-HAA	21.55				
								G2G1407-UHAA	21.51				
								G2G1404N-UHAA	21.46				
								G2G1401B-UHAA	21.42				
								G2G1398NB-UHAA	21.37				
					xxvi	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1470-HAB (490Wp) (470Wp - 495Wp)	G2G1485-HAB	20.71	132 (Half Cut Cells)	1500	29.09.2023	28.09.2027
					xxvii	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1422-UHAA (474Wp) (451Wp - 495Wp)	G2G1485-HAA	22.70	120 (Half Cut Cells)	1500	29.09.2023	28.09.2027

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								G2G1395-HAA	21.32				
								G2G1392-UHAA	21.28				
								G2G1389N-UHAA	21.23				
								G2G1386B-UHAA	21.19				
								G2G1383NB-UHAA	21.14				
								G2G1380-HAA	21.09				
								G2G1377-UHAA	21.05				
								G2G1374N-UHAA	21.00				
								G2G1371B-UHAA	20.96				
								G2G1368NB-UHAA	20.91				
								G2G1365-HAA	20.87				
								G2G1362-UHAA	20.82				
								G2G1359N-UHAA	20.77				
								G2G1356B-UHAA	20.73				
								G2G1353NB-UHAA	20.68				
								G2G1350-HAA	20.64				
								G2G1347-UHAA	20.59				
								G2G1344N-UHAA	20.54				
								G2G1341B-UHAA	20.50				
					xxviii	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1335-HAA (445Wp) (440Wp - 450Wp)	G2G1338NB-UHAA	20.45	120 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2G1335-HAA	20.41				
								G2G1332-UHAA	20.36				
								G2G1329N-UHAA	20.31				
								G2G1326B-UHAA	20.27				
								G2G1323NB-UHAA	20.22				
								G2G1320-HAA	20.18				
								G2G1350-HAY	22.83				
								G2G1347-UHAY	22.78				
								G2G1344N-UHAY	22.73				
								G2G1341B-UHAY	22.68				
								G2G1338NB-UHAY	22.63				
								G2G1335-HAY	22.58				
								G2G1332-UHAY	22.53				
								G2G1329N-UHAY	22.48				
								G2G1326B-UHAY	22.43				
								G2G1323NB-UHAY	22.38				
								G2G1320-HAY	22.32				
								G2G1317-UHAY	22.27				
								G2G1314N-UHAY	22.22				
								G2G1311B-UHAY	22.17				
								G2G1308NB-UHAY	22.12				
								G2G1305-HAY	22.07				
								G2G1302-UHAY	22.02				
					xxix	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1290-HAY (430Wp) (410Wp - 450Wp)	G2G1299N-UHAY	21.97	108 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2G1296B-UHAY	21.92				
								G2G1293NB-UHAY	21.87				
								G2G1290-HAY	21.82				
								G2G1287-UHAY	21.77				
								G2G1284N-UHAY	21.72				
								G2G1281B-UHAY	21.67				
								G2G1278NB-UHAY	21.61				
								G2G1275-HAY	21.56				
								G2G1272-UHAY	21.51				
								G2G1269N-UHAY	21.46				
								G2G1266B-UHAY	21.41				
								G2G1263NB-UHAY	21.36				
								G2G1260-HAY	21.31				
								G2G1257-UHAY	21.26				
								G2G1254N-UHAY	21.21				
								G2G1251B-UHAY	21.16				
								G2G1248NB-UHAY	21.11				
								G2G1245-HAY	21.06				
								G2G1230-HAY	20.80				
								G2G1215-HAY	20.55				
								G2G1200-HAY	20.30				
					xxx	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1185-HAY (395Wp) (390Wp - 405Wp)	G2G1185-HAY	20.04	108 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2G1170-HAY	19.79				
								G2G1200-HAX	22.70				
								G2G1197-UHAX	22.64				
								G2G1194N-UHAX	22.58				
								G2G1191B-UHAX	22.53				
								G2G1188NB-UHAX	22.47				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xxxi	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1155-HAX (385Wp) (371Wp - 400Wp)	G2G1185-HAX 22.41 G2G1182-UHAX 22.36 G2G1179N-UHAX 22.30 G2G1176B-UHAX 22.24 G2G1173NB-UHAX 22.19 G2G1170-HAX 22.13 G2G1167-UHAX 22.07 G2G1164N-UHAX 22.02 G2G1161B-UHAX 21.96 G2G1158NB-UHAX 21.90 G2G1155-HAX 21.85 G2G1152-UHAX 21.79 G2G1149N-UHAX 21.73 G2G1146B-UHAX 21.68 G2G1143NB-UHAX 21.62 G2G1140-HAX 21.56 G2G1125-HAX 21.28 G2G1122-UHAX 21.22 G2G1119N-UHAX 21.17 G2G1116B-UHAX 21.11 G2G1113NB-UHAX 21.05	22.41 22.36 22.30 22.24 22.19 22.13 22.07 22.02 21.96 21.90 21.85 21.79 21.73 21.68 21.62 21.56 21.28 21.22 21.17 21.11 21.05	96 (Half Cut Cells)	1500	29.09.2023	28.09.2027
					xxxii	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1065-HAX (355Wp) (340Wp - 370Wp)	G2G1110-HAX 21.00 G2G1107-UHAX 20.94 G2G1104N-UHAX 20.88 G2G1101B-UHAX 20.83 G2G1098NB-UHAX 20.77 G2G1095-HAX 20.71 G2G1092-UHAX 20.66 G2G1089N-UHAX 20.60 G2G1086B-UHAX 20.54 G2G1083NB-UHAX 20.49 G2G1080-HAX 20.43 G2G1077-UHAX 20.37 G2G1074N-UHAX 20.32 G2G1071B-UHAX 20.26 G2G1068NB-UHAX 20.20 G2G1065-HAX 20.14 G2G1062-UHAX 20.09 G2G1059N-UHAX 20.03 G2G1056B-UHAX 19.97 G2G1053NB-UHAX 19.92 G2G1050-HAX 19.86 G2G1035-HAX 19.58 G2G1020-HAX 19.29 G2G1050-HAC 22.53	21.00 20.94 20.88 20.83 20.77 20.71 20.66 20.60 20.54 20.49 20.43 20.37 20.32 20.26 20.20 20.14 20.09 20.03 19.97 19.92 19.86 19.58 19.29 22.53	96 (Half Cut Cells)	1500	29.09.2023	28.09.2027
					xxxiii	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1005-HAC (335Wp) (321Wp - 350Wp)	G2G1047-UHAC 22.46 G2G1044N-UHAC 22.40 G2G1041B-UHAC 22.34 G2G1038NB-UHAC 22.27 G2G1035-HAC 22.21 G2G1032-UHAC 22.14 G2G1029N-UHAC 22.08 G2G1026B-UHAC 22.01 G2G1023NB-UHAC 21.95 G2G1020-HAC 21.88 G2G1017-UHAC 21.82 G2G1014N-UHAC 21.76 G2G1011B-UHAC 21.69 G2G1008NB-UHAC 21.63 G2G1005-HAC 21.56 G2G1002-UHAC 21.50 G2G999N-UHAC 21.43 G2G996B-UHAC 21.37 G2G993NB-UHAC 21.31 G2G990-HAC 21.24 G2G987-UHAC 21.18 G2G984N-UHAC 21.11 G2G981B-UHAC 21.05 G2G978NB-UHAC 20.98 G2G975-HAC 20.92 G2G972-UHAC 20.86 G2G969N-UHAC 20.79	22.46 22.40 22.34 22.27 22.21 22.14 22.08 22.01 21.95 21.88 21.82 21.76 21.69 21.63 21.56 21.50 21.43 21.37 21.31 21.24 21.18 21.11 21.05 20.98 20.92 20.86 20.79	84 (Half Cut Cells)	1500	29.09.2023	28.09.2027

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								G2G966B-UHAC	20.73				
								G2G963NB-UHAC	20.66				
								G2G960-HAC	20.60				
								G2G957-UHAC	20.53				
								G2G954N-UHAC	20.47				
								G2G951B-UHAC	20.40				
								G2G948NB-UHAC	20.34				
								G2G945-HAC	20.28				
								G2G942-UHAC	20.21				
					xxxiv	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G930-HAC (310Wp) (300Wp - 320Wp)	G2G939N-UHAC	20.15	84 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2G936B-UHAC	20.08				
								G2G933NB-UHAC	20.02				
								G2G930-HAC	19.95				
								G2G915-HAC	19.63				
								G2G912-UHAC	19.57				
								G2G909N-UHAC	19.50				
								G2G906B-UHAC	19.44				
								G2G903NB-UHAC	19.37				
								G2G900-HAC	19.31				
								G2G915-HAF	22.68				
								G2G912-UHAF	22.60				
								G2G909N-UHAF	22.53				
								G2G906B-UHAF	22.45				
								G2G903NB-UHAF	22.38				
								G2G900-HAF	22.31				
								G2G897-UHAF	22.23				
								G2G894N-UHAF	22.16				
								G2G891B-UHAF	22.08				
								G2G888NB-UHAF	22.01				
								G2G885-HAF	21.93				
					xxxv	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G885-HAF (295Wp) (281Wp - 305Wp)	G2G882-UHAF	21.86	72 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2G879N-UHAF	21.79				
								G2G876B-UHAF	21.71				
								G2G873NB-UHAF	21.64				
								G2G870-HAF	21.56				
								G2G867-UHAF	21.49				
								G2G864N-UHAF	21.41				
								G2G861B-UHAF	21.34				
								G2G858NB-UHAF	21.27				
								G2G855-HAF	21.19				
								G2G852-UHAF	21.12				
								G2G849N-UHAF	21.04				
								G2G846B-UHAF	20.97				
								G2G843NB-UHAF	20.89				
								G2G840-HAF	20.82				
								G2G825-HAF	20.45				
								G2G810-HAF	20.08				
					xxxvi	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G810-HAF (270Wp) (260Wp - 280Wp)	G2G795-HAF	19.70	72 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2G780-HAF	19.33				
								G2X1770N-UHAD	22.82				
								G2X1767N-UHAD	22.78				
								G2X1764N-UHAD	22.74				
								G2X1761N-UHAD	22.70				
								G2X1758N-UHAD	22.66				
								G2X1755N-UHAD	22.63				
								G2X1752N-UHAD	22.59				
								G2X1749N-UHAD	22.55				
								G2X1746N-UHAD	22.51				
								G2X1743N-UHAD	22.47				
								G2X1740N-UHAD	22.43				
								G2X1737N-UHAD	22.39				
								G2X1734N-UHAD	22.35				
								G2X1731N-UHAD	22.32				
								G2X1728N-UHAD	22.28				
								G2X1725N-UHAD	22.24				
								G2X1722N-UHAD	22.20				
								G2X1719N-UHAD	22.16				
								G2X1716N-UHAD	22.12				
								G2X1713N-UHAD	22.08				
								G2X1710N-UHAD	22.04				
								G2X1707N-UHAD	22.01				
								G2X1704N-UHAD	21.97				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity						
												From	To (subject to valid BIS Registration; else deemed to be delisted)					
9	Novasys Greenergy Pvt. Ltd	Khasra No. 185, Mouza: Mahalgaon, Tehsil: Kamptee, Nagpur-441202,	R-71010499	442	xxxviii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	G2X1590N-UHAB (530Wp) (505Wp - 550Wp)	G2X1701N-UHAD	21.93	132 (Half Cut Cells)	1500	29.09.2023	28.09.2027					
								G2X1650N-UHAB	23.01									
								G2X1647N-UHAB	22.97									
								G2X1644N-UHAB	22.92									
								G2X1641N-UHAB	22.88									
								G2X1638N-UHAB	22.84									
								G2X1635N-UHAB	22.80									
								G2X1632N-UHAB	22.76									
								G2X1629N-UHAB	22.71									
								G2X1626N-UHAB	22.67									
								G2X1623N-UHAB	22.63									
								G2X1620N-UHAB	22.59									
								G2X1617N-UHAB	22.55									
								G2X1614N-UHAB	22.51									
								G2X1611N-UHAB	22.46									
								G2X1608N-UHAB	22.42									
								G2X1605N-UHAB	22.38									
								G2X1590N-UHAB	22.17									
								G2X1575N-UHAB	21.96									
								G2X1560N-UHAB	21.75									
								G2X1545N-UHAB	21.54									
								G2X1530N-UHAB	21.33									
								G2X1515N-UHAB	21.12									
								G2X1500N-UHAA	22.93									
								G2X1497N-UHAA	22.88									
								G2X1494N-UHAA	22.84									
								G2X1491N-UHAA	22.79									
								G2X1488N-UHAA	22.74									
								G2X1485N-UHAA	22.70									
								G2X1482N-UHAA	22.65									
					G2X1479N-UHAA	22.61												
					G2X1476N-UHAA	22.56												
					G2X1473N-UHAA	22.51												
					G2X1470N-UHAA	22.47												
					G2X1467N-UHAA	22.42												
					G2X1464N-UHAA	22.38												
					G2X1461N-UHAA	22.33												
					G2X1458N-UHAA	22.29												
					G2X1455N-UHAA	22.24												
					G2X1440N-UHAA	22.01												
					G2X1425N-UHAA	21.78												
					G2X1410N-UHAA	21.55												
					G2X1350N-UHAY	22.83												
					G2X1347N-UHAY	22.78												
					G2X1344N-UHAY	22.73												
					G2X1341N-UHAY	22.68												
					G2X1338N-UHAY	22.63												
					G2X1335N-UHAY	22.58												
					G2X1332N-UHAY	22.53												
					G2X1329N-UHAY	22.48												
					G2X1326N-UHAY	22.43												
					G2X1323N-UHAY	22.37												
					G2X1320N-UHAY	22.32												
					G2X1305N-UHAY	22.07												
					G2X1290N-UHAY	21.82												
					G2X1275N-UHAY	21.56												
					G2X1200N-UHAX	22.70												
					G2X1185N-UHAX	22.41												
					G2X1170N-UHAX	22.13												
					G2X1155N-UHAX	21.85												
					G2X1140N-UHAX	21.56												
					G2X1050N-UHAC	22.53												
					G2X1035N-UHAC	22.21												
					G2X1020N-UHAC	21.88												
					G2X1005N-UHAC	21.56												
					G2X915N-UHAF	22.68												
					G2X900N-UHAF	22.31												
					G2X885N-UHAF	21.93												
					G2X870N-UHAF	21.56												
					G2X855N-UHAF	21.19												
										i	Mono c-Si PERC Modules	NOVA195MP36 (195Wp)	NOVA195MP36	19.4	36 (Full Cell)	1500	10.11.2023	09.11.2027

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
		Maharashtra			ii	Mono c-Si PERC Modules	NOVA250MP48 (250Wp)	NOVA255MP48 NOVA260MP48	19.2 19.6	48 (Full Cell)	1500	10.11.2023	09.11.2027
					iii	Mono c-Si PERC Modules	NOVA320MP60 (320Wp)	NOVA315MP60 NOVA320MP60 NOVA325MP60 NOVA330MP60	19.2 19.5 19.8 20.1	60 (Full Cell)	1500	10.11.2023	09.11.2027
					iv	Mono c-Si PERC Modules	NOVA350MP66 (350Wp)	NOVA340MP66 NOVA345MP66 NOVA350MP66 NOVA355MP66 NOVA360MP66	19 19.3 19.6 19.9 20.1	66 (Full Cell)	1500	10.11.2023	09.11.2027
					v	Mono c-Si PERC Modules	NOVA290MP54 (290Wp)	NOVA285MP54 NOVA290MP54 NOVA295MP54	19.2 19.5 19.9	54 (Full Cell)	1500	10.11.2023	09.11.2027
					vi	Mono c-Si PERC Modules	NOVA380MP72 (380Wp)	NOVA380MP72 NOVA385MP72 NOVA390MP72 NOVA395MP72	19.14 19.4 19.65 19.9	72 (Full Cells)	1500	10.11.2023	09.11.2027
					vii	Mono c-Si PERC Modules	NOVA380MP144 (380Wp)	NOVA380MP144 NOVA385MP144 NOVA390MP144 NOVA395MP144	19 19.3 19.5 19.8	144 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					viii	Mono c-Si PERC Modules	NOVA350MP96 (350 Wp)	NOVA335MP96 NOVA340MP96 NOVA345MP96 NOVA350MP96 NOVA355MP96 NOVA360MP96 NOVA365MP96	19.06 19.35 19.63 19.92 20.21 20.5 20.78	96 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					ix	Mono c-Si PERC Modules	NOVA265MP72 (265 Wp)	NOVA255MP72 NOVA260MP72 NOVA265MP72 NOVA270MP72 NOVA275MP72	19.06 19.45 19.81 20.19 20.57	72 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					x	Mono c-Si PERC Modules	NOVA390MP108 (390 Wp)	NOVA375MP108 NOVA380MP108 NOVA385MP108 NOVA390MP108 NOVA395MP108 NOVA400MP108 NOVA405MP108	19.11 19.37 19.63 19.88 20.14 20.4 20.66	108 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					xi	Mono c-Si PERC Modules	NOVA415MP108 (415 Wp)	NOVA410MP108 NOVA415MP108	20.91 21.17	108 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					xii	Mono c-Si PERC Modules	NOVA435MP120 (435 Wp)	NOVA415MP120 NOVA420MP120 NOVA425MP120 NOVA430MP120 NOVA435MP120 NOVA440MP120 NOVA445MP120 NOVA450MP120 NOVA455MP120	19.11 19.34 19.57 19.8 20.03 20.26 20.49 20.72 20.95	120 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					xiii	Mono c-Si PERC Modules	NOVA460MP 120 (460 Wp)	NOVA460MP 120	21.18	120 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					xiv	Mono c-Si PERC Modules	NOVA475MP132 (475 Wp)	NOVA455MP132 NOVA460MP132 NOVA465MP132 NOVA470MP132 NOVA475MP132 NOVA480MP132 NOVA485MP132 NOVA490MP132 NOVA495MP132	19.2 19.41 19.62 19.83 20.04 20.25 20.46 20.67 20.89	132 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					xv	Mono c-Si PERC Modules	NOVA500MP132 (500 Wp)	NOVA500MP132 NOVA505MP132 NOVA495MP144 NOVA500MP144 NOVA505MP144	21.1 21.31 19.16 19.35 19.54	132 (Half Cut Cells)	1500	10.11.2023	09.11.2027

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					vi	Bifacial N-type TOPCon Modules	PSN_155 (155Wp)	PSN_155 PSN_160 PSN_200	20.56 21.22 19.28	40 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					vii	Bifacial N-type TOPCon Modules	PSN_210 (210Wp)	PSN_205 PSN_210 PSN_215 PSN_220	19.76 20.24 20.72 21.21	56 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					viii	Bifacial N-type TOPCon Modules	PSN_255 (255Wp)	PSN_245 PSN_250 PSN_255 PSN_260 PSN_265 PSN_270	20.79 21.22 21.64 22.06 22.49 20.38	64 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					ix	Bifacial N-type TOPCon Modules	PSN_280 (280Wp)	PSN_275 PSN_280 PSN_285 PSN_290	20.76 21.13 21.51 21.89	72 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					x	Bifacial N-type TOPCon Modules	PSN_305 (305Wp)	PSN_295 PSN_300 PSN_305 PSN_310 PSN_315	20.18 20.52 20.86 21.21 21.55	80 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					xi	Bifacial N-type TOPCon Modules	PSN_335 (335Wp)	PSN_320 PSN_325 PSN_330 PSN_335 PSN_340 PSN_345	20.87 21.19 21.52 21.85 22.17 22.50	84 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					xii	Bifacial N-type TOPCon Modules	PSN_360 (360Wp)	PSN_350 PSN_355 PSN_360 PSN_365 PSN_370	20.06 20.35 20.64 20.92 21.21	96 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					xiii	Bifacial N-type TOPCon Modules	PSN_380 (380Wp)	PSN_375 PSN_380 PSN_385 PSN_390	21.50 21.78 22.07 22.36	96 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					xiv	Bifacial N-type TOPCon Modules	PSN_410 (410Wp)	PSN_400 PSN_405 PSN_410 PSN_415 PSN_420	20.48 20.74 20.99 21.25 21.50	108 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					xv	Bifacial N-type TOPCon Modules	PSN_435 (435Wp)	PSN_425 PSN_430 PSN_435 PSN_440 PSN_445 PSN_450	21.76 22.02 22.27 22.53 22.78 23.04	108 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					xvi	Bifacial N-type TOPCon Modules	PSN_480 (480Wp)	PSN_460 PSN_465 PSN_470 PSN_475 PSN_480 PSN_485 PSN_490 PSN_495	21.26 21.49 21.72 21.95 22.18 22.41 22.64 22.87	120 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					xvii	Bifacial N-type TOPCon Modules	PSN_520 (520Wp)	PSN_500 PSN_505 PSN_510 PSN_515 PSN_520 PSN_525 PSN_530	21.07 21.28 21.49 21.70 21.91 22.13 22.34	132 (Half Cut Cells)	1500	10.11.2023	09.11.2027

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xviii	Bifacial N-type TOPCon Modules	PSN_560 (560Wp)	PSN_535	20.71	144 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								PSN_540	20.90				
								PSN_545	21.09				
								PSN_550	21.29				
								PSN_555	21.48				
								PSN_560	21.67				
								PSN_565	21.87				
								PSN_570	22.06				
								PSN_575	22.25				
								PSN_580	22.45				
					xix	Bifacial N-type TOPCon Modules	PSN_610 (610Wp)	PSN_585	20.91	156 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								PSN_590	21.09				
								PSN_595	21.27				
								PSN_600	21.45				
								PSN_605	21.63				
								PSN_610	21.81				
								PSN_615	21.99				
								PSN_620	22.17				
								PSN_625	22.34				
								PSN_630	22.52				
11	M/s Pixon Green Energy Pvt. Ltd.	R.S. No. 157/1, 158/1, 158/2, 165/1, 166 of Khijadiya Nana, R.S. No. 15/1 of Depaliya, Padadhari, Rajkot Gujarat-360110	R-72004570	745	i	Mono c-Si PERC Modules	PIX MP3 72 390 (390 Wp)	PIX MP3 72 380 PIX MP3 72 385 PIX MP3 72 390 PIX MP3 72 395 PIX MP3 72 400	19.14 19.4 19.65 19.9 20.15	72 (Full Cells)	1500	10.11.2023	09.11.2027
					ii	Mono c-Si PERC Module	PIX MPH 132 645 (645Wp)	PIX MPH 132 625 PIX MPH 132 630 PIX MPH 132 635 PIX MPH 132 640 PIX MPH 132 645 PIX MPH 132 650 PIX MPH 132 655 PIX MPH 132 660	19.93 20.09 20.25 20.41 20.57 20.72 20.88 21.04	132 (Half cut cells)	1500	10.11.2023	09.11.2027
					iii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	PIX MBHTB 132 645 (645Wp)	PIX MBHTB 132 625 PIX MBHTB 132 630 PIX MBHTB 132 635 PIX MBHTB 132 640 PIX MBHTB 132 645 PIX MBHTB 132 650 PIX MBHTB 132 655 PIX MBHTB 132 660	19.93 20.09 20.25 20.41 20.57 20.72 20.88 21.04	132 (Half cut cells)	1500	10.11.2023	09.11.2027
					iv	Mono c-Si PERC Module	PIX MPH 120 600 (600Wp)	PIX MPH 120 570 PIX MPH 120 575 PIX MPH 120 580 PIX MPH 120 585 PIX MPH 120 590 PIX MPH 120 595 PIX MPH 120 600	19.94 20.11 20.29 20.46 20.64 20.81 20.99	120 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					v	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	PIX MBHTB 120 600 (600Wp)	PIX MBHTB 120 570 PIX MBHTB 120 575 PIX MBHTB 120 580 PIX MBHTB 120 585 PIX MBHTB 120 590 PIX MBHTB 120 595 PIX MBHTB 120 600	19.94 20.11 20.29 20.46 20.64 20.81 20.99	120 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					vi	Mono c-Si PERC Module	PIX MPH 108 530 (530Wp)	PIX MPH 108 510 PIX MPH 108 515 PIX MPH 108 520 PIX MPH 108 525 PIX MPH 108 530 PIX MPH 108 535 PIX MPH 108 540	19.76 19.95 20.14 20.34 20.53 20.73 20.92	108 (half cut cell)	1500	10.11.2023	09.11.2027
					vii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	PIX MBHTB 108 530 (530Wp)	PIX MPHTB 108 510 PIX MPHTB 108 515 PIX MPHTB 108 520 PIX MPHTB 108 525 PIX MPHTB 108 530 PIX MPHTB 108 535 PIX MPHTB 108 540	19.76 19.95 20.14 20.34 20.53 20.73 20.92	108 (Half cut cell)	1500	10.11.2023	09.11.2027

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					viii	Mono c-Si PERC Module	PIX MPH 156 585 (585Wp)	PIX MPH 156 560 PIX MPH 156 565 PIX MPH 156 570 PIX MPH 156 575 PIX MPH 156 580 PIX MPH 156 585 PIX MPH 156 590 PIX MPH 156 595	20.00 20.18 20.36 20.54 20.71 20.89 21.07 21.25	156 (Half cut cells)	1500	10.11.2023	09.11.2027
					ix	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	PIX MBHTB 156 585 (585Wp)	PIX MBHTB 156 560 PIX MBHTB 156 565 PIX MBHTB 156 570 PIX MBHTB 156 575 PIX MBHTB 156 580 PIX MBHTB 156 585 PIX MBHTB 156 590 PIX MBHTB 156 595	20.00 20.18 20.36 20.54 20.71 20.89 21.07 21.25	156 (Half cut cells)	1500	10.11.2023	09.11.2027
					x	Mono c-Si PERC Module	PIX MPHB 144 535 (535Wp)	PIX MPHB 144 510 PIX MPHB 144 515 PIX MPHB 144 520 PIX MPHB 144 525 PIX MPHB 144 530 PIX MPHB 144 535 PIX MPHB 144 540 PIX MPHB 144 545	19.74 19.94 20.13 20.32 20.52 20.71 20.90 21.09	144 (Half cut cells)	1500	10.11.2023	09.11.2027
					xi	Mono c-Si PERC Module	PIX MPH 144 535 (535Wp)	PIX MPH 144 510 PIX MPH 144 515 PIX MPH 144 520 PIX MPH 144 525 PIX MPH 144 530 PIX MPH 144 535 PIX MPH 144 540 PIX MPH 144 545	19.74 19.94 20.13 20.32 20.52 20.71 20.90 21.09	144 (Half cut cells)	1500	10.11.2023	09.11.2027
					xii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	PIX MBHTB 144 535 (535Wp)	PIX MBHTB 144 510 PIX MBHTB 144 515 PIX MBHTB 144 520 PIX MBHTB 144 525 PIX MBHTB 144 530 PIX MBHTB 144 535 PIX MBHTB 144 540 PIX MBHTB 144 545	19.74 19.94 20.13 20.32 20.52 20.71 20.90 21.09	144 (Half cut cells)	1500	10.11.2023	09.11.2027
					xiii	Mono c-Si PERC Module	PIX MPH 132 490 (490 Wp)	PIX MPH 132 470 PIX MPH 132 475 PIX MPH 132 480 PIX MPH 132 485 PIX MPH 132 490 PIX MPH 132 495 PIX MPH 132 500	19.74 19.95 20.16 20.37 20.58 20.79 21.00	132 (Half cut cell)	1500	10.11.2023	09.11.2027
					xiv	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	PIX MBHTB 132 490 (490 Wp)	PIX MBHTB 132 470 PIX MBHTB 132 475 PIX MBHTB 132 480 PIX MBHTB 132 485 PIX MBHTB 132 490 PIX MBHTB 132 495 PIX MBHTB 132 500	19.74 19.95 20.16 20.37 20.58 20.79 21.00	132 (Half cut cell)	1500	10.11.2023	09.11.2027
					xv	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	PIX MBHDTB 156 575 (575 Wp)	PIX MBHDTB 156 560 PIX MBHDTB 156 565 PIX MBHDTB 156 570 PIX MBHDTB 156 575 PIX MBHDTB 156 580 PIX MBHDTB 156 585 PIX MBHDTB 156 590 PIX MBHDTB 156 595	20.00 20.18 20.36 20.54 20.72 20.89 21.07 21.25	156 (Half cut cells)	1500	10.11.2023	09.11.2027
					xvi	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	PIX MBHDTB 144 525 (525 Wp)	PIX MBHDTB 144 510 PIX MBHDTB 144 515 PIX MBHDTB 144 520 PIX MBHDTB 144 525 PIX MBHDTB 144 530 PIX MBHDTB 144 535 PIX MBHDTB 144 540 PIX MBHDTB 144 545 PIX MBHDTB 132 470 PIX MBHDTB 132 475	19.74 19.94 20.13 20.32 20.52 20.71 20.90 21.10 19.75 19.96	144 (Half cut cells)	1500	10.11.2023	09.11.2027

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xvii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	PIX MBHDTB 132 485 (485 Wp)	PIX MBHDTB 132 480	20.17	132 (Half cut cells)	1500	10.11.2023	09.11.2027
								PIX MBHDTB 132 485	20.38				
								PIX MBHDTB 132 490	20.59				
								PIX MBHDTB 132 495	20.80				
								PIX MBHDTB 132 500	21.01				
								PIX MBHDTB 120 420	19.35				
								PIX MBHDTB 120 425	19.58				
								PIX MBHDTB 120 430	19.81				
								PIX MBHDTB 120 435	20.04				
								PIX MBHDTB 120 440	20.27				
								PIX MBHDTB 120 445	20.50				
								PIX MBHDTB 120 450	20.73				
					xviii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	PIX MBHDTB 120 440 (440 Wp)	PIX MBHDTB 120 425	19.58	120 (Half cut cells)	1500	10.11.2023	09.11.2027
								PIX MBHDTB 120 430	19.81				
								PIX MBHDTB 120 435	20.04				
								PIX MBHDTB 120 440	20.27				
								PIX MBHDTB 120 445	20.50				
								PIX MBHDTB 120 450	20.73				
								PIX MBHDTB 120 455	20.96				
								PIX MBHDTB 108 375	19.10				
								PIX MBHDTB 108 380	19.36				
								PIX MBHDTB 108 385	19.61				
								PIX MBHDTB 108 390	19.87				
								PIX MBHDTB 108 395	20.12				
					xix	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	PIX MBHDTB 108 395 (395 Wp)	PIX MBHDTB 108 375	19.10	108 (Half cut cells)	1500	10.11.2023	09.11.2027
								PIX MBHDTB 108 380	19.36				
								PIX MBHDTB 108 385	19.61				
								PIX MBHDTB 108 390	19.87				
								PIX MBHDTB 108 395	20.12				
								PIX MBHDTB 108 400	20.38				
								PIX MBHDTB 108 405	20.63				
								PIX MBHDTB 108 410	20.89				
								PIX MPHD 156 560	20.00				
								PIX MPHD 156 565	20.18				
								PIX MPHD 156 570	20.36				
								xx	Mono c-Si PERC Module				
					PIX MPHD 156 580	20.72							
					PIX MPHD 156 585	20.89							
					PIX MPHD 156 590	21.07							
					PIX MPHD 156 595	21.25							
					PIX MPHD 144 510	19.74							
					PIX MPHD 144 515	19.94							
					PIX MPHD 144 520	20.13							
					PIX MPHD 144 525	20.32							
					PIX MPHD 144 530	20.52							
					PIX MPHD 144 535	20.71							
					xxi	Mono c-Si PERC Module	PIX MPHD 144 530 (530 Wp)			PIX MPHD 144 540	20.90	144 (Half cut cells)	1500
								PIX MPHD 144 545	21.10				
PIX MPHD 132 470	19.75												
PIX MPHD 132 475	19.96												
PIX MPHD 132 480	20.17												
PIX MPHD 132 485	20.38												
PIX MPHD 132 490	20.59												
PIX MPHD 132 495	20.80												
PIX MPHD 132 500	21.01												
PIX MPHD 120 420	19.35												
PIX MPHD 120 425	19.58												
xxii	Mono c-Si PERC Module	PIX MPHD 132 490 (490 Wp)	PIX MPHD 120 430	19.81				132 (Half cut cells)	1500	10.11.2023	09.11.2027		
			PIX MPHD 120 435	20.04									
			PIX MPHD 120 440	20.27									
			PIX MPHD 120 445	20.50									
			PIX MPHD 120 450	20.73									
			PIX MPHD 120 455	20.96									
			PIX MPHD 108 375	19.10									
			PIX MPHD 108 380	19.36									
			PIX MPHD 108 385	19.61									
			PIX MPHD 108 390	19.87									
			PIX MPHD 108 395	20.12									
			xxiii	Mono c-Si PERC Module	PIX MPHD 120 440 (440 Wp)	PIX MPHD 108 400	20.38					108 (Half cut cells)	1500
PIX MPHD 108 405	20.63												
PIX MPHD 108 410	20.89												
ALP380WM (380 Wp)	19.38												
ALP385WM (385 Wp)	19.64												
ALP24L540WM-T	20.90												
ALP24L545WM-T	21.10												
ALP24L550WM-T	21.29												
ALP24L555WM-T	21.48												
ALP24L560WM-T	21.68												
ALP24L565WM-T	21.87												
ALP24L570WM-T	22.07												
12	Alpex Solar Pvt. Ltd.	Plot No. I-25 & I-26, UPSIDC, Site-5, Kasna, Greater Noida, Uttar Pradesh-201306	R-93007480	423	i	MONO C-Si PERC Modules.	ALP380WM, (380Wp-385Wp)	ALP380WM (380 Wp)	19.38	72 (Full Cells)	1500	10.11.2023	09.11.2027
					ii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ALP24L565WM-T (565 Wp)	ALP24L565WM-T (565 Wp)	21.87				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								ALP24L575WM-T	22.26				
								ALP24L580WM-T	22.45				
								ALP24L585WM-T	22.65				
								ALP24L590WM-T	22.84				
								ALP24L520WM	20.13				
								ALP24L525WM	20.32				
								ALP24L530WM	20.52				
								ALP24L535WM	20.71				
					iii	Mono c-Si PERC Module	ALP24L540WM (540Wp)	ALP24L540WM	20.90	144 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								ALP24L545WM	21.10				
								ALP24L550WM	21.29				
								ALP24L555WM	21.48				
								ALP24L560WM	21.68				
								ALP22L480WM	20.21				
								ALP22L485WM	20.42				
								ALP22L490WM	20.64				
					iv	Mono c-Si PERC Module	ALP22L495WM (495Wp)	ALP22L495WM	20.85	132 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								ALP22L500WM	21.06				
								ALP22L505WM	21.27				
								ALP22L510WM	21.48				
								ALP22L515WM	21.69				
								ALP22L495WM-T	20.85				
								ALP22L500WM-T	21.06				
					v	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ALP22L510WM-T (510Wp)	ALP22L505WM-T	21.27	132 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								ALP22L510WM-T	21.48				
								ALP22L515WM-T	21.69				
								ALP20L435WM	20.06				
								ALP20L440WM	20.29				
								ALP20L445WM	20.52				
								ALP20L450WM	20.75				
					vi	Mono c-Si PERC Module	ALP20L455WM (455Wp)	ALP20L455WM	20.99	120 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								ALP20L460WM	21.22				
								ALP20L465WM	21.45				
								ALP20L470WM	21.68				
								ALP20L475WM	21.91				
								ALP20L450WM-T	20.75				
								ALP20L455WM-T	20.99				
								ALP20L460WM-T	21.22				
								ALP20L465WM-T	21.45				
								ALP20L470WM-T	21.68				
								ALP20L475WM-T	21.91				
								ALP18L390WM	19.95				
								ALP18L395WM	20.20				
								ALP18L400WM	20.46				
								ALP18L405WM	20.72				
					viii	Mono c-Si PERC Module	ALP18L410WM (410Wp)	ALP18L410WM	20.97	108 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								ALP18L415WM	21.23				
								ALP18L420WM	21.48				
								ALP18L425WM	21.74				
								ALP18L405WM-T	20.72				
								ALP18L410WM-T	20.97				
								ALP18L415WM-T	21.23				
								ALP18L420WM-T	21.48				
								ALP18L425WM-T	21.74				
								ALP16L345WM	19.75				
								ALP16L350WM	20.04				
								ALP16L355WM	20.33				
					x	Mono c-Si PERC Module	ALP16L360WM (360Wp)	ALP16L360WM	20.61	96 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								ALP16L365WM	20.90				
								ALP16L370WM	21.19				
								ALP16L375WM	21.47				
								ALP16L360WM-T	20.61				
								ALP16L365WM-T	20.90				
								ALP16L370WM-T	21.19				
								ALP16L375WM-T	21.47				
								ALP14L310WM	20.17				
								ALP14L315WM	20.5				
								ALP14L320WM	20.83				
								ALP14L325WM	21.15				
								ALP14L330WM	21.48				
								ALP14L335WM	21.8				
					xii	Mono c-Si PERC Module	ALP14L325WM (325Wp)	ALP14L340WM	22.13	84 (Half Cut Cells)	1500	10.11.2023	09.11.2027

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity																						
												From	To (subject to valid BIS Registration; else deemed to be delisted)																					
					vii	Mono c-Si PERC Modules	SOMERA VSMH.66.655.05 (655 Wp)	SOMERA VSMH.66.655.05	21.09	132 (Half Cut Cells)	1500	10.11.2023	09.11.2027																					
								SOMERA VSMH.66.650.05	20.92																									
								SOMERA VSMH.66.645.05	20.76																									
								SOMERA VSMH.66.640.05	20.60																									
								SOMERA VSMH.60.610.05	21.55																									
								SOMERA VSMH.60.605.05	21.38																									
								SOMERA VSMH.60.600.05	21.20																									
								SOMERA VSMH.60.595.05	21.02																									
								SOMERA VSMH.60.590.05	20.85																									
								SOMERA VSMH.60.585.05	20.67																									
								SOMERA VSMH.60.580.05	20.49																									
								SOMERA VSMH.72.455.05	20.46																									
					viii	Mono c-Si PERC Modules	SOMERA VSMH.60.600.05 (600 Wp)	SOMERA VSMH.72.450.05	20.23	120 (Half Cut Cells)	1500	10.11.2023	09.11.2027																					
								SOMERA VSMH.72.445.05	20.01																									
								SOMERA VSMH.72.440.05	19.79																									
								PARADEA VSMDH.78.615.03	22.08																									
								PARADEA VSMDH.78.610.04	21.90																									
								PARADEA VSMDH.78.605.05	21.72																									
								PARADEA VSMDH.78.600.05	21.54																									
								PARADEA VSMDH.78.595.05	21.36																									
								PARADEA VSMDH.78.590.05	21.18																									
								PARADEA VSMDH.78.585.05	21.00																									
								PARADEA VSMDH.78.580.05	20.83																									
								HYPER SOL VSM DH.72.610.05	23.61																									
					ix	Mono c-Si PERC Modules	SOMERA VSMH.72.450.05 (450 Wp)	HYPER SOL VSM DH.72.605.05	23.42	144 (Half Cut Cells)	1500	10.11.2023	09.11.2027																					
								HYPER SOL VSM DH.72.600.05	23.23																									
								HYPER SOL VSM DH.72.595.05	23.03																									
								HYPER SOL VSM DH.72.590.05	22.84																									
								HYPER SOL VSM DH.72.585.05	22.65																									
								HYPER SOL VSM DH.72.580.05	22.45																									
								HYPER SOL VSM DH.72.575.05	22.26																									
								HYPER SOL VSM DH.72.570.05	22.07																									
								HYPER SOL VSM DH.72.565.05	21.87																									
								HYPER SOL VSM DH.72.560.05	21.68																									
								PREXOS VSM DHT.72.560.05	21.72																									
								PREXOS VSM DHT.72.555.05	21.52																									
					x	Bifacial Mono c-Si PERC Modules (Glass to Glass)	PARADEA VSM DH.72.600.05 (600 Wp)	PREXOS VSM DHT.72.550.05	21.33	156 (Half Cut Cells)	1500	10.11.2023	09.11.2027																					
								PREXOS VSM DHT.72.545.05	21.13																									
								PREXOS VSM DHT.72.540.05	20.94																									
								CG MB72-395	19.17																									
								CG MB72-400	19.41																									
								CG MB72-405	19.66																									
								CG MB72-410	19.90																									
								CG MB72-415	20.14																									
								CG-X144-500	19.04																									
								CG-X144-505	19.24																									
								CG-X144-510	19.43																									
								CG-X144-515	19.62																									
xi	Bifacial N Type TOPCon Modules (Glass to Glass)	HYPER SOL VSM DH.72.585.05 (585 Wp)	CG-X144-520	19.81	144 (Half Cut Cells)	1500	10.11.2023	09.11.2027																										
			CG-X144-525	20.00																														
			CG-X144-530	20.19																														
			CG-X144-535	20.38																														
			CG-X144-540	20.57																														
			CG-X144-545	20.76																														
			CG-X144-550	20.95																														
			ECE060M310 (310Wp)	19.19																														
			ECE060M340 (340Wp)	19.23																														
			ECE060M370 (370Wp)	19.17																														
			ECE072M215	19.32																														
			ECE072M220	19.77																														
xii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	PREXOS VSM DHT.72.550.05 (550 Wp)	ECE072M225	20.22	144 (Half Cut Cells)	1500	10.04.2024	28.05.2025																										
			ECE072M260	19.62																														
			ECE072M265	20.00																														
			ECE072M270	20.38																														
			ECE072M275	20.76																														
			ECE096M285	19.42																														
			ECE096M290	19.81																														
			ECE096M295	20.15																														
			14	M/s. Contendre Greenergy Pvt. Ltd.					Unit No: I/6, Rajlaxshmi HiTech Industrial Park, Sonale Village, Bhiwandi-421302, Maharashtra	R-71013196	49	i	Mono c-Si PERC Modules	CG MB72-405 (405 Wp)	CG MB72-395	19.17	72 (Full Cells)	1500	30.12.2023	29.12.2027														
															CG MB72-400	19.41																		
															CG MB72-405	19.66																		
															CG MB72-410	19.90																		
CG MB72-415	20.14																																	
CG-X144-500	19.04																																	
Co-ALMM with M/s. Credence Solar Panels Private Limited	R-72008656	30 (As per Co-Branding Agreement)		ii	Mono c-Si PERC Module	CG-X144-525 (525 Wp)	CG-X144-505	19.24	144 (Half Cut Cells)	1500	10.04.2024	24.01.2025																						
							CG-X144-510	19.43																										
							CG-X144-515	19.62																										
							CG-X144-520	19.81																										
							CG-X144-525	20.00																										
							CG-X144-530	20.19																										
15	M/s. ECE (India) Energies Pvt. Ltd.	F-27, Express Highway, MIDC, Amravati-444607, Maharashtra, India.	R-71012220	40	i	Mono c-Si PERC Module	ECE060M310 (310Wp)	ECE060M310	19.19	60 (Full Cells)	1500	04.03.2024	03.03.2028																					
								ii	Mono c-Si PERC Module					ECE060M340 (340Wp)	ECE060M340	19.23	66 (Full Cells)	1500	04.03.2024	03.03.2028														
															iii	Mono c-Si PERC Module					ECE060M370 (370Wp)	ECE060M370	19.17	72 (Full Cells)	1500	04.03.2024	03.03.2028							
																						iv	Mono c-Si PERC Module					ECE072M220 (220 Wp)	ECE072M215	19.32	72 (Half Cut Cells)	1500	10.04.2024	28.05.2025
																													ECE072M220	19.77				
																													ECE072M225	20.22				
	ECE072M260	19.62																																
	ECE072M265	20.00																																
	ECE072M270	20.38																																
	Co-ALMM with M/s Navitas Green Solutions Pvt. Ltd.	R-72008389	100 (As per Co-Branding Agreement)	v	Mono c-Si PERC Module	ECE072M270 (270 Wp)	ECE072M275	20.76	72 (Half Cut Cells)	1500	10.04.2024	28.05.2025																						
							ECE096M285	19.42																										
							ECE096M290	19.81																										
ECE096M295							20.15																											
Manufacturing Address: Plot No. B-20/3, Road No. 13, 14, Palsana-Baleshwar Rd, Hoziwala Industrial Estate, Sachin, Surat-394230, Gujarat													vi	Mono c-Si PERC Module	ECE096M295 (295 Wp)	ECE096M295	20.15	96 (Half Cut Cells)	1500	10.04.2024	28.05.2025													

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity																
												From	To (subject to valid BIS Registration; else deemed to be delisted)															
					vii	Mono c-Si PERC Module	ECE096M360 (360 Wp)	ECE096M300	20.49	96 (Half Cut Cells)	1500	10.04.2024	28.05.2025															
								ECE096M350	20.06																			
								ECE096M355	20.35																			
								ECE096M360	20.64																			
					viii	Mono c-Si PERC Module	ECE108M330 (330 Wp)	ECE096M365	20.92	108 (Half Cut Cells)	1500	10.04.2024	28.05.2025															
								ECE108M320	19.52																			
								ECE108M325	19.82																			
								ECE108M330	20.13																			
								ECE108M335	20.43																			
								ECE108M340	20.74																			
					ix	Mono c-Si PERC Module	ECE108M400 (400 Wp)	ECE108M390	19.96	108 (Half Cut Cells)	1500	10.04.2024	28.05.2025															
								ECE108M395	20.21																			
								ECE108M400	20.47																			
								ECE108M405	20.72																			
								ECE108M410	20.98																			
								ECE120M360	19.84																			
					x	Mono c-Si PERC Module	ECE120M370 (370 Wp)	ECE120M365	20.11	120 (Half Cut Cells)	1500	10.04.2024	28.05.2025															
								ECE120M370	20.39																			
								ECE120M375	20.66																			
								ECE120M435	20.10																			
					xi	Mono c-Si PERC Module	ECE120M445 (445 Wp)	ECE120M440	20.33	120 (Half Cut Cells)	1500	10.04.2024	28.05.2025															
								ECE120M445	20.56																			
								ECE120M450	20.79																			
								ECE120M455	21.02																			
								ECE132M395	19.85																			
					xii	Mono c-Si PERC Module	ECE132M405 (405 Wp)	ECE132M400	20.10	132 (Half Cut Cells)	1500	10.04.2024	28.05.2025															
								ECE132M405	20.35																			
								ECE132M410	20.06																			
								ECE132M415	20.85																			
								ECE132M480	20.22																			
					xiii	Mono c-Si PERC Module	ECE132M490 (490 Wp)	ECE132M485	20.43	132 (Half Cut Cells)	1500	10.04.2024	28.05.2025															
								ECE132M490	20.64																			
								ECE132M495	20.85																			
								ECE132M500	21.06																			
								ECE144M435	20.09																			
					xiv	Mono c-Si PERC Module	ECE144M450 (450 Wp)	ECE144M440	20.32	144 (Half Cut Cells)	1500	10.04.2024	28.05.2025															
								ECE144M445	20.55																			
								ECE144M450	20.78																			
								ECE144M455	21.01																			
								ECE144M460	21.24																			
								ECE144M465	21.48																			
								ECE144M525	20.32																			
					xv	Mono c-Si PERC Module	ECE144M545 (545 Wp)	ECE144M530	20.51	144 (Half Cut Cells)	1500	10.04.2024	28.05.2025															
								ECE144M535	20.71																			
								ECE144M540	20.90																			
								ECE144M545	21.09																			
								ECE144M550	21.29																			
								ECE144M555	21.48																			
					xvi	Mono c-Si PERC Module	ECE156M470 (470 Wp)	ECE144M560	21.67	156 (Half Cut Cells)	1500	10.04.2024	28.05.2025															
								ECE156M460	19.30																			
								ECE156M465	19.51																			
								ECE156M470	19.72																			
								ECE156M475	19.93																			
								ECE156M480	20.14																			
					xvii	Mono c-Si PERC Module	ECE156M580 (580 Wp)	ECE156M485	20.35	156 (Half Cut Cells)	1500	10.04.2024	28.05.2025															
								ECE156M570	20.39																			
								ECE156M575	20.57																			
								ECE156M580	20.74																			
								ECE156M585	20.92																			
					16	Rayzon Solar Private Limited	Block No. 94/1/1F, 94/1/3, 102/1, 103, 104, 105, 109, 110, 118, 119, 120, Kim Mandvi Road, Near Hariya Talav, B/H Aron Pipe, Kim Mandvi Road, Karanj, Surat - 394110, Gujarat, India.	R-72002305	1637	i	Mono c-Si PERC Modules	RS400WC (400 Wp)	RS385WC	19.72	108 (Half Cut Cells)	1500	04.03.2024	03.03.2028										
													RS390WC	19.96														
													RS395WC	20.22														
													RS400WC	20.47														
													RS405WC	20.75														
													RS410WC	20.97														
													RS415WC	21.22														
													RS420WC	21.48														
													RS425WC	19.67														
													RS430WC	19.88														
													RS435WC	20.12														
													RS440WC	20.37														
																								RS445WC				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					ii	Mono c-Si PERC Modules	RS445WC (445 Wp)	RS445WC	20.60	120 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								RS450WC	20.84				
								RS455WC	21.00				
								RS460WC	21.23				
								RS465WC	21.47				
					iii	Mono c-Si PERC Modules	RS490WC (490 Wp)	RS470WC	19.84	132 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								RS475WC	20.02				
								RS480WC	20.26				
								RS485WC	20.46				
								RS490WC	20.66				
								RS495WC	20.87				
								RS500WC	21.06				
								RS505WC	21.28				
								RS510WC	21.49				
								RS515WC	19.96				
					iv	Mono c-Si PERC Modules	RS535WC (535 Wp)	RS520WC	20.17	144 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								RS525WC	20.34				
								RS530WC	20.55				
								RS535WC	20.74				
								RS540WC	20.94				
								RS545WC	21.10				
								RS550WC	21.32				
								RS555WC	21.52				
								RS560WC	21.71				
								RS565WC	19.56				
					v	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	RSB530WC (530 Wp)	RSB510WC	19.79	144 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								RSB515WC	19.99				
								RSB520WC	20.18				
								RSB525WC	20.37				
								RSB530WC	20.56				
								RSB535WC	20.75				
								RSB540WC	20.94				
								RSB545WC	21.13				
								RSB550WC	21.32				
								RSB460WC	19.40				
					vi	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	RSB480WC (480 Wp)	RSB465WC	19.60	132 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								RSB470WC	19.84				
								RSB475WC	20.02				
								RSB480WC	20.26				
								RSB485WC	20.46				
								RSB490WC	20.66				
								RSB495WC	20.87				
								RSB500WC	21.08				
								RSB415WC	19.18				
								RSB420WC	19.42				
					vii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	RSB435WC (435 Wp)	RSB425WC	19.65	120 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								RSB430WC	19.86				
								RSB435WC	20.10				
RSB440WC	20.35												
RSB445WC	20.58												
RSB450WC	20.81												
RSB455WC	21.02												
RSB380WC	19.47												
RSB385WC	19.72												
RSB390WC	19.96												
viii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	RSB390WC (390 Wp)	RSB395WC	20.22	108 (Half Cut Cells)	1500	04.03.2024	03.03.2028					
			RSB400WC	20.47									
			RSB405WC	20.75									
			RSB410WC	21.00									
			RSB415WC	19.57									
			RSB420WC	19.76									
			RSB425WC	19.95									
			RSB430WC	20.15									
			RSB435WC	20.35									
			RSB440WC	20.55									

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					ix	Bifacial Mono c-Si PERC Modules (Glass to Glass)	RSG530WC (530 Wp)	RSG525WC RSG530WC RSG535WC RSG540WC RSG545WC RSG550WC RSG555WC	20.34 20.53 20.73 20.92 21.12 21.31 21.50	144 (Half Cut Cells)	1500	04.03.2024	03.03.2028
					x	Bifacial Mono c-Si PERC Modules (Glass to Glass)	RSG480WC (480 Wp)	RSG460WC RSG465WC RSG470WC RSG475WC RSG480WC RSG485WC RSG490WC RSG495WC RSG500WC	19.40 19.60 19.84 20.02 20.26 20.46 20.66 20.87 21.08	132 (Half Cut Cells)	1500	04.03.2024	03.03.2028
					xi	Bifacial Mono c-Si PERC Modules (Glass to Glass)	RSG435WC (435 Wp)	RSG415WC RSG420WC RSG425WC RSG430WC RSG435WC RSG440WC RSG445WC RSG450WC RSG455WC	19.18 19.42 19.65 19.86 20.10 20.35 20.58 20.81 21.02	120 (Half Cut Cells)	1500	04.03.2024	03.03.2028
					xii	Bifacial Mono c-Si PERC Modules (Glass to Glass)	RSG390WC (390 Wp)	RSG380WC RSG385WC RSG390WC RSG395WC RSG400WC RSG405WC RSG410WC	19.47 19.72 19.96 20.22 20.47 20.75 21.00	108 (Half Cut Cells)	1500	04.03.2024	03.03.2028
					xiii	Bifacial N Type TOPCon Module (Glass to Glass)	RSS60144TGC (560 Wp)	RSS35144TGC RSS40144TGC RSS45144TGC RSS50144TGC RSS55144TGC RSS60144TGC RSS65144TGC RSS70144TGC RSS75144TGC RSS80144TGC RSS85144TGC	20.73 20.92 21.12 21.31 21.50 21.70 21.89 22.08 22.28 22.47 22.66	144 (Half Cut Cells)	1500	04.03.2024	03.03.2028
					xiv	Bifacial N Type TOPCon Module (Glass to Glass)	RSS10132TGC (510 Wp)	RS485132TGC RS490132TGC RS495132TGC RSS00132TGC RSS05132TGC RSS10132TGC RSS15132TGC RSS20132TGC RSS25132TGC RSS30132TGC RSS35132TGC	20.43 20.64 20.85 21.06 21.27 21.49 21.70 21.91 22.12 22.33 22.54	132 (Half Cut Cells)	1500	04.03.2024	03.03.2028
					xv	Bifacial N Type TOPCon Module (Glass to Glass)	RS465120TGC (465 Wp)	RS445120TGC RS450120TGC RS455120TGC RS460120TGC RS465120TGC RS470120TGC RS475120TGC RS480120TGC RS485120TGC	20.54 20.77 21.00 21.23 21.46 21.70 21.93 22.16 22.39	120 (Half Cut Cells)	1500	04.03.2024	03.03.2028
						Bifacial N Type TOPCon	RS415108TGC	RS395108TGC RS400108TGC RS405108TGC RS410108TGC	20.24 20.50 20.76 21.01				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xvi	Module (Glass to Glass)	(415 Wp)	RS415108TGC RS420108TGC RS425108TGC RS430108TGC RS435108TGC	21.27 21.53 21.78 22.04 22.30	108 (Half Cut Cells)	1500	04.03.2024	03.03.2028
17	M/s. Kosol Energie Pvt. Ltd.	Survey No: 415/8, Opp. Super Gas, Village: Bhayla, Bavla-Bagodra Highway, Ta: Bavla, Dist: Ahmedabad-382220, Gujarat, India.	R-72003417	637	i	Mono c-Si PERC Modules	KE550M (550 Wp)	KE570M KE565M KE560M KE555M KE550M KE545M KE540M KE535M KE530M	22.06 21.87 21.68 21.48 21.29 21.10 20.90 20.71 20.52	144 (Half Cut Cells)	1500	04.03.2024	03.03.2028
					ii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	KE550T (550 Wp)	KE570T KE565T KE560T KE555T KE550T KE545T KE540T KE535T KE530T	22.06 21.87 21.68 21.48 21.29 21.10 20.90 20.71 20.52	144 (Half Cut Cells)	1500	04.03.2024	03.03.2028
					iii	Mono c-Si PERC Modules	KE445M (445 Wp)	KE460M KE455M KE450M KE445M KE440M KE435M KE430M	21.21 20.98 20.75 20.52 20.29 20.06 19.83	120 (Half Cut Cells)	1500	04.03.2024	03.03.2028
					iv	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	KE445T (445 Wp)	KE460T KE455T KE450T KE445T KE440T KE435T KE430T	21.21 20.98 20.75 20.52 20.29 20.06 19.83	120 (Half Cut Cells)	1500	04.03.2024	03.03.2028
					v	Mono c-Si PERC Modules	KE400M (400 Wp)	KE415M KE410M KE405M KE400M KE395M KE390M KE385M	21.24 20.98 20.73 20.47 20.22 19.96 19.70	108 (Half Cut Cells)	1500	04.03.2024	03.03.2028
					vi	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	KE400T (400 Wp)	KE415T KE410T KE405T KE400T KE395T KE390T KE385T	21.24 20.98 20.73 20.47 20.22 19.96 19.70	108 (Half Cut Cells)	1500	04.03.2024	03.03.2028
					vii	Mono c-Si PERC Modules	KE255M (255 Wp)	KE255M	19.22	48 (Full Cells)	1500	04.03.2024	03.03.2028
					viii	Mono c-Si PERC Modules	KE285M (285 Wp)	KE280M KE285M	19.05 19.39	54 (Full Cells)	1500	04.03.2024	03.03.2028
					ix	Mono c-Si PERC Modules	KE325M (325 Wp)	KE315M KE320M KE325M KE330M KE335M KE380M	19.17 19.47 19.78 20.08 20.38 19.16	60 (Full Cells)	1500	04.03.2024	03.03.2028
					x	Mono c-Si PERC Modules	KE390M (390 Wp)	KE385M KE390M KE395M	19.42 19.67 19.92	72 (Full Cells)	1500	04.03.2024	03.03.2028
18	M/s. Citizen Solar Pvt. Ltd.	New Survey No-966, Village: Indrad, Chhatral Kadi Road, Ta: Kadi, Dist.: Mehsana, Gujarat-382715, India.	R-72001929	150	i	Mono c-Si PERC Module (Glass to Transparent	CSPL-144MHC-TF-535 (535Wp)	CSPL-144MHC-TF-520 CSPL-144MHC-TF-525 CSPL-144MHC-TF-530 CSPL-144MHC-TF-535 CSPL-144MHC-TF-540	20.14 20.33 20.52 20.72 20.91	144 (Half Cut Cells)	1500	04.03.2024	03.03.2028

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity		
												From	To (subject to valid BIS Registration; else deemed to be delisted)	
								backsheet)	CSPL-144MHC-TF-545	21.11	144 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								CSPL-144MHC-TF-550	21.30					
								CSPL-144MHC-TF-555	21.49					
								CSPL-144MHC-TF-560	21.69					
								CSPL-144MHC-WF-520	20.14					
								CSPL-144MHC-WF-525	20.33					
								CSPL-144MHC-WF-530	20.52					
								CSPL-144MHC-WF-535	20.72					
								CSPL-144MHC-WF-540	20.91					
								CSPL-144MHC-WF-545	21.11					
								CSPL-144MHC-WF-550	21.30					
								CSPL-144MHC-WF-555	21.49					
								CSPL-144MHC-WF-560	21.69					
								CSPL-132MHC-TF-480	20.21					
								CSPL-132MHC-TF-485	20.42					
								CSPL-132MHC-TF-490	20.63					
								CSPL-132MHC-TF-495	20.84					
								CSPL-132MHC-WF-480	20.21					
								CSPL-132MHC-WF-485	20.42					
								CSPL-132MHC-WF-490	20.63					
								CSPL-132MHC-WF-495	20.84					
								CSPL-120MHC-TF-435	20.04					
								CSPL-120MHC-TF-440	20.27					
								CSPL-120MHC-TF-445	20.50					
								CSPL-120MHC-TF-450	20.73					
								CSPL-120MHC-WF-435	20.04					
								CSPL-120MHC-WF-440	20.27					
								CSPL-120MHC-WF-445	20.50					
								CSPL-120MHC-WF-450	20.73					
								CSPL-108MHC-TF-390	19.88					
								CSPL-108MHC-TF-395	20.14					
								CSPL-108MHC-TF-400	20.39					
								CSPL-108MHC-TF-405	20.65					
								CSPL-108MHC-WF-390	19.88					
								CSPL-108MHC-WF-395	20.14					
								CSPL-108MHC-WF-400	20.39					
CSPL-108MHC-WF-405	20.65													
CSPL24M380	19.15													
CSPL24M385	19.41													
CSPL24M390	19.66													
CSPL24M395	19.91													
CSPL24M400	20.16													
19	M/s. Redren Energy Pvt. Ltd	Survey No. 154/1, 154/2, Opposite Rangpar, Bus Stand, National Highway No. 27, Jalida, Wankaner, Morbi-363621, Gujarat, India	R-72001.775	77	i	Mono c-Si PERC Module	RPLUS24380 (380 Wp)	RPLUS24380	19.11	72 (Full Cells)	1500	05.04.2024	04.04.2028	
					ii	Mono c-Si PERC Module	RPLUS20320 (320 Wp)	RPLUS20320	20.05	60 (Full Cells)	1500	05.04.2024	04.04.2028	
								RPLUS20325	19.74					
								RPLUS20320	19.44					
								RPLUS20315	19.14					
					iii	Mono c-Si PERC Module	RPLUS18300 (300 Wp)	RPLUS18300	20.37	54 (Full Cells)	1500	05.04.2024	04.04.2028	
								RPLUS18295	20.03					
								RPLUS18290	19.69					
								RPLUS18285	19.35					
					iv	Mono c-Si PERC Module	RSM10MP-72HCMF550 (550Wp)	RSM10MP-72HCMF550	21.29	144 (Half Cut Cells)	1500	05.04.2024	04.04.2028	
								RSM10MP-72HCMF545	21.10					
								RSM10MP-72HCMF540	20.90					
								RSM10MP-72HCMF535	20.71					
								RSM10MP-72HCMF530	20.52					
								RSM10MP-72HCMF525	20.32					
					v	Mono c-Si PERC Module	RSM10MP-72HCMF520 (520Wp)	RSM10MP-72HCMF520	20.13	144 (Half Cut Cells)	1500	05.04.2024	04.04.2028	
								RSM10MP-72HCMF515	19.94					
								RSM10MP-72HCMF510	19.74					
								RSM10MP-72HCMF505	19.55					
								RSM10MP-72HCMF500	19.35					
								RSM10MP-66HCMF495	19.16					
								RSM10MP-66HCMF505	21.27					
								RSM10MP-66HCMF500	21.06					
								RSM10MP-66HCMF495	20.84					
					vi	Mono c-Si PERC Module	RSM10MP-66HCMF500 (500 Wp)	RSM10MP-66HCMF490	20.63	132 (Half Cut Cells)	1500	05.04.2024	04.04.2028	
								RSM10MP-66HCMF485	20.42					
								RSM10MP-66HCMF480	20.21					
								RSM10MP-66HCMF475	20.03					

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity						
												From	To (subject to valid BIS Registration; else deemed to be delisted)					
					vii	Mono c-Si PERC Module	RSM10MP-66HCMF470 (470 Wp)	RSM10MP-66HCMF470	19.79	132 (Half Cut Cells)	1500	05.04.2024	04.04.2028					
								RSM10MP-66HCMF465	19.58									
								RSM10MP-66HCMF460	19.37									
								RSM10MP-66HCMF455	19.16									
					viii	Mono c-Si PERC Module	RSM10MP-60HCMF460 (460 Wp)	RSM10MP-60HCMF460	21.25	120 (Half Cut Cells)	1500	05.04.2024	04.04.2028					
					ix	Mono c-Si PERC Module	RSM10MP-60HCMF435 (435 Wp)	RSM10MP-60HCMF455	21.02	120 (Half Cut Cells)	1500	05.04.2024	04.04.2028					
								RSM10MP-60HCMF450	20.79									
								RSM10MP-60HCMF445	20.55									
								RSM10MP-60HCMF440	20.32									
								RSM10MP-60HCMF435	20.09									
								RSM10MP-60HCMF430	19.86									
								RSM10MP-60HCMF425	19.63									
								RSM10MP-60HCMF420	19.40									
								RSM10MP-60HCMF415	19.17									
								RSM10MP-60HCMF410	18.94									
					x	Mono c-Si PERC Module	RSM10MP-54HCMF400 (400 Wp)	RSM10MP-54HCMF420	21.48	108 (Half Cut Cells)	1500	05.04.2024	04.04.2028					
								RSM10MP-54HCMF415	21.23									
								RSM10MP-54HCMF410	20.97									
								RSM10MP-54HCMF405	20.71									
								RSM10MP-54HCMF400	20.46									
								RSM10MP-54HCMF395	20.20									
								RSM10MP-54HCMF390	19.95									
								RSM10MP-54HCMF385	19.69									
								RSM10MP-54HCMF380	19.44									
					20	M/s. Premier Energies Photovoltaic Pvt. Ltd	Plot No-8/B/1 & 8/B/2, SY No. 62 P 63 P and 88 P, E-City, Village Raviriyala, Maheshwaram Mandal, Ranga Reddy, Telangana-501359, India	R-63002356	1241	i	Mono c-Si PERC Module	PE-490HM, (490Wp)	PE-470HM	19.80	132 (Half Cut Cells)	1500	05.04.2024	04.04.2028
						PE-475HM	20.01											
						PE-480HM	20.22											
						PE-485HM	20.43											
					ii	Mono c-Si PERC Module	PE-530HM, (530 Wp)	PE-490HM	20.64	144 (Half-Cut Cells)	1500	05.04.2024	04.04.2028					
								PE-495HM	20.86									
								PE-510HM	21.49									
								PE-505HM	21.28									
								PE-500HM	21.07									
								PE-515HM	19.94									
								PE-520HM	20.13									
								PE-525HM	20.32									
PE-530HM	20.52																	
PE-535HM	20.71																	
iii	Bifacial Mono c-Si PERC Module	PE-530HGB, (530 Wp)	PE-540HM	20.90	144 (Half-Cut Cells)	1500	05.04.2024	04.04.2028										
			PE-545HM	21.10														
			PE-550HM	21.29														
			PE-555HM	21.48														
			PE-510HGB	19.74														
			PE-515HGB	19.94														
			PE-520HGB	20.13														
			PE-525HGB	20.32														
			PE-530HGB	20.52														
			PE-535HGB	20.71														
iv	Mono c-Si PERC Module	PE-565HM, (565 Wp)	PE-540HGB	20.90	156 (Half-Cut Cells)	1500	05.04.2024	04.04.2028										
			PE-545HGB	21.10														
			PE-550HGB	21.29														
			PE-555HM	19.86														
			PE-560HM	20.04														
			PE-565HM	20.22														
			PE-570HM	20.40														
			PE-575HM	20.58														
			PE-580HM	20.76														
			PE-585HM	20.94														
v	Bifacial Mono c-Si PERC Module	PE-500HB, (500Wp)	PE-590HM	21.12	132 (Half-Cut Cells)	1500	05.04.2024	04.04.2028										
			PE-520HB	21.91														
			PE-515HB	21.70														
			PE-510HB	21.49														
			PE-505HB	21.28														
			PE-500HB	21.07														
			PE-495HB	20.86														
			PE-490HB	20.64														
			PE-550HB	21.29														
			PE-545HB	21.10														
vi	Bifacial Mono c-Si PERC Module	PE-535HB, (535Wp)	PE-540HB	20.90	144 (Half-Cut Cells)	1500	05.04.2024	04.04.2028										
			PE-535HB	20.71														
			PE-530HB	20.52														
			PE-525HB	20.32														

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					vii	Bifacial N-Type TOPCon Modules	PE-565THB144, (565Wp)	PE-545THB144	21.10	144 (Half-Cut Cells)	1500	05.04.2024	04.04.2028
								PE-550THB144	21.29				
								PE-555THB144	21.48				
								PE-560THB144	21.68				
								PE-565THB144	21.87				
								PE-570THB144	22.07				
								PE-575THB144	22.26				
								PE-580THB144	22.45				
								PE-585THB144	22.65				
								PE-590THB144	22.84				
								PE-495THB132	20.86				
								PE-500THB132	21.07				
					viii	Bifacial N-Type TOPCon Modules	PE-515THB132, (515Wp)	PE-505THB132	21.28	132 (Half-Cut Cells)	1500	05.04.2024	04.04.2028
								PE-510THB132	21.49				
								PE-515THB132	21.70				
								PE-520THB132	21.91				
								PE-525THB132	22.12				
								PE-530THB132	22.33				
								PE-535THB132	22.54				
								PE-450THB120	20.80				
								PE-455THB120	21.03				
								PE-450THB120	21.26				
								PE-460THB120	21.49				
								PE-465THB120	21.72				
					x	Bifacial N-Type TOPCon Modules	PE-470THB120, (470Wp)	PE-470THB120	21.95	120 (Half-Cut Cells)	1500	05.04.2024	04.04.2028
								PE-475THB120	22.18				
								PE-480THB120	22.42				
								PE-485THB120	22.65				
								PE-490THB120	22.88				
								SSSPL-72TP-255	19.20				
								SSSPL-72TP-260	19.58				
								SSSPL-72TP-265	19.96				
								SSSPL-72TP-270	20.33				
								SSSPL-72TP-275	20.71				
								SSSPL-72TP-280	21.08				
								SSSPL-108TP-380	19.47				
SSSPL-108TP-390	19.98												
SSSPL-108TP-400	20.49												
21	M/s. Sri Savitr Solar Pvt. Ltd	Plot No. 34/1, Sy No. 374, C.I.E. Phase 2, Gandhi Nagar, Quthbulapur, Ranga Reddy, Hyderabad, Telangana -500037, India	R-63000922	40	i	Mono c-Si PERC Module	SSSPL-72TP-265 (265 Wp)	SSSPL-72TP-265	19.96	72 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								SSSPL-72TP-270	20.33				
								SSSPL-72TP-275	20.71				
					ii	Mono c-Si PERC Module	SSSPL-72TP-265 (280 Wp)	SSSPL-72TP-265	21.08	72 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								SSSPL-108TP-380	19.47				
					iii	Mono c-Si PERC Module	SSSPL-108TP-390 (390 Wp)	SSSPL-108TP-390	19.98	108 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								SSSPL-108TP-400	20.49				
					iv	Mono c-Si PERC Module	SSSPL-108TP-410 (410Wp)	SSSPL-108TP-410	21.00	108 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								SSSPL-120TP-420	19.42				
								SSSPL-120TP-430	19.89				
								SSSPL-120TP-440	20.35				
								SSSPL-120TP-450	20.81				
					v	Mono c-Si PERC Module	SSSPL-120TP-440 (440Wp)	SSSPL-120TP-460	21.27	120 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								SSSPL-132TP-470	19.81				
								SSSPL-132TP-475	20.02				
								SSSPL-132TP-480	20.23				
								SSSPL-132TP-485	20.44				
					vi	Mono c-Si PERC Module	SSSPL-132TP-485 (485 Wp)	SSSPL-132TP-490	20.66	132 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								SSSPL-132TP-495	20.87				
								SSSPL-132TP-500	21.07				
								SSSPL-144TP-500	19.36				
								SSSPL-144TP-510	19.75				
					vii	Mono c-Si PERC Module	SSSPL-144TP-520 (520 Wp)	SSSPL-144TP-520	20.14	144 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								SSSPL-144TP-530	20.52				
SSSPL-144TP-540	20.91												
SSSPL-144TP-550	21.30												
BBS24MF380	19.10												
22	M/s. Bluebird Solar Pvt. Ltd	Plot No: 5, Ecotech-II, Udyog Vihar, Kharsa No. 739, Greater Noida-201306, Uttar Pradesh, India	R-93014680	106	i	Mono c-Si PERC Modules	BBS24MF395 (395Wp)	BBS24MF385	19.35	72 (Full Cells)	1500	05.04.2024	04.04.2028
								BBS24MF390	19.60				
								BBS24MF395	19.85				
								BBS24MF400	20.10				
								BBS24MF405	20.35				
								BBS24MC440	19.73				
								BBS24MC445	19.95				
								BBS24MC450	20.18				
								BBS24MC455	20.40				
					ii	Mono c-Si PERC Module	BBS24MC460 (460Wp)	BBS24MC460	20.63	120 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								BBS24MC465	20.85				
								BBS24MC470	21.08				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					iii	Mono c-Si PERC Module	BBS24MC495 (495Wp)	BBS24MC475 BBS24MC480 BBS24MC485 BBS24MC490 BBS24MC495 BBS24MC500 BBS24MC505 BBS24MC510	21.31 19.45 19.65 19.85 20.05 20.25 20.46 20.66	132 (Half Cut Cells)	1500	05.04.2024	04.04.2028
					iv	Mono c-Si PERC Module	BBS24MC525 (525Wp)	BBS24MC515 BBS24MC520 BBS24MC525 BBS24MC530 BBS24MC535 BBS24MC540	19.96 20.15 20.34 20.53 20.73 20.92	144 (Half Cut Cells)	1500	05.04.2024	04.04.2028
					v	Bifacial Mono c-Si PERC Module	BBS24MC460-TB (460 Wp)	BBS24MC545 BBS24MC550 BBS24MC440-TB BBS24MC445-TB BBS24MC450-TB BBS24MC455-TB BBS24MC460-TB BBS24MC465-TB BBS24MC470-TB BBS24MC475-TB BBS24MC480-TB	20.53 21.12 21.31 19.76 19.99 20.21 20.44 20.66 20.89 21.11 21.33 19.94	120 (Half Cut Cells)	1500	05.04.2024	04.04.2028
					vi	Bifacial Mono c-Si PERC Module	BBS24MC495-TB (495 Wp)	BBS24MC485-TB BBS24MC490-TB BBS24MC495-TB BBS24MC500-TB BBS24MC505-TB BBS24MC510-TB BBS24MC520-TB BBS24MC525-TB	20.14 20.35 20.56 20.77 20.97 21.18 19.12 19.31	132 (Half Cut Cells)	1500	05.04.2024	04.04.2028
					vii	Bifacial Mono c-Si PERC Module	BBS24MC525-TB (525 Wp)	BBS24MC530-TB BBS24MC535-TB BBS24MC540-TB BBS24MC545-TB BBS24MC550-TB BBS24MC555-TB	19.49 19.67 19.86 20.04 20.23 20.41	144 (Half Cut Cells)	1500	05.04.2024	04.04.2028
					viii	Bifacial Mono c-Si PERC Module	BBS24MC570-TB (570 Wp)	BBS24MC560-TB BBS24MC565-TB BBS24MC570-TB BBS24MC575-TB	20.59 20.78 20.96 21.14	144 (Half Cut Cells)	1500	05.04.2024	04.04.2028
					ix	Mono c-Si PERC Module	BBS24MC570 (570 Wp)	BBS24MC555 BBS24MC560 BBS24MC565 BBS24MC570 BBS24MC575	20.41 20.59 20.78 20.96 21.14	144 (Half Cut Cells)	1500	05.04.2024	04.04.2028
23	M/s. Rajasthan Electronics and Instruments Limited (REIL)	2, Kanakpura Industrial Area, Sirsi Road, Jaipur-302040	R-84003077	23	i	Mono c-Si Module	385W72 (385 Wp)	390W72 385W72 380W72 375W72	20.07 19.82 19.56 19.30	72 (Full Cell)	1500	18.08.2024	17.08.2028
		Co-ALMM with M/s Sova Solar Ltd Manufacturing Address: Layout Plot No: 25, E.P.I.P. Banskopa, Durgapur 713212, West Bengal	R-51002631	2 (As per Co-Branding Agreement)	ii	Mono c-Si PERC Module	RSS535144HCMP (535Wp)	RSS520144HCMP RSS525144HCMP RSS530144HCMP RSS535144HCMP RSS540144HCMP RSS545144HCMP RSS550144HCMP RSS555144HCMP	20.16 20.35 20.54 20.74 20.93 21.13 21.32 21.51	144 (Half Cut Cells)	1500	08.07.2024	31.03.2026
		Co-ALMM with M/s Cosmie PV Power Private Limited Manufacturing Address: Survey No. 1605/1, Block No 2098/1/B, Tadkeshvar, Mandavi, Surat- 394170, Gujarat	R-72010197	2 (As per Co-Branding Agreement)	iii	Mono c-Si PERC Module	RCOS TWIN-530 (530 Wp)	RCOS TWIN-550 RCOS TWIN-545 RCOS TWIN-540 RCOS TWIN-535 RCOS TWIN-530 RCOS TWIN-525 RCOS TWIN-520 RCOS TWIN-515 RCOS TWIN-510	21.3 21.1 20.9 20.71 20.51 20.32 20.13 19.93 19.74	144 (Half Cut Cells)	1500	08.07.2024	17.03.2026
		Co-ALMM with M/s Grew Energy	R-84004561	2 (As per Co-				RGMB72HM10550	21.29				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity				
												From	To (subject to valid BIS Registration; else deemed to be delisted)			
	Private Limited Manufacturing Address: Khasra No. 2215, 2216, 1654, 1655, 1656, 2217, 2214, DDDU Jaipur, Rajasthan-303008			Branding Agreement)	iv	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RGMB72HM10540 (540Wp)	RGMB72HM10545	21.1	144 (Half Cut Cells)	1500	08.07.2024	30.04.2026			
								RGMB72HM10540	20.9							
								RGMB72HM10535	20.71							
								RGMB72HM10530	20.52							
					v	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RGMB66HM10495 (495Wp)	RGMB72HM10525	20.32							
								RGMB66HM10505	21.26							
								RGMB66HM10500	21.05							
								RGMB66HM10495	20.83							
								RGMB66HM10490	20.62							
								RGMB66HM10485	20.41							
					vi	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	RGMB60HM10450 (450 Wp)	RGMB66HM10480	20.2							
								RGMB60HM10460	21.24							
								RGMB60HM10455	21.01							
								RGMB60HM10450	20.78							
								RGMB60HM10445	20.54							
								RGMB60HM10440	20.31							
					vii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	RGMB54HM10405 (405 Wp)	RGMB60HM10435	20.08							
								RGMB54HM10415	21.21							
								RGMB54HM10410	20.96							
								RGMB54HM10405	20.7							
								RGMB54HM10400	20.45							
								RGMB54HM10395	20.19							
					viii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	RGMB48HM10355 (355 Wp)	RGMB54HM10390	19.94							
								RGMB48HM10365	20.9							
								RGMB48HM10360	20.61							
								RGMB48HM10355	20.33							
								RGMB48HM10350	20.04							
								RGMB48HM10345	19.75							
					ix	Mono c-Si PERC Modules	RGMB48HM10340	RGMB48HM10340	19.47							
								RGMF72HM10550	21.29							
								RGMF72HM10545	21.1							
								RGMF72HM10540	20.9							
								RGMF72HM10535	20.71							
								RGMF72HM10530	20.52							
					x	Mono c-Si PERC Modules	RGMF72HM10525	RGMF72HM10525	20.32							
								RGMF66HM10505	21.26							
								RGMF66HM10500	21.05							
								RGMF66HM10495	20.83							
								RGMF66HM10490	20.62							
								RGMF66HM10485	20.41							
					xi	Mono c-Si PERC Modules	RGMF66HM10480	RGMF66HM10480	20.2							
								RGMF60HM10460	21.24							
								RGMF60HM10455	21.01							
								RGMF60HM10450	20.78							
								RGMF60HM10445	20.54							
								RGMF60HM10440	20.31							
					xii	Mono c-Si PERC Modules	RGMF60HM10435	RGMF60HM10435	20.08							
								RGMF54HM10415	21.21							
RGMF54HM10410	20.96															
RGMF54HM10405	20.7															
RGMF54HM10400	20.45															
RGMF54HM10395	20.19															
xiii	Mono c-Si PERC Modules	RGMF54HM10390	RGMF54HM10390	19.94												
			RGMF48HM10365	20.9												
			RGMF48HM10360	20.61												
			RGMF48HM10355	20.33												
			RGMF48HM10350	20.04												
			RGMF48HM10345	19.75												
24	M/s. Sahaj Solar Private Ltd	Plot No. D4, Survey No. 742,745, Gallops Industrial Park, Village Rajoda, Sarkhej – Bavla Road, NH 8B, Ahmedabad, Gujarat – 382220, India	R-72005630	54	i	Mono PERC c-Si Module	SS-535 (535 Wp)	RGMF48HM10340	19.47	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028			
								SS-520	20.12							
								SS-525	20.31							
								SS-530	20.51							
								SS-535	20.70							
								SS-540	20.89							
								SS-545	21.09							
								SS-550	21.28							
								ii	Mono PERC c-Si Module					SS-132C480	SS-132C480	20.22
															SS-132C485	20.43
															SS-132C490	20.64
															SS-132C495	20.86
SS-132C500	21.07															

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								SS-132C505	21.27				
								SS-132C510	21.49				
								SS-132C515	21.70				
					iii	Mono PERC c-Si Module	SS-120C445 (445 Wp)	SS-120C440	20.34	120 (Half Cut Cells)	1500	18.08.2024	17.08.2028
							SS-120C445	20.57					
							SS-120C450	20.79					
							SS-120C455	21.02					
							R420M	19.27					
25	M/s. Raajratna Ventures Limited	Survey No. 69/2, Ahmedabad-Mehsana Highway, Opp Madhu Mill, Village Chandarda, Tal Kadi, Dist. Mehsana, Gujarat - 382715, India	R-72003379	79	i	Mono c-Si PERC Modules	R435M (435Wp)	R425M	19.50	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028
							R430M	19.73					
							R435M	19.96					
							R440M	20.18					
							R445M	20.41					
							R450M	20.64					
					ii	Mono c-Si PERC Modules	R530M (530Wp)	R510M	19.73	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028
							R515M	19.93					
							R520M	20.12					
							R525M	20.31					
							R530M	20.51					
							R535M	20.70					
							R540M	20.89					
							R545M	21.09					
							R550M	21.28					
26	M/s. Mundra Solar Energy Ltd	Taluka Mundra, Survey No.180/P, Sector-01,South Of APL/CGPL Power Plant, Near EMC Bridge,Tunda, Kachchh- 370435 Gujarat	R-72005460	2125	i	Mono c-Si PERC Modules	ASM-M10-144-525 (525Wp)	ASM-M10-144-500	19.48	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028
							ASM-M10-144-501	19.51					
							ASM-M10-144-502	19.55					
							ASM-M10-144-503	19.59					
							ASM-M10-144-504	19.63					
							ASM-M10-144-505	19.67					
							ASM-M10-144-506	19.71					
							ASM-M10-144-507	19.75					
							ASM-M10-144-508	19.79					
							ASM-M10-144-509	19.83					
							ASM-M10-144-510	19.86					
							ASM-M10-144-511	19.9					
							ASM-M10-144-512	19.94					
							ASM-M10-144-513	19.98					
							ASM-M10-144-514	20.02					
							ASM-M10-144-515	20.06					
							ASM-M10-144-516	20.1					
							ASM-M10-144-517	20.14					
							ASM-M10-144-518	20.18					
							ASM-M10-144-519	20.22					
							ASM-M10-144-520	20.25					
							ASM-M10-144-521	20.29					
							ASM-M10-144-522	20.33					
							ASM-M10-144-523	20.37					
							ASM-M10-144-524	20.41					
							ASM-M10-144-525	20.45					
							ASM-M10-144-526	20.49					
							ASM-M10-144-527	20.53					
							ASM-M10-144-528	20.57					
							ASM-M10-144-529	20.6					
							ASM-M10-144-530	20.64					
							ASM-M10-144-531	20.68					
							ASM-M10-144-532	20.72					
							ASM-M10-144-533	20.76					
							ASM-M10-144-534	20.8					
							ASM-M10-144-535	20.84					
							ASM-M10-144-536	20.88					
							ASM-M10-144-537	20.92					
							ASM-M10-144-538	20.96					
							ASM-M10-144-539	20.99					
							ASM-M10-144-540	21.03					
							ASM-M10-144-541	21.07					
							ASM-M10-144-542	21.11					
							ASM-M10-144-543	21.15					
							ASM-M10-144-544	21.18					
							ASM-M10-144-545	21.22					
							ASM-M10-144-546	21.27					
							ASM-M10-144-547	21.3					

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
							ASB-M10-144-525 (525Wp)	ASB-M10-144-548	21.34	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								ASB-M10-144-549	21.38				
								ASB-M10-144-550	21.42				
								ASB-M10-144-500	19.48				
								ASB-M10-144-501	19.51				
								ASB-M10-144-502	19.55				
								ASB-M10-144-503	19.59				
								ASB-M10-144-504	19.63				
								ASB-M10-144-505	19.67				
								ASB-M10-144-506	19.71				
								ASB-M10-144-507	19.75				
								ASB-M10-144-508	19.79				
								ASB-M10-144-509	19.83				
								ASB-M10-144-510	19.86				
								ASB-M10-144-511	19.9				
								ASB-M10-144-512	19.94				
								ASB-M10-144-513	19.98				
								ASB-M10-144-514	20.02				
								ASB-M10-144-515	20.06				
								ASB-M10-144-516	20.1				
								ASB-M10-144-517	20.14				
								ASB-M10-144-518	20.18				
								ASB-M10-144-519	20.22				
								ASB-M10-144-520	20.25				
								ASB-M10-144-521	20.29				
								ASB-M10-144-522	20.33				
								ASB-M10-144-523	20.37				
								ASB-M10-144-524	20.41				
								ASB-M10-144-525	20.45				
								ASB-M10-144-526	20.49				
								ASB-M10-144-527	20.53				
								ASB-M10-144-528	20.57				
								ASB-M10-144-529	20.6				
								ASB-M10-144-530	20.64				
								ASB-M10-144-531	20.68				
								ASB-M10-144-532	20.72				
								ASB-M10-144-533	20.76				
								ASB-M10-144-534	20.8				
								ASB-M10-144-535	20.84				
								ASB-M10-144-536	20.88				
								ASB-M10-144-537	20.92				
								ASB-M10-144-538	20.96				
								ASB-M10-144-539	20.99				
								ASB-M10-144-540	21.03				
								ASB-M10-144-541	21.07				
								ASB-M10-144-542	21.11				
								ASB-M10-144-543	21.15				
								ASB-M10-144-544	21.18				
								ASB-M10-144-545	21.22				
								ASB-M10-144-546	21.27				
ASB-M10-144-547	21.3												
ASB-M10-144-548	21.34												
ASB-M10-144-549	21.38												
ASB-M10-144-550	21.42												
27	M/s. Renewsys India Pvt. Ltd	Plot No. E141, Additional Industrial Area, MIDC, Patalganga, Tal. Panvel, Karade Khurd, Raigad-410202 Maharashtra	R-71018970	1060	1	Bifacial Mono c-Si PERC Module	DESERV EXTREME-575 (575 Wp)	DESERV EXTREME-590	21.02	156 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								DESERV EXTREME-585	20.84				
								DESERV EXTREME-580	20.66				
								DESERV EXTREME-575	20.48				
								DESERV EXTREME-570	20.30				
								DESERV EXTREME-565	20.13				
								DESERV EXTREME-560	21.56				
					2	Bifacial Mono c-Si PERC Module	DESERV EXTREME-540 (540 Wp)	DESERV EXTREME-555	21.37	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								DESERV EXTREME-550	21.18				
								DESERV EXTREME-545	20.99				
								DESERV EXTREME-540	20.79				
								DESERV EXTREME-535	20.60				
								DESERV EXTREME-530	20.41				
								DESERV EXTREME-525	20.22				
								DESERV EXTREME-520	20.02				
DESERV EXTREME-515	19.83												
DESERV EXTREME-510	19.63												

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity						
												From	To (subject to valid BIS Registration; else deemed to be delisted)					
					3	Bifacial Mono c-Si PERC Module	DESERV EXTREME-500 (500 Wp)	DESERV EXTREME-505 DESERV EXTREME-500 DESERV EXTREME-495 DESERV EXTREME-455 DESERV EXTREME-450	19.44 19.25 19.06 20.91 20.68	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028					
					4	Bifacial Mono c-Si PERC Module	DESERV EXTREME-455 (455 Wp)	DESERV EXTREME-445 DESERV EXTREME-440 DESERV EXTREME-435 DESERV EXTREME-420	20.45 20.22 19.99 21.44	120 (Half Cut Cells)	1500	18.08.2024	17.08.2028					
					5	Bifacial Mono c-Si PERC Module	DESERV EXTREME-415 (415 Wp)	DESERV EXTREME-415 DESERV EXTREME-410 DESERV EXTREME-405	21.18 20.93 20.67	108 (Half Cut Cells)	1500	18.08.2024	17.08.2028					
					6	Mono c-Si PERC Modules	DESERV SGALACTIC-575 (575Wp)	DESERV SGALACTIC-590 DESERV SGALACTIC-585 DESERV SGALACTIC-580 DESERV SGALACTIC-575 DESERV SGALACTIC-570 DESERV SGALACTIC-565	21.02 20.84 20.66 20.48 20.30 20.13	156 (Half Cut Cells)	1500	18.08.2024	17.08.2028					
					7	Mono c-Si PERC Module	DESERV SGALACTIC-555 (555 Wp)	DESERV SGALACTIC-560 DESERV SGALACTIC-555 DESERV SGALACTIC-550	21.56 21.37 21.18	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028					
					8	Mono c-Si PERC Module	DESERV SGALACTIC-535 (535 Wp)	DESERV SGALACTIC-545 DESERV SGALACTIC-540 DESERV SGALACTIC-535 DESERV SGALACTIC-530 DESERV SGALACTIC-525 DESERV SGALACTIC-520 DESERV SGALACTIC-515 DESERV SGALACTIC-510	20.99 20.79 20.60 20.41 20.22 20.02 19.83 19.63	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028					
					9	Mono c-Si PERC Module	DESERV SGALACTIC-500 (500 Wp)	DESERV SGALACTIC-505 DESERV SGALACTIC-500 DESERV SGALACTIC-495	19.44 19.25 19.06	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028					
					10	Mono c-Si PERC Module	DESERV SGALACTIC-465 (465 Wp)	DESERV SGALACTIC-465 DESERV SGALACTIC-460 DESERV SGALACTIC-420	21.37 21.14 21.44	120 (Half Cut Cells)	1500	18.08.2024	17.08.2028					
					11	Mono c-Si PERC Module	DESERV SGALACTIC-415 (415 Wp)	DESERV SGALACTIC-415 DESERV SGALACTIC-410 DESERV SGALACTIC-405	21.18 20.93 20.67	108 (Half Cut Cells)	1500	18.08.2024	17.08.2028					
					28	M/s. Waaree Energies Limited	Survey No. 1934, 1939, 1941, 1942, NH-48, Degam, Chikhali, Navasari, Gujarat - 396530, India	R-72005533	9668	i	Bifacial N - Type TOPCon Module	BiN-17-615 (615 Wp)	BiN-17-605 BiN-17-610 BiN-17-615 BiN-17-620 BiN-17-625	21.64 21.82 22.00 22.18 22.36	156 (Half Cut Cells)	1500	18.08.2024	17.08.2028
										ii	Bifacial N - Type TOPCon Module	BiN-08-570 (570 Wp)	BiN-08-560 BiN-08-565 BiN-08-570 BiN-08-575 BiN-08-580	21.68 21.87 22.07 22.26 22.45	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028
					iii	Mono c-Si PERC Modules	WSMD-540 (540Wp)	WSMD-520 WSMD-525 WSMD-530 WSMD-535 WSMD-540 WSMD-545 WSMD-550	20.2 20.39 20.58 20.78 20.97 21.17 21.36	144 (Half-Cut Cells)	1500	18.08.2024	17.08.2028					
					iv	Mono c-Si PERC Modules	WSMD-600 (600Wp)	WSMD-580 WSMD-585 WSMD-590 WSMD-595 WSMD-600 WSMD-605	20.35 20.52 20.7 20.88 21.06 21.24	120 (Half-Cut Cells)	1500	18.08.2024	17.08.2028					
					v	Mono c-Si PERC Modules	WSMD-650 (650Wp)	WSMD-630 WSMD-635 WSMD-640 WSMD-645 WSMD-650	20.16 20.32 20.48 20.64 20.8	132 (Half-Cut Cells)	1500	18.08.2024	17.08.2028					
					vi	Bifacial Mono c-Si PERC Module	Bi-55-540 (540Wp)	Bi-55-520 Bi-55-525 Bi-55-530 Bi-55-535	20.2 20.39 20.58 20.78	144 (Half-Cut Cells)	1500	18.08.2024	17.08.2028					

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								Bi-55-540	20.97				
								Bi-55-545	21.17				
								Bi-55-550	21.36				
								Bi-66-580	20.35				
					vii	Bifacial Mono c-Si PERC Modules	Bi-66-600 (600Wp)	Bi-66-585	20.52	120 (Half-Cut Cells)	1500	18.08.2024	17.08.2028
							Bi-66-590	20.7					
							Bi-66-595	20.88					
							Bi-66-600	21.06					
							Bi-68-630	20.16					
							Bi-68-635	20.32					
					viii	Bifacial Mono c-Si PERC Modules	Bi-68-650 (650Wp)	Bi-68-640	20.48	132 (Half-Cut Cells)	1500	18.08.2024	17.08.2028
							Bi-68-645	20.64					
							Bi-68-650	20.8					
							GS10-M144-WF-500	19.36					
							GS10-M144-WF-505	19.54					
							GS10-M144-WF-510	19.75					
							GS10-M144-WF-515	19.94					
							GS10-M144-WF-520	20.13					
					i	Mono c-Si PERC Module	GS10-M144-WF-525 (525 Wp)	GS10-M144-WF-525	20.33	144 (Half-Cut Cells)	1500	27.09.2024	26.09.2028
							GS10-M144-WF-530	20.53					
							GS10-M144-WF-535	20.73					
							GS10-M144-WF-540	20.92					
							GS10-M144-WF-545	21.11					
							GS10-M144-WF-550	21.30					
							GS10-B144-TF-525	20.33					
							GS10-B144-TF-530	20.53					
					ii	Bifacial Mono c-Si PERC Module	GS10-B144-TF-535 (535Wp)	GS10-B144-TF-535	20.73				
							GS10-B144-TF-540	20.92					
							GS10-B144-TF-545	21.10					
							GS10-B144-TF-550	21.30					
							GS10-B144-GF-525	20.34					
							GS10-B144-GF-530	20.53					
							GS10-B144-GF-535	20.73					
							GS10-B144-GF-540	20.92					
							GS10-B144-GF-545	21.10					
							GS10-B144-GF-550	21.30					
					iii	Bifacial Mono c-Si PERC Module	GS10-B144-GF-535 (535Wp)	GS10-M132-WF-500	21.06	132 (Half Cut Cells)	1500	27.09.2024	26.09.2028
					iv	Mono c-Si PERC Module	GS10-M132-WF-500 (500Wp)	GS10-M132-WF-505	21.28				
								GS10-T144-GF-555	21.47				
								GS10-T144-GF-560	21.67				
								GS10-T144-GF-565	21.86				
								GS10-T144-GF-570	22.05				
								GS10-T144-GF-575	22.26				
								GS10-T144-GF-580	22.45				
								GS10-T144-GF-585	22.64				
								GS10-T144-GF-590	22.83				
								GS10-T144-GF-595	23.03				
								GS10-T132-GF-515	21.68				
								GS10-T132-GF-520	21.89				
								GS10-T132-GF-525	22.10				
								GS10-T132-GF-530	22.31				
								GS10-T132-GF-535	22.52				
								GS10-T132-GF-540	22.73				
								GS10-T132-GF-545	22.94				
								GS10-T132-GF-550	23.15				
								GS10-T120-GF-465	21.47				
								GS10-T120-GF-470	21.70				
								GS10-T120-GF-475	21.93				
								GS10-T120-GF-480	22.16				
								GS10-T120-GF-485	22.39				
								GS10-T120-GF-490	22.62				
								GS10-T120-GF-495	22.85				
								GS10-T120-GF-500	23.08				
								GS10-T108-GF-415	21.15				
								GS10-T108-GF-420	21.41				
								GS10-T108-GF-425	21.66				
								GS10-T108-GF-430	21.92				
								GS10-T108-GF-435	22.17				
								GS10-T108-GF-440	22.43				
								GS10-T108-GF-445	22.68				
								GS10-T108-GF-450	22.94				
30	M/s. SASA Energy LLP	S.No. 193, Opposite Dargah, Morbi-	R-72005681	100				SASA255C-72	19.06			27.09.2024	26.09.2028

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity		
												From	To (subject to valid BIS Registration; else deemed to be delisted)	
31	M/s. SUNBOND Energy	Halvad Road, At-Nichi Mandal, Morbi – Rajkot, Gujarat - 363642, India	R-72005762	60	i	Mono c-Si PERC Module	SASA265C-72 (265 Wp)	SASA260C-72	19.43	72 (Half Cut Cells)	1500	27.09.2024	26.09.2028	
								SASA265C-72	19.80			27.09.2024	26.09.2028	
								SASA270C-72	20.18			27.09.2024	26.09.2028	
								SASA275C-72	20.55			27.09.2024	26.09.2028	
								SASA335C-96	19.06			27.09.2024	26.09.2028	
								SASA340C-96	19.34			27.09.2024	26.09.2028	
								SASA345C-96	19.63			27.09.2024	26.09.2028	
								SASA350C-96	19.91			27.09.2024	26.09.2028	
								SASA355C-96	20.20			27.09.2024	26.09.2028	
								SASA360C-96	20.48			27.09.2024	26.09.2028	
								SASA365C-96	20.76			27.09.2024	26.09.2028	
								SASA375C-108	19.11			27.09.2024	26.09.2028	
								SASA380C-108	19.37			27.09.2024	26.09.2028	
								SASA385C-108	19.62			27.09.2024	26.09.2028	
								SASA390C-108	19.88			27.09.2024	26.09.2028	
								SASA395C-108	20.13			27.09.2024	26.09.2028	
								SASA400C-108	20.39			27.09.2024	26.09.2028	
								SASA405C-108	20.64			27.09.2024	26.09.2028	
								SASA410C-108	20.90			27.09.2024	26.09.2028	
								SASA415C-120	19.11			27.09.2024	26.09.2028	
								SASA420C-120	19.34			27.09.2024	26.09.2028	
								SASA425C-120	19.57			27.09.2024	26.09.2028	
								SASA430C-120	19.80			27.09.2024	26.09.2028	
								SASA435C-120	20.03			27.09.2024	26.09.2028	
								SASA440C-120	20.26			27.09.2024	26.09.2028	
								SASA445C-120	20.49			27.09.2024	26.09.2028	
								SASA450C-120	20.72			27.09.2024	26.09.2028	
								SASA455C-120	20.95			27.09.2024	26.09.2028	
								SASA460C-132	19.41			27.09.2024	26.09.2028	
								SASA465C-132	19.62			27.09.2024	26.09.2028	
								SASA470C-132	19.83			27.09.2024	26.09.2028	
								SASA475C-132	20.04			27.09.2024	26.09.2028	
								SASA480C-132	20.25			27.09.2024	26.09.2028	
								SASA485C-132	20.46			27.09.2024	26.09.2028	
								SASA490C-132	20.67			27.09.2024	26.09.2028	
								SASA495C-132	20.88			27.09.2024	26.09.2028	
								SASA500C-132	21.10			27.09.2024	26.09.2028	
								SASA500C-144	19.35			27.09.2024	26.09.2028	
								SASA505C-144	19.55			27.09.2024	26.09.2028	
								SASA510C-144	19.74			27.09.2024	26.09.2028	
								SASA515C-144	19.94			27.09.2024	26.09.2028	
								SASA520C-144	20.13			27.09.2024	26.09.2028	
								SASA525C-144	20.32			27.09.2024	26.09.2028	
								SASA530C-144	20.52			27.09.2024	26.09.2028	
								SASA535C-144	20.71			27.09.2024	26.09.2028	
								SASA540C-144	20.90			27.09.2024	26.09.2028	
								SASA545C-144	21.09			27.09.2024	26.09.2028	
								SASA550C-144	21.29			27.09.2024	26.09.2028	
								SASA380M72	19.11			27.09.2024	26.09.2028	
								SASA385M72	19.37			27.09.2024	26.09.2028	
								SASA390M72	19.62			27.09.2024	26.09.2028	
								SASA395M72	19.87			27.09.2024	26.09.2028	
								SASA400M72	20.17			27.09.2024	26.09.2028	
								SASA350M66	19.20			27.09.2024	26.09.2028	
								SASA355M66	19.48			27.09.2024	26.09.2028	
								SASA360M66	19.75			27.09.2024	26.09.2028	
								SASA320M60	19.25			27.09.2024	26.09.2028	
								SASA325M60	19.55			27.09.2024	26.09.2028	
								SASA330M60	19.85			27.09.2024	26.09.2028	
								SASA290M54	19.30			27.09.2024	26.09.2028	
								SASA295M54	19.63			27.09.2024	26.09.2028	
								SASA300M54	19.90			27.09.2024	26.09.2028	
								SASA305M54	20.34			27.09.2024	26.09.2028	
								SASA255M48	19.00			27.09.2024	26.09.2028	
								SASA260M48	19.37			27.09.2024	26.09.2028	
								SASA265M48	19.74			27.09.2024	26.09.2028	
								SASA240MPC385	19.17			27.09.2024	26.09.2028	
								SASA240MPC390	19.42			27.09.2024	26.09.2028	
								SASA240MPC395	19.67			27.09.2024	26.09.2028	
								SASA240MPC400	19.70			27.09.2024	26.09.2028	
								SASA240MPC405	20.20			27.09.2024	26.09.2028	
									SEPL72F360M			18.1		

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xiv	Multi C-Si Module	SEPL72F340P (340 Wp)	SEPL72C295P SEPL72F335P SEPL72F340P	14.87 16.91 17.12	72 (Full Cell)	1500	27.09.2022	26.09.2024
					xv	Mono-PERC C-Si Module	SEPL72F400M (400Wp)	SEPL72F400M	20.16	72 (Full Cell)	1500	27.09.2022	26.09.2024
					xvi	Mono-PERC C-Si Module	SEPLM10-525 (525 Wp)	SEPLM10-500	19.35	144 (Half Cut Cell)	1500	27.09.2022	26.09.2024
								SEPLM10-505	19.54				
								SEPLM10-510	19.74				
								SEPLM10-515	19.93				
								SEPLM10-520	20.12				
								SEPLM10-525	20.32				
								SEPLM10-530	20.51				
								SEPLM10-535	20.71				
								SEPLM10-540	20.9				
								SEPLM10-545	21.09				
								SEPLM10-550	21.29				
32	M/s. Emmvee Photovoltaic Power Private Limited	Sy. No. 66-70/3, Pemmanahalli Village, Sompura Hobli, Dabaspet, Nelamangala Taluk, Bengaluru rural District, Karnataka	R-62002976	676	i	Mono c-Si PERC Modules	E520HCMW144 (520 Wp)	E545HCMW144	21.10	144 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								E540HCMW144	20.90				
								E535HCMW144	20.71				
								E530HCMW144	20.52				
								E525HCMW144	20.32				
								E520HCMW144	20.13				
								E515HCMW144	19.94				
								E510HCMW144	19.74				
								E505HCMW144	19.55				
								E500HCMW144	19.36				
								E495HCMW144	19.16				
								E545HCBG144	21.10				
								E540HCBG144	20.90				
								E535HCBG144	20.71				
								E530HCBG144	20.52				
					E525HCBG144	20.32							
					E520HCBG144	20.13							
					E515HCBG144	19.94							
					E510HCBG144	19.74							
					E505HCBG144	19.55							
					E500HCBG144	19.36							
					E495HCBG144	19.16							
					ii	Bifacial Mono c-Si PERC Modules (Glass to Glass)	E520HCBG144 (520 Wp)	E450HCMW120	20.74	144 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								E445HCMW120	20.51				
								E440HCMW120	20.28				
								E435HCMW120	20.05				
								E430HCMW120	19.82				
								E425HCMW120	19.59				
								E420HCMW120	19.36				
								E415HCMW120	19.13				
								E450HCBG120	20.74				
								E445HCBG120	20.51				
								E440HCBG120	20.28				
					E435HCBG120	20.05							
					E430HCBG120	19.82							
					E425HCBG120	19.59							
					E420HCBG120	19.36							
					E415HCBG120	19.13							
					iii	Mono c-Si PERC Modules	E430HCMW120 (430 Wp)	E550HCMW144	21.29	120 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								E550HCBG144	21.29				
								E385HCBG108	19.74				
								E390HCBG108	20.00				
								E395HCBG108	20.25				
								E400HCBG108	20.51				
								E405HCBG108	20.76				
								E480HCBG132	20.19				
								E485HCBG132	20.40				
								E490HCBG132	20.61				
								E495HCBG132	20.82				
					E500HCBG132	21.03							
					E385HCMW108	19.74							
					E390HCMW108	20.00							
					E395HCMW108	20.25							
					viii	Bifacial Mono c-Si PERC Module (Glass to Glass)	E490HCBG132 (490 Wp)	E395HCMW108	20.25	108 Half Cut Cells	1500	27.09.2024	26.09.2028
								E390HCMW108	20.00				
								E385HCMW108	19.74				
								E395HCMW108	20.25				
								E400HCMW108	20.51				
								E405HCMW108	20.76				
								E480HCMW108	20.19				
								E485HCMW108	20.40				
								E490HCMW108	20.61				
								E495HCMW108	20.82				
								E500HCMW108	21.03				
					ix	Mono c-Si PERC Module	E395HCMW108 (395 Wp)	E395HCMW108	20.25	132 Half Cut Cells	1500	27.09.2024	26.09.2028
								E390HCMW108	20.00				
								E385HCMW108	19.74				
								E395HCMW108	20.25				
								E400HCMW108	20.51				
								E405HCMW108	20.76				
								E480HCMW108	20.19				
								E485HCMW108	20.40				
								E490HCMW108	20.61				
								E495HCMW108	20.82				
								E500HCMW108	21.03				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								E400HCMW108	20.51				
								E405HCMW108	20.76				
					x	Mono c-Si PERC Module	E490HCMW132 (490 Wp)	E480HCMW132	20.19	132 Half Cut Cells	1500	27.09.2024	26.09.2028
							E485HCMW132	20.40					
							E490HCMW132	20.61					
							E495HCMW132	20.82					
							E500HCMW132	21.03					
							E500HCMW132	21.03					
					xi	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	E525HCBT144 (525 Wp)	E550HCBT144	21.29	144 (Half Cut Cells)	1500	27.09.2024	26.09.2028
							E545HCBT144	21.10					
							E540HCBT144	20.90					
							E535HCBT144	20.71					
							E530HCBT144	20.52					
							E525HCBT144	20.32					
							E520HCBT144	20.13					
							E515HCBT144	19.94					
							E510HCBT144	19.74					
							E505HCBT144	19.55					
							E500HCBT144	19.35					
					xii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	E495HCBT144 (495 Wp)	E495HCBT144	19.16				
					xiii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	E490HCBT132 (490 Wp)	E500HCBT132	21.03	132 (Half Cut Cells)	1500	27.09.2024	26.09.2028
							E495HCBT132	20.81					
							E490HCBT132	20.60					
							E485HCBT132	20.39					
							E480HCBT132	20.18					
					xiv	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	E430HCBT120 (430 Wp)	E450HCBT120	20.74	120 (Half Cut Cells)	1500	27.09.2024	26.09.2028
							E445HCBT120	20.51					
							E440HCBT120	20.28					
							E435HCBT120	20.05					
							E430HCBT120	19.82					
							E425HCBT120	19.59					
							E420HCBT120	19.36					
							E405HCBT108	20.76					
					xv	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	E395HCBT108 (395 Wp)	E400HCBT108	20.51	108 (Half Cut Cells)	1500	27.09.2024	26.09.2028
							E395HCBT108	20.25					
							E390HCBT108	19.99					
							E385HCBT108	19.74					
							E380HCBT108	19.49					
					xvi	Bifacial N-Type TOPCon Modules (Glass to Glass)	E555HCBG144-T (555 Wp)	E580HCBG144-T	22.45	144 (Half Cut Cells)	1500	27.09.2024	26.09.2028
							E575HCBG144-T	22.26					
							E570HCBG144-T	22.06					
							E565HCBG144-T	21.87					
							E560HCBG144-T	21.68					
							E555HCBG144-T	21.48					
							E550HCBG144-T	21.29					
							E545HCBG144-T	21.10					
							E540HCBG144-T	20.90					
							E535HCBG144-T	20.71					
					xvii	Bifacial N-Type TOPCon Modules (Glass to Glass)	E525HCBG144-T (525 Wp)	E530HCBG144-T	20.52	144 (Half Cut Cells)	1500	27.09.2024	26.09.2028
					xviii	Bifacial N-Type TOPCon Modules (Glass to Glass)	E505HCBG132-T (505 Wp)	E530HCBG132-T	22.29	132 (Half Cut Cells)	1500	27.09.2024	26.09.2028
							E525HCBG132-T	22.08					
							E520HCBG132-T	21.87					
							E515HCBG132-T	21.66					
							E510HCBG132-T	21.45					
							E505HCBG132-T	21.24					
							E500HCBG132-T	21.03					
							E495HCBG132-T	20.81					
							E490HCBG132-T	20.60					
							E485HCBG132-T	20.39					
							E480HCBG132-T	20.18					
							E480HCBG120-T	22.13					
							E475HCBG120-T	21.90					
							E470HCBG120-T	21.66					
					xix	Bifacial N-Type TOPCon Modules (Glass to Glass)	E460HCBG120-T (460 Wp)	E465HCBG120-T	21.43				
							E460HCBG120-T	21.20					
							E455HCBG120-T	20.97					
							E450HCBG120-T	20.74					
							E445HCBG120-T	20.51					

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xx	Bifacial N-Type TOPCon Modules (Glass to Glass)	E415HCBG108-T (415 Wp)	E440HCBG120-T E435HCBG108-T E430HCBG108-T E425HCBG108-T E420HCBG108-T E415HCBG108-T E410HCBG108-T E405HCBG108-T E400HCBG108-T E395HCBG108-T	20.28 22.30 22.04 21.79 21.53 21.28 21.02 20.76 20.51 20.25	108 (Half Cut Cells)	1500	27.09.2024	26.09.2028
33	M/s. Abhishek Solar Industries Pvt. Ltd	P.O- Vikash Neori, Beside Premchand Mahto High School, Ranchi-835217, Jharkhand	R-5800086	25	i	Multi C-Si Modules	ASPD-325 (325 Wp)	ASPD-315 ASPD-325 ASPD-335 ASP-315 ASP-325 ASP-335 ASP-260 ASP-265 ASP-270 ASP-275 ASPD-260 ASPD-265 ASPD-270 ASPD-275	16.19 16.81 17.35 16.19 16.81 17.35 15.9 16.25 16.54 16.93	72 Full Cells	1500	25.01.2023	24.01.2025
					ii	Multi C-Si Modules	ASP-325 (325 Wp)	ASP-315 ASP-325 ASP-335 ASP-260 ASP-265 ASP-270 ASP-275	16.19 16.81 17.35 15.9 16.25 16.54 16.93	72 Full Cells	1500	25.01.2023	24.01.2025
					iii	Multi C-Si Modules	ASP-265 (265 Wp)	ASP-260 ASP-265 ASP-270 ASP-275 ASPD-260 ASPD-265 ASPD-270 ASPD-275	15.9 16.25 16.54 16.93 15.95 16.15 16.56 16.48	60 Full Cells	1500	25.01.2023	24.01.2025
					iv	Multi C-Si Modules	ASPD-265 (265 Wp)	ASPD-260 ASPD-265 ASPD-270 ASPD-275	15.95 16.15 16.56 16.48	60 Full Cells	1500	25.01.2023	24.01.2025
					v	Multi C-Si Modules	ASPD-240 (240 Wp)	ASPD-230 ASPD-240	15.67 16.35	54 Full Cells	1500	25.01.2023	24.01.2025
					vi	Multi C-Si Modules	ASPD-200 (200 Wp)	ASPD-190 ASPD-200	15.12 16.31	42 Full Cells	1500	25.01.2023	24.01.2025
					vii	Multi C-Si Modules	ASPD-160 (160 Wp)	ASPD-160	16.1	36 Full Cells	1000	25.01.2023	24.01.2025
					viii	Multi C-Si Modules	ASPD-125 (125 Wp)	ASPD-125	16.05	36 Cut Cells	1000	25.01.2023	24.01.2025
					ix	Multi C-Si Modules	ASP-100 (100 Wp)	ASP-100	15.5	36 Cut Cells	1000	25.01.2023	24.01.2025
					x	Multi C-Si Modules	ASPD-75 (75 Wp)	ASPD-75	14.55	36 Cut Cells	1000	25.01.2023	24.01.2025
					xi	Multi C-Si Modules	ASP-75 (75 Wp)	ASP-75	14.55	36 Cut Cells	1000	25.01.2023	24.01.2025
					xii	Multi C-Si Modules	ASPD-60 (60 Wp)	ASPD-60	14.8	36 Cut Cells	1000	25.01.2023	24.01.2025
					xiii	Multi C-Si Modules	ASPD-40 (40 Wp)	ASPD-40	13.87	36 Cut Cells	1000	25.01.2023	24.01.2025
34	M/s. Aatmanirbhar Solar Pvt. Ltd.	Survey no 192, Dudhathal, Kheda, Gujarat - 387620, India	R-72005940	93	i	Mono C-Si PERC Modules	ASPL380MP72 (380 Wp)	ASPL365MP72 ASPL370MP72 ASPL375MP72 ASPL380MP72 ASPL385MP72 ASPL390MP72 ASPL395MP72 ASPL305P72 ASPL310P72 ASPL315P72 ASPL320P72 ASPL325P72 ASPL330P72 ASPL335P72	18.39 18.64 18.89 19.14 19.4 19.65 19.9 15.72 15.98 16.23 16.49 16.75 17.01 17.26	72 FULL CELL	1500	25.01.2023	24.01.2025
					ii	Multi C-Si Modules	ASPL320P72 (320 Wp)	ASPL305P72 ASPL310P72 ASPL315P72 ASPL320P72 ASPL325P72 ASPL330P72 ASPL335P72	15.72 15.98 16.23 16.49 16.75 17.01 17.26	72 FULL CELL	1500	25.01.2023	24.01.2025
					iii	Mono c-Si PERC Module	ASPL405MP108 (405 Wp)	ASPL390MP108 ASPL395MP108 ASPL400MP108 ASPL405MP108 ASPL410MP108 ASPL415MP108	19.97 20.23 20.48 20.74 21.00 21.25	108 (Half Cut Cells)	1500	25.01.2023	24.01.2025
					iv	Mono c-Si PERC Module	ASPL535MP144 (535 Wp)	ASPL525MP144 ASPL530MP144 ASPL535MP144 ASPL540MP144 ASPL545MP144 ASPL550MP144	20.32 20.52 20.71 20.90 21.10 21.29	144 (Half Cut Cells)	1500	25.01.2023	24.01.2025
					v	Bifacial Mono c-Si PERC Module	ASPL585MP156 (585 Wp)	ASPL580MP156 ASPL585MP156 ASPL590MP156	20.75 20.93 21.11	156 (Half Cut Cells)	1500	25.01.2023	24.01.2025

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					v	Multi C-Si Modules	DHOOP PP60 260 (260Wp)	DHOOP PP60 260Wp DHOOP PP60 265Wp DHOOP PP60 270Wp	15.76 16.07 16.37	60 (Full Cells)	1500	25.01.2023	24.01.2025
					vi	Multi C-Si Modules	DHOOP PP60 280 (280Wp)	DHOOP PP60 275Wp DHOOP PP60 280Wp	16.67 17.08	60 (Full Cells)	1500	25.01.2023	24.01.2025
					vii	Multi C-Si Modules	DHOOP PP72 315 (315Wp)	DHOOP PP72 300Wp DHOOP PP72 305Wp DHOOP PP72 310Wp DHOOP PP72 315Wp DHOOP PP72 320Wp DHOOP PP72 325Wp DHOOP PP72 330Wp	15.41 15.67 15.92 16.18 16.44 16.69 16.95	72 (Full Cells)	1500	25.01.2023	24.01.2025
					vii	Multi C-Si Modules	DHOOP PP72 335 (335Wp)	DHOOP PP72 335Wp DHOOP PP72 340Wp	17.26 17.52	72 (Full Cells)	1500	25.01.2023	24.01.2025
					ix	Multi C-Si Modules	DHOOP PP36 100 (100Wp)	DHOOP PP36 100Wp	14.63	36 (Cut Cells)	1500	25.01.2023	24.01.2025
					x	Multi C-Si Modules	DHOOP PP36 110 (110Wp)	DHOOP PP36 110Wp	16.18	36 (Cut Cells)	1500	25.01.2023	24.01.2025
					xi	Multi C-Si Modules	DHOOP PP36 120 (120Wp)	DHOOP PP36 120Wp	16.51	36 (Cut Cells)	1500	25.01.2023	24.01.2025
					xii	Multi C-Si Modules	DHOOP PP36 150 (150Wp)	DHOOP PP36 150Wp	15.01	36 (Full Cells)	1500	25.01.2023	24.01.2025
					xiii	Multi C-Si Modules	DHOOP PP36 160 (160Wp)	DHOOP PP36 160Wp	16.14	36 (Full Cells)	1500	25.01.2023	24.01.2025
					xiv	Multi C-Si Modules	DHOOP PP36 40 (40Wp)	DHOOP PP36 40Wp	13.31	36 (Cut Cells)	1500	25.01.2023	24.01.2025
					xv	Multi C-Si Modules	DHOOP PP36 50 (50Wp)	DHOOP PP36 50Wp	13.35	36 (Cut Cells)	1500	25.01.2023	24.01.2025
					xvi	Multi C-Si Modules	DHOOP PP36 60 (60Wp)	DHOOP PP36 60Wp	13.74	36 (Cut Cells)	1500	25.01.2023	24.01.2025
					xvii	Multi C-Si Modules	DHOOP PP36 75 (75Wp)	DHOOP PP36 75Wp	14.27	36 (Cut Cells)	1500	25.01.2023	24.01.2025
					xviii	Multi C-Si Modules	DHOOP PP36 80 (80Wp)	DHOOP PP36 80Wp	14.75	36 (Cut Cells)	1500	25.01.2023	24.01.2025
					xix	Bifacial Mono c-Si PERC Module	DHF-72HG-520 (520 Wp)	DHF-72HG-495 DHF-72HG-500 DHF-72HG-505 DHF-72HG-510 DHF-72HG-515 DHF-72HG-520 DHF-72HG-525 DHF-72HG-530 DHF-72HG-535	19.11 19.30 19.50 19.69 19.88 20.08 20.27 20.46 20.66	144 (Half Cut Cells)	1500	25.01.2023	24.01.2025
					xx	Bifacial Mono c-Si PERC Module	DHF-72HG-545 (545 Wp)	DHF-72HG-540 DHF-72HG-545 DHF-72HG-550	20.85 21.04 21.24	144 (Half Cut Cells)	1500	25.01.2023	24.01.2025
					xxi	Bifacial Mono c-Si PERC Module	DHF-66HG-470 (470 Wp)	DHF-66HG-455 DHF-66HG-460 DHF-66HG-465 DHF-66HG-470 DHF-66HG-475 DHF-66HG-480 DHF-66HG-485	19.12 19.33 19.54 19.75 19.96 20.17 20.38	132 (Half Cut Cells)	1500	25.01.2023	24.01.2025
					xxii	Bifacial Mono c-Si PERC Module	DHF-66HG-495 (495 Wp)	DHF-66HG-490 DHF-66HG-495 DHF-66HG-500 DHF-66HG-505	20.59 20.80 21.01 21.22	132 (Half Cut Cells)	1500	25.01.2023	24.01.2025
					xxiii	Bifacial Mono c-Si PERC Module	DHF-54HG-380 (380 Wp)	DHF-54HG-375 DHF-54HG-380 DHF-54HG-385 DHF-54HG-390 DHF-54HG-395	19.13 19.38 19.64 19.89 20.15	108 (Half Cut Cells)	1500	25.01.2023	24.01.2025
					xxiv	Bifacial Mono c-Si PERC Module	DHF-54HG-405 (405 Wp)	DHF-54HG-400 DHF-54HG-405 DHF-54HG-410	20.40 20.66 20.91	108 (Half Cut Cells)	1500	25.01.2023	24.01.2025
					xxv	Bifacial Mono c-Si PERC Module	DHF-60HG-575 (575 Wp)	DHF-60HG-600 DHF-60HG-595 DHF-60HG-590 DHF-60HG-585 DHF-60HG-580 DHF-60HG-575 DHF-60HG-570 DHF-60HG-565 DHF-60HG-560 DHF-60HG-555 DHF-60HG-550	20.75 20.58 20.40 20.23 20.06 19.88 19.71 19.54 19.37 19.19 19.20	120 (Half Cut Cells)	1500	25.01.2023	24.01.2025
								DHF-54HG-540 DHF-54HG-535 DHF-54HG-530 DHF-54HG-525	20.78 20.58 20.39 20.20				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xxvi	Bifacial Mono c-Si PERC Module	DHF-54HG-515 (515 Wp)	DHF-54HG-520 DHF-54HG-515 DHF-54HG-510 DHF-54HG-505 DHF-54HG-500 DHF-54HG-495	20.01 19.81 19.62 19.43 19.24 19.05	108 (Half Cut Cells)	1500	25.01.2023	24.01.2025
					xxvii	Bifacial Mono c-Si PERC Module	DHF-48HG-460 (460 Wp)	DHF-48HG-480 DHF-48HG-475 DHF-48HG-470 DHF-48HG-465 DHF-48HG-460 DHF-48HG-455 DHF-48HG-450 DHF-48HG-445	20.69 20.48 20.26 20.05 19.83 19.62 19.40 19.18	96 (Half Cut Cells)	1500	25.01.2023	24.01.2025
					xxviii	Mono c-Si PERC Module	DHF-72H-525 (525 Wp)	DHF-72H-550 DHF-72H-545 DHF-72H-540 DHF-72H-535 DHF-72H-530 DHF-72H-525 DHF-72H-520 DHF-72H-515 DHF-72H-510 DHF-72H-505	21.24 21.04 20.85 20.66 20.46 20.27 20.08 19.88 19.69 19.50	144 (Half Cut Cells)	1500	25.01.2023	24.01.2025
					xxix	Mono c-Si PERC Module	DHF-72H-500 (500 Wp)	DHF-72H-500 DHF-72H-495	19.30 19.11	144 (Half Cut Cells)	1500	25.01.2023	24.01.2025
					xxx	Mono c-Si PERC Module	DHF-66H-490 (490 Wp)	DHF-66H-505 DHF-66H-500 DHF-66H-495 DHF-66H-490 DHF-66H-485 DHF-66H-480 DHF-66H-475 DHF-66H-470	21.22 21.01 20.80 20.59 20.38 20.17 19.96 19.75	132 (Half Cut Cells)	1500	25.01.2023	24.01.2025
					xxxi	Mono c-Si PERC Module	DHF-66H-460 (460 Wp)	DHF-66H-465 DHF-66H-460 DHF-66H-455	19.54 19.33 19.12	132 (Half Cut Cells)	1500	25.01.2023	24.01.2025
					xxxii	Mono c-Si PERC Module	DHF-54H-400 (400 Wp)	DHF-54H-410 DHF-54H-405 DHF-54H-400 DHF-54H-395 DHF-54H-390 DHF-54H-385	20.91 20.66 20.40 20.15 19.89 19.64	108 (Half Cut Cells)	1500	25.01.2023	24.01.2025
					xxxiii	Mono c-Si PERC Module	DHF-54H-380 (380 Wp)	DHF-54H-380 DHF-54H-375	19.38 19.13	108 (Half Cut Cells)	1500	25.01.2023	24.01.2025
					xxxiv	Mono c-Si PERC Module	DHF-60H-575 (575 Wp)	DHF-60H-600 DHF-60H-595 DHF-60H-590 DHF-60H-585 DHF-60H-580 DHF-60H-575 DHF-60H-570 DHF-60H-565 DHF-60H-560 DHF-60H-555 DHF-60H-550	20.76 20.58 20.40 20.23 20.06 19.88 19.71 19.54 19.37 19.19 19.02	120 (Half Cut Cells)	1500	25.01.2023	24.01.2025
					xxxv	Mono c-Si PERC Module	DHF-54H-515 (515 Wp)	DHF-54H-540 DHF-54H-535 DHF-54H-530 DHF-54H-525 DHF-54H-520 DHF-54H-515 DHF-54H-510 DHF-54H-505 DHF-54H-500 DHF-54H-495	20.78 20.58 20.39 20.20 20.01 19.81 19.62 19.43 19.24 19.05	108 (Half Cut Cells)	1500	25.01.2023	24.01.2025
					xxxvi	Mono c-Si PERC Module	DHF-48H-460 (460 Wp)	DHF-48H-480 DHF-48H-475 DHF-48H-470 DHF-48H-465 DHF-48H-460 DHF-48H-455	20.69 20.48 20.26 20.05 19.83 19.62	96 (Half Cut Cells)	1500	25.01.2023	24.01.2025

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								DHF-48H-450	19.40				
								DHF-48H-445	19.18				
37	M/s. Sunify Solar LLP	Sr. 624 on N/H- 947, Village Sarvad TA Morbi-363660, Gujarat, India	R-72005800	89	i	Multi C-Si Modules	SS72F330P (330 Wp)	SS72F315P	16.23	72 (Full Cell)	1500	25.01.2023	24.01.2025
								SS72F320P	16.49				
								SS72F325P	16.75				
								SS72F330P	17.01				
								SS66F280P	15.67				
					ii	Multi C-Si Modules	SS66F290P (290 Wp)	SS66F285P	15.95	66 (Full Cell)	1500	25.01.2023	24.01.2025
								SS66F290P	16.23				
								SS66F295P	16.51				
								SS66F300P	16.79				
					iii	Multi C-Si Modules	SS60F255P (255 Wp)	SS60F250P	15.4	60 (Full Cell)	1500	25.01.2023	24.01.2025
								SS60F255P	15.71				
								SS60F260P	16.01				
					iv	Multi C-Si Modules	SS60F265P (265 Wp)	SS60F265P	16.32	60 (Full Cell)	1500	25.01.2023	24.01.2025
								SS60F270P	16.63				
								SS72F370M	18.62				
					v	Mono C-Si PERC Modules	SS72F385M (385 Wp)	SS72F375M	18.87	72 (Full Cell)	1500	25.01.2023	24.01.2025
								SS72F380M	19.12				
								SS72F385M	19.38				
								SS72F390M	19.63				
								SS66F325M	17.86				
					vi	Mono C-Si PERC Modules	SS66F340M (340 Wp)	SS66F330M	18.12	66 (Full Cell)	1500	25.01.2023	24.01.2025
								SS66F335M	18.41				
								SS66F340M	18.67				
								SS66F345M	18.95				
								SS66F350M	19.22				
					vii	Mono C-Si PERC Modules	SS60F310M (310 Wp)	SS66F355M	19.49	60 (Full Cell)	1500	25.01.2023	24.01.2025
								SS60F295M	17.75				
								SS60F300M	18.05				
								SS60F305M	18.36				
								SS60F310M	18.67				
								SS60F315M	18.98				
					viii	Mono C-Si PERC Modules	SS144C390M (390 Wp)	SS60F320M	19.26	144 (Half Cut Cell)	1500	25.01.2023	24.01.2025
								SS60F325M	19.59				
								SS144C375M	18.67				
								SS144C380M	18.92				
								SS144C385M	19.17				
					ix	Mono c-Si PERC Module	SS132C490M (490 Wp)	SS144C390M	19.42	132 (Half Cut Cell)	1500	25.01.2023	24.01.2025
								SS132C480M	20.21				
								SS132C485M	20.45				
								SS132C490M	20.64				
								SS132C495M	20.85				
					x	Mono c-Si PERC Module	SS144C505M (505 Wp)	SS132C500M	21.06	144 (Half Cut Cell)	1500	25.01.2023	24.01.2025
								SS144C505M	19.55				
								SS144C510M	19.75				
								SS144C515M	19.94				
								SS144C520M	20.13				
					xi	Mono c-Si PERC Module	SS144C535M (535 Wp)	SS144C525M	20.32	144 (Half Cut Cell)	1500	25.01.2023	24.01.2025
								SS144C530M	20.52				
SS144C535M	20.71												
SS144C540M	20.9												
SS144C545M	21.1												
SS144C550M	21.29												
SS144C555M	21.48												
SS144C560M	21.68												
SS156C565M	20.21												
SS156C570M	20.39												
xii	Mono c-Si PERC Module	SS156C565M (565 Wp)	SS156C575M	20.57	156 (Half Cut Cell)	1500	25.01.2023	24.01.2025					
			SS156C580M	20.75									
			SS156C585M	20.93									
			SUN36P075	7.45					36 (Cut Cell)	600	25.01.2023	24.01.2025	
			SUN36P100	9.94									
SUN36P150	14.91												
SUN36P155	15.41												
SUN36P160	15.94												
iv	Multi C-Si Modules	SUN36P160 (160Wp)	SUN36P165	16.41	36 (Full Cell)	1000	25.01.2023	24.01.2025					
			SUN48P205	15.23									
			SUN48P210	15.6									
v	Multi C-Si Modules	SUN48P210 (210 Wp)	SUN48P220	16.34	48 (Full Cell)	1000	25.01.2023	24.01.2025					
			SUN60P260	15.61									
			SUN60P265	15.91									
vi	Multi C-Si Modules	SUN60P265 (265 Wp)	SUN60P265	15.91	60 (Full Cell)	1500	25.01.2023	24.01.2025					

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity																													
												From	To (subject to valid BIS Registration; else deemed to be delisted)																												
								SUN60P270	16.21	72 (Full Cell)	1500	25.01.2023	24.01.2025																												
								SUN60P275	16.51																																
								SUN72P310	15.56																																
								SUN72P315	15.88																																
								SUN72P320	16.13																																
								SUN72P325	16.39																																
								SUN72P330	16.64																																
								SUN72P333	16.79																																
								SUN72P335	16.9																																
								SUN144P550	21.34					144 (Half Cut Cell)	1500	25.01.2023	24.01.2025																								
								SUN144P545	21.14																																
								SUN144P540	20.95																																
								SUN144P535	20.76																																
								SUN144P530	20.56																																
								SUN144P525	20.37																																
								SUN144P520	20.18																																
								SUN120P465	21.45									120 (Half Cut Cell)	1500	25.01.2023	24.01.2025																				
								SUN120P460	21.23																																
								SUN120P455	21.01																																
								SUN120P450	20.79																																
								SUN120P445	20.55																																
								SUN120P440	20.30																																
								SUN120P435	20.07																																
								SUN108P420	21.43													108 (Half Cut Cell)	1500	25.01.2023	24.01.2025																
								SUN108P415	21.16																																
								SUN108P410	20.90																																
								SUN108P405	20.65																																
								SUN108P400	20.39																																
								39	M/s. Ankur Traders & Engineers Private Limited																	D-130, B.S. Road, Industrial Area, Ghaziabad-201009, Uttar Pradesh	R-93009695	45				ASM560	20.03	156 (Half Cut Cells)	1500	25.01.2023	24.01.2025				
																																ASM565	20.21								
																																ASM570	20.39								
																																ASM575	20.57								
																																ASM580	20.75								
																																ASM585	20.93								
																																ASM505	19.55					144 (Half Cut Cells)	1500	25.01.2023	24.01.2025
																																ASM510	19.74								
																																ASM515	19.94								
																																ASM520	20.13								
																																ASM525	20.32								
																																ASM530	20.52								
ASM535	20.71																																								
ASM540	20.9																																								
ASM545	21.09																																								
ASM550	21.29																																								
ASM500	21.07	132 (Half Cut Cells)	1500	25.01.2023	24.01.2025																																				
ASM495	20.85																																								
ASM490	20.64																																								
ASM485	20.43																																								
ASM480	20.22																																								
ASM475	20.01																																								
ASM470	19.8																																								
ASM465	19.59																																								
ASM460	19.38																																								
ASM450	20.79					120 (Half Cut Cells)	1500			25.01.2023	24.01.2025																														
ASM445	20.57																																								
ASM440	20.33																																								
ASM435	20.1																																								
ASM430	19.87																																								
ASM425	19.64																																								
ASM420	19.41																																								
ASM415	19.18																																								
ASM410	18.94																																								
ASM250	18.87											72 (Half Cut Cells)	1500	25.01.2023	24.01.2025																										
ASM255	19.25																																								
ASM260	19.62																																								
ASM265	20																																								
ASM270	20.38																																								
ASM125	18.39															36 (Half Cut Cells)	1500	25.01.2023	24.01.2025																						
ASM130	19.12																																								
ASM135	19.86																																								
AS325WP	16.62																																								
AS330WP	16.87																																								

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					vii	Multi C-Si Module	AS330WP (330Wp)	AS335WP 17.13 AS340WP 17.38 AS345WP 17.64		72 (Full Cell)	1500	25.01.2023	24.01.2025
40	M/s. Bharat Heavy Electricals. Ltd	P.B No-1245, Malleshwaram West, Bangalore-560012, Karnataka	R-62001350	214	i	Multi C-Si Modules	L20265P-265W (265 Wp)	L20265P-255W 15.46 L20265P-260W 15.76 L20265P-265W 16.07 L20265P-270W 16.37 L20265P-275W 16.67		60 (Full Cells)	1000	25.01.2023	24.01.2025
					ii	Multi C-Si Modules	L24315P-315W (315 Wp)	L24315P-300W 15.4 L24315P-305W 15.7 L24315P-310W 15.9 L24315P-315W 16.2 L24315P-320W 16.5 L24315P-325W 16.7 L24315P-330W 17		72 (Full Cells)	1000	25.01.2023	24.01.2025
					iii	Multi C-Si Modules	PSAAA1B-260W (260 Wp)	PSAAA1B-250W 15.4 PSAAA1B-255W 15.71 PSAAA1B-260W 16.02 PSAAA1B-265W 16.33 PSAAA1B-270W 16.64		60 (Full Cells)	1500	25.01.2023	24.01.2025
					iv	Multi C-Si Modules	PSAAB1B-315W (315 Wp)	PSAAB1B-300W 15.48 PSAAB1B-305W 15.73 PSAAB1B-310W 15.99 PSAAB1B-315W 16.25 PSAAB1B-320W 16.51 PSAAB1B-325W 16.77		72 (Full Cells)	1500	25.01.2023	24.01.2025
					v	Mono PERC C-Si Modules	MSABB1B-385W (385 Wp)	MSABB1B-370W 18.5 MSABB1B-375W 18.75 MSABB1B-380W 19 MSABB1B-385W 19.25 MSABB1B-390W 19.5 MSABB1B-395W 19.75 MSABB1B-400W 20		72 (Full Cells)	1500	25.01.2023	24.01.2025
41	M/s. Credence Solar Panels Private Limited	Plot No. 18&19, Survey No. 142/Z, Rajkot-Jamnagar Highway, Padadhari, Rajkot, Gujarat	R-72006165	500	i	Mono PERC C-Si Module	CS-QU650-132 (650 Wp)	CS-QU670-132 21.60 CS-QU665-132 21.50 CS-QU660-132 21.30 CS-QU655-132 21.10 CS-QU650-132 20.44 CS-QU645-132 20.28 CS-QU640-132 20.13 CS-QU635-132 19.97 CS-QU630-132 19.81 CS-QU625-132 19.66 CS-QU620-132 19.5		132 (Half Cut Cell)	1500	25.01.2023	24.01.2025
					ii	Mono PERC C-Si Module	CS-QU575-120 (575 Wp)	CS-QU590-120 20.76 CS-QU585-120 20.58 CS-QU580-120 20.41 CS-QU575-120 20.23 CS-QU570-120 20.05 CS-QU565-120 19.88 CS-QU560-120 19.7 CS-QU555-120 19.53 CS-QU550-120 19.35		120 (Half Cut Cell)	1500	25.01.2023	24.01.2025
					iii	Mono PERC C-Si Module	CS-QU525-110 (525 Wp)	CS-QU540-110 20.67 CS-QU535-110 20.48 CS-QU530-110 20.28 CS-QU525-110 20.09 CS-QU520-110 19.9 CS-QU515-110 19.71 CS-QU510-110 19.52 CS-QU505-110 19.33 CS-QU500-110 19.14		110 (Half Cut Cell)	1500	25.01.2023	24.01.2025
					iv	Mono PERC Bifacial C-Si Module	CS-QB650-132 (650 Wp)	CS-QB650-132 20.47 CS-QB645-132 20.31 CS-QB640-132 20.15 CS-QB635-132 19.99 CS-QB630-132 19.84 CS-QB625-132 19.68 CS-QB620-132 19.52 CS-QB590-120 20.77 CS-QB585-120 20.6 CS-QB580-120 20.42		132 (Half Cut Cell)	1500	25.01.2023	24.01.2025

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					v	Mono PERC Bifacial C-Si Module	CS-QB575-120 (575 Wp)	CS-QB575-120 20.25 CS-QB570-120 20.07 CS-QB565-120 19.89 CS-QB560-120 19.72 CS-QB555-120 19.54 CS-QB550-120 19.37	20.25 20.07 19.89 19.72 19.54 19.37	120 (Half Cut Cell)	1500	25.01.2023	24.01.2025
					vi	Mono PERC Bifacial C-Si Module	CS-QB525-110 (525 Wp)	CS-QB540-110 20.67 CS-QB535-110 20.48 CS-QB530-110 20.28 CS-QB525-110 20.09 CS-QB520-110 19.9 CS-QB515-110 19.71 CS-QB510-110 19.52 CS-QB505-110 19.33 CS-QB500-110 19.14	20.67 20.48 20.28 20.09 19.9 19.71 19.52 19.33 19.14	110 (Half Cut Cell)	1500	25.01.2023	24.01.2025
					vii	Mono PERC C-Si Module	CS-HN525-144 (525 Wp)	CS-HN500-144 20.95 CS-HN545-144 20.76 CS-HN540-144 20.57 CS-HN535-144 20.38 CS-HN530-144 20.19 CS-HN525-144 20 CS-HN520-144 19.81 CS-HN515-144 19.62 CS-HN510-144 19.43 CS-HN505-144 19.24 CS-HN500-144 19.04	20.95 20.76 20.57 20.38 20.19 20 19.81 19.62 19.43 19.24 19.04	144 (Half Cut Cell)	1500	25.01.2023	24.01.2025
					viii	Multi C-Si Module	CS-SN325-144 (325 Wp)	CS-SN340-144 17.1 CS-SN335-144 16.85 CS-SN330-144 16.6 CS-SN325-144 16.35 CS-SN320-144 16.1 CS-SN315-144 15.85 CS-SN310-144 15.59	17.1 16.85 16.6 16.35 16.1 15.85 15.59	144 (Half Cut Cell)	1500	25.01.2023	24.01.2025
					ix	Bifacial Mono c-Si PERC Module (Glass to Glass)	CS-QB670-132 (670 Wp)	CS-QB655-132 21.08 CS-QB660-132 21.25 CS-QB665-132 21.41 CS-QB670-132 21.57 CS-QB675-132 21.73 CS-QB680-132 21.89 CS-QB685-132 22.05	21.08 21.25 21.41 21.57 21.73 21.89 22.05	132 (Half Cut Cells) 12 BB (Cell Size 210x210mm)	1500	25.01.2023	24.01.2025
					x	Bifacial Mono c-Si PERC Module (Glass to Glass)	CS-QB610-120 (610 Wp)	CS-QB595-120 21.01 CS-QB600-120 21.2 CS-QB605-120 21.37 CS-QB610-120 21.54 CS-QB615-120 21.72 CS-QB620-120 21.9	21.01 21.2 21.37 21.54 21.72 21.9	120 (Half Cut Cells) 12 BB (Cell Size 210x210mm)	1500	25.01.2023	24.01.2025
					xi	Bifacial Mono c-Si PERC Module (Glass to Glass)	CS-QB560-110 (560 Wp)	CS-QB545-110 20.86 CS-QB550-110 21.05 CS-QB555-110 21.24 CS-QB560-110 21.43 CS-QB565-110 21.62 CS-QB570-110 21.81	20.86 21.05 21.24 21.43 21.62 21.81	110 (Half Cut Cells) 12 BB (Cell Size 210x210mm)	1500	25.01.2023	24.01.2025
					xii	Bifacial Mono c-Si PERC Module (Glass to Glass)	CS-HB570-156 (570 Wp)	CS-HB545-156 19.66 CS-HB550-156 19.84 CS-HB555-156 20.02 CS-HB560-156 20.2 CS-HB565-156 20.38 CS-HB570-156 20.56 CS-HB575-156 20.74 CS-HB580-156 20.92 CS-HB585-156 21.1 CS-HB590-156 21.28 CS-HB595-156 21.46	19.66 19.84 20.02 20.2 20.38 20.56 20.74 20.92 21.1 21.28 21.46	156 (Half Cut cells) 10 BB (Cell Size 182x182mm)	1500	25.01.2023	24.01.2025
					xiii	Bifacial Mono c-Si PERC Module (Glass to Glass)	CS-HB530-144 (530 Wp)	CS-HB505-144 19.7 CS-HB510-144 19.89 CS-HB515-144 20.09 CS-HB520-144 20.28 CS-HB525-144 20.47 CS-HB530-144 20.67 CS-HB535-144 20.87 CS-HB540-144 21.06 CS-HB545-144 21.26	19.7 19.89 20.09 20.28 20.47 20.67 20.87 21.06 21.26	144 (Half Cut Cells) 10 BB (Cell Size 182x182mm)	1500	25.01.2023	24.01.2025

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity							
												From	To (subject to valid BIS Registration; else deemed to be delisted)						
42	M/s. Ganesh Green Bharat Limited (Formally Known as M/s. Ganesh Electrical Pvt. Ltd.)	Survey No. 319/320/321, Tundali, Tundali approach road, Behind Honest Restaurant, Near Nadasan Flyover, Mehsna - 382732, Gujarat	R-72005886	131	i	Mono PERC C-Si Modules	SGM-390 (390 Wp)	CS-HB550-144	21.45	72 (Full Cell)	1500	25.01.2023	24.01.2025						
								SGM-400	20.61										
								SGM-395	20.36										
								SGM-390	20.01										
								SGM-385	19.84										
								SGM-380	19.58										
								SGM-375	19.33										
								SGM-345	19.3										
								SGM-340	19.02										
								ii	Mono PERC C-Si Modules					SGM-345 (345 Wp)	SGM-340	19.02			
															iii	Mono PERC C-Si Modules	SGM-330 (330 Wp)	SGM-330	20.33
																		iv	Mono PERC C-Si Modules
					v	Multi C-Si Modules	SG-315 (315 Wp)	SG-330	17.01										
								SG-325	16.75										
								SG-320	16.49										
								SG-315	16.23										
								SG-310	15.98										
								SG-300	15.46										
					vi	Multi C-Si Modules	SG-300Z (300 Wp)	SG-300Z	16.78										
								vii	Multi C-Si Modules	SG-250 (250 Wp)	SG-250	15.4							
					viii	Multi C-Si Modules	SG-200 (200 Wp)				SG-200	15.2							
								ix	Multi C-Si Modules	SG-200Z (200 Wp)	SG-200Z	16.89							
					x	Multi C-Si Modules	SG-150 (150 Wp)				SG-150	15.03							
					1	N-Type TOPCon Module	SGTP144-550 (550Wp)	SGTP144-525	20.32										
								SGTP144-530	20.52										
								SGTP144-535	20.71										
								SGTP144-540	20.90										
								SGTP144-545	21.09										
								SGTP144-550	21.29										
								SGTP144-555	21.48										
								SGTP144-560	21.68										
								SGTP144-565	21.87										
								SGTP144-570	22.06										
								SGTP144-575	22.26										
								SGTP132-475	20.00										
					2	N-Type TOPCon Module	SGTP132-495 (495Wp)	SGTP132-480	20.21										
								SGTP132-485	20.42										
								SGTP132-490	20.63										
								SGTP132-495	20.84										
								SGTP132-500	21.06										
								SGTP132-505	21.27										
								SGTP132-510	21.48										
								SGTP132-515	21.69										
								SGTP120-425	19.63										
								SGTP120-430	19.86										
								SGTP120-435	20.09										
								3	N-Type TOPCon Module	SGTP120-445 (445Wp)	SGTP120-440	20.32							
					SGTP120-445	20.56													
SGTP120-450	20.79																		
SGTP120-455	21.02																		
SGTP120-460	21.25																		
SGTP120-465	21.48																		
SGTP108-385	19.71																		
SGTP108-390	19.97																		
4	N-Type TOPCon Module	SGTP108-400 (400Wp)	SGTP108-395	20.23															
			SGTP108-400	20.48															
			SGTP108-405	20.74															
			SGTP108-410	20.99															
			SGTP108-415	21.25															
			SGTP108-420	21.50															
			SGMJ144-520	20.13															
			SGMJ144-525	20.32															
5	Mono c-Si PERC Module	SGMJ144-535 (535Wp)	SGMJ144-530	20.52															
			SGMJ144-535	20.71															
			SGMJ144-540	20.90															
			SGMJ144-540	20.90															

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity				
												From	To (subject to valid BIS Registration; else deemed to be delisted)			
								SGMJ144-545	21.09	132 (Half Cut Cells)	1500	25.01.2023	24.01.2025			
								SGMJ144-550	21.29							
								6	Mono c-Si PERC Module					SGMJ132-455 (455Wp)	SGMJ132-455	19.16
								7	Mono c-Si PERC Module					SGMJ132-480 (480Wp)	SGMJ132-460	19.37
															SGMJ132-465	19.58
															SGMJ132-470	19.79
															SGMJ132-475	20.00
															SGMJ132-480	20.21
															SGMJ132-485	20.42
															SGMJ132-490	20.63
															SGMJ132-495	20.84
								9	Mono c-Si PERC Module					SGMJ120-435 (435Wp)	SGMJ132-500	21.06
															SGMJ120-415	19.17
															SGMJ120-420	19.40
															SGMJ120-425	19.63
															SGMJ120-430	19.86
															SGMJ120-435	20.09
															SGMJ120-440	20.32
															SGMJ120-445	20.56
								10	Mono c-Si PERC Module					SGMJ108-385 (385Wp)	SGMJ120-450	20.79
SGMJ120-455	21.02															
SGMJ108-375	19.20															
SGMJ108-380	19.46															
SGMJ108-385	19.71															
SGMJ108-390	19.97															
SGMJ108-395	20.23															
43	M/s. H R Solar Solution Private Limited	Raghudebpur, NH-6, Panchla, Block-Uluberia-II, Uluberia, Howrah - 711322, West Bengal	R-51001686	136	i	Multi C-Si Modules	H315P72 (315 Wp)			H300P72	14.9	72 (Full Cell)	1500		25.01.2023	24.01.2025
								H305P72	15.14							
								H310P72	15.39							
								H315P72	15.64							
								H320P72	15.89							
								ii	Multi C-Si Modules	H335P72 (335 Wp)	H325P72			16.14		
											H330P72			16.39		
											H335P72			16.63		
								iii	Multi C-Si Modules	H155P36 (155 Wp)	H150P36			14.76		
											H155P36			15.26		
											H160P36			15.75		
								iv	Mono c-Si PERC Module	H525M144 (525 Wp)	H500M144			19.36		
											H505M144			19.55		
											H510M144			19.74		
											H515M144			19.94		
											H520M144			20.13		
											H525M144			20.32		
											H530M144			20.52		
											H535M144			20.71		
											H540M144			20.9		
H545M144	21.1															
v	Mono c-Si PERC Module	H400M72 (400 Wp)	H385M72	19.11												
			H390M72	19.36												
			H395M72	19.61												
			H400M72	19.86												
			H405M72	20.11												
			H410M72	20.36												
44	M/s. Innovative Solar Solutions	No. 102/C Shed, 2nd main Road, Machohalli, Bapagrama (Post) Bangalore-560072, Karnataka	R-62002550	24	i	Multi C-Si Modules	INV-P-24V-320wp	INV-P-24V-320wp	16.5	72 (Full Cell)	1500	25.01.2023	24.01.2025			
					ii	Multi C-Si Modules	INV-P-24V-260wp	INV-P-24V-260wp	15.97	72 (Cut Cell)	1500	25.01.2023	24.01.2025			
					iii	Multi C-Si Modules	INV-P-24V-200wp	INV-P-24V-200wp	14.91	72 (Cut Cell)	1500	25.01.2023	24.01.2025			
					iv	Multi C-Si Modules	INV-P-20V-260wp	INV-P-20V-260wp	15.97	60 (Full Cell)	1500	25.01.2023	24.01.2025			
					v	Multi C-Si Modules	INV-P-12V-160wp	INV-P-12V-160wp	16.2	36 (Full Cell)	1000	25.01.2023	24.01.2025			
					vi	Multi C-Si Modules	INV-P-12V-125wp	INV-P-12V-125wp	14.9	36 (Cut Cell)	1000	25.01.2023	24.01.2025			
					vii	Multi C-Si Modules	INV-P-12V-100wp	INV-P-12V-100wp	14.8	36 (Cut Cell)	1000	25.01.2023	24.01.2025			
					viii	Multi C-Si Modules	INV-P-12V-80wp	INV-P-12V-80wp	15.5	36 (Cut Cell)	1000	25.01.2023	24.01.2025			

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity						
												From	To (subject to valid BIS Registration; else deemed to be delisted)					
		Co-ALMM with M/s Spark Solar Technologies Pvt. Ltd. Manufacturing Address: N-4, Rajlaxmi Hitech Textile Park, Sonale Village, Off. Mumbai Nasik Highway Bhiwandi, Thane-421302, Maharashtra	R-71028517	15 (As per Co-Branding Agreement)	ix	Multi C-Si Modules	INV-P-12V-60wp	INV-P-12V-60wp	13.5	36 (Cut Cell)	1000	25.01.2023	24.01.2025					
					x	Multi C-Si Modules	INV-P-12V-50wp	INV-P-12V-50wp	13.6	36 (Cut Cell)	1000	25.01.2023	24.01.2025					
					xi	Multi C-Si Modules	INV-P-12V-40wp	INV-P-12V-40wp	14.1	36 (Cut Cell)	1000	25.01.2023	24.01.2025					
					xii	Mono c-Si PERC Modules	INV 535-144R M10 (535 Wp)	INV 545-144R M10	21.12	144 (Half Cut Cells)	1500	08.07.2024	24.01.2025					
								INV 540-144R M10	20.92									
								INV 535-144R M10	20.73									
								INV 530-144R M10	20.54									
								INV 525-144R M10	20.34									
					xiii	Mono c-Si PERC Modules	INV 495-132R M10 (495 Wp)	INV 500-132R M10	21.06	(132 Half Cut Cells)	1500	08.07.2024	24.01.2025					
								INV 495-132R M10	20.85									
								INV 490-132R M10	20.64									
					45	M/s Plaza Power & Infrastructure Co	923/56, Village Katha, Baddi, Solan-173205, Himachal Pradesh	R-96003131	31	i	Multi C-Si Modules	PS36CPD040Wp (40 Wp)	PS36CPD040Wp	13.9	36 (Cut Cells)	600	25.01.2023	24.01.2025
					ii	Multi C-Si Modules	PS36CPD050Wp (50Wp)	PS36CPD050Wp	13.76	36 (Cut Cells)	600	25.01.2023	24.01.2025					
iii	Multi C-Si Modules	PS36CPD055Wp (55 Wp)	PS36CPD055Wp	15.15	36 (Cut Cells)	600	25.01.2023	24.01.2025										
iv	Multi C-Si Modules	PS36CPD060Wp (60Wp)	PS36CPD060Wp	16.53	36 (Cut Cells)	600	25.01.2023	24.01.2025										
v	Multi C-Si Modules	PS36CPD065Wp (65 Wp)	PS36CPD065Wp	17.9	36 (Cut Cells)	600	25.01.2023	24.01.2025										
vi	Multi C-Si Modules	PS36CPD070Wp (70 Wp)	PS36CPD070Wp	13.53	36 (Cut Cells)	600	25.01.2023	24.01.2025										
vii	Multi C-Si Modules	PS36CPD075Wp (75Wp)	PS36CPD075Wp	14.51	36 (Cut Cells)	600	25.01.2023	24.01.2025										
viii	Multi C-Si Modules	PS36CPD080Wp (80 Wp)	PS36CPD080Wp	15.48	36 (Cut Cells)	600	25.01.2023	24.01.2025										
ix	Multi C-Si Modules	PS36CPD090Wp (90 Wp)	PS36CPD090Wp	14.91	36 (Cut Cells)	600	25.01.2023	24.01.2025										
x	Multi C-Si Modules	PS36CPD100Wp (100Wp)	PS36CPD100Wp	14.92	36 (Cut Cells)	1000	25.01.2023	24.01.2025										
xi	Multi C-Si Modules	PS36CPD115Wp (115 Wp)	PS36CPD110Wp	16.42	36 (Cut Cells)	1000	25.01.2023	24.01.2025										
			PS36CPD115Wp	14.43														
			PS36CPD120Wp	15.05														
xii	Multi C-Si Modules	PS36CPD130Wp (130Wp)	PS36CPD125Wp	15.68	36 (Cut Cells)	1000	25.01.2023	24.01.2025										
			PS36CPD130Wp	16.31														
xiii	Multi C-Si Modules	PS36CPD140Wp (140 Wp)	PS36CPD140Wp	13.75	36 (Cut Cells)	1000	25.01.2023	24.01.2025										
xiv	Multi C-Si Modules	PS36FP155Wp (155 Wp)	PS36FP150Wp	14.73	36 (Full Cells)	1000	25.01.2023	24.01.2025										
			PS36FP155Wp	15.22														
			PS36FP160Wp	15.72														
xv	Multi C-Si Modules	PS36FP165Wp (165Wp)	PS36FP165Wp	16.21	36 (Full Cells)	1000	25.01.2023	24.01.2025										
xvi	Multi C-Si Modules	PS36FPD155Wp (155 Wp)	PS36FPD150Wp	14.73	36 (Full Cells)	1000	25.01.2023	24.01.2025										
			PS36FPD155Wp	15.22														
			PS36FPD160Wp	15.72														
			PS60FPD250Wp	15.48														
xvii	Multi C-Si Modules	PS60FPD260Wp (260 Wp)	PS60FPD255Wp	15.79	60 (Full Cells)	1500	25.01.2023	24.01.2025										
			PS60FPD260Wp	16.1														
			PS60FPD265Wp	16.41														
			PS60FPD270Wp	16.72														
			PS60FP250Wp	15.48														
xviii	Multi C-Si Modules	PS60FP260Wp (260 Wp)	PS60FP255Wp	15.79	60 (Full Cells)	1500	25.01.2023	24.01.2025										
			PS60FP260Wp	16.1														
			PS60FP265Wp	16.41														
			PS60FP270Wp	16.72														
			PS72FP305Wp	15.44														
xix	Multi C-Si Modules	PS72FP320Wp (320 Wp)	PS72FP310Wp	15.7	72 (Full Cells)	1500	25.01.2023	24.01.2025										
			PS72FP315Wp	15.95														
			PS72FP320Wp	16.2														
			PS72FP325Wp	16.46														
			PS72FP325Wp	16.46														

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xx	Multi C-Si Modules	PS72FPD315Wp (315 Wp)	PS72FP330Wp	16.71	72 (Full Cells)	1500	25.01.2023	24.01.2025
								PS72FP335Wp	16.96				
								PS72FPD300Wp	15.19				
								PS72FPD305Wp	15.44				
								PS72FPD310Wp	15.7				
								PS72FPD315Wp	15.95				
								PS72FPD320Wp	15.2				
					xxi	Mono C-Si Modules	PS72FMP360Wp (360Wp)	PS72FMP355Wp	17.97	72 (Full Cells)	1500	25.01.2023	24.01.2025
								PS72FMP360Wp	18.22				
								PS72FMP370Wp	18.73				
					xxii	Mono C-Si Modules	PS72FMP390Wp (390 Wp)	PS72FMP380Wp	19.24	72 (Full Cells)	1500	25.01.2023	24.01.2025
								PS72FMP390Wp	19.75				
								PS72FMP395Wp	20				
								USEL365MP72	18.39				
46	M/s Urjastrot Enterprise Pvt Ltd	Survey No. 47, Nr. Ramdev Pir Temple, Bedwa, Anand- 388320, Gujarat	R-72005673	43	i	Mono PERC C-Si Modules	USEL380MP72 (380 Wp)	USEL370MP72	18.64	72 (Full Cell)	1500	25.01.2023	24.01.2025
								USEL375MP72	18.89				
								USEL380MP72	19.14				
								USEL385MP72	19.4				
								USEL390MP72	19.65				
								USEL395MP72	19.9				
								USEL305P72	15.72				
					ii	Multi C-Si Modules	USEL320P72 (320 Wp)	USEL310P72	15.98	72 (Full Cell)	1500	25.01.2023	24.01.2025
								USEL315P72	16.23				
								USEL320P72	16.49				
								USEL325P72	16.75				
								USEL330P72	17.01				
								USEL335P72	17.26				
								UTL540-72M	20.75				
47	M/s. Fujiyama Power Systems Private Limited	Plot No. 51,52 Sector-Ecotech-1, Ecotech Extn-1, Greater Noida, Gautam Buddha Nagar, Uttar Pradesh	R-93022209	95	i	Mono PERC C-Si Modules	UTL530-72M (530 Wp)	UTL535-72M	20.55	72 (Full Cell)	1500	27.02.2023	26.02.2025
								UTL530-72M	20.35				
								UTL525-72M	20.15				
								UTL520-72M	20				
					ii	Mono PERC C-Si Modules	UTL530-144M (530 Wp)	UTL540-144M	20.75	144 (Half Cut Cell)	1500	27.02.2023	26.02.2025
								UTL535-144M	20.55				
								UTL530-144M	20.35				
								UTL525-144M	20.15				
					iii	Mono PERC C-Si Modules	UTL435-72M (435 Wp)	UTL520-144M	20	72 (Full Cell)	1500	27.02.2023	26.02.2025
								UTL440-72M	20.2				
								UTL435-72M	19.97				
								UTL430-72M	19.78				
					iv	Mono PERC C-Si Modules	UTL435-144M (435 Wp)	UTL425-72M	19.51	144 (Half Cut Cell)	1500	27.02.2023	26.02.2025
								UTL440-144M	20.2				
UTL435-144M	19.97												
UTL430-144M	19.78												
v	Mono PERC C-Si Modules	UTL395-72MI (395 Wp)	UTL425-144M	19.51	72 (Full Cell)	1500	27.02.2023	26.02.2025					
			UTL400-72MI	20.06									
			UTL395-72MI	19.8									
			UTL385-72MI	19.3									
vi	Mono PERC C-Si Modules	UTL395-72M (395 Wp)	UTL380-72MI	19.05	72 (Full Cell)	1500	27.02.2023	26.02.2025					
			UTL400-72M	20.06									
			UTL395-72M	19.8									
			UTL390-72M	19.55									
vii	Multi- C-Si Modules	UTL335-72PI (335 Wp)	UTL385-72M	19.3	72 (Full Cell)	1500	27.02.2023	26.02.2025					
			UTL380-72M	19.05									
viii	Multi- C-Si Modules	UTL335-72P (335 Wp)	UTL335-72PI	16.89	72 (Full Cell)	1500	27.02.2023	26.02.2025					
			UTL330-72PI	16.65									
ix	Multi- C-Si Modules	UTL270-60PI (270 Wp)	UTL335-72P	17.26	60 (Full Cell)	1500	27.02.2023	26.02.2025					
			UTL330-72P	17.01									
			UTL275-60PI	16.9									
x	Multi- C-Si Modules	UTL270-60P (270 Wp)	UTL270-60PI	16.6	60 (Full Cell)	1500	27.02.2023	26.02.2025					
			UTL265-60PI	16.3									
			UTL275-60P	16.9									
			UTL270-60P	16.6									
							UTL265-60P	16.3					
							UTL200-36MI	19.7					

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity								
												From	To (subject to valid BIS Registration; else deemed to be delisted)							
								UTL195-36MI	19.2	36 (Full Cell)	1500	27.02.2023	26.02.2025							
								UTL190-36MI	18.75											
								UTL205-36M	20.2											
								xii	Mono PERC C-Si Modules					UTL200-36M (200 Wp)	UTL200-36M	19.7				
															UTL195-36M	19.2				
															UTL190-36M	18.75				
								xiii	Multi- C-Si Modules					UTL160-36PI (160 Wp)	UTL165-36PI	16.7				
															UTL160-36PI	16.15				
															UTL155-36PI	15.65				
								iv	Multi- C-Si Modules					UTL150-36PI (150 Wp)	UTL150-36PI	15.15	36 (Full Cell)	1500	27.02.2023	26.02.2025
								v	Multi- C-Si Modules					UTL160-36P (160 Wp)	UTL165-36P	16.7				
															UTL160-36P	16.15				
															UTL155-36P	15.65				
								vi	Multi- C-Si Modules					UTL150-36P (150 Wp)	UTL150-36P	15.15	36 (Full Cell)	1500	27.02.2023	26.02.2025
								vii	Multi- C-Si Modules					UTL125-36PI (125 Wp)	UTL125-36PI	16.78	36 (Cut Cell)	1500	27.02.2023	26.02.2025
								viii	Multi- C-Si Modules					UTL125-36P (125 Wp)	UTL125-36P	16.78	36 (Cut Cell)	1500	27.02.2023	26.02.2025
								xix	Multi- C-Si Modules					UTL105-36P (105 Wp)	UTL110-36P	16.38				
															UTL105-36P	15.63				
															UTL100-36P	14.89				
								xx	Multi- C-Si Modules					UTL105-36PI (105 Wp)	UTL110-36PI	16.38				
															UTL105-36PI	15.63				
															UTL100-36PI	14.89				
								xxi	Multi- C-Si Modules					UTL85-36PI (85 Wp)	UTL85-36PI	16.6	36 (Cut Cell)	1500	27.02.2023	26.02.2025
								xxii	Multi- C-Si Modules					UTL80-36PI (80 Wp)	UTL80-36PI	15.62	36 (Cut Cell)	1500	27.02.2023	26.02.2025
								xxiii	Multi- C-Si Modules					UTL85-36P (85 Wp)	UTL85-36P	16.6	36 (Cut Cell)	1500	27.02.2023	26.02.2025
								xiv	Multi- C-Si Modules					UTL80-36P (80 Wp)	UTL80-36P	15.62	36 (Cut Cell)	1500	27.02.2023	26.02.2025
								xv	Multi- C-Si Modules					UTL75-36P (75 Wp)	UTL75-36P	14.65	36 (Cut Cell)	1500	27.02.2023	26.02.2025
								xvi	Multi- C-Si Modules					UTL75-36PI (75 Wp)	UTL75-36PI	14.65	36 (Cut Cell)	1500	27.02.2023	26.02.2025
								xvii	Multi- C-Si Modules					UTL60-36P (60 Wp)	UTL60-36P	15.04	36 (Cut Cell)	1500	27.02.2023	26.02.2025
								xviii	Multi- C-Si Modules					UTL60-36PI (60 Wp)	UTL60-36PI	15.04	36 (Cut Cell)	1500	27.02.2023	26.02.2025
								xxix	Multi- C-Si Modules					UTL55-36PI (55 Wp)	UTL55-36PI	13.78	36 (Cut Cell)	1500	27.02.2023	26.02.2025
								xxx	Multi- C-Si Modules					UTL50-36PI (50 Wp)	UTL50-36PI	14.05	36 (Cut Cell)	1500	27.02.2023	26.02.2025
								xxxi	Multi- C-Si Modules					UTL50-36P (50 Wp)	UTL50-36P	14.05	36 (Cut Cell)	1500	27.02.2023	26.02.2025
xxxii	Multi- C-Si Modules	UTL45-36PI (45 Wp)	UTL45-36PI	16.11	36 (Cut Cell)	1500	27.02.2023	26.02.2025												
xxxiii	Multi- C-Si Modules	UTL40-36P (40 Wp)	UTL40-36P	14.32	36 (Cut Cell)	1500	27.02.2023	26.02.2025												
48	M/s. Genus Innovation Limited	SPL-2B, RIICO Industrial Area, Tonk Road, Sitapur, Jaipur-302022, Rajasthan	R-84003395	22	i	Mono PERC C-Si Module	GM375F72 (375 Wp)	GM360F72	18.55	72 (Full Cells)	1500	27.02.2023	26.02.2025							
								GM365F72	18.81											
								GM370F72	19.07											
								GM375F72	19.33											
								GM380F72	19.58											
								GM385F72	19.84											
								GM390F72	20.1											
								GI305F72	15.72											
								GI310F72	15.98											
								GI315F72	16.23											
								GI320F72	16.49											
								GI325F72	16.75											
								ii	Multi C-Si Module					GI320F72 (320 Wp)	GI320F72	16.49				
															GI325F72	16.75				
															GI320F72	16.49				
GI325F72	16.75																			
GI320F72	16.49																			
GI325F72	16.75																			

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								GI330F72	17.01				
								GI335F72	17.27				
					iii	Multi C-Si Module	GI165F36 (165 Wp)	GI165F36	16.71	36 (Full Cells)	1000	27.02.2023	26.02.2025
								GI170F36	17.22				
					iv	Multi C-Si Module	GI150F36 (150 Wp)	GI150F36	15.19	36 (Full Cells)	1000	27.02.2023	26.02.2025
49	M/s. Spark Solar Technologies Pvt. Ltd.	N-4, Rajlaxmi Hitech Textile Park, Sonale Village, Off. Mumbai Nasik Highway Bhiwandi, Thane-421302, Maharashtra	R-71023310	42	i	Mono PERC C-Si Modules	SS 535-144R M10 (535 Wp)	SS 545-144R M10	21.12	144 (Half Cut Cell)	1500	31.05.2023	30.05.2027
								SS 540-144R M10	20.92				
								SS 535-144R M10	20.73				
								SS 530-144R M10	20.54				
								SS 525-144R M10	20.34				
								SS 500-132R M10	21.06				
								SS 495-132R M10	20.85				
								SS 490-132R M10	20.64				
50	M/s. Rhine Solar Limited	Killa No. 80/6, Janti Kalan Rd, Sersa, Kundli, Sonipat-131028, Haryana	R-91008249	71	i	Mono PERC C-Si Module	RSL72FM-380WP, (380 Wp)	RSL72FM-390WP	19.6	72 (Full Cell)	1500	31.05.2023	30.05.2027
								RSL72FM-380WP	19.4				
								RSL72FM-370WP	19.2				
								RSL600M	21.28				
								RSL595M	21.11				
								RSL590M	20.94				
								RSL585M	20.77				
								RSL580M	20.60				
RSL575M	20.40												
iii	Mono c-Si PERC Module	RSL545M (545 Wp)	RSL570M	22.07	144 (Half Cut Cell)	1500	31.05.2023	30.05.2027					
			RSL565M	21.87									
			RSL560M	21.68									
			RSL555M	21.49									
			RSL550M	21.30									
			RSL545M	21.10									
			RSL540M	20.91									
			RSL535M	20.72									
RSL530M	20.51												
iv	Mono c-Si PERC Module	RSL500M (500 Wp)	RSL525M	20.33	132 (Half Cut Cell)	1500	31.05.2023	30.05.2027					
			RSL520M	21.70									
			RSL515M	21.48									
			RSL510M	21.28									
			RSL505M	21.06									
			RSL500M	20.86									
			RSL495M	20.65									
			RSL490M	20.44									
RSL485M	20.23												
v	Mono c-Si PERC Module	RSL470M (470 Wp)	RSL480M	20.03	132 (Half Cut Cell)	1500	31.05.2023	30.05.2027					
			RSL475M	19.81									
			RSL470M	19.61									
			RSL465M	19.40									
			RSL460M	21.04									
			RSL455M	20.82									
			RSL450M	20.59									
			RSL445M	20.35									
RSL440M	20.13												
vi	Mono c-Si PERC Module	RSL440M (440 Wp)	RSL435M	19.89	120 (Half Cut Cell)	1500	31.05.2023	30.05.2027					
			RSL430M	19.68									
			RSL425M	19.44									
			RSL420M	19.22									
			RSL395M	20.03									
			RSL390M	19.76									
			RSL385M	19.51									
			RSL380M	19.26									
vii	Mono c-Si PERC Module	RSL380M (380 Wp)	RSL375M	19.01	108 (Half Cut Cell)	1500	31.05.2023	30.05.2027					
			RSL360M	20.48									
			RSL355M	20.20									
			RSL350M	19.92									
			RSL345M	19.63									
			RSL340M	19.35									
			RSL335M	19.07									
			RSL330M	18.77									
51	M/s Swelect HHV Solar Photovoltaics Pvt. Ltd	SF – No. 169/1-2, 168/3A-3E,169/4-9,166/1B1B,166/1B2A-ZE,166/1B2L,166/1B2M, Kuppeapalayam Village, Avinashi Taluk, Coimbatore-641107, Tamil Nadu	R-61003433	627	i	Mono-PERC C-Si Module	SWM11BN6520 (520 Wp)	SWM11BN6540	20.77	144 (Half Cut Cell)	1500	31.05.2023	30.05.2027
								SWM11BN6535	20.57				
								SWM11BN6530	20.38				
								SWM11BN6525	20.19				
								SWM11BN6520	20				
								SWM11BN6515	19.81				
								SWM11BN6510	19.62				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								SWM11BN6505	19.42				
								SWM11BN6500	19.23				
								SWM11BN4495	20.71				
					ii	Mono-PERC C-Si Module	SWM11BN4475 (475 Wp)	SWM11BN4490	20.5	132 (Half Cut Cell)	1500	31.05.2023	30.05.2027
								SWM11BN4485	20.29				
								SWM11BN4480	20.09				
								SWM11BN4475	19.87				
								SWM11BN4470	19.66				
								SWM11BN4465	19.46				
								SWM11BN4460	19.25				
								SWM11BN4455	19.04				
								SWM11BN2450	20.65				
								SWM11BN2445	20.42				
					iii	Mono-PERC C-Si Module	SWM11BN2430 (430 Wp)	SWM11BN2440	20.19	120 (Half Cut Cell)	1500	31.05.2023	30.05.2027
								SWM11BN2435	19.96				
								SWM11BN2430	19.73				
								SWM11BN2425	19.5				
								SWM11BN2420	19.27				
								SWM11BN2415	19.04				
								SWM11BN0405	20.57				
					iv	Mono-PERC C-Si Module	SWM11BN0390 (390 Wp)	SWM11BN0400	20.32	108 (Half Cut Cell)	1500	31.05.2023	30.05.2027
								SWM11BN0395	20.06				
								SWM11BN0390	19.81				
								SWM11BN0385	19.55				
								SWM11BN0380	19.3				
								SWM11BN0375	19.05				
								SWM11BB0375	19.20				
					v	Mono c-Si PERC Module	SWM11BB0385 (385 Wp)	SWM11BB0380	19.46	108 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWM11BB0385	19.71				
								SWM11BB0390	19.97				
								SWM11BB0395	20.22				
								SWM11BB0400	20.48				
								SWM11BB0405	20.74				
								SWM11BB0410	20.99				
					vi	Mono c-Si PERC Module	SWM11BB2435 (435 Wp)	SWM11BB2415	19.17	120 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWM11BB2420	19.40				
								SWM11BB2425	19.63				
								SWM11BB2430	19.86				
								SWM11BB2435	20.10				
								SWM11BB2440	20.32				
								SWM11BB2445	20.56				
								SWM11BB2450	20.79				
								SWM11BB2455	21.02				
								SWM11BB4455	19.16				
					vii	Mono c-Si PERC Module	SWM11BB4470 (470 Wp)	SWM11BB4460	19.37	132 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWM11BB4465	19.58				
								SWM11BB4470	19.79				
								SWM11BB4475	20.00				
								SWM11BB4480	20.21				
								SWM11BB4485	20.42				
								SWM11BB4490	20.63				
					viii	Mono c-Si PERC Module	SWM11BB4500 (500 Wp)	SWM11BB4495	20.84	132 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWM11BB4500	21.06				
					ix	Mono c-Si PERC Module	SWM11BB6525 (525 Wp)	SWM11BB6500	19.35	144 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWM11BB6505	19.55				
								SWM11BB6510	19.74				
								SWM11BB6515	19.94				
								SWM11BB6520	20.13				
								SWM11BB6525	20.32				
								SWM11BB6530	20.52				
								SWM11BB6535	20.71				
								SWM11BB6540	20.90				
								SWM11BB6545	21.10				
								SWM11BB6550	21.29				
								SWM11BB8540	19.32				
								SWM11BB8545	19.50				
								SWM11BB8550	19.67				
								SWM11BB8555	19.85				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					x	Mono c-Si PERC Module	SWM11B88560 (560 Wp)	SWM11B88560	20.03	156 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWM11B88565	20.21				
								SWM11B88570	20.39				
								SWM11B88575	20.57				
								SWM11B88580	20.75				
					xi	Mono c-Si PERC Module	SWM11B88595 (595 Wp)	SWM11B88585	20.93				
								SWM11B88590	21.11				
					xii	Bifacial Mono c-Si PERC Module	SWM11BT0385 (385 Wp)	SWM11B88595	21.28				
								SWM11BT0375	19.20				
								SWM11BT0380	19.46				
								SWM11BT0385	19.71				
								SWM11BT0390	19.97				
								SWM11BT0395	20.22				
								SWM11BT0400	20.48				
								SWM11BT0405	20.74				
					xiii	Bifacial Mono c-Si PERC Module	SWM11BT2435 (435 Wp)	SWM11BT0410	20.99				
								SWM11BT2415	19.17				
								SWM11BT2420	19.40				
								SWM11BT2425	19.63				
								SWM11BT2430	19.86				
SWM11BT2435	20.10												
SWM11BT2440	20.32												
SWM11BT2445	20.56												
SWM11BT2450	20.79												
SWM11BT2455	21.02												
xiv	Bifacial Mono c-Si PERC Module	SWM11BT4470 (470 Wp)	SWM11BT4455	19.16									
			SWM11BT4460	19.37									
			SWM11BT4465	19.58									
			SWM11BT4470	19.79									
			SWM11BT4475	20.00									
			SWM11BT4480	20.21									
xv	Bifacial Mono c-Si PERC Module	SWM11BT4500 (500 Wp)	SWM11BT4485	20.42									
			SWM11BT4490	20.63									
xvi	Bifacial Mono c-Si PERC Module	SWM11BT6525 (525 Wp)	SWM11BT4495	20.84									
			SWM11BT4500	21.06									
			SWM11BT6500	19.35									
			SWM11BT6505	19.55									
			SWM11BT6510	19.74									
			SWM11BT6515	19.94									
			SWM11BT6520	20.13									
			SWM11BT6525	20.32									
			SWM11BT6530	20.52									
			SWM11BT6535	20.71									
			SWM11BT6540	20.90									
			SWM11BT6545	21.10									
xvii	Bifacial Mono c-Si PERC Module	SWM11BT8560 (560 Wp)	SWM11BT6550	21.29									
			SWM11BT8540	19.32									
			SWM11BT8545	19.50									
			SWM11BT8550	19.67									
			SWM11BT8555	19.85									
			SWM11BT8560	20.03									
			SWM11BT8565	20.21									
			SWM11BT8570	20.39									
			SWM11BT8575	20.57									
			SWM11BT8580	20.75									
xviii	Bifacial Mono c-Si PERC Module	SWM11BT8595 (595 Wp)	SWM11BT8585	20.93									
			SWM11BT8590	21.11									
xix	Mono c-Si PERC Module	SWM11BN6550 (550 Wp)	SWM11BT8595	21.28									
			SWM11BN6545	20.96									
xx	Mono c-Si PERC Module	SWM11BN8560 (560 Wp)	SWM11BN6550	21.15									
			SWM11BN8535	19.03									
			SWM11BN8540	19.21									
			SWM11BN8545	19.39									
			SWM11BN8550	19.57									
			SWM11BN8555	19.74									
			SWM11BN8560	19.92									
			SWM11BN8565	20.10									
			SWM11BN8570	20.28									
			SWM11BN8575	20.46									

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								SWM11BN8580	20.63				
								SWM11BN8585	20.81				
					xxi	Mono c-Si PERC Module	SWM11BN8595 (595 Wp)	SWM11BN8590	20.99	156 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWM11BN8595	21.17				
52	M/s. SAEL Solar Mfg Private Limited	Village-Hukumat Singh Wala, Moga Road, Ferozepur-142052, Punjab	R-97001058	117				SL72M6-380	19.15				
					i	Mono C-Si PERC Module	SL72M6-390 (390 Wp)	SL72M6-385	19.4	72 (Full Cell)	1500	31.05.2023	30.05.2027
								SL72M6-390	19.64				
								SL72M6-395	19.9				
								SL72M6-400	20.15				
								SL72M6-405	20.4				
					ii	Mono c-Si PERC Module	SL144HC-530 (530 Wp)	SL144HC-505	19.54				
								SL144HC-510	19.73	144 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SL144HC-515	19.93				
								SL144HC-520	20.12				
								SL144HC-525	20.31				
								SL144HC-530	20.5				
								SL144HC-535	20.7				
								SL144HC-540	20.97				
								SL144HC-545	21.08				
								SL144HC-550	21.28				
								SL144HC-555	21.47				
53	M/s. Insolation Green Energy Pvt. Ltd	Khasra No 11/1, 1136/9, Chomu, Jatavali, Jaipur-302001, Rajasthan	R-84003549	617				INA-144MHC-WF-520	20.14				
					i	Mono PERC c-Si Modules	INA-144MHC-WF-530 (530Wp)	INA-144MHC-WF-525	20.33	144 (Half Cut Cell)	1500	31.05.2023	30.05.2027
								INA-144MHC-WF-530	20.53				
								INA-144MHC-WF-535	20.72				
								INA-144MHC-WF-540	20.91				
								INA-144MHC-WF-545	21.11				
					ii	Bifacial Mono PERC c-Si Modules	INA-144MHC-TF-530 (530Wp)	INA-144MHC-TF-520	20.14	144 (Half Cut Cell)	1500	31.05.2023	30.05.2027
								INA-144MHC-TF-525	20.33				
								INA-144MHC-TF-530	20.53				
								INA-144MHC-TF-535	20.72				
								INA-144MHC-TF-540	20.91				
								INA-144MHC-TF-545	21.11				
					iii	Mono PERC c-Si Modules	INA-132MHC-WF-490 (490Wp)	INA-132MHC-WF-480	20.19	132 (Half Cut Cell)	1500	31.05.2023	30.05.2027
								INA-132MHC-WF-485	20.41				
								INA-132MHC-WF-490	20.62				
								INA-132MHC-WF-495	20.83				
								INA-132MHC-WF-500	21.04				
					iv	Bifacial Mono PERC c-Si Modules	INA-132MHC-TF-490 (490Wp)	INA-132MHC-TF-480	20.19	132 (Half Cut Cell)	1500	31.05.2023	30.05.2027
								INA-132MHC-TF-485	20.41				
								INA-132MHC-TF-490	20.62				
								INA-132MHC-TF-495	20.83				
								INA-132MHC-TF-500	21.04				
					v	Mono PERC c-Si Modules	INA-120MHC-WF-440 (440Wp)	INA-120MHC-WF-435	20.04	120 (Half Cut Cell)	1500	31.05.2023	30.05.2027
								INA-120MHC-WF-440	20.27				
								INA-120MHC-WF-445	20.5				
								INA-120MHC-WF-450	20.73				
					vi	Bifacial Mono PERC c-Si Modules	INA-120MHC-TF-440 (440Wp)	INA-120MHC-TF-435	20.04	120 (Half Cut Cell)	1500	31.05.2023	30.05.2027
								INA-120MHC-TF-440	20.27				
								INA-120MHC-TF-445	20.5				
								INA-120MHC-TF-450	20.73				
					vii	Mono PERC c-Si Modules	INA-108MHC-WF-395 (395Wp)	INA-108MHC-WF-390	19.86	108 (Half Cut Cell)	1500	31.05.2023	30.05.2027
								INA-108MHC-WF-395	20.11				
								INA-108MHC-WF-400	20.37				
								INA-108MHC-WF-405	20.62				
					viii	Bifacial Mono PERC c-Si Modules	INA-108MHC-TF-395 (395Wp)	INA-108MHC-TF-390	19.86	108 (Half Cut Cell)	1500	31.05.2023	30.05.2027
								INA-108MHC-TF-395	20.11				
								INA-108MHC-TF-400	20.37				
								INA-108MHC-TF-405	20.62				
					ix	Mono c-Si PERC Module	INA-144MHC-WF-555	INA-144MHC-WF-550	21.29	144 Half Cut Cells	1500	31.05.2023	30.05.2027
								INA-144MHC-WF-555	21.48				
								INA-144MHC-WF-560	21.68				
					x	Bifacial Mono c-Si PERC Module	INA-144MHC-TF-555	INA-144MHC-TF-550	21.29	144 Half Cut Cells	1500	31.05.2023	30.05.2027
								INA-144MHC-TF-555	21.48				
								INA-144MHC-TF-560	21.68				
54	M/s. Australian Premium Solar (India) Pvt. Ltd	Tajpur, National Highway No. 08, Ta: Prantij, Dist: Sabarkantha - 383205, Gujarat	R-72001791	287				APSAM-545/144	21.12				
								APSAM-540/144	20.91				
								APSAM-535/144	20.73				
								APSAM-530/144	20.53				
					i	Mono c-Si PERC Module	APSAM-520/144 (520Wp)	APSAM-525/144	20.35	144 (Half Cut Cell)	1500	01.09.2023	31.08.2027

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								APSAM-520/144	20.16				
								APSAM-515/144	19.98				
								APSAM-510/144	19.79				
								APSAM-505/144	19.60				
								APSAM-500/144	19.42				
								APSAM-495/132	20.85				
					ii	Mono c-Si PERC Module	APSAM-485/132 (485Wp)	APSAM-490/132	20.64	132 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								APSAM-485/132	20.43				
								APSAM-480/132	20.22				
								APSAM-475/132	20.01				
								APSAM-450/120	20.73				
					iii	Mono c-Si PERC Module	APSAM-440/120 (440Wp)	APSAM-445/120	20.50	120 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								APSAM-440/120	20.27				
								APSAM-435/120	20.04				
								APSAM-410/108	20.98				
								APSAM-405/108	20.72				
					iv	Mono c-Si PERC Module	APSAM-400/108 (400Wp)	APSAM-400/108	20.47	108 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								APSAM-395/108	20.21				
								APSAM-390/108	19.96				
								APSAM-365/96	20.92				
					v	Mono c-Si PERC Module	APSAM-360/96 (360Wp)	APSAM-360/96	20.64	96 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								APSAM-355/96	20.35				
								APSAM-350/96	20.06				
								APSAM-275/72	20.82				
								APSAM-270/72	20.45				
					vi	Mono c-Si PERC Module	APSAM-265/72 (265Wp)	APSAM-265/72	20.07	72 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								APSAM-260/72	19.69				
								APSBF-555/144	21.48				
								APSBF-550/144	21.29				
								APSBF-545/144	21.10				
								APSBF-540/144	20.90				
					vii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	APSBF-530/144 (530 Wp)	APSBF-535/144	20.71	144 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								APSBF-530/144	20.52				
								APSBF-525/144	20.32				
								APSBF-520/144	20.13				
								APSBF-515/144	19.94				
								APSBF-510/144	19.74				
								APSBF-505/144	19.55				
								APSBF-510/132	21.49				
								APSBF-505/132	21.28				
								APSBF-500/132	21.07				
					viii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	APSBF-500/132(500 Wp)	APSBF-495/132	20.86	132 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								APSBF-490/132	20.64				
								APSBF-485/132	20.43				
								APSBF-480/132	20.22				
								APSBF-475/132	20.01				
								APSBF-465/120	21.49				
								APSBF-460/120	21.26				
								APSBF-455/120	21.03				
					ix	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	APSBF-450/120(450 Wp)	APSBF-450/120	20.80	120(Half Cut Cell)	1500	01.09.2023	31.08.2027
								APSBF-445/120	20.57				
								APSBF-440/120	20.34				
								APSBF-435/120	20.10				
								APSBF-420/108	21.50				
								APSBF-415/108	21.24				
								APSBF-410/108	20.98				
								APSBF-405/108	20.73				
								APSBF-400/108	20.47				
					x	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	APSBF-410/108(410 Wp)	APSBF-370/96	21.21	108(Half Cut Cell)	1500	01.09.2023	31.08.2027
								APSBF-365/96	20.93				
								APSBF-360/96	20.64				
								APSBF-290/72	21.89				
								APSBF-285/72	21.52				
					xii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	APSBF-280/72(280 Wp)	APSBF-280/72	21.14	72(Half Cut Cell)	1500	01.09.2023	31.08.2027
								APSBF-275/72	20.76				
								APSAM-500/132	21.07				
					xiii	Mono c-Si PERC Module	APSAM-505/132(505 Wp)	APSAM-505/132	21.28	132(Half Cut Cell)	1500	01.09.2023	31.08.2027
								APSAM-550/132	21.29				
								APSAM-555/132	21.48				
					xiv	Mono c-Si PERC Module	APSAM-555/144(555 Wp)	APSAM-560/132	21.68	144(Half Cut Cell)	1500	01.09.2023	31.08.2027

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
55	M/s. Orb Energy Private Limited	No. 95, Digital Park Road, 2nd Stage, Yeshwanthapura, Bangalore - 560022, Karnataka	R-62001708	71	i	Mono c-Si PERC Modules	Orb410M66-15 (410Wp)	Orb410M66-15	21.02	66 (Full Cell)	1500	01.09.2023	31.08.2027
								Orb405M66-15	20.77				
								Orb400M66-15	20.51				
								Orb395M66-15	20.25				
								Orb390M66-15	20.00				
					ii	Mono c-Si PERC Modules	Orb450M72-15 (450Wp)	Orb450M72-15	21.19	72 (Full Cell)	1500	01.09.2023	31.08.2027
								Orb445M72-15	20.95				
								Orb440M72-15	20.72				
								Orb435M72-15	20.48				
								Orb430M72-15	20.25				
56	M/s. Solex Energy Limited	Plot No 1A, Block 938, Tadkeshwar, Kim Mandvi Road, Mandvi, Surat-394110, Gujarat	R-72008125	581	i	Mono c-Si PERC Module	SMF72HM10-510 (510Wp)	SMF72HM10-500	19.36	144 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMF72HM10-505	19.55				
								SMF72HM10-510	19.74				
								SMF72HM10-515	19.94				
								SMF72HM10-520	20.13				
					ii	Mono c-Si PERC Module	SMF72HM10-540 (540Wp)	SMF72HM10-525	20.32	144 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMF72HM10-530	20.52				
								SMF72HM10-535	20.71				
								SMF72HM10-540	20.91				
								SMF72HM10-545	21.10				
iii	Mono c-Si PERC Module	SMFB72HM10-510 (510Wp)	SMF72HM10-545	21.30	144 (Half Cut Cell)	1500	01.09.2023	31.08.2027					
			SMF72HM10-550	21.49									
			SMFB72HM10-500	19.36									
			SMFB72HM10-505	19.55									
			SMFB72HM10-510	19.74									
iv	Mono c-Si PERC Module	SMFB72HM10-540 (540Wp)	SMFB72HM10-515	19.94	144 (Half Cut Cell)	1500	01.09.2023	31.08.2027					
			SMFB72HM10-520	20.13									
			SMFB72HM10-525	20.32									
			SMFB72HM10-530	20.52									
			SMFB72HM10-535	20.71									
v	Mono c-Si PERC Module	SMF66HM10-475 (475Wp)	SMFB72HM10-545	20.91	132 (Half Cut Cell)	1500	01.09.2023	31.08.2027					
			SMFB72HM10-545	21.10									
			SMFB72HM10-550	21.30									
			SMFB72HM10-555	21.49									
			SMF66HM10-460	19.37									
vi	Mono c-Si PERC Module	SMF66HM10-495 (495Wp)	SMF66HM10-465	19.59	132 (Half Cut Cell)	1500	01.09.2023	31.08.2027					
			SMF66HM10-470	19.80									
			SMF66HM10-475	20.02									
			SMF66HM10-480	20.24									
			SMF66HM10-485	20.44									
vii	Mono c-Si PERC Module	SMFB66HM10-475 (475Wp)	SMF66HM10-490	20.65	132 (Half Cut Cell)	1500	01.09.2023	31.08.2027					
			SMF66HM10-495	20.86									
			SMF66HM10-500	21.07									
			SMF66HM10-505	21.28									
			SMFB66HM10-460	19.37									
viii	Mono c-Si PERC Module	SMFB66HM10-495 (495Wp)	SMFB66HM10-465	19.59	132 (Half Cut Cell)	1500	01.09.2023	31.08.2027					
			SMFB66HM10-470	19.80									
			SMFB66HM10-475	20.02									
			SMFB66HM10-480	20.24									
			SMFB66HM10-485	20.44									
ix	Mono c-Si PERC Module	SMF60HM10-440 (440Wp)	SMFB66HM10-490	20.65	120 (Half Cut Cell)	1500	01.09.2023	31.08.2027					
			SMFB66HM10-495	20.86									
			SMFB66HM10-500	21.07									
			SMFB66HM10-505	21.28									
			SMF60HM10-420	19.37									
x	Mono c-Si PERC Module	SMFB60HM10-440 (440Wp)	SMF60HM10-425	19.61	120 (Half Cut Cell)	1500	01.09.2023	31.08.2027					
			SMF60HM10-430	19.83									
			SMF60HM10-435	20.06									
			SMF60HM10-440	20.29									
			SMF60HM10-445	20.51									
			SMF60HM10-450	20.75									
			SMF60HM10-455	20.98									
			SMF60HM10-460	21.21									
			SMFB60HM10-420	19.37									
			SMFB60HM10-425	19.61									
SMFB60HM10-430	19.83												
SMFB60HM10-435	20.06												
SMFB60HM10-440	20.29												
SMFB60HM10-445	20.51												
SMFB60HM10-450	20.75												
SMFB60HM10-455	20.98												
SMFB60HM10-460	21.21												

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xi	Mono c-Si PERC Module	SMF54HM10-385 (385Wp)	SMF54HM10-375	19.20	108 (Half Cut Cell)	1500	01.09.2023	31.08.2027
				SMF54HM10-380				19.46					
				SMF54HM10-385				19.73					
				SMF54HM10-390				19.98					
					xii	Mono c-Si PERC Module	SMF54HM10-405 (405Wp)	SMF54HM10-395	20.23	108 (Half Cut Cell)	1500	01.09.2023	31.08.2027
				SMF54HM10-400				20.49					
				SMF54HM10-405				20.73					
				SMF54HM10-410				21.00					
					xiii	Mono c-Si PERC Module	SMFB54HM10-385 (385Wp)	SMF54HM10-415	21.24	108 (Half Cut Cell)	1500	01.09.2023	31.08.2027
				SMFB54HM10-375				19.20					
				SMFB54HM10-380				19.46					
				SMFB54HM10-385				19.73					
					xiv	Mono c-Si PERC Module	SMFB54HM10-405 (405Wp)	SMFB54HM10-390	19.98	108 (Half Cut Cell)	1500	01.09.2023	31.08.2027
				SMFB54HM10-395				20.23					
				SMFB54HM10-400				20.49					
				SMFB54HM10-405				20.73					
					xv	Mono c-Si PERC Module	SMF48HM10-345 (345Wp)	SMFB54HM10-410	21.00	96 (Half Cut Cell)	1500	01.09.2023	31.08.2027
				SMF48HM10-335				19.21					
				SMF48HM10-340				19.50					
				SMF48HM10-345				19.780					
					xvi	Mono c-Si PERC Module	SMF48HM10-365 (365Wp)	SMF48HM10-350	20.06	96 (Half Cut Cell)	1500	01.09.2023	31.08.2027
				SMF48HM10-355				20.34					
				SMF48HM10-360				20.62					
				SMF48HM10-365				20.91					
					xvii	Mono c-Si PERC Module	SMFB48HM10-345 (345Wp)	SMF48HM10-370	21.19	96 (Half Cut Cell)	1500	01.09.2023	31.08.2027
				SMFB48HM10-335				19.21					
				SMFB48HM10-340				19.50					
				SMFB48HM10-345				19.78					
					xviii	Mono c-Si PERC Module	SMFB48HM10-365 (365Wp)	SMFB48HM10-350	20.06	96 (Half Cut Cell)	1500	01.09.2023	31.08.2027
				SMFB48HM10-355				20.34					
				SMFB48HM10-360				20.62					
				SMFB48HM10-365				20.91					
					xix	Mono c-Si PERC Module	SMF42HM10-305 (305Wp)	SMFB48HM10-370	21.19	84 (Half Cut Cell)	1500	01.09.2023	31.08.2027
				SMF42HM10-295				19.21					
				SMF42HM10-300				19.54					
				SMF42HM10-305				19.88					
					xx	Mono c-Si PERC Module	SMFB42HM10-305 (305Wp)	SMF42HM10-310	20.2	84 (Half Cut Cell)	1500	01.09.2023	31.08.2027
				SMF42HM10-315				20.5					
				SMF42HM10-320				20.8					
				SMFB42HM10-295				19.21					
					xxi	Mono c-Si PERC Module	SMF36HM10-265 (265Wp)	SMFB42HM10-300	19.54	72 (Half Cut Cell)	1500	01.09.2023	31.08.2027
				SMF36HM10-255				19.25					
				SMF36HM10-260				19.63					
				SMF36HM10-265				19.99					
					xxii	Mono c-Si PERC Module	SMFB36HM10-265 (265Wp)	SMF36HM10-270	20.36	72 (Half Cut Cell)	1500	01.09.2023	31.08.2027
				SMF36HM10-275				20.73					
				SMFB36HM10-255				19.25					
				SMFB36HM10-260				19.63					
					xxiii	Bifacial Mono c-Si PERC Modules	SMB72HM10-525 (525Wp)	SMFB36HM10-265	19.99	144 (Half Cut Cell)	1500	01.09.2023	31.08.2027
				SMFB36HM10-270				20.36					
				SMFB36HM10-275				20.73					
				SMB72HM10-500				19.36					
				SMB72HM10-505				19.55					
				SMB72HM10-510				19.74					
				SMB72HM10-515				19.94					
				SMB72HM10-520				20.13					
				SMB72HM10-525				20.32					
				SMB72HM10-530				20.52					
				SMB72HM10-535				20.71					
				SMB72HM10-540				20.91					
				SMB72HM10-545	21.10								
				SMB72HM10-550	21.30								
				SMBB72HM10-500	19.36								
				SMBB72HM10-505	19.55								
				SMBB72HM10-510	19.74								
				SMBB72HM10-515	19.94								
				SMBB72HM10-520	20.13								

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xxiv	Bifacial Mono c-Si PERC Modules	SMBB72HM10-525 (525Wp)	SMBB72HM10-525 SMBB72HM10-530 SMBB72HM10-535 SMBB72HM10-540 SMBB72HM10-545 SMBB72HM10-550	20.32 20.52 20.71 20.91 21.10 21.30	144 (Half Cut Cell)	1500	01.09.2023	31.08.2027
					xxv	Bifacial Mono c-Si PERC Modules	SMB66HM10-465 (465Wp)	SMB66HM10-455 SMB66HM10-460 SMB66HM10-465 SMB66HM10-470 SMB66HM10-475	19.16 19.37 19.59 19.80 20.02	132 (Half Cut Cell)	1500	01.09.2023	31.08.2027
					xxvi	Bifacial Mono c-Si PERC Modules	SMB66HM10-490 (490Wp)	SMB66HM10-480 SMB66HM10-485 SMB66HM10-490 SMB66HM10-495 SMB66HM10-500	20.24 20.65 20.86 21.07 21.28	132 (Half Cut Cell)	1500	01.09.2023	31.08.2027
					xxvii	Bifacial Mono c-Si PERC Modules	SMB66HM10-465 (465Wp)	SMB66HM10-455 SMB66HM10-460 SMB66HM10-465 SMB66HM10-470	19.16 19.37 19.59 19.80	132 (Half Cut Cell)	1500	01.09.2023	31.08.2027
					xxviii	Bifacial Mono c-Si PERC Modules	SMB66HM10-490 (490Wp)	SMB66HM10-475 SMB66HM10-480 SMB66HM10-485 SMB66HM10-490 SMB66HM10-495 SMB66HM10-500	20.02 20.24 20.44 20.65 20.86 21.07	132 (Half Cut Cell)	1500	01.09.2023	31.08.2027
					xxix	Bifacial Mono c-Si PERC Modules	SMB60HM10-435 (435Wp)	SMB60HM10-415 SMB60HM10-420 SMB60HM10-425 SMB60HM10-430 SMB60HM10-435 SMB60HM10-440 SMB60HM10-445 SMB60HM10-450 SMB60HM10-455	19.13 19.37 19.61 19.83 20.06 20.29 20.51 20.75 20.98	120 (Half Cut Cell)	1500	01.09.2023	31.08.2027
					xxx	Bifacial Mono c-Si PERC Modules	SMB66HM10-435 (435Wp)	SMB66HM10-415 SMB66HM10-420 SMB66HM10-425 SMB66HM10-430 SMB66HM10-435 SMB66HM10-440 SMB66HM10-445 SMB66HM10-450 SMB66HM10-455	19.13 19.37 19.61 19.83 20.06 20.29 20.51 20.75 20.98	120 (Half Cut Cell)	1500	01.09.2023	31.08.2027
					xxxi	Bifacial Mono c-Si PERC Modules	SMB54HM10-385 (385Wp)	SMB54HM10-375 SMB54HM10-380 SMB54HM10-385 SMB54HM10-390	19.2 19.46 19.73 19.98	108 (Half Cut Cell)	1500	01.09.2023	31.08.2027
					xxxii	Bifacial Mono c-Si PERC Modules	SMB54HM10-405 (405Wp)	SMB54HM10-395 SMB54HM10-400 SMB54HM10-405 SMB54HM10-410	20.23 20.49 20.73 21.00	108 (Half Cut Cell)	1500	01.09.2023	31.08.2027
					xxxiii	Bifacial Mono c-Si PERC Modules	SMBB54HM10-385 (385Wp)	SMBB54HM10-375 SMBB54HM10-380 SMBB54HM10-385 SMBB54HM10-390	19.20 19.46 19.73 19.98	108 (Half Cut Cell)	1500	01.09.2023	31.08.2027
					xxxiv	Bifacial Mono c-Si PERC Modules	SMBB54HM10-405 (405Wp)	SMBB54HM10-395 SMBB54HM10-400 SMBB54HM10-405 SMBB54HM10-410	20.23 20.49 20.73 21.00	108 (Half Cut Cell)	1500	01.09.2023	31.08.2027
					xxxv	Bifacial Mono c-Si PERC Modules	SMB48HM10-350 (350Wp)	SMB48HM10-335 SMB48HM10-340 SMB48HM10-345 SMB48HM10-350 SMB48HM10-355 SMB48HM10-360 SMB48HM10-365	19.21 19.50 19.78 20.06 20.34 20.62 20.91	96 (Half Cut Cell)	1500	01.09.2023	31.08.2027
					xxxvi	Bifacial Mono c-Si PERC Modules	SMBB48HM10-350 (350Wp)	SMBB48HM10-335 SMBB48HM10-340 SMBB48HM10-345 SMBB48HM10-350 SMBB48HM10-355	19.21 19.50 19.78 20.06 20.34	96 (Half Cut Cell)	1500	01.09.2023	31.08.2027

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xxxvii	Bifacial Mono c-Si PERC Modules	SMB42HM10-305 (305Wp)	SMB48HM10-360	20.62	84 (Half Cut Cell)	1500	01.09.2023	31.08.2027
				SMB48HM10-365				20.91					
				SMB42HM10-295				19.21					
				SMB42HM10-300				19.54					
				SMB42HM10-305				19.88					
				SMB42HM10-310				20.20					
				SMB42HM10-315				20.50					
				SMB42HM10-320		20.80							
				xxxviii		Bifacial Mono c-Si PERC Modules	SMBB42HM10-305 (305Wp)	SMBB42HM10-295	19.21				
								SMBB42HM10-300	19.54				
								SMBB42HM10-305	19.88				
								SMBB42HM10-310	20.20				
								SMBB42HM10-315	20.50				
								SMBB42HM10-320	20.80				
					xxxix			Bifacial Mono c-Si PERC Modules	SMB36HM10-265 (265Wp)	SMB36HM10-255	19.25		
				SMB36HM10-260		19.63							
				SMB36HM10-265		19.66							
				SMB36HM10-270		20.36							
				SMB36HM10-275		20.73							
				SMBB36HM10-255		19.25							
				SMBB36HM10-260		19.63							
				xl	Bifacial Mono c-Si PERC Modules	SMBB36HM10-265 (265Wp)	SMBB36HM10-265	19.99					
							SMBB36HM10-270	20.36					
							SMBB36HM10-275	20.73					
				xli	Mono c-Si PERC Module	JKM-SMF-540P-72HL4-V (540Wp)	JKM-SMF-530P-72HL4-V	20.52					
							JKM-SMF-535P-72HL4-V	20.71					
							JKM-SMF-540P-72HL4-V	20.91					
							JKM-SMF-545P-72HL4-V	21.10					
							JKM-SMF-550P-72HL4-V	21.30					
							GS10-M144-WF-500	19.36					
57	M/s. Goldi Solar Pvt Limited	Block No:149, Plot No: J&K1, Beside IOC petrol Pump, National Highway No 8, Pipodara, Surat-394110, Gujarat	R-72001805	396	i	Mono c-Si PERC Module	GS10-M144-WF-525, (525Wp)	GS10-M144-WF-505	19.56				
								GS10-M144-WF-510	19.75				
GS10-M144-WF-515	19.94												
GS10-M144-WF-520	20.14												
GS10-M144-WF-525	20.33												
GS10-M144-WF-530	20.53												
GS10-M144-WF-535	20.73												
GS10-M144-WF-540	20.92												
GS10-M144-WF-545	21.12												
GS10-M144-WF-550	21.31												
ii	Mono c-Si PERC Module	GS10-M132-WF-490, (490Wp)	GS10-M132-WF-480	20.22									
			GS10-M132-WF-485	20.43									
			GS10-M132-WF-490	20.64									
			GS10-M132-WF-495	20.85									
			GS10-M132-WF-500	21.06									
			GS10-M132-WF-505	21.28									
58	M/s. Tata Power Solar Systems Ltd	Sy No. 43P and 44(P), Electronic City, 2nd Stage, Consisting Hosur Road, Bangalore-560100, Karnataka	R-62001090	577	i	Mono c-Si PERC Module	TP440HGZ(H), (440Wp)	TP455HGZ(H)	20.46				
								TP450HGZ(H)	20.23				
								TP445HGZ(H)	20.01				
								TP440HGZ(H)	19.78				
								TP435HGZ(H)	19.56				
								TP430HGZ(H)	19.34				
								TP425HGZ(H)	19.11				
					ii	Mono c-Si PERC Module	TP570LG10, (570Wp)	TP595LG10	21.36				
								TP590LG10	21.18				
								TP585LG10	21.00				
								TP580LG10	20.83				
								TP575LG10	20.65				
								TP570LG10	20.47				
								TP565LG10	20.29				
iii	Mono c-Si PERC Module	TP525HG10, (525Wp)	TP560LG10	20.11									
			TP555LG10	19.93									
			TP550HG10	21.34									
			TP545HG10	21.14									
			TP540HG10	20.95									
			TP5435HG10	20.76									
			TP530HG10	20.56									
			TP525HG10	20.37									
			TP520HG10	20.17									
			TP515HG10	19.98									
TP510HG10	19.79												
TP505HG10	19.59												

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					iv	Mono c-Si PERC Module	TP480VG10, (480Wp)	TP500VG10 20.82 TP495VG10 20.61 TP490VG10 20.40 TP485VG10 20.19 TP480VG10 19.98 TP475VG10 19.77 TP470VG10 19.57 TP465VG10 19.36 TP460VG10 19.15		132 (Half Cut Cell)	1500	20.09.2023	19.09.2027
					v	Mono c-Si PERC Module	TP440MG10, (440Wp)	TP455MG10 20.81 TP450MG10 20.58 TP445MG10 20.35 TP440MG10 20.12 TP435MG10 19.89 TP430MG10 19.66 TP425MG10 19.43 TP420MG10 19.21		120 (Half Cut Cell)	1500	20.09.2023	19.09.2027
					vi	Mono c-Si PERC Module	TP400SG10, (400Wp)	TP410SG10 20.72 TP405SG10 20.47 TP400SG10 20.21 TP395SG10 19.96 TP390SG10 19.71 TP385SG10 19.46		108 (Half Cut Cell)	1500	20.09.2023	19.09.2027
					vii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	TP480VG10TB (480 Wp)	TP460VG10TB 19.19 TP465VG10TB 19.40 TP470VG10TB 19.60 TP475VG10TB 19.81 TP480VG10TB 20.02 TP485VG10TB 20.23 TP490VG10TB 20.44 TP495VG10TB 20.65 TP500VG10TB 20.86		132 (Half Cut Cells)	1500	20.09.2023	19.09.2027
					viii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	TP435MG10TB (435 Wp)	TP420MG10TB 19.21 TP425MG10TB 19.44 TP430MG10TB 19.67 TP435MG10TB 19.90 TP440MG10TB 20.12 TP445MG10TB 20.35 TP450MG10TB 20.58 TP455MG10TB 20.81		120 (Half Cut Cells)	1500	20.09.2023	19.09.2027
					ix	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	TP530HG10TB (530 Wp)	TP505HG10TB 19.59 TP510HG10TB 19.78 TP515HG10TB 19.98 TP520HG10TB 20.17 TP525HG10TB 20.37 TP530HG10TB 20.56 TP535HG10TB 20.75 TP540HG10TB 20.95 TP545HG10TB 21.14 TP550HG10TB 21.34		144 (Half Cut Cells)	1500	20.09.2023	19.09.2027
					x	Bifacial Mono c-Si PERC Module (Glass to Glass Backsheet)	TP570LG10B (570 Wp)	TP555LG10B 19.93 TP560LG10B 20.11 TP565LG10B 20.29 TP570LG10B 20.47 TP575LG10B 20.64 TP580LG10B 20.82 TP585LG10B 21.00 TP590LG10B 21.18 TP595LG10B 21.36		156 (Half Cut Cells)	1500	20.09.2023	19.09.2027
					xi	Bifacial Mono c-Si PERC Module (Glass to Glass Backsheet)	TP530HG10B (530 Wp)	TP505HG10B 19.59 TP510HG10B 19.78 TP515HG10B 19.98 TP520HG10B 20.17 TP525HG10B 20.37 TP530HG10B 20.56 TP535HG10B 20.75 TP540HG10B 20.95 TP545HG10B 21.14 TP550HG10B 21.34		144 (Half Cut Cells)	1500	20.09.2023	19.09.2027
							TP460VG10B 19.19						

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xii	Bifacial Mono c-Si PERC Module (Glass to Glass Backsheet)	TP480VG10B (480 Wp)	TP465VG10B	19.40	132 (Half Cut Cells)	1500	20.09.2023	19.09.2027
								TP470VG10B	19.60				
								TP475VG10B	19.81				
								TP480VG10B	20.02				
								TP485VG10B	20.23				
								TP490VG10B	20.44				
								TP495VG10B	20.65				
								TP500VG10B	20.86				
								TP420MG10B	19.21				
								TP425MG10B	19.44				
								TP430MG10B	19.67				
								TP435MG10B	19.90				
					xiii	Bifacial Mono c-Si PERC Module (Glass to Glass Backsheet)	TP435MG10B (435 Wp)	TP440MG10B	20.12				
								TP445MG10B	20.35				
								TP450MG10B	20.58				
								TP455MG10B	20.81				
								TP500HG10B	19.40				
								TP505HG10B	19.59				
								TP510HG10B	19.78				
								TP515HG10B	19.98				
								TP520HG10B	20.17				
								TP525HG10B	20.37				
								TP530HG10B	20.56				
								TP535HG10B	20.75				
xiv	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP525HG10B (525 Wp)	TP540HG10B	20.95									
			TP545HG10B	21.14									
			TP550HG10B	21.34									
			TP555HG10B	21.53									
			TP555LG10B	19.93									
			TP560LG10B	20.11									
			TP565LG10B	20.29									
			TP570LG10B	20.47									
			TP575LG10B	20.64									
			TP580LG10B	20.82									
			TP585LG10B	21.00									
			TP590LG10B	21.18									
xv	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP550HG10B (550 Wp)	TP595LG10B	21.36									
			TP600LG10B	21.54									
			TP570LG10VB	20.47									
			TP575LG10VB	20.64									
			TP580LG10VB	20.82									
			TP585LG10VB	21.00									
			TP590LG10VB	21.18									
			TP595LG10VB	21.36									
			TP600LG10VB	21.54									
			TP605LG10VB	21.72									
			TP610LG10VB	21.9									
			TP615LG10VB	22.08									
xvi	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP585LG10B (585 Wp)	TP595LG10VB	21.36									
			TP600LG10VB	21.54									
			TP605LG10VB	21.72									
			TP610LG10VB	21.9									
			TP615LG10VB	22.08									
			TP570LG10VB	20.47									
			TP575LG10VB	20.64									
			TP580LG10VB	20.82									
			TP585LG10VB	21.00									
			TP590LG10VB	21.18									
			TP595LG10VB	21.36									
			TP600LG10VB	21.54									
xvii	Bifacial Mono c-Si PERC Modules (Glass to Glass)	TP595LG10VB (595 Wp)	TP605LG10VB	21.72									
			TP610LG10VB	21.9									
			TP615LG10VB	22.08									
			TP570LG10VB	20.47									
			TP575LG10VB	20.64									
			TP580LG10VB	20.82									
			TP585LG10VB	21.00									
			TP590LG10VB	21.18									
			TP595LG10VB	21.36									
			TP600LG10VB	21.54									
			TP605LG10VB	21.72									
			TP610LG10VB	21.9									
xviii	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP595LG10VB (595 Wp)	TP615LG10VB	22.08									
			TP570LG10VB	20.47									
			TP575LG10VB	20.64									
			TP580LG10VB	20.82									
			TP585LG10VB	21.00									
			TP590LG10VB	21.18									
			TP595LG10VB	21.36									
			TP600LG10VB	21.54									
			TP605LG10VB	21.72									
			TP610LG10VB	21.9									
			TP615LG10VB	22.08									
			TP570LG10VB	20.47									
xix	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP540HG10VB (540 Wp)	TP575LG10VB	20.64									
			TP580LG10VB	20.82									
			TP585LG10VB	21.00									
			TP590LG10VB	21.18									
			TP595LG10VB	21.36									
			TP595HG10VB	19.26									
			TP530HG10VB	19.44									
			TP535HG10VB	19.62									
			TP540HG10VB	19.81									
			TP545HG10VB	19.99									
			TP550HG10VB	20.18									
			TP555HG10VB	20.37									
59	M/s. Surya International Enterprise Private Limited	Plot No. S4-E1-21, EMC Park, Infovalley II, Harekrushnapur, Jatani, Bhubaneswar-751019, Orissa	R-52000175	77	i	Mono PERC c-Si Modules	SI565M10-156 (565)	SI585M10-156	20.93	156 (Half Cut Cell)	1500	16.11.2023	15.11.2027
								SI580M10-156	20.75				
								SI575M10-156	20.57				
								SI570M10-156	20.39				
								SI565M10-156	20.21				
								SI560M10-156	20.03				
								SI555M10-156	19.85				
								SI550M10-156	19.68				
								SI545M10-156	19.5				
								SI540M10-156	19.32				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity															
												From	To (subject to valid BIS Registration; else deemed to be delisted)														
					ii	Mono PERC c-Si Modules	SI525M10-144 (525)	SI550M10-144	21.27	144 (Half Cut Cell)	1500	16.11.2023	15.11.2027														
								SI545M10-144	21.08																		
								SI540M10-144	20.89																		
								SI535M10-144	20.69																		
								SI530M10-144	20.5																		
								SI525M10-144	20.31																		
								SI520M10-144	20.11																		
								SI515M10-144	19.92																		
								SI510M10-144	19.73																		
								SI505M10-144	19.53																		
								SI500M10-144	19.34																		
								iii	Mono PERC c-Si Modules					SI475M10-132 (475)	SI495M10-132	20.84	132 (Half Cut Cell)	1500	16.11.2023	15.11.2027							
					SI490M10-132	20.63																					
					SI485M10-132	20.41																					
					SI480M10-132	20.2																					
					SI475M10-132	19.99																					
					SI470M10-132	19.78																					
					SI465M10-132	19.57																					
					SI460M10-132	19.36																					
					SI455M10-132	19.15																					
					iv	Mono PERC C-Si Modules	SI430M10-120 (430)			SI450M10-120	20.78	120 (Half Cut Cell)	1500		16.11.2023	15.11.2027											
										SI445M10-120	20.55																
										SI440M10-120	20.31																
								SI435M10-120	20.08																		
								SI430M10-120	19.85																		
								SI425M10-120	19.62																		
								SI420M10-120	19.39																		
								SI415M10-120	19.16																		
								v	Mono PERC C-Si Modules	SI390M10-108 (390)	SI405M10-108			20.69			108 (Half Cut Cell)	1500	16.11.2023	15.11.2027							
											SI400M10-108			20.44													
											SI395M10-108			20.18													
											SI390M10-108			19.93													
					SI385M10-108	19.67																					
					SI380M10-108	19.41																					
					SI375M10-108	19.16																					
					vi	Mono PERC C-Si Modules	SI345M10-96 (350)				SI365M10-96	20.87	96 (Half Cut Cell)	1500	16.11.2023	15.11.2027											
											SI360M10-96	20.59															
											SI355M10-96	20.3															
											SI350M10-96	20.02															
											SI340M10-96	19.44															
SI335M10-96	19.16																										
vii	Mono PERC C-Si Modules	SI305M10-84 (305)	SI320M10-84	20.78				84 (Half Cut Cell)	1500	16.11.2023	15.11.2027																
			SI315M10-84	20.45																							
			SI310M10-84	20.13																							
			SI305M10-84	19.8																							
			SI300M10-84	19.48																							
			SI295M10-84	19.15																							
			viii	Mono PERC C-Si Modules	SI260M10-72 (260)	SI270M10-72	20.38					72 (Full Cell)	1500	16.11.2023	15.11.2027												
						SI265M10-72	20.01																				
						SI260M10-72	19.63																				
						SI255M10-72	19.25																				
						ix	Mono PERC C-Si Modules									SI230M10-64 (230)	SI240M10-64	19.99	64 (Full Cell)	1500	16.11.2023	15.11.2027					
																	SI235M10-64	19.61									
SI230M10-64	19.24																										
60	M/s Inter Solar Systems Private Limited	Village Sundran, Derabassi, P.O – Mubarkpur, District Sas Nagar, Mohali-140507, Punjab						R-97001139	49	i	Mono c-Si PERC Module						ISSM10-525-144 (525Wp)	ISSM10-500-144					19.92	144 (Half Cut Cells)	1500	16.11.2023	15.11.2027
																		ISSM10-505-144					20.12				
																		ISSM10-510-144					20.23				
																		ISSM10-515-144					20.28				
																		ISSM10-520-144					20.38				
			ISSM10-525-144	20.47																							
			ISSM10-530-144	20.51																							
			ISSM10-535-144	20.59																							
			ISSM10-540-144	20.67																							
			ISSM10-545-144	20.71																							
			ISSM10-550-144	20.83																							
			61	M/s. ReNew Photovoltaics Private Limited	Plot No-DTA-02-40 to 45, Domestic Tarriff Area Phase-II, Mahindra World City, Tehsil-Sanganer, Jaipur-302037, Rajasthan	R-84003778	2842					i	Mono PERC C-Si Modules	RPS2MH72MB530 (530Wn)	RPS2MH72MB515	19.93		144 (Half Cut Cell)	1500	16.11.2023	15.11.2027						
RPS2MH72MB520	20.13																										
RPS2MH72MB525	20.32																										
RPS2MH72MB530	20.52																										

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					iv	Mono c-Si PERC Module	ISEN440 (440 Wp)	ISEN420	19.41	120 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								ISEN425	19.64				
								ISEN430	19.87				
								ISEN435	20.1				
								ISEN440	20.34				
								ISEN445	20.57				
								ISEN450	20.8				
								ISEN455	21.03				
								ISEN460	21.26				
								ISEN380	19.46				
					v	Mono c-Si PERC Module	ISEN395 (395 Wp)	ISEN385	19.72	108 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								ISEN390	19.97				
								ISEN395	20.23				
								ISEN400	20.48				
								ISEN405	20.74				
								ISEN410	21				
								ISEN620N-TOP	22.19				
								ISEN615N-TOP	22.01				
								ISEN610N-TOP	21.83				
								ISEN605N-TOP	21.65				
					vi	Bifacial N-type TOPCon Module	ISEN610N-TOP (610 Wp)	ISEN600N-TOP	21.47	156 (Half Cut Cell)	1500	24.02.2024	23.02.2028
								ISEN590N-TOP	22.84				
								ISEN585N-TOP	22.64				
								ISEN580N-TOP	22.45				
								ISEN575N-TOP	22.26				
								ISEN570N-TOP	22.06				
								ISEN565N-TOP	21.87				
								ISEN560N-TOP	21.68				
								ISEN540N-TOP	22.74				
								ISEN535N-TOP	22.53				
					vii	Bifacial N-type TOPCon Module	ISEN575N-TOP (575 Wp)	ISEN530N-TOP	22.32	144 (Half Cut Cell)	1500	24.02.2024	23.02.2028
								ISEN525N-TOP	22.11				
								ISEN520N-TOP	21.90				
								ISEN500N-TOP	23.11				
								ISEN495N-TOP	22.88				
								ISEN490N-TOP	22.65				
								ISEN485N-TOP	22.41				
								ISEN480N-TOP	22.18				
								ISEN475N-TOP	21.95				
								ISEN470N-TOP	21.72				
viii	Bifacial N-type TOPCon Module	ISEN530N-TOP (530 Wp)	ISEN465N-TOP	21.49	120 (Half Cut Cell)	1500	24.02.2024	23.02.2028					
			ISEN460N-TOP	21.26									
			ISEN440N-TOP	22.53									
			ISEN435N-TOP	22.28									
			ISEN430N-TOP	22.02									
			ISEN425N-TOP	21.76									
			ISEN420N-TOP	21.51									
			WSMD-520	20.2									
			WSMD-525	20.39									
			WSMD-530	20.58									
ix	Bifacial N-type TOPCon Module	ISEN480N-TOP (480 Wp)	WSMD-535	20.78	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028					
			WSMD-540	20.97									
			WSMD-545	21.17									
			WSMD-550	21.36									
			Bi-55-520	20.2									
			Bi-55-525	20.39									
			Bi-55-530	20.58									
			Bi-55-535	20.78									
			Bi-55-540	20.97									
			Bi-55-545	21.17									
x	Bifacial N-type TOPCon Module	ISEN430N-TOP (430 Wp)	Bi-55-550	21.36	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028					
			WSMT-560	21.75									
			WSMT-565	21.94									
			WSMT-570	22.14									
			WSMT-575	22.33									
			WSMT-580	22.53									
			WSMT-605	21.74									
			WSMT-610	21.92									
			WSMT-615	22.1									
			WSMT-620	22.28									
WSMT-625	22.46												
BIN-17-605	21.64												

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					v	N TOPCon Module(Bifacial)	BIN-17-615 (615Wp)	BIN-17-610 BIN-17-615 BIN-17-620 BIN-17-625	21.82 22 22.18 22.35	156 (Half Cut Cells)	1500	24.02.2024	23.02.2028
					vi	N TOPCon Module(Bifacial)	BIN-08-570 (570Wp)	BIN-08-560 BIN-08-565 BIN-08-570 BIN-08-575 BIN-08-580	21.67 21.87 22.06 22.25 22.45	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
65	M/s. Waaree Energies Limited	Survey No 38/1,Tumb Village,Tumb,Umbergaon,Valsad,Gujarat-396150	R-72002038	1095	i	Mono c-Si PERC Module	WSMD-440 (440Wp)	WSMD-420 WSMD-425 WSMD-430 WSMD-435 WSMD-440 WSMD-445 WSMD-450 WSMD-450	19.32 19.55 19.78 20.01 20.24 20.47 20.7	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
					ii	Mono c-Si PERC Module	WSMD-540 (540Wp)	WSMD-520 WSMD-525 WSMD-530 WSMD-535 WSMD-540 WSMD-545 WSMD-550	20.2 20.39 20.58 20.78 20.97 21.17 21.36	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
					iii	Mono c-Si PERC Bifacial Module	Bi-31-440(440Wp)	Bi-31-420 Bi-31-425 Bi-31-430 Bi-31-435 Bi-31-440 Bi-31-445 Bi-31-450	19.32 19.55 19.78 20.01 20.24 20.47 20.7	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
					iv	Bifacial Mono c-Si PERC Module	Bi-55-540 (540Wp)	Bi-55-520 Bi-55-525 Bi-55-530 Bi-55-535 Bi-55-540 Bi-55-545 Bi-55-550	20.2 20.39 20.58 20.78 20.97 21.17 21.36	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
					v	Mono c-Si PERC Module	WSMDI-400 (400Wp)	WSMDI-395 WSMDI-400 WSMDI-405 WSMDI-410 WSMDI-415	19.79 20.03 20.28 20.53 20.78	132 (Half Cut Cells)	1500	24.02.2024	23.02.2028
66	M/s. Mundra Solar PV Limited	Survey No 180P, Co Mundra Solar Technopark Pvt. Ltd, Electronic manufacturing Cluster EMC, Village Vandh & Tunda, mundra, Kutch Adani Ports & SEZ, Tunda, Kachchh - 370435, Gujarat	R-72008532	1942	i	Mono c-Si PERC Modules	ASM-M10-144-523 (523Wp)	ASM-M10-144-500 ASM-M10-144-501 ASM-M10-144-502 ASM-M10-144-503 ASM-M10-144-504 ASM-M10-144-505 ASM-M10-144-506 ASM-M10-144-507 ASM-M10-144-508 ASM-M10-144-509 ASM-M10-144-510 ASM-M10-144-511 ASM-M10-144-512 ASM-M10-144-513 ASM-M10-144-514 ASM-M10-144-515 ASM-M10-144-516 ASM-M10-144-517 ASM-M10-144-518 ASM-M10-144-519 ASM-M10-144-520 ASM-M10-144-521 ASM-M10-144-522 ASM-M10-144-523 ASM-M10-144-524 ASM-M10-144-525 ASM-M10-144-526 ASM-M10-144-527 ASM-M10-144-528 ASM-M10-144-529	19.47 19.51 19.55 19.59 19.63 19.67 19.7 19.74 19.78 19.82 19.86 19.9 19.94 19.98 20.02 20.05 20.09 20.13 20.17 20.21 20.25 20.29 20.33 20.37 20.41 20.44 20.48 20.52 20.56 20.6	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								ASM-M10-144-530	20.64				
								ASM-M10-144-531	20.68				
								ASM-M10-144-532	20.72				
								ASM-M10-144-533	20.76				
								ASM-M10-144-534	20.8				
								ASM-M10-144-535	20.83				
								ASM-M10-144-536	20.87				
								ASM-M10-144-537	20.91				
								ASM-M10-144-538	20.95				
								ASM-M10-144-539	20.99				
								ASM-M10-144-540	21.03				
								ASM-M10-144-541	21.07				
								ASM-M10-144-542	21.11				
								ASM-M10-144-543	21.15				
								ASM-M10-144-544	21.18				
								ASM-M10-144-545	21.22				
								ASB-M10-144-520	20.25				
					ii	Bifacial c-Si PERC Modules	ASB-M10-144-548 (548Wp)	ASB-M10-144-521	20.29	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
							ASB-M10-144-522	20.33					
							ASB-M10-144-523	20.37					
							ASB-M10-144-524	20.41					
							ASB-M10-144-525	20.44					
							ASB-M10-144-526	20.48					
							ASB-M10-144-527	20.52					
							ASB-M10-144-528	20.56					
							ASB-M10-144-529	20.6					
							ASB-M10-144-530	20.64					
							ASB-M10-144-531	20.68					
							ASB-M10-144-532	20.72					
							ASB-M10-144-533	20.76					
							ASB-M10-144-534	20.8					
							ASB-M10-144-535	20.83					
							ASB-M10-144-536	20.87					
							ASB-M10-144-537	20.91					
							ASB-M10-144-538	20.95					
							ASB-M10-144-539	20.99					
							ASB-M10-144-540	21.03					
							ASB-M10-144-541	21.07					
							ASB-M10-144-542	21.11					
							ASB-M10-144-543	21.15					
							ASB-M10-144-544	21.18					
							ASB-M10-144-545	21.22					
							ASB-M10-144-546	21.26					
							ASB-M10-144-547	21.3					
							ASB-M10-144-548	21.34					
							ASB-M10-144-549	21.38					
							ASB-M10-144-550	21.42					
							ASB-M10-144-551	21.46					
							ASB-M10-144-552	21.5					
							ASB-M10-144-553	21.54					
							ASB-M10-144-554	21.57					
							ASB-M10-144-555	21.61					
							ASB-M10-144-556	21.65					
							ASB-M10-144-557	21.69					
							ASB-M10-144-558	21.73					
							ASB-M10-144-559	21.77					
							ASB-M10-144-560	21.81					
							ASB-M10-144-561	21.85					
							ASB-M10-144-562	21.89					
							ASB-M10-144-563	21.92					
							ASB-M10-144-564	21.96					
							ASB-M10-144-565	22					
							ASB-M10-144-566	22.04					
							ASB-M10-144-567	22.08					
							ASB-M10-144-568	22.12					
							ASB-M10-144-569	22.16					
							ASB-M10-144-570	22.2					
							ASB-M10-144-571	22.24					
							ASB-M10-144-572	22.28					
							ASB-M10-144-573	22.31					
							ASB-M10-144-574	22.35					
					iii	Bifacial n-type TOPCon Modules	ASB-M10-144-563 (563Wp)	ASB-M10-144-563	21.92	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
							ASB-M10-144-564	21.96					
							ASB-M10-144-565	22					
							ASB-M10-144-566	22.04					
							ASB-M10-144-567	22.08					
							ASB-M10-144-568	22.12					
							ASB-M10-144-569	22.16					
							ASB-M10-144-570	22.2					
							ASB-M10-144-571	22.24					
							ASB-M10-144-572	22.28					
							ASB-M10-144-573	22.31					
							ASB-M10-144-574	22.35					

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
67	M/s. Vikram Solar Ltd.	Special Economic Zone (SEZ), Sector 2, Falta, 24 Parganas (South) - 743504, West Bengal	R-51000566	1151	i	Mono c-Si PERC Module	SOMERA VSMH.72.545.05 (545 Wp)	ASB-M10-144-575	22.39	144 (Half cut Cells)	1500	24.02.2024	23.02.2028
								SOMERA VSMH.72.550.05	21.33				
								SOMERA VSMH.72.545.05	21.13				
								SOMERA VSMH.72.540.05	20.94				
								SOMERA VSMH.72.535.05	20.75				
								SOMERA VSMH.60.460.05	21.28				
								SOMERA VSMH.60.455.05	21.05				
								SOMERA VSMH.60.450.05	20.82				
					ii	Mono c-Si PERC Module	SOMERA VSMH.60.455.05 (455 Wp)	SOMERA VSMH.60.445.05	20.59	120 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								SOMERA VSMH.60.455.05	21.05				
								SOMERA VSMH.60.450.05	20.82				
								SOMERA VSMH.60.445.05	20.59				
					iii	Bifacial Mono c-Si PERC Module	PARADEA VSMDH.72.545.05 (545 Wp)	PARADEA VSMDH.72.550.05	21.33	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								PARADEA VSMDH.72.545.05	21.13				
								PARADEA VSMDH.72.540.05	20.94				
								PARADEA VSMDH.72.535.05	20.75				
					iv	Mono c-Si PERC Module	SOMERA VSMH.72.445.05 (445 Wp)	SOMERA VSMH.72.450.05	20.23	144 (Half Cut cells)	1500	24.02.2024	23.02.2028
								SOMERA VSMH.72.445.05	20.01				
								SOMERA VSMH.72.440.05	19.79				
								PARADEA VSMDH.78.570.05	20.47				
					v	Mono c-Si PERC Modules (Glass to Glass)	PARADEA VSMDH.78.585.05 (585 Wp)	PARADEA VSMDH.78.575.05	20.64	156 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								PARADEA VSMDH.78.580.05	20.82				
								PARADEA VSMDH.78.585.05	21.00				
								PARADEA VSMDH.78.590.05	21.18				
PARADEA VSMDH.78.595.05	21.36												
PARADEA VSMDH.66.490.05	20.61												
vi	Mono c-Si PERC Modules (Glass to Glass)	PARADEA VSMDH.66.500.05 (500 Wp)	PARADEA VSMDH.66.500.05	21.04	132 (Half Cut Cells)	1500	24.02.2024	23.02.2028					
			PARADEA VSMDH.66.500.05	21.04									
68	M/s. TP Solar Limited	Plot No. A 109, Near Elcot Road, TP Solar Limited, Sipcot Road and OSR Park, Gangaikondan Road, Sipcot Industrial Park, Gangaikondan Industrial Park, Tirunelveli, Tamil Nadu-627352	R-61004146	5222	i	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP575LG10B (575Wp)	TP555LG10B	19.93	156(Half Cut Cells)	1500	22.03.2024	21.03.2028
								TP560LG10B	20.11				
								TP565LG10B	20.29				
								TP570LG10B	20.47				
								TP575LG10B	20.65				
								TP580LG10B	20.83				
								TP585LG10B	21.00				
								TP590LG10B	21.18				
								TP595LG10B	21.36				
								TP600LG10B	21.54				
								TP500HG10B	19.40				
								TP505HG10B	19.59				
					ii	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP520HG10B (520Wp)	TP510HG10B	19.79	144 (Half cut Cells)	1500	22.03.2024	21.03.2028
								TP515HG10B	19.98				
								TP520HG10B	20.17				
								TP525HG10B	20.37				
								TP530HG10B	20.56				
								TP535HG10B	20.76				
								TP540HG10B	20.95				
								TP545HG10B	21.14				
					iii	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP550HG10B (550 Wp)	TP550HG10B	21.34	144 (Half cut Cells)	1500	22.03.2024	21.03.2028
								TP555HG10B	21.53				
								TP460VG10B	19.19				
								TP465VG10B	19.47				
					iv	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP470VG10B (470 Wp)	TP470VG10B	19.61	132 (Half cut Cells)	1500	22.03.2024	21.03.2028
								TP475VG10B	19.81				
								TP480VG10B	20.02				
								TP485VG10B	20.23				
								TP490VG10B	20.44				
								TP495VG10B	20.65				
					v	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP500VG10B (500 Wp)	TP500VG10B	20.86	132 (Half cut Cells)	1500	22.03.2024	21.03.2028
								TP505VG10B	21.07				
								TP420MG10B	19.21				
								TP425MG10B	19.44				
					vi	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP435MG10B (435 Wp)	TP430MG10B	19.66	120 (Half Cut Cells)	1500	22.03.2024	21.03.2028
								TP435MG10B	19.89				
								TP440MG10B	20.12				
								TP445MG10B	20.35				
								TP450MG10B	20.58				
								TP455MG10B	20.81				
					vii	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP460MG10B (460 Wp)	TP460MG10B	21.03	120 (Half Cut Cells)	1500	22.03.2024	21.03.2028
								TP465MG10B	21.26				
								TP555LG10TB	19.93				
								TP560LG10TB	20.11				
					viii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	TP575LG10TB (575Wp)	TP565LG10TB	20.29	156(Half Cut Cells)	1500	22.03.2024	21.03.2028
								TP570LG10TB	20.47				
								TP575LG10TB	20.65				
								TP580LG10TB	20.83				
TP585LG10TB	21.02												
TP590LG10TB	21.21												

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity										
												From	To (subject to valid BIS Registration; else deemed to be delisted)									
					ix	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	TP520HG10TB (520Wp)	TP585LG10TB	21.00	144 (Half cut Cells)	1500	22.03.2024	21.03.2028									
								TP590LG10TB	21.18													
								TP595LG10TB	21.36													
								TP600LG10TB	21.54													
								TP500HG10TB	19.40													
								TP505HG10TB	19.59													
								TP510HG10TB	19.79													
								TP515HG10TB	19.98													
								TP520HG10TB	20.17													
								TP525HG10TB	20.37													
								TP530HG10TB	20.56													
								TP535HG10TB	20.76													
					TP540HG10TB	20.95																
					x	Bifacial Mono c-Si PERC Module (Glass to Transparent)	TP550HG10TB (550 Wp)	TP545HG10TB	21.14	144 (Half cut Cells)	1500	22.03.2024	21.03.2028									
								TP550HG10TB	21.34													
								TP555HG10TB	21.53													
					xi	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	TP470VG10TB (470 Wp)	TP460VG10TB	19.19	132 (Half cut Cells)	1500	22.03.2024	21.03.2028									
								TP465VG10TB	19.47													
								TP470VG10TB	19.61													
								TP475VG10TB	19.81													
								TP480VG10TB	20.02													
								TP485VG10TB	20.23													
					xii	Bifacial Mono c-Si PERC Module (Glass to Transparent)	TP500VG10TB (500 Wp)	TP490VG10TB	20.44	132 (Half cut Cells)	1500	22.03.2024	21.03.2028									
								TP495VG10TB	20.65													
								TP500VG10TB	20.86													
					xiii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	TP435MG10TB (435 Wp)	TP505VG10TB	21.07	120 (Half Cut Cells)	1500	22.03.2024	21.03.2028									
								TP420MG10TB	19.21													
								TP425MG10TB	19.44													
								TP430MG10TB	19.66													
								TP435MG10TB	19.89													
								TP440MG10TB	20.12													
								TP445MG10TB	20.35													
								TP450MG10TB	20.58													
					xiv	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	TP460MG10TB (460 Wp)	TP455MG10TB	20.81	120 (Half Cut Cells)	1500	22.03.2024	21.03.2028									
								TP460MG10TB	21.03													
								TP465MG10TB	21.26													
								SE144H540M	20.92													
					69	M/s. Solberry Energy Private Limited	Survey No.-164/002 & 165, Near Kamlia Amrut Ind.Estate, Village-Indrad, Tal.-Kadi, Dist. - Mehsana - 382715, Gujarat, India	R-72009490	56	i	Mono c-Si PERC Module	SE144H520M (520 Wp)	SE144H535M	20.73	144 (Half Cut Cells)	1500	10.04.2024	09.04.2028				
													SE144H530M	20.53								
													SE144H525M	20.34								
													SE144H520M	20.15								
													SE144H515M	19.95								
													SE144H510M	19.76								
													SE144H505M	19.57								
													SE132H500M	21.06					132 (Half cut Cells)	1500	10.04.2024	09.04.2028
													SE132H495M	20.85								
													SE132H490M	20.64								
													SE132H485M	20.43								
SE132H480M	20.22																					
SE132H475M	20.01																					
SE132H470M	19.80																					
SE132H465M	19.60																					
SE120H460M	21.23	120 (Half Cut Cells)	1500	10.04.2024						09.04.2028												
SE120H455M	21.00																					
SE120H450M	20.77																					
SE120H445M	20.54																					
SE120H440M	20.31																					
SE120H435M	20.10																					
SE120H430M	19.85																					
SE120H425M	19.62																					
SE120H420M	19.39																					
iv	Mono c-Si PERC Module										SE108H400M (400 Wp)	SE108H410M	20.97	108 (Half cut cells)	1500	10.04.2024	09.04.2028					
												SE108H405M	20.71									
												SE108H400M	20.45									
		SE108H395M	20.20																			
		SE108H390M	19.94																			
		SE108H385M	19.69																			
v	Mono c-Si PERC Module	SE108H375M (375 Wp)	SE108H380M	19.43						108 (Half cut cells)	1500	10.04.2024	09.04.2028									
			SE108H375M	19.18																		
vi	Mono c-Si PERC Module	SE96H345M	SE96H360M	20.62						96 (Half Cut Cells)	1500	10.04.2024	09.04.2028									
			SE96H355M	20.33																		
			SE96H350M	20.05																		
			SE96H350M	20.05																		

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					vii	Bifacial Mono c-Si PERC Module	SE144H520MB (520 Wp)	SE96H345M	19.76	144 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								SE96H340M	19.47				
								SE96H335M	19.19				
								SE144H540MB	20.92				
								SE144H535MB	20.73				
								SE144H530MB	20.53				
								SE144H525MB	20.34				
								SE144H520MB	20.15				
								SE144H515MB	19.95				
								SE144H510MB	19.76				
								SE144H505MB	19.57				
SE132H495MB	20.85												
SE132H490MB	20.64												
SE132H485MB	20.43												
SE132H480MB	20.22												
SE132H475MB	20.01												
SE132H470MB	19.80												
SE132H465MB	19.60												
SE120H460MB	21.23												
SE120H455MB	21.00												
SE120H450MB	20.77												
					ix	Bifacial Mono c-Si PERC Module	SE120H440MB (440 Wp)			SE120H445MB	20.54	120 (Half Cut Cells)	1500
								SE120H440MB	20.31				
								SE120H435MB	20.10				
								SE120H430MB	19.85				
								SE120H425MB	19.62				
								SE120H420MB	19.39				
								SE108H410MB	20.97				
								SE108H405MB	20.71				
								SE108H400MB	20.45				
								SE108H395MB	20.20				
								SE108H390MB	19.94				
								SE108H385MB	19.69				
					x	Bifacial Mono c-Si PERC Module	SE108H400MB (400 Wp)	SE108H380MB	19.43	108 (Half cut cells)	1500	10.04.2024	09.04.2028
								SE108H375MB	19.18				
								SE96H360MB	20.62				
								SE96H355MB	20.33				
								SE96H350MB	20.05				
								SE96H345MB	19.76				
								SE96H340MB	19.47				
								SE96H335MB	19.19				
								PEI-144-545THB-M10	21.09				
								PEI-144-550THB-M10	21.28				
								PEI-144-555THB-M10	21.47				
								PEI-144-560THB-M10	21.67				
PEI-144-565THB-M10	21.86												
PEI-144-570THB-M10	22.05												
PEI-144-575THB-M10	22.25												
PEI-144-580THB-M10	22.44												
PEI-144-585THB-M10	22.63												
PEI-144-590THB-M10	22.83												
PEI-132-495THB-M10	20.85												
PEI-132-500THB-M10	21.06												
PEI-132-505THB-M10	21.28												
PEI-132-510THB-M10	21.49												
PEI-132-515THB-M10	21.70												
PEI-132-520THB-M10	21.91												
PEI-132-525THB-M10	22.12												
PEI-132-530THB-M10	22.33												
PEI-132-535THB-M10	22.54												
PEI-132-540THB-M10	22.75												
PEI-144-535HB-M10	20.70												
PEI-144-540HB-M10	20.89												
PEI-144-545HB-M10	21.09												
PEI-144-550HB-M10	21.28												
PEI-144-555HB-M10	21.48												
PEI-144-560HB-M10	21.67												
PEI-132-470HB-M10	19.80												
PEI-132-475HB-M10	20.01												
PEI-132-480HB-M10	20.22												
PEI-132-485HB-M10	20.43												
70	M/s.Premier Energies International Private Limited	Plot No. S-95, S-96, S-100, S-101, S-102, S-103 & S-104, Raviriyala, Raviriyal(V), Maheswaram(M), Rangareddy (D), Telangana - 501359, India	R-63003719	1320	i	Bifacial N-type TOPCon Module (Glass to Transparent)	PEI-144-565THB-M10 (565 Wp)	PEI-144-545THB-M10	21.09	144 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								PEI-144-550THB-M10	21.28				
								PEI-144-555THB-M10	21.47				
								PEI-144-560THB-M10	21.67				
								PEI-144-565THB-M10	21.86				
								PEI-144-570THB-M10	22.05				
								PEI-144-575THB-M10	22.25				
								PEI-144-580THB-M10	22.44				
								PEI-144-585THB-M10	22.63				
								PEI-144-590THB-M10	22.83				
								PEI-132-495THB-M10	20.85				
								PEI-132-500THB-M10	21.06				
								PEI-132-505THB-M10	21.28				
								PEI-132-510THB-M10	21.49				
								PEI-132-515THB-M10	21.70				
								PEI-132-520THB-M10	21.91				
								PEI-132-525THB-M10	22.12				
								PEI-132-530THB-M10	22.33				
								PEI-132-535THB-M10	22.54				
								PEI-132-540THB-M10	22.75				
								PEI-144-535HB-M10	20.70				
								PEI-144-540HB-M10	20.89				
								PEI-144-545HB-M10	21.09				
								PEI-144-550HB-M10	21.28				
								PEI-144-555HB-M10	21.48				
								PEI-144-560HB-M10	21.67				
								PEI-132-470HB-M10	19.80				
								PEI-132-475HB-M10	20.01				
								PEI-132-480HB-M10	20.22				
								PEI-132-485HB-M10	20.43				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity								
												From	To (subject to valid BIS Registration; else deemed to be delisted)							
					iv	Modules (Glass to Transparent)	PEI-132-490HB-M10 (490 Wp)	PEI-132-490HB-M10	20.64	132 (Half Cut Cells)	1500	10.04.2024	09.04.2028							
								PEI-132-495HB-M10	20.86											
								PEI-132-500HB-M10	21.07											
								PEI-132-505HB-M10	21.28											
					v	Bifacial Mono c-Si PERC Modules (Glass to Glass)	PEI-144-535HGB-M10 (535 Wp)	PEI-132-510HB-M10	21.49	144 (Half Cut Cells)	1500	10.04.2024	09.04.2028							
								PEI-144-535HGB-M10	20.70											
								PEI-144-540HGB-M10	20.89											
								PEI-144-545HGB-M10	21.09											
								PEI-144-550HGB-M10	21.28											
								PEI-144-555HGB-M10	21.48											
								PEI-144-560HGB-M10	21.67											
								PEI-132-470HGB-M10	19.80											
					vi	Bifacial Mono c-Si PERC Modules (Glass to Glass)	PEI-132-490HGB-M10 (490 Wp)	PEI-132-475HGB-M10	20.01	132 (Half Cut Cells)	1500	10.04.2024	09.04.2028							
								PEI-132-480HGB-M10	20.22											
								PEI-132-485HGB-M10	20.43											
								PEI-132-490HGB-M10	20.64											
								PEI-132-495HGB-M10	20.86											
								PEI-132-500HGB-M10	21.07											
								PEI-132-505HGB-M10	21.28											
								PEI-132-510HGB-M10	21.49											
					vii	Bifacial N-type TOPCon Module (Glass to Glass)	PEI-144-565THGB-M10 (565 Wp)	PEI-144-545THGB-M10	21.09	144 (Half Cut Cells)	1500	10.04.2024	09.04.2028							
								PEI-144-550THGB-M10	21.28											
								PEI-144-555THGB-M10	21.47											
								PEI-144-560THGB-M10	21.67											
								PEI-144-565THGB-M10	21.86											
								PEI-144-570THGB-M10	22.05											
								PEI-144-575THGB-M10	22.25											
								PEI-144-580THGB-M10	22.44											
PEI-144-585THGB-M10	22.63																			
PEI-144-590THGB-M10	22.83																			
viii	N-type TOPCon Module (Glass to Glass)	PEI-132-520THGB-M10 (520 Wp)	PEI-132-495THGB-M10	20.85				132 (Half Cut Cells)	1500					10.04.2024	09.04.2028					
			PEI-132-500THGB-M10	21.06																
			PEI-132-505THGB-M10	21.28																
			PEI-132-510THGB-M10	21.49																
			PEI-132-515THGB-M10	21.70																
			PEI-132-520THGB-M10	21.91																
			PEI-132-525THGB-M10	22.12																
			PEI-132-530THGB-M10	22.33																
			PEI-132-535THGB-M10	22.54																
			PEI-132-540THGB-M10	22.75																
			71	M/s. Total Solar Technologies Private Limited	Block No. 84 Paiki, Opposite Chachawadi Temple, Changodar, Chachawadi Vasma, Changodar, Ahmedabad - 382213, Gujarat, India	R-72009466	52			i	Mono c-Si PERC Module	TST144MPH-535 (535Wp)	TST144MPH-525			20.00	144 (Half Cut Cells)	1500	10.04.2024	09.04.2028
													TST144MPH-530			20.18				
TST144MPH-535	20.38																			
TST144MPH-540	20.58																			
ii	Mono c-Si PERC Module	TST132MPH-490 (490Wp)						TST132MPH-480	19.91	132 (Half cut Cells)	1500	10.04.2024	09.04.2028							
								TST132MPH-485	20.11											
								TST132MPH-490	20.32											
								TST132MPH-495	20.53											
iii	Mono c-Si PERC Module	TST120MPH-445 (445Wp)						TST132MPH-500	20.74	120 (Half Cut Cells)	1500	10.04.2024	09.04.2028							
								TST120MPH-440	19.99											
								TST120MPH-445	20.22											
								TST120MPH-450	20.45											
iv	Mono c-Si PERC Module	TST108MPH-400 (400Wp)						TST120MPH-455	20.68	108 (Half cut cells)	1500	10.04.2024	09.04.2028							
								TST108MPH-390	19.60											
								TST108MPH-395	19.86											
								TST108MPH-400	20.11											
v	Mono c-Si PERC Module	TST96MPH-360 (360Wp)						TST108MPH-405	20.36	96 (Half Cut Cells)	1500	10.04.2024	09.04.2028							
								TST108MPH-410	20.61											
								TST96MPH-350	19.68											
								TST96MPH-355	19.96											
vi	Mono c-Si PERC Module	TST84MPH-315 (315Wp)						TST96MPH-360	20.24	84 (Half Cut Cells)	1500	10.04.2024	09.04.2028							
								TST96MPH-365	20.52											
								TST84MPH-305	19.46											
								TST84MPH-310	19.78											
vii	Mono c-Si PERC Module	TST72MPH-270 (270Wp)						TST84MPH-315	20.09	72 (Half cut Cells)	1500	10.04.2024	09.04.2028							
								TST84MPH-320	20.41											
								TST72MPH-260	19.16											
								TST72MPH-265	19.53											
viii	Mono c-Si PERC Module	TST60MPH-220 (220Wp)	TST72MPH-270	19.90	60 (Half Cut Cells)	1500	10.04.2024	09.04.2028												
			TST72MPH-275	20.27																
			TST60MPH-220	19.22																
			TST60MPH-225	19.66																

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
72	M/s. Integrated Batteries India Pvt Ltd	Plot No. 40, Sector -10, Greater Noida, Uttar Pradesh - 201310, India	R-93017612	93	i	Mono c-Si PERC Modules	IBMPF-395 (395 Wp)	IBMPF-380	19.30	108 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								IBMPF-385	19.55				
								IBMPF-390	19.81				
								IBMPF-395	20.06				
								IBMPF-400	20.31				
								IBMPH-405	20.57				
								IBMPH-410	20.82				
								IBMPH-415	19.05				
								IBMPH-420	19.28				
								IBMPH-425	19.51				
								IBMPH-430	19.74				
								IBMPH-435	19.97				
					ii	Mono c-Si PERC Modules	IBMPH-435 (435 Wp)	IBMPH-440	20.19	120 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								IBMPH-445	20.42				
								IBMPH-450	20.65				
								IBMPH-455	20.88				
								IBMPH-460	19.26				
								IBMPH-465	19.47				
								IBMPH-470	19.68				
								IBMPH-475	19.89				
								IBMPH-480	20.10				
								IBMPH-485	20.31				
								IBMPH-490	20.52				
								IBMPH-495	20.73				
					iii	Mono c-Si PERC Modules	IBMPH-480 (480 Wp)	IBMPH-500	20.93	132 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								IBMPH-505	19.57				
								IBMPH-510	19.77				
								IBMPH-515	19.96				
								IBMPH-520	20.16				
								IBMPH-525	20.35				
								IBMPH-530	20.54				
								IBMPH-535	20.74				
								IBMPH-540	20.93				
								IBMPH-545	21.13				
								RPS2MH72BD535	20.71				
								RPS2MH72BD540	20.90				
					iv	Mono c-Si PERC Modules	IBMPH-525 (525 Wp)	RPS2MH72BD545	21.10	144 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								RPS2MH72BD550	21.30				
								RPS2MH72BD555	21.48				
								RPS2MH72BD560	21.68				
								RPS2MH72BD530	20.52				
								RPS2MH72BD535	20.71				
								RPS2MH72BD540	20.90				
								RPS2MH72BD545	21.10				
RPS2MH72BD550	21.30												
RPS2MH72BD555	21.48												
RPS2MH72BD560	21.68												
GMF72HM10525	20.32												
73	M/s.ReNew Photovoltaics Private Limited	Plot No. 232, TP-2/A, Dholera Special Investment Region, Dholera, Ahmedabad - 382455, Gujarat, India	R-72009903	1766	i	Bifacial Mono c-Si PERC Module	RPS2MH72BD550 (550Wp)	GMF72HM10530	20.51	144 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								GMF72HM10535	20.71				
								GMF72HM10540	20.90				
								GMF72HM10545	21.09				
								GMF72HM10550	21.29				
								GMB72HM10525	20.32				
								GMB72HM10530	20.51				
								GMB72HM10535	20.71				
								GMB72HM10540	20.90				
								GMB72HM10545	21.09				
								GMB72HM10550	21.29				
								ii	Bifacial Mono c-Si PERC Modules				
					GMF66HM10485	21.41							
					GMF66HM10490	20.62							
					GMF66HM10495	20.83							
					GMF66HM10500	21.04							
					GMF66HM10505	21.25							
					GMB66HM10480	20.20							
					GMB66HM10485	21.41							
					GMB66HM10490	20.62							
					GMB66HM10495	20.83							
					GMB66HM10500	21.04							
					GMB66HM10505	21.25							
					iii	Mono c-Si PERC Module	GMF66HM10490 (490 Wp)	GMF60HM10435	20.08	132 (Half cut Cells)	1500	10.04.2024	09.04.2028
								GMF66HM10480	20.20				
								GMF66HM10485	21.41				
								GMF66HM10490	20.62				
								GMF66HM10495	20.83				
								GMF66HM10500	21.04				
								GMF66HM10505	21.25				
								GMB66HM10480	20.20				
								GMB66HM10485	21.41				
								GMB66HM10490	20.62				
								GMB66HM10495	20.83				
								GMB66HM10500	21.04				
					iv	Bifacial Mono c-Si PERC Module (Glass to Transparent BackSheet)	GMB66HM10490 (490 Wp)	GMF66HM10505	21.25	132 (Half cut Cells)	1500	10.04.2024	09.04.2028
								GMB66HM10480	20.20				
								GMB66HM10485	21.41				
								GMB66HM10490	20.62				
								GMB66HM10495	20.83				
								GMB66HM10500	21.04				
								GMB66HM10505	21.25				
								GMB66HM10480	20.20				
								GMB66HM10485	21.41				
GMB66HM10490	20.62												
GMB66HM10495	20.83												
GMB66HM10500	21.04												

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity		
												From	To (subject to valid BIS Registration; else deemed to be delisted)	
					v	Mono c-Si PERC Module	GMF60HM10450 (450 Wp)	GMF60HM10440	20.31	120 (Half Cut Cells)	1500	10.04.2024	09.04.2028	
								GMF60HM10445	20.54					
								GMF60HM10450	20.77					
								GMF60HM10455	21.00					
					vi	Bifacial Mono c-Si PERC Module (Glass to Transparent BackSheet)	GMB60HM10450 (450 Wp)	GMF60HM10460	21.23	120 (Half Cut Cells)	1500	10.04.2024	09.04.2028	
								GMB60HM10435	20.08					
								GMB60HM10440	20.31					
								GMB60HM10445	20.54					
					vii	Mono c-Si PERC Module	GMF54HM10400 (400 Wp)	GMB60HM10450	20.77	108 (Half Cut Cells)	1500	10.04.2024	09.04.2028	
								GMB60HM10455	21.00					
								GMB60HM10460	21.23					
								GMF54HM10390	19.93					
					viii	Bifacial Mono c-Si PERC Module (Glass to Transparent BackSheet)	GMB54HM10400 (400 Wp)	GMF54HM10395	20.19	108 (Half Cut Cells)	1500	10.04.2024	09.04.2028	
								GMF54HM10400	20.44					
								GMF54HM10405	20.70					
								GMF54HM10410	20.95					
ix	Mono c-Si PERC Module	GMF48HM10350 (350 Wp)	GMF54HM10415	21.21	96 (Half Cut Cells)	1500	10.04.2024	09.04.2028						
			GMB54HM10390	19.93										
			GMB54HM10395	20.19										
			GMB54HM10400	20.44										
x	Bifacial Mono c-Si PERC Module (Glass to Transparent BackSheet)	GMB48HM10350 (350 Wp)	GMB54HM10405	20.70	96 (Half Cut Cells)	1500	10.04.2024	09.04.2028						
			GMB54HM10410	20.95										
			GMB54HM10415	21.21										
			GMF48HM10340	19.46										
xi	N Type TOPCon Module	GTG78HM10615 (615 Wp)	GMF48HM10345	19.75	156 (Half Cut Cells)	1500	10.04.2024	09.04.2028						
			GMF48HM10350	20.04										
			GMF48HM10355	20.32										
			GMF48HM10360	20.61										
xii	N Type TOPCon Module	GTG72HM10580 (580 Wp)	GMF48HM10365	20.90	144 (Half Cut Cells)	1500	10.04.2024	09.04.2028						
			GMB48HM10340	19.46										
			GMB48HM10345	19.75										
			GMB48HM10350	20.04										
xiii	N Type TOPCon Module	GTG66HM10525 (525 Wp)	GMB48HM10355	20.32	132 (Half Cut Cells)	1500	10.04.2024	09.04.2028						
			GMB48HM10360	20.61										
			GMB48HM10365	20.90										
			GTG78HM10635	22.72										
xiv	N Type TOPCon Module	GTG60HM10475 (475 Wp)	GTG78HM10630	22.54	120 (Half Cut Cells)	1500	10.04.2024	09.04.2028						
			GTG78HM10625	22.36										
			GTG78HM10620	22.18										
			GTG78HM10615	22.00										
xv	N Type TOPCon Module	GTG54HM10425 (425 Wp)	GTG78HM10610	21.82	128 (Half Cut Cells)	1500	10.04.2024	09.04.2028						
			GTG78HM10605	21.64										
			GTG72HM10590	22.84										
			GTG72HM10585	22.64										
xvi	N Type TOPCon Module	GTG48HM10375 (375 Wp)	GTG72HM10580	22.45	96 (Half Cut Cells)	1500	10.04.2024	09.04.2028						
			GTG72HM10575	22.26										
			GTG72HM10570	22.06										
			GTG66HM10540	22.73										
													GTG66HM10535	22.52
													GTG66HM10530	22.31
													GTG66HM10525	22.10
													GTG66HM10520	21.89
													GTG66HM10515	21.68
													GTG60HM10490	22.62
													GTG60HM10485	22.39
													GTG60HM10480	22.16
													GTG60HM10475	21.93
													GTG60HM10470	21.70
													GTG60HM10465	21.47
													GTG54HM10440	22.49
													GTG54HM10435	22.24
													GTG54HM10430	21.98
													GTG54HM10425	21.73
													GTG54HM10420	21.47
													GTG54HM10415	21.21
													GTG48HM10390	22.33
													GTG48HM10385	22.04
													GTG48HM10380	21.76
													GTG48HM10375	21.47
													GTG48HM10370	21.19
													GTG48HM10365	20.90
													ASU144CM520Wp	20.15

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					v	N type TOPCon Modules	DESERV SGALACTIC-635 (635 Wp)	DESERV EXTREME-415 DESERV SGALACTIC-635 DESERV SGALACTIC-630 DESERV SGALACTIC-625 DESERV SGALACTIC-620 DESERV SGALACTIC-615	21.18 22.76 22.59 22.41 22.23 22.05	156 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					vi	N type TOPCon Modules	DESERV SGALACTIC-590 (590 Wp)	DESERV SGALACTIC-590 DESERV SGALACTIC-585 DESERV SGALACTIC-580 DESERV SGALACTIC-575 DESERV SGALACTIC-570 DESERV SGALACTIC-565	22.87 22.68 22.48 22.29 22.09 21.90	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					vii	N type TOPCon Modules	DESERV SGALACTIC-490 (490 Wp)	DESERV SGALACTIC-490 DESERV SGALACTIC-485 DESERV SGALACTIC-480 DESERV SGALACTIC-475 DESERV SGALACTIC-470 DESERV SGALACTIC-465	22.60 22.37 22.13 21.90 21.67 21.44	120 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					viii	N type TOPCon Modules	DESERV SGALACTIC-440 (440 Wp)	DESERV SGALACTIC-440 DESERV SGALACTIC-435 DESERV SGALACTIC-430 DESERV SGALACTIC-425 DESERV SGALACTIC-420 DESERV SGALACTIC-415	22.46 22.21 21.95 21.70 21.44 21.18	108 (Half Cut Cells)	1500	24.05.2024	23.05.2028
78	M/s. Oswal Solar Structure Pvt. Ltd.	Opp DD International Pvt Ltd, Link Road, Village Kutaili, Karnal- 132037, Haryana, India	R-91013935	170	i	Mono c-Si PERC Module	OSWAL265MPD72 (265 Wp)	OSWAL255MPD72 OSWAL260MPD72 OSWAL265MPD72 OSWAL270MPD72 OSWAL275MPD72	19.06 19.43 19.80 20.18 20.55	72 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					ii	Mono c-Si PERC Module	OSWAL265MPN72 (265 Wp)	OSWAL255MPN72 OSWAL260MPN72 OSWAL265MPN72 OSWAL270MPN72 OSWAL275MPN72	19.06 19.43 19.80 20.18 20.55	72 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					iii	Mono c-Si PERC Module	OSWAL350MPD96 (350 Wp)	OSWAL335MPD96 OSWAL340MPD96 OSWAL345MPD96 OSWAL350MPD96 OSWAL355MPD96 OSWAL360MPD96 OSWAL365MPD96	19.06 19.34 19.63 19.91 20.20 20.48 20.76	96 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					iv	Mono c-Si PERC Module	OSWAL350MPN96 (350 Wp)	OSWAL335MPN96 OSWAL340MPN96 OSWAL345MPN96 OSWAL350MPN96 OSWAL355MPN96 OSWAL360MPN96 OSWAL365MPN96	19.06 19.34 19.63 19.91 20.20 20.48 20.76	96 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					v	Mono c-Si PERC Module	OSWAL390MPD108 (390 Wp)	OSWAL375MPD108 OSWAL380MPD108 OSWAL385MPD108 OSWAL390MPD108 OSWAL395MPD108 OSWAL400MPD108 OSWAL405MPD108	19.11 19.37 19.62 19.88 20.13 20.39 20.64	108 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					vi	Mono c-Si PERC Module	OSWAL410MPD108 (410 Wp)	OSWAL410MPD108	20.90	108 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					vii	Mono c-Si PERC Module	OSWAL390MPN108 (390 Wp)	OSWAL375MPN108 OSWAL380MPN108 OSWAL385MPN108 OSWAL390MPN108 OSWAL395MPN108 OSWAL400MPN108 OSWAL405MPN108	19.11 19.37 19.62 19.88 20.13 20.39 20.64	108 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					viii	Mono c-Si PERC Module	OSWAL410MPN108 (410 Wp)	OSWAL410MPN108	20.90	108 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					ix	Mono c-Si PERC Module	OSWAL435MPD120 (435 Wp)	OSWAL415MPD120 OSWAL420MPD120 OSWAL425MPD120 OSWAL430MPD120 OSWAL435MPD120 OSWAL440MPD120	19.11 19.34 19.57 19.80 20.03 20.26	120 (Half Cut Cells)	1500	24.05.2024	23.05.2028

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
79	M/s. HQ Lamps Manufacturing Co Pvt Ltd.	Plot No. 459-B, Sector - 53, Phase III, EPIP Industrial Estate, Kundali, Sonapat.	R-91014206	46				OSWAL445MPD120	20.49	120 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								OSWAL450MPD120	20.72				
								OSWAL455MPD120	20.95				
								OSWAL415MPN120	19.11				
								OSWAL420MPN120	19.34				
								OSWAL425MPN120	19.57				
								OSWAL430MPN120	19.80				
								OSWAL435MPN120	20.03				
								OSWAL440MPN120	20.26				
								OSWAL445MPN120	20.49				
								OSWAL450MPN120	20.72				
								OSWAL455MPN120	20.95				
								OSWAL455MPD132	19.20				
								OSWAL460MPD132	19.41				
								OSWAL465MPD132	19.62				
								OSWAL470MPD132	19.83				
								OSWAL475MPD132	20.04				
								OSWAL480MPD132	20.25				
								OSWAL485MPD132	20.46				
								OSWAL490MPD132	20.67				
								OSWAL495MPD132	20.88				
								OSWAL500MPD132	21.10				
								OSWAL455MPN132	19.20				
								OSWAL460MPN132	19.41				
								OSWAL465MPN132	19.62				
								OSWAL470MPN132	19.83				
								OSWAL475MPN132	20.04				
								OSWAL480MPN132	20.25				
								OSWAL485MPN132	20.46				
								OSWAL490MPN132	20.67				
								OSWAL495MPN132	20.88				
								OSWAL500MPN132	21.10				
								OSWAL495MP144	19.16				
								OSWAL500MP144	19.35				
								OSWAL505MP144	19.54				
								OSWAL510MP144	19.74				
								OSWAL515MP144	19.94				
								OSWAL520MP144	20.13				
								OSWAL525MP144	20.32				
								OSWAL530MP144	20.51				
								OSWAL535MP144	20.71				
								OSWAL540MP144	20.90				
								OSWAL545MP144	21.09				
								OSWAL550MP144	21.29				
								OSWAL495MPN144	19.16				
								OSWAL500MPN144	19.35				
								OSWAL505MPN144	19.54				
								OSWAL510MPN144	19.74				
								OSWAL515MPN144	19.94				
								OSWAL520MPN144	20.13				
								OSWAL525MPN144	20.32				
								OSWAL530MPN144	20.51				
								OSWAL535MPN144	20.71				
								OSWAL540MPN144	20.90				
								OSWAL545MPN144	21.09				
								OSWAL550MPN144	21.29				
								OSWAL550MP156	19.70				
								OSWAL555MP156	19.88				
								OSWAL560MP156	20.06				
								OSWAL565MP156	20.24				
								OSWAL570MP156	20.42				
								OSWAL575MP156	20.59				
								OSWAL580MP156	20.77				
								OSWAL585MP156	20.95				
								OSWAL590MP156	21.13				
								OSWAL595MP156	21.31				
								HQL144CMD520Wp	20.14				
								HQL144CMD525Wp	20.34				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
		131028, Haryana, India			i	Mono c-Si PERC Modules	HQL144CMD535Wp (535 Wp)	HQL144CMD530Wp HQL144CMD535Wp HQL144CMD540Wp HQL144CMD545Wp HQL144CMD550Wp	20.53 20.73 20.92 21.12 21.31	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
80	M/s. ADM Solar Power & Infrastructure Pvt. Ltd.	Plot No: 22/1, The Printer House Private Limited, Mathura Road, Ballabgarh, Sikri Industrial Area, Faridabad, Haryana -121004, India	R-93011576	141	i	Mono c-Si PERC Module	ADM270-72M (270Wp)	ADM260-72M ADM265-72M ADM270-72M ADM275-72M ADM280-72M ADM350-96M ADM355-96M ADM360-96M ADM365-96M ADM370-96M	19.76 20.14 20.52 20.90 21.28 19.93 20.22 20.50 20.79 21.07	72 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					ii	Mono c-Si PERC Module	ADM360-96M (360Wp)	ADM400-108M ADM405-108M ADM410-108M ADM415-108M ADM445-120M	20.33 20.58 20.83 21.09 20.43	96 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					iii	Mono c-Si PERC Module	ADM405-108M (405Wp)	ADM450-120M ADM455-120M ADM460-120M ADM485-132M ADM490-132M ADM495-132M ADM500-132M ADM505-132M ADM510-132M ADM500-144M ADM505-144M ADM510-144M ADM515-144M ADM520-144M	20.66 20.89 21.12 20.31 20.52 20.73 20.94 21.15 21.36 19.38 19.58 19.77 19.97 20.16	108 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					iv	Mono c-Si PERC Module	ADM450-120M (450Wp)	ADM525-144M ADM530-144M ADM535-144M ADM540-144M ADM545-144M ADM550-144M ADM555-144M ADM575-156M ADM580-156M ADM585-156M ADM590-156M	20.43 20.66 20.89 21.12 20.31 20.52 20.73 20.94 21.15 21.36 19.38 19.58 19.77 19.97 20.16 20.35 20.51 20.71 20.90 21.09 21.29 21.48 20.57 20.74 20.92 21.10	120 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					v	Mono c-Si PERC Module	ADM500-132M (500Wp)	COS TWIN-510 COS TWIN-515 COS TWIN-520 COS TWIN-525 COS TWIN-530 COS TWIN-535 COS TWIN-540 COS TWIN-545 COS TWIN-550	19.74 19.93 20.13 20.32 20.51 20.71 20.90 21.10 21.30	132 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					vi	Mono c-Si PERC Module	ADM525-144M (525Wp)	LUM 24590M LUM 24585M LUM 24580M LUM 24575M LUM 24570M LUM 24565M LUM 24560M LUM 24555M LUM 24550M LUM 24545M LUM 24540M LUM 24535M LUM 24530M LUM 24525M LUM 24520M LUM 24515M LUM 24510M LUM 24505M	20.16 20.35 20.51 20.71 20.90 21.09 21.29 21.48 20.57 20.74 20.92 21.10	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					vii	Mono c-Si PERC Module	ADM590-156M (590Wp)	LUM 24590M LUM 24585M LUM 24580M LUM 24575M LUM 24570M LUM 24565M LUM 24560M LUM 24555M LUM 24550M LUM 24545M LUM 24540M LUM 24535M LUM 24530M LUM 24525M LUM 24520M LUM 24515M LUM 24510M LUM 24505M	20.57 20.74 20.92 21.10 21.30	156 (Half Cut Cells)	1500	24.05.2024	23.05.2028
81	M/s. Cosmic PV Power Pvt. Ltd.	Survey No. 1605/1, Block No. 2098/1/B, Tadmshvar, Mandavi, Surat-394170, Gujarat, India	R-72009539	185	i	Mono c-Si PERC Module	COS TWIN-525 (525Wp)	LUM 24590M LUM 24585M LUM 24580M LUM 24575M LUM 24570M LUM 24565M LUM 24560M LUM 24555M LUM 24550M LUM 24545M LUM 24540M LUM 24535M LUM 24530M LUM 24525M LUM 24520M LUM 24515M LUM 24510M LUM 24505M	19.74 19.93 20.13 20.32 20.51 20.71 20.90 21.10 21.30	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
82	M/s. Luminous Power Technologies Pvt. Ltd.	Plot No- CP-17 To CP-22, Sector-City Park, Luminous Plant, P.N.D.T IIE Sidcul, Pant Nagar, Rudrapur, Udham Singh Nagar - 263153, Uttarakhand, India	R- 83011410	300	i	Mono c-Si PERC Module	LUM 24570M (570 Wp)	LUM 24590M LUM 24585M LUM 24580M LUM 24575M LUM 24570M LUM 24565M LUM 24560M LUM 24555M LUM 24550M LUM 24545M LUM 24540M LUM 24535M LUM 24530M LUM 24525M LUM 24520M LUM 24515M LUM 24510M LUM 24505M	21.11 20.93 20.75 20.57 20.39 20.21 20.03 19.85 19.85 21.28 21.09 20.89 20.70 20.51 20.31 20.12 19.93 19.73 19.54	156 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					ii	Mono c-Si PERC Module	LUM 24525M (525 Wp)	LUM 24590M LUM 24585M LUM 24580M LUM 24575M LUM 24570M LUM 24565M LUM 24560M LUM 24555M LUM 24550M LUM 24545M LUM 24540M LUM 24535M LUM 24530M LUM 24525M LUM 24520M LUM 24515M LUM 24510M LUM 24505M	21.11 20.93 20.75 20.57 20.39 20.21 20.03 19.85 19.85 21.28 21.09 20.89 20.70 20.51 20.31 20.12 19.93 19.73 19.54	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								LUM 24500M	19.34				
								LUM 24495M	20.85				
								LUM 24490M	20.64				
								LUM 24485M	20.43				
								LUM 24480M	20.22				
					iii	Mono c-Si PERC Module	LUM 24475M (475 Wp)	LUM 24475M	20.01	132 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								LUM 24470M	19.80				
								LUM 24465M	19.59				
								LUM24460M	19.38				
								LUM24455M	19.17				
								LUM 24450M	20.80				
								LUM 24445M	20.57				
								LUM 24440M	20.33				
					iv	Mono c-Si PERC Module	LUM 24430M (430 Wp)	LUM 24435M	20.10	120 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								LUM 24430M	19.87				
								LUM 24425M	19.64				
								LUM 24420M	19.41				
								LUM 24400M	20.48				
								LUM 24395M	20.23				
								LUM 24390M	19.97				
					v	Mono c-Si PERC Module	LUM 24385M (385 Wp)	LUM 24385M	19.71	108 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								LUM 24380M	19.46				
								LUM 24375M	19.20				
								LUM 24630T156	22.54				
								LUM 24625T156	22.36				
								LUM 24620T156	22.18				
								LUM 24615T156	22.00				
								LUM 24610T156	21.82				
					vi	N type TOPCon Modules	LUM 24600T156 (600 Wp)	LUM 24605T156	21.64	156 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								LUM 24600T156	21.46				
								LUM 24595T156	21.28				
								LUM 24590T156	21.11				
								LUM 24585T156	20.93				
								LUM 24580T156	20.75				
								LUM 24575T156	20.57				
								LUM 24570T156	20.39				
								LUM 24590T144	22.83				
								LUM 24585T144	22.63				
								LUM 24580T144	22.44				
								LUM 24575T144	22.25				
								LUM 24570T144	22.05				
								LUM 24565T144	21.86				
								LUM 24560T144	21.67				
								LUM 24555T144	21.47				
								LUM 24550T144	21.28				
								LUM 24545T144	21.09				
								LUM 24540T144	20.89				
					viii	N type TOPCon Modules	LUM 24535T144	LUM 24535T144	20.70	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								AMS 24590M	21.11				
								AMS 24585M	20.93				
								AMS 24580M	20.75				
								AMS 24575M	20.57				
								AMS 24570M	20.39				
								AMS 24565M	20.21				
								AMS 24560M	20.03				
								AMS 24555M	19.85				
								AMS 24550M	21.28				
								AMS 24545M	21.09				
								AMS 24540M	20.89				
								AMS 24535M	20.70				
								AMS 24530M	20.51				
								AMS 24525M	20.31				
								AMS 24520M	20.12				
								AMS 24515M	19.93				
								AMS 24510M	19.74				
								AMS 24505M	19.54				
								AMS 24500M	19.35				
								AMS 24495M	20.85				
								AMS 24490M	20.64				
								AMS 24485M	20.43				
								AMS 24480M	20.22				
								AMS 24475M	20.01				
					xi	Mono c-Si PERC Module	AMS 24475M (475 Wp)	AMS 24475M	20.01	132 (Half Cut Cells)	1500	24.05.2024	23.05.2028

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xii	Mono c-Si PERC Module	AMS 24430M (430 Wp)	AMS 24470M	19.80	120 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								AMS 24465M	19.59				
								AMS24460M	19.38				
								AMS24455M	19.17				
								AMS 24450M	20.80				
								AMS 24445M	20.57				
								AMS 24440M	20.33				
								AMS 24435M	20.10				
								AMS 24430M	19.87				
								AMS 24425M	19.64				
								AMS 24420M	19.41				
								AMS 24415M	19.18				
					xiii	Mono c-Si PERC Module	AMS 24385M (385 Wp)	AMS 24400M	20.48	108 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								AMS 24395M	20.23				
								AMS 24390M	19.97				
								AMS 24385M	19.71				
								AMS 24380M	19.46				
								AMS 24375M	19.20				
					xiv	N type TOPCon Modules	AMS 24600T156 (600 Wp)	AMS 24630T156	22.54	156 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								AMS 24625T156	22.36				
								AMS 24620T156	22.18				
								AMS 24615T156	22.00				
								AMS 24610T156	21.82				
								AMS 24605T156	21.64				
AMS 24600T156	21.46												
AMS 24595T156	21.28												
AMS 24590T156	21.11												
AMS 24585T156	20.93												
AMS 24580T156	20.75												
AMS 24575T156	20.57												
xv	N type TOPCon Modules	AMS 24560T144 (560 Wp)	AMS 24570T156	20.39	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028					
			AMS 24590T144	22.83									
			AMS 24585T144	22.63									
			AMS 24580T144	22.44									
			AMS 24575T144	22.25									
			AMS 24570T144	22.05									
			AMS 24565T144	21.86									
			AMS 24560T144	21.67									
			AMS 24555T144	21.47									
			AMS 24550T144	21.28									
			AMS 24545T144	21.09									
			AMS 24540T144	20.89									
xvi	N type TOPCon Modules	AMS 24535T144 (535 Wp)	AMS 24535T144	20.70	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028					
			TP495HG10	19.20									
			TP500HG10	19.40									
			TP505HG10	19.59									
			TP510HG10	19.79									
			TP515HG10	19.98									
			TP520HG10	20.17									
			TP525HG10	20.37									
			TP530HG10	20.56									
			TP535HG10	20.76									
			TP540HG10	20.95									
			TP545HG10	21.10									
83	M/s. Tata Power Solar Systems Ltd	Plot No. 24-B, Industrial Shed, SY No 123, Jigani 1st Phase, Industrial Area, Jigani, Anekal Taluk, Hobli, Bengaluru, Rural Karnataka-560105, India	R-62002585	94	i	Mono c-Si PERC Modules	TP520HG10 (520 Wp)	TP495HG10 TP500HG10 TP505HG10 TP510HG10 TP515HG10 TP520HG10 TP525HG10 TP530HG10 TP535HG10 TP540HG10 TP545HG10	19.20 19.40 19.59 19.79 19.98 20.17 20.37 20.56 20.76 20.95 21.10	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
84	M/s. PV Power Technologies Private Limited	Plot No.60, Tarapur Textile Park limited, Boisar Chillar Road, Sai Baba Bolevard Township, Boisar East, Palghar - 401501, Maharashtra, India	R-71007650	86	i	Mono c-Si PERC Module	ECO 400MH (400 Wp)	ECO 380MH ECO 385MH ECO 390MH ECO 395MH ECO 400MH	19.11 19.36 19.62 19.87 20.12	72 (Full Cells)	1500	08.07.2024	07.07.2028
85	M/s. Emmvee Energy Private Limited	Sy. No. 66-70/3, Sompura Industrial Area, Pemmanahalli Village, Sompura Hobli, Nelamangala Taluk, Bengaluru Rural District, Karnataka - 562111, India	R-62004626	1504	i	Bifacial Mono c-Si PERC Modules (Glass to Glass)	E525HCBG144 (525 Wp)	E550HCBG144 E545HCBG144 E540HCBG144 E535HCBG144 E530HCBG144 E525HCBG144 E520HCBG144 E515HCBG144 E510HCBG144 E505HCBG144 E500HCBG144	21.29 21.10 20.90 20.71 20.52 20.32 20.13 19.94 19.74 19.55 19.36	144 (Half Cut Cells)	1500	08.07.2024	07.07.2028

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					ii	Bifacial Mono c-Si PERC Modules (Glass to Glass)	E495HCBG144 (495 Wp)	E495HCBG144	19.16	144 (Half Cut Cells)	1500	08.07.2024	07.07.2028
					iii	Bifacial Mono c-Si PERC Modules (Glass to Glass)	E490HCBG132 (490 Wp)	E500HCBG132	21.03	132 (Half Cut Cells)	1500	08.07.2024	07.07.2028
								E495HCBG132	20.82				
								E490HCBG132	20.61				
								E485HCBG132	20.40				
					iv	Bifacial Mono c-Si PERC Modules (Glass to Glass)	E430HCBG120 (430 Wp)	E480HCBG132	20.19	120 (Half Cut Cells)	1500	08.07.2024	07.07.2028
								E450HCBG120	20.74				
								E445HCBG120	20.51				
								E440HCBG120	20.28				
								E435HCBG120	20.05				
								E430HCBG120	19.82				
								E425HCBG120	19.59				
								E420HCBG120	19.36				
								E415HCBG120	19.13				
								E405HCBG108	20.76				
					v	Bifacial Mono c-Si PERC Modules (Glass to Glass)	E395HCBG108 (395 Wp)	E400HCBG108	20.51	108 (Half Cut Cells)	1500	08.07.2024	07.07.2028
								E395HCBG108	20.25				
								E390HCBG108	20.00				
								E385HCBG108	19.74				
					vi	Bifacial N-Type TOPCon Modules (Glass to Glass)	E555HCBG144-T (555 Wp)	E580HCBG144-T	22.45	144 (Half Cut Cells)	1500	08.07.2024	07.07.2028
								E575HCBG144-T	22.26				
								E570HCBG144-T	22.07				
								E565HCBG144-T	21.87				
								E560HCBG144-T	21.68				
								E555HCBG144-T	21.48				
								E550HCBG144-T	21.29				
								E545HCBG144-T	21.10				
								E540HCBG144-T	20.90				
								E535HCBG144-T	20.71				
					E530HCBG144-T	20.52							
					vii	Bifacial N-Type TOPCon Modules (Glass to Glass)	E525HCBG144-T (525 Wp)	E525HCBG144-T	20.32	144 (Half Cut Cells)	1500	08.07.2024	07.07.2028
					viii	Bifacial N-Type TOPCon Modules (Glass to Glass)	E505HCBG132-T (505 Wp)	E530HCBG132-T	22.29	132 (Half Cut Cells)	1500	08.07.2024	07.07.2028
								E525HCBG132-T	22.08				
								E520HCBG132-T	21.87				
								E515HCBG132-T	21.66				
								E510HCBG132-T	21.45				
								E505HCBG132-T	21.24				
								E500HCBG132-T	21.03				
								E495HCBG132-T	20.82				
								E490HCBG132-T	20.61				
E485HCBG132-T	20.40												
ix	Bifacial N-Type TOPCon Modules (Glass to Glass)	E460HCBG120-T (460 Wp)	E480HCBG132-T	20.19	120 (Half Cut Cells)	1500	08.07.2024	07.07.2028					
			E480HCBG120-T	22.13									
			E475HCBG120-T	21.90									
			E470HCBG120-T	21.67									
			E465HCBG120-T	21.44									
			E460HCBG120-T	21.20									
			E455HCBG120-T	20.97									
			E450HCBG120-T	20.74									
			E445HCBG120-T	20.51									
			E440HCBG120-T	20.28									
x	Bifacial N-Type TOPCon Modules (Glass to Glass)	E415HCBG108-T (415 Wp)	E435HCBG108-T	22.30	108 (Half Cut Cells)	1500	08.07.2024	07.07.2028					
			E430HCBG108-T	22.05									
			E425HCBG108-T	21.79									
			E420HCBG108-T	21.53									
			E415HCBG108-T	21.28									
			E410HCBG108-T	21.02									
			E405HCBG108-T	20.76									
			E400HCBG108-T	20.51									
			E395HCBG108-T	20.25									
			E24M410	20.88									
86	M/s. Lubi Electronics	Survey No. 75, Opposite Essar Petrol Pump, Prantiya, Gandhinagar - 382355, Gujarat, India	R-72002380	40	i	Mono c-Si PERC Module	LE24M395 (395 Wp)	LE24M410 LE24M405 LE24M400 LE24M395 LE24M390	20.88 20.63 20.37 20.12 19.86	72 (Full Cells)	1500	08.07.2024	07.07.2028

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity							
												From	To (subject to valid BIS Registration; else deemed to be delisted)						
								LE24M385	19.61										
								LE24M380	19.36										
	Co-ALMM with M/s. Solex Energy Limited Manufacturing Address: Plot No 1A, Block 938, Tadkeshwar, Kim Mandvi Road, Mandvi, Surat - 394110, Gujarat, India	R-72011304	20 MW/Year (As per Co-Branding Agreement)	ii	Mono c-Si PERC Module	LE144M530H (530 Wp)	LE144M555H	21.48	144 (Half Cut Cells)	1500	02.12.2024	12.09.2025							
LE144M550H							21.29												
LE144M545H							21.10												
LE144M540H							20.90												
LE144M535H							20.71												
LE144M530H							20.52												
LE144M525H							20.32												
LE144M520H							20.13												
LE144M515H							19.94												
LE144M510H							19.74												
LE144M505H							19.55												
				iii	Mono c-Si PERC Module	LE144M500H (500 Wp)	LE144M500H	19.35	144 (Half Cut Cells)	1500	02.12.2024	12.09.2025							
				iv	Bifacial Mono c-Si PERC Module	LE144MBF525H (525 Wp)	LE144MBF550H	21.29	144 (Half Cut Cells)	1500	02.12.2024	12.09.2025							
LE144MBF545H	21.10																		
LE144MBF540H	20.90																		
LE144MBF535H	20.71																		
LE144MBF530H	20.52																		
LE144MBF525H	20.32																		
LE144MBF520H	20.13																		
LE144MBF515H	19.94																		
LE144MBF510H	19.74																		
LE144MBF505H	19.55																		
LE144MBF500H	19.35																		
				v	Mono c-Si PERC Module	LE132M485H (485 Wp)	LE132M505H	21.26	132 (Half Cut Cells)	1500	02.12.2024	12.09.2025							
LE132M500H	21.05																		
LE132M495H	20.83																		
LE132M490H	20.62																		
LE132M485H	20.41																		
LE132M480H	20.20																		
LE132M475H	19.99																		
LE132M470H	19.78																		
LE132M465H	19.57																		
LE132M460H	19.36																		
							vi	Bifacial Mono c-Si PERC Module					LE132MBF480H (480 Wp)	LE132MBF500H	21.05	132 (Half Cut Cells)	1500	02.12.2024	12.09.2025
LE132MBF495H	20.83																		
LE132MBF490H	20.62																		
LE132MBF485H	20.41																		
LE132MBF480H	20.20																		
LE132MBF475H	19.99																		
LE132MBF470H	19.78																		
LE132MBF465H	19.57																		
LE132MBF460H	19.36																		
				vii	Bifacial Mono c-Si PERC Module	LE132MBF455H (455 Wp)			LE132MBF455H	19.15	132 (Half Cut Cells)	1500		02.12.2024	12.09.2025				
LE120M460H	21.18																		
LE120M455H	20.95																		
LE120M450H	20.72																		
LE120M445H	20.49																		
LE120M440H	20.26																		
LE120M435H	20.03																		
LE120M430H	19.80																		
LE120M425H	19.57																		
							viii	Mono c-Si PERC Module	LE120M440H (440 Wp)	LE120M420H			19.34			120 (Half Cut Cells)	1500	02.12.2024	12.09.2025
LE120M420H	19.34																		
LE120MBF455H	20.95																		
LE120MBF450H	20.72																		
LE120MBF445H	20.49																		
LE120MBF440H	20.26																		
LE120MBF435H	20.03																		
LE120MBF430H	19.80																		
LE120MBF425H	19.57																		
LE120MBF420H	19.34																		
LE120MBF415H	19.11																		
				ix	Mono c-Si PERC Module	LE120M420H (420 Wp)	LE120MBF455H	20.95	120 (Half Cut Cells)	1500	02.12.2024	12.09.2025							
LE120MBF450H	20.72																		
LE120MBF445H	20.49																		
LE120MBF440H	20.26																		
LE120MBF435H	20.03																		
LE120MBF430H	19.80																		
LE120MBF425H	19.57																		
LE120MBF420H	19.34																		
LE120MBF415H	19.11																		
							x	Bifacial Mono c-Si PERC Module					LE120MBF435H (435 Wp)	LE108M415H	21.15	108 (Half Cut Cells)	1500	02.12.2024	12.09.2025
LE108M410H	20.90																		
LE108M405H	20.64																		
LE108M400H	20.39																		
LE108M395H	20.13																		
LE108M390H	19.88																		
				xi	Mono c-Si PERC Module	LE108M400H (400 Wp)			LE108M415H	21.15	108 (Half Cut Cells)	1500		02.12.2024	12.09.2025				
LE108M410H	20.90																		
LE108M405H	20.64																		
LE108M400H	20.39																		
LE108M395H	20.13																		
LE108M390H	19.88																		

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								LE108M385H	19.62				
								LE108M380H	19.37				
					xii	Mono c-Si PERC Module	LE108M375H (375 Wp)	LE108M375H	19.11	108 (Half Cut Cells)	1500	02.12.2024	12.09.2025
					xiii	Bifacial Mono c-Si PERC Module	LE108MBF385H (385 Wp)	LE108MBF410H	20.90	108 (Half Cut Cells)	1500	02.12.2024	12.09.2025
				LE108MBF405H				20.64					
				LE108MBF400H				20.39					
				LE108MBF395H				20.13					
				LE108MBF390H				19.88					
				LE108MBF385H				19.62					
				LE108MBF380H				19.37					
				LE108MBF375H				19.11					
87	M/s Aavaada Electro Private Limited	Khasra No. 1145, 1146, 1150, 1151, 1152, 1154, 1156, Village - Kot, Tehsil - Dadri, Pargana, Dadri, Gautam Buddha Nagar - 203207, Uttar Pradesh, India	R-93030724	1165	i	Bifacial N-Type TOPCon Modules	AVN72M10G575 (575 Wp)	AVN72M10G565	21.87	144 (Half Cut Cells)	1500	28.08.2024	27.08.2028
							AVN72M10G570	22.06					
							AVN72M10G575	22.26					
							AVN72M10G580	22.45					
							AVN72M10G585	22.64					
					ii	Bifacial N-Type TOPCon Modules	AVN66M10G525 (525 Wp)	AVN66M10G515	21.69	132 (Half Cut Cells)	1500	28.08.2024	27.08.2028
							AVN66M10G520	21.90					
							AVN66M10G525	22.11					
							AVN66M10G530	22.32					
							AVN66M10G535	22.53					
					iii	Bifacial N-Type TOPCon Modules	AVN60M10G475 (475 Wp)	AVN60M10G465	21.47	120 (Half Cut Cells)	1500	28.08.2024	27.08.2028
							AVN60M10G470	21.70					
							AVN60M10G475	21.93					
							AVN60M10G480	22.16					
							AVN60M10G485	22.39					
88	M/s. Laxmi Solar Power System Private Limited	Khasra No. 192, Harsun Tildahdih Kharora near ITBP camp, Raipur - 493225, Chhattisgarh, India	R-59000442	121	i	Mono c-Si PERC Modules	LSP 530 (530 Wp)	LSP 520	20.13	144 (Half Cut Cells)	1500	28.08.2024	27.08.2028
							LSP 525	20.32					
							LSP 530	20.52					
							LSP 535	20.71					
							LSP 540	20.90					
					ii	Mono c-Si PERC Modules	LSP 435 (435 Wp)	LSP 420	19.41	120 (Half Cut Cells)	1500	28.08.2024	27.08.2028
							LSP 425	19.64					
							LSP 430	19.87					
							LSP 435	20.10					
							LSP 440	20.33					
					iii	Mono c-Si PERC Modules	LSP 400 (400 Wp)	LSP 445	20.57	108 (Half Cut Cells)	1500	28.08.2024	27.08.2028
							LSP 450	20.80					
							LSP 390	19.97					
							LSP 395	20.23					
							LSP 400	20.48					
							LSP 405	20.74					
							LSP 410	20.99					
89	M/s. Uratom Solar (India) Private Limited	Survey No. 752 P1, National Highway 27, Near Chordi Village, Gondal - 360311, Gujarat, India	R-72010081	46	i	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	USM10 - 144 - 530 WP (530 Wp)	USM10 - 144 - 510 WP	19.72	144 (Half Cut Cells)	1500	28.08.2024	27.08.2028
							USM10 - 144 - 515 WP	19.91					
							USM10 - 144 - 520 WP	20.10					
							USM10 - 144 - 525 WP	20.30					
							USM10 - 144 - 530 WP	20.49					
							USM10 - 144 - 535 WP	20.68					
							USM10 - 144 - 540 WP	20.88					
							USM10 - 144 - 545 WP	21.07					
					ii	Bifacial Mono c-Si PERC Module (Glass to Transparent)	USM10 - 132 - 490 WP (490 Wp)	USM10 - 144 - 550 WP	21.26	132 (Half Cut Cells)	1500	28.08.2024	27.08.2028
							USM10 - 132 - 495 WP	19.14					
							USM10 - 132 - 500 WP	19.33					
							USM10 - 132 - 505 WP	19.52					
							USM10 - 120 - 425 WP	19.63					
					iii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	USM10 - 120 - 440 WP (440 Wp)	USM10 - 120 - 430 WP	19.86	120 (Half Cut Cells)	1500	28.08.2024	27.08.2028
							USM10 - 120 - 435 WP	20.09					
							USM10 - 120 - 440 WP	20.32					
							USM10 - 120 - 445 WP	20.55					
							USM10 - 120 - 450 WP	20.78					
							USM10 - 120 - 455 WP	21.01					
							USM10 - 120 - 460 WP	21.24					
							PSPL144MPMS05	19.54					
90	M/s Powertrac Solar Projects Limited	LS No. - 248/2, Opp. Rai Bus stand, Wadhwan-Limbdi Highway, Taluko Wadhwan, Sankali, Surendranagar-363030, Gujarat, India	R-72007269	47	i	Mono c-Si PERC Modules	PSPL144MPMS30 (530 Wp)	PSPL144MPMS10	19.73	144 (Half Cut Cells)	1500	27.09.2024	26.09.2028
							PSPL144MPMS15	19.93					
							PSPL144MPMS20	20.12					
							PSPL144MPMS25	20.31					
							PSPL144MPMS30	20.51					
							PSPL144MPMS35	20.70					
							PSPL144MPMS40	20.89					

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					ii	Mono c-Si PERC Modules	PSPL156MPPM570 (570 Wp)	PSPL144MPPM545 PSPL144MPPM550 PSPL156MPPM545 PSPL156MPPM550 PSPL156MPPM555 PSPL156MPPM560 PSPL156MPPM565 PSPL156MPPM570 PSPL156MPPM575 PSPL156MPPM580 PSPL156MPPM585 PSPL156MPPM590 PSPL156MPPM595 SNS120CM330Wp SNS120CM335Wp SNS120CM340Wp SNS120CM345Wp SNS120CM350Wp SNS120CM435Wp SNS120CM440Wp SNS120CM445Wp SNS120CM450Wp SNS120CM455Wp SNS120CM460Wp SNS132CM365Wp SNS132CM370Wp SNS132CM375Wp SNS132CM380Wp SNS132CM385Wp SNS132CM475Wp SNS132CM480Wp SNS132CM485Wp SNS132CM490Wp SNS132CM495Wp SNS132CM500Wp SNS132CM505Wp SNS132CM510Wp SNS144CM530Wp SNS144CM535Wp SNS144CM540Wp SNS144CM545Wp SNS144CM550Wp SNS144CM555Wp SNS144CM560Wp SNS144CM565Wp SNS144CM570Wp	21.09 21.28 19.49 19.67 19.85 20.02 20.20 20.38 20.56 20.74 20.92 21.10 21.28 19.58 19.88 20.18 20.47 20.77 20.06 20.29 20.52 20.75 20.99 21.22 19.78 20.05 20.33 20.6 20.87 20.01 20.22 20.43 20.64 20.86 21.07 21.28 21.49 20.52 20.71 20.9 21.1 21.29 21.48 21.68 21.87 22.07	156 (Half Cut Cells)	1500	27.09.2024	26.09.2028
91	M/s. Sun N Sand Exim (India) Pvt. Ltd.	Plot No- 106, Sector 16, HSIIDC Industrial Estate, Bahadurgarh, Distt. Jhajjar, Haryana – 124507, India	R-91004529	69	i	Mono c-Si PERC Modules	SNS120CM340Wp (340 Wp)	SNS120CM335Wp SNS120CM340Wp SNS120CM345Wp SNS120CM350Wp SNS120CM435Wp SNS120CM440Wp SNS120CM445Wp SNS120CM450Wp SNS120CM455Wp SNS120CM460Wp SNS132CM365Wp SNS132CM370Wp SNS132CM375Wp SNS132CM380Wp SNS132CM385Wp SNS132CM475Wp SNS132CM480Wp SNS132CM485Wp SNS132CM490Wp SNS132CM495Wp SNS132CM500Wp SNS132CM505Wp SNS132CM510Wp	19.58 19.88 20.18 20.47 20.77 20.06 20.29 20.52 20.75 20.99 21.22 19.78 20.05 20.33 20.6 20.87 20.01 20.22 20.43 20.64 20.86 21.07 21.28 21.49	120 (Half Cut Cell)	1500	27.09.2024	26.09.2028
					ii	Mono c-Si PERC Modules	SNS120CM450Wp (450 Wp)	SNS120CM445Wp SNS120CM450Wp SNS120CM455Wp SNS120CM460Wp SNS132CM365Wp SNS132CM370Wp SNS132CM375Wp SNS132CM380Wp SNS132CM385Wp SNS132CM475Wp SNS132CM480Wp SNS132CM485Wp SNS132CM490Wp SNS132CM495Wp SNS132CM500Wp SNS132CM505Wp SNS132CM510Wp	20.77 20.06 20.29 20.52 20.75 20.99 21.22 19.78 20.05 20.33 20.6 20.87 20.01 20.22 20.43 20.64 20.86 21.07 21.28 21.49	120 (Half Cut Cell)	1500	27.09.2024	26.09.2028
					iii	Mono c-Si PERC Modules	SNS132CM375Wp (375 Wp)	SNS132CM370Wp SNS132CM375Wp SNS132CM380Wp SNS132CM385Wp SNS132CM475Wp SNS132CM480Wp SNS132CM485Wp SNS132CM490Wp SNS132CM495Wp SNS132CM500Wp SNS132CM505Wp SNS132CM510Wp	20.77 20.06 20.29 20.52 20.75 20.99 21.22 19.78 20.05 20.33 20.6 20.87 20.01 20.22 20.43 20.64 20.86 21.07 21.28 21.49	132 (Half Cut Cell)	1500	27.09.2024	26.09.2028
					iv	Mono c-Si PERC Modules	SNS132CM490Wp (490 Wp)	SNS132CM485Wp SNS132CM490Wp SNS132CM495Wp SNS132CM500Wp SNS132CM505Wp SNS132CM510Wp	20.22 20.43 20.64 20.86 21.07 21.28 21.49	132 (Half Cut Cell)	1500	27.09.2024	26.09.2028
					v	Mono c-Si PERC Modules	SNS144CM550Wp (550 Wp)	SNS144CM535Wp SNS144CM540Wp SNS144CM545Wp SNS144CM550Wp SNS144CM555Wp SNS144CM560Wp SNS144CM565Wp SNS144CM570Wp	20.52 20.71 20.9 21.1 21.29 21.48 21.68 21.87 22.07	144 (Half Cut Cell)	1500	27.09.2024	26.09.2028
					vi	Mono c-Si PERC Modules	SNS36CM135Wp (135 Wp)	SNS36CM135Wp	19.61	36 (Half Cut Cell)	600	27.09.2024	26.09.2028
					vii	Mono c-Si PERC Modules	SNS36CM155Wp (155 Wp)	SNS36CM150Wp SNS36CM155Wp	19.41 20.05	36 (Half Cut Cell)	600	27.09.2024	26.09.2028
					viii	Mono c-Si PERC Modules	SNS36CM175Wp (175 Wp)	SNS36CM175Wp SNS36CM180Wp SNS96CM265Wp	19.64 20.2 19.49	36 (Half Cut Cell)	600	27.09.2024	26.09.2028
					ix	Mono c-Si PERC Modules	SNS96CM275Wp (275 Wp)	SNS96CM270Wp SNS96CM275Wp SNS96CM280Wp SNS96CM350Wp	19.85 20.22 20.59 20.03	96 (Half Cut Cell)	1500	27.09.2024	26.09.2028
					x	Mono c-Si PERC Modules	SNS96CM360Wp (360 Wp)	SNS96CM355Wp SNS96CM360Wp SNS96CM365Wp SNS96CM370Wp	20.31 20.6 20.89 21.17	96 (Half Cut Cell)	1500	27.09.2024	26.09.2028
92	Junna Solar Systems Limited	Unit – II Plot Number 21, Chandanvaely, Sy No 195, Shabad Mandal, Hythabad, Ranga Reddy, Telangana, India-501503	R-63004146	94	i	Mono c-Si PERC Module	JUNNA525MP144 (525 Wp)	JUNNA550MP144 JUNNA545MP144 JUNNA540MP144 JUNNA535MP144 JUNNA530MP144 JUNNA525MP144 JUNNA520MP144 JUNNA515MP144 JUNNA510MP144 JUNNA505MP144 JUNNA500MP144	21.31 21.12 20.92 20.73 20.53 20.34 20.15 19.95 19.76 19.57 19.37	144 (Half Cut Cell)	1500V	27.09.2024	26.09.2028

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity					
												From	To (subject to valid BIS Registration; else deemed to be delisted)				
					ii	Mono c-Si PERC Module	JUNNA480MP132 (480 Wp)	JUNNA500MP132	21.06	132 (Half Cut Cell)	1500V	27.09.2024	26.09.2028				
								JUNNA495MP132	20.85								
								JUNNA490MP132	20.64								
								JUNNA485MP132	20.43								
								JUNNA480MP132	20.22								
								JUNNA475MP132	20.01								
								JUNNA470MP132	19.80								
								JUNNA465MP132	19.59								
								JUNNA460MP132	19.38								
								JUNNA455MP120	21.00								
								JUNNA450MP120	20.77								
								JUNNA445MP120	20.54								
					iii	Mono c-Si PERC Module	JUNNA435MP120 (435 Wp)	JUNNA440MP120	20.31	120 (Half Cut Cell)	1500V	27.09.2024	26.09.2028				
								JUNNA435MP120	20.08								
								JUNNA430MP120	19.85								
								JUNNA425MP120	19.62								
								JUNNA420MP120	19.39								
								JUNNA415MP120	19.16								
					iv	Mono c-Si PERC Module	JUNNA395MP108 (395 Wp)	JUNNA410MP108	20.97	108 (Half Cut Cell)	1500V	27.09.2024	26.09.2028				
								JUNNA405MP108	20.71								
								JUNNA400MP108	20.45								
								JUNNA395MP108	20.20								
								JUNNA390MP108	19.94								
								JUNNA385MP108	19.69								
v	Mono c-Si PERC Module	JUNNA350MP96 (350 Wp)	JUNNA380MP108	19.43	96 (Half Cut Cell)	1500V	27.09.2024	26.09.2028									
			JUNNA365MP96	20.91													
			JUNNA360MP96	20.62													
			JUNNA355MP96	20.33													
			JUNNA350MP96	20.05													
			JUNNA345MP96	19.76													
vi	Mono c-Si PERC Module	JUNNA265MP72 (265 Wp)	JUNNA340MP96	19.47	72 (Half Cut Cell)	1500V	27.09.2024	26.09.2028									
			JUNNA335MP96	19.19													
			JUNNA275MP72	20.75													
			JUNNA270MP72	20.37													
			JUNNA265MP72	19.99													
			JUNNA260MP72	19.61													
93	M/s SAEI Solar P6 Pvt. Ltd.	Land Kh. No. 354/2, New Kh. No. 844/354, Village Patan, Tehsil Kishangarh, Ajmer - 305801, Rajasthan, India	R-84004898	2065	i	Bifacial N-Type TOPCon Module (Glass to Glass)	SL156GTG-630 T (630 Wp)	SL156GTG-630 T	22.58	156 (Half Cut Cells)	1500	14.10.2024	13.10.2028				
								SL156GTG-625 T	22.4								
								SL156GTG-620 T	22.23								
								SL156GTG-615 T	22.05								
								SL156GTG-610 T	21.87								
								SL156GTG-605 T	21.69								
								SL156GTG-600 T	21.51								
								SL144GTG-580T	22.53								
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	SL144GTG-580T (580 Wp)	SL144GTG-575T	22.34	144(Half Cut Cells)	1500	14.10.2024	13.10.2028				
								SL144GTG-570T	22.14								
								SL144GTG-565T	21.95								
								SL144HC-545	21.09								
					iii	Mono c-Si PERC Module	SL144HC-530 (530 Wp)	SL144HC-540	20.89	144(Half Cut Cells)	1500	14.10.2024	13.10.2028				
								SL144HC-535	20.7								
								SL144HC-530	20.51								
								SL144HC-525	20.31								
								SL144HC-520	20.12								
								FST-M10.156G-630	22.54					156 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FST-M10.156G-625	22.36								
								FST-M10.156G-620	22.18								
					FST-M10.156G-615	22.00											
					FST-M10.156G-610	21.82											
					FST-M10.144G-580	22.45											
					FST-M10.144G-575	22.26											
FST-M10.144G-570	22.07																
ii	Bifacial N-Type TOPCon Modules (Glass to Glass)	FST-M10.144G-570 (570 Wp)	FST-M10.144G-565	21.87	144 (Half Cut Cells)	1500	28.10.2024	27.10.2028									
			FST-M10.144G-560	21.68													
			FST-M10.132G-530	22.33													
			FST-M10.132G-525	22.12													
iii	Bifacial N-Type TOPCon Modules (Glass to Glass)	FST-M10.132G-525 (525 Wp)	FST-M10.132G-520	21.91	132 (Half Cut Cells)	1500	28.10.2024	27.10.2028									
			FST-M10.120G-480	22.18													
			FST-M10.120G-475	21.95													
iv	Bifacial N-Type TOPCon Modules (Glass to Glass)	FST-M10.120G-475 (475 Wp)	FST-M10.120G-470	21.72	120 (Half Cut Cells)	1500	28.10.2024	27.10.2028									
			FST-M10.108G-435	22.26													
			Bifacial N-Type TOPCon														

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					v	Bifacial Mono c-Si PERC Module (Glass to Glass)	FST-M10.108G-430 (430 Wp)	FST-M10.108G-430 FST-M10.108G-425 FST-M10.108G-420	22.01 21.75 21.50	108 (Half Cut Cells)	1500	28.10.2024	27.10.2028
					vi	Bifacial Mono c-Si PERC Module (Glass to Transparent Back sheet)	FSP-M10.156B-585 (585 Wp)	FSP-M10.156B-600 FSP-M10.156B-595 FSP-M10.156B-590 FSP-M10.156B-585 FSP-M10.156B-580 FSP-M10.156B-575 FSP-M10.156B-570 FSP-M10.156B-565 FSP-M10.156B-560	21.46 21.29 21.11 20.93 20.75 20.57 20.39 20.21 20.03	156 (Half Cut Cells)	1500	28.10.2024	27.10.2028
					vii	Bifacial Mono c-Si PERC Module (Glass to Transparent Back sheet)	FSP-M10.144B-535 (535 Wp)	FSP-M10.144B-550 FSP-M10.144B-545 FSP-M10.144B-540 FSP-M10.144B-535 FSP-M10.144B-530 FSP-M10.144B-525	21.29 21.10 20.90 20.71 20.52 20.32	144 (Half Cut Cells)	1500	28.10.2024	27.10.2028
					viii	Bifacial Mono c-Si PERC Module (Glass to Transparent Back sheet)	FSP-M10.132B-495 (495 Wp)	FSP-M10.132B-505 FSP-M10.132B-500 FSP-M10.132B-495 FSP-M10.132B-490 FSP-M10.132B-485 FSP-M10.132B-480	21.28 21.07 20.86 20.64 20.43 20.22	132 (Half Cut Cells)	1500	28.10.2024	27.10.2028
					ix	Bifacial Mono c-Si PERC Module (Glass to Transparent Back sheet)	FSP-M10.120B-445 (445 Wp)	FSP-M10.120B-460 FSP-M10.120B-455 FSP-M10.120B-450 FSP-M10.120B-445 FSP-M10.120B-440 FSP-M10.120B-435 FSP-M10.120B-430	21.26 21.03 20.80 20.57 20.34 20.10 19.87	120 (Half Cut Cells)	1500	28.10.2024	27.10.2028
					x	Bifacial Mono c-Si PERC Module (Glass to Transparent Back sheet)	FSP-M10.108B-405 (405 Wp)	FSP-M10.108B-415 FSP-M10.108B-410 FSP-M10.108B-405 FSP-M10.108B-400 FSP-M10.108B-395 FSP-M10.108B-390	21.24 20.98 20.73 20.47 20.22 19.96	108 (Half Cut Cells)	1500	28.10.2024	27.10.2028
					xi	Mono c-Si PERC Module	FSP-M10.156W-580 (580 Wp)	FSP-M10.156W-600 FSP-M10.156W-595 FSP-M10.156W-590 FSP-M10.156W-585 FSP-M10.156W-580 FSP-M10.156W-575 FSP-M10.156W-570 FSP-M10.156W-565 FSP-M10.156W-560	21.46 21.29 21.11 20.93 20.75 20.57 20.39 20.21 20.03	156 (Half Cut Cells)	1500	28.10.2024	27.10.2028
					xii	Mono c-Si PERC Module	FSP-M10.144W-535 (535 Wp)	FSP-M10.144W-550 FSP-M10.144W-545 FSP-M10.144W-540 FSP-M10.144W-535 FSP-M10.144W-530 FSP-M10.144W-525 FSP-M10.144W-520	21.29 21.10 20.90 20.71 20.52 20.32 20.13	144 (Half Cut Cells)	1500	28.10.2024	27.10.2028
					xiii	Mono c-Si PERC Module	FSP-M10.132W-490 (490Wp)	FSP-M10.132W-505 FSP-M10.132W-500 FSP-M10.132W-495 FSP-M10.132W-490 FSP-M10.132W-485 FSP-M10.132W-480	21.28 21.07 20.86 20.64 20.43 20.22	132 (Half Cut Cells)	1500	28.10.2024	27.10.2028
					xiv	Mono c-Si PERC Module	FSP-M10.120W-450 (450 Wp)	FSP-M10.120W-460 FSP-M10.120W-455 FSP-M10.120W-450 FSP-M10.120W-445 FSP-M10.120W-440 FSP-M10.120W-435 FSP-M10.120W-430	21.26 21.03 20.80 20.57 20.34 20.10 19.87	120 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FSP-M10.108W-415 FSP-M10.108W-410	21.24 20.98				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					vi	Mono c-Si PERC Module (Glass to Transparent Backsheet)	HEXN156P585 (585 Wp)	HEXN156P585	20.94	156 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								HEXN156P580	20.76				
								HEXN156P575	20.58				
								HEXN156P570	20.40				
					vii	Mono c-Si PERC Module (Glass to Transparent Backsheet)	HEXN144P545 (545 Wp)	HEXN144P560	21.68	144 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								HEXN144P555	21.48				
								HEXN144P550	21.29				
								HEXN144P545	21.10				
								HEXN144P540	20.90				
								HEXN144P535	20.71				
								HEXN144P530	20.52				
								HEXN144P525	20.33				
					viii	Mono c-Si PERC Module (Glass to Transparent Backsheet)	HEXN132P505 (505 Wp)	HEXN132P520	21.90	132 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								HEXN132P515	21.69				
								HEXN132P510	21.48				
								HEXN132P505	21.27				
								HEXN132P500	21.06				
								HEXN132P495	20.85				
								HEXN132P490	20.64				
								HEXN132P485	20.43				
					ix	Mono c-Si PERC Module (Glass to Transparent Backsheet)	HEXN120P445 (445 Wp)	HEXN120P460	21.28	120 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								HEXN120P455	21.05				
								HEXN120P450	20.82				
								HEXN120P445	20.59				
								HEXN120P440	20.36				
								HEXN120P435	20.13				
								HEXN120P430	19.89				
								HEXN120P425	19.66				
					x	Mono c-Si PERC Module (Glass to Transparent Backsheet)	HEXN108P410 (410 Wp)	HEXN108P420	21.51	108 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								HEXN108P415	21.25				
								HEXN108P410	21.00				
								HEXN108P405	20.74				
								HEXN108P400	20.48				
								HEXN108P395	20.23				
								HEXN108P390	19.97				
								HEXN108P385	19.71				

F. No. 283/41/2024- GRID SOLAR
भारत सरकार / Government of India
नवीन और नवीकरणीय ऊर्जा मंत्रालय/ Ministry of New & Renewable Energy
ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi - 110003
Dated: 08th July, 2024

To,

M/s. Spark Solar Technologies Pvt. Ltd.
N-4, Rajlaxmi Hitech Textile Park,
Sonale Village, Off. Mumbai Nasik Highway,
Bhiwandi, Thane - 421302,
Maharashtra, India.
Email id: siddhartha@sparksolar.in

Sub: Provisional ALMM enlistment of Additional Solar PV Module Models of M/s. Spark Solar Technologies Private Limited- reg.

Sir,

This is in reference to the application received from **M/s. Spark Solar Technologies Private Limited** requesting for provisional enlistment of its additional models in ALMM List-I.

2. In this regard, the undersigned is directed to convey that in accordance with MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt. dated 10.05.2023, provisional enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, is hereby granted to M/s. Spark Solar Technologies Private Limited, N-4, Rajlaxmi Hitech Textile Park, Sonale Village, Off. Mumbai Nasik Highway, Bhiwandi, Thane -421302, Maharashtra, India in respect of 04 additional solar PV module models as mentioned in Appendix-I. The final enlistment in ALMM will be done subsequently, subject to the applicant fulfilling the conditions/ provisions mentioned in the ALMM Order / Guidelines or any other instructions issued / conveyed to the applicant and the scrutiny by the Government.

3. Neither Ministry of New & Renewable Energy (MNRE), Government of India and National Institute of Solar Energy (NISE), nor any of their officers, employees, representatives shall be liable for any loss, liability, damage or expense arising out of or in connection with the Solar PV Module Models which have been granted Provisional Enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, but fail to get Final enlistment in MNRE's ALMM List-I.

4. This is being issued with the approval of competent authority.

Yours faithfully,



(Sanjay G. Karndhar)
Scientist-E
Email: karndhar.sg@nic.in

Copy to: Director General, National Institute of Solar Energy (NISE).

Copy for internal circulation to: PS to Secretary / PS to JS (DDJ)

Copy to NIC, MNRE, for uploading on MNRE's Website as additional page(s) to the ALMM List-I hosted on MNRE's website.

Appendix-I

Name of Manufacturer	M/s. Spark Solar Technologies Private Limited
Plant Address	N-4, Rajlaxmi Hitech Textile Park, Sonale Village, Off. Mumbai Nasik Highway Bhiwandi, Thane-421302, Maharashtra, India
Whether Manufacturer already enlisted in ALMM	Yes
Already Enlisted Capacity	42 MW/Year
Applied Capacity	52 MW/Year
Application Type	Model Addition

Details of Additional Models:

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS R. No.	No. of Cells in Module	System Voltage (V)	Remarks
1	Bifacial N-Type TOPCon Modules	SS 580-144 TB (580 Wp)	SS 600-144 TB	23.23	R-71023310	144 (Half Cut Cells)	1500	
			SS 595-144 TB	23.03				
			SS 590-144 TB	22.84				
			SS 585-144 TB	22.64				
			SS 580-144 TB	22.45				
			SS 575-144 TB	22.26				
			SS 570-144 TB	22.06				
			SS 565-144 TB	21.87				
			SS 560-144 TB	21.68				
			SS 555-144 TB	21.48				
2	N-Type TOPCon Modules	SS 580-144 T (580 Wp)	SS 600-144 T	23.23	R-71023310	144 (Half Cut Cells)	1500	Provisionally enlisted
			SS 595-144 T	23.03				
			SS 590-144 T	22.84				
			SS 585-144 T	22.64				
			SS 580-144 T	22.45				
			SS 575-144 T	22.26				
			SS 570-144 T	22.06				
			SS 565-144 T	21.87				
			SS 560-144 T	21.68				
			SS 555-144 T	21.48				
3	Bifacial N-Type TOPCon Modules	SS 545-132 TB (545 Wp)	SS 550-132 TB	23.16	R-71023310	132 (Half Cut Cells)	1500	
			SS 545-132 TB	22.95				
			SS 540-132 TB	22.40				
			SS 535-132 TB	22.53				

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS R. No.	No. of Cells in Module	System Voltage (V)	Remarks
4	N-Type TOPCon Modules	SS 545-132 T (545 Wp)	SS 550-132 T	23.16		132 (Half Cut Cells)	1500	
			SS 545-132 T	22.95				
			SS 540-132 T	22.40				

SK

F. No. 283/41/2024- GRID SOLAR
भारत सरकार / Government of India
नवीन और नवीकरणीय ऊर्जा मंत्रालय/ Ministry of New & Renewable Energy
ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi - 110003
Dated: 08th July, 2024

To,

M/s. Sova Solar Limited
Layout Plot No: 25, E.P.I.P,
Banskopa, Durgapur-713212,
West Bengal, India.
Email id: krish@sovasolar.com

Sub: Provisional ALMM enlistment of Additional Solar PV Module Models of M/s. Sova Solar Limited- reg.

Sir,

This is in reference to the application received from M/s. Sova Solar Limited requesting for provisional enlistment of its additional models in ALMM List-I.

2. In this regard, the undersigned is directed to convey that in accordance with MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt. dated 10.05.2023, provisional enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, is hereby granted to M/s. Sova Solar Limited, Layout Plot No: 25, E.P.I.P, Banskopa, Durgapur - 713212, West Bengal, India in respect of 02 additional solar PV module models as mentioned in Appendix-I. The final enlistment in ALMM will be done subsequently, subject to the applicant fulfilling the conditions/ provisions mentioned in the ALMM Order / Guidelines or any other instructions issued / conveyed to the applicant and the scrutiny by the Government.

3. Neither Ministry of New & Renewable Energy (MNRE), Government of India and National Institute of Solar Energy (NISE), nor any of their officers, employees, representatives shall be liable for any loss, liability, damage or expense arising out of or in connection with the Solar PV Module Models which have been granted Provisional Enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, but fail to get Final enlistment in MNRE's ALMM List-I.

4. This is being issued with the approval of competent authority.

Yours faithfully,



(Sanjay G. Karndhar)
Scientist-E
Email: karndhar.sg@nic.in

Copy to: Director General, National Institute of Solar Energy (NISE).

Copy for internal circulation to: PS to Secretary / PS to JS (DDJ)

Copy to NIC, MNRE, for uploading on MNRE's Website as additional page(s) to the ALMM List-I hosted on MNRE's website.

Appendix-I

Name of Manufacturer	M/s. Sova Solar Limited
Plant Address	Layout Plot No: 25, E.P.I.P, Banskopa, Durgapur - 713212, West Bengal, India
Whether Manufacturer already enlisted in ALMM	Yes
Already Enlisted Capacity	532 MW/Year
Applied Capacity	1000 MW/Year
Application Type	Model Addition

Details of Additional Models:

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS R. No.	No. of Cells in Module	System Voltage in Volts	Remarks
1	N-Type TOPCON Modules (Glass to Glass)	SS56514 4HCGT (565Wp)	SS58014 4HCGT	22.48	R-51000590	144 (Half Cut Cells)	1500	Provisionally enlisted
			SS57514 4HCGT	22.29				
			SS57014 4HCGT	22.09				
			SS56514 4HCGT	21.90				
			SS56014 4HCGT	21.71				
			SS55514 4HCGT	21.51				
			SS55014 4HCGT	21.32				
			SS54514 4HCGT	21.12				
			SS54014 4HCGT	20.93				
2	Mono c-Si PERC Modules (Glass to Transparent Backsheet)	SS49013 2HCMP (490Wp)	SS50513 2HCMP	21.27	R-51000590	132 (Half Cut Cells)	1500	Provisionally enlisted
			SS50013 2HCMP	21.06				
			SS49513 2HCMP	20.85				
			SS49013 2HCMP	20.64				
			SS48513 2HCMP	20.43				
			SS48013 2HCMP	20.22				
			SS47513 2HCMP	20.01				
			SS47013 2HCMP	19.80				

F. No. 283/41/2024- GRID SOLAR

भारत सरकार / Government of India

नवीन और नवीकरणीय ऊर्जा मंत्रालय/ Ministry of New & Renewable Energy

ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003

Dated: 27th September, 2024

To,

M/s. Sunbond Energy Private Limited
S. No. 181/P2 Opp. 66 kV substation,
Mitana-Padadhari Road, Mitana,
Rajkot-363650, Gujarat, India.

Sub: Provisional ALMM enlistment of Additional Solar PV Module Models of M/s. Sunbond Energy Private Limited– reg.

Sir / Madam,

This is in reference to the application received from **M/s. Sunbond Energy Private Limited** requesting for provisional enlistment of its additional models in ALMM List-I.

2. In this regard, the undersigned is directed to convey that in accordance with MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt. dated 10.05.2023, provisional enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, is hereby granted to M/s Sunbond Energy Private Limited, S. No. 181/P2, Opp. 66 kV substation, Mitana-Padadhari Road, Mitana, Rajkot-363650, Gujarat, India, in respect of 13 additional solar PV module models as mentioned in Appendix-I. The final enlistment in ALMM will be done subsequently, subject to the applicant fulfilling the conditions/ provisions mentioned in the ALMM Order / Guidelines or any other instructions issued / conveyed to the applicant and the scrutiny by the Government.

3. Neither Ministry of New & Renewable Energy (MNRE), Government of India and National Institute of Solar Energy (NISE), nor any of their officers, employees, representatives shall be liable for any loss, liability, damage or expense arising out of or in connection with the Solar PV Module Models which have been granted Provisional Enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, but fail to get Final enlistment in MNRE's ALMM List-I.

4. This is being issued with the approval of competent authority.

Yours faithfully,



(Sanjay G. Karndhar)
Scientist-E

Email: karndhar.sg@nic.in

Copy to: Director General, National Institute of Solar Energy (NISE).

Copy for internal circulation to: PS to Secretary

Copy to NIC, MNRE, for uploading on MNRE's Website as additional page(s) to the ALMM List-I hosted on MNRE's website.

Appendix-I

Name of Manufacturer	M/s. Sunbond Energy Pvt. Ltd.
Plant Address	S. No. 181/P2, Opp. 60 kV substation, Mitana-Padadhari Road, Mitana, Rajkot-363650, Gujarat, India
Whether Manufacturer already enlisted in ALMM	Yes
Already Enlisted Capacity	60 MW/Year
Applied Capacity	290 MW/Year
Application Type	Model Addition

Details of Additional Models:

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS R. No.	No. of Cells in Module	System Voltage in Volts	Remarks
1	Mono c-Si PERC Modules	SEPLM10-490 (490 Wp)	SEPLM10-495	19.16	R-720057 62	144 (Half Cut Cell)	1500	Provisionally Enlisted
2	Mono c-Si PERC Modules	SEPLM10-460 (460 Wp)	SEPLM10-480	20.10		132 (Half Cut Cell)	1500	
			SEPLM10-475	19.89				
			SEPLM10-470	19.68				
			SEPLM10-465	19.47				
			SEPLM10-460	19.26				
3	Mono c-Si PERC Modules	SEPLM10-425 (425 Wp)	SEPLM10-455	19.05		120 (Half Cut Cell)	1500	
			SEPLM10-440	20.20				
			SEPLM10-435	19.97				
			SEPLM10-430	19.74				
			SEPLM10-425	19.51				
4	Mono c-Si PERC Modules (Glass to Transparent Backsheet)	SEPLM10B156-580 (580 Wp)	SEPLM10-420	19.28		156 (Half Cut Cell)	1500	
			SEPLM10-415	19.05				
			SEPLM10B156-600	21.47				
			SEPLM10B156-595	21.29				
			SEPLM10B156-590	21.11				
5	Mono c-Si PERC Modules (Glass to Transparent Backsheet)	SEPLM10B144-540 (540 Wp)	SEPLM10B156-580	20.94		144 (Half Cut Cell)	1500	
			SEPLM10B156-580	20.76				
			SEPLM10B156-575	20.58				
			SEPLM10B156-570	20.40				
			SEPLM10B156-565	20.22				
6	Mono c-Si PERC Modules (Glass to Transparent Backsheet)	SEPLM10B144-540 (540 Wp)	SEPLM10B144-560	21.68		132 (Half Cut Cell)	1500	
			SEPLM10B144-555	21.48				
			SEPLM10B144-550	21.29				
			SEPLM10B144-545	21.10				
			SEPLM10B144-540	20.90				
7	Mono c-Si PERC Modules (Glass to Transparent Backsheet)	SEPLM10B132-500 (500 Wp)	SEPLM10B144-535	20.71		120 (Half Cut Cell)	1500	
			SEPLM10B144-530	20.52				
			SEPLM10B132-515	21.69				
			SEPLM10B132-510	21.48				
			SEPLM10B132-505	21.27				
7	Mono c-Si PERC Modules (Glass to Transparent Backsheet)	SEPLM10B120-460 (460 Wp)	SEPLM10B132-500	21.06	120 (Half Cut Cell)	1500		
			SEPLM10B132-495	20.84				
			SEPLM10B132-490	20.63				
			SEPLM10B120-480	22.21				
			SEPLM10B120-475	21.98				
7	Mono c-Si PERC Modules (Glass to Transparent Backsheet)	SEPLM10B120-460 (460 Wp)	SEPLM10B120-470	21.74	120 (Half Cut Cell)	1500		
			SEPLM10B120-465	21.51				
			SEPLM10B120-460	21.28				
			SEPLM10B120-455	21.05				
			SEPLM10B120-450	20.82				

[Handwritten Signature]

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS R. No.	No. of Cells in Module	System Voltage in Volts	Remarks
8	Mono c-Si PERC Modules (Glass to Transparent Backsheet)	SEPLM10B108-420 (420 Wp)	SEPLM10B108-440	22.53		108 (Half Cut Cell)	1500	
			SEPLM10B108-435	22.27				
			SEPLM10B108-430	22.02				
			SEPLM10B108-425	21.76				
			SEPLM10B108-420	21.51				
			SEPLM10B108-415	21.25				
			SEPLM10B108-410	20.99				
9	N-Type TOPCon Modules (Glass to Transparent Backsheet)	SEPLT16B156-620 (620 Wp)	SEPLT16B156-640	22.90		156 (Half Cut Cell)	1500	
			SEPLT16B156-635	22.72				
			SEPLT16B156-630	22.55				
			SEPLT16B156-625	22.37				
			SEPLT16B156-620	22.19				
			SEPLT16B156-615	22.01				
			SEPLT16B156-610	21.83				
			SEPLT16B156-605	21.65				
10	N-Type TOPCon Modules (Glass to Transparent Backsheet)	SEPLT16B144-580 (580 Wp)	SEPLT16B144-595	23.03		144 (Half Cut Cell)	1500	
			SEPLT16B144-590	22.84				
			SEPLT16B144-585	22.64				
			SEPLT16B144-580	22.45				
			SEPLT16B144-575	22.26				
11	N-Type TOPCon Modules (Glass to Transparent Backsheet)	SEPLT16B132-540 (540 Wp)	SEPLT16B144-570	22.06		132 (Half Cut Cell)	1500	
			SEPLT16B132-560	23.58				
			SEPLT16B132-555	23.37				
			SEPLT16B132-550	23.16				
			SEPLT16B132-545	22.95				
			SEPLT16B132-540	22.74				
			SEPLT16B132-535	22.53				
12	N-Type TOPCon Modules (Glass to Transparent Backsheet)	SEPLT16B120-500 (500 Wp)	SEPLT16B132-530	22.32		120 (Half Cut Cell)	1500	
			SEPLT16B120-525	22.11				
			SEPLT16B120-520	24.06				
			SEPLT16B120-515	23.83				
			SEPLT16B120-510	23.59				
			SEPLT16B120-505	23.36				
			SEPLT16B120-500	23.13				
			SEPLT16B120-495	22.90				
			SEPLT16B120-490	22.67				
13	N-Type TOPCon Modules (Glass to Transparent Backsheet)	SEPLT16B108-430 (430 Wp)	SEPLT16B120-485	22.44		108 (Half Cut Cell)	1500	
			SEPLT16B120-480	22.21				
			SEPLT16B120-475	21.98				
			SEPLT16B108-450	23.04				
			SEPLT16B108-445	22.79				
			SEPLT16B108-440	22.53				
			SEPLT16B108-435	22.27				
SEPLT16B108-430	22.02							
	SEPLT16B108-425	21.76						
	SEPLT16B108-420	21.51						
	SEPLT16B108-415	21.25						

SK

F. No. 283/41/2024- GRID SOLAR
भारत सरकार / Government of India
नवीन और नवीकरणीय ऊर्जा मंत्रालय/ Ministry of New & Renewable Energy
ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003
Dated: 14th October, 2024

To

M/s. Credence Solar Panels Private Limited,
Plot no 18 and 19, Survey No 142/2,
Rajkot-Jamnagar highway, Padadhari,
Rajkot, Gujarat, India- 360110

Sub: Provisional ALMM enlistment of Additional Solar PV Module Models of M/s. Credence Solar Panels Private Limited - reg.

Sir / Madam,

This is in reference to the application received from **M/s. Credence Solar Panels Private Limited** requesting for provisional enlistment of its additional models in ALMM List-I.

2. In this regard, the undersigned is directed to convey that in accordance with MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt. dated 10.05.2023, provisional enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, is hereby granted to **M/s. Credence Solar Panels Private Limited, Plot no 18 and 19, Survey No 142/2, Rajkot-Jamnagar highway, Padadhari, Rajkot, Gujarat, India- 360110**, in respect of 2 additional solar PV module models as mentioned in Appendix-I. The final enlistment in ALMM will be done subsequently, subject to the applicant fulfilling the conditions/ provisions mentioned in the ALMM Order / Guidelines or any other instructions issued / conveyed to the applicant and the scrutiny by the Government.

3. Neither Ministry of New & Renewable Energy (MNRE), Government of India and National Institute of Solar Energy (NISE), nor any of their officers, employees, representatives shall be liable for any loss, liability, damage or expense arising out of or in connection with the Solar PV Module Models which have been granted Provisional Enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, but fail to get Final enlistment in MNRE's ALMM List-I.

4. This is being issued with the approval of competent authority.

Yours faithfully,



(Sanjay G. Karndhar)
Scientist-E

Email: karndhar.sg@nic.in

Copy to: Director General, National Institute of Solar Energy (NISE).

Copy for internal circulation to: PS to Secretary

Copy to NIC, MNRE, for uploading on MNRE's Website as additional page(s) to the ALMM List-I hosted on MNRE's website

Appendix-I

Name of Manufacturer	Credence Solar Panels Private Limited
Plant Address	Plot no 18 and 19, Survey No 142/2, Rajkot-Jamnagar highway, Padadhari, Rajkot, Gujarat, India- 360110
Whether Manufacturer already enlisted in ALMM	Yes
Already Enlisted Capacity	500 MW/Year
Applied Capacity	500 MW/Year
Application Type	Model Addition

Details of Additional Models:

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS R. No.	No. of Cells in Module	System Voltage (V)	Remarks
1	Bifacial N-Type TOPCon Module (Glass to Glass)	CS-HBT580-144 (580 Wp)	CS-HBT560-144	21.68	R-72006165	144 (Half cut Cells)	1500	Provisionally enlisted
			CS-HBT565-144	21.87				
			CS-HBT570-144	22.07				
			CS-HBT575-144	22.26				
			CS-HBT580-144	22.45				
			CS-HBT585-144	22.65				
			CS-HBT590-144	22.84				
			CS-HBT595-144	23.03				
2	Bifacial N-Type TOPCon Module (Glass to Glass)	CS-HBT625-156 (625 Wp)	CS-HBT600-144	23.23	R-72006165	156 (Half Cut Cells)	1500	Provisionally enlisted
			CS-HBT610-156	21.81				
			CS-HBT615-156	21.99				
			CS-HBT620-156	22.17				
			CS-HBT625-156	22.35				
			CS-HBT630-156	22.53				
			CS-HBT635-156	22.71				
CS-HBT640-156	22.89							



F. No. 283/41/2024- GRID SOLAR

भारत सरकार / Government of India

नवीन और नवीकरणीय ऊर्जा मंत्रालय/ Ministry of New & Renewable Energy

ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003
Dated: 14th October, 2024

To

M/s. Unique Sun Power LLP,
BL No. 2281/2/1/1, Sub Plot 1-A,
Tadkeshwar, Near Areth Minnor Canal,
Mandvi, Surat, Gujarat-394170, India

Sub: Provisional ALMM enlistment of Additional Solar PV Module Models of M/s. Unique Sun Power LLP - reg.

Sir / Madam,

This is in reference to the application received from M/s. Unique Sun Power LLP requesting for provisional enlistment of its additional models in ALMM List-I.

2. In this regard, the undersigned is directed to convey that in accordance with MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt. dated 10.05.2023, provisional enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, is hereby granted to M/s. Unique Sun Power LLP, BL No. 2281/2/1/1, Sub Plot 1-A, Tadkeshwar, Near Areth Minnor Canal, Mandvi, Surat, Gujarat-394170, India, in respect of 5 additional solar PV module models as mentioned in Appendix-I. The final enlistment in ALMM will be done subsequently, subject to the applicant fulfilling the conditions/provisions mentioned in the ALMM Order / Guidelines or any other instructions issued / conveyed to the applicant and the scrutiny by the Government.

3. Neither Ministry of New & Renewable Energy (MNRE), Government of India and National Institute of Solar Energy (NISE), nor any of their officers, employees, representatives shall be liable for any loss, liability, damage or expense arising out of or in connection with the Solar PV Module Models which have been granted Provisional Enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, but fail to get Final enlistment in MNRE's ALMM List-I.

4. This is being issued with the approval of competent authority.

Yours faithfully,



(Sanjay G. Karndhar)
Scientist-E

Email: karndhar.sg@nic.in

Copy to: Director General, National Institute of Solar Energy (NISE).

Copy for internal circulation to: PS to Secretary

Copy to NIC, MNRE, for uploading on MNRE's Website as additional page(s) to the ALMM List-I hosted on MNRE's website

Appendix-I

Name of Manufacturer	M/s. Unique Sun Power LLP
Plant Address	BL No. 2281/2/1/1, Sub Plot 1-A, Tadkeshwar, Near Areth Minnor Canal, Mandvi, Surat, Gujarat-394170, India
Whether Manufacturer already enlisted in ALMM	Yes
Already Enlisted Capacity	43 MW/Year
Applied Capacity	200 MW/Year
Application Type	Model Addition

Details of Additional Models:

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS R. No.	No. of Cells in Module	System Voltage (V)	Remarks
1	N-TYPE TOPCon Module	SUN156P615 (615 Wp)	SUN156P630	22.53	R-72005550	156 (Half Cut Cells)	1500	Provisionally enlisted
			SUN156P625	22.35				
			SUN156P620	22.17				
			SUN156P615	21.99				
			SUN156P610	21.81				
			SUN156P605	21.63				
SUN156P600	21.45							
2	N-TYPE TOPCon Module	SUN144T565 (565 Wp)	SUN144T590	22.83				
			SUN144T585	22.63				
			SUN144T580	22.44				
			SUN144T575	22.25				
			SUN144T570	22.05				
			SUN144T565	21.86				
			SUN144T560	21.67				
			SUN144T555	21.47				
			SUN144T550	21.28				
SUN144T545	21.09							
SUN144T540	20.89							
3	N-TYPE TOPCon Module	SUN132T520 (520 Wp)	SUN132T535	22.53				
			SUN132T530	22.32				
			SUN132T525	22.11				
			SUN132T520	21.90				
			SUN132T515	21.69				
			SUN132T510	21.48				
SUN132T500	21.06							
4	N-TYPE TOPCon Module	SUN120T480 (480 Wp)	SUN120T490	22.67				
			SUN120T485	22.44				
			SUN120T480	22.21				
			SUN120T470	21.74				
SUN120T460	21.28							
5	N-TYPE TOPCon Module	SUN108T420 (420 Wp)	SUN108T440	22.52				
			SUN108T435	22.26				
			SUN108T430	22.01				
			SUN108T420	21.49				
			SUN108T410	20.98				
SUN108T400	20.47							

F. No. 283/41/2024- GRID SOLAR
भारत सरकार / Government of India
नवीन और नवीकरणीय ऊर्जा मंत्रालय/ Ministry of New & Renewable Energy
ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003
Dated: 14th October, 2024

To

M/s. Ganesh Green Bharat Limited
Survey No. 319/320/321,
Tundali, Tundali approach road,
Behind Honest Restaurant,
Near Nadasan Flyover,
Mehsana - 382732, Gujarat, India

Sub: Provisional ALMM enlistment of Additional Solar PV Module Models of M/s. Ganesh Green Bharat Limited - reg.

Sir / Madam,

This is in reference to the application received from **M/s. Ganesh Green Bharat Limited** requesting for provisional enlistment of its additional models in ALMM List-I.

2. In this regard, the undersigned is directed to convey that in accordance with MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt. dated 10.05.2023, provisional enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, is hereby granted to **M/s. Ganesh Green Bharat Limited, Survey No. 319/320/321, Tundali, Tundali approach road, Behind Honest Restaurant, Near Nadasan Flyover, Mehsana - 382732, Gujarat, India**, in respect of 13 additional solar PV module models as mentioned in Appendix-I. The final enlistment in ALMM will be done subsequently, subject to the applicant fulfilling the conditions/ provisions mentioned in the ALMM Order / Guidelines or any other instructions issued / conveyed to the applicant and the scrutiny by the Government.

3. Neither Ministry of New & Renewable Energy (MNRE), Government of India and National Institute of Solar Energy (NISE), nor any of their officers, employees, representatives shall be liable for any loss, liability, damage or expense arising out of or in connection with the Solar PV Module Models which have been granted Provisional Enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, but fail to get Final enlistment in MNRE's ALMM List-I.

4. This is being issued with the approval of competent authority.

Yours faithfully,



(Sanjay G. Karndhar)
Scientist-E
Email: karndhar.sg@nic.in

Copy to: Director General, National Institute of Solar Energy (NISE).

Copy for internal circulation to: PS to Secretary

Copy to NIC, MNRE, for uploading on MNRE's Website as additional page(s) to the ALMM List-I hosted on MNRE's website

Appendix-I

Name of Manufacturer	M/s. Ganesh Green Bharat Limited
Plant Address	Survey No. 319/320/321, Tundali, Tundali approach road, Behind Honest Restaurant, Near Nadasan Flyover, Mehsna - 382732, Gujarat, India
Whether Manufacturer already enlisted in ALMM	Yes
Already Enlisted Capacity	131 MW/Year
Application Type	Model Addition

Details of Additional Models:

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS R. No.	No. of Cells in Module	System Voltage (V)	Remarks
1	Bifacial N-TYPE TOPCon Module (Glass to Glass)	SGTP 156BG-615 (615 Wp)	SGTP156BG-630	22.53	R-72005886	156 (Half Cut Cells)	1500	Provisionally enlisted
			SGTP156BG-625	22.35				
			SGTP156BG-620	22.17				
			SGTP156BG-615	21.99				
			SGTP156BG-610	21.81				
			SGTP156BG-605	21.63				
			SGTP156BG-600	21.46				
			SGTP156BG-595	21.28				
2	Bifacial N-TYPE TOPCon Module (Glass to Glass)	SGTP 144BG-575 (575 Wp)	SGTP144BG-600	23.23				
			SGTP144BG-595	23.03				
			SGTP144BG-590	22.84				
			SGTP144BG-585	22.65				
			SGTP144BG-580	22.45				
			SGTP144BG-575	22.26				
			SGTP144BG-570	22.07				
			SGTP144BG-565	21.87				
3	Bifacial N-TYPE TOPCon Module (Glass to Glass)	SGTP 132BG-530 (530 Wp)	SGTP144BG-560	21.68				
			SGTP144BG-555	21.48				
			SGTP132BG-555	23.37				
			SGTP132BG-550	23.16				
			SGTP132BG-545	22.95				
			SGTP132BG-540	22.74				
			SGTP132BG-535	22.53				
			SGTP132BG-530	22.32				
4	Bifacial N-TYPE TOPCon Module (Glass to Glass)	SGTP 120BG-480 (480 Wp)	SGTP132BG-525	22.11				
			SGTP132BG-520	21.90				
			SGTP132BG-515	21.69				
			SGTP132BG-510	21.48				
			SGTP120BG-500	23.08				
			SGTP120BG-495	22.85				
			SGTP120BG-490	22.62				
			SGTP120BG-485	22.39				
5	Bifacial N-TYPE TOPCon Module (Glass to Glass)	SGTP 108BG-430 (430 Wp)	SGTP120BG-480	22.16				
			SGTP120BG-475	21.93				
			SGTP120BG-470	21.70				
			SGTP120BG-465	21.47				
			SGTP120BG-460	21.24				
			SGTP108BG-450	22.99				
			SGTP108BG-445	22.74				
			SGTP108BG-440	22.48				
			SGTP108BG-435	22.22				
			SGTP108BG-430	21.97				
			SGTP108BG-425	21.71				
			SGTP108BG-420	21.46				
			SGTP108BG-415	21.20				
			SGTP108BG-410	20.95				

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS R. No.	No. of Cells in Module	System Voltage (V)	Remarks
6	Bifacial Mono c-Si Perc Module (Glass to Glass)	SGMJ 156BG-570 (570 Wp)	SGMJ156BG-595	21.28		156 (Half Cut Cells)	1500	
			SGMJ156BG-590	21.10				
			SGMJ156BG-585	20.92				
			SGMJ156BG-580	20.74				
			SGMJ156BG-575	20.56				
			SGMJ156BG-570	20.38				
			SGMJ156BG-565	20.20				
			SGMJ156BG-560	20.03				
			SGMJ156BG-555	19.85				
			SGMJ156BG-550	19.67				
			SGMJ156BG-545	19.49				
7	Bifacial Mono c-Si Perc Module (Glass to Glass)	SGMJ 156BG-540 (540 Wp)	SGMJ156BG-540	19.31		156 (Half Cut Cells)	1500	
8	Bifacial Mono c-Si Perc Module (Glass to Glass)	SGMJ 144BG-525 (525 Wp)	SGMJ144BG-550	21.29		144 (Half Cut Cells)	1500	
			SGMJ144BG-545	21.10				
			SGMJ144BG-540	20.90				
			SGMJ144BG-535	20.71				
			SGMJ144BG-530	20.52				
			SGMJ144BG-525	20.32				
			SGMJ144BG-520	20.13				
			SGMJ144BG-515	19.94				
			SGMJ144BG-510	19.74				
			SGMJ144BG-505	19.55				
			SGMJ144BG-500	19.36				
9	Bifacial Mono c-Si Perc Module (Glass to Glass)	SGMJ 144BG-495 (495 Wp)	SGMJ144BG-495	19.16		144 (Half Cut Cells)	1500	
10	Bifacial Mono c-Si Perc Module (Glass to Glass)	SGMJ 132BG-480 (480 Wp)	SGMJ132BG-500	21.06		132 (Half Cut Cells)	1500	
			SGMJ132BG-495	20.85				
			SGMJ132BG-490	20.64				
			SGMJ132BG-485	20.42				
			SGMJ132BG-480	20.21				
			SGMJ132BG-475	20.00				
			SGMJ132BG-470	19.79				
			SGMJ132BG-465	19.58				
			SGMJ132BG-460	19.37				
11	Bifacial Mono c-Si Perc Module (Glass to Glass)	SGMJ 132BG-455 (455 Wp)	SGMJ132BG-455	19.16		132 (Half Cut Cells)	1500	
12	Bifacial Mono c-Si Perc Module (Glass to Glass)	SGMJ 120BG-435 (435 Wp)	SGMJ120BG-455	21.01		120 (Half Cut Cells)	1500	
			SGMJ120BG-450	20.78				
			SGMJ120BG-445	20.55				
			SGMJ120BG-440	20.31				
			SGMJ120BG-435	20.08				
			SGMJ120BG-430	19.85				
			SGMJ120BG-425	19.62				
			SGMJ120BG-420	19.39				
			SGMJ120BG-415	19.16				
13	Bifacial Mono c-Si Perc Module (Glass to Glass)	SGMJ 108BG-385 (385 Wp)	SGMJ108BG-395	20.18		108 (Half Cut Cells)	1500	
			SGMJ108BG-390	19.93				
			SGMJ108BG-385	19.67				
			SGMJ108BG-380	19.41				
			SGMJ108BG-375	19.16				

F. No. 283/41/2024- GRID SOLAR

भारत सरकार / Government of India

नवीन और नवीकरणीय ऊर्जा मंत्रालय/ Ministry of New & Renewable Energy

ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003
Dated: 28th October, 2024

To

M/s. Redren Energy Pvt. Ltd.
Survey No. 154/1, 154/2, Opposite Rangpar,
Bus Stand, National Highway No. 27,
Jalida, Wankaner, Morbi - 363621, Gujarat, India

Sub: Provisional ALMM enlistment of Additional Solar PV Module Models of M/s. Redren Energy Pvt. Ltd. - reg.

Sir / Madam,

This is in reference to the application received from M/s. Redren Energy Pvt. Ltd. requesting for provisional enlistment of its additional models in ALMM List-I.

2. In this regard, the undersigned is directed to convey that in accordance with MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt. dated 10.05.2023, provisional enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, is hereby granted to M/s. Redren Energy Pvt. Ltd., Survey No. 154/1, 154/2, Opposite Rangpar, Bus Stand, National Highway No. 27, Jalida, Wankaner, Morbi - 363621, Gujarat, India, in respect of 7 additional solar PV module models as mentioned in Appendix-I. The final enlistment in ALMM will be done subsequently, subject to the applicant fulfilling the conditions/ provisions mentioned in the ALMM Order / Guidelines or any other instructions issued / conveyed to the applicant and the scrutiny by the Government.

3. Neither Ministry of New & Renewable Energy (MNRE), Government of India and National Institute of Solar Energy (NISE), nor any of their officers, employees, representatives shall be liable for any loss, liability, damage or expense arising out of or in connection with the Solar PV Module Models which have been granted Provisional Enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, but fail to get Final enlistment in MNRE's ALMM List-I.

4. This is being issued with the approval of competent authority.

Yours faithfully,



(Sanjay G. Karndhar)
Scientist-E

Email: karndhar.sg@nic.in

Copy to: Director General, National Institute of Solar Energy (NISE).

Copy for internal circulation to: PS to Secretary

Copy to NIC, MNRE, for uploading on MNRE's Website as additional page(s) to the ALMM List-I hosted on MNRE's website

Appendix-I

Name of Manufacturer	M/s. Redren Energy Pvt. Ltd
Plant Address	Survey No. 154/1, 154/2, Opposite Rangpar, Bus Stand, National Highway No. 27, Jalida, Wankaner, Morbi - 363621, Gujarat, India
Whether Manufacturer already enlisted in ALMM	Yes
Already Enlisted Capacity	77 MW/Year
Applied Capacity	400 MW/Year
Application Type	Model Addition

Details of Additional Models:

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS R. No.	No. of Cells in Module	System Voltage (V)
1	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-108HCBF400 (400 Wp)	RSM10MP-108HCBF380	19.44	R-72001775	108 (Half Cut Cells)	1500
			RSM10MP-108HCBF385	19.69			
			RSM10MP-108HCBF390	19.95			
			RSM10MP-108HCBF395	20.20			
			RSM10MP-108HCBF400	20.46			
			RSM10MP-108HCBF405	20.72			
			RSM10MP-108HCBF410	20.97			
			RSM10MP-108HCBF415	21.23			
			RSM10MP-108HCBF420	21.48			
			2	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)			
RSM10MP-120HCBF420	19.40						
RSM10MP-120HCBF425	19.63						
RSM10MP-120HCBF430	19.86						
RSM10MP-120HCBF435	20.09						
3	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-120HCBF450 (450 Wp)	RSM10MP-120HCBF440	20.33		120 (Half Cut Cells)	1500
			RSM10MP-120HCBF445	20.56			
			RSM10MP-120HCBF450	20.79			
			RSM10MP-120HCBF455	21.02			
			RSM10MP-120HCBF460	21.25			

SA

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS R. No.	No. of Cells in Module	System Voltage (V)
4	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-132HCBF465 (465 Wp)	RSM10MP-132HCBF455	19.16		132 (Half Cut Cells)	1500
			RSM10MP-132HCBF460	19.37			
			RSM10MP-132HCBF465	19.58			
			RSM10MP-132HCBF470	19.79			
			RSM10MP-132HCBF475	20.00			
			RSM10MP-132HCBF480	20.21			
5	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-132HCBF495 (495 Wp)	RSM10MP-132HCBF485	20.42		132 (Half Cut Cells)	1500
			RSM10MP-132HCBF490	20.64			
			RSM10MP-132HCBF495	20.85			
			RSM10MP-132HCBF500	21.06			
			RSM10MP-132HCBF505	21.27			
			RSM10MP-144HCBF495	19.16			
6	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-144HCBF510 (510 Wp)	RSM10MP-144HCBF500	19.36		144 (Half Cut Cells)	1500
			RSM10MP-144HCBF505	19.55			
			RSM10MP-144HCBF510	19.74			
			RSM10MP-144HCBF515	19.94			
			RSM10MP-144HCBF520	20.13			
			RSM10MP-144HCBF525	20.32			
7	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-144HCBF540 (540 Wp)	RSM10MP-144HCBF530	20.52		144 (Half Cut Cells)	1500
			RSM10MP-144HCBF535	20.71			
			RSM10MP-144HCBF540	20.90			
			RSM10MP-144HCBF545	21.10			
			RSM10MP-144HCBF550	21.29			
			RSM10MP-144HCBF555	21.48			

F. No. 283/41/2024- GRID SOLAR
भारत सरकार / Government of India
नवीन और नवीकरणीय ऊर्जा मंत्रालय/ Ministry of New & Renewable Energy
ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003
Dated: 28th October, 2024

To

M/s. Swelect HHV Solar Photovoltaics Pvt. Ltd.
SF–No.169/1-2,168/3A-3E,169/4-9,166/1B1B,
166/1B2A-2E,166/1B2L,166/1B2M,
Kuppaepalayam Village, Avinashi Taluk,
Coimbatore-641107, Tamil Nadu India

Sub: Provisional ALMM enlistment of Additional Solar PV Module Models of M/s. Swelect HHV Solar Photovoltaics Pvt. Ltd. - reg.

Sir / Madam,

This is in reference to the application received from **M/s. Swelect HHV Solar Photovoltaics Pvt. Ltd.** requesting for provisional enlistment of its additional models in ALMM List-I.

2. In this regard, the undersigned is directed to convey that in accordance with MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt. dated 10.05.2023, provisional enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, is hereby granted to **M/s. Swelect HHV Solar Photovoltaics Pvt. Ltd. SF–No.169/1-2,168/3A-3E,169/4-9,166/1B1B, 66/1B2A-2E,166/1B2L,166/1B2M, Kuppaepalayam Village, Avinashi Taluk, Coimbatore-641107, Tamil Nadu India**, in respect of 10 additional solar PV module models as mentioned in Appendix-I. The final enlistment in ALMM will be done subsequently, subject to the applicant fulfilling the conditions/ provisions mentioned in the ALMM Order / Guidelines or any other instructions issued / conveyed to the applicant and the scrutiny by the Government.

3. Neither Ministry of New & Renewable Energy (MNRE), Government of India and National Institute of Solar Energy (NISE), nor any of their officers, employees, representatives shall be liable for any loss, liability, damage or expense arising out of or in connection with the Solar PV Module Models which have been granted Provisional Enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, but fail to get Final enlistment in MNRE's ALMM List-I.

4. This is being issued with the approval of competent authority.

Yours faithfully,



(Sanjay G. Karndhar)
Scientist-E

Email: karndhar.sg@nic.in

Copy to: Director General, National Institute of Solar Energy (NISE).

Copy for internal circulation to: PS to Secretary

Copy to NIC, MNRE, for uploading on MNRE's Website as additional page(s) to the ALMM List-I hosted on MNRE's website

Name of Manufacturer	M/s. Swelect HHV Solar Photovoltaics Pvt Ltd.
Plant Address	SF-No.169/1-2,168/3A-3E,169/4-9,166/1B1B,166/1B2A 2E,166/1B2L,166/1B2M, Kuppaepalayam Village, Avinashi Taluk, Coimbatore-641107, Tamil Nadu
Whether Manufacturer already enlisted in ALMM	Yes
Already Enlisted Capacity	627 MW/Year
Applied Capacity	700 MW/Year
Application Type	Model Addition

Details of Additional Models:

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS R. No.	No. of Cells in Module	System Voltage (V)
1	Bifacial N-Type TOPCon Module (Glass to Glass)	SWT15BG0395 (395 Wp)	SWT15BG0380	19.46	R-61003433	108 (Half Cut Cells)	1500
			SWT15BG0385	19.72			
			SWT15BG0390	19.97			
			SWT15BG0395	20.23			
			SWT15BG0400	20.48			
			SWT15BG0405	20.74			
2	Bifacial N-Type TOPCon Module (Glass to Glass)	SWT15BG0425 (425 Wp)	SWT15BG0410	21.00		108 (Half Cut Cells)	1500
			SWT15BG0415	21.25			
			SWT15BG0420	21.51			
			SWT15BG0425	21.76			
			SWT15BG0430	22.02			
			SWT15BG0435	22.28			
3	Bifacial N-Type TOPCon Module (Glass to Glass)	SWT15BG2435 (435 Wp)	SWT15BG2420	19.40		120 (Half Cut Cells)	1500
			SWT15BG2425	19.63			
			SWT15BG2430	19.86			
			SWT15BG2435	20.09			
			SWT15BG2440	20.33			
			SWT15BG2445	20.56			
4	Bifacial N-Type TOPCon Module (Glass to Glass)	SWT15BG2465 (465 Wp)	SWT15BG2450	20.79		120 (Half Cut Cells)	1500
			SWT15BG2455	21.02			
			SWT15BG2460	21.25			
			SWT15BG2465	21.48			
			SWT15BG2470	21.71			
			SWT15BG2475	21.94			
5	Bifacial N-Type TOPCon Module (Glass to Glass)	SWT15BG4480 (480 Wp)	SWT15BG4465	19.58		132 (Half Cut Cells)	1500
			SWT15BG4470	19.79			
			SWT15BG4475	20.00			
			SWT15BG4480	20.21			
			SWT15BG4485	20.42			
			SWT15BG4490	20.64			
		SWT15BG4495	20.85				

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS R. No.	No. of Cells in Module	System Voltage (V)
6	Bifacial N-Type TOPCon Module (Glass to Glass)	SWT15BG4515 (515 Wp)	SWT15BG4500	21.06		132 (Half Cut Cells)	1500
			SWT15BG4505	21.27			
			SWT15BG4510	21.48			
			SWT15BG4515	21.69			
			SWT15BG4520	21.90			
			SWT15BG4525	22.11			
7	Bifacial N-Type TOPCon Module (Glass to Glass)	SWT15BG6525 (525 Wp)	SWT15BG4530	22.32			
			SWT15BG6505	19.55			
			SWT15BG6510	19.74			
			SWT15BG6515	19.94			
			SWT15BG6520	20.13			
			SWT15BG6525	20.32			
			SWT15BG6530	20.52			
8	Bifacial N-Type TOPCon Module (Glass to Glass)	SWT15BG6565 (565 Wp)	SWT15BG6535	20.71			
			SWT15BG6540	20.90			
			SWT15BG6545	21.10			
			SWT15BG6550	21.29			
			SWT15BG6555	21.48			
			SWT15BG6560	21.68			
			SWT15BG6565	21.87			
9	Bifacial N-Type TOPCon Module (Glass to Glass)	SWT15BG8570 (570 Wp)	SWT15BG6570	22.07			
			SWT15BG6575	22.26			
			SWT15BG6580	22.45			
			SWT15BG8550	19.68			
			SWT15BG8555	19.85			
			SWT15BG8560	20.03			
			SWT15BG8565	20.21			
10	Bifacial N-Type TOPCon Module (Glass to Glass)	SWT15BG8610 (610 Wp)	SWT15BG8570	20.39			
			SWT15BG8575	20.57			
			SWT15BG8580	20.75			
			SWT15BG8585	20.93			
			SWT15BG8590	21.11			
			SWT15BG8595	21.29			
			SWT15BG8600	21.46			
			SWT15BG8605	21.64			
			SWT15BG8610	21.82			
			SWT15BG8615	22.00			
			SWT15BG8620	22.18			
			SWT15BG8625	22.36			
			SWT15BG8630	22.54			

F. No. 283/41/2024- GRID SOLAR

भारत सरकार / Government of India

नवीन और नवीकरणीय ऊर्जा मंत्रालय/ Ministry of New & Renewable Energy

ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003

Dated: 11th November, 2024

To:

M/s Vikram Solar Limited,
Sec-II, Falta Special Economic Zone,
Falta, District: South 24 Parganas, P.S. Ramnagar,
P.O. Falta, S.O. – 743504, West Bengal

Sub: Provisional ALMM enlistment of Additional Solar PV Module Models of M/s. Vikram Solar Limited – reg.

Sir / Madam,

This is in reference to the application received from **M/s. Vikram Solar Limited** requesting for provisional enlistment of its additional models in ALMM List-I.

2. In this regard, the undersigned is directed to convey that in accordance with MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt. dated 10.05.2023, provisional enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, is hereby granted to M/s Vikram Solar Limited, Sec-II, Falta Special Economic Zone, Falta, District: South 24 Parganas, P.S. Ramnagar, P.O. Falta, S.O. – 743504, West Bengal, in respect of 02 additional solar PV module models as mentioned in Appendix-I. The final enlistment in ALMM will be done subsequently, subject to the applicant fulfilling the conditions/ provisions mentioned in the ALMM Order / Guidelines or any other instructions issued / conveyed to the applicant and the scrutiny by the Government.

3. Neither Ministry of New & Renewable Energy (MNRE), Government of India and National Institute of Solar Energy (NISE), nor any of their officers, employees, representatives shall be liable for any loss, liability, damage or expense arising out of or in connection with the Solar PV Module Models which have been granted Provisional Enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, but fail to get Final enlistment in MNRE's ALMM List-I.

4. This is being issued with the approval of competent authority.

Yours faithfully,



(Sanjay G. Karndhar)

Scientist-E

Email: karndhar.sg@nic.in

Copy to: Director General, National Institute of Solar Energy (NISE).

Copy for internal circulation to: PPS to Secretary/ PSO to JS (AY)/ PPS to JS (LB)

Name of Manufacturer	M/s. Vikram Solar Limited
Plant Address	Special Economic Zone, Sector 2, Falta, 24-Parganas (South), P.S.: Ramnagar, P.O: Falta S.O- 743504, West Bengal, India
Whether Manufacturer already enlisted in ALMM	Yes
Already Enlisted Capacity	1,151 MW/Year
Applied Capacity	1,500 MW/Year
Application Type	Model Addition

Details of Additional models:

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS R. No.	No. of Cells in Module	System Voltage (V)
1	N-Type TOPCon Module	HYPER SOL VSMDH.72.590.05 (590 Wp)	HYPER SOL VSMDH.72.570.05	22.07	R- 51000566	144 (Half Cut Cells)	1500
			HYPER SOL VSMDH.72.575.05	22.26			
			HYPER SOL VSMDH.72.580.05	22.45			
			HYPER SOL VSMDH.72.585.05	22.65			
			HYPER SOL VSMDH.72.590.05	22.84			
			HYPER SOL VSMDH.72.595.05	23.03			
			HYPER SOL VSMDH.72.600.05	23.23			
			HYPER SOL VSMDH.72.605.05	23.42			
			HYPER SOL VSMDH.72.610.05	23.61			
			2	N-Type TOPCon Module			
HYPER SOL VSMDH.66.525.05	22.11						
HYPER SOL VSMDH.66.530.05	22.32						
HYPER SOL VSMDH.66.535.05	22.53						
HYPER SOL VSMDH.66.540.05	22.74						
HYPER SOL VSMDH.66.545.05	22.95						
HYPER SOL VSMDH.66.550.05	23.16						
HYPER SOL VSMDH.66.555.05	23.37						

F. No. 283/41/2024-GRID SOLAR

भारत सरकार / Government of India

नवीन और नवीकरणीय ऊर्जा मंत्रालय/ Ministry of New & Renewable Energy

ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003

Dated: 11th November, 2024

To,

M/s. SAEL Solar P6 Private Limited,
Land Kh. No. 354/2, New Kh. No. 844/354,
Village Patan, Tehsil Kishangarh, Ajmer
Rajasthan - 305801

Sub: Provisional ALMM enlistment of Additional Solar PV Module Models of M/s. SAEL Solar P6 Private Limited – reg.

Sir / Madam,

This is in reference to the application received from M/s. SAEL Solar P6 Private Limited requesting for provisional enlistment of its additional models in ALMM List-I.

2. In this regard, the undersigned is directed to convey that in accordance with MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt. dated 10.05.2023, provisional enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, is hereby granted to M/s SAEL Solar P6 Private Limited, Land Kh. No. 354/2, New Kh. No. 844/354, Village Patan, Tehsil Kishangarh, Ajmer Rajasthan - 305801, in respect of 01 additional solar PV module models as mentioned in Appendix-I. The final enlistment in ALMM will be done subsequently, subject to the applicant fulfilling the conditions/ provisions mentioned in the ALMM Order / Guidelines or any other instructions issued / conveyed to the applicant and the scrutiny by the Government.
3. Neither Ministry of New & Renewable Energy (MNRE), Government of India and National Institute of Solar Energy (NISE), nor any of their officers, employees, representatives shall be liable for any loss, liability, damage or expense arising out of or in connection with the Solar PV Module Models which have been granted Provisional Enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, but fail to get Final enlistment in MNRE's ALMM List-I.
4. This is being issued with the approval of competent authority.

Yours faithfully,



(Sanjay G. Karndhar)

Scientist-E

Email: karndhar.sg@nic.in

Copy to: Director General, National Institute of Solar Energy (NISE).

Copy for internal circulation to: PPS to Secretary/ PSO to JS (AY)

Appendix-I

Name of Manufacturer	M/s. SAEL Solar P6 Pvt. Ltd.
Plant Address	Land Kh. No. 354/2, New Kh. No. 844/354, Village Patan, Tehsil Kishangarh, Ajmer - 305801, Rajasthan, India
Whether Manufacturer already enlisted in ALMM	Yes
Already Enlisted Capacity	2,065 MW/Year
Applied Capacity	2,065 MW/Year
Application Type	Model Addition

Details of Additional Model:

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS R. No.	No. of Cells in Module	System Voltage (V)
1	Bifacial N-Type TOPCon Module (Glass to Glass)	SL156GTG-635 T (635 Wp)	SL156GTG-640 T	22.94	R-84004898	156 (Half Cut Cells)	1500
			SL156GTG-635 T	22.76			



F. No. 283/41/2024- GRID SOLAR

भारत सरकार / Government of India

नवीन और नवीकरणीय ऊर्जा मंत्रालय/ Ministry of New & Renewable Energy

ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003

Dated: 02nd December, 2024

To,

M/s. SAEL Solar Mfg. Private Limited
Village Hukumat Singh Wala, Moga Road,
Ferozepur, Punjab-142052, India

Sub: Provisional ALMM enlistment of Additional Solar PV Module Models of M/s. SAEL Solar Mfg. Private Limited – reg.

Sir / Madam,

This is in reference to the application received from **M/s. SAEL Solar Mfg. Private** requesting for provisional enlistment of its additional models in ALMM List-I.

2. In this regard, the undersigned is directed to convey that in accordance with MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt. dated 10.05.2023, provisional enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, is hereby granted to M/s. SAEL Solar Mfg. Private Limited, Village Hukumat Singh Wala, Moga Road, Ferozepur, Punjab-142052, in respect of 01 additional solar PV module models as mentioned in Appendix-I. The final enlistment in ALMM will be done subsequently, subject to the applicant fulfilling the conditions/ provisions mentioned in the ALMM Order / Guidelines or any other instructions issued / conveyed to the applicant and the scrutiny by the Government.

3. Neither Ministry of New & Renewable Energy (MNRE), Government of India and National Institute of Solar Energy (NISE), nor any of their officers, employees, representatives shall be liable for any loss, liability, damage or expense arising out of or in connection with the Solar PV Module Models which have been granted Provisional Enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, but fail to get Final enlistment in MNRE's ALMM List-I.

4. This is being issued with the approval of competent authority.

Yours faithfully,



(Sanjay G. Karndhar)

Scientist-E

Email: karndhar.sg@nic.in

Copy to: Director General, National Institute of Solar Energy (NISE).

Copy for internal circulation to: PPS to Secretary/ PSO to JS (AY)

Appendix-I

Name of Manufacturer	M/s. SAEL Solar Mfg. Private Limited
Plant Address	Village Hukumat Singh Wala, Moga Road, Ferozepur, Punjab-142052, India
Whether Manufacturer already enlisted in ALMM	Yes
Already Enlisted Capacity	117 MW/Year
Applied Capacity	300 MW/Year
Application Type	Model Addition

Details of Additional models:

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS Details	No. of Cells in Module	System Voltage (V)
1.	N-Type TOPCon Module	SL144GTG-580 T (580 Wp)	SL144GTG-590 T	22.87	R-97001058	144 (Half Cut Cells)	1500
			SL144GTG-585 T	22.68			
			SL144GTG-580 T	22.48			
			SL144GTG-575 T	22.29			
			SL144GTG-570 T	22.09			
			SL144GTG-565 T	21.90			



F. No. 283/41/2024- GRID SOLAR

भारत सरकार / Government of India

नवीन और नवीकरणीय ऊर्जा मंत्रालय/ Ministry of New & Renewable Energy

ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003

Dated: 02nd December, 2024

To,

M/s. Emmvee Photovoltaic Power Pvt. Ltd.

Sy. No. 66-70/3, Pemmanahalli Village,
Sompura Hobli, Dabaspeta, Nelamangala Taluk,
Bengaluru Rural District, Karnataka

Sub: Provisional ALMM enlistment of Additional Solar PV Module Models of M/s. Emmvee Photovoltaic Power Pvt. Ltd.– reg.

Sir / Madam,

This is in reference to the application received from **M/s. Emmvee Photovoltaic Power Pvt. Limited** requesting for provisional enlistment of its additional models in ALMM List-I.

2. In this regard, the undersigned is directed to convey that in accordance with MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt. dated 10.05.2023, provisional enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, is hereby granted to M/s. Emmvee Photovoltaic Power Pvt. Ltd. Sy. No. 66-70/3, Pemmanahalli Village, Sompura Hobli, Dabaspeta, Nelamangala Taluk, Bengaluru Rural District, Karnataka, in respect of 01 additional solar PV module models as mentioned in Appendix-I. The final enlistment in ALMM will be done subsequently, subject to the applicant fulfilling the conditions/ provisions mentioned in the ALMM Order / Guidelines or any other instructions issued / conveyed to the applicant and the scrutiny by the Government.

3. Neither Ministry of New & Renewable Energy (MNRE), Government of India and National Institute of Solar Energy (NISE), nor any of their officers, employees, representatives shall be liable for any loss, liability, damage or expense arising out of or in connection with the Solar PV Module Models which have been granted Provisional Enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, but fail to get Final enlistment in MNRE's ALMM List-I.

4. This is being issued with the approval of competent authority.

Yours faithfully,



(Sanjay G. Karndhar)

Scientist-E

Email: karndhar.sg@nic.in

Copy to: Director General, National Institute of Solar Energy (NISE).

Copy for internal circulation to: PPS to Secretary/ PSO to JS (AY)

Appendix-I

Name of Manufacturer	M/s. Emmvee Photovoltaic Power Pvt. Ltd.
Plant Address	Sy. No. 66-70/3, Pemmanahalli Village, Sompura Hobli, Dabaspet, Nelamangala Taluk, Bengaluru Rural District, Karnataka
Whether Manufacturer already enlisted in ALMM	Yes
Already Enlisted Capacity	676 MW/Year
Application Type	Model Addition

Details of Additional models:

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS Details	No. of Cells in Module	System Voltage (V)
1	Bifacial N-Type TOPCon Module (Glass to Glass)	E590HCBG144- T	E585HCBG144- T	22.65	R-62002976	144 (Half Cut Cells)	1500
			E590HCBG144- T	22.84			
			E595HCBG144- T	23.03			



F. No. 283/41/2024- GRID SOLAR
भारत सरकार / Government of India
नवीन और नवीकरणीय ऊर्जा मंत्रालय/ Ministry of New & Renewable Energy
ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003

Dated: 02nd December, 2024

To,

M/s. HR Solar Solution Private Limited
Raghudebpur, NH-6, Panchla, Raghudebpur,
Block - Uluberia-II, Uluberia,
Howrah, West Bengal - 711322, India

Sub: Provisional ALMM enlistment of Additional Solar PV Module Models of M/s. HR Solar Solution Private Limited – reg.


Sir / Madam,

This is in reference to the application received from **M/s. HR Solar Solution Private Limited** requesting for provisional enlistment of its additional models in ALMM List-I.

2. In this regard, the undersigned is directed to convey that in accordance with MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt. dated 10.05.2023, provisional enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, is hereby granted to M/s. HR Solar Solution Private Limited, Raghudebpur, NH-6, Panchla, Raghudebpur, Block - Uluberia-II, Uluberia, Howrah, West Bengal - 711322, India, in respect of 10 additional solar PV module models as mentioned in Appendix-I. The final enlistment in ALMM will be done subsequently, subject to the applicant fulfilling the conditions/provisions mentioned in the ALMM Order / Guidelines or any other instructions issued / conveyed to the applicant and the scrutiny by the Government.

3. Neither Ministry of New & Renewable Energy (MNRE), Government of India and National Institute of Solar Energy (NISE), nor any of their officers, employees, representatives shall be liable for any loss, liability, damage or expense arising out of or in connection with the Solar PV Module Models which have been granted Provisional Enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, but fail to get Final enlistment in MNRE's ALMM List-I.

4. This is being issued with the approval of competent authority.

Yours faithfully,


(Sanjay G. Karndhar)
Scientist-E
Email: karndhar.sg@nic.in

Copy to: Director General, National Institute of Solar Energy (NISE).

Copy for internal circulation to: PPS to Secretary/ PSO to JS (AY)

Appendix-I

Name of Manufacturer	M/s. HR Solar Solution Private Limited
Plant Address	Raghudebpur, NH-6, Panchla, Raghudebpur, Block - Uluberia-II, Uluberia, Howrah, West Bengal - 711322, India
Whether Manufacturer already enlisted in ALMM	Yes
Already Enlisted Capacity	136 MW/Year
Applied Capacity	136 MW/Year
Application Type	Model Addition

Details of Additional Models:

S.No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS Details	No. of cells in Module	System Voltage (V)																																																											
1	Mono c-Si PERC Module	H195M36 (195 Wp)	H195M36	19.19	R-51001686	36 (Full Cells)	1500																																																											
			H200M36	19.69				2	Mono c-Si PERC Module	H350M96 (350 Wp)	H335M96	19.16	96 (Full Cells)	1500	H340M96	19.44	H345M96	19.73	H350M96	20.02	H355M96	20.30	H360M96	20.59	3	Mono c-Si PERC Module	H390M108 (390 Wp)	H375M108	19.16	108 (Half Cut Cells)	1500	H380M108	19.41	H385M108	19.67	H390M108	19.93	H395M108	20.18	H400M108	20.44	H405M108	20.69	4	Mono c-Si PERC Module	H430M120 (430 Wp)	H415M120	19.16	120 (Half Cut Cells)	1500	H420M120	19.39	H425M120	19.62	H430M120	19.85	H435M120	20.08	H440M120	20.31	H445M120	20.55	H450M120	20.78	5	
2	Mono c-Si PERC Module	H350M96 (350 Wp)	H335M96	19.16		96 (Full Cells)	1500																																																											
			H340M96	19.44																																																														
			H345M96	19.73																																																														
			H350M96	20.02																																																														
			H355M96	20.30																																																														
			H360M96	20.59																																																														
3	Mono c-Si PERC Module	H390M108 (390 Wp)	H375M108	19.16		108 (Half Cut Cells)	1500																																																											
			H380M108	19.41																																																														
			H385M108	19.67																																																														
			H390M108	19.93																																																														
			H395M108	20.18																																																														
			H400M108	20.44																																																														
			H405M108	20.69																																																														
4	Mono c-Si PERC Module	H430M120 (430 Wp)	H415M120	19.16	120 (Half Cut Cells)	1500																																																												
			H420M120	19.39																																																														
			H425M120	19.62																																																														
			H430M120	19.85																																																														
			H435M120	20.08																																																														
			H440M120	20.31																																																														
			H445M120	20.55																																																														
			H450M120	20.78																																																														
5			H460M132	19.37		1500																																																												

	Mono c-Si PERC Module	H480M132 (480 Wp)	H465M132	19.58	132 (Half Cut Cells)	
			H470M132	19.79		
			H475M132	20.00		
			H480M132	20.21		
			H485M132	20.42		
			H490M132	20.64		
			H495M132	20.85		
			H500M132	21.06		
6	Mono c-Si PERC Module	H455M132 (455 Wp)	H455M132	19.16	132 (Half Cut Cells)	1500
7	Mono c-Si PERC Module	H305M84 (305 Wp)	H295M84	19.16	84 (Half Cut Cells)	1500
			H300M84	19.48		
			H305M84	19.81		
			H310M84	20.13		
			H315M84	20.45		
			H320M84	20.78		
8	Mono c-Si PERC Module	H260M72 (260 Wp)	H255M72	19.15	72 (Full Cells)	1500
			H260M72	19.53		
			H265M72	19.91		
			H270M72	20.28		
9	Mono c-Si PERC Module	H230M64 (230 Wp)	H230M64	19.33	64 (Half Cut Cells)	1500
			H235M64	19.75		
			H240M64	20.17		
10	Mono c-Si PERC Module	H325M60 (325 Wp)	H325M60	19.23	60 (Full Cells)	1500
			H330M60	19.53		
			H335M60	19.82		
			H340M60	20.12		

F. No. 283/41/2024- GRID SOLAR

भारत सरकार / Government of India

नवीन और नवीकरणीय ऊर्जा मंत्रालय/ Ministry of New & Renewable Energy

ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,

Lodhi Road, New Delhi – 110003

Dated: 26th December, 2024

To,

M/s. ADM Solar Power & Infrastructure Pvt. Ltd.,
Plot No. 22/1, The Printer House Private Limited, Mathura Road,
Ballabgarh, Sikri Industrial Area, Faridabad, Haryana - 121004

Sub: Provisional ALMM enlistment of Additional Solar PV Module Models of M/s. ADM Solar Power & Infrastructure Pvt. Ltd.– reg.

Sir / Madam,

This is in reference to the application received from M/s. ADM Solar Power & Infrastructure Pvt. Ltd. requesting for provisional enlistment of its additional models in ALMM List-I.

2. In this regard, the undersigned is directed to convey that in accordance with MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt. dated 10.05.2023, provisional enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, is hereby granted to M/s. ADM Solar Power & Infrastructure Pvt. Ltd., Plot No. 22/1, The Printer House Private Limited, Mathura Road, Ballabgarh, Sikri Industrial Area, Faridabad, Haryana - 121004, in respect of 01 additional solar PV module models as mentioned in Appendix-I. The final enlistment in ALMM will be done subsequently, subject to the applicant fulfilling the conditions/ provisions mentioned in the ALMM Order / Guidelines or any other instructions issued / conveyed to the applicant and the scrutiny by the Government.

3. Neither Ministry of New & Renewable Energy (MNRE), Government of India and National Institute of Solar Energy (NISE), nor any of their officers, employees, representatives shall be liable for any loss, liability, damage or expense arising out of or in connection with the Solar PV Module Models which have been granted Provisional Enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, but fail to get Final enlistment in MNRE's ALMM List-I.

4. This is being issued with the approval of competent authority.

Yours faithfully,



(Sanjay G. Karndhar)
Scientist-E

Email: karndhar.sg@nic.in

Copy to: Director General, National Institute of Solar Energy (NISE)

Copy for internal circulation to: PPS to Secretary (MNRE), PPS to JS(LB)

Copy to NIC, MNRE, for uploading on MNRE's Website as additional page(s) to the ALMM List-I hosted on MNRE's website.

Appendix-I

Name of Manufacturer	M/s. ADM Solar Power & Infrastructure Pvt. Ltd.
Plant Address	Plot No. 22/1, The Printer House Private Limited, Mathura Road, Ballabgarh, Sikri Industrial Area, Faridabad, Haryana - 121004
Whether Manufacturer already enlisted in ALMM	Yes
Already Enlisted Capacity	141 MW/Year
Applied Capacity	580 MW/Year
Application Type	Model Addition

Details of Additional Models:

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS Details	No. of Cells in Module	System Voltage in Volt
1.	Bifacial Mono c-Si PERC Module	ADM545 (545Wp)	ADM540	20.93	Registration No. R-93011576	144 (Half Cut Cells)	1500
			ADM545	21.13			
			ADM550	21.32			



F. No. 283/41/2024- GRID SOLAR

भारत सरकार / Government of India

नवीन और नवीकरणीय ऊर्जा मंत्रालय/ Ministry of New & Renewable Energy

ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003
Dated: 26th December, 2024

To,

M/s. FS Green Energies Private Limited,
Block No. 160 - 164, 168 Besides Act Agro Chem Pvt. Ltd.,
Juni Jithardi Road, Near Karjan Cross Road,
NH - 8, Vadodara-391240, Gujarat, India

Sub: Provisional ALMM enlistment of Additional Solar PV Module Models of M/s. FS Green Energies Private Limited – reg.

Sir / Madam,

This is in reference to the application received from M/s. FS Green Energies Private Limited requesting for provisional enlistment of its additional models in ALMM List-I.

2. In this regard, the undersigned is directed to convey that in accordance with MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt. dated 10.05.2023, provisional enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, is hereby granted to M/s. FS Green Energies Private Limited, Block No. 160 - 164, 168 Besides Act Agro Chem Pvt. Ltd., Juni Jithardi Road, Near Karjan Cross Road, NH - 8, Vadodara-391240, Gujarat, in respect of 05 additional solar PV module models as mentioned in Appendix-I. The final enlistment in ALMM will be done subsequently, subject to the applicant fulfilling the conditions/ provisions mentioned in the ALMM Order / Guidelines or any other instructions issued / conveyed to the applicant and the scrutiny by the Government.

3. Neither Ministry of New & Renewable Energy (MNRE), Government of India and National Institute of Solar Energy (NISE), nor any of their officers, employees, representatives shall be liable for any loss, liability, damage or expense arising out of or in connection with the Solar PV Module Models which have been granted Provisional Enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, but fail to get Final enlistment in MNRE's ALMM List-I.

4. This is being issued with the approval of competent authority.

Yours faithfully,



(Sanjay G. Karndhar)
Scientist-E

Email: karndhar.sg@nic.in

Copy to: Director General, National Institute of Solar Energy (NISE).

Copy for internal circulation to: PPS to Secretary (MNRE), PPS to JS(LB)

Copy to NIC, MNRE, for uploading on MNRE's Website as additional page(s) to the ALMM List-I hosted on MNRE's website.

Appendix-I

Name of Manufacturer	M/s. FS Green Energies Private Limited
Plant Address	Block No. 160 - 164, 168 Besides Act Agro Chem Pvt. Ltd., Juni Jithardi Road, Near Karjan Cross Road, NH - 8, Vadodara-391240, Gujarat, India
Whether Manufacturer already enlisted in ALMM	Yes
Already Enlisted Capacity	572 MW/Year
Applied Capacity	572 MW/Year
Application Type	Model Addition

Details of additional models:

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS details	No. of Cells in Module	System Voltage (V)
1	Bifacial N-Type TOPCon Module (Glass to Glass)	FST-M10.156G-660 (660 Wp)	FST-M10. 156G-680	24.33	Registration No.: R-72011258	156 (Half Cut Cell)	1500
			FST-M10. 156G-675	24.15			
			FST-M10.156G-670	23.97			
			FST-M10. 156G-665	23.79			
			FST-M10. 156G-660	23.61			
			FST-M10. 156G-655	23.43			
			FST-M10. 156G-650	23.25			
			FST-M10. 156G-645	23.07			
			FST-M10.156G-640	22.90			
			FST-M10. 156G-635	22.72			
2	Bifacial N-Type TOPCon Module (Glass to Glass)	FST-M10.144G-605 (605 Wp)	FST-M10. 144G-625	24.19		144 (Half Cut Cell)	1500
			FST-M10. 144G-620	24.00			
			FST-M10.144G-615	23.81			
			FST-M10. 144G-610	23.61			
			FST-M10. 144G-605	23.42			
			FST-M10. 144G-600	23.23			
			FST-M10. 144G-595	23.03			
			FST-M10. 144G-590	22.84			
3	Bifacial N-Type TOPCon Module (Glass to Glass)	FST-M10.132G-555 (555 Wp)	FST-M10. 132G-575	24.23		132 (Half Cut Cell)	1500
			FST-M10. 132G-570	24.02			
			FST-M10. 132G-565	23.80			
			FST-M10.132G-560	23.59			
			FST-M10. 132G-555	23.38			
			FST-M10. 132G-550	23.17			
			FST-M10. 132G-545	22.96			
			FST-M10.132G-540	22.75			
FST-M10. 132G-535	22.54						

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS details	No. of Cells in Module	System Voltage (V)
4	Bifacial N-Type TOPCon Module (Glass to Glass)	FST-M10.120G-505 (505 Wp)	FST-M10.120G-520	24.03		120 (Half Cut Cell)	1500
			FST-M10.120G-515	23.80			
			FST-M10.120G-510	23.57			
			FST-M10.120G-505	23.34			
			FST-M10.120G-500	23.11			
			FST-M10.120G-495	22.88			
			FST-M10.120G-490	22.65			
			FST-M10.120G-485	22.42			
5	Bifacial N-Type TOPCon Module (Glass to Glass)	FST-M10.108G-455 (455 Wp)	FST-M10.108G-470	24.05		108 (Half Cut Cell)	1500
			FST-M10.108G-465	23.80			
			FST-M10.108G-460	23.54			
			FST-M10.108G-455	23.29			
			FST-M10.108G-450	23.03			
			FST-M10.108G-445	22.78			
			FST-M10.108G-440	22.52			

F. No. 283/41/2024- GRID SOLAR
भारत सरकार / Government of India
नवीन और नवीकरणीय ऊर्जा मंत्रालय/ Ministry of New & Renewable Energy
ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003
Dated: 26th December, 2024

To,

M/s. Icon Solar En Power Technologies Private Limited,
PH. No. 09, Gram Dighari Mandir Hasaud,
The Arang, Raipur – 492001, Chhattisgarh.

Sub: Provisional ALMM enlistment of Additional Solar PV Module Models of M/s. Icon Solar En Power Technologies Private Limited– reg.

Sir / Madam,

This is in reference to the application received from M/s. Icon Solar En Power Technologies Private Limited, requesting for provisional enlistment of its additional models in ALMM List-I.

2. In this regard, the undersigned is directed to convey that in accordance with MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt. dated 10.05.2023, provisional enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, is hereby granted to M/s. Icon Solar En Power Technologies Private Limited, PH. No. 09, Gram Dighari Mandir Hasaud, The Arang, Raipur – 492001, Chhattisgarh., in respect of 05 additional solar PV module models as mentioned in Appendix-I. The final enlistment in ALMM will be done subsequently, subject to the applicant fulfilling the conditions/ provisions mentioned in the ALMM Order / Guidelines or any other instructions issued / conveyed to the applicant and the scrutiny by the Government.

3. Neither Ministry of New & Renewable Energy (MNRE), Government of India and National Institute of Solar Energy (NISE), nor any of their officers, employees, representatives shall be liable for any loss, liability, damage or expense arising out of or in connection with the Solar PV Module Models which have been granted Provisional Enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, but fail to get Final enlistment in MNRE's ALMM List-I.

4. This is being issued with the approval of competent authority.

Yours faithfully,



(Sanjay G. Karndhar)
Scientist-E
Email: karndhar.sg@nic.in

Copy to: Director General, National Institute of Solar Energy (NISE).

Copy for internal circulation to: PPS to Secretary (MNRE), PPS to JS(LB)

Copy to NIC, MNRE, for uploading on MNRE's Website as additional page(s) to the ALMM List-I hosted on MNRE's website.

Appendix-I

Name of Manufacturer	M/s. Icon Solar En Power Technologies Private Limited
Plant Address	PH. No. 09, Gram Dighari Mandir Hasaud, The Arang, Raipur – 492001, Chhattisgarh.
Whether Manufacturer already enlisted in ALMM	Yes
Already Enlisted Capacity	395 MW/Year
Applied Capacity	600 MW/Year
Application Type	Model Addition

Details of Additional Models:

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS Details	No. of Cells in Module	System Voltage (V)
1	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ISEN580-Bi (580 Wp)	ISEN600-Bi	21.47	Registration No.: R-59000140	156 (Half Cut Cells)	1500
			ISEN595-Bi	21.29			
			ISEN590-Bi	21.12			
			ISEN585-Bi	20.94			
			ISEN580-Bi	20.76			
			ISEN575-Bi	20.58			
			ISEN570-Bi	20.40			
			ISEN565-Bi	20.22			
2	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ISEN540-Bi (540 Wp)	ISEN555-Bi	21.48		144 (Half Cut Cells)	1500
			ISEN550-Bi	21.29			
			ISEN545-Bi	21.10			
			ISEN540-Bi	20.90			
			ISEN535-Bi	20.71			
			ISEN530-Bi	20.52			
			ISEN525-Bi	20.32			
			ISEN520-Bi	20.13			
3	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ISEN490-Bi (490 Wp)	ISEN505-Bi	21.27		132 (Half Cut Cells)	1500
			ISEN500-Bi	21.06			
			ISEN495-Bi	20.85			
			ISEN490-Bi	20.64			
			ISEN485-Bi	20.42			
4	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ISEN440-Bi (440 Wp)	ISEN460-Bi	21.26		120 (Half Cut Cells)	1500
			ISEN455-Bi	21.03			
			ISEN450-Bi	20.80			
			ISEN445-Bi	20.57			
			ISEN440-Bi	20.34			
			ISEN435-Bi	20.10			
			ISEN430-Bi	19.87			
			ISEN425-Bi	19.64			
5	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ISEN395-Bi (395 Wp)	ISEN410-Bi	21.00		108 (Half Cut Cells)	1500
			ISEN405-Bi	20.74			
			ISEN400-Bi	20.48			
			ISEN395-Bi	20.23			
			ISEN390-Bi	19.97			
			ISEN385-Bi	19.72			
			ISEN380-Bi	19.46			

F. No. 283/41/2024- GRID SOLAR

भारत सरकार / Government of India

नवीन और नवीकरणीय ऊर्जा मंत्रालय / Ministry of New & Renewable Energy

ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,

Lodhi Road, New Delhi – 110003

Dated: 26th December, 2024

To,

M/s. Mundra Solar Energy Limited,
Survey No 180 P, Co Mundra Solar Technopark Pvt Ltd,
Electronics Manufacturing Cluster EMC, Village Vandh and Tunda,
Mundra, Kutch, Adani Ports and Special Economic Zone, Tunda, Kachchh - 370435, Gujarat

Sub: Provisional ALMM enlistment of Additional Solar PV Module Models of M/s. Mundra Solar Energy Limited – reg.

Sir / Madam,

This is in reference to the application received from M/s. Mundra Solar Energy Limited requesting for provisional enlistment of its additional models in ALMM List-I.

2. In this regard, the undersigned is directed to convey that in accordance with MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt. dated 10.05.2023, provisional enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, is hereby granted to M/s. Mundra Solar Energy Limited, Survey No 180 P, Co Mundra Solar Technopark Pvt Ltd, Electronics Manufacturing Cluster EMC, Village Vandh and Tunda, Mundra, Kutch, Adani Ports and Special Economic Zone, Tunda, Kachchh - 370435, Gujarat, in respect of 01 additional solar PV module models as mentioned in Appendix-I. The final enlistment in ALMM will be done subsequently, subject to the applicant fulfilling the conditions/provisions mentioned in the ALMM Order / Guidelines or any other instructions issued / conveyed to the applicant and the scrutiny by the Government.

3. Neither Ministry of New & Renewable Energy (MNRE), Government of India and National Institute of Solar Energy (NISE), nor any of their officers, employees, representatives shall be liable for any loss, liability, damage or expense arising out of or in connection with the Solar PV Module Models which have been granted Provisional Enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, but fail to get Final enlistment in MNRE's ALMM List-I.

4. This is being issued with the approval of competent authority.

Yours faithfully,



(Sanjay G. Karndhar)

Scientist-E

Email: karndhar.sg@nic.in

Copy to: Director General, National Institute of Solar Energy (NISE)

Copy for internal circulation to: PPS to Secretary (MNRE), PPS to JS(LB)

Copy to NIC, MNRE, for uploading on MNRE's Website as additional page(s) to the ALMM List-I hosted on MNRE's website.

Appendix-I

Name of Manufacturer	M/s. Mundra Solar Energy Limited
Plant Address	Survey No 180 P, Co Mundra Solar Technopark Pvt Ltd, Electronics Manufacturing Cluster EMC, Village Vandh and Tunda, Mundra, Kutch, Adani Ports and Special Economic Zone, Tunda, Kachchh - 370435, Gujarat
Whether Manufacturer already enlisted in ALMM	Yes
Already Enlisted Capacity	2125 MW/Year
Applied Capacity	2125 MW/Year

Details of Additional Models:

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS Details	No. of Cells in Module	System Voltage in Volt
1.	Bifacial Mono c-Si PERC Module	ASB-M10-144-553 (553)	ASB-M10-144-551	21.35	Registration No. R - 72005460	144 Half Cut Cells	1500



F. No. 283/41/2024- GRID SOLAR

भारत सरकार / Government of India

नवीन और नवीकरणीय ऊर्जा मंत्रालय/ Ministry of New & Renewable Energy

ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003

Dated: 26th December, 2024

To,

M/s. Redren Energy Pvt. Ltd.
Survey No. 154/1, 154/2,
Opposite Rangpar Bus stand, NH 27,
Jalida, Wankaner, Morbi – 363621, Gujarat.

Sub: Provisional ALMM enlistment of Additional Solar PV Module Models of M/s. Redren Energy Pvt. Ltd. – reg.

Sir / Madam,


This is in reference to the application received from M/s. Redren Energy Pvt. Ltd. requesting for provisional enlistment of its additional models in ALMM List-I.

2. In this regard, the undersigned is directed to convey that in accordance with MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt. dated 10.05.2023, provisional enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, is hereby granted to M/s. Redren Energy Pvt. Ltd., Survey No. 154/1, 154/2, Opposite Rangpar Bus stand, NH 27, Jalida, Wankaner, Morbi – 363621, Gujarat, in respect of 42 additional solar PV module models as mentioned in Appendix-I. The final enlistment in ALMM will be done subsequently, subject to the applicant fulfilling the conditions/ provisions mentioned in the ALMM Order / Guidelines or any other instructions issued / conveyed to the applicant and the scrutiny by the Government.

3. Neither Ministry of New & Renewable Energy (MNRE), Government of India and National Institute of Solar Energy (NISE), nor any of their officers, employees, representatives shall be liable for any loss, liability, damage or expense arising out of or in connection with the Solar PV Module Models which have been granted Provisional Enlistment in MNRE's Approved List of Models and Manufacturers (ALMM) List-I, but fail to get Final enlistment in MNRE's ALMM List-I.

4. This is being issued with the approval of competent authority.

Yours faithfully,



(Sanjay G. Karndhar)
Scientist-E

Email: karndhar.sg@nic.in

Copy to: Director General, National Institute of Solar Energy (NISE).

Copy for internal circulation to: PPS to Secretary (MNRE), PPS to JS(LB)

Copy to NIC, MNRE, for uploading on MNRE's Website as additional page(s) to the ALMM List-I hosted on MNRE's website.

Appendix-I

Name of Manufacturer	M/s. Redren Energy Pvt. Ltd.
Plant Address	Survey No. 154/1, 154/2, Opposite Rangpar Bus stand, NH 27, Jalida, Wankaner, Morbi – 363621, Gujarat.
Whether Manufacturer already enlisted in ALMM	Yes
Already Enlisted Capacity	77 MW/Year
Applied Capacity	400 MW/Year

Details of Additional Models:

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS Details	No. of Cells in Module	System Voltage (V)
1	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-156-620 (620 Wp)	RS-M10TC-156-645	23.16	Registration No.: R-72001775	156 (Half Cut Cells)	1500
			RS-M10TC-156-640	22.98			
			RS-M10TC-156-635	22.80			
			RS-M10TC-156-630	22.62			
			RS-M10TC-156-625	22.44			
			RS-M10TC-156-620	22.26			
			RS-M10TC-156-615	22.08			
			RS-M10TC-156-610	21.90			
			RS-M10TC-156-605	21.72			
			RS-M10TC-156-600	21.54			
2	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-156-585 (585 Wp)	RS-M10TC-156-590	21.18		156 (Half Cut Cells)	1500
			RS-M10TC-156-585	21.00			
			RS-M10TC-156-580	20.83			
3	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-144-590 (590 Wp)	RS-M10TC-144-610	23.61		144 (Half Cut Cells)	1500
			RS-M10TC-144-605	23.42			
			RS-M10TC-144-600	23.23			
			RS-M10TC-144-595	23.03			
			RS-M10TC-144-590	22.84			
			RS-M10TC-144-585	22.65			
			RS-M10TC-144-580	22.45			
			RS-M10TC-144-575	22.26			
4	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-144-560 (560 Wp)	RS-M10TC-144-565	21.87		144 (Half Cut Cells)	1500
			RS-M10TC-144-560	21.68			
			RS-M10TC-144-555	21.48			
			RS-M10TC-144-550	21.29			
5	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-132-550 (550 Wp)	RS-M10TC-132-560	23.58		132 (Half Cut Cells)	1500
			RS-M10TC-132-555	23.37			
			RS-M10TC-132-550	23.16			
			RS-M10TC-132-545	22.95			
			RS-M10TC-132-540	22.74			
			RS-M10TC-132-535	22.53			
6			RS-M10TC-132-530	22.32			1500
			RS-M10TC-132-525	22.11			

SH

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS Details	No. of Cells in Module	System Voltage (V)
	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-132-520 (520 Wp)	RS-M10TC-132-520	21.90		132 (Half Cut Cells)	
			RS-M10TC-132-515	21.69			
			RS-M10TC-132-510	21.48			
			RS-M10TC-132-505	21.27			
7	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-120-490 (490 Wp)	RS-M10TC-120-505	23.33		120 (Half Cut Cells)	1500
			RS-M10TC-120-500	23.10			
			RS-M10TC-120-495	22.87			
			RS-M10TC-120-490	22.63			
			RS-M10TC-120-485	22.40			
			RS-M10TC-120-480	22.17			
			RS-M10TC-120-475	21.94			
	RS-M10TC-120-470	21.71					
8	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-120-460 (460 Wp)	RS-M10TC-120-465	21.48		120 (Half Cut Cells)	1500
			RS-M10TC-120-460	21.25			
			RS-M10TC-120-455	21.02			
9	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-108-440 (440 Wp)	RS-M10TC-108-455	23.27		108 (Half Cut Cells)	1500
			RS-M10TC-108-450	23.02			
			RS-M10TC-108-445	22.76			
			RS-M10TC-108-440	22.51			
			RS-M10TC-108-435	22.25			
			RS-M10TC-108-430	21.99			
	RS-M10TC-108-425	21.74					
10	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-108-415 (415 Wp)	RS-M10TC-108-420	21.48		108 (Half Cut Cells)	1500
			RS-M10TC-108-415	21.23			
			RS-M10TC-108-410	20.97			
11	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-96-390 (390 Wp)	RS-M10TC-96-400	22.95		96 (Half Cut Cells)	1500
			RS-M10TC-96-395	22.66			
			RS-M10TC-96-390	22.38			
			RS-M10TC-96-385	22.09			
			RS-M10TC-96-380	21.80			
12	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-96-370 (370 Wp)	RS-M10TC-96-375	21.52		96 (Half Cut Cells)	1500
			RS-M10TC-96-370	21.23			
			RS-M10TC-96-365	20.94			
			RS-M10TC-96-360	20.65			
13	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-84-340 (340 Wp)	RS-M10TC-84-350	22.83		84 (Half Cut Cells)	1500
			RS-M10TC-84-345	22.50			
			RS-M10TC-84-340	22.18			
			RS-M10TC-84-335	21.85			
			RS-M10TC-84-330	21.52			
14	Bifacial N-Type TOPCon	RS-M10TC-84-320 (320 Wp)	RS-M10TC-84-325	21.20		84 (Half Cut Cells)	1500
			RS-M10TC-84-320	20.87			
			RS-M10TC-84-315	20.55			

SA

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS Details	No. of Cells in Module	System Voltage (V)
	Module (Glass to Glass)						
15	N-Type TOPCon Module	RSM10CTC156-645 (645 Wp)	RSM10CTC156-660	23.70		156 (Half Cut Cells)	1500
			RSM10CTC156-655	23.52			
			RSM10CTC156-650	23.34			
			RSM10CTC156-645	23.16			
			RSM10CTC156-640	22.98			
			RSM10CTC156-635	22.80			
			RSM10CTC156-630	22.62			
16	N-Type TOPCon Module	RSM10CTC156-610 (610 Wp)	RSM10CTC156-625	22.44		156 (Half Cut Cells)	1500
			RSM10CTC156-620	22.26			
			RSM10CTC156-615	22.08			
			RSM10CTC156-610	21.90			
			RSM10CTC156-605	21.72			
			RSM10CTC156-600	21.54			
			RSM10CTC156-595	21.36			
17	N-Type TOPCon Module	RSM10CTC144-590 (590 Wp)	RSM10CTC144-610	23.61		144 (Half Cut Cells)	1500
			RSM10CTC144-605	23.42			
			RSM10CTC144-600	23.23			
			RSM10CTC144-595	23.03			
			RSM10CTC144-590	22.84			
			RSM10CTC144-585	22.65			
			RSM10CTC144-580	22.45			
			RSM10CTC144-575	22.26			
			RSM10CTC144-570	22.07			
18	N-Type TOPCon Module	RSM10CTC144-560 (560 Wp)	RSM10CTC144-565	21.87		144 (Half Cut Cells)	1500
			RSM10CTC144-560	21.68			
			RSM10CTC144-555	21.48			
			RSM10CTC144-550	21.29			
19	N-Type TOPCon Module	RSM10CTC132-550 (550 Wp)	RSM10CTC132-560	23.58		132 (Half Cut Cells)	1500
			RSM10CTC132-555	23.37			
			RSM10CTC132-550	23.16			
			RSM10CTC132-545	22.95			
			RSM10CTC132-540	22.74			
			RSM10CTC132-535	22.53			
			RSM10CTC132-530	22.32			
20	N-Type TOPCon Module	RSM10CTC132-520 (520 Wp)	RSM10CTC132-525	22.11		132 (Half Cut Cells)	1500
			RSM10CTC132-520	21.90			
			RSM10CTC132-515	21.69			
			RSM10CTC132-510	21.48			
			RSM10CTC132-505	21.27			
21	N-Type TOPCon Module	RSM10CTC120-490 (490 Wp)	RSM10CTC120-505	23.33		120 (Half Cut Cells)	1500
			RSM10CTC120-500	23.10			
			RSM10CTC120-495	22.87			
			RSM10CTC120-490	22.63			
			RSM10CTC120-485	22.40			
			RSM10CTC120-480	22.17			
			RSM10CTC120-475	21.94			
22			RSM10CTC120-470	21.71			1500
			RSM10CTC120-465	21.48			
			RSM10CTC120-460	21.25			

Sd

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS Details	No. of Cells in Module	System Voltage (V)
	N-Type TOPCon Module	RSM10CTC120-460 (460 Wp)	RSM10CTC120-455	21.02		120 (Half Cut Cells)	
23	N-Type TOPCon Module	RSM10CTC108-440 (440 Wp)	RSM10CTC108-455 RSM10CTC108-450 RSM10CTC108-445 RSM10CTC108-440 RSM10CTC108-435 RSM10CTC108-430 RSM10CTC108-425	23.27 23.02 22.76 22.51 22.25 21.99 21.74		108 (Half Cut Cells)	1500
24	N-Type TOPCon Module	RSM10CTC108-415 (415 Wp)	RSM10CTC108-420 RSM10CTC108-415 RSM10CTC108-410	21.48 21.23 20.97		108 (Half Cut Cells)	1500
25	N-Type TOPCon Module	RSM10CTC96-390 (390 Wp)	RSM10CTC96-400 RSM10CTC96-395 RSM10CTC96-390 RSM10CTC96-385 RSM10CTC96-380	22.95 22.66 22.38 22.09 21.80		96 (Half Cut Cells)	1500
26	N-Type TOPCon Module	RSM10CTC96-370 (370 Wp)	RSM10CTC96-375 RSM10CTC96-370 RSM10CTC96-365 RSM10CTC96-360	21.52 21.23 20.94 20.65		96 (Half Cut Cells)	1500
27	N-Type TOPCon Module	RSM10CTC84-340 (340 Wp)	RSM10CTC84-350 RSM10CTC84-345 RSM10CTC84-340 RSM10CTC84-335 RSM10CTC84-330	22.83 22.50 22.18 21.85 21.52		84 (Half Cut Cells)	1500
28	N-Type TOPCon Module	RSM10CTC84-320 (320 Wp)	RSM10CTC84-325 RSM10CTC84-320 RSM10CTC84-315	21.20 20.87 20.55		84 (Half Cut Cells)	1500
29	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC156-645 (645 Wp)	RSM10BTC156-660 RSM10BTC156-655 RSM10BTC156-650 RSM10BTC156-645 RSM10BTC156-640 RSM10BTC156-635 RSM10BTC156-630	23.70 23.52 23.34 23.16 22.98 22.80 22.62		156 (Half Cut Cells)	1500
30	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC156-610 (610 Wp)	RSM10BTC156-625 RSM10BTC156-620 RSM10BTC156-615 RSM10BTC156-610 RSM10BTC156-605 RSM10BTC156-600 RSM10BTC156-595	22.44 22.26 22.08 21.90 21.72 21.54 21.36		156 (Half Cut Cells)	1500
31	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC144-590 (590 Wp)	RSM10BTC144-610 RSM10BTC144-605 RSM10BTC144-600 RSM10BTC144-595 RSM10BTC144-590 RSM10BTC144-585 RSM10BTC144-580 RSM10BTC144-575	23.61 23.42 23.23 23.03 22.84 22.65 22.45 22.26		144 (Half Cut Cells)	1500

SK

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS Details	No. of Cells in Module	System Voltage (V)
			RSM10BTC144-570	22.07			
32	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC144-560 (560 Wp)	RSM10BTC144-565 RSM10BTC144-560 RSM10BTC144-555 RSM10BTC144-550	21.87 21.68 21.48 21.29		144 (Half Cut Cells)	1500
33	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC132-550 (550 Wp)	RSM10BTC132-560 RSM10BTC132-555 RSM10BTC132-550 RSM10BTC132-545 RSM10BTC132-540 RSM10BTC132-535 RSM10BTC132-530	23.58 23.37 23.16 22.95 22.74 22.53 22.32		132 (Half Cut Cells)	1500
34	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC132-520 (520 Wp)	RSM10BTC132-525 RSM10BTC132-520 RSM10BTC132-515 RSM10BTC132-510 RSM10BTC132-505	22.11 21.90 21.69 21.48 21.27		132 (Half Cut Cells)	1500
35	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC120-490 (490 Wp)	RSM10BTC120-505 RSM10BTC120-500 RSM10BTC120-495 RSM10BTC120-490 RSM10BTC120-485 RSM10BTC120-480 RSM10BTC120-475 RSM10BTC120-470	23.33 23.10 22.87 22.63 22.40 22.17 21.94 21.71		120 (Half Cut Cells)	1500
36	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC120-460 (460 Wp)	RSM10BTC120-465 RSM10BTC120-460 RSM10BTC120-455	21.48 21.25 21.02		120 (Half Cut Cells)	1500
37	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC108-440 (440 Wp)	RSM10BTC108-455 RSM10BTC108-450 RSM10BTC108-445 RSM10BTC108-440 RSM10BTC108-435 RSM10BTC108-430 RSM10BTC108-425	23.27 23.02 22.76 22.51 22.25 21.99 21.74		108 (Half Cut Cells)	1500
38	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC108-415 (415 Wp)	RSM10BTC108-420 RSM10BTC108-415 RSM10BTC108-410	21.48 21.23 20.97		108 (Half Cut Cells)	1500
39	Bifacial N-Type		RSM10BTC96-400 RSM10BTC96-395	22.95 22.66			1500

SK

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	BIS Details	No. of Cells in Module	System Voltage (V)
	TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC96-390 (390 Wp)	RSM10BTC96-390 RSM10BTC96-385 RSM10BTC96-380	22.38 22.09 21.80		96 (Half Cut Cells)	
40	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC96-370 (370 Wp)	RSM10BTC96-375 RSM10BTC96-370 RSM10BTC96-365 RSM10BTC96-360	21.52 21.23 20.94 20.65		96 (Half Cut Cells)	1500
41	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC84-345 (345 Wp)	RSM10BTC84-350 RSM10BTC84-345 RSM10BTC84-340 RSM10BTC84-335	22.83 22.50 22.18 21.85		84 (Half Cut Cells)	1500
42	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC84-325 (325 Wp)	RSM10BTC84-330 RSM10BTC84-325 RSM10BTC84-320 RSM10BTC84-315	21.52 21.20 20.87 20.55		84 (Half Cut Cells)	1500

SH