

F. No. 283/41/2024-GRID SOLAR

भारत सरकार / Government of India

नवीन और नवीकरणीय ऊर्जा मंत्रालय / Ministry of New & Renewable Energy

ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003.

Dated: 19th September 2025

OFFICE MEMORANDUM

Sub: Updation of List I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 – Reg.

- Ref:** (i) MNRE's O.M. No. 283/54/2018-GRID SOLAR–Part(1) dated 10.03.2021
(ii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 10.05.2023;
(iii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 22.03.2024;
(iv) MNRE's O.M. No. 32/33/2024-SPV Division dated 06.05.2025;

Reference is invited to this Ministry's O.M.s of even no. dated 10.03.2021, regarding implementation of Approved Models and Manufacturers of Solar Photovoltaic Modules (Requirement for Compulsory Registration) Order, 2019 and publishing List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019.

2. This Ministry vide its O.M.s referred at (ii), (iii) & (iv) above, inter-alia, directed that only such models of Solar PV Module Manufacturers will be enlisted under ALMM, which comply with the BIS Standards and are having the following minimum module efficiency:

Category	Application/Use	Minimum Module Efficiency required to be eligible for enlistment in ALMM for solar PV modules	
		For c-Si technology based solar PV modules	For CdTe thin film technology based solar PV modules
Category-I	Utility/Grid Scale Power Plants	20.00%	19.00%
Category-II	Rooftop and Solar Pumping	19.50%	18.50%
Category-III	Off-grid projects/applications like solar lamps, solar lights, solar street lights, solar fans, etc. (other than solar powered agricultural pumps and solar PV rooftops) requiring individual capacity of each solar PV module deployed, to be of less than 200 Watt peak	18.00%	18.00%
		(not to be included in main ALMM List-I but to be included in a separate ALMM list called ALMM List-I (DRE)	
Category-IV	Any other application	19.00%	18.00%

3. Post the aforesaid O.M. dated 10.05.2023 and subsequent O.M.s dated 22.03.2024 and 06.05.2025, only such models of Solar PV Modules have been considered for enlistment under ALMM List-I, whose module efficiency is meeting the eligibility criteria as mentioned in table at para-2 above.

4. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 was last updated on 13.08.2025.

5. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 is hereby further revised and the Revision-XLI (in the format of additions / modifications to Revision-XLI) is enclosed at Annexure-I. The last revision no. XLI dated 13.08.2025 along with provisional enlistments therein (excluding those which have been removed on account of inclusion in main ALMM List-I or inordinate delay in getting final inspection done) is at pages after Annexure-I.

6. The ALMM enlistment validity is subject to valid BIS Registration; else deemed to be delisted.

7. The details of Registration No. (R. No.) which has been allotted by BIS is mentioned against each manufacturer / manufacturing unit enlisted in ALMM and further details related to BIS certification like validity, models included, etc. may be checked from BIS website by using the following link:
https://www.crsbis.in/BIS/Lims_registrationc.do?hmode=getLimsData

8. This issues with the approval of competent authority.

(Sanjay G. Karndhar)

Scientist-E

E-mail: karndhar.sg@nic.in

Encl: as above

To: All Concerned

Copy to: Director (Technical), NIC, MNRE for uploading this document on MNRE's website

A. Amendments/ Updates in previous lists of ALMM List-I

1. **M/s. Sahaj Solar Privat Ltd** (ALMM list for solar PV modules issued on 27.03.2025 => Sl. No. 24) Name of **Sahaj Solar Private Ltd** has been changed to **Sahaj Solar Limited**
2. **M/s. Onix-Tech Renewable Private Limited** (ALMM list for solar PV modules issued on 13.08.2025 => Sl. No. 3) Name of **Onix-Tech Renewable Private Limited** has been changed to **Nexgenix Solar Manufacturing Private Limited**
3. **M/s. Rayzon Solar Private Limited** (ALMM list for solar PV modules issued on 27.03.2025 => Sl. No. 16) Name of **Rayzon Solar Private Limited** has been changed to **Rayzon Solar Limited** and the Address has also been changed
from
[Block No. 94/1/1F, 94/1/3, 102/1, 103, 104, 105, 109, 110, 118, 119, 120, Kim Mandvi Road, Near Hariya Talav, B/H Aron Pipe, Kim Mandvi Road, Karanj, Surat - 394110, Gujarat, India]
to
Block 94/1/1/F 94/1/3 94/1/1/A 102/1 103 104 105 109 110 112 113 118 119 120 City Survey No.: NA 94/1/2/A NA 94/1/2/B NA 123 & NA 124 B/H Hariya Talav Kim-Mandvi Road Vill.: Karanj Ta.: Mandvi Dist.: Surat - 394110, Gujarat, 394110

Note:

Older names/ addresses of the companies mentioned at (1) (2) and (3) above, even if appearing at places other than those explicitly mentioned above, may also be considered to have been changed accordingly.

4. **M/s. Tata Power Renewable Energy Limited** (Formerly M/s. Tata Power Solar Systems Ltd) (ALMM list for solar PV modules issued on 27.03.2025 => Sl. No. 44) – one of the 'enlisted models' under 'Applied Model' - TP525HG10, is mentioned as 'TP5435HG10' which may be read as '**TP535HG10**'
5. **M/s. Vikram Solar Limited** (ALMM list for solar PV modules issued on 13.08.2025 => Sl. No. 19) Names of 'Enlisted Models' which were added on 13.08.2025, were not completely visible due to limited column width, the same may be read as follows:

Enlisted Models
HYPERSOL VSMDH.66.590.05
HYPERSOL VSMDH.66.595.05
HYPERSOL VSMDH.66.600.05
HYPERSOL VSMDH.66.605.05
HYPERSOL VSMDH.66.610.05
HYPERSOL VSMDH.66.615.05
HYPERSOL VSMDH.66.620.05
HYPERSOL VSMDH.66.625.05
HYPERSOL VSMDH.66.630.05
HYPERSOL VSMDH.66.635.05
HYPERSOL VSMDH.66.640.05
HYPERSOL VSMDH.60.580.05
HYPERSOL VSMDH.60.575.05
HYPERSOL VSMDH.60.570.05
HYPERSOL VSMDH.60.565.05
HYPERSOL VSMDH.60.560.05
HYPERSOL VSMDH.60.555.05
HYPERSOL VSMDH.60.550.05
HYPERSOL VSMDH.60.545.05



B. New additions on 19.09.2025 in the List of Manufacturers and Models of Solar PV Modules Enlisted under ALMM Order

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity													
												From	To (subject to valid BIS Registration; else deemed to be delisted)												
1	M/s. Avaada Electro Private Limited (Capacity Addition)	A-67, MIDC Road, Additional Butibori Industrial Area, Nagpur-441108, Maharashtra, India	R-71040312	4111	i	Bifacial N Type TOPCon Module (Glass to Glass)	AVN66G12G710 (710 Wp)	AVN66G12G720	23.18	132 (Half Cut Cells)	1500	05.06.2025	04.06.2029												
								AVN66G12G715	23.02																
								AVN66G12G710	22.86																
								AVN66G12G705	22.70																
								AVN66G12G700	22.53																
					ii	Bifacial N Type TOPCon Module (Glass to Glass)	AVN60G12G640 (640 Wp)	AVN60G12G650	22.97	120 (Half Cut Cells)	1500														
								AVN60G12G645	22.79																
								AVN60G12G640	22.61																
								AVN60G12G635	22.44																
								AVN60G12G630	22.26																
					iii	Bifacial N Type TOPCon Module (Glass to Glass)	AVN66G12RG620 (620 Wp)	AVN66G12RG630	23.32	132 (Half Cut Cells)	1500														
								AVN66G12RG625	23.14																
								AVN66G12RG620	22.95																
								AVN66G12RG615	22.77																
								AVN66G12RG610	22.58																
					iv	Bifacial N Type TOPCon Module (Glass to Glass)	AVN60G12RG560 (560 Wp)	AVN60G12RG570	23.14	120 (Half Cut Cells)	1500														
								AVN60G12RG565	22.94																
								AVN60G12RG560	22.74																
								AVN60G12RG555	22.53																
								AVN60G12RG550	22.33																
2	M/s. Kosol Energie Pvt. Ltd. (Model Addition + Capacity Addition)	Survey No: 415/B, Opp. Super Gas, Village: Bhayla, Bavla-Bagodra Highway, Ta: Bavla, Dist: Ahmedabad - 382220, Gujarat, India.	R-72003417	1526	i	Bifacial N Type TOPCON Module (Glass to Glass)	KE600N (600Wp)	KE620N	23.92	144 (Half Cut Cells)	1500	04.03.2024	03.03.2028												
								KE615N	23.73																
								KE610N	23.54																
								KE605N	23.34																
								KE600N	23.15																
								KE595N	22.96																
								KE590N	22.76																
								KE585N	22.57																
					ii	Bifacial N Type TOPCON Module (Glass to Glass)	KE555N (555Wp)	KE580N	24.35	132(Half Cut Cells)	1500														
								KE575N	24.14																
								KE570N	23.93																
								KE565N	23.72																
								KE560N	23.51																
								KE555N	23.30																
								KE550N	23.09																
								KE545N	22.88																
								KE540N	22.67																
								KE535N	22.46																
					iii	Bifacial N Type TOPCON Module (Glass to Glass)	KE505N (505Wp)	KE530N	24.35	120(Half Cut Cells)	1500														
								KE525N	24.12																
								KE520N	23.89																
								KE515N	23.66																
								KE510N	23.43																
								KE505N	23.20																
								KE500N	22.97																
								KE495N	22.74																
								KE490N	22.51																
								KE485N	22.28																
					iv	Bifacial N Type TOPCON Module (Glass to Glass)	KE455N (455Wp)	KE475N	24.21	108(Half Cut Cells)	1500														
								KE470N	23.95																
								KE465N	23.70																
								KE460N	23.44																
								KE455N	23.19																
								KE450N	22.93																
								KE445N	22.68																
								KE440N	22.42																
								KE435N	22.17																
								3	M/s. FS Green Energies Private Limited.					Block No. 160 - 164, 168 Besides Act Agro Chem Pvt. Ltd., Juni Jithardi Road, Near	R-72011258	2896	i	Bifacial N-Type TOPCon Module (Glass to Glass)	FST-G12R.132G-620 (620 Wp)	FST-G12R.132G-600	22.19	132 (Half Cut Cells)	1500	28.10.2024	27.10.2028
																				FST-G12R.132G-605	22.38				
																				FST-G12R.132G-610	22.56				
FST-G12R.132G-615	22.75																								

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity		
												From	To (subject to valid BIS Registration; else deemed to be delisted)	
	(Model Addition + Capacity Addition)	Karjan Cross Road, NH - 8, Vadodara - 391240, Gujarat, India						FST-G12R.132G-620	22.93	120 (Half Cut Cells)	1500			
							FST-G12R.132G-625	23.12						
							FST-G12R.132G-630	23.30						
							FST-G12R.132G-635	23.49						
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	FST-G12R.120G-560 (560 Wp)	FST-G12R.120G-545	22.13					
									FST-G12R.120G-550					22.33
									FST-G12R.120G-555					22.53
									FST-G12R.120G-560					22.74
									FST-G12R.120G-565					22.94
									FST-G12R.120G-570					23.14
									FST-G12R.120G-575					23.35
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	FST-G12R.108G-505 (505 Wp)	FST-G12R.108G-485	21.82	108 (Half Cut Cells)	1500			
									FST-G12R.108G-490					22.05
									FST-G12R.108G-495					22.27
									FST-G12R.108G-500					22.50
									FST-G12R.108G-505					22.72
									FST-G12R.108G-510					22.95
									FST-G12R.108G-515					23.17
														FST-G12R.108G-520
4	M/s. Loom Solar Private Limited. (Model Addition + Capacity Change)	Block Ala, Palwal Logistic Park, Ferozpur, Palwal - 121102, Haryana, India	R-91017728	30	i	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	SHARK555 (555 Wp)	SHARK 560	21.68	144 (Half Cut Cells)	1500	21.04.2025	20.04.2029	
								SHARK 555	21.48					
								SHARK 550	21.29					
					ii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	SHARK525 (525 Wp)	SHARK 545	22.96	132 (Half Cut Cells)	1500			
								SHARK 540	22.75					
								SHARK 535	22.54					
								SHARK 530	22.33					
								SHARK 525	22.12					
								SHARK 520	21.91					
								SHARK 515	21.70					
								SHARK 510	21.49					
								SHARK 505	21.28					
								SHARK 500	21.07					
								COS TOP-570	22.07					144 (Half Cut Cells)
								COS TOP-575	22.26					
								COS TOP-580	22.45					
								COS TOP-585	22.65					
								COS TOP-590	22.84					
								COS TOP-595	23.03					
5	M/s. Cosmic PV Power Private Limited (Model Addition + Capacity Addition)	Survey No. 1605/1, Block No. 2098/1/B, Tadkeshvar, Mandavi, Surat- 394170, Gujarat, India	R-72009539	1302	i	Bifacial N-Type TOPCon Modules (Glass to Glass)	COS TOP-575 (575 Wp)	COS TOP-600	23.23	132 (Half Cut Cells)	1500	24.05.2024	23.05.2028	
								COS TOP-520	21.89					
								COS TOP-525	22.10					
								COS TOP-530	22.31					
								COS TOP-535	22.52					
								COS TOP-540	22.73					
					ii	Bifacial N-Type TOPCon Modules (Glass to Glass)	COS TOP-535 (535 Wp)	COS TOP-545	22.94	144 (Half Cut Cells)	1500			
								COS TOP-550	23.15					
								COS TWIN-510	19.74					
								COS TWIN-515	19.94					
								COS TWIN-520	20.13					
								COS TWIN-525	20.32					
					iii	Mono c-Si PERC Modules	COS TWIN-525 (525 Wp)	COS TWIN-530	20.52					
								COS TWIN-535	20.71					
								COS TWIN-540	20.90					
								COS TWIN-545	21.10					
								COS TWIN-550	21.29					
								R-NG2G-16B-156-605	21.63	156 (Half Cut Cells)	1500			19.09.2025
6	M/s. Raajratna Ventures Limited (Model Addition under Co-ALMM)	Co-ALMM with M/s. Knack Energy Private Limited. Manufacturing Address:	R-72013099	50 (As per CoBranding Agreement)	i	Bifacial N-Type TOPCon Module (Glass to Glass)	R-NG2G-16B-156-630 (630 Wp)	R-NG2G-16B-156-610	21.81					
								R-NG2G-16B-156-615	21.99					
								R-NG2G-16B-156-620	22.17					
								R-NG2G-16B-156-625	22.35					
								R-NG2G-16B-156-630	22.53					
								R-NG2G-16B-156-635	22.71					

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
		Survey No. 291 & 292, Besides Kamla Amrut Industrial Estate, Budasun, Near Hitachi, Jhonson Kadi, Mehsana - 382715,Gujarat, India						R-NG2G-16B-156-640	22.89	156 (Half Cut Cells)	1500		
								R-NG2G-16B-156-645	23.07				
								R-NG2G-16B-156-650	23.24				
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	R-NG2G-16A-156-630 (630 Wp)	R-NG2G-16A-156-605	21.63	156 (Half Cut Cells)	1500		
								R-NG2G-16A-156-610	21.81				
								R-NG2G-16A-156-615	21.99				
								R-NG2G-16A-156-620	22.17				
								R-NG2G-16A-156-625	22.35				
								R-NG2G-16A-156-630	22.53				
								R-NG2G-16A-156-635	22.71				
								R-NG2G-16A-156-640	22.89				
								R-NG2G-16A-156-645	23.07				
								R-NG2G-16A-156-650	23.24				
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	R-NG2G-16B-144-560 (560 Wp)	R-NG2G-16B-144-545	21.10	144 (Half Cut Cells)	1500		
								R-NG2G-16B-144-550	21.29				
								R-NG2G-16B-144-555	21.48				
								R-NG2G-16B-144-560	21.68				
								R-NG2G-16B-144-565	21.87				
								R-NG2G-16B-144-570	22.07				
								R-NG2G-16B-144-575	22.26				
								R-NG2G-16B-144-580	22.45				
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	R-NG2G-16B-144-590 (590 Wp)	R-NG2G-16B-144-585	22.65	144 (Half Cut Cells)	1500		
								R-NG2G-16B-144-590	22.84				
								R-NG2G-16B-144-595	23.03				
								R-NG2G-16B-144-600	23.23				
					v	Bifacial N-Type TOPCon Module (Glass to Glass)	R-NG2G-16A-144-560 (560 Wp)	R-NG2G-16A-144-545	21.10	144 (Half Cut Cells)	1500		
								R-NG2G-16A-144-550	21.29				
								R-NG2G-16A-144-555	21.48				
								R-NG2G-16A-144-560	21.68				
								R-NG2G-16A-144-565	21.87				
								R-NG2G-16A-144-570	22.07				
								R-NG2G-16A-144-575	22.26				
								R-NG2G-16A-144-580	22.45				
					vi	Bifacial N-Type TOPCon Module (Glass to Glass)	R-NG2G-16A-144-590 (590 Wp)	R-NG2G-16A-144-585	22.65	144 (Half Cut Cells)	1500		
								R-NG2G-16A-144-590	22.84				
								R-NG2G-16A-144-595	23.03				
								R-NG2G-16A-144-600	23.23				
								R-NG2G-16A-144-505	19.55				
					vii	Bifacial Mono c-Si PERC Module (Glass to Glass)	R-PG2G-10A-144-530 (530 Wp)	R-PG2G-10A-144-510	19.74	144 (Half Cut Cells)	1500		
								R-PG2G-10A-144-515	19.94				
								R-PG2G-10A-144-520	20.13				
								R-PG2G-10A-144-525	20.32				
								R-PG2G-10A-144-530	20.52				
								R-PG2G-10A-144-535	20.71				
								R-PG2G-10A-144-540	20.90				
								R-PG2G-10A-144-545	21.10				
								R-PG2G-10A-144-550	21.29				
								R-PG2G-10A-144-555	21.48				
								R-NG2G-16B-132-495	20.87				
					viii	Bifacial N-Type TOPCon Module (Glass to Glass)	R-NG2G-16B-132-515 (515 Wp)	R-NG2G-16B-132-500	21.08	132 (Half Cut Cells)	1500		
								R-NG2G-16B-132-505	21.29				
								R-NG2G-16B-132-510	21.50				
								R-NG2G-16B-132-515	21.71				
								R-NG2G-16B-132-520	21.92				
								R-NG2G-16B-132-525	22.13				
								R-NG2G-16B-132-530	22.34				
								R-NG2G-16B-132-535	22.55				
								R-NG2G-16B-132-540	22.76				
								R-NG2G-16A-132-495	20.87				
					ix	Bifacial N-Type TOPCon Module (Glass to Glass)	R-NG2G-16A-132-515 (515 Wp)	R-NG2G-16A-132-500	21.08	132 (Half Cut Cells)	1500		
								R-NG2G-16A-132-505	21.29				
								R-NG2G-16A-132-510	21.50				
								R-NG2G-16A-132-515	21.71				
								R-NG2G-16A-132-520	21.92				
								R-NG2G-16A-132-525	22.13				
R-NG2G-16A-132-525	22.13												

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity			
												From	To (subject to valid BIS Registration; else deemed to be delisted)		
								R-NG2G-16A-132-530	22.34	132 (Half Cut Cells)	1500				
								R-NG2G-16A-132-535	22.55						
								R-NG2G-16A-132-540	22.76						
					x	Bifacial Mono c-Si PERC Module (Glass to Glass)	R-PG2G-10A-132-480 (480 Wp)	R-PG2G-10A-132-460	19.39						
								R-PG2G-10A-132-465	19.60						
								R-PG2G-10A-132-470	19.81						
								R-PG2G-10A-132-475	20.02						
								R-PG2G-10A-132-480	20.23						
								R-PG2G-10A-132-485	20.44						
								R-PG2G-10A-132-490	20.65						
								R-PG2G-10A-132-495	20.87						
								R-PG2G-10A-132-500	21.08						
					xi	Bifacial N-Type TOPCon Module (Glass to Glass)	R-NG2G-16B-120-470 (470 Wp)	R-NG2G-16B-120-450	20.80	120 (Half Cut Cells)	1500				
								R-NG2G-16B-120-455	21.03						
								R-NG2G-16B-120-460	21.26						
								R-NG2G-16B-120-465	21.49						
								R-NG2G-16B-120-470	21.72						
								R-NG2G-16B-120-475	21.95						
								R-NG2G-16B-120-480	22.18						
								R-NG2G-16B-120-485	22.42						
								R-NG2G-16B-120-490	22.65						
					xii	Bifacial N-Type TOPCon Module (Glass to Glass)	R-NG2G-16A-120-470 (470 Wp)	R-NG2G-16A-120-450	20.80	120 (Half Cut Cells)	1500				
								R-NG2G-16A-120-455	21.03						
								R-NG2G-16A-120-460	21.26						
								R-NG2G-16A-120-465	21.49						
								R-NG2G-16A-120-470	21.72						
								R-NG2G-16A-120-475	21.95						
								R-NG2G-16A-120-480	22.18						
								R-NG2G-16A-120-485	22.42						
								R-NG2G-16A-120-490	22.65						
					xiii	Bifacial Mono c-Si PERC Module (Glass to Glass)	R-PG2G-10A-120-435 (435 Wp)	R-PG2G-10A-120-415	19.18	120 (Half Cut Cells)	1500				
								R-PG2G-10A-120-420	19.41						
								R-PG2G-10A-120-425	19.64						
								R-PG2G-10A-120-430	19.87						
								R-PG2G-10A-120-435	20.10						
								R-PG2G-10A-120-440	20.34						
								R-PG2G-10A-120-445	20.57						
								R-PG2G-10A-120-450	20.80						
								R-PG2G-10A-120-455	21.03						
					xiv	Bifacial N-Type TOPCon Module (Glass to Glass)	R-NG2G-16B-108-425 (425 Wp)	R-NG2G-16B-108-405	20.64	108 (Half Cut Cells)	1500				
								R-NG2G-16B-108-410	20.90						
								R-NG2G-16B-108-415	21.15						
								R-NG2G-16B-108-420	21.41						
								R-NG2G-16B-108-425	21.66						
								R-NG2G-16B-108-430	21.92						
								R-NG2G-16B-108-435	22.17						
								R-NG2G-16B-108-440	22.43						
								R-NG2G-16B-108-445	22.68						
					xv	Bifacial N-Type TOPCon Module (Glass to Glass)	R-NG2G-16A-108-425 (425 Wp)	R-NG2G-16A-108-405	20.64	108 (Half Cut Cells)	1500				
								R-NG2G-16A-108-410	20.90						
								R-NG2G-16A-108-415	21.15						
								R-NG2G-16A-108-420	21.41						
								R-NG2G-16A-108-425	21.66						
								R-NG2G-16A-108-430	21.92						
								R-NG2G-16A-108-435	22.17						
								R-NG2G-16A-108-440	22.43						
								R-NG2G-16A-108-445	22.68						
					xvi	Bifacial Mono c-Si PERC Module (Glass to Glass)	R-PG2G-10A-108-385 (385 Wp)	R-PG2G-10A-108-375	19.11	108 (Half Cut Cells)	1500				
								R-PG2G-10A-108-380	19.37						
								R-PG2G-10A-108-385	19.62						
								R-PG2G-10A-108-390	19.88						
					xvii	Bifacial Mono c-Si PERC Module (Glass to Glass)	R-PG2G-10A-108-405 (405 Wp)	R-PG2G-10A-108-395	20.13	108 (Half Cut Cells)	1500				
								R-PG2G-10A-108-400	20.39						
								R-PG2G-10A-108-405	20.64						
								R-PG2G-10A-108-410	20.90						

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity								
												From	To (subject to valid BIS Registration; else deemd to be delisted)							
7	M/s. Rajasthan Electronics and Instruments Limited (REIL) (Model Addition under Co-ALMM)	Co-ALMM with M/s. Sunbond Energy Private Limited. Manufacturing Address: S.No. 181/P2 Opp. 66 kV substation, Mitana-Padadhari Road , Mitana, Rajkot - 363650, Gujarat, India	R-72013498	10 (As per CoBranding Agreement)	i	Bifacial Mono c-Si PERC Module (Glass to Transperant Backsheet)	RSEPLM10B156-585 (585 Wp)	RSEPLM10B156-565	20.22	156 (Half Cut Cells)	1500	19.09.2025	12.06.2027							
								RSEPLM10B156-570	20.40											
								RSEPLM10B156-575	20.58											
								RSEPLM10B156-580	20.76											
								RSEPLM10B156-585	20.94											
								RSEPLM10B156-590	21.12											
					RSEPLM10B156-595	21.29														
					RSEPLM10B156-600	21.47	144 (Half Cut Cells)	1500												
					ii	Bifacial Mono c-Si PERC Module (Glass to Transperant Backsheet)			RSEPLM10B144-550 (550 Wp)	RSEPLM10B144-540	20.90									
										RSEPLM10B144-545	21.10									
										RSEPLM10B144-550	21.29									
										RSEPLM10B144-555	21.48									
RSEPLM10B144-560	21.68																			
RSEPLM10-540	20.90																			
iii	Mono c-Si PERC Module	RSEPLM10-545 (545 Wp)	RSEPLM10-545	21.10																
			RSEPLM10-550	21.29																
					144 (Half Cut Cells)	1500														
8	M/s. Emmvee Energy Private Limited (New Addition in ALMM)	Ground, 13/1, 13/2, 14, 15/1, 15/2, 16/1, 16/2, 17/1, 17/2 to 22/3, HSK Logistics Assets (India) Pvt Ltd, B & C Block, NH 648, HSK Logistics Assets (India) Pvt Ltd, Kadaranapura Village, Sulibele - 562129, Bengaluru Rural, Karnataka, India	R-62006050	2229			i	Bifacial N-Type TOPCon Module (Glass to Glass)	E595HCBG144-T (595 Wp)	E605HCBG144-T	23.42	144 (Half Cut Cells)	1500	19.09.2025	18.09.2029					
					E600HCBG144-T	23.23														
					E595HCBG144-T	23.03														
					E590HCBG144-T	22.84														
					E585HCBG144-T	22.65														
					E580HCBG144-T	22.45														
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	E560HCBG144-T (560 Wp)	E575HCBG144-T	22.26	144 (Half Cut Cells)	1500									
								E570HCBG144-T	22.07											
								E665HCBG144-T	21.87											
								E560HCBG144-T	21.68											
								E555HCBG144-T	21.48											
								E550HCBG144-T	21.29											
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	E515HCBG132-T (515 Wp)	E545HCBG144-T	21.10	132 (Half Cut Cells)	1500									
								E530HCBG132-T	22.29											
								E525HCBG132-T	22.08											
								E520HCBG132-T	21.87											
								E515HCBG132-T	21.66											
								E510HCBG132-T	21.45											
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	E465HCBG120-T (465 Wp)	E505HCBG132-T	21.24	120 (Half Cut Cells).	1500									
								E500HCBG132-T	21.03											
								E480HCBG120-T	22.13											
								E475HCBG120-T	21.90											
								E470HCBG120-T	21.67											
								E465HCBG120-T	21.44											
					v	Bifacial N-Type TOPCon Module (Glass to Glass)	E420HCBG108-T (420 Wp)	E460HCBG120-T	21.20	108 (Half Cut Cells)	1500									
								E455HCBG120-T	20.97											
								E435HCBG108-T	22.30											
								E430HCBG108-T	22.05											
								E425HCBG108-T	21.79											
								E420HCBG108-T	21.53											
					9	M/s. Lubi Electronics (Model Addition under Co-ALMM)	Co-ALMM with M/s. Solex Energy Limited Plot No 1A, Block 938, Tadkeshwar, Kim Mandvi Road, Mandvi, Surat - 394110, Gujarat, India	40 (As per CoBranding Agreement)	R-72011304	i	Bifacial N-Type TOPCon Module (Glass to Glass)	LE132MBF600H (600 Wp)	E415HCBG108-T			21.28	132 (Half Cut Cells)	1500	19.09.2025	22.08.2026
													E410HCBG108-T			21.02				
													LE132MBF625H			23.14				
													LE132MBF620H			22.95				
													LE132MBF615H			22.77				
LE132MBF610H	22.58																			
LE132MBF605H	22.40																			
LE132MBF600H	22.21																			
LE132MBF595H	22.03																			
LE132MBF590H	21.84																			
LE132MBF585H	21.66																			
LE132MBF580H	21.47																			
ii	Bifacial N-Type TOPCon Module (Glass to Glass)	LE120MBF540H (540 Wp)	LE132MBF575H	21.29	120 (Half Cut Cells)	1500														
			LE132MBF570H	21.10																
			LE120MBF565H	22.94																
			LE120MBF560H	22.74																
			LE120MBF555H	22.53																

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								LE120MBF540H	21.92	108 (Half Cut Cells)	1500		
								LE120MBF535H	21.72				
								LE120MBF530H	21.52				
								LE120MBF525H	21.32				
								LE120MBF520H	21.11				
								LE120MBF515H	20.91				
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	LE108MBF490H (490 Wp)	LE108MBF510H	22.92	108 (Half Cut Cells)	1500		
								LE108MBF505H	22.70				
								LE108MBF500H	22.47				
								LE108MBF495H	22.25				
								LE108MBF490H	22.02				
								LE108MBF485H	21.80				
								LE108MBF480H	21.57				
								LE108MBF475H	21.35				
								LE108MBF470H	21.12				
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	LE96MBF430H (430 Wp)	LE96MBF450H	22.65	96 (Half Cut Cells)	1500		
								LE96MBF445H	22.40				
								LE96MBF440H	22.15				
								LE96MBF435H	21.89				
								LE96MBF430H	21.64				
								LE96MBF425H	21.39				
								LE96MBF420H	21.14				
								LE96MBF415H	20.89				
								LE96MBF410H	20.64				
					v	Bifacial N-Type TOPCon Module (Glass to Glass)	LE84MBF380H (380 Wp)	LE84MBF395H	22.59	84 (Half Cut Cells)	1500		
								LE84MBF390H	22.30				
								LE84MBF585H	22.02				
								LE84MBF380H	21.73				
								LE84MBF375H	21.45				
								LE84MBF370H	21.16				
								LE84MBF365H	20.87				
					vi	Bifacial N-Type TOPCon Module (Glass to Glass)	LE72MBF325H (325 Wp)	LE72MBF340H	22.51	72 (Half Cut Cells)	1500		
								LE72MBF335H	22.18				
								LE72MBF330H	21.85				
								LE72MBF325H	21.52				
								LE72MBF320H	21.19				
								LE72MBF315H	20.85				
								LE72MBF310H	20.52				
					vii	Bifacial N-Type TOPCon Module (Glass to Glass)	LE144MBF585H (585 Wp)	LE144MBF610H	23.61	144 (Half Cut Cells)	1500		
								LE144MBF605H	23.42				
								LE144MBF600H	23.23				
								LE144MBF595H	23.03				
								LE144MBF590H	22.84				
								LE144MBF585H	22.65				
								LE144MBF580H	22.45				
								LE144MBF575H	22.26				
								LE144MBF570H	22.07				
								LE144MBF565H	21.87				
					viii	Bifacial N-Type TOPCon Module (Glass to Glass)	LE132MBF520H (520 Wp)	LE144MBF560H	21.68	132 (Half Cut Cells)	1500		
								LE132MBF535H	22.54				
								LE132MBF530H	22.33				
								LE132MBF525H	22.12				
								LE132MBF520H	21.91				
								LE132MBF515H	21.70				
								LE132MBF510H	21.49				
								LE132MBF505H	21.28				
					ix	Bifacial N-Type TOPCon Module (Glass to Glass)	LE120MBF470H (470 Wp)	LE120MBF485H	22.36	120 (Half Cut Cells)	1500		
								LE120MBF480H	22.13				
								LE120MBF475H	21.90				
								LE120MBF470H	21.67				
								LE120MBF465H	21.44				
								LE120MBF460H	21.20				
					x	Bifacial N-Type TOPCon Module (Glass to Glass)	LE108MBF415H (415 Wp)	LE108MBF435H	22.17	108 (Half Cut Cells)	1500		
								LE108MBF430H	21.92				
								LE108MBF425H	21.66				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity		
												From	To (subject to valid BIS Registration; else deemd to be delisted)	
					xi	Bifacial N-Type TOPCon Module (Glass to Glass)	LE96MBF380H (380Wp)	LE108MBF420H	21.41	96 (Half Cut Cells)	1500			
								LE108MBF415H	21.15					
								LE96MBF390H	22.33					
								LE96MBF385H	22.05					
								LE96MBF380H	21.76					
								LE96MBF375H	21.47					
					xii	Bifacial N-Type TOPCon Module (Glass to Glass)	LE84MBF330H (330 Wp)	LE96MBF370H	21.19	84 (Half Cut Cells)	1500			
								LE84MBF340H	22.13					
								LE84MBF330H	21.48					
								LE84MBF325H	21.15					
					xiii	Bifacial N-Type TOPCon Module (Glass to Glass)	LE72MBF285H (285 Wp)	LE72MBF290H	21.86	72 (Half Cut Cells)	1500			
								LE72MBF285H	21.48					
								LE72MBF280H	21.10					

Note: In case of model inclusion or capacity addition / change, through revision in ALMM List, the capacity mentioned against any manufacturing unit, as appearing in the said Revision to the ALMM List, shall be the ALMM enlisted manufacturing capacity for that manufacturing unit (from the date of the said revision), and the capacity enlisted for that manufacturing unit should not be interpreted as Sum of (enlisted capacity for that manufacturing unit in previous ALMM list/ previous revision to ALMM List) and (enlisted capacity in the present revision)

F. No. 283/41/2024-GRID SOLAR

भारत सरकार / Government of India

नवीन और नवीकरणीय ऊर्जा मंत्रालय / Ministry of New & Renewable Energy

ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003.Dated: 13th August 2025**OFFICE MEMORANDUM****Sub: Updation of List I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 – Reg.**

- Ref:** (i) MNRE's O.M. No. 283/54/2018-GRID SOLAR–Part(1) dated 10.03.2021
(ii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 10.05.2023;
(iii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 22.03.2024;
(iv) MNRE's O.M. No. 32/33/2024-SPV Division dated 06.05.2025;

Reference is invited to this Ministry's O.M.s of even no. dated 10.03.2021, regarding implementation of Approved Models and Manufacturers of Solar Photovoltaic Modules (Requirement for Compulsory Registration) Order, 2019 and publishing List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019.

2. This Ministry vide its O.M.s referred at (ii), (iii) & (iv) above, inter-alia, directed that only such models of Solar PV Module Manufacturers will be enlisted under ALMM, which comply with the BIS Standards and are having the following minimum module efficiency:

Category	Application/Use	Minimum Module Efficiency required to be eligible for enlistment in ALMM for solar PV modules	
		For c-Si technology based solar PV modules	For CdTe thin film technology based solar PV modules
Category-I	Utility/Grid Scale Power Plants	20.00%	19.00%
Category-II	Rooftop and Solar Pumping	19.50%	18.50%
Category-III	Off-grid projects/applications like solar lamps, solar lights, solar street lights, solar fans, etc. (other than solar powered agricultural pumps and solar PV rooftops) requiring individual capacity of each solar PV module deployed, to be of less than 200 Watt peak	18.00%	18.00%
		(not to be included in main ALMM List-I but to be included in a separate ALMM list called ALMM List-I (DRE))	
Category-IV	Any other application	19.00%	18.00%

3. Post the aforesaid O.M. dated 10.05.2023 and subsequent O.M.s dated 22.03.2024 and 06.05.2025, only such models of Solar PV Modules have been considered for enlistment under ALMM List-I, whose module efficiency is meeting the eligibility criteria as mentioned in table at para-2 above.

4. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 was last updated on 30.06.2025.

5. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 is hereby further revised and the Revision-XLI (*in the format of additions / modifications to Revision-XL*) is enclosed at Annexure-I. The last revision no. XL dated 30.06.2025 along with provisional enlistments therein (*excluding those which have been removed on account of inclusion in main ALMM List-I*) is at pages after Annexure-I.

6. The ALMM enlistment validity is subject to valid BIS Registration; else deemed to be delisted.

7. The details of Registration No. (R. No.) which has been allotted by BIS is mentioned against each manufacturer / manufacturing unit enlisted in ALMM and further details related to BIS certification like validity, models included, etc. may be checked from BIS website by using the following link:
https://www.crsbis.in/BIS/Lims_registrationc.do?hmode=getLimsData

8. This issues with the approval of competent authority.



(Sanjay G. Karndhar)

Scientist-E

E-mail: karndhar.sg@nic.in

Encl: as above

To: All Concerned

Copy to: Director (Technical), NIC, MNRE for uploading this document on MNRE's website

A. Amendments/ Updates in previous lists of ALMM List-I

1. **M/s. TP Solar Limited** (ALMM list for solar PV modules issued on 27.03.2024 => Sl. No. 54) -
The efficiencies of the models at pt. ii, iii, ix & x of ALMM List, are updated as in the table below: -

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)
02	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP520HG10B (520Wp)	TP500HG10B	19.36
			TP505HG10B	19.55
			TP510HG10B	19.74
			TP515HG10B	19.94
			TP520HG10B	20.13
			TP525HG10B	20.32
			TP530HG10B	20.52
			TP535HG10B	20.71
			TP540HG10B	20.90
03	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP550HG10B (550 Wp)	TP545HG10B	21.10
			TP550HG10B	21.29
			TP555HG10B	21.48
09	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	TP520HG10TB (520Wp)	TP500HG10TB	19.36
			TP505HG10TB	19.55
			TP510HG10TB	19.74
			TP515HG10TB	19.94
			TP520HG10TB	20.13
			TP525HG10TB	20.32
			TP530HG10TB	20.52
			TP535HG10TB	20.71
			TP540HG10TB	20.90
10	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	TP550HG10TB (550 Wp)	TP545HG10TB	21.10
			TP550HG10TB	21.29
			TP555HG10TB	21.48



2. **M/s. ADM Solar Power & Infrastructure Pvt. Ltd.** (ALMM list for solar PV modules issued on 27.03.2025 => Sl. No. 66) - The enlisted modules are updated as in the table below:

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (V)
1	Mono c-Si PERC Module	ADM270 (270Wp)	ADM265	20.14	72 (Half Cut Cells)	1500
			ADM270	20.52		
			ADM275	20.90		
2	Mono c-Si PERC Module	ADM360 (360Wp)	ADM350	19.93	96 (Half Cut Cells)	1500
			ADM355	20.22		
			ADM360	20.50		
			ADM365	20.79		
			ADM370	21.07		
3	Mono c-Si PERC Module	ADM405 (405Wp)	ADM400	20.33	108 (Half Cut Cells)	1500
			ADM405	20.58		
			ADM410	20.83		
4	Mono c-Si PERC Module	ADM450 (450Wp)	ADM445	20.43	120 (Half Cut Cells)	1500
			ADM450	20.66		
			ADM455	20.89		
5	Mono c-Si PERC Module	ADM500 (500Wp)	ADM485	20.31	132 (Half Cut Cells)	1500
			ADM490	20.52		
			ADM495	20.73		
			ADM500	20.94		
			ADM505	21.15		
6	Mono c-Si PERC Module	ADM525-144M (525Wp)	ADM520	20.16	144 (Half Cut Cells)	1500
			ADM525	20.35		
			ADM530	20.51		
			ADM535	20.71		
			ADM540	20.90		
			ADM545	21.09		
			ADM550	21.29		
7	Mono c-Si PERC Module	ADM590 (590Wp)	ADM575	20.57	156 (Half Cut Cells)	1500
			ADM580	20.74		
			ADM585	20.92		
			ADM590	21.10		

3. **M/s. Unique Sun Power LLP** (ALMM list for solar PV modules issued on 21.05.2025 => Sl. No. 4)
 4) Name of M/s. Unique Sun Power LLP has been changed to **M/s. Unique Sun Power Private Limited**

B. New additions on 13/08/2025 in the List of Manufacturers and Models of Solar PV Modules Enlisted under ALMM Order													
S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
1	M/s. Arkalight Solar Private Limited (New Addition in ALMM)	Block No. 344, Arkalight Solar Private limited, Karanj, 344, Mandvi, Surat -394110, Gujarat, India	R-72012661	506	i	Bifacial N-Type TOPCon Module (Glass to Glass)	AS-590-N-72H-GG (590 Wp)	AS-570-N-72H-GG	22.07	144 (Half Cut Cells)	1500	13.08.2025	12.08.2029
								AS-575-N-72H-GG	22.26				
								AS-580-N-72H-GG	22.45				
								AS-585-N-72H-GG	22.65				
								AS-590-N-72H-GG	22.84				
								AS-595-N-72H-GG	23.03				
								AS-600-N-72H-GG	23.23				
								AS-605-N-72H-GG	23.42				
								AS-610-N-72H-GG	23.61				
2	M/s. MKTEK Solpower India Private Limited (New Addition in ALMM)	6-16, 6/1/1 1-2, Khewat No. 447, Khasra No. 189/4 2-14 5/1, Bhattu Kalan, Kirdhan, Fatehabad - 125053, Haryana, India	R-91017639	46	i	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	MK144CMB540Wp (540 Wp)	MK144CMB560Wp	21.68	144 (Half Cut Cells)	1500	13.08.2025	12.08.2029
								MK144CMB555Wp	21.48				
								MK144CMB550Wp	21.29				
								MK144CMB545Wp	21.10				
								MK144CMB540Wp	20.90				
								MK144CMB535Wp	20.71				
								MK144CMB530Wp	20.52				
								MK144CMB525Wp	20.32				
								MK144CMB520Wp	20.13				
					ii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	MK132CMB500Wp (500 Wp)	MK132CMB510Wp	21.48	132 (Half Cut Cells)	1500		
								MK132CMB505Wp	21.27				
								MK132CMB500Wp	21.06				
								MK132CMB495Wp	20.85				
								MK132CMB490Wp	20.64				
					iii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	MK120CMB440Wp (440 Wp)	MK120CMB450Wp	20.80	120 (Half Cut Cells)	1500		
								MK120CMB445Wp	20.57				
								MK120CMB440Wp	20.34				
								MK120CMB435Wp	20.10				
								MK120CMB430Wp	19.87				
								MK120CMB425Wp	19.64				
								MK120CMB420Wp	19.41				
					iv	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	MK108CMB400Wp (400 Wp)	MK108CMB410Wp	21.00	108 (Half Cut Cells)	1500		
								MK108CMB405Wp	20.74				
								MK108CMB400Wp	20.48				
								MK108CMB395Wp	20.23				
								MK108CMB390Wp	19.97				
					v	Mono c-Si PERC Module	MK144WMB540Wp (540 Wp)	MK144WMB560Wp	21.68	144 (Half Cut Cells)	1500		
								MK144WMB555Wp	21.48				
								MK144WMB550Wp	21.29				
								MK144WMB545Wp	21.10				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity			
												From	To (subject to valid BIS Registration; else deemed to be delisted)		
								MK144WMB540Wp	20.90						
								MK144WMB535Wp	20.71						
								MK144WMB530Wp	20.52						
								MK144WMB525Wp	20.32						
								MK144WMB520Wp	20.13						
					vi	Mono c-Si PERC Module	MK132WMB500Wp (500 Wp)	MK132WMB510Wp	21.48	132 (Half Cut Cells)	1500				
								MK132WMB505Wp	21.27						
								MK132WMB500Wp	21.06						
								MK132WMB495Wp	20.85						
								MK132WMB490Wp	20.64						
					vii	Mono c-Si PERC Module	MK120WMB440Wp (440 Wp)	MK120WMB450Wp	20.80	120 (Half Cut Cells)	1500				
								MK120WMB445Wp	20.57						
								MK120WMB440Wp	20.34						
								MK120WMB435Wp	20.10						
								MK120WMB430Wp	19.87						
								MK120WMB425Wp	19.64						
								MK120WMB420Wp	19.41						
					viii	Mono c-Si PERC Module	MK108WMB400Wp (400 Wp)	MK108WMB410Wp	21.00	108 (Half Cut Cells)	1500				
								MK108WMB405Wp	20.74						
								MK108WMB400Wp	20.48						
								MK108WMB395Wp	20.23						
								MK108WMB390Wp	19.97						
3	M/s. Onix-Tech Renewable Private Limited (New Addition in ALMM)	Plot No. P212 B, Gate No. 2, Metoda Lodhika, GIDC Metoda-Rajkot Road - 360021, Gujarat, India	R-72012360	56	i	Mono c-Si PERC Module	OTR144CMBF545Wp (545 Wp)	OTR144CMBF560Wp	21.70	144 (Half Cut Cells)	1500	13.08.2025	12.08.2029		
								OTR144CMBF555Wp	21.50						
								OTR144CMBF550Wp	21.31						
								OTR144CMBF545Wp	21.12						
								OTR144CMBF540Wp	20.92						
								OTR144CMBF535Wp	20.73						
								OTR144CMBF530Wp	20.53						
								OTR144CMBF525Wp	20.34						
								OTR144CMBF520Wp	20.15						
					ii	Mono c-Si PERC Module	OTR144CMD535Wp (535 Wp)	OTR144CMD550Wp	21.31	144 (Half Cut Cells)	1500				
								OTR144CMD545Wp	21.12						
								OTR144CMD540Wp	20.92						
								OTR144CMD535Wp	20.73						
								OTR144CMD530Wp	20.53						
								OTR144CMD525Wp	20.34						
								OTR144CMD520Wp	20.15						
4	M/s. Mundra Solar PV Limited (Model Addition +	Survey No 180P, Co Mundra Solar, Technopark Pvt. Ltd,	R-72008532	2185	i	Bifacial N Type-TOPCon (Glass to Glass)	AB-G12R-132-595 (595 Wp)	AB-G12R-132-585	21.68	132 (Half Cut Cells)	1500	24.02.2024	23.02.2028		
								AB-G12R-132-590	21.86						

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
	Capacity Addition)	Electronic manufacturing Cluster EMC, Village Vandh & Tunda, Mundra, Kutch Adani Ports & SEZ, Tunda, Kachchh -370435, Gujarat						AB-G12R-132-595 AB-G12R-132-600 AB-G12R-132-605 AB-G12R-132-610 AB-G12R-132-615 AB-G12R-132-620	22.05 22.23 22.42 22.60 22.79 22.97				
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	ASB-M10-144-585 (585 Wp)	ASB-M10-144-585	22.67	144 (Half Cut Cells)	1500		
5	M/s. Credence Solar Panels Private Limited (Model Addition)	Plot no 18 and 19, Survey No 142/2, RajkotJamnagar highway, Padadhari - 360110, Rajkot, Gujarat, India	R-72006165	495	i	Bifacial N-Type TOPCon Module (Glass to Glass)	CS-QBT725-132 (725 Wp)	CS-QBT715-132 CS-QBT720-132 CS-QBT725-132 CS-QBT730-132	23.02 23.18 23.34 23.50	132 (Half Cut Cells)	1500	21.04.2025	20.04.2029
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	CS-QBT660-120 (660 Wp)	CS-QBT650-120 CS-QBT655-120 CS-QBT660-120 CS-QBT665-120	22.96 23.13 23.31 23.49	120 (Half Cut Cells)	1500		
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	CS-QBT605-110 (605 Wp)	CS-QBT595-110 CS-QBT600-110 CS-QBT605-110 CS-QBT610-110	22.77 22.96 23.15 23.35	110 (Half Cut Cells)	1500		
6	M/s. FS India Solar Ventures Private Limited (Model Addition + Capacity Addition)	Plot No. A-1/1, Sipcot Industrial Park, Pillaipakkam - 602105, Tamil Nadu, India	R-61004316	3433	i	Cadmium Telluride Thin Film Module	FS-7525-TR1 (525 Wp)	FS-7505-TR1 FS-7510-TR1 FS-7515-TR1 FS-7520-TR1 FS-7525-TR1 FS-7530-TR1 FS-7532-TR1 FS-7535-TR1 FS-7540-TR1 FS-7545-TR1	18.06 18.24 18.41 18.59 18.77 18.95 19.02 19.13 19.31 19.49	268 (Thin Film Cells)	1500	29.04.2024	28.04.2028
					ii	Cadmium Telluride Thin Film Module	FS-7525A-TR1 (525 Wp)	FS-7505A-TR1 FS-7510A-TR1 FS-7515A-TR1 FS-7520A-TR1 FS-7525A-TR1 FS-7530A-TR1 FS-7532A-TR1 FS-7535A-TR1 FS-7540A-TR1 FS-7545A-TR1	18.06 18.24 18.41 18.59 18.77 18.95 19.02 19.13 19.31 19.49	268 (Thin Film Cells)	1500		
					iii	Cadmium Telluride Thin Film Module	FS-7545-FT1 (545 Wp)	FS-7545-FT1	19.49	268 (Thin Film Cells)	1500		
					iv	Cadmium Telluride Thin Film Module	FS-7545A-FT1 (545 Wp)	FS-7545A-FT1	19.49	268 (Thin Film Cells)	1500		

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity													
												From	To (subject to valid BIS Registration; else deeeemd to be delisted)												
7	M/s. ReNew PhotoVoltaics Private Limited (Model Addition + Capacity Addition)	Plot No. 232, TP-2/A, Dholera Special Investment Region, Dholera, Ahmedabad - 382455, Gujarat, India	R-72009903	1884	i	Bifacial N Type TOPCon Modules (Glass to Glass)	RPS2MH72BD590 (590 Wp)	RPS2MH72BD570 RPS2MH72BD575 RPS2MH72BD580 RPS2MH72BD585 RPS2MH72BD590 RPS2MH72BD595 RPS2MH72BD600 RPS2MH72BD605 RPS2MH72BD610	22.07 22.26 22.45 22.65 22.84 23.03 23.23 23.42 23.61	144 (Half Cut Cells)	1500	10.04.2024	09.04.2028												
8	M/s. Indosol Solar Private Limited (Model Addition + Capacity Addition)	Sy. Nos. 584/9, 584/10,584/11, Chevuru Village, Gudluru Mandal, Nellore District - 500016, Andhra Pradesh , India	R-66003000	632	i	Bifacial N-Type TOPCon Module (Glass to Glass)	ISTD3M16BN0410 (410 Wp)	ISTD3M16BN0430	22.02	108 (Half Cut Cells)	1500	21.05.2025	20.05.2029												
								ISTD3M16BN0425	21.76																
								ISTD3M16BN0420	21.51																
								ISTD3M16BN0415	21.25																
								ISTD3M16BN0410	21.00																
								ISTD3M16BN0405	20.74																
								ISTD3M16BN0400	20.48																
								ISTD3M16BN0395	20.23																
								ii	Bifacial N-Type TOPCon Module (Glass to Glass)					ISTD3M16BN1475 (475 Wp)	ISTD3M16BN1480	22.18	120 (Half Cut Cells)	1500							
															ISTD3M16BN1475	21.95									
					ISTD3M16BN1470	21.72																			
					ISTD3M16BN1465	21.49																			
					ISTD3M16BN1460	21.26																			
					ISTD3M16BN1455	21.03																			
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	ISTD3M16BN1450 (450 Wp)	ISTD3M16BN1455	21.03	120 (Half Cut Cells)	1500														
								ISTD3M16BN1450	20.80																
								ISTD3M16BN1445	20.57																
								ISTD3M16BN1440	20.34																
								ISTD3M16BN1435	20.10																
								iv	Bifacial N-Type TOPCon Module (Glass to Glass)					ISTD3M16BN2510 (510 Wp)	ISTD3M16BN2530	22.33	132 (Half Cut Cells)	1500							
					ISTD3M16BN2525	22.12																			
					ISTD3M16BN2520	21.91																			
					ISTD3M16BN2515	21.70																			
					ISTD3M16BN2510	21.49																			
					ISTD3M16BN2505	21.28																			
					ISTD3M16BN2500	21.07																			
					ISTD3M16BN2495	20.86																			
					ISTD3M16BN2490	20.64																			
					ISTD3M16BN2485	20.43																			
					v	Bifacial N-Type TOPCon Module (Glass to Glass)	ISTD3M16BN4580 (580 Wp)	ISTD3M16BN4590	22.84	144 (Half Cut Cells)	1500														
								ISTD3M16BN4585	22.65																
								ISTD3M16BN4580	22.45																
								ISTD3M16BN4575	22.26																
								ISTD3M16BN4570	22.07																
								ISTD3M16BN4565	21.87																
					vi	Bifacial N-Type TOPCon Module (Glass to Glass)	ISTD3M16BN4550 (550 Wp)	ISTD3M16BN4560	21.68	144 (Half Cut Cells)	1500														
								ISTD3M16BN4555	21.48																
								ISTD3M16BN4550	21.29																
								ISTD3M16BN4545	21.10																
								ISTD3M16BN4540	20.90																
								ISTD3M16BN4535	20.71																
								9	M/s. Avco Power Private Limited (New Addition in ALMM)					New survey No.- 1154, (old Survey No. 81+106-P3/P1), Opposite Raymond's Factory, Village-Khadki, Pardi, Valsad - 396185, Gujarat, India	R-72012432	185	i	Mono c-Si PERC Module	ESBT570-156 (570 Wp)	ESBT560-156	20.06	156 (Half Cut Cells)	1500	13.08.2025	12.08.2029
																				ESBT565-156	20.24				
					ESBT570-156	20.42																			
ESBT575-156	20.60																								
ESBT580-156	20.78																								
ESBT585-156	20.95																								
ii	Mono c-Si PERC Module	ESBT535-144 (535 Wp)	ESBT520-144	20.15	144 (Half Cut Cells)	1500																			
			ESBT525-144	20.34																					
			ESBT530-144	20.53																					
			ESBT535-144	20.73																					
			ESBT540-144	20.92																					
			ESBT545-144	21.12																					
iii	Mono c-Si PERC	ESBT485-132	ESBT470-132	19.82	132 (Half Cut Cells)	1500																			

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
	Mehsna, Gujarat (Model Addition + Capacity Change)	Tundali approach road, Behind Honest Restaurant, Near Nadasan Flyover, Mehsna - 382732, Gujarat, India				Module (Glass to Glass)		SGTP156BG-620	22.18				
								SGTP156BG-615	22.00				
								SGTP156BG-610	21.82				
								SGTP156BG-605	21.64				
								SGTP156BG-600	21.46				
								SGTP156BG-595	21.29				
					ii	Bifacial N TypeTOPCon Module (Glass to Glass)	SGTP 144BG-575 (575 WP)	SGTP144BG-600	23.23	144 (Half Cut Cell)	1500		
								SGTP144BG-595	23.03				
								SGTP144BG-590	22.84				
								SGTP144BG-585	22.65				
								SGTP144BG-580	22.45				
								SGTP144BG-575	22.26				
								SGTP144BG-570	22.07				
								SGTP144BG-565	21.87				
								SGTP144BG-560	21.68				
								SGTP144BG-555	21.48				
					iii	Bifacial N TypeTOPCon Module (Glass to Glass)	SGTP 132BG-530 (530 WP)	SGTP132BG-555	23.37	132 (Half Cut Cell)	1500		
								SGTP132BG-550	23.16				
								SGTP132BG-545	22.95				
								SGTP132BG-540	22.74				
								SGTP132BG-535	22.53				
								SGTP132BG-530	22.32				
								SGTP132BG-525	22.11				
								SGTP132BG-520	21.90				
								SGTP132BG-515	21.69				
								SGTP132BG-510	21.48				
					iv	Bifacial N TypeTOPCon Module (Glass to Glass)	SGTP 120BG-480 (480 WP)	SGTP120BG-500	23.10	120 (Half Cut Cell)	1500		
								SGTP120BG-495	22.87				
								SGTP120BG-490	22.63				
								SGTP120BG-485	22.40				
								SGTP120BG-480	22.17				
								SGTP120BG-475	21.94				
								SGTP120BG-470	21.71				
								SGTP120BG-465	21.48				
								SGTP120BG-460	21.25				
					v	Bifacial N TypeTOPCon Module (Glass to Glass)	SGTP 108BG-430 (430 WP)	SGTP108BG-450	23.04	108 (Half Cut Cell)	1500		
								SGTP108BG-445	22.79				
								SGTP108BG-440	22.53				
								SGTP108BG-435	22.28				
								SGTP108BG-430	22.02				
								SGTP108BG-425	21.76				
								SGTP108BG-420	21.51				
								SGTP108BG-415	21.25				
								SGTP108BG-410	21.00				
					vi	Bifacial N-Type TOPCon Module (Glass to Transparent Backseet)	SGTP156BT-615 (615 WP)	SGTP156BT-630	22.54	156 (Half Cut Cell)	1500		
								SGTP156BT-625	22.36				
								SGTP156BT-620	22.18				
								SGTP156BT-615	22.00				
								SGTP156BT-610	21.82				
								SGTP156BT-605	21.64				
								SGTP156BT-600	21.46				
								SGTP156BT-595	21.29				
					vii	Bifacial N-Type TOPCon Module (Glass to Transparent Backseet)	SGTP 144BT-575 (575 WP)	SGTP144BT-600	23.23	144 (Half Cut Cell)	1500		
								SGTP144BT-595	23.03				
								SGTP144BT-590	22.84				
								SGTP144BT-585	22.65				
								SGTP144BT-580	22.45				
								SGTP144BT-575	22.26				
								SGTP144BT-570	22.07				
								SGTP144BT-565	21.87				
								SGTP144BT-560	21.68				
								SGTP144BT-555	21.48				
					viii	Bifacial	SGTP 132BT-530	SGTP132BT-555	23.37	132 (Half Cut Cell)	1500		

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deeeemd to be delisted)
					iv	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ECE132M490 (490 Wp)	ECE132M480	20.23	132 (Half Cut Cells)	1500		
								ECE132M485	20.44				
								ECE132M490	20.65				
								ECE132M495	20.87				
								ECE132M500	21.08				
					v	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ECE144M545 (545 Wp)	ECE144M525	20.32	144 (Half Cut Cells)	1500		
								ECE144M530	20.52				
								ECE144M535	20.71				
								ECE144M540	20.90				
								ECE144M545	21.10				
								ECE144M550	21.29				
								ECE144M555	21.48				
								ECE144M560	21.68				
					vi	Bifacial N-Type TOPCon Module (Glass to Glass)	ECE144T580 (580Wp)	ECE144T565	21.87	144 (Half Cut Cells)	1500		
								ECE144T570	22.07				
								ECE144T575	22.26				
								ECE144T580	22.45				
								ECE144T585	22.65				
								ECE144T590	22.84				
								ECE144T595	23.03				
								ECE144T600	23.23				
					vii	Bifacial N-Type TOPCon Module (Glass to Glass)	ECE132T535 (535Wp)	ECE132T515	21.71	132 (Half Cut Cells)	1500		
								ECE132T520	21.92				
								ECE132T525	22.13				
								ECE132T530	22.34				
								ECE132T535	22.55				
								ECE132T540	22.76				
								ECE132T545	22.97				
								ECE132T550	23.18				
					viii	Bifacial N-Type TOPCon Module (Glass to Glass)	ECE120T480 (480Wp)	ECE120T465	21.51	120 (Half Cut Cells)	1500		
								ECE120T470	21.75				
								ECE120T475	21.98				
								ECE120T480	22.21				
								ECE120T485	22.44				
								ECE120T490	22.67				
								ECE120T495	22.90				
								ECE120T500	23.13				
					ix	Bifacial N-Type TOPCon Module (Glass to Glass)	ECE108T435 (435Wp)	ECE108T420	21.53	108 (Half Cut Cells)	1500		
								ECE108T425	21.79				
								ECE108T430	22.05				
								ECE108T435	22.30				
								ECE108T440	22.56				
								ECE108T445	22.81				
								ECE108T450	23.07				
								ECE108T455	23.33				
					x	Bifacial N-Type TOPCon Module (Glass to Glass)	ECE096T390 (390Wp)	ECE096T375	21.56	96 (Half Cut Cells)	1500		
								ECE096T380	21.84				
								ECE096T385	22.13				
								ECE096T390	22.42				
								ECE096T395	22.71				
								ECE096T400	22.99				
					xi	Bifacial N-Type TOPCon Module (Glass to Glass)	ECE096T370 (370Wp)	ECE096T405	23.28	96 (Half Cut Cells)	1500		
								ECE096T370	21.27				
					xii	Bifacial N-Type TOPCon Module (Glass to Glass)	ECE072T295 (295Wp)	ECE072T295	19.23	72 (Half Cut Cells)	1500		
								ECE072T300	19.55				
								ECE072T305	19.88				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity		
												From	To (subject to valid BIS Registration; else deeeemd to be delisted)	
14	M/s. ECE (India) Energies Pvt. Ltd. (Co-ALMM)	Co-ALMM with M/s. Ganesh Green Bharat Limited Manufacturing Address: Survey No. 319/320/321, Tundali, Tundali approach road, Behind Honest Restaurant, Near Nadasan Flyover, Mehsna - 382732, Gujarat, India	R-72012203	100 (As per Co-branding Agreement)	i	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ECE144M535 (535 Wp)	ECE144M520	20.13	144 (Half Cut Cells)	1500	13.08.2025	18.12.2026	
								ECE144M525	20.32					
								ECE144M530	20.52					
								ECE144M535	20.71					
								ECE144M540	20.90					
								ECE144M545	21.10					
								ECE144M550	21.29					
					ii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ECE132M455 (455 Wp)	ECE132M455	19.16	132 (Half Cut Cells)	1500			
					iii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ECE132M480 (480 Wp)	ECE132M460	19.37	132 (Half Cut Cells)	1500			
								ECE132M465	19.58					
								ECE132M470	19.79					
								ECE132M475	20.00					
								ECE132M480	20.21					
								ECE132M485	20.42					
								ECE132M490	20.64					
								ECE132M495	20.85					
								ECE132M500	21.06					
					iv	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ECE120M435 (435 Wp)	ECE120M415	19.16	120 (Half Cut Cells)	1500			
								ECE120M420	19.39					
								ECE120M425	19.62					
								ECE120M430	19.85					
								ECE120M435	20.08					
								ECE120M440	20.31					
								ECE120M445	20.55					
								ECE120M450	20.78					
					v	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ECE108M385 (385 Wp)	ECE120M455	21.01	108 (Half Cut Cells)	1500			
								ECE108M375	19.16					
								ECE108M380	19.41					
								ECE108M385	19.67					
								ECE108M390	19.93					
			ECE108M395	20.18										
	15	M/s. Novasys Greenergy Limited (Formerly known as M/s. Novasys Greenergy Private Limited) (Model Addition + Capacity Addition)	Khasra No. 185, Mouza: Mahalgaon, Tehsil: Kamptee, Nagpur-441202, Maharashtra, India	R-71010499	504	i	Bifacial N-Type TOPCon Module (Glass to Glass)	NOVA275TG72 (275 Wp)	NOVA275TG72	20.21	72 (Half Cut Cells)	1500	10.11.2023	09.11.2027
						ii	Bifacial N-Type TOPCon Module (Glass to Glass)	NOVA290TG72 (290 Wp)	NOVA280TG72	20.58	72 (Half Cut Cells)	1500		
									NOVA285TG72	20.94				
NOVA290TG72									21.31					
NOVA295TG72									21.68					
NOVA300TG72									22.05					
iii						Bifacial N-Type TOPCon Module (Glass to Glass)	NOVA335TG84 (335 Wp)	NOVA320TG84	20.39	84 (Half Cut Cells)	1500			
								NOVA325TG84	20.71					
								NOVA330TG84	21.03					
								NOVA335TG84	21.34					
								NOVA340TG84	21.66					
								NOVA345TG84	21.98					
								NOVA350TG84	22.30					
iv						Bifacial N-Type TOPCon Module (Glass to Glass)	NOVA365TG96 (365 Wp)	NOVA365TG96	20.53	96 (Half Cut Cells)	1500			
v						Bifacial N-Type TOPCon Module (Glass to Glass)	NOVA385TG96 (385 Wp)	NOVA370TG96	20.81	96 (Half Cut Cells)	1500			
								NOVA375TG96	21.09					
								NOVA380TG96	21.37					
								NOVA385TG96	21.65					

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
							NOVA430TG108 (430 Wp)	NOVA390TG96	21.93	108 (Half Cut Cells)	1500		
								NOVA395TG96	22.21				
								NOVA400TG96	22.50				
					vi	Bifacial N-Type TOPCon Module (Glass to Glass)	NOVA430TG108 (430 Wp)	NOVA410TG108	20.64	108 (Half Cut Cells)	1500		
								NOVA415TG108	20.89				
								NOVA420TG108	21.14				
								NOVA425TG108	21.39				
								NOVA430TG108	21.64				
								NOVA435TG108	21.89				
								NOVA440TG108	22.15				
								NOVA445TG108	22.40				
								NOVA450TG108	22.65				
					vii	Bifacial N-Type TOPCon Module (Glass to Glass)	NOVA455TG120 (255 Wp)	NOVA455TG120	20.72	120 (Half Cut Cells)	1500		
					viii	Bifacial N-Type TOPCon Module (Glass to Glass)	NOVA480TG120 (480 Wp)	NOVA460TG120	20.95	120 (Half Cut Cells)	1500		
								NOVA465TG120	21.18				
								NOVA470TG120	21.41				
								NOVA475TG120	21.64				
								NOVA480TG120	21.86				
								NOVA485TG120	22.09				
								NOVA490TG120	22.32				
								NOVA495TG120	22.55				
								NOVA500TG120	22.77				
					ix	Bifacial N-Type TOPCon Module (Glass to Glass)	NOVA525TG132 (525 Wp)	NOVA500TG132	20.80	132 (Half Cut Cells)	1500		
								NOVA505TG132	21.01				
								NOVA510TG132	21.21				
								NOVA515TG132	21.42				
								NOVA520TG132	21.63				
								NOVA525TG132	21.84				
								NOVA530TG132	22.05				
								NOVA535TG132	22.25				
								NOVA540TG132	22.46				
								NOVA545TG132	22.67				
								NOVA550TG132	22.88				
					x	Bifacial N-Type TOPCon Module (Glass to Glass)	NOVA575TG144 (575 Wp)	NOVA550TG144	21.08	144 (Half Cut Cells)	1500		
								NOVA555TG144	21.27				
								NOVA560TG144	21.46				
								NOVA565TG144	21.65				
								NOVA570TG144	21.84				
								NOVA575TG144	22.04				
								NOVA580TG144	22.23				
								NOVA585TG144	22.42				
								NOVA590TG144	22.61				
								NOVA595TG144	22.80				
								NOVA600TG144	22.99				
					xi	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	NOVA275TC72 (275 Wp)	NOVA275TC72	20.21	72 (Half Cut Cells)	1500		
					xii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	NOVA290TC72 (290 Wp)	NOVA280TC72	20.58	72 (Half Cut Cells)	1500		
								NOVA285TC72	20.94				
								NOVA290TC72	21.31				
								NOVA295TC72	21.68				
								NOVA300TC72	22.05				
					xiii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	NOVA335TC84 (335 Wp)	NOVA320TC84	20.39	84 (Half Cut Cells)	1500		
								NOVA325TC84	20.71				
								NOVA330TC84	21.03				
								NOVA335TC84	21.34				
								NOVA340TC84	21.66				
								NOVA345TC84	21.98				
								NOVA350TC84	22.30				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xiv	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	NOVA365TC96 (365 Wp)	NOVA365TC96	20.53	96 (Half Cut Cells)	1500		
					xv	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	NOVA385TC96 (385 Wp)	NOVA370TC96	20.81	96 (Half Cut Cells)	1500		
								NOVA375TC96	21.09				
								NOVA380TC96	21.37				
								NOVA385TC96	21.65				
								NOVA390TC96	21.93				
								NOVA395TC96	22.21				
								NOVA400TC96	22.50				
					xvi	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	NOVA430TC108 (430 Wp)	NOVA410TC108	20.64	108 (Half Cut Cells)	1500		
								NOVA415TC108	20.89				
								NOVA420TC108	21.14				
								NOVA425TC108	21.39				
								NOVA430TC108	21.64				
								NOVA435TC108	21.89				
								NOVA440TC108	22.15				
								NOVA445TC108	22.40				
								NOVA450TC108	22.65				
					xvii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	NOVA455TC120 (455 Wp)	NOVA455TC120	20.72	120 (Half Cut Cells)	1500		
					xviii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	NOVA480TC120 (480 Wp)	NOVA460TC120	20.95	120 (Half Cut Cells)	1500		
								NOVA465TC120	21.18				
								NOVA470TC120	21.41				
								NOVA475TC120	21.64				
								NOVA480TC120	21.86				
								NOVA485TC120	22.09				
								NOVA490TC120	22.32				
								NOVA495TC120	22.55				
								NOVA500TC120	22.77				
					xix	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	NOVA525TC132 (525 Wp)	NOVA500TC132	20.80	132 (Half Cut Cells)	1500		
								NOVA505TC132	21.01				
								NOVA510TC132	21.21				
								NOVA515TC132	21.42				
								NOVA520TC132	21.63				
								NOVA525TC132	21.84				
								NOVA530TC132	22.05				
								NOVA535TC132	22.25				
								NOVA540TC132	22.46				
								NOVA545TC132	22.67				
								NOVA550TC132	22.88				
					xx	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	NOVA575TC144 (575 Wp)	NOVA550TC144	21.08	144 (Half Cut Cells)	1500		
								NOVA555TC144	21.27				
								NOVA560TC144	21.46				
								NOVA565TC144	21.65				
								NOVA570TC144	21.84				
								NOVA575TC144	22.04				
								NOVA580TC144	22.23				
								NOVA585TC144	22.42				
								NOVA590TC144	22.61				
								NOVA595TC144	22.80				
					xxi	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	NOVA625TC156 (625 Wp)	NOVA600TC144	22.99	156 (Half Cut Cells)	1500		
								NOVA600TC156	21.27				
								NOVA605TC156	21.45				
								NOVA610TC156	21.63				
								NOVA615TC156	21.81				
								NOVA620TC156	21.98				
								NOVA625TC156	22.16				
					NOVA630TC156	22.34							

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deeedm to be delisted)
								NOVA635TC156	22.52				
								NOVA640TC156	22.69				
								NOVA645TC156	22.87				
								NOVA650TC156	23.05				
16	M/s. Avaada Electro Private Limited (Model Addition + Capacity Addition)	Khasra No. 1145, 1146, 1150, 1151, 1152, 1154, 1156, Village - Kot, Tehsil - Dadri, Pargana, Dadri, Gautam Buddha Nagar - 203207, Uttar Pradesh, India	R-93030724	1311	i	Bifacial N-Type TOPCon Module (Glass to Glass)	AVN66M10LG535 (535 Wp)	AVN66M10LG545	22.95	132 (Half Cut Cells)	1500	28.08.2024	27.08.2028
								AVN66M10LG540	22.74				
								AVN66M10LG535	22.53				
								AVN66M10LG530	22.32				
								AVN66M10LG525	22.11				
								AVN72M10LG610	23.61				
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	AVN72M10LG595 (595 Wp)	AVN72M10LG605	23.42	144 (Half Cut Cells)	1500		
								AVN72M10LG600	23.23				
								AVN72M10LG595	23.03				
								AVN72M10LG590	22.84				
								AVN72M10LG585	22.65				
								AVN72M10LG580	22.45				
17	M/s. Citizen Solar Private Limited (Model Addition + Capacity Addition)	New Survey No-966, Village: Indrad, Chhatral Kadi Road, Ta: Kadi, Dist. Mehsana, Gujarat-382715, India.	R-72001929	198	i	Bifacial-N-type TOPCon Module (Glass to Glass)	CSPL-156THC-GF-625 (625 Wp)	CSPL-156THC-GF-605	21.63	156 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								CSPL-156THC-GF-610	21.81				
								CSPL-156THC-GF-615	21.99				
								CSPL-156THC-GF-620	22.17				
								CSPL-156THC-GF-625	22.35				
								CSPL-156THC-GF-630	22.53				
								CSPL-156THC-GF-635	22.71				
								CSPL-156THC-GF-640	22.89				
								CSPL-156THC-GF-645	23.07				
								CSPL-156THC-GF-650	23.24				
					ii	Bifacial-N-type TOPCon Module (Glass to Glass)	CSPL-144THC-GF-580 (580 Wp)	CSPL-144THC-GF-555	21.48	144 (Half Cut Cells)	1500		
								CSPL-156THC-GF-560	21.68				
								CSPL-144THC-GF-565	21.87				
								CSPL-144THC-GF-570	22.07				
								CSPL-144THC-GF-575	22.26				
								CSPL-144THC-GF-580	22.45				
								CSPL-144THC-GF-585	22.65				
								CSPL-144THC-GF-590	22.84				
								CSPL-144THC-GF-595	23.03				
								CSPL-144THC-GF-600	23.23				
					iii	Bifacial-N-type TOPCon Module (Glass to Glass)	CSPL-144THC-GF-545 (545 Wp)	CSPL-144THC-GF-540	20.90	144 (Half Cut Cells)	1500		
								CSPL-144THC-GF-545	21.10				
								CSPL-144THC-GF-550	21.29				
					iv	Bifacial-N-type TOPCon Module (Glass to Glass)	CSPL-132THC-GF-510 (510 Wp)	CSPL-132THC-GF-490	20.65	132 (Half Cut Cells)	1500		
								CSPL-132THC-GF-495	20.87				
								CSPL-132THC-GF-500	21.08				
								CSPL-132THC-GF-505	21.29				
								CSPL-132THC-GF-510	21.50				
								CSPL-132THC-GF-515	21.71				
								CSPL-132THC-GF-520	21.92				
								CSPL-132THC-GF-525	22.13				
								CSPL-132THC-GF-530	22.34				
								CSPL-132THC-GF-535	22.55				
					v	Bifacial-N-type TOPCon Module (Glass to Glass)	CSPL-132THC-GF-485 (485 Wp)	CSPL-132THC-GF-485	20.44	132 (Half Cut Cells)	1500		
								CSPL-132THC-GF-490	20.65				
					vi	Bifacial-N-type TOPCon Module (Glass to Glass)	CSPL-120THC-GF-460 (460 Wp)	CSPL-120THC-GF-440	20.34	120 (Half Cut Cells)	1500		
								CSPL-120THC-GF-445	20.57				
								CSPL-120THC-GF-450	20.80				
								CSPL-120THC-GF-455	21.03				
								CSPL-120THC-GF-460	21.26				
								CSPL-120THC-GF-465	21.49				
								CSPL-120THC-GF-470	21.72				
								CSPL-120THC-GF-475	21.95				
								CSPL-120THC-GF-480	22.18				
					vii	Bifacial-N-type	CSPL-108THC-GF-425	CSPL-108THC-GF-410	20.90	108 (Half Cut Cells)	1500		

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
						TOPCon Module (Glass to Glass)	(425 Wp)	CSPL-108THC-GF-415 CSPL-108THC-GF-420 CSPL-108THC-GF-425 CSPL-108THC-GF-430 CSPL-108THC-GF-435	21.15 21.41 21.66 21.92 22.17				
					viii	Bifacial-N-type TOPCon Module (Glass to Glass)	CSPL-96THC-GF-395 (395 Wp)	CSPL-96THC-GF-380 CSPL-96THC-GF-385 CSPL-96THC-GF-390 CSPL-96THC-GF-395 CSPL-96THC-GF-400 CSPL-96THC-GF-405	21.79 22.07 22.36 22.65 22.93 23.22	96 (Half Cut Cells)	1500		
					ix	Mono c-Si PERC Module	CSPL-132MHC-WF-500 (500 Wp)	CSPL-132MHC-WF-500	21.06	132 (Half Cut Cells)	1500		
					x	Bifacial-Mono c-Si PERC Module (Glass to Transparent Backsheet)	CSPL-132MHC-TF-500 (500 Wp)	CSPL-132MHC-TF-500	21.06	132 (Half Cut Cells)	1500		
18	M/s. Redren Energy Pvt. Ltd (Capacity Addition)	Survey No. 154/1, 154/2, Opposite Rangpar, Bus Stand, National Highway No. 27, Jalida, Wankaner, Morbi 363621, Gujarat, India	R-72001775	1034	i	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-108HCBF400 (400 Wp)	RSM10MP-108HCBF380 RSM10MP-108HCBF385 RSM10MP-108HCBF390 RSM10MP-108HCBF395 RSM10MP-108HCBF400 RSM10MP-108HCBF405 RSM10MP-108HCBF410 RSM10MP-108HCBF415 RSM10MP-108HCBF420	19.44 19.69 19.95 20.20 20.46 20.72 20.97 21.23 21.48	108 (Half Cut Cells)	1500	05.04.2024	04.04.2028
					ii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-120HCBF425 (425 Wp)	RSM10MP-120HCBF415 RSM10MP-120HCBF420 RSM10MP-120HCBF425 RSM10MP-120HCBF430 RSM10MP-120HCBF435	19.17 19.40 19.63 19.86 20.09	120 (Half Cut Cells)	1500		
					iii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-120HCBF450 (450 Wp)	RSM10MP-120HCBF440 RSM10MP-120HCBF445 RSM10MP-120HCBF450 RSM10MP-120HCBF455 RSM10MP-120HCBF460	20.33 20.56 20.79 21.02 21.25	120 (Half Cut Cells)	1500		
					iv	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-132HCBF465 (465 Wp)	RSM10MP-132HCBF455 RSM10MP-132HCBF460 RSM10MP-132HCBF465 RSM10MP-132HCBF470 RSM10MP-132HCBF475	19.16 19.37 19.58 19.79 20.00	132 (Half Cut Cells)	1500		
					v	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-132HCBF495 (495 Wp)	RSM10MP-132HCBF480 RSM10MP-132HCBF485 RSM10MP-132HCBF490 RSM10MP-132HCBF495 RSM10MP-132HCBF500 RSM10MP-132HCBF505	20.21 20.42 20.64 20.85 21.06 21.27	132 (Half Cut Cells)	1500		
					vi	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-144HCBF510 (510 Wp)	RSM10MP-144HCBF495 RSM10MP-144HCBF500 RSM10MP-144HCBF505 RSM10MP-144HCBF510 RSM10MP-144HCBF515 RSM10MP-144HCBF520	19.16 19.36 19.55 19.74 19.94 20.13	144 (Half Cut Cells)	1500		
					vii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-144HCBF540 (540 Wp)	RSM10MP-144HCBF525 RSM10MP-144HCBF530 RSM10MP-144HCBF535 RSM10MP-144HCBF540 RSM10MP-144HCBF545 RSM10MP-144HCBF550	20.32 20.52 20.71 20.90 21.10 21.29	144 (Half Cut Cells)	1500		
					viii	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-144-590 (590 Wp)	RS-M10TC-144-610 RS-M10TC-144-605 RS-M10TC-144-600	23.61 23.42 23.23	144 (Half Cut Cells)	1500		

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								RS-M10TC-144-595	23.03				
								RS-M10TC-144-590	22.84				
								RS-M10TC-144-585	22.65				
								RS-M10TC-144-580	22.45				
								RS-M10TC-144-575	22.26				
								RS-M10TC-144-570	22.07				
					ix	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-144-560 (560 Wp)	RS-M10TC-144-565	21.87	144 (Half Cut Cells)	1500		
								RS-M10TC-144-560	21.68				
								RS-M10TC-144-555	21.48				
								RS-M10TC-144-550	21.29				
					x	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-132-550 (550 Wp)	RS-M10TC-132-560	23.58	132 (Half Cut Cells)	1500		
								RS-M10TC-132-555	23.37				
								RS-M10TC-132-550	23.16				
								RS-M10TC-132-545	22.95				
								RS-M10TC-132-540	22.74				
								RS-M10TC-132-535	22.53				
					xi	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-132-520 (520 Wp)	RS-M10TC-132-530	22.32	132 (Half Cut Cells)	1500		
								RS-M10TC-132-525	22.11				
								RS-M10TC-132-520	21.90				
								RS-M10TC-132-515	21.69				
								RS-M10TC-132-510	21.48				
					xii	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-120-490 (490 Wp)	RS-M10TC-132-505	21.27	120 (Half Cut Cells)	1500		
								RS-M10TC-120-505	23.33				
								RS-M10TC-120-500	23.10				
								RS-M10TC-120-495	22.87				
								RS-M10TC-120-490	22.63				
								RS-M10TC-120-485	22.40				
								RS-M10TC-120-480	22.17				
					xiii	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-120-460 (460 Wp)	RS-M10TC-120-475	21.94	120 (Half Cut Cells)	1500		
								RS-M10TC-120-470	21.71				
								RS-M10TC-120-465	21.48				
								RS-M10TC-120-460	21.25				
								RS-M10TC-120-455	21.02				
					xiv	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-108-440 (440 Wp)	RS-M10TC-108-455	23.27	108 (Half Cut Cells)	1500		
								RS-M10TC-108-450	23.02				
								RS-M10TC-108-445	22.76				
								RS-M10TC-108-440	22.51				
								RS-M10TC-108-435	22.25				
								RS-M10TC-108-430	21.99				
					xv	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-108-415 (415 Wp)	RS-M10TC-108-425	21.74	108 (Half Cut Cells)	1500		
								RS-M10TC-108-420	21.48				
								RS-M10TC-108-415	21.23				
					xvi	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-96-390 (390 Wp)	RS-M10TC-108-410	20.97	96 (Half Cut Cells)	1500		
								RS-M10TC-96-400	22.95				
								RS-M10TC-96-395	22.66				
								RS-M10TC-96-390	22.38				
								RS-M10TC-96-385	22.09				
					xvii	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-96-370 (370 Wp)	RS-M10TC-96-380	21.80	96 (Half Cut Cells)	1500		
								RS-M10TC-96-375	21.52				
								RS-M10TC-96-370	21.23				
								RS-M10TC-96-365	20.94				
					xviii	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-84-340 (340 Wp)	RS-M10TC-96-360	20.65	84 (Half Cut Cells)	1500		
								RS-M10TC-84-350	22.83				
								RS-M10TC-84-345	22.50				
								RS-M10TC-84-340	22.18				
								RS-M10TC-84-335	21.85				
					xix	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-84-320 (320 Wp)	RS-M10TC-84-330	21.52	84 (Half Cut Cells)	1500		
								RS-M10TC-84-325	21.20				
								RS-M10TC-84-320	20.87				
								RS-M10TC-84-315	20.55				
					xx	N-Type TOPCon Module	RSM10CTC144-590 (590 Wp)	RSM10CTC144-610	23.61	144 (Half Cut Cells)	1500		
								RSM10CTC144-605	23.42				
								RSM10CTC144-600	23.23				
								RSM10CTC144-595	23.03				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								RSM10CTC144-590	22.84				
								RSM10CTC144-585	22.65				
								RSM10CTC144-580	22.45				
								RSM10CTC144-575	22.26				
								RSM10CTC144-570	22.07				
					xxi	N-Type TOPCon Module	RSM10CTC144-560 (560 Wp)	RSM10CTC144-565	21.87	144 (Half Cut Cells)	1500		
								RSM10CTC144-560	21.68				
								RSM10CTC144-555	21.48				
								RSM10CTC144-550	21.29				
								RSM10CTC132-560	23.58				
					xxii	N-Type TOPCon Module	RSM10CTC132-550 (550 Wp)	RSM10CTC132-555	23.37				
								RSM10CTC132-550	23.16				
								RSM10CTC132-545	22.95				
								RSM10CTC132-540	22.74				
					xxiii	N-Type TOPCon Module	RSM10CTC132-520 (520 Wp)	RSM10CTC132-535	22.53	132 (Half Cut Cells)	1500		
								RSM10CTC132-530	22.32				
								RSM10CTC132-525	22.11				
								RSM10CTC132-520	21.90				
								RSM10CTC132-515	21.69				
					xxiv	N-Type TOPCon Module	RSM10CTC120-490 (490 Wp)	RSM10CTC132-510	21.48	120 (Half Cut Cells)	1500		
								RSM10CTC132-505	21.27				
								RSM10CTC120-505	23.33				
								RSM10CTC120-500	23.10				
								RSM10CTC120-495	22.87				
								RSM10CTC120-490	22.63				
								RSM10CTC120-485	22.40				
								RSM10CTC120-480	22.17				
								RSM10CTC120-475	21.94				
					xxv	N-Type TOPCon Module	RSM10CTC120-460 (460 Wp)	RSM10CTC120-470	21.71	120 (Half Cut Cells)	1500		
								RSM10CTC120-465	21.48				
								RSM10CTC120-460	21.25				
					xxvi	N-Type TOPCon Module	RSM10CTC108-440 (440 Wp)	RSM10CTC120-455	21.02	108 (Half Cut Cells)	1500		
								RSM10CTC108-455	23.27				
								RSM10CTC108-450	23.02				
								RSM10CTC108-445	22.76				
								RSM10CTC108-440	22.51				
								RSM10CTC108-435	22.25				
								RSM10CTC108-430	21.99				
					xxvii	N-Type TOPCon Module	RSM10CTC108-415 (415 Wp)	RSM10CTC108-425	21.74	108 (Half Cut Cells)	1500		
								RSM10CTC108-420	21.48				
								RSM10CTC108-415	21.23				
								RSM10CTC108-410	20.97				
					xxviii	N-Type TOPCon Module	RSM10CTC96-390 (390 Wp)	RSM10CTC96-400	22.95	96 (Half Cut Cells)	1500		
								RSM10CTC96-395	22.66				
								RSM10CTC96-390	22.38				
								RSM10CTC96-385	22.09				
								RSM10CTC96-380	21.80				
					xxix	N-Type TOPCon Module	RSM10CTC96-370 (370 Wp)	RSM10CTC96-375	21.52	96 (Half Cut Cells)	1500		
								RSM10CTC96-370	21.23				
								RSM10CTC96-365	20.94				
								RSM10CTC96-360	20.65				
					xxx	N-Type TOPCon Module	RSM10CTC84-340 (340 Wp)	RSM10CTC84-350	22.83	84 (Half Cut Cells)	1500		
								RSM10CTC84-345	22.50				
								RSM10CTC84-340	22.18				
								RSM10CTC84-335	21.85				
								RSM10CTC84-330	21.52				
					xxxi	N-Type TOPCon Module	RSM10CTC84-320 (320 Wp)	RSM10CTC84-325	21.20	84 (Half Cut Cells)	1500		
								RSM10CTC84-320	20.87				
								RSM10CTC84-315	20.55				
					xxxii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC144-590 (590 Wp)	RSM10BTC144-610	23.61	144 (Half Cut Cells)	1500		
								RSM10BTC144-605	23.42				
								RSM10BTC144-600	23.23				
								RSM10BTC144-595	23.03				
								RSM10BTC144-590	22.84				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity			
												From	To (subject to valid BIS Registration; else deemed to be delisted)		
								RSM10BTC144-585	22.65						
								RSM10BTC144-580	22.45						
								RSM10BTC144-575	22.26						
								RSM10BTC144-570	22.07						
					xxxiii	Bifacial N-Type TOPCon Module (Glass to Transparent)	RSM10BTC144-560 (560 Wp)	RSM10BTC144-565	21.87	144 (Half Cut Cells)	1500				
								RSM10BTC144-560	21.68						
								RSM10BTC144-555	21.48						
								RSM10BTC144-550	21.29						
					xxxiv	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC132-550 (550 Wp)	RSM10BTC132-560	23.58	132 (Half Cut Cells)	1500				
								RSM10BTC132-555	23.37						
								RSM10BTC132-550	23.16						
								RSM10BTC132-545	22.95						
								RSM10BTC132-540	22.74						
								RSM10BTC132-535	22.53						
								RSM10BTC132-530	22.32						
								RSM10BTC132-525	22.11						
					xxxv	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC132-520 (520 Wp)	RSM10BTC132-520	21.90	132 (Half Cut Cells)	1500				
								RSM10BTC132-515	21.69						
								RSM10BTC132-510	21.48						
								RSM10BTC132-505	21.27						
					xxxvi	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC120-490 (490 Wp)	RSM10BTC120-505	23.33	120 (Half Cut Cells)	1500				
								RSM10BTC120-500	23.10						
								RSM10BTC120-495	22.87						
								RSM10BTC120-490	22.63						
								RSM10BTC120-485	22.40						
								RSM10BTC120-480	22.17						
								RSM10BTC120-475	21.94						
								RSM10BTC120-470	21.71						
					xxxvii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC120-460 (460 Wp)	RSM10BTC120-465	21.48	120 (Half Cut Cells)	1500				
								RSM10BTC120-460	21.25						
								RSM10BTC120-455	21.02						
					xxxviii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC108-440 (440 Wp)	RSM10BTC108-455	23.27	108 (Half Cut Cells)	1500				
								RSM10BTC108-450	23.02						
								RSM10BTC108-445	22.76						
								RSM10BTC108-440	22.51						
								RSM10BTC108-435	22.25						
								RSM10BTC108-430	21.99						
								RSM10BTC108-425	21.74						
					xxxix	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC108-415 (415 Wp)	RSM10BTC108-420	21.48	108 (Half Cut Cells)	1500				
								RSM10BTC108-415	21.23						
								RSM10BTC108-410	20.97						
					XL	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC96-390 (390 Wp)	RSM10BTC96-400	22.95	96 (Half Cut Cells)	1500				
								RSM10BTC96-395	22.66						
								RSM10BTC96-390	22.38						
								RSM10BTC96-385	22.09						
								RSM10BTC96-380	21.80						
					XLI	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC96-370 (370 Wp)	RSM10BTC96-375	21.52	96 (Half Cut Cells)	1500				
								RSM10BTC96-370	21.23						
								RSM10BTC96-365	20.94						
								RSM10BTC96-360	20.65						
					XLII	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC84-345 (345 Wp)	RSM10BTC84-350	22.83	84 (Half Cut Cells)	1500				
								RSM10BTC84-345	22.50						
								RSM10BTC84-340	22.18						
								RSM10BTC84-335	21.85						
					XLIII	Bifacial N-Type	RSM10BTC84-325	RSM10BTC84-330	21.52	84 (Half Cut Cells)	1500				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity								
												From	To (subject to valid BIS Registration; else deemed to be delisted)							
						TOPCon Module (Glass to Transparent Backsheet)	(325 Wp)	RSM10BTC84-325	21.20											
								RSM10BTC84-320	20.87											
								RSM10BTC84-315	20.55											
					XLIV	Mono c-Si PERC Module	RPLUS24380 (380 Wp)	RPLUS24380	19.11	72 (Full Cells)	1500									
					XLV	Mono c-Si PERC Module	RPLUS20320 (320 Wp)	RPLUS20330	20.05	60 (Full Cells)	1500									
								RPLUS20325	19.74											
								RPLUS20320	19.44											
					XLVI	Mono c-Si PERC Module	RPLUS18300 (300 Wp)	RPLUS20315	19.14	54 (Full Cells)	1500									
								RPLUS18300	20.37											
								RPLUS18295	20.03											
								RPLUS18290	19.69											
					XLVII	Mono c-Si PERC Module	RSM10MP-72HCMF550 (550Wp)	RPLUS18285	19.35	144 (Half Cut Cells)	1500									
								RSM10MP-72HCMF550	21.29											
					XLVIII	Mono c-Si PERC Module	RSM10MP-72HCMF520 (520Wp)	RSM10MP-72HCMF545	21.10	144 (Half Cut Cells)	1500									
								RSM10MP-72HCMF540	20.90											
								RSM10MP-72HCMF535	20.71											
								RSM10MP-72HCMF530	20.52											
								RSM10MP-72HCMF525	20.32											
								RSM10MP-72HCMF520	20.13											
								RSM10MP-72HCMF515	19.94											
								RSM10MP-72HCMF510	19.74											
								RSM10MP-72HCMF505	19.55											
								RSM10MP-72HCMF500	19.35											
								RSM10MP-72HCMF495	19.16											
					XLIX	Mono c-Si PERC Module	RSM10MP-66HCMF500 (500 Wp)	RSM10MP-66HCMF505	21.27	132 (Half Cut Cells)	1500									
								RSM10MP-66HCMF500	21.06											
								RSM10MP-66HCMF495	20.84											
								RSM10MP-66HCMF490	20.63											
								RSM10MP-66HCMF485	20.42											
								RSM10MP-66HCMF480	20.21											
					L	Mono c-Si PERC Module	RSM10MP-66HCMF470 (470 Wp))	RSM10MP-66HCMF475	20.03	132 (Half Cut Cells)	1500									
								RSM10MP-66HCMF470	19.79											
								RSM10MP-66HCMF465	19.58											
								RSM10MP-66HCMF460	19.37											
					LI	Mono c-Si PERC Module	RSM10MP-60HCMF460 (460 Wp)	RSM10MP-66HCMF455	19.16	120 (Half Cut Cells)	1500									
								RSM10MP-60HCMF460	21.25											
					LII	Mono c-Si PERC Module	RSM10MP-60HCMF435 (435 Wp)	RSM10MP-60HCMF455	21.02	120 (Half Cut Cells)	1500									
								RSM10MP-60HCMF450	20.79											
								RSM10MP-60HCMF445	20.55											
								RSM10MP-60HCMF440	20.32											
								RSM10MP-60HCMF435	20.09											
								RSM10MP-60HCMF430	19.86											
								RSM10MP-60HCMF425	19.63											
								RSM10MP-60HCMF420	19.40											
								RSM10MP-60HCMF415	19.17											
					LIII	Mono c-Si PERC Module	RSM10MP-54HCMF400 (400 Wp)	RSM10MP-54HCMF420	21.48	108 (Half Cut Cells)	1500									
								RSM10MP-54HCMF415	21.23											
								RSM10MP-54HCMF410	20.97											
								RSM10MP-54HCMF405	20.71											
								RSM10MP-54HCMF400	20.46											
								RSM10MP-54HCMF395	20.20											
								RSM10MP-54HCMF390	19.95											
								RSM10MP-54HCMF385	19.69											
								RSM10MP-54HCMF380	19.44											
					19	M/s. Vikram Solar Ltd.	Special Economic Zone (SEZ), Sector	R-51000566	2893	i	Bifacial N-Type TOPCon Module			HYPER SOL VSMDH.66.620.05	YPERSOL VSMDH.66.590.	21.84	132 (Half Cut Cells)	1500	24.02.2024	23.02.2028
														YPERSOL VSMDH.66.595.	22.03					

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity								
												From	To (subject to valid BIS Registration; else deeeemd to be delisted)							
	(Model Addition + Capacity Addition)	2,Falta, 24 Parganas (South) - 743504, West Bengal, India				(Glass to Glass)	(620 Wp)	YPERSOL VSM DH.66.600.	22.21	*105 mm)										
								YPERSOL VSM DH.66.605.	22.40											
								YPERSOL VSM DH.66.610.	22.58											
								YPERSOL VSM DH.66.615.	22.77											
								YPERSOL VSM DH.66.620.	22.95											
								YPERSOL VSM DH.66.625.	23.14											
								YPERSOL VSM DH.66.630.	23.32											
								YPERSOL VSM DH.66.635.	23.51											
								YPERSOL VSM DH.66.640.	23.69											
								ii	Bifacial N-Type TOPCon Module (Glass to Glass)					HYPER SOL VSM DH.60.560.05 (560 Wp)	YPERSOL VSM DH.60.580.	23.55	120 (Half Cut Cells) (Cell Size: 182 mm *105 mm)	1500		
								YPERSOL VSM DH.60.575.							23.35					
					YPERSOL VSM DH.60.570.	23.14														
					YPERSOL VSM DH.60.565.	22.94														
					YPERSOL VSM DH.60.560.	22.74														
					YPERSOL VSM DH.60.555.	22.53														
					YPERSOL VSM DH.60.550.	22.33														
					YPERSOL VSM DH.60.545.	22.13														
20	M/s. H R Solar Solution Private Limited (Model Addition + Capacity Addition)	Raghudebpur, NH-6, Panchla, Block- Uluberia-II, Uluberia, Howrah - 711322, West Bengal, India	R-51001686	187	i	Mono c-Si PERC Module	H550M144 (550 Wp)	H550M144	21.29	144 (Half Cut Cells)	1500	25.01.2025	24.01.2029							
21	M/s. Saatvik Solar Industries Private Limited (New Addition in ALMM)	Village Mohari, Tehsil- Shahabad, Markanda, Ambala Road District- Kurukshetra -136135, Haryana	R-91017981	1941	i	Bifacial N-Type TOPCon Modules (Glass to Glass)	SGE615-132TGG (615 Wp)	SGE600-132TGG	22.21	132 (Half Cut Cells)	1500	13.08.2025	12.08.2029							
								SGE605-132TGG	22.40											
								SGE610-132TGG	22.58											
								SGE615-132TGG	22.77											
								SGE620-132TGG	22.95											
								SGE625-132TGG	23.14											
								ii	Bifacial N-Type TOPCon Modules (Glass to Glass)					SGE425-108TGG (425 Wp)	SGE410-108TGG	20.97	108 (Half Cut Cells)	1500		
								SGE415-108TGG							21.23					
								SGE420-108TGG							21.48					
								SGE425-108TGG							21.74					
								SGE430-108TGG							21.99					
					SGE435-108TGG	22.25														
					iii	Bifacial N-Type TOPCon Modules (Glass to Glass)	SGE475-120TGG (475 Wp)	SGE440-108TGG	22.51	120 (Half Cut Cells)	1500									
					SGE460-120TGG			21.22												
					SGE465-120TGG			21.45												
					SGE470-120TGG			21.68												
					SGE475-120TGG			21.91												
					SGE480-120TGG			22.14												
					iv	Bifacial N-Type TOPCon Modules (Glass to Glass)	SGE520-132TGG (520 Wp)	SGE485-120TGG	22.37	132 (Half Cut Cells)	1500									
					SGE490-120TGG			22.60												
					SGE510-132TGG			21.46												
					SGE515-132TGG			21.67												
					SGE520-132TGG			21.88												
					SGE525-132TGG			22.09												
					v	Bifacial N-Type TOPCon Modules (Glass to Glass)	SGE580-144TGG (580 Wp)	SGE530-132TGG	22.30	144 (Half Cut Cells)	1500									
					SGE535-132TGG			22.51												
					SGE560-144TGG			21.68												
					SGE565-144TGG			21.87												
					SGE570-144TGG			22.07												
					SGE575-144TGG			22.26												
					vi	Bifacial N-Type TOPCon Modules (Glass to Glass)	SGE615-156TGG (615 Wp)	SGE580-144TGG	22.45	156 (Half Cut Cells)	1500									
					SGE585-144TGG			22.65												
					SGE590-144TGG			22.84												
					SGE595-144TGG			23.03												
					SGE600-144TGG			23.23												
					SGE600-156TGG			21.47												

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
						Modules (Glass to Glass)		SGE610-156TGG SGE615-156TGG SGE620-156TGG SGE625-156TGG SGE630-156TGG	21.83 22.01 22.19 22.37 22.55				
22	M/s. Matri Shree Techno Industries (New Addition in ALMM))	Dhauha Mirpur Chunar Mirzapur – 231305, Uttar Pradesh, India	R-93006483	49	i	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	GS570M-156 (570 Wp)	GS 580M-156 GS 575M-156 GS 570M-156 GS 565M-156 GS 560M-156	20.75 20.57 20.39 20.21 20.03	156 (Half Cut Cells)	1500	13.08.2025	12.08.2029
					ii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	GS540M-144 (540 Wp)	GS 560M-144 GS 555M-144 GS 550M-144 GS 545M-144 GS 540M-144 GS 535M-144 GS 530M-144 GS 525M-144	21.68 21.48 21.29 21.10 20.90 20.71 20.52 20.32	144 (Half Cut Cells)	1500		
					iii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	GS 490M-132 (490 Wp)	GS 500M -132 GS 495M -132 GS 490M -132 GS 485M -132 GS 480M -132	21.07 20.86 20.64 20.43 20.22	132 (Half Cut Cells)	1500		
					iv	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	GS 445M -120 (445 Wp)	GS 455M -120 GS 450M -120 GS 445M -120 GS 440M -120 GS 435M -120	21.03 20.80 20.57 20.34 20.10	120 (Half Cut Cells)	1500		
					v	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	GS340M (340 Wp)	GS340M	21.11	72 (Half Cut Cells)	1000		
					vi	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	GS340M12 (340 Wp)	GS340M12	21.11	72 (Half Cut Cells)	1000		
					vii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	GS320M (320 Wp)	GS320M	20.53	72 (Half Cut Cells)	1000		
					viii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	GS320M12 (320 Wp)	GS320M12	20.53	72 (Half Cut Cells)	1000		
					ix	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	GS220M (220 Wp)	GS220M	20.18	72 (Half Cut Cells)	1000		
					x	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	GS220M12 (220 Wp)	GS220M12	20.18	72 (Half Cut Cells)	1000		

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xi	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	GS160M (160Wp)	GS160M12	20.01	36 (Half Cut Cells)	1000		
23	M/s. Abhishek Solar Industries Private Limited Unit II (Model Addition)	Khata No. 67 Plot No. 53, Mesra, PO – Neori Vikas, Near NH 33, Ranchi, Jharkhand - 835217, India	R-58000140	142	i	Mono c-Si PERC Module	AS-260-M36 (260 Wp)	AS-250-M36	20.95	36 (Half Cut Cells)	1500	24.01.2024	23.01.2028
								AS-260-M36	20.95				
								AS-270-M36	21.27				
					ii	Mono c-Si PERC Module	AS-230-M36 (230 Wp)	AS-220-M36	20.83	36 (Half Cut Cells)	1500		
								AS-230-M36	20.83				
								AS-240-M36	20.83				
					iii	Mono c-Si PERC Module (200 Wp)	AS-200-M36 (200 Wp)	AS-200-M36	20.56	36 (Half Cut Cells)	1500		
								AS-210-M36	20.68				
					iv	Mono c-Si PERC Module	AS-175-M36 (175 Wp)	AS-170-M36	20.43	36 (Half Cut Cells)	1500		
								AS-175-M36	22.46				
								AS-180-M36	20.42				
					v	Mono c-Si PERC Module	AS-160-M36 (160 Wp)	AS-160-M36	20.34	36 (Half Cut Cells)	1500		
					vi	Mono c-Si PERC Module	AS-150-M36 (150 Wp)	AS-150-M36	20.14	36 (Half Cut Cells)	1500		
					vii	Mono c-Si PERC Module	AS-140-M36 (140 Wp)	AS-140-M36	20.02	36 (Half Cut Cells)	1500		
					viii	Mono c-Si PERC Module	AS-125-M36 (125 Wp)	AS-120-M36	19.74	36 (Half Cut Cells)	1500		
								AS-125-M36	19.82				
								AS-130-M36	20.01				
					ix	Mono c-Si PERC Module	AS-110-M36 (110 Wp)	AS-110-M36	20.10	36 (Half Cut Cells)	1500		
					x	Mono c-Si PERC Module	AS-100-M36 (100 Wp)	AS-100-M36	19.35	36 (Half Cut Cells)	1500		
					xi	Mono c-Si PERC Module	AS-90-M36 (90 Wp)	AS-90-M36	19.38	36 (Half Cut Cells)	1500		
					xii	Mono c-Si PERC Module	AS-80-M36 (80 Wp)	AS-80-M36	19.21	36 (Half Cut Cells)	1500		
					xiii	Mono c-Si PERC Module	AS-75-M36 (75 Wp)	AS-75-M36	19.35	36 (Half Cut Cells)	1500		
					xiv	Mono c-Si PERC Module	AS-115-M32 (115 Wp)	AS-110-M32	19.04	32 (Half Cut Cells)	1500		
								AS-115-M32	19.15				
								AS-120-M32	19.99				
					xv	Mono c-Si PERC Module	AS-80-M32 (80 Wp)	AS-80-M32	19.49	32 (Half Cut Cells)	1500		
					xvi	Mono c-Si PERC Module	AS-75-M32 (75 Wp)	AS-75-M32	19.35	32 (Half Cut Cells)	1500		
24	M/s. Goldi Sun Private Limited (Model Addition + Capacity Addition)	Unit no 6 (Type F) , Block No. 341, Prime Industrial and Logistic Hub, NR. P.P Savani University, NH-48,Gram Panchayat, Dhamdod - 394125, Surat, Gujarat, India	R-72012467	7263	i	Bifacial N-Type TOPCon Module (Glass to Glass)	GS12R-T132-GF-610 (610 Wp)	GS12R-T132-GF-620	22.95	132 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								GS12R-T132-GF-615	22.77				
								GS12R-T132-GF-610	22.58				
								GS12R-T132-GF-605	22.40				
								GS12R-T132-GF-600	22.21				
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	GS12R-T120-GF-555 (555 Wp)	GS12R-T120-GF-565	23.01	120 (Half Cut Cell)	1500		
								GS12R-T120-GF-560	22.81				
								GS12R-T120-GF-555	22.61				
								GS12R-T120-GF-550	22.40				
								GS12R-T120-GF-545	22.20				
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	GS10-T108-GF-450 (450 Wp)	GS12R-T108-GF-510	23.00	108 (Half Cut Cell)	1500		
								GS12R-T108-GF-505	22.78				
								GS12R-T108-GF-500	22.55				
								GS12R-T108-GF-495	22.33				
								GS12R-T108-GF-490	22.10				

Note: In case of model inclusion or capacity addition / change, through revision in ALMM List, the capacity mentioned against any manufacturing unit, as appearing in the said Revision to the ALMM List, shall be the ALMM enlisted manufacturing capacity for that manufacturing unit (from the date of the said revision), and the capacity enlisted for that manufacturing unit should not be interpreted as Sum of (enlisted capacity for that manufacturing unit in previous ALMM list/ previous revision to ALMM List) and (enlisted capacity in the present revision)

F. No. 283/41/2024-GRID SOLAR
भारत सरकार / Government of India
नवीन और नवीकरणीय ऊर्जा मंत्रालय / Ministry of New & Renewable Energy
ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003.
Dated: 30th June 2025

OFFICE MEMORANDUM

Sub: Updation of List I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 – Reg.

- Ref:** (i) MNRE's O.M. No. 283/54/2018-GRID SOLAR-Part(1) dated 10.03.2021
(ii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 10.05.2023;
(iii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 22.03.2024;
(iv) MNRE's O.M. No. 32/33/2024-SPV Division dated 06.05.2025;

Reference is invited to this Ministry's O.M.s of even no. dated 10.03.2021, regarding implementation of Approved Models and Manufacturers of Solar Photovoltaic Modules (Requirement for Compulsory Registration) Order, 2019 and publishing List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019.

2. This Ministry vide its O.M.s referred at (ii), (iii) & (iv) above, inter-alia, directed that only such models of Solar PV Module Manufacturers will be enlisted under ALMM, which comply with the BIS Standards and are having the following minimum module efficiency:

Category	Application/Use	Minimum Module Efficiency required to be eligible for enlistment in ALMM for solar PV modules	
		For c-Si technology based solar PV modules	For CdTe thin film technology based solar PV modules
Category-I	Utility/Grid Scale Power Plants	20.00%	19.00%
Category-II	Rooftop and Solar Pumping	19.50%	18.50%
Category-III	Off-grid projects/applications like solar lamps, solar lights, solar street lights, solar fans, etc. (other than solar powered agricultural pumps and solar PV rooftops) requiring individual capacity of each solar PV module deployed, to be of less than 200 Watt peak	18.00%	18.00%
Category-IV	Any other application	19.00%	18.00%

3. Post the aforesaid O.M. dated 10.05.2023 and subsequent O.M.s dated 22.03.2024 and 06.05.2025, only such models of Solar PV Modules have been considered for enlistment under ALMM List-I, whose module efficiency is meeting the eligibility criteria as mentioned in table at para-2 above.

4. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 was last updated on 05.06.2025.

5. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 is hereby further revised and the Revision-XL (*in the format of additions / modifications to Revision-XXXIX*) is enclosed at Annexure-I. The last revision no. XXXIX dated 05.06.2025 along with provisional enlistments therein (*excluding those which have been removed on account of inclusion in main ALMM List-I*) is at pages after Annexure-I.

6. The ALMM enlistment validity is subject to valid BIS Registration; else deemed to be delisted.

7. The details of Registration No. (R. No.) which has been allotted by BIS is mentioned against each manufacturer / manufacturing unit enlisted in ALMM and further details related to BIS certification like validity, models included, etc. may be checked from BIS website by using the following link:
https://www.crsbis.in/BIS/Lims_registrationc.do?hmode=getLimsData

8. This issues with the approval of competent authority.



(Sanjay G. Karndhar)
Scientist-E
E-mail: karndhar.sg@nic.in

Encl: as above

To: All Concerned

Copy to: Director (Technical), NIC, MNRE for uploading this document on MNRE's website

A. Correction of errors in revisions of ALMM List-I

There were some typographical errors in the revisions of ALMM list-I and the same are hereby corrected as follows:

1. M/s. SASA Energy LLP - Typo error corrected in validity of Models numbers

Part B of Annexure-I to ALMM Revision dated 05.06.2025 => In Sl. No. 2 => for entries corresponding to R. No. 72005681, may be read as from 27.09.2024 to 26.09.2028 (*subject to valid BIS Registration; else deemed to be delisted*).

2. M/s Oswal Solar Structure Pvt. Ltd. - Typo error corrected in validity of Models numbers

Part B of Annexure-I to ALMM Revision dated 21.05.2025 => In Sl. No. 3 => for entries corresponding to R. No. 91013935, may be read as from 24.05.2024 to 23.05.2028 (*subject to valid BIS Registration; else deemed to be delisted*).



S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
4	M/s. Worldone Energies Private Limited (New Addition in ALMM)	D 18, Umred, MIDC Umred, Umred MIDC Road, Nagpur - 441203, Maharashtra, India	R-71039837	164	i	Bifacial N-Type TOPCon Module (Glass to Glass)	WE630W (630 Wp)	WE605W	21.69	156 (Half Cut Cells)	1500	30.06.2025	29.06.2029
								WE610W	21.87				
								WE615W	22.05				
								WE620W	22.23				
								WE625W	22.41				
								WE630W	22.59				
								WE635W	22.76				
								WE640W	22.94				
								WE645W	23.12				
								WE650W	23.30				
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	WE575W (575 Wp)	WE550W	21.32	144 (Half Cut Cells)	1500		
								WE555W	21.51				
								WE560W	21.71				
								WE565W	21.90				
								WE570W	22.09				
								WE575W	22.29				
								WE580W	22.48				
								WE585W	22.68				
								WE590W	22.87				
								WE595W	23.06				
								WE600W	23.26				
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	WE525W (525 Wp)	WE500W	21.06	132 (Half Cut Cells)	1500		
								WE510W	21.49				
								WE520W	21.91				
								WE530W	22.33				
								WE535W	22.54				
								WE540W	22.75				
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	WE470W (470 Wp)	WE545W	22.96	120 (Half Cut Cells)	1500		
								WE450W	20.79				
								WE460W	21.26				
								WE470W	21.72				
								WE480W	22.18				
								WE490W	22.64				
5	M/s. Pahal Solar Private Limited (Model Addition & Capacity Change)	Ground Floor, Block No. 71, 72 Plot No. 167 to 171, 180 to 189, 19, E-172, 173,178, 179. Opp. Shiv Shakti Estate, Olpad, Surat -394540, Gujarat, India	R-72001848	264	i	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GA625 (625 Wp)	PSN_GA595	21.19	156 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								PSN_GA600	21.37				
								PSN_GA605	21.55				
								PSN_GA610	21.73				
								PSN_GA615	21.90				
								PSN_GA620	22.08				
								PSN_GA625	22.26				
								PSN_GA630	22.44				
								PSN_GA635	22.62				
								PSN_GA640	22.79				
								PSN_GA645	22.97				
								PSN_GA650	23.15				
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GC510 (510 Wp)	PSN_GC500	21.08	132 (Half Cut Cells)	1500		
								PSN_GC505	21.29				
								PSN_GC510	21.50				
								PSN_GC515	21.71				
								PSN_GC520	21.92				
								PSN_GC525	22.13				
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GC545 (545 Wp)	PSN_GC530	22.34	132 (Half Cut Cells)	1500		
								PSN_GC535	22.55				
								PSN_GC540	22.76				
								PSN_GC545	22.97				
								PSN_GC550	23.18				
								PSN_GC555	23.39				
								PSN_GC560	23.61				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GB560 (560 Wp)	PSN_GB545 PSN_GB550 PSN_GB555 PSN_GB560 PSN_GB565 PSN_GB570 PSN_GB575 PSN_GB580	21.10 21.29 21.48 21.68 21.87 22.07 22.26 22.45	144 (Half Cut Cells)	1500		
					v	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GB600 (600 Wp)	PSN_GB585 PSN_GB590 PSN_GB595 PSN_GB600 PSN_GB605 PSN_GB610 PSN_GB615 PSN_GB620	22.65 22.84 23.03 23.23 23.42 23.61 23.81 24.00	144 (Half Cut Cells)	1500		
					vi	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GD470 (470 Wp)	PSN_GD455 PSN_GD460 PSN_GD465 PSN_GD470 PSN_GD475 PSN_GD480	21.03 21.26 21.49 21.72 21.95 22.18	120 (Half Cut Cells)	1500		
					vii	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GD500 (500 Wp)	PSN_GD485 PSN_GD490 PSN_GD495 PSN_GD500 PSN_GD505 PSN_GD510	22.42 22.65 22.88 23.11 23.34 23.57	120 (Half Cut Cells)	1500		
					viii	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GL155 (155 Wp)	PSN_GL150 PSN_GL155 PSN_GL160	19.64 20.30 20.95	40 (Half Cut Cells)	1000		
					ix	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GL175 (175 Wp)	PSN_GL165 PSN_GL170 PSN_GL175	21.61 22.26 22.92	40 (Half Cut Cells)	1000		
					x	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GL180 (180 Wp)	PSN_GL180	23.57	40 (Half Cut Cells)	1000		
					xi	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GK210 (210 Wp)	PSN_GK200 PSN_GK205 PSN_GK210 PSN_GK215	19.03 19.51 19.99 20.46	56 (Half Cut Cells)	1500		
					xii	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GK230 (230 Wp)	PSN_GK220 PSN_GK225 PSN_GK230 PSN_GK235 PSN_GK240	20.94 21.41 21.89 22.37 22.84	56 (Half Cut Cells)	1500		
					xiii	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GJ250 (250 Wp)	PSN_GJ245 PSN_GJ250 PSN_GJ255	20.80 21.22 21.64	64 (Half Cut Cells)	1500		
					xiv	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GJ265 (265 Wp)	PSN_GJ260 PSN_GJ265 PSN_GJ270	22.07 22.49 22.92	64 (Half Cut Cells)	1500		
					xv	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GI285 (285 Wp)	PSN_GI275 PSN_GI280 PSN_GI285 PSN_GI290	20.76 21.14 21.52 21.89	72 (Half Cut Cells)	1500		
					xvi	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GI300 (300 Wp)	PSN_GI295 PSN_GI300 PSN_GI305	22.27 22.65 23.03	72 (Half Cut Cells)	1500		
					xvii	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GH315 (315 Wp)	PSN_GH305 PSN_GH310 PSN_GH315 PSN_GH320	20.87 21.21 21.55 21.89	80 (Half Cut Cells)	1500		

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity						
												From	To (subject to valid BIS Registration; else deemed to be delisted)					
					xviii	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GH335 (335 Wp)	PSN_GH325	22.24	80 (Half Cut Cells)	1500							
								PSN_GH330	22.58									
								PSN_GH335	22.92									
								PSN_GH340	23.26									
					xix	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GG330 (330 Wp)	PSN_GG320	20.87	84 (Half Cut Cells)	1500							
								PSN_GG325	21.20									
								PSN_GG330	21.52									
								PSN_GG335	21.85									
					xx	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GG350 (350 Wp)	PSN_GG340	22.18	84 (Half Cut Cells)	1500							
								PSN_GG345	22.50									
								PSN_GG350	22.83									
								PSN_GG355	23.15									
					xxi	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GF370 (370 Wp)	PSN_GF360	20.64	96 (Half Cut Cells)	1500							
								PSN_GF365	20.93									
								PSN_GF370	21.21									
								PSN_GF375	21.50									
								PSN_GF380	21.79									
					xxii	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GF400 (400 Wp)	PSN_GF385	22.07	96 (Half Cut Cells)	1500							
								PSN_GF390	22.36									
								PSN_GF395	22.65									
								PSN_GF400	22.93									
								PSN_GF405	23.22									
								PSN_GF410	23.51									
					xxiii	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GE420 (420 Wp)	PSN_GE410	21.00	108 (Half Cut Cells)	1500							
								PSN_GE415	21.25									
								PSN_GE420	21.51									
								PSN_GE425	21.76									
								PSN_GE430	22.02									
					xxiv	Bifacial N-Type TOPCon Module (Glass to Glass)	PSN_GE450 (450 Wp)	PSN_GE435	22.28	108 (Half Cut Cells)	1500							
								PSN_GE440	22.53									
								PSN_GE445	22.79									
								PSN_GE450	23.04									
								PSN_GE455	23.30									
								PSN_GE460	23.56									
6	M/s. TP Solar Limited (Model Addition & Capacity Change)	Plot No. A 109, Near Elcot Road, TP Solar Limited, Sipcot Road and SR Park, Gangaikondan Road, Sipcot Industrial Park, Gangaikondan Industrial Park, Tirunelveli -627352, Tamil Nadu, India	R-61004146	5035	i	Bifacial N-Type TOPCon Module (Glass to Glass)	TP605LG10NB (605 Wp)	TP630LG10NB	22.62	156 (Half Cut Cells)	1500	22.03.2024	21.03.2028					
								TP625LG10NB	22.44									
								TP620LG10NB	22.26									
								TP615LG10NB	22.08									
								TP610LG10NB	21.90									
								TP605LG10NB	21.72									
								TP600LG10NB	21.54									
								TP595LG10NB	21.36									
								TP590LG10NB	21.18									
								TP585LG10NB	21.00									
								TP580LG10NB	20.83									
								ii	Bifacial N-Type TOPCon Module (Glass to Glass)					TP555HG10NB (555 Wp)	TP580HG10NB	22.45	144 (Half Cut Cells)	1500
															TP575HG10NB	22.26		
															TP570HG10NB	22.07		
					TP565HG10NB	21.87												
					TP560HG10NB	21.68												
					TP555HG10NB	21.48												
					TP550HG10NB	21.29												
					TP545HG10NB	21.10												
					TP540HG10NB	20.90												
					TP535HG10NB	20.71												
					TP530HG10NB	20.52												

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	TP505VG10NB (505 Wp)	TP530VG10NB TP525VG10NB TP520VG10NB TP515VG10NB TP510VG10NB TP505VG10NB TP500VG10NB TP495VG10NB TP490VG10NB TP485VG10NB TP480VG10NB	22.11 21.90 21.69 21.48 21.27 21.07 20.86 20.65 20.44 20.23 20.02	132 (Half Cut Cells)	1500		
7	M/s. Rajasthan Electronics and Instruments Limited (REIL) (Co-ALMM)	Co-ALMM with M/s. Icon Solar En Power Technologies Private Limited Manufacturing Address : PH No. 09, Gram Dighari Mandir Hasaud, The Arang, Raipur-492001, Chhattisgarh, India	R-59000558	10 (As per co-branding agreement)	i	Mono c-Si PERC Module	RISEN575 (575 Wp)	RISEN590 RISEN585 RISEN580 RISEN575 RISEN570 RISEN565 RISEN560	21.11 20.93 20.75 20.57 20.39 20.21 20.03	156 (Half Cut Cells)	1500	30.06.2025	29.04.2027
								RISEN555 RISEN550 RISEN545 RISEN540	21.48 21.30 21.10 20.90	144 (Half Cut Cells)	1500		
					ii	Mono c-Si PERC Module	RISEN550 (550 Wp)	SWT15BG0440 SWT15BG0445 SWT15BG0450	22.53 22.79 23.04	108 (Half Cut Cells)	1500		
								SWT15BG6585 SWT15BG6590 SWT15BG6595 SWT15BG6600	22.65 22.84 23.03 23.23	144 (Half Cut Cells)	1500		
								SWT15BG4535 SWT15BG4540 SWT15BG4545 SWT15BG4550	22.53 22.74 22.95 23.16	132 (Half Cut Cells)	1500		
								SWT15BG2485 SWT15BG2490 SWT15BG2495 SWT15BG2500	22.40 22.63 22.87 23.10	120 (Half Cut Cells)	1500		
								SWT15BG8635 SWT15BG8640 SWT15BG8645 SWT15BG8650	22.72 22.90 23.07 23.25	156 (Half Cut Cells)	1500		
					vi	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SWT15BT0415 (415Wp)	SWT15BT0385 SWT15BT0390 SWT15BT0395 SWT15BT0400 SWT15BT0405 SWT15BT0410 SWT15BT0415 SWT15BT0420 SWT15BT0425 SWT15BT0430	19.72 19.97 20.23 20.48 20.74 21.00 21.25 21.51 21.76 22.02	108 (Half Cut Cells)	1500		
								SWT15BT2430 SWT15BT2435 SWT15BT2440 SWT15BT2445 SWT15BT2450 SWT15BT2455	19.86 20.09 20.33 20.56 20.79 21.02	120 (Half Cut Cells)	1500		
					vii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SWT15BT2445 (445 Wp))						
8	M/s Swelect HHV Solar Photovoltaics Pvt. Ltd (Model Addition & Capacity Change)	SF – No. 169, 166 Sembagoundan Pudur, Kuppapalayam Village, Coimbatore, Coimbatore North Taluk, Coimbatore District, Tamil Nadu - 641107	R-61003433	807	i	Bifacial N-Type TOPCon Module (Glass to Glass)	SWT15BG0445 (445 Wp)	SWT15BG0440 SWT15BG0445 SWT15BG0450	22.53 22.79 23.04	108 (Half Cut Cells)	1500	31.05.2023	30.05.2027
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	SWT15BG6595 (595 Wp)	SWT15BG6585 SWT15BG6590 SWT15BG6595 SWT15BG6600	22.65 22.84 23.03 23.23	144 (Half Cut Cells)	1500		
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	SWT15BG4545 (545 Wp)	SWT15BG4535 SWT15BG4540 SWT15BG4545 SWT15BG4550	22.53 22.74 22.95 23.16	132 (Half Cut Cells)	1500		
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	SWT15BG2495 (495 Wp)	SWT15BG2485 SWT15BG2490 SWT15BG2495 SWT15BG2500	22.40 22.63 22.87 23.10	120 (Half Cut Cells)	1500		
					v	Bifacial N-Type TOPCon Module (Glass to Glass)	SWT15BG8645 (645 Wp)	SWT15BG8635 SWT15BG8640 SWT15BG8645 SWT15BG8650	22.72 22.90 23.07 23.25	156 (Half Cut Cells)	1500		
					vi	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SWT15BT0415 (415Wp)	SWT15BT0385 SWT15BT0390 SWT15BT0395 SWT15BT0400 SWT15BT0405 SWT15BT0410 SWT15BT0415 SWT15BT0420 SWT15BT0425 SWT15BT0430	19.72 19.97 20.23 20.48 20.74 21.00 21.25 21.51 21.76 22.02	108 (Half Cut Cells)	1500		
					vii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SWT15BT2445 (445 Wp))	SWT15BT2430 SWT15BT2435 SWT15BT2440 SWT15BT2445 SWT15BT2450 SWT15BT2455	19.86 20.09 20.33 20.56 20.79 21.02	120 (Half Cut Cells)	1500		

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					viii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SWT15BT2470 (470 Wp)	SWT15BT2460	21.25	120 (Half Cut Cells)	1500		
								SWT15BT2465	21.48				
								SWT15BT2470	21.71				
								SWT15BT2475	21.94				
								SWT15BT2480	22.17				
					ix	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SWT15BT4490 (490 Wp)	SWT15BT4475	20.00	132 (Half Cut Cells)	1500		
								SWT15BT4480	20.21				
								SWT15BT4485	20.42				
								SWT15BT4490	20.64				
								SWT15BT4495	20.85				
								SWT15BT4500	21.06				
					x	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SWT15BT4520 (520 Wp)	SWT15BT4505	21.27	132 (Half Cut Cells)	1500		
								SWT15BT4510	21.48				
								SWT15BT4515	21.69				
								SWT15BT4520	21.90				
								SWT15BT4525	22.11				
								SWT15BT4530	22.32				
					xi	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SWT15BT6535 (535 Wp)	SWT15BT6520	20.13	144 (Half Cut Cells)	1500		
								SWT15BT6525	20.32				
								SWT15BT6530	20.52				
								SWT15BT6535	20.71				
								SWT15BT6540	20.90				
								SWT15BT6545	21.10				
								SWT15BT6550	21.29				
					xii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SWT15BT6570 (570 Wp)	SWT15BT6555	21.48	144 (Half Cut Cells)	1500		
								SWT15BT6560	21.68				
								SWT15BT6565	21.87				
								SWT15BT6570	22.07				
								SWT15BT6575	22.26				
								SWT15BT6580	22.45				
					xiii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SWT15BT8580 (580 Wp)	SWT15BT8565	20.21	156 (Half Cut Cells)	1500		
								SWT15BT8570	20.39				
								SWT15BT8575	20.57				
								SWT15BT8580	20.75				
								SWT15BT8585	20.93				
								SWT15BT8590	21.11				
								SWT15BT8595	21.29				
								SWT15BT8600	21.46				
					xiv	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SWT15BT8615 (615 Wp)	SWT15BT8605	21.64	156 (Half Cut Cells)	1500		
								SWT15BT8610	21.82				
								SWT15BT8615	22.00				
								SWT15BT8620	22.18				
								SWT15BT8625	22.36				
								SWT15BT8630	22.54				

Note: In case of model inclusion or capacity addition / change, through revision in ALMM List, the capacity mentioned against any manufacturing unit, as appearing in the said Revision to the ALMM List, shall be the ALMM enlisted manufacturing capacity for that manufacturing unit (from the date of the said revision), and the capacity enlisted for that manufacturing unit should not be interpreted as Sum of (enlisted capacity for that manufacturing unit in previous ALMM list/ previous revision to ALMM List) and (enlisted capacity in the present revision)

F. No. 283/41/2024-GRID SOLAR

भारत सरकार / Government of India

नवीन और नवीकरणीय ऊर्जा मंत्रालय / Ministry of New & Renewable Energy

ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003.

Dated: 5th June 2025

OFFICE MEMORANDUM

Sub: Updation of List I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 – Reg.

- Ref: (i) MNRE's O.M. No. 283/54/2018-GRID SOLAR-Part(1) dated 10.03.2021
(ii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 10.05.2023;
(iii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 22.03.2024;
(iv) MNRE's O.M. No. 32/33/2024-SPV Division dated 06.05.2025;

Reference is invited to this Ministry's O.M.s of even no. dated 10.03.2021, regarding implementation of Approved Models and Manufacturers of Solar Photovoltaic Modules (Requirement for Compulsory Registration) Order, 2019 and publishing List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019.

2. This Ministry vide its O.M.s referred at (ii), (iii) & (iv) above, inter-alia, directed that only such models of Solar PV Module Manufacturers will be enlisted under ALMM, which comply with the BIS Standards and are having the following minimum module efficiency:

Category	Application/Use	Minimum Module Efficiency required to be eligible for enlistment in ALMM for solar PV modules	
		For c-Si technology based solar PV modules	For CdTe thin film technology based solar PV modules
Category-I	Utility/Grid Scale Power Plants	20.00%	19.00%
Category-II	Rooftop and Solar Pumping	19.50%	18.50%
Category-III	Off-grid projects/applications like solar lamps, solar lights, solar street lights, solar fans, etc. (other than solar powered agricultural pumps and solar PV rooftops) requiring individual capacity of each solar PV module deployed, to be of less than 200 Watt peak	18.00%	18.00%
Category-IV	Any other application	19.00%	18.00%

3. Post the aforesaid O.M. dated 10.05.2023 and subsequent O.M.s dated 22.03.2024 and 06.05.2025, only such models of Solar PV Modules have been considered for enlistment under ALMM List-I, whose module efficiency is meeting the eligibility criteria as mentioned in table at para-2 above.

4. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 was last updated on 21.05.2025.

5. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 is hereby further revised and the Revision-XXXIX (in the format of additions / modifications to Revision-XXXVIII) is enclosed at Annexure-I. The last revision no. XXXVIII dated 21.05.2025 is at pages after Annexure-I.

6. The ALMM enlistment validity is subject to valid BIS Registration; else deemed to be delisted.

7. The details of Registration No. (R. No.) which has been allotted by BIS is mentioned against each manufacturer / manufacturing unit enlisted in ALMM and further details related to BIS certification like validity, models included, etc. may be checked from BIS website by using the following link:
https://www.crsbis.in/BIS/Lims_registrationc.do?hmode=getLimsData

8. This issues with the approval of competent authority.

(Sanjay G. Karndhar)

Scientist-E

E-mail: karndhar.sg@nic.in

Encl: as above

To: All Concerned

Copy to: Director (Technical), NIC, MNRE for uploading this document on MNRE's website

A. Modification / Correction of errors in ALMM List-I dated 27.03.2025 / Revision dated 21.05.2025

(a). ALMM enlistment validity of solar PV modules with R. No. 72008389 under Co-ALMM of Brand Owner [ECE (India) Energies P. Ltd.] with O.E.M. [Navitas Green Solutions P. Ltd.], which were enlisted at Sl. No. 15 of ALMM List dated 27.03.2025, has expired on 28.05.2025. Hence the same are hereby deleted from ALMM List-I for solar PV modules.

(b). There were some typographical errors in the Revision dated 21.05.2025 to ALMM list and the same are hereby corrected as follows:

1. M/s. Renewsys India Pvt. Ltd., Rangareddy District Telangana - Typo error corrected in capacity

Part B of Annexure-I to ALMM Revision dated 21.05.2025 => Sl. No. 16 => The capacity may be read as 1,733 MW/Year instead of 1,773 MW/Year

2. M/s. Premier Energies Global Environment (P) Limited - Typo error corrected in name of model numbers and efficiency

Part B of Annexure-I to ALMM Revision dated 21.05.2025 => Sl. No. 17 => Sl. Nos => (ii to iii) => Correction of Enlisted Model Number and efficiencies as below:

S. No.	Type of Module	Applied Model	Enlisted Model	Efficiency (%)
ii	Bifacial N-Type TOPCon Module (Glass to Glass)	PE-132-615THGB-G12R (615 Wp)	PE-132-600THGB-G12R	22.21
			PE-132-605THGB-G12R	22.40
			PE-132-610THGB-G12R	22.58
			PE-132-615THGB-G12R	22.77
			PE-132-620THGB-G12R	22.95
			PE-132-625THGB-G12R	23.14
			PE-132-630THGB-G12R	23.32
iii	Bifacial N-Type TOPCon Module (Glass to Glass)	PE-132-695THGB-G12 (695 Wp)	PE-132-680THGB-G12	21.89
			PE-132-685THGB-G12	22.05
			PE-132-690THGB-G12	22.21
			PE-132-695THGB-G12	22.37
			PE-132-700THGB-G12	22.53
			PE-132-705THGB-G12	22.70
			PE-132-710THGB-G12	22.86

3. M/s. Sri Savitr Solar Pvt. Ltd. – Typo error corrected in name of model numbers

Part B of Annexure-I to ALMM Revision dated 21.05.2025 => Sl. No. 21 => Sl. Nos => (ix to xxiii) => there was a typo error as one "S" was missing in following models (S. No. ix to xxiii). The correct Model numbers are as below:

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (V)
ix	Mono c-Si Module	SSSPL-36-260 (260 Wp)	SSSPL-36-260	20.95	36 (Half Cut Cells)	1500
x	Mono c-Si Module	SSSPL-36-270 (270 Wp)	SSSPL-36-270	21.27	36 (Half Cut Cells)	1500
xi	Mono c-Si Module	SSSPL-36-230 (230 Wp)	SSSPL-36-230	20.83	36 (Half Cut Cells)	1500
xii	Mono c-Si Module	SSSPL-36-240 (240 Wp)	SSSPL-36-240	20.83	36 (Half Cut Cells)	1500
xiii	Mono c-Si Module	SSSPL-36-250 (250 Wp)	SSSPL-36-250	20.95	36 (Half Cut Cells)	1500
xiv	Mono c-Si Module	SSSPL-36-200 (200 Wp)	SSSPL-36-200	20.56	36 (Half Cut Cells)	1500
xv	Mono c-Si Module	SSSPL-36-210 (210 Wp)	SSSPL-36-210	20.68	36 (Half Cut Cells)	1500
xvi	Mono c-Si Module	SSSPL-36-220 (220 Wp)	SSSPL-36-220	20.83	36 (Half Cut Cells)	1500

SV

S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (V)
xvii	Mono c-Si Module	SSSPL-36-180 (180 Wp)	SSSPL-36-180	20.42	36 (Half Cut Cells)	1500
xviii	Mono c-Si Module	SSSPL-36-175 (175 Wp)	SSSPL-36-175	20.47	36 (Half Cut Cells)	1500
xix	Mono c-Si Module	SSSPL-36-170 (170 Wp)	SSSPL-36-170	20.43	36 (Half Cut Cells)	1500
xx	Mono c-Si Module	SSSPL-36-160 (160 Wp)	SSSPL-36-160	20.34	36 (Half Cut Cells)	1500
xxi	Mono c-Si Module	SSSPL-36-150 (150 Wp)	SSSPL-36-150	20.14	36 (Half Cut Cells)	1500
xxii	Mono c-Si Module	SSSPL-36-140 (140 Wp)	SSSPL-36-140	20.02	36 (Half Cut Cells)	1500
xxiii	Mono c-Si Module	SSSPL-36-130 (130 Wp)	SSSPL-36-130	20.01	36 (Half Cut Cells)	1500
xxiv	Mono c-Si Module	SSSPL-36-125 (125 Wp)	SSSPL-36-125	19.82	36 (Half Cut Cells)	1500
xxv	Mono c-Si Module	SSSPL-36-120 (120 Wp)	SSSPL-36-120	19.74	36 (Half Cut Cells)	1500
xxvi	Mono c-Si Module	SSSPL-36-100 (100 Wp)	SSSPL-36-100	19.35	36 (Half Cut Cells)	1500
xxvii	Mono c-Si Module	SSSPL-36-90 (90 Wp)	SSSPL-36-90	19.38	36 (Half Cut Cells)	1500
xxviii	Mono c-Si Module	SSSPL-36-80 (80 Wp)	SSSPL-36-80	19.21	36 (Half Cut Cells)	1500
xxix	Mono c-Si Module	SSSPL-36-75 (75 Wp)	SSSPL-36-75	19.05	36 (Half Cut Cells)	1500
xxx	Mono c-Si Module	SSSPL-36-70 (70 Wp)	SSSPL-36-70	19.03	36 (Half Cut Cells)	1500
xxxi	Mono c-Si Module	SSSPL-36-60 (60 Wp)	SSSPL-36-60	19.02	36 (Half Cut Cells)	1500
xxxii	Mono c-Si Module	SSSPL-36-50 (50 Wp)	SSSPL-36-50	19.01	36 (Half Cut Cells)	1500
xxxiii	Mono c-Si Module	SSSPL-36-40 (40 Wp)	SSSPL-36-40	19.05	36 (Half Cut Cells)	1500

B. New additions on 05.06.2025 in the List of Manufacturers and Models of Solar PV Modules Enlisted under ALMM Order

B. New additions on 05.06.2025 in the List of Manufacturers and Models of Solar PV Modules Enlisted under ALMM Order															
S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity			
												From	To (subject to valid BIS Registration; else deemed to be delisted)		
1	M/s. Avaada Electro Private Limited (New Addition in ALMM)	A-67, MIDC Road, Additional Butibori Industrial Area, Nagpur-441108, Maharashtra, India	R-71040312	1272	i	Bifacial N- Type TOPCon Module (Glass to Glass)	AVN66G12G710 (710 Wp)	AVN66G12G720	23.18	132 (Half Cut Cells) (Cell Size: 210 mm * 210 mm)	1500	05.06.2025	04.06.2029		
								AVN66G12G715	23.02						
								AVN66G12G710	22.86					120 (Half Cut Cells) (Cell Size: 210 mm * 210 mm)	1500
								AVN66G12G705	22.70						
								AVN66G12G700	22.53						
					ii	Bifacial N- Type TOPCon Module (Glass to Glass)	AVN60G12G640 (640 Wp)	AVN60G12G650	22.97						
								AVN60G12G645	22.79						
								AVN60G12G640	22.61						
								AVN60G12G635	22.44						
								AVN60G12G630	22.26						
					iii	Bifacial N- Type TOPCon Module (Glass to Glass)	AVN66G12RG620 (620 Wp)	AVN66G12RG630	23.32	132 (Half Cut Cells) (Cell Size: 182 mm * 210 mm)	1500				
								AVN66G12RG625	23.14						
								AVN66G12RG620	22.95						
								AVN66G12RG615	22.77						
								AVN66G12RG610	22.58						
					iv	Bifacial N- Type TOPCon Module (Glass to Glass)	AVN60G12RG560 (560 Wp)	AVN60G12RG570	23.14	120 (Half Cut Cells) (Cell Size: 182 mm * 210 mm)	1500				
								AVN60G12RG565	22.94						
								AVN60G12RG560	22.74						
								AVN60G12RG555	22.53						
								AVN60G12RG550	22.33						
2	M/s. SASA Energy LLP (Model Addition & Capacity Change)	S.No. 193, Opposite Dargah, MorbiHalvad Road, At-Nichi Mandal, Morbi – Rajkot, Gujarat - 363642, India	R-72005681	98	i	Bifacial N-Type TOPCon Module (Glass to Glass)	SASA580T-144 (580 Wp)	SASA555T-144	21.48	144 (Half Cut Cells)	1500	31.01.2025	24.01.2027		
								SASA560T-144	21.68						
								SASA565T-144	21.87						
								SASA570T-144	22.07						
								SASA575T-144	22.26						
								SASA580T-144	22.45						
								SASA585T-144	22.65						
								SASA590T-144	22.84						
								SASA595T-144	23.03						
								SASA600T-144	23.23						
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	SASA530T-132 (530 Wp)	SASA505T-132	21.27	132 (Half Cut Cells)	1500				
								SASA510T-132	21.48						
								SASA515T-132	21.69						
								SASA520T-132	21.90						
								SASA530T-132	22.32						
								SASA535T-132	22.53						
								SASA540T-132	22.74						
								SASA545T-132	22.95						
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	SASA455T-120 (455 Wp)	SASA455T-132	23.16	120 (Half Cut Cells)	1500				
								SASA455T-120	20.95						
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	SASA480T-120 (480 Wp)	SASA460T-120	21.18	120 (Half Cut Cells)	1500				
								SASA465T-120	21.41						
								SASA470T-120	21.64						
								SASA475T-120	21.87						
								SASA480T-120	22.10						
								SASA485T-120	22.33						
								SASA490T-120	22.56						
								SASA495T-120	22.79						
								SASA500T-120	23.02						

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
3	M/s. Reliance Industries Limited (New Addition in ALMM)	At Navagam Via Khodiyar Colony, I, Po Navagam/ Kana Chhikari, GSFC Reliance Complex, Jamnagar- 361006, Gujarat, India	R-72011452	1716	i	Bifacial Hetero-junction Monocrystalline Silicon (HJT) Module (Glass to Glass)	RNE705AA-66-BGG (705 Wp)	RNE690AA-66-BGG	22.16	132 (Half Cut Cells)	1500	05.06.2025	04.06.2029
								RNE695AA-66-BGG	22.32				
								RNE700AA-66-BGG	22.48				
								RNE705AA-66-BGG	22.64				
								RNE710AA-66-BGG	22.80				
								RNE715AA-66-BGG	22.96				
								RNE720AA-66-BGG	23.12				
					ii	Bifacial Hetero-junction Monocrystalline Silicon (HJT) Module (Glass to Glass)	RNE640AA-60-BGG (640 Wp)	RNE630AA-60-BGG	22.20	120 (Half Cut Cells)	1500		
								RNE635AA-60-BGG	22.37				
								RNE640AA-60-BGG	22.55				
								RNE645AA-60-BGG	22.72				
								RNE650AA-60-BGG	22.90				
					iii	Bifacial Hetero-junction Monocrystalline Silicon (HJT) Module (Glass to Glass)	RNE575AA-54-BGG (575 Wp)	RNE565AA-54-BGG	22.02	108 (Half Cut Cells)	1500		
								RNE570AA-54-BGG	22.22				
								RNE575AA-54-BGG	22.41				
								RNE580AA-54-BGG	22.61				
								RNE585AA-54-BGG	22.80				
					iv	Bifacial Hetero-junction Monocrystalline Silicon (HJT) Module (Glass to Glass)	RNE510AA-48-BGG (510 Wp)	RNE505AA-48-BGG	22.29	96 (Half Cut Cells)	1500		
								RNE510AA-48-BGG	22.51				
								RNE515AA-48-BGG	22.73				
								RNE520AA-48-BGG	22.95				
					v	Hetero-junction Monocrystalline Silicon (HJT) Module	RNE555AA-54-WBS (555 Wp)	RNE540AA-54-WBS	21.05	108 (Half Cut Cells)	1500		
								RNE545AA-54-WBS	21.24				
								RNE550AA-54-WBS	21.44				
								RNE555AA-54-WBS	21.63				
								RNE560AA-54-WBS	21.83				
								RNE565AA-54-WBS	22.02				
								RNE570AA-54-WBS	22.22				
					vi	Hetero-junction Monocrystalline Silicon (HJT) Module	RNE455AA-44-WBK (455 Wp)	RNE440AA-44-WBK	20.85	88 (Half Cut Cells)	1000		
								RNE445AA-44-WBK	21.09				
								RNE450AA-44-WBK	21.33				
								RNE455AA-44-WBK	21.57				
								RNE460AA-44-WBK	21.80				
								RNE465AA-44-WBK	22.04				
								RNE470AA-44-WBK	22.28				
					vii	Hetero-junction Monocrystalline Silicon (HJT) Module	RNE415AA-40-WBK (415 Wp)	RNE430AA-40-WBK	22.32	80 (Half Cut Cells)	1000		
								RNE425AA-40-WBK	22.06				
								RNE420AA-40-WBK	21.80				
								RNE415AA-40-WBK	21.54				
								RNE410AA-40-WBK	21.28				
								RNE405AA-40-WBK	21.02				
								RNE400AA-40-WBK	20.76				
					viii	Bifacial Hetero-junction Monocrystalline Silicon (HJT) Module (Glass to Glass)	RNE665AA-66-BGG (665 Wp)	RNE650AA-66-BGG	20.88	132 (Half Cut Cells)	1500		
								RNE655AA-66-BGG	21.04				
								RNE660AA-66-BGG	21.20				
								RNE665AA-66-BGG	21.36				
								RNE670AA-66-BGG	21.52				
								RNE675AA-66-BGG	21.68				
								RNE680AA-66-BGG	21.84				
								RNE685AA-66-BGG	22.00				

Note: In case of model inclusion or capacity addition / change, through revision in ALMM List, the capacity mentioned against any manufacturing unit, as appearing in the said Revision to the ALMM List, shall be the ALMM enlisted manufacturing capacity for that manufacturing unit (from the date of the said revision), and the capacity enlisted for that manufacturing unit should not be interpreted as Sum of (enlisted capacity for that manufacturing unit in previous ALMM list/ previous revision to ALMM List) and (enlisted capacity in the present revision)

OFFICE MEMORANDUM

Sub: Updation of List I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 – Reg.

- Ref: (i) MNRE's O.M. No. 283/54/2018-GRID SOLAR-Part(1) dated 10.03.2021
(ii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 10.05.2023;
(iii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 22.03.2024;
(iv) MNRE's O.M. No. 32/33/2024-SPV Division dated 06.05.2025;

Reference is invited to this Ministry's O.M.s of even no. dated 10.03.2021, regarding implementation of Approved Models and Manufacturers of Solar Photovoltaic Modules (Requirement for Compulsory Registration) Order, 2019 and publishing List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019.

2. This Ministry vide its O.M.s referred at (ii), (iii) & (iv) above, inter-alia, directed that only such models of Solar PV Module Manufacturers will be enlisted under ALMM, which comply with the BIS Standards and are having the following minimum module efficiency:

Category	Application/Use	Minimum Module Efficiency required to be eligible for enlistment in ALMM for solar PV modules	
		For c-Si technology based solar PV modules	For CdTe thin film technology based solar PV modules
Category-I	Utility/Grid Scale Power Plants	20.00%	19.00%
Category-II	Rooftop and Solar Pumping	19.50%	18.50%
Category-III	Off-grid projects/applications like solar lamps, solar lights, solar street lights, solar fans, etc. (other than solar powered agricultural pumps and solar PV rooftops) requiring individual capacity of each solar PV module deployed, to be of less than 200 Watt peak	18.00%	18.00%
		(not to be included in main ALMM List-I but to be included in a separate ALMM list called ALMM List-I (DRE))	
Category-IV	Any other application	19.00%	18.00%

3. Post the aforesaid O.M. dated 10.05.2023 and subsequent O.M.s dated 22.03.2024 and 06.05.2025, only such models of Solar PV Modules have been considered for enlistment under ALMM List-I, whose module efficiency is meeting the eligibility criteria as mentioned in table at para-2 above.

4. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 was last updated on 21.04.2025.

5. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 is hereby further revised and the Revision-XXXVIII (in the format of additions / modifications to Revision-XXXVII) is enclosed at Annexure-I. The last revision no. XXXVII dated 21.04.2025 along with provisional enlistments therein (excluding those which have been removed on account of inclusion in main ALMM List-I) is at pages after Annexure-I.

6. The ALMM enlistment validity is subject to valid BIS Registration; else deemed to be delisted.

7. The details of Registration No. (R. No.) which has been allotted by BIS is mentioned against each manufacturer / manufacturing unit enlisted in ALMM and further details related to BIS certification like validity, models included, etc. may be checked from BIS website by using the following link:
https://www.crsbis.in/BIS/Lims_registrationc.do?hmode=getLimsData

8. This issues with the approval of competent authority.



(Sanjay G. Karndhar)
Scientist-E

E-mail: karndhar.sg@nic.in

Encl: as above

To: All Concerned

Copy to: Director (Technical), NIC, MNRE for uploading this document on MNRE's website

A. Correction of errors in revision of ALMM List-I dated 27.03.2025

There were some typographical errors in the ALMM list published on 27.03.2025 and the same are hereby corrected as follows:

1. **M/s. Australian Premium Solar (India) Pvt. Ltd** - Typo error corrected in validity of Model numbers.

In. Sl. No. 40=> Sl.Nos. (vii) to (xiv)=> ALMM enlistment validity may be read as from 01.09.2023 to 31.08.2027 (*subject to valid BIS Registration, else deemed to be delisted*)

2. **M/s. Mundra Solar PV Limited, co-ALMM with Goldi Sun Private Limited** - Typo Error corrected in validity of Model numbers.

In. Sl. No. 52=> for entries corresponding to R. No. 72012025, ALMM enlistment validity may be read as from 27.03.2025 to 16.01.2026 (*subject to valid BIS Registration, else deemed to be delisted*)

3. **M/s. PV Power Technologies Private Limited, co-ALMM with Rayzon Solar Private Limited** - Typo Error corrected in validity of Model numbers.

In. Sl. No. 70=> for entries corresponding to R. No. 72012084, ALMM enlistment validity may be read as from 27.03.2025 to 01.09.2026 (*subject to valid BIS Registration, else deemed to be delisted*)



B. New additions on 21.05.2025 in the List of Manufacturers and Models of Solar PV Modules Enlisted under ALMM Order													
S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
1	M/s. Agrawal Renewable Energy Pvt. Ltd (Renewal & Model Addition)	Plot No. 66/0, Dhoop Building, Volvoi Road, Culti, Ponda - 403401, South Goa, India	R-71013536	125	i	Mono c-Si PERC Modules	DHOOP PM72 385 (385Wp)	DHOOP PM72 370Wp	19.01	72 (Full Cells)	1500	21.05.2025	20.05.2029
								DHOOP PM72 375Wp	19.26				
								DHOOP PM72 380Wp	19.52				
								DHOOP PM72 385Wp	19.78				
								DHOOP PM72 390Wp	20.04				
								DHOOP PM72 395Wp	20.29				
					DHOOP PM72 400Wp	20.55							
					ii	Bifacial Mono c-Si PERC Module (Glass to Glass)	DHF-72HG-520 (520 Wp)	DHF-72HG-495	19.11	144 (Half Cut Cells)	1500		
								DHF-72HG-500	19.30				
								DHF-72HG-505	19.50				
								DHF-72HG-510	19.69				
								DHF-72HG-515	19.88				
								DHF-72HG-520	20.08				
								DHF-72HG-525	20.27				
								DHF-72HG-530	20.46				
								DHF-72HG-535	20.66				
								iii	Bifacial Mono c-Si PERC Module (Glass to Glass)				
					DHF-72HG-545	21.04							
					DHF-72HG-550	21.24							
					iv	Bifacial Mono c-Si PERC Module (Glass to Glass)	DHF-66HG-470 (470 Wp)	DHF-66HG-455	19.12	132 (Half Cut Cells)	1500		
								DHF-66HG-460	19.33				
								DHF-66HG-465	19.54				
								DHF-66HG-470	19.75				
								DHF-66HG-475	19.96				
								DHF-66HG-480	20.17				
					v	Bifacial Mono c-Si PERC Module (Glass to Glass)	DHF-66HG-495 (495 Wp)	DHF-66HG-485	20.38	132 (Half Cut Cells)	1500		
								DHF-66HG-490	20.59				
								DHF-66HG-495	20.80				
								DHF-66HG-500	21.01				
					vi	Bifacial Mono c-Si PERC Module (Glass to Glass)	DHF-54HG-380 (380 Wp)	DHF-66HG-505	21.22	108 (Half Cut Cells)	1500		
								DHF-54HG-375	19.13				
								DHF-54HG-380	19.38				
								DHF-54HG-385	19.64				
								DHF-54HG-390	19.89				
					vii	Bifacial Mono c-Si PERC Module (Glass to Glass)	DHF-54HG-405 (405 Wp)	DHF-54HG-395	20.15	108 (Half Cut Cells)	1500		
								DHF-54HG-400	20.40				
					viii	Bifacial Mono c-Si PERC Module (Glass to Glass)	DHF-60HG-575 (575 Wp)	DHF-54HG-405	20.66	120 (Half Cut Cells)	1500		
								DHF-54HG-410	20.91				
								DHF-60HG-600	20.75				
								DHF-60HG-595	20.58				
								DHF-60HG-590	20.40				
								DHF-60HG-585	20.23				
								DHF-60HG-580	20.06				
								DHF-60HG-575	19.88				
								DHF-60HG-570	19.71				
								DHF-60HG-565	19.54				
								DHF-60HG-560	19.37				
					ix	Bifacial Mono c-Si PERC Module (Glass to Glass)	DHF-54HG-515 (515 Wp)	DHF-60HG-555	19.19	108 (Half Cut Cells)	1500		
								DHF-60HG-550	19.20				
								DHF-54HG-540	20.78				
								DHF-54HG-535	20.58				
								DHF-54HG-530	20.39				
								DHF-54HG-525	20.20				
								DHF-54HG-520	20.01				
								DHF-54HG-515	19.81				
								DHF-54HG-510	19.62				
								DHF-54HG-505	19.43				
								DHF-54HG-500	19.24				
								DHF-54HG-495	19.05				
								DHF-48HG-480	20.69				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
					x	Bifacial Mono c-Si PERC Module (Glass to Glass)	DHF-48HG-460 (460 Wp)	DHF-48HG-475	20.48	96 (Half Cut Cells)	1500		
								DHF-48HG-470	20.26				
								DHF-48HG-465	20.05				
								DHF-48HG-460	19.83				
								DHF-48HG-455	19.62				
								DHF-48HG-450	19.40				
					xi	Mono c-Si PERC Module	DHF-72H-525 (525 Wp)	DHF-48HG-445	19.18	144 (Half Cut Cells)	1500		
								DHF-72H-550	21.24				
								DHF-72H-545	21.04				
								DHF-72H-540	20.85				
								DHF-72H-535	20.66				
								DHF-72H-530	20.46				
								DHF-72H-525	20.27				
								DHF-72H-520	20.08				
								DHF-72H-515	19.88				
								DHF-72H-510	19.69				
					xii	Mono c-Si PERC Module	DHF-72H-500 (500 Wp)	DHF-72H-505	19.50	144 (Half Cut Cells)	1500		
								DHF-72H-500	19.30				
					xiii	Mono c-Si PERC Module	DHF-66H-490 (490 Wp)	DHF-72H-495	19.11	132 (Half Cut Cells)	1500		
								DHF-66H-505	21.22				
								DHF-66H-500	21.01				
								DHF-66H-495	20.80				
								DHF-66H-490	20.59				
								DHF-66H-485	20.38				
								DHF-66H-480	20.17				
								DHF-66H-475	19.96				
					xiv	Mono c-Si PERC Module	DHF-66H-460 (460 Wp)	DHF-66H-470	19.75	132 (Half Cut Cells)	1500		
								DHF-66H-465	19.54				
					xv	Mono c-Si PERC Module	DHF-54H-400 (400 Wp)	DHF-66H-460	19.33	108 (Half Cut Cells)	1500		
								DHF-66H-455	19.12				
								DHF-54H-410	20.91				
								DHF-54H-405	20.66				
								DHF-54H-400	20.40				
					xvi	Mono c-Si PERC Module	DHF-54H-380 (380 Wp)	DHF-54H-395	20.15	108 (Half Cut Cells)	1500		
								DHF-54H-390	19.89				
								DHF-54H-385	19.64				
								DHF-54H-380	19.38				
								DHF-54H-375	19.13				
					xvii	Mono c-Si PERC Module	DHF-60H-575 (575 Wp)	DHF-60H-600	20.76	120 (Half Cut Cells)	1500		
								DHF-60H-595	20.58				
								DHF-60H-590	20.40				
								DHF-60H-585	20.23				
								DHF-60H-580	20.06				
								DHF-60H-575	19.88				
								DHF-60H-570	19.71				
								DHF-60H-565	19.54				
								DHF-60H-560	19.37				
								DHF-60H-555	19.19				
					xviii	Mono c-Si PERC Module	DHF-54H-515 (515 Wp)	DHF-60H-550	19.02	108 (Half Cut Cells)	1500		
								DHF-54H-540	20.78				
								DHF-54H-535	20.58				
								DHF-54H-530	20.39				
								DHF-54H-525	20.20				
								DHF-54H-520	20.01				
								DHF-54H-515	19.81				
								DHF-54H-510	19.62				
								DHF-54H-505	19.43				
								DHF-54H-500	19.24				
					xix	Mono c-Si PERC Module	DHF-48H-460	DHF-54H-495	19.05	96 (Half Cut Cells)	1500		
								DHF-48H-480	20.69				
								DHF-48H-475	20.48				
								DHF-48H-470	20.26				
					xx	Mono c-Si PERC Module	DHF-48H-460	DHF-48H-465	20.05	96 (Half Cut Cells)	1500		
								DHF-48H-460	19.83				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)								
												From	To							
					xix	Mono c-Si PERC Module	(460 Wp)	DHF-48H-460	19.83	96 (Half Cut Cells)	1500									
								DHF-48H-455	19.62											
								DHF-48H-450	19.40					xx	N Type TOPCon Module	DHF72H24575T (575 Wp)	DHF-48H-445	19.18	144 (Half Cut Cells)	1500
								DHF72H24600T	23.23											
					DHF72H24595T	23.03														
					DHF72H24590T	22.84														
					DHF72H24585T	22.65														
					DHF72H24580T	22.45														
					DHF72H24575T	22.26														
					DHF72H24570T	22.07														
					DHF72H24565T	21.87														
					DHF72H24560T	21.68														
					DHF72H24555T	21.48														
					DHF72H24550T	21.29	xvi	Bifacial N Type TOPCon Module (Glass to Glass)	DHF72HG24575T (575 Wp)	DHF72HG24600T	23.23						144 (Half Cut Cells)	1500		
					DHF72HG24595T	23.03														
					DHF72HG24590T	22.84														
					DHF72HG24585T	22.65														
					DHF72HG24580T	22.45														
					DHF72HG24575T	22.26														
					DHF72HG24570T	22.07														
					DHF72HG24565T	21.87														
					DHF72HG24560T	21.68														
					DHF72HG24555T	21.48														
					DHF72HG24550T	21.29														
					2	M/s. ReNew Photovoltaics Private Limited (Model Addition & Capacity Addition)				Plot No-DTA-02-40 to 45, Domestic Tariff Area Phase-II, Mahindra World City, Tehsil-Sanganer, Jaipur-302037, Rajasthan, India	R-84003778			2926	i	Bifacial N- Type TOPCon Modules (Glass to Glass)			RPS2MH72BD585 (585 Wp)	RPS2MH72BD565
							RPS2MH72BD570	22.06												
RPS2MH72BD575	22.26																			
RPS2MH72BD580	22.45																			
RPS2MH72BD585	22.64																			
RPS2MH72BD590	22.84																			
RPS2MH72BD595	23.03																			
RPS2MH72BD600	23.23																			
3	M/s.Oswal Solar Structure Pvt Ltd (Model Addition & Capacity Addition)	Opp DD International Pvt Ltd, Link Road, Village Kutail, Karnal- 132037, Haryana, India	R-91013935	513	i	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	OSWAL500MPN132TB (500 Wp)	OSWAL500MPN132TB	21.10	132 (Half Cut Cell)	1500	24.05.2024	23.05.2024							
					ii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	OSWAL475MPN132TB (475 Wp)	OSWAL495MPN132TB	20.89	132 (Half Cut Cell)	1500									
								OSWAL490MPN132TB	20.67											
								OSWAL485MPN132TB	20.46											
								OSWAL480MPN132TB	20.25											
								OSWAL475MPN132TB	20.04											
								OSWAL470MPN132TB	19.83											
								OSWAL465MPN132TB	19.62											
								OSWAL460MPN132TB	19.41											
								OSWAL455MPN132TB	19.20											
					iii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	OSWAL550MPN144TB (550 Wp)	OSWAL550MPN144TB	21.29	144 (Half Cut Cell)	1500									
					iv	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	OSWAL520MPN144TB (520 Wp)	OSWAL545MPN144TB	21.10	144 (Half Cut Cell)	1500									
								OSWAL540MPN144TB	20.90											
								OSWAL535MPN144TB	20.71											
								OSWAL530MPN144TB	20.52											
								OSWAL525MPN144TB	20.32											
								OSWAL520MPN144TB	20.13											
								OSWAL515MPN144TB	19.94											
OSWAL510MPN144TB	19.74																			

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
								OSWAL505MPN144TB	19.55				
								OSWAL500MPN144TB	19.36				
								OSWAL495MPN144TB	19.16				
					v	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	OSWAL595MPN156TB (595 Wp)	OSWAL595MPN156TB	21.31	156 (Half Cut Cell)	1500		
					vi	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	OSWAL575MPN156TB (575 Wp)	OSWAL590MPN156TB	21.13	156 (Half Cut Cell)	1500		
								OSWAL585MPN156TB	20.95				
								OSWAL580MPN156TB	20.77				
								OSWAL575MPN156TB	20.60				
								OSWAL570MPN156TB	20.42				
								OSWAL565MPN156TB	20.24				
								OSWAL560MPN156TB	20.06				
								OSWAL555MPN156TB	19.88				
OSWAL550MPN156TB	19.70												
4	M/s. Unique Sun Power LLP (Renewal & Model Addition)	BL No. 2281/2/1/1, Sub Plot 1-A, Tadkeshwar, Near Areth Minnor Canal, Mandvi, Surat - 394170, Gujarat, India	R-72005550	160	i	Bifacial N-Type TOPCon Module (Glass to Glass)	SUN156P615 (615 Wp)	SUN156P630	22.53	156 (Half Cut Cells)	1500	21.05.2025	20.05.2029
								SUN156P625	22.35				
								SUN156P620	22.17				
								SUN156P615	21.99				
								SUN156P610	21.81				
								SUN156P605	21.63				
								SUN156P600	21.45				
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	SUN144T565 (565 Wp)	SUN144T590	22.83	144 (Half Cut Cells)	1500		
								SUN144T585	22.63				
								SUN144T580	22.44				
								SUN144T575	22.25				
								SUN144T570	22.05				
								SUN144T565	21.86				
								SUN144T560	21.67				
								SUN144T555	21.47				
								SUN144T550	21.28				
								SUN144T545	21.09				
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	SUN132T520 (520 Wp)	SUN144T540	20.89	132 (Half Cut Cells)	1500		
								SUN132T535	22.53				
								SUN132T530	22.32				
								SUN132T525	22.11				
								SUN132T520	21.90				
								SUN132T515	21.69				
								SUN132T510	21.48				
								SUN132T500	21.06				
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	SUN120T480 (480 Wp)	SUN120T490	22.67	120 (Half Cut Cells)	1500		
								SUN120T485	22.44				
								SUN120T480	22.21				
								SUN120T470	21.74				
								SUN120T460	21.28				
					v	Bifacial N-Type TOPCon Module (Glass to Glass)	SUN108T420 (420 Wp)	SUN108T440	22.52	108 (Half Cut Cells)	1500		
								SUN108T435	22.26				
								SUN108T430	22.01				
								SUN108T420	21.49				
								SUN108T410	20.98				
					vi	Mono PERC C-Si Module	SUN144P535 (535 Wp)	SUN108T400	20.47	144 (Half Cut Cell)	1500		
								SUN144P550	21.34				
								SUN144P545	21.14				
								SUN144P540	20.95				
								SUN144P535	20.76				
								SUN144P530	20.56				
								SUN144P525	20.37				
						Mono PERC C-Si	SUN120P445	SUN144P520	20.18				
								SUN120P465	21.45				
								SUN120P460	21.23				
									SUN120P455	21.01			

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
					vii	Mono PERC C-Si Module	SUN120P445 (445 Wp)	SUN120P450	20.79	120 (Half Cut Cell)	1500		
								SUN120P445	20.55				
								SUN120P440	20.30				
								SUN120P435	20.07				
					viii	Mono PERC C-Si Module	SUN108P410 (410 Wp)	SUN108P420	21.43	108 (Half Cut Cell)	1500		
								SUN108P415	21.16				
								SUN108P410	20.90				
								SUN108P405	20.65				
								SUN108P400	20.39				
5	M/s. Insolation Green Energy Pvt. Ltd (Model Addition & Capacity Addition)	Khasra No 11/1, 1136/9, Chomu, Jatavali, Jaipur-302001, Rajasthan, India	R-84003549	637	i	N-Type TOPCon Module	INA-144THC-WF-560 (560 Wp)	INA-144THC-WF-580	22.45	144 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								INA-144THC-WF-575	22.26				
								INA-144THC-WF-570	22.07				
								INA-144THC-WF-565	21.87				
								INA-144THC-WF-560	21.68				
								INA-144THC-WF-555	21.48				
								INA-144THC-WF-550	21.29				
								INA-144THC-WF-545	21.10				
					ii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	INA-144THC-TF-560 (560 Wp)	INA-144THC-TF-580	22.45	144 (Half Cut Cells)	1500		
								INA-144THC-TF-575	22.26				
								INA-144THC-TF-570	22.07				
								INA-144THC-TF-565	21.87				
								INA-144THC-TF-560	21.68				
								INA-144THC-TF-555	21.48				
								INA-144THC-TF-550	21.29				
								INA-144THC-TF-545	21.10				
					iii	N-Type TOPCon Module	INA-132THC-WF-520 (520 Wp)	INA-132THC-WF-545	22.94	132 (Half Cut Cells)	1500		
								INA-132THC-WF-540	22.73				
								INA-132THC-WF-535	22.52				
								INA-132THC-WF-530	22.31				
								INA-132THC-WF-525	22.10				
								INA-132THC-WF-520	21.89				
								INA-132THC-WF-515	21.68				
								INA-132THC-WF-510	21.47				
								INA-132THC-WF-505	21.26				
								INA-132THC-WF-500	21.05				
					iv	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	INA-132THC-TF-520 (520 Wp)	INA-132THC-TF-545	22.94	132 (Half Cut Cells)	1500		
								INA-132THC-TF-540	22.73				
								INA-132THC-TF-535	22.52				
								INA-132THC-TF-530	22.31				
								INA-132THC-TF-525	22.10				
								INA-132THC-TF-520	21.89				
								INA-132THC-TF-515	21.68				
								INA-132THC-TF-510	21.47				
								INA-132THC-TF-505	21.26				
								INA-132THC-TF-500	21.05				
					v	N-Type TOPCon Module	INA-120THC-WF-475 (475 Wp)	INA-120THC-WF-495	22.79	120 (Half Cut Cells)	1500		
								INA-120THC-WF-490	22.56				
								INA-120THC-WF-485	22.33				
								INA-120THC-WF-480	22.10				
								INA-120THC-WF-475	21.87				
								INA-120THC-WF-470	21.64				
								INA-120THC-WF-465	21.41				
								INA-120THC-WF-460	21.18				
								INA-120THC-WF-455	20.95				
					vi	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	INA-120THC-TF-475 (475 Wp)	INA-120THC-TF-495	22.79	120 (Half Cut Cells)	1500		
								INA-120THC-TF-490	22.56				
								INA-120THC-TF-485	22.33				
								INA-120THC-TF-480	22.10				
								INA-120THC-TF-475	21.87				
								INA-120THC-TF-470	21.64				
								INA-120THC-TF-465	21.41				
								INA-120THC-TF-460	21.18				
								INA-120THC-TF-455	20.95				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemd to be delisted)	
												From	To
					vii	N-Type TOPCon Module	INA-108THC-WF-430 (430 Wp)	INA-108THC-WF-450	22.94	108 (Half Cut Cells)	1500		
								INA-108THC-WF-445	22.68				
								INA-108THC-WF-440	22.43				
								INA-108THC-WF-435	22.17				
								INA-108THC-WF-430	21.92				
								INA-108THC-WF-425	21.66				
								INA-108THC-WF-420	21.41				
								INA-108THC-WF-415	21.15				
					viii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	INA-108THC-TF-430 (430 Wp)	INA-108THC-WF-410	20.90	108 (Half Cut Cells)	1500		
								INA-108THC-TF-450	22.94				
								INA-108THC-TF-445	22.68				
								INA-108THC-TF-440	22.43				
								INA-108THC-TF-435	22.17				
								INA-108THC-TF-430	21.92				
								INA-108THC-TF-425	21.66				
								INA-108THC-TF-420	21.41				
					ix	Bifacial N-Type TOPCon Module (Glass to Glass)	INA-156THC-GGF-610 (610 Wp)	INA-108THC-TF-415	21.15	156 (Half Cut Cells)	1500		
								INA-108THC-TF-410	20.90				
								INA-156THC-GGF-630	22.54				
								INA-156THC-GGF-625	22.36				
								INA-156THC-GGF-620	22.18				
								INA-156THC-GGF-615	22.00				
								INA-156THC-GGF-610	21.82				
								INA-156THC-GGF-605	21.64				
					x	Bifacial N-Type TOPCon Module (Glass to Glass)	INA-144THC-GGF-560 (560 Wp)	INA-156THC-GGF-600	21.46	144 (Half Cut Cells)	1500		
								INA-156THC-GGF-595	21.29				
								INA-156THC-GGF-590	21.11				
								INA-144THC-GGF-580	22.45				
								INA-144THC-GGF-575	22.26				
								INA-144THC-GGF-570	22.07				
								INA-144THC-GGF-565	21.87				
								INA-144THC-GGF-560	21.68				
					xi	Bifacial N-Type TOPCon Module (Glass to Glass)	INA-132THC-GGF-530 (530 Wp)	INA-144THC-GGF-555	21.48	132 (Half Cut Cells)	1500		
								INA-144THC-GGF-550	21.29				
								INA-144THC-GGF-545	21.10				
								INA-132THC-GGF-540	22.73				
					xii	Bifacial N-Type TOPCon Module (Glass to Glass)	INA-120THC-GGF-465 (465 Wp)	INA-132THC-GGF-535	22.52	120 (Half Cut Cells)	1500		
								INA-132THC-GGF-530	22.31				
								INA-132THC-GGF-525	22.10				
								INA-132THC-GGF-520	21.89				
					xiii	Bifacial N-Type TOPCon Module (Glass to Glass)	INA-108THC-GGF-420 (420 Wp)	INA-120THC-GGF-475	21.87	108 (Half Cut Cells)	1500		
								INA-120THC-GGF-470	21.64				
								INA-120THC-GGF-465	21.41				
								INA-120THC-GGF-460	21.18				
					xiv	Bifacial N-Type TOPCon Module (Glass to Glass)	INA-96THC-GGF-370 (370 Wp)	INA-108THC-GGF-430	21.92	96 (Half Cut Cells)	1500		
								INA-108THC-GGF-425	21.66				
								INA-108THC-GGF-420	21.41				
								INA-108THC-GGF-415	21.15				
6	M/s. Integrated Batteries India Pvt Ltd (Model Addition)	Plot No. 40, Sector -10, Greater Noida - 201310, Uttar Pradesh, India	R-93017612	93	i	Mono c-Si PERC Module	IBMPH-205 (205 Wp)	INA-108THC-GGF-410	20.90	72 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								INA-96THC-GGF-380	21.62				
								INA-96THC-GGF-375	21.33				
								INA-96THC-GGF-370	21.05				
					ii	Mono c-Si PERC Module	IBMPH-355	INA-96THC-GGF-365	20.77	96 (Half Cut Cells)	1500		
								INA-96THC-GGF-360	20.48				
								INA-72THC-GGF-285	21.23				
								INA-72THC-GGF-280	20.85				
								INA-72THC-GGF-275	20.48				
								IBMPH-200	19.17	56 (Half Cut Cells)	1500		
								IBMPH-205	19.65				
								IBMPH-210	20.13				
								IBMPH-345	19.70				
								IBMPH-350	19.99	96 (Half Cut Cells)	1500		
								IBMPH-355	20.28				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)			
												From	To		
					ii	Mono c-Si PERC Module	(355 Wp)	IBMPH-360	20.56	50 (Half Cut Cells)	1500				
					iii	Mono c-Si PERC Module	IBMPH-270 (270 Wp)	IBMPH-365	20.85						
								IBMPH-370	21.13						
								IBMPH-260	19.43						
								IBMPH-265	19.80						
								IBMPH-270	20.18						
					iv	Mono c-Si PERC Module	IBMPH-220 (220 Wp)	IBMPH-275	20.55						
								IBMPH-215	19.32						
								IBMPH-220	19.77						
					v	Mono c-Si PERC Module	IBMPH-180 (180 Wp)	IBMPH-225	20.22						
								IBMPH-185	20.47						
								IBMPH-180	19.91						
					vi	Mono c-Si PERC Module	IBMPH-195 (195 Wp)	IBMPH-175	19.36						
								IBMPH-190	19.52						
					vii	Mono c-Si PERC Module	IBMPH-120 (120 Wp)	IBMPH-195	20.03						
								IBMPH-120	19.48						
					viii	Mono c-Si PERC Module	IBMPH-165 (165 Wp)	IBMPH-125	20.30						
								IBMPH-160	19.18						
								IBMPH-165	19.78						
					ix	Mono c-Si PERC Module	IBMPH-150 (150 Wp)	IBMPH-170	20.38						
								IBMPH-155	20.44						
								IBMPH-150	19.78						
					x	Mono c-Si PERC Module	IBMPH-105 (105 Wp)	IBMPH-145	19.12						
								IBMPH-105	19.31						
					xi	Mono c-Si PERC Module	IBMPH-135 (135 Wp)	IBMPH-140	20.54						
								IBMPH-135	19.80						
								IBMPH-130	19.07						
					xii	Mono c-Si PERC Module	IBMPH-310 (310 Wp)	IBMPH-300	19.42						
								IBMPH-305	19.75						
								IBMPH-310	20.07						
								IBMPH-315	20.39						
								IBMPH-320	20.72						
					xiii	Mono c-Si PERC Module	IBMPH-235 (235 Wp)	IBMPH-240	20.29						
								IBMPH-235	19.87						
								IBMPH-230	19.45						
					xiv	Mono c-Si PERC Module	IBMPH-250 (250 Wp)	IBMPH-245	19.56						
								IBMPH-250	19.96						
								IBMPH-255	20.36						
					xv	Mono c-Si PERC Module	IBMPH-090 (090 Wp)	IBMPH-090	19.07	24 (Half Cut Cells)	1500				
7	M/s. Navitas Green Solutions Pvt. Ltd. (Model Addition)	Plot No. B-20/3, Road No. 13, 14, Palsana-Baleshwar Rd, Hoziwala Industrial Estate, Sachin, Surat394230, Gujarat , India	R-72003140	250	i	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	NSM-BF96-M10-360 (360 Wp)	NSM-BF96-M10-350	20.07	96 (Half Cut cells)	1500	10.03.2023	09.03.2027		
								NSM-BF96-M10-355	20.35						
								NSM-BF96-M10-360	20.64						
								NSM-BF96-M10-365	20.93						
					ii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	NSM-BF108-M10-400 (400 Wp)	NSM-BF108-M10-390	19.96	108 (Half Cut cells)	1500				
								NSM-BF108-M10-395	20.22						
								NSM-BF108-M10-400	20.47						
								NSM-BF108-M10-405	20.73						
								NSM-BF108-M10-410	20.98						
					iii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	NSM-BF120-M10-445 (445 Wp)	NSM-BF120-M10-435	20.10	120 (Half cut cells)	1500				
								NSM-BF120-M10-440	20.34						
								NSM-BF120-M10-445	20.57						
								NSM-BF120-M10-450	20.80						
								NSM-BF120-M10-455	21.03						
					iv	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	NSM-BF132-M10-490 (490 Wp)	NSM-BF132-M10-480	20.22	132 (Half Cut Cells)	1500				
								NSM-BF132-M10-485	20.43						
								NSM-BF132-M10-490	20.64						
								NSM-BF132-M10-495	20.86						
								NSM-BF132-M10-500	21.07						
								NSM-BF144-M10-525	20.32						
								NSM-BF144-M10-530	20.52						

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
					v	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	NSM-BF144-M10-545 (545 Wp)	NSM-BF144-M10-535	20.71	144 (Half Cut Cells)	1500		
								NSM-BF144-M10-540	20.90				
								NSM-BF144-M10-545	21.10				
								NSM-BF144-M10-550	21.29				
								NSM-BF144-M10-555	21.48				
								NSM-BF144-M10-560	21.68				
					vi	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	NSM-BF156-M10-575 (575 Wp)	NSM-BF156-M10-560	20.03	156 (Half Cut Cells)	1500		
								NSM-BF156-M10-565	20.21				
								NSM-BF156-M10-570	20.39				
								NSM-BF156-M10-575	20.57				
								NSM-BF156-M10-580	20.75				
								NSM-BF156-M10-585	20.93				
8	M/s. Pahal Solar Private Limited (Model Addition)	Ground Floor, Block No. 71, 72 Plot No. 167 to 171, 180 to 189, 19, E-172, 173,178, 179. Opp. Shiv Shakti Estate, Olpad, Surat-394540, Gujarat, India	R-72001848	282	i	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	PSN_600 (600 Wp)	PSN_585	22.65	144 (Half cut cells)	1500	10.11.2023	09.11.2027
PSN_590	22.84												
PSN_595	23.03												
PSN_600	23.23												
PSN_605	23.42												
PSN_610	23.61												
9	M/s. ReNew Photovoltaics Private Limited (Model Addition)	Plot No. 232, TP-2/A, Dholera Special Investment Region, Dholera, Ahmedabad - 382455, Gujarat, India	R-72009903	1766	i	Bifacial Mono c-Si PERC Module (Glass to Glass)	RSP2MH72BD515 (515 Wp)	RSP2MH72BD505	19.55	144 (Half cut cells)	1500	10.04.2024	09.04.2028
RSP2MH72BD510	19.74												
RSP2MH72BD515	19.94												
RSP2MH72BD520	20.13												
RSP2MH72BD525	20.32												
10	M/s. SAN Energy and Solution (Model Addition)	Plot No. 356, San Energy Solution, Near Girdharia Mod, Sheosagar, NH2, Sasaram, Rohtas- 821111, Bihar, India	R-53000221	27	i	Mono c-Si PERC Module	SG420WP (420 Wp)	SG410WP	20.65	72 (Full Cells)	1500	23.01.2025	22.01.2029
		SG420WP	21.16										
11	M/s. Surya International Enterprise Private Limited (Model Addition)	Plot No. S4-E1-21, EMC Park, Infovally II, Harekrushnapur, Jatani, Bhubaneswar-751019, Orissa, India	R-52000175	77	i	Mono c-Si PERC Module	SI500M10-132 (500 Wp)	SI500M10-132	21.05	132 (Half Cut Cells)	1500	16.11.2023	15.11.2027
					ii	Mono c-Si PERC Module	SI120M10-32 (120 Wp)	SI120M10-32	19.66	32 (Half Cut Cells)	1500		
12	M/s. Indosol Solar Private Limited (New Addition in ALMM)	Sy. Nos. 584/9,584/10,584/11, Chevuru Village, Gudluru Mandal, Nellore District - 500016, Andhra Pradesh , India	R-66003000	472	i	Bifacial Mono c-Si PERC Module (Glass to Glass)	ISBD1M10BN0380 (380 Wp)	ISBD1M10BN0375	19.20	108 (Half Cut Cells)	1500	21.05.2025	20.05.2029
								ISBD1M10BN0380	19.46				
								ISBD1M10BN0385	19.72				
								ISBD1M10BN0390	19.97				
								ISBD1M10BN0395	20.23				
					ii	Bifacial Mono c-Si PERC Module (Glass to Glass)	ISBD1M10BN1420 (420 Wp)	ISBD1M10BN1415	19.18	120 (Half Cut Cells)	1500		
								ISBD1M10BN1420	19.41				
								ISBD1M10BN1425	19.64				
								ISBD1M10BN1430	19.87				
					iii	Bifacial Mono c-Si PERC Module (Glass to Glass)	ISBD1M10BN1445 (445 Wp)	ISBD1M10BN1435	20.10	120 (Half Cut Cells)	1500		
								ISBD1M10BN1440	20.34				
								ISBD1M10BN1445	20.57				
								ISBD1M10BN1450	20.80				
					iv	Bifacial Mono c-Si PERC Module (Glass to Glass)	ISBD1M10BN2460 (460 Wp)	ISBD1M10BN1455	21.03	132 (Half Cut Cells)	1500		
								ISBD1M10BN2455	19.18				
								ISBD1M10BN2460	19.39				
								ISBD1M10BN2465	19.60				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)			
												From	To		
						(Glass to Glass)		ISBD1M10BN2470	19.81	132 (Half Cut Cells)	1500				
					v	Bifacial Mono c-Si PERC Module (Glass to Glass)	ISBD1M10BN2490 (490 Wp)	ISBD1M10BN2475	20.02						
								ISBD1M10BN2480	20.23						
								ISBD1M10BN2485	20.44						
								ISBD1M10BN2490	20.65						
								ISBD1M10BN2495	20.87						
								ISBD1M10BN2500	21.08						
					vi	Bifacial Mono c-Si PERC Module (Glass to Glass)	ISBD1M10BN4510 (510 Wp)	ISBD1M10BN4495	19.16						
								ISBD1M10BN4500	19.36						
								ISBD1M10BN4505	19.55						
								ISBD1M10BN4510	19.74						
								ISBD1M10BN4515	19.94						
								ISBD1M10BN4520	20.13						
					vii	Bifacial Mono c-Si PERC Module (Glass to Glass)	ISBD1M10BN4540 (540 Wp)	ISBD1M10BN4525	20.32						
								ISBD1M10BN4530	20.52						
								ISBD1M10BN4535	20.71						
								ISBD1M10BN4540	20.90						
								ISBD1M10BN4545	21.10						
								ISBD1M10BN4550	21.29						
					13	M/s. Solex Energy Limited (Model Addition + Capacity Addition)	Plot No 1A, Block 938, Tadkeshwar, Kim Mandvi Road, Mandvi, Surat - 394110, Gujarat	R-72008125	1348	i	Bifacial N- type Topcon Module (Glass to Glass)			STGP132R210B16-600 (600 Wp)	STGP132R210B16-625
STGP132R210B16-620	22.95														
STGP132R210B16-615	22.77														
STGP132R210B16-610	22.58														
STGP132R210B16-605	22.40														
STGP132R210B16-600	22.21														
STGP132R210B16-595	22.03														
STGP132R210B16-590	21.84														
STGP132R210B16-585	21.66														
STGP132R210B16-580	21.47														
STGP132R210B16-575	21.29														
STGP132R210B16-570	21.10														
ii	Bifacial N- type Topcon Module (Glass to Glass)	STGP120R210B16-540 (540 Wp)	STGP120R210B16-565	22.94						120 (Half Cut Cells)	1500				
			STGP120R210B16-560	22.74											
			STGP120R210B16-555	22.53											
			STGP120R210B16-550	22.33											
			STGP120R210B16-545	22.13											
			STGP120R210B16-540	21.92											
			STGP120R210B16-535	21.72											
			STGP120R210B16-530	21.52											
			STGP120R210B16-525	21.32											
			STGP120R210B16-520	21.11											
			STGP120R210B16-515	20.91											
iii	Bifacial N- type Topcon Module (Glass to Glass)	STGP108R210B16-490 (490 Wp)	STGP108R210B16-510	22.92						108 (Half Cut Cells)	1500				
			STGP108R210B16-505	22.70											
			STGP108R210B16-500	22.47											
			STGP108R210B16-495	22.25											
			STGP108R210B16-490	22.02											
			STGP108R210B16-485	21.80											
			STGP108R210B16-480	21.57											
			STGP108R210B16-475	21.35											
iv	Bifacial N- type Topcon Module (Glass to Glass)	STGP96R210B16-430 (430 Wp)	STGP108R210B16-470	21.12						96 (Half Cut Cells)	1500				
			STGP96R210B16-450	22.65											
			STGP96R210B16-445	22.40											
			STGP96R210B16-440	22.15											
			STGP96R210B16-435	21.89											
			STGP96R210B16-430	21.64											
			STGP96R210B16-425	21.39											
			STGP96R210B16-420	21.14											
			STGP96R210B16-415	20.89											
	Bifacial N- type Topcon	STGP84R210B16-380	STGP96R210B16-410	20.64											
			STGP84R210B16-395	22.59											
			STGP84R210B16-390	22.30											
												STGP84R210B16-385	22.02		

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
					v	Module (Glass to Glass)	STGP84R210B16-380 (380 Wp)	STGP84R210B16-380	21.73	84 (Half Cut Cells)	1500		
					vi	Bifacial N- type Topcon Module (Glass to Glass)	STGP72R210B16-325 (325 Wp)	STGP84R210B16-375	21.45				
								STGP84R210B16-370	21.16				
								STGP84R210B16-365	20.87				
								STGP72R210B16-340	22.51				
								STGP72R210B16-335	22.18				
								STGP72R210B16-330	21.85				
								STGP72R210B16-325	21.52				
								STGP72R210B16-320	21.19				
								STGP72R210B16-315	20.85				
								STGP72R210B16-310	20.52				
								vii	Bifacial N- type Topcon Module (Glass to Glass)	LR8-SMF-66HGD-610M (610 Wp)	LR8-SMF-66HGD-625M		
					LR8-SMF-66HGD-620M	22.95							
					LR8-SMF-66HGD-615M	22.77							
					LR8-SMF-66HGD-610M	22.58							
					LR8-SMF-66HGD-605M	22.40							
					LR8-SMF-66HGD-600M	22.21							
					viii	Bifacial N- type Topcon Module (Glass to Glass)	STGP144M10B16-585 (585 Wp)	LR8-SMF-66HGD-595M	22.03				
								STGP144M10B16-610	23.61				
								STGP144M10B16-605	23.42				
								STGP144M10B16-600	23.23				
								STGP144M10B16-595	23.03				
								STGP144M10B16-590	22.84				
								STGP144M10B16-585	22.65				
								STGP144M10B16-580	22.45				
								STGP144M10B16-575	22.26				
								STGP144M10B16-570	22.07				
								ix	Bifacial N- type Topcon Module (Glass to Glass)	STGP132M10B16-515 (515 Wp)	STGP144M10B16-565		
					STGP144M10B16-560	21.68							
					STGP132M10B16-535	22.54							
					STGP132M10B16-530	22.33							
					STGP132M10B16-525	22.12							
					STGP132M10B16-520	21.91							
					STGP132M10B16-515	21.70							
					STGP132M10B16-510	21.49							
					STGP132M10B16-505	21.28							
					STGP132M10B16-500	21.07							
					x	Bifacial N- type Topcon Module (Glass to Glass)	STGP120M10B16-465 (465 Wp)	STGP132M10B16-495	20.86				
								STGP132M10B16-490	20.64				
								STGP120M10B16-485	22.36				
								STGP120M10B16-480	22.13				
								STGP120M10B16-475	21.90				
								STGP120M10B16-470	21.67				
								STGP120M10B16-465	21.44				
								STGP120M10B16-460	21.20				
					xi	Bifacial N- type Topcon Module (Glass to Glass)	STGP108M10B16-415 (415 Wp)	STGP120M10B16-455	20.97				
								STGP120M10B16-450	20.74				
								STGP120M10B16-445	20.51				
								STGP108M10B16-435	22.17				
								STGP108M10B16-430	21.92				
								STGP108M10B16-425	21.66				
								STGP108M10B16-420	21.41				
								STGP108M10B16-415	21.15				
								STGP108M10B16-410	20.90				
								xii	Bifacial N- type Topcon Module (Glass to Glass)	STGP96M10B16-375 (375 Wp)	STGP108M10B16-405		
					STGP108M10B16-400	20.39							
					STGP108M10B16-395	20.13							
					STGP96M10B16-390	22.33							
					STGP96M10B16-385	22.05							
					STGP96M10B16-380	21.76							

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
					xiii	Bifacial N- type Topcon Module (Glass to Glass)	STGP84M10B16-325 (325 Wp)	STGP96M10B16-360 STGP84M10B16-340 STGP84M10B16-335 STGP84M10B16-330 STGP84M10B16-325 STGP84M10B16-320 STGP84M10B16-315 STGP84M10B16-310	20.61 22.13 21.80 21.48 21.15 20.83 20.50 20.17	84 (Half Cut Cells)	1500		
					xiv	Bifacial N- type Topcon Module (Glass to Glass)	STGP72M10B16-280 (280 Wp)	STGP72M10B16-290 STGP72M10B16-285 STGP72M10B16-280 STGP72M10B16-275 STGP72M10B16-270	21.86 21.48 21.10 20.73 20.35	72 (Half Cut Cells)	1500		
14	M/s. Mundra Solar PV Limited (Model Addition under Co-ALMM)	Co-ALMM with M/s Goldi Sun Private Limited Manufacturing Address: City Survey No. 920, Vijalpore Road, TA, Distt. Navsari, Gujarat – 396445, India	R-72012025	187 MW (As per CoBranding Agreement)	i	Bifacial N Type TOPCon	ASB-M10-144-535 (535 Wp)	ASB-M10-144-520 ASB-M10-144-525 ASB-M10-144-530 ASB-M10-144-535 ASB-M10-144-540 ASB-M10-144-545 ASB-M10-144-550	20.12 20.31 20.51 20.70 20.89 21.09 21.28	144 (Half Cut cells)	1500	27.03.2025	16.01.2026
					ii	Bifacial N Type TOPCon	ASB-M10-144-580 (580 Wp)	ASB-M10-144-580	22.45	144 (Half Cut cells)	1500		
15	M/s. Pravanya Solar India Private Limited (New Addition in ALMM)	C-2, Industrial Area, Madhya Marg, Bahadarabad, SIDCUL, Haridwar - 249403, Uttarakhand	R-83011754	79	i	Mono c-Si PERC Modules	PSI550W/24V	PSI550W/24V PSI545W/24V	21.32 21.13	144 (Half Cut Cells)	1500	21.05.2025	20.05.2029
					ii	Mono c-Si PERC Modules	PSI500W/24V	PSI500W/24V	20.91	132 (Half Cut Cells)	1500		
					iii	Mono c-Si PERC Modules	PSI200W/12V	PSI200W/12V	20.18	39 (Half Cut Cells)	1000		
					iv	Mono c-Si PERC Modules	PSI165W/12V	PSI165W/12V	19.88	36 (Half Cut Cells)	1000		
					v	Mono c-Si PERC Modules	PSI120W/12V	PSI120W/12V	19.73	36 (Half Cut Cells)	1000		
					vi	Mono c-Si PERC Modules	PSI110W/12V	PSI110W/12V	20.54	36 (Half Cut Cells)	1000		
16	M/s.Renewsys India Pvt. Ltd (Capacity Addition)	Sy .No. 114/P, Srinagar (V) , Fabcity, Maheswaram (M), Ranga Reddy District - 501359,Telangana,India	R-63000760	1773	i	Bifacial N type TOPCon Modules (Glass to Glass)	DESERV EXTREME-450 (450 Wp)	DESERV EXTREME-450 DESERV EXTREME-445 DESERV EXTREME-440 DESERV EXTREME-435 DESERV EXTREME-430 DESERV EXTREME-425 DESERV EXTREME-420 DESERV EXTREME-415	22.97 22.72 22.46 22.21 21.95 21.70 21.44 21.18	108 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					ii	Bifacial N type TOPCon Modules (Glass to Glass)	DESERV EXTREME-500 (500 Wp)	DESERV EXTREME-500 DESERV EXTREME-495 DESERV EXTREME-490 DESERV EXTREME-485 DESERV EXTREME-480 DESERV EXTREME-475 DESERV EXTREME-470 DESERV EXTREME-465	23.06 22.83 22.60 22.37 22.13 21.90 21.67 21.44	120 (Half Cut Cells)	1500		
					iii	Bifacial N type TOPCon Modules (Glass to Glass)	DESERV EXTREME-600 (600 Wp)	DESERV EXTREME-600 DESERV EXTREME-595 DESERV EXTREME-590 DESERV EXTREME-585 DESERV EXTREME-580 DESERV EXTREME-575 DESERV EXTREME-570 DESERV EXTREME-565	23.26 23.06 22.87 22.68 22.48 22.29 22.09 21.90	144 (Half Cut Cells)	1500		
								DESERV EXTREME-650 DESERV EXTREME-645	23.30 23.12				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
					iv	Bifacial N type TOPCon Modules (Glass to Glass)	DESERV EXTREME-645 (645 Wp)	DESERV EXTREME-640	22.94	156 (Half Cut Cells)	1500		
								DESERV EXTREME-635	22.76				
								DESERV EXTREME-630	22.59				
								DESERV EXTREME-625	22.41				
								DESERV EXTREME-620	22.23				
					v	N type TOPCon Modules	DESERV SGALACTIC-635 (635 Wp)	DESERV EXTREME-615	22.05	156 (Half Cut Cells)	1500		
								DESERV SGALACTIC-635	22.76				
								DESERV SGALACTIC-630	22.59				
								DESERV SGALACTIC-625	22.41				
								DESERV SGALACTIC-620	22.23				
					vi	N type TOPCon Modules	DESERV SGALACTIC-590 (590 Wp)	DESERV SGALACTIC-615	22.05	144 (Half Cut Cells)	1500		
								DESERV SGALACTIC-590	22.87				
								DESERV SGALACTIC-585	22.68				
								DESERV SGALACTIC-580	22.48				
								DESERV SGALACTIC-575	22.29				
					vii	N type TOPCon Modules	DESERV SGALACTIC-490 (490 Wp)	DESERV SGALACTIC-570	22.09	120 (Half Cut Cells)	1500		
								DESERV SGALACTIC-565	21.90				
								DESERV SGALACTIC-490	22.60				
								DESERV SGALACTIC-485	22.37				
								DESERV SGALACTIC-480	22.13				
					viii	N type TOPCon Modules	DESERV SGALACTIC-440 (440 Wp)	DESERV SGALACTIC-475	21.90	108 (Half Cut Cells)	1500		
								DESERV SGALACTIC-470	21.67				
								DESERV SGALACTIC-465	21.44				
								DESERV SGALACTIC-440	22.46				
								DESERV SGALACTIC-435	22.21				
17	M/s. Premier Energies Global Environment (P) Limited (New Addition in ALMM)	Plot No S-95,S-96,S-100,S-101,S-102,S-103 and S-104/Part 1, E-City , Raviryala, Maheswaram, Rangareddy - 501359, Telangana, India	R-63004740	1085	i	Bifacial Mono c-Si PERC Module (Glass to Glass)	PEI-144-550HGB-M10 (550 Wp)	DESERV SGALACTIC-430	21.95	144 (Half Cut Cells)	1500	21.05.2025	20.05.2029
								DESERV SGALACTIC-425	21.70				
								DESERV SGALACTIC-420	21.44				
								DESERV SGALACTIC-415	21.18				
								PEI-144-535HGB-M10	20.70				
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	PEI-132-615THGB-G12R (615 Wp)	PEI-144-540HGB-M10	20.89	132 (Half Cut Cells) Cell size: 182*210mm 16 BB	1500		
								PEI-144-545HGB-M10	21.09				
								PEI-144-550HGB-M10	21.28				
								PEI-144-555HGB-M10	21.48				
								PEI-144-560HGB-M10	21.67				
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	PEI-132-695THGB-G12 (695 Wp)	PEI-132-600THGB-G12R	19.32	132 (Half Cut Cells) Cell size: 210*210mm 18 BB	1500		
								PEI-132-605THGB-G12R	19.48				
								PEI-132-610THGB-G12R	19.64				
								PEI-132-615THGB-G12R	19.80				
								PEI-132-620THGB-G12R	19.96				
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	PEI-144-570THGB-M10 (570 Wp)	PEI-132-625THGB-G12R	20.12	144 (Half Cut Cells)	1500		
								PEI-132-630THGB-G12R	20.28				
								PEI-132-680THGB-G12	21.89				
								PEI-132-685THGB-G12	22.05				
								PEI-132-690THGB-G12	22.21				
18	M/s. ADM Solar Power &	Plot No: 22/1, The Printer House Private Limited,	R-93011576	514		Bifacial Mono c-Si PERC Module	ADM545	PEI-132-695THGB-G12	22.37			24.05.2024	23.05.2028
								PEI-132-700THGB-G12	22.53				
								PEI-132-705THGB-G12	22.70				
								PEI-132-710THGB-G12	22.86				
								PEI-144-545THGB-M10	21.09				
								PEI-144-550THGB-M10	21.28				
								PEI-144-555THGB-M10	21.48				
								PEI-144-560THGB-M10	21.67				
								PEI-144-565THGB-M10	21.86				
								PEI-144-570THGB-M10	22.06				
								PEI-144-575THGB-M10	22.25				
								PEI-144-580THGB-M10	22.44				
								PEI-144-585THGB-M10	22.64				
								PEI-144-590THGB-M10	22.83				
								ADM540	20.93				
								ADM545	21.13				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
	Infrastructure Pvt Ltd. (Model Addition + Capacity Addition)	Mathura Road, Ballabgarh, Sikri Industrial Area, Faridabad, Haryana - 121004, India			i	Module (Glass to Transperent Backsheet)	ADM545 (545Wp)	ADM550	21.32	144 (Half Cut Cells)	1500		
					ii	Mono c-Si PERC Module	ADM120 (120 Wp)	ADM120	19.73	32 (Half Cut Cells)	1000		
					iii	Mono c-Si PERC Module	ADMS90 (90 Wp)	ADMS90	19.29	36 (Half Cut Cells)	600		
19	M/s. Green Brilliance Renewable Energy LLP (New Addition in ALMM List)	Plot No 1408 G.I.D.C. Industrial Estate, Waghodia, Vadodara - 391760, Gujarat, India	R-72002119	32	i	N-Type TOPCon Module	GB120HC505 (505 Wp)	GB120HC490	22.67	120 (Half Cut Cells)	1500	21.05.2025	20.05.2029
								GB120HC495	22.90				
								GB120HC500	23.13				
								GB120HC505	23.36				
								GB120HC510	23.60				
								GB120HC515	23.83				
					ii	N-Type TOPCon Module	GB132HC545 (545 Wp)	GB120HC520	24.06	132 (Half Cut Cells)	1500		
								GB132HC530	22.30				
								GB132HC535	22.51				
								GB132HC540	22.72				
								GB132HC545	22.93				
								GB132HC550	23.14				
					iii	N-Type TOPCon Module	GB144HC585 (585 Wp)	GB132HC555	23.35	144 (Half Cut Cells)	1500		
								GB132HC560	23.56				
								GB144HC570	22.07				
								GB144HC575	22.26				
								GB144HC580	22.45				
								GB144HC585	22.65				
					iv	N-Type TOPCon Module	GB156HC635 (635 Wp)	GB144HC590	22.84	156 (Half Cut Cells)	1500		
								GB144HC595	23.03				
								GB144HC600	23.23				
								GB156HC620	22.19				
								GB156HC625	22.37				
								GB156HC630	22.55				
20	M/s. Goldi Sun Private Limited (Capacity Addition)	Unit no 6 (Type F) , Block No. 341, Prime Industrial and Logistic Hub, NR. P.P Savani University, NH-48,Gram Panchayat, Dhamdod - 394125, Surat, Gujarat, India	R-72012467	4588	i	Bifacial N-Type TOPCon Module (Glass to Glass)	GS10-T144-GF-575 (575 Wp)	GB156HC635	22.73	144 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								GB156HC640	22.90				
								GB156HC645	23.08				
								GB156HC650	23.26				
								GS10-T144-GF-595	23.03				
								GS10-T144-GF-590	22.84				
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	GS10-T132-GF-535 (535 Wp)	GS10-T144-GF-585	22.65	132 (Half Cut Cell)	1500		
								GS10-T144-GF-580	22.45				
								GS10-T144-GF-575	22.26				
								GS10-T144-GF-570	22.07				
								GS10-T144-GF-565	21.87				
								GS10-T144-GF-560	21.68				
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	GS10-T120-GF-480 (480 Wp)	GS10-T144-GF-555	21.48	120 (Half Cut Cell)	1500		
								GS10-T132-GF-550	23.15				
								GS10-T132-GF-545	22.94				
								GS10-T132-GF-540	22.73				
								GS10-T132-GF-535	22.52				
								GS10-T132-GF-530	22.31				
								GS10-T132-GF-525	22.10				
								GS10-T132-GF-520	21.89				
								GS10-T132-GF-515	21.68				
								GS10-T120-GF-500	23.08				
								GS10-T120-GF-495	22.85				
								GS10-T120-GF-490	22.62				
			GS10-T120-GF-485	22.39									
			GS10-T120-GF-480	22.16									
			GS10-T120-GF-475	21.93									
			GS10-T120-GF-470	21.70									
			GS10-T120-GF-465	21.47									
			GS10-T108-GF-450	22.94									

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	GS10-T108-GF-450 (450 Wp)	GS10-T108-GF-445 GS10-T108-GF-440 GS10-T108-GF-435 GS10-T108-GF-430 GS10-T108-GF-425 GS10-T108-GF-420 GS10-T108-GF-415	22.68 22.43 22.17 21.92 21.66 21.41 21.15	108 (Half Cut Cell)	1500		
21	M/s. Gautam Solar Pvt. Ltd. (Model Addition + Capacity Addition)	7 KM Milestone, Tosham Road, Dist - Bhiwani, Bhiwani Khara - 127032, Haryana, India	R-91017574	852	i	N-Type TOPCon Module	G2X1785N-UHAD (595Wp) (567Wp - 600Wp)	G2X1800N-UHAD G2X1797N-UHAD G2X1794N-UHAD G2X1791N-UHAD G2X1788N-UHAD G2X1785N-UHAD G2X1782N-UHAD G2X1779N-UHAD G2X1776N-UHAD G2X1773N-UHAD G2X1770N-UHAD G2X1767N-UHAD G2X1764N-UHAD G2X1761N-UHAD G2X1758N-UHAD G2X1755N-UHAD G2X1752N-UHAD G2X1749N-UHAD G2X1746N-UHAD G2X1743N-UHAD G2X1740N-UHAD G2X1737N-UHAD G2X1734N-UHAD G2X1731N-UHAD G2X1728N-UHAD G2X1725N-UHAD G2X1722N-UHAD G2X1719N-UHAD G2X1716N-UHAD G2X1713N-UHAD G2X1710N-UHAD G2X1707N-UHAD G2X1704N-UHAD G2X1701N-UHAD	23.21 23.17 23.13 23.09 23.05 23.01 22.97 22.94 22.90 22.86 22.82 22.78 22.74 22.70 22.66 22.63 22.59 22.55 22.51 22.47 22.43 22.39 22.36 22.32 22.28 22.24 22.20 22.16 22.12 22.08 22.05 22.01 21.97 21.93	144 (Half Cut Cells)	1500	21.04.2025	20.04.2029
					ii	N-Type TOPCon	G2X1650N-UHAB (550Wp) (535Wp-560Wp)	G2X1680N-UHAB G2X1677N-UHAB G2X1674N-UHAB G2X1671N-UHAB G2X1668N-UHAB G2X1665N-UHAB G2X1662N-UHAB G2X1659N-UHAB G2X1656N-UHAB G2X1653N-UHAB G2X1650N-UHAB G2X1647N-UHAB G2X1644N-UHAB G2X1641N-UHAB G2X1638N-UHAB G2X1635N-UHAB G2X1632N-UHAB G2X1629N-UHAB G2X1626N-UHAB G2X1623N-UHAB G2X1620N-UHAB G2X1617N-UHAB	23.57 23.53 23.49 23.45 23.40 23.36 23.32 23.28 23.23 23.19 23.15 23.11 23.07 23.02 22.98 22.94 22.90 22.86 22.81 22.77 22.73 22.69	132 (Half Cut Cells)	1500		

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
								G2X1614N-UHAB	22.65				
								G2X1611N-UHAB	22.60				
								G2X1608N-UHAB	22.56				
								G2X1605N-UHAB	22.52				
					iii	N-Type TOPCon	G2X1560N-UHAB (520Wp) (505-530Wp)	G2X1590N-UHAB	22.31	132 (Half Cut Cells)	1500		
								G2X1575N-UHAB	22.10				
								G2X1560N-UHAB	21.89				
								G2X1545N-UHAB	21.68				
								G2X1530N-UHAB	21.47				
								G2X1515N-UHAB	21.26				
					iv	N-Type TOPCon	G2X1500N-UHAA (500Wp) (475Wp - 515Wp)	G2X1545N-UHAA	23.78	120 (Half Cut Cells)	1500		
								G2X1542N-UHAA	23.73				
								G2X1539N-UHAA	23.68				
								G2X1536N-UHAA	23.64				
								G2X1533N-UHAA	23.59				
								G2X1530N-UHAA	23.55				
								G2X1527N-UHAA	23.50				
								G2X1524N-UHAA	23.45				
								G2X1521N-UHAA	23.41				
								G2X1518N-UHAA	23.36				
								G2X1515N-UHAA	23.32				
								G2X1512N-UHAA	23.27				
								G2X1509N-UHAA	23.22				
								G2X1506N-UHAA	23.18				
								G2X1503N-UHAA	23.13				
								G2X1500N-UHAA	23.08				
								G2X1497N-UHAA	23.04				
								G2X1494N-UHAA	22.99				
								G2X1491N-UHAA	22.95				
								G2X1488N-UHAA	22.90				
								G2X1485N-UHAA	22.85				
								G2X1482N-UHAA	22.81				
								G2X1479N-UHAA	22.76				
								G2X1476N-UHAA	22.72				
								G2X1473N-UHAA	22.67				
								G2X1470N-UHAA	22.62				
								G2X1467N-UHAA	22.58				
								G2X1464N-UHAA	22.53				
								G2X1461N-UHAA	22.48				
								G2X1458N-UHAA	22.44				
								G2X1455N-UHAA	22.39				
								G2X1440N-UHAA	22.16				
								G2X1425N-UHAA	21.93				
					v	N-Type TOPCon	G2X1350N-UHAY (450Wp) (430Wp - 470Wp)	G2X1410N-UHAY	24.04	108 (Half Cut Cells)	1500		
								G2X1407N-UHAY	23.99				
								G2X1404N-UHAY	23.94				
								G2X1401N-UHAY	23.89				
								G2X1398N-UHAY	23.84				
								G2X1395N-UHAY	23.78				
								G2X1392N-UHAY	23.73				
								G2X1389N-UHAY	23.68				
								G2X1386N-UHAY	23.63				
								G2X1383N-UHAY	23.58				
								G2X1380N-UHAY	23.53				
								G2X1377N-UHAY	23.48				
								G2X1374N-UHAY	23.43				
								G2X1371N-UHAY	23.38				
								G2X1368N-UHAY	23.32				
								G2X1365N-UHAY	23.27				
								G2X1362N-UHAY	23.22				
								G2X1359N-UHAY	23.17				
								G2X1356N-UHAY	23.12				
								G2X1353N-UHAY	23.07				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemd to be delisted)	
												From	To
								G2X1350N-UHAY	23.02				
								G2X1347N-UHAY	22.97				
								G2X1344N-UHAY	22.92				
								G2X1341N-UHAY	22.86				
								G2X1338N-UHAY	22.81				
								G2X1335N-UHAY	22.76				
								G2X1332N-UHAY	22.71				
								G2X1329N-UHAY	22.66				
								G2X1326N-UHAY	22.61				
								G2X1323N-UHAY	22.56				
								G2X1320N-UHAY	22.51				
								G2X1305N-UHAY	22.25				
								G2X1290N-UHAY	21.99				
								G2X1260N-UHAX	24.08				
								G2X1245N-UHAX	23.79				
					G2X1230N-UHAX	23.51							
					G2X1215N-UHAX	23.22							
					G2X1200N-UHAX	22.93							
					G2X1185N-UHAX	22.65							
					G2X1170N-UHAX	22.36							
					G2X1155N-UHAX	22.07							
					G2X1140N-UHAX	21.79							
					G2X1110N-UHAC	24.10							
					G2X1095N-UHAC	23.77							
					G2X1080N-UHAC	23.45							
					G2X1065N-UHAC	23.12							
					G2X1050N-UHAC	22.79							
					G2X1035N-UHAC	22.47							
					G2X1020N-UHAC	22.14							
					G2X1800NW-UHAD	23.21							
					G2X1797NW-UHAD	23.17							
					G2X1794NW-UHAD	23.13							
					G2X1791NW-UHAD	23.09							
					G2X1788NW-UHAD	23.05							
					G2X1785NW-UHAD	23.01							
					G2X1782NW-UHAD	22.97							
					G2X1779NW-UHAD	22.94							
					G2X1776NW-UHAD	22.90							
					G2X1773NW-UHAD	22.86							
					G2X1770NW-UHAD	22.82							
					G2X1767NW-UHAD	22.78							
					G2X1764NW-UHAD	22.74							
					G2X1761NW-UHAD	22.70							
					G2X1758NW-UHAD	22.66							
					G2X1755NW-UHAD	22.63							
					G2X1752NW-UHAD	22.59							
					G2X1749NW-UHAD	22.55							
					G2X1746NW-UHAD	22.51							
					G2X1743NW-UHAD	22.47							
					G2X1740NW-UHAD	22.43							
					G2X1737NW-UHAD	22.39							
					G2X1734NW-UHAD	22.36							
					G2X1731NW-UHAD	22.32							
					G2X1728NW-UHAD	22.28							
					G2X1725NW-UHAD	22.24							
					G2X1722NW-UHAD	22.20							
					G2X1719NW-UHAD	22.16							
					G2X1716NW-UHAD	22.12							
					G2X1713NW-UHAD	22.08							
					G2X1710NW-UHAD	22.05							
					G2X1707NW-UHAD	22.01							
					G2X1704NW-UHAD	21.97							
					G2X1701NW-UHAD	21.93							

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)			
												From	To		
					ix	N-Type TOPCon	G2X1650NW-UHAB (550Wp) (535Wp - 560Wp)	G2X1680NW-UHAB	23.57	132 (Half Cut Cells)	1500				
								G2X1677NW-UHAB	23.53						
								G2X1674NW-UHAB	23.49						
								G2X1671NW-UHAB	23.45						
								G2X1668NW-UHAB	23.40						
								G2X1665NW-UHAB	23.36						
								G2X1662NW-UHAB	23.32						
								G2X1659NW-UHAB	23.28						
								G2X1656NW-UHAB	23.23						
								G2X1653NW-UHAB	23.19						
								G2X1650NW-UHAB	23.15						
								G2X1647NW-UHAB	23.11						
								G2X1644NW-UHAB	23.07						
								G2X1641NW-UHAB	23.02						
								G2X1638NW-UHAB	22.98						
								G2X1635NW-UHAB	22.94						
								G2X1632NW-UHAB	22.90						
								G2X1629NW-UHAB	22.86						
								G2X1626NW-UHAB	22.81						
								G2X1623NW-UHAB	22.77						
								G2X1620NW-UHAB	22.73						
								G2X1617NW-UHAB	22.69						
								G2X1614NW-UHAB	22.65						
								G2X1611NW-UHAB	22.60						
								G2X1608NW-UHAB	22.56						
								G2X1605NW-UHAB	22.52						
					x	N-Type TOPCon	G2X1560NW-UHAB (520Wp) (505Wp - 530Wp)	G2X1590NW-UHAB	22.31	132 (Half Cut Cells)	1500				
								G2X1575NW-UHAB	22.10						
								G2X1560NW-UHAB	21.89						
								G2X1545NW-UHAB	21.68						
								G2X1530NW-UHAB	21.47						
					xi	N-Type TOPCon	G2X1530NW-UHAA (510Wp) (501Wp - 515Wp)	G2X1515NW-UHAB	21.26	120 (Half Cut Cells)	1500				
								G2X1545NW-UHAA	23.78						
								G2X1542NW-UHAA	23.73						
								G2X1539NW-UHAA	23.68						
								G2X1536NW-UHAA	23.64						
								G2X1533NW-UHAA	23.59						
								G2X1530NW-UHAA	23.55						
								G2X1527NW-UHAA	23.50						
								G2X1524NW-UHAA	23.45						
								G2X1521NW-UHAA	23.41						
								G2X1518NW-UHAA	23.36						
								G2X1515NW-UHAA	23.32						
								G2X1512NW-UHAA	23.27						
								G2X1509NW-UHAA	23.22						
								G2X1506NW-UHAA	23.18						
					xii	N-Type TOPCon	G2X1470NW-UHAA (490Wp) (470Wp - 500Wp)	G2X1503NW-UHAA	23.13	120 (Half Cut Cells)	1500				
								G2X1500NW-UHAA	23.08						
								G2X1497NW-UHAA	23.04						
								G2X1494NW-UHAA	22.99						
								G2X1491NW-UHAA	22.95						
								G2X1488NW-UHAA	22.90						
								G2X1485NW-UHAA	22.85						
								G2X1482NW-UHAA	22.81						
								G2X1479NW-UHAA	22.76						
								G2X1476NW-UHAA	22.72						
								G2X1473NW-UHAA	22.67						
								G2X1470NW-UHAA	22.62						
								G2X1467NW-UHAA	22.58						
								G2X1464NW-UHAA	22.53						
								G2X1461NW-UHAA	22.48						
								G2X1458NW-UHAA	22.44						
								G2X1455NW-UHAA	22.39						

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemd to be delisted)	
												From	To
								G2X1440NW-UHAA	22.16				
								G2X1425NW-UHAA	21.93				
								G2X1410NW-UHAA	21.70				
					xiii	N-Type TOPCon	G2X1350NW-UHAY (450Wp) (425Wp - 465Wp)	G2X1395NW-UHAY	23.78	108 (Half Cut Cells)	1500		
								G2X1392NW-UHAY	23.73				
								G2X1389NW-UHAY	23.68				
								G2X1386NW-UHAY	23.63				
								G2X1383NW-UHAY	23.58				
								G2X1380NW-UHAY	23.53				
								G2X1377NW-UHAY	23.48				
								G2X1374NW-UHAY	23.43				
								G2X1371NW-UHAY	23.38				
								G2X1368NW-UHAY	23.32				
								G2X1365NW-UHAY	23.27				
								G2X1362NW-UHAY	23.22				
								G2X1359NW-UHAY	23.17				
								G2X1356NW-UHAY	23.12				
								G2X1353NW-UHAY	23.07				
								G2X1350NW-UHAY	23.02				
								G2X1347NW-UHAY	22.97				
								G2X1344NW-UHAY	22.92				
								G2X1341NW-UHAY	22.86				
								G2X1338NW-UHAY	22.81				
								G2X1335NW-UHAY	22.76				
								G2X1332NW-UHAY	22.71				
								G2X1329NW-UHAY	22.66				
								G2X1326NW-UHAY	22.61				
								G2X1323NW-UHAY	22.56				
								G2X1320NW-UHAY	22.51				
								G2X1305NW-UHAY	22.25				
								G2X1290NW-UHAY	21.99				
					xiv	N-Type TOPCon	G2X1200NW-UHAX (400Wp) (380Wp-415Wp)	G2X1245NW-UHAX	23.79	96 (Half Cut Cells)	1500		
								G2X1230NW-UHAX	23.51				
								G2X1215NW-UHAX	23.22				
								G2X1200NW-UHAX	22.93				
								G2X1185NW-UHAX	22.65				
								G2X1170NW-UHAX	22.36				
								G2X1155NW-UHAX	22.07				
					xv	N-Type TOPCon	G2X1065NW-UHAC (355Wp) (340Wp - 365Wp)	G2X1140NW-UHAX	21.79	84 (Half Cut Cells)	1500		
								G2X1095NW-UHAC	23.77				
								G2X1080NW-UHAC	23.45				
								G2X1065NW-UHAC	23.12				
								G2X1050NW-UHAC	22.79				
					xvi	N-Type TOPCon	G2X900NW-UHAF (300Wp) (285Wp-315Wp)	G2X1035NW-UHAC	22.47	72 (Half Cut Cells)	1500		
								G2X1020NW-UHAC	22.14				
								G2X945NW-UHAF	23.78				
								G2X930NW-UHAF	23.40				
								G2X915NW-UHAF	23.03				
								G2X900NW-UHAF	22.65				
								G2X885NW-UHAF	22.27				
								G2X870NW-UHAF	21.89				
								G2X855NW-UHAF	21.52				
								G2G1800-HAD	23.21				
								G2G1797-UHAD	23.17				
								G2G1794N-UHAD	23.13				
								G2G1791B-UHAD	23.09				
								G2G1788NB-UHAD	23.05				
								G2G1785-HAD	23.01				
								G2G1782-UHAD	22.97				
								G2G1779N-UHAD	22.94				
								G2G1776B-UHAD	22.90				
								G2G1773NB-UHAD	22.86				
								G2G1770-HAD	22.82				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)						
												From	To					
					xvii	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1785-HAD (595Wp) (567Wp - 600Wp)	G2G1767-UHAD	22.78	144 (Half Cut Cells)	1500							
								G2G1764N-UHAD	22.74									
								G2G1761B-UHAD	22.70									
								G2G1758NB-UHAD	22.66									
								G2G1755-HAD	22.63									
								G2G1752-UHAD	22.59									
								G2G1749N-UHAD	22.55									
								G2G1746B-UHAD	22.51									
								G2G1743NB-UHAD	22.47									
								G2G1740-HAD	22.43									
								G2G1737-UHAD	22.39									
								G2G1734N-UHAD	22.36									
								G2G1731B-UHAD	22.32									
								G2G1728NB-UHAD	22.28									
								G2G1725-HAD	22.24									
								G2G1722-UHAD	22.20									
								G2G1719N-UHAD	22.16									
								G2G1716B-UHAD	22.12									
								G2G1713NB-UHAD	22.08									
								G2G1710-HAD	22.05									
								G2G1707-UHAD	22.01									
								G2G1704N-UHAD	21.97									
								G2G1701B-UHAD	21.93									
					xviii	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1650-HAB (550Wp) (531Wp - 560Wp)	G2G1680-HAB	23.57	132 (Half Cut Cells)	1500							
								G2G1677-UHAB	23.53									
								G2G1674N-UHAB	23.49									
								G2G1671B-UHAB	23.45									
								G2G1668NB-UHAB	23.40									
								G2G1665-HAB	23.36									
								G2G1662-UHAB	23.32									
								G2G1659N-UHAB	23.28									
								G2G1656B-UHAB	23.23									
								G2G1653NB-UHAB	23.19									
								G2G1650-HAB	23.15									
								G2G1647-UHAB	23.11									
								G2G1644N-UHAB	23.07									
								G2G1641B-UHAB	23.02									
								G2G1638NB-UHAB	22.98									
								G2G1635-HAB	22.94									
								G2G1632-UHAB	22.90									
								G2G1629N-UHAB	22.86									
								G2G1626B-UHAB	22.81									
								G2G1623NB-UHAB	22.77									
								G2G1620-HAB	22.73									
								G2G1617-UHAB	22.69									
								G2G1614N-UHAB	22.65									
								G2G1611B-UHAB	22.60									
								G2G1608NB-UHAB	22.56									
								G2G1605-HAB	22.52									
								G2G1602-UHAB	22.48									
								G2G1599N-UHAB	22.44									
								G2G1596B-UHAB	22.39									
								G2G1593NB-UHAB	22.35									
															G2G1590-HAB	22.31		
															G2G1587-UHAB	22.27		
															G2G1584N-UHAB	22.22		
															G2G1581B-UHAB	22.18		
					G2G1578NB-UHAB	22.14												
					G2G1575-HAB	22.10												
					G2G1572-UHAB	22.06												
					G2G1569N-UHAB	22.01												
					G2G1566B-UHAB	21.97												
					G2G1563NB-UHAB	21.93												

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
					xix	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1560-HAB (520Wp) (505Wp - 530Wp)	G2G1560-HAB	21.89	132 (Half Cut Cells)	1500		
								G2G1557-UHAB	21.85				
								G2G1554N-UHAB	21.80				
								G2G1551B-UHAB	21.76				
								G2G1548NB-UHAB	21.72				
								G2G1545-HAB	21.68				
								G2G1542-UHAB	21.64				
								G2G1539N-UHAB	21.59				
								G2G1536B-UHAB	21.55				
								G2G1533NB-UHAB	21.51				
								G2G1530-HAB	21.47				
								G2G1527-UHAB	21.42				
								G2G1524N-UHAB	21.38				
								G2G1521B-UHAB	21.34				
								G2G1518NB-UHAB	21.30				
								G2G1515-HAB	21.26				
					xx	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1485-HAA (495Wp) (470Wp - 510Wp)	G2G1530-HAA	23.56	120 (Half Cut Cells)	1500		
								G2G1527-UHAA	23.51				
								G2G1524N-UHAA	23.47				
								G2G1521B-UHAA	23.42				
								G2G1518NB-UHAA	23.37				
								G2G1515-HAA	23.33				
								G2G1512-UHAA	23.28				
								G2G1509N-UHAA	23.24				
								G2G1506B-UHAA	23.19				
								G2G1503NB-UHAA	23.14				
								G2G1500-HAA	23.10				
								G2G1497-UHAA	23.05				
								G2G1494N-UHAA	23.00				
								G2G1491B-UHAA	22.96				
								G2G1488NB-UHAA	22.91				
								G2G1485-HAA	22.87				
								G2G1482-UHAA	22.82				
								G2G1479N-UHAA	22.77				
								G2G1476B-UHAA	22.73				
								G2G1473NB-UHAA	22.68				
								G2G1470-HAA	22.63				
								G2G1467-UHAA	22.59				
								G2G1464N-UHAA	22.54				
								G2G1461B-UHAA	22.50				
								G2G1458NB-UHAA	22.45				
								G2G1455-HAA	22.40				
								G2G1452-UHAA	22.36				
								G2G1449N-UHAA	22.31				
								G2G1446B-UHAA	22.27				
								G2G1443NB-UHAA	22.22				
								G2G1440-HAA	22.17				
								G2G1437-UHAA	22.13				
								G2G1434N-UHAA	22.08				
								G2G1431B-UHAA	22.03				
								G2G1428NB-UHAA	21.99				
								G2G1425-HAA	21.94				
								G2G1422-UHAA	21.90				
								G2G1419N-UHAA	21.85				
								G2G1416B-UHAA	21.80				
								G2G1413NB-UHAA	21.76				
					G2G1395-HAY	23.78							
					G2G1392-UHAY	23.73							
					G2G1389N-UHAY	23.68							
					G2G1386B-UHAY	23.63							
								G2G1383NB-UHAY	23.58				
								G2G1380-HAY	23.53				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
					xxi	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1344N-UHAY (448Wp) (425Wp - 465Wp)	G2G1377-UHAY	23.48	108 (Half Cut Cells)	1500		
								G2G1374N-UHAY	23.43				
								G2G1371B-UHAY	23.38				
								G2G1368NB-UHAY	23.32				
								G2G1365-HAY	23.27				
								G2G1362-UHAY	23.22				
								G2G1359N-UHAY	23.17				
								G2G1356B-UHAY	23.12				
								G2G1353NB-UHAY	23.07				
								G2G1350-HAY	23.02				
								G2G1347-UHAY	22.97				
								G2G1344N-UHAY	22.92				
								G2G1341B-UHAY	22.86				
								G2G1338NB-UHAY	22.81				
								G2G1335-HAY	22.76				
								G2G1332-UHAY	22.71				
								G2G1329N-UHAY	22.66				
								G2G1326B-UHAY	22.61				
								G2G1323NB-UHAY	22.56				
								G2G1320-HAY	22.51				
								G2G1317-UHAY	22.46				
								G2G1314N-UHAY	22.40				
								G2G1308NB-UHAY	22.30				
								G2G1305-HAY	22.25				
								G2G1302-UHAY	22.20				
								G2G1299N-UHAY	22.15				
								G2G1296B-UHAY	22.10				
								G2G1293NB-UHAY	22.05				
								G2G1290-HAY	21.99				
								G2G1287-UHAY	21.94				
								G2G1284N-UHAY	21.89				
								G2G1281B-UHAY	21.84				
								G2G1278NB-UHAY	21.79				
					G2G1275-HAY	21.74							
					G2G1245-HAX	23.79	96 (Half Cut Cells)	1500					
					G2G1242-UHAX	23.74							
					G2G1239N-UHAX	23.68							
					G2G1236B-UHAX	23.62							
					G2G1233NB-UHAX	23.57							
					G2G1230-HAX	23.51							
					G2G1215-HAX	23.22							
					G2G1212-UHAX	23.16							
					G2G1209N-UHAX	23.11							
					G2G1206B-UHAX	23.05							
					G2G1203NB-UHAX	22.99							
					G2G1200-HAX	22.93							
					G2G1197-UHAX	22.88							
					G2G1194N-UHAX	22.82							
					G2G1191B-UHAX	22.76							
					G2G1188NB-UHAX	22.71							
					G2G1185-HAX	22.65							
					G2G1182-UHAX	22.59							
					G2G1179N-UHAX	22.53							
					G2G1176B-UHAX	22.48							
					G2G1173NB-UHAX	22.42							
					G2G1170-HAX	22.36							
					G2G1167-UHAX	22.30							
					G2G1164N-UHAX	22.25							
					G2G1161B-UHAX	22.19							
					G2G1158NB-UHAX	22.13							
					G2G1155-HAX	22.07							
					G2G1152-UHAX	22.02							
					G2G1149N-UHAX	21.96							

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
								G2G1146B-UHAX	21.90				
								G2G1143NB-UHAX	21.85				
								G2G1140-HAX	21.79				
					xxiii	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G900-HAF (300Wp) (285Wp - 315Wp)	G2G945-HAF	23.78	72 (Half Cut Cells)	1500		
								G2G942-UHAF	23.71				
								G2G939N-UHAF	23.63				
								G2G936B-UHAF	23.56				
								G2G933NB-UHAF	23.48				
								G2G930-HAF	23.40				
								G2G927-UHAF	23.33				
								G2G924N-UHAF	23.25				
								G2G921B-UHAF	23.18				
								G2G918NB-UHAF	23.10				
								G2G915-HAF	23.03				
								G2G912-UHAF	22.95				
								G2G909N-UHAF	22.88				
								G2G906B-UHAF	22.80				
								G2G903NB-UHAF	22.73				
								G2G900-HAF	22.65				
								G2G897-UHAF	22.57				
								G2G894N-UHAF	22.50				
								G2G891B-UHAF	22.42				
								G2G888NB-UHAF	22.35				
								G2G885-HAF	22.27				
								G2G882-UHAF	22.20				
								G2G879N-UHAF	22.12				
								G2G876B-UHAF	22.05				
								G2G873NB-UHAF	21.97				
								G2G870-HAF	21.89				
								G2G867-UHAF	21.82				
								G2G864N-UHAF	21.74				
								G2G861B-UHAF	21.67				
								G2G858NB-UHAF	21.59				
					xxiv	Bifacial N-Type TOPCon Module (Glass to Glass)	G2X900N-UHAF (300Wp) (285Wp - 315Wp)	G2G855-HAF	21.52	72 (Half Cut Cells)	1500		
								G2X945N-UHAF	23.78				
								G2X930N-UHAF	23.40				
								G2X915N-UHAF	23.03				
								G2X900N-UHAF	22.65				
					xxv	N-Type TOPCon Module	G2G1050-HAC (350 Wp) (335Wp-365Wp)	G2X885N-UHAF	22.27	84 (Half Cut Cells)	1500		
								G2X870N-UHAF	21.89				
								G2X855N-UHAF	21.52				
								G2G1095-HAC	23.77				
								G2G1092-UHAC	23.71				
								G2G1089N-UHAC	23.64				
								G2G1086B-UHAC	23.58				
								G2G1083NB-UHAC	23.51				
								G2G1080-HAC	23.45				
								G2G1077-UHAC	23.38				
								G2G1074N-UHAC	23.32				
								G2G1071B-UHAC	23.25				
								G2G1068NB-UHAC	23.19				
								G2G1065-HAC	23.12				
								G2G1062-UHAC	23.06				
G2G1059N-UHAC	22.99												
G2G1056B-UHAC	22.93												
G2G1053NB-UHAC	22.86												
G2G1050-HAC	22.79												
G2G1047-UHAC	22.73												
G2G1044N-UHAC	22.66												
G2G1041B-UHAC	22.60												
G2G1038NB-UHAC	22.53												
G2G1035-HAC	22.47												
G2G1032-UHAC	22.40												

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
								G2G1029N-UHAC	22.34				
								G2G1026B-UHAC	22.27				
								G2G1023NB-UHAC	22.21				
								G2G1020-HAC	22.14				
								G2G1017-UHAC	22.08				
								G2G1014N-UHAC	22.01				
								G2G1011B-UHAC	21.95				
								G2G1008NB-UHAC	21.88				
								G2G1005-HAC	21.82				
								G3G1890K-UHAB	23.32				
					xxvi	Bifacial N-Type TOPCon Module (Glass to Glass)	G3G1800K-UHAB (600 Wp) (580 Wp- 630 Wp)	G3G1875K-UHAB	23.14	132 (Half Cut Cells)	1500		
								G3G1860K-UHAB	22.95				
								G3G1845K-UHAB	22.77				
								G3G1830K-UHAB	22.58				
								G3G1815K-UHAB	22.40				
								G3G1800K-UHAB	22.21				
								G3G1785K-UHAB	22.03				
								G3G1770K-UHAB	21.84				
								G3G1755K-UHAB	21.66				
								G3G1740K-UHAB	21.47				
					xxvii	Bifacial N-Type TOPCon Module (Glass to Glass)	G3G1665K-UHAA (555 Wp) (525 Wp- 580 Wp)	G3G1740K-UHAA	23.56	120 (Half Cut Cells)	1500		
								G3G1725K-UHAA	23.36				
								G3G1710K-UHAA	23.15				
								G3G1695K-UHAA	22.95				
								G3G1680K-UHAA	22.75				
								G3G1665K-UHAA	22.54				
								G3G1650K-UHAA	22.34				
								G3G1635K-UHAA	22.14				
								G3G1620K-UHAA	21.93				
								G3G1605K-UHAA	21.73				
					xxviii	Bifacial N-Type TOPCon Module (Glass to Glass)	G3G1500K-UHAY (500 Wp) (475 Wp- 520 Wp)	G3G1590K-UHAA	21.53	108 (Half Cut Cells)	1500		
								G3G1575K-UHAA	21.32				
								G3G1560K-UHAY	23.41				
								G3G1545K-UHAY	23.18				
								G3G1530K-UHAY	22.96				
								G3G1515K-UHAY	22.73				
								G3G1500K-UHAY	22.51				
								G3G1485K-UHAY	22.28				
								G3G1470K-UHAY	22.06				
								G3G1455K-UHAY	21.83				
					xxix	Bifacial Mono c-Si PERC Module (Glass to Glass)	G2GBifacial1695-HAD (535 Wp) (510 Wp- 560 Wp)	G3G1440K-UHAY	21.61	144 (Half Cut Cells)	1500		
								G3G1425K-UHAY	21.38				
								G2GBifacial1728-HAD	21.66				
								G2GBifacial1721-HAD	21.47				
								G2GBifacial1715-HAD	21.27				
								G2GBifacial1708-HAD	21.08				
								G2GBifacial1702-HAD	20.89				
								G2GBifacial1695-HAD	20.69				
								G2GBifacial1689-HAD	20.50				
								G2GBifacial1682-HAD	20.31				
					xxx	Bifacial Mono c-Si PERC Module (Glass to Glass)	G2GBifacial1650-HAB (500 Wp) (485 Wp- 520 Wp)	G2GBifacial1676-HAD	20.11	132 (Half Cut Cells)	1500		
								G2GBifacial1669-HAD	19.92				
								G2GBifacial1663-HAD	19.73				
								G2GBifacial1676-HAB	21.75				
								G2GBifacial1669-HAB	21.54				
								G2GBifacial1663-HAB	21.33				
								G2GBifacial1656-HAB	21.13				
								G2GBifacial1650-HAB	20.92				
								G2GBifacial1643-HAB	20.71				
								G2GBifacial1637-HAB	20.50				
								G2GBifacial1630-HAB	20.29				
								G2GBifacial1546-HAY	21.31				
								G2GBifacial1539-HAY	21.06				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
					xxxi	Bifacial Mono c-Si PERC Module (Glass to Glass)	G2GBifacial1526-HAY (405 Wp) (390 Wp- 420 Wp)	G2GBifacial1533-HAY	20.80	108 (Half Cut Cells)	1500	21.05.2025	20.05.2029
								G2GBifacial1526-HAY	20.55				
								G2GBifacial1520-HAY	20.30				
								G2GBifacial1513-HAY	20.04				
								G2GBifacial1507-HAY	19.79				
					xxxii	Bifacial Mono c-Si PERC Module (Glass to Glass)	G2GBifacial1468-HAX (360 Wp) (350 Wp- 370 Wp)	G2GBifacial1481-HAX	21.00	96 (Half Cut Cells)	1500		
								G2GBifacial1474-HAX	20.71				
								G2GBifacial1468-HAX	20.43				
								G2GBifacial1461-HAX	20.14				
								G2GBifacial1455-HAX	19.86				
					xxxiii	Bifacial Mono c-Si PERC Module (Glass to Glass)	G2GBifacial1585-HAA (450 Wp) (440 Wp- 465Wp)	G2GBifacial1604-HAA	21.32	120 (Half Cut Cells)	1500		
								G2GBifacial1598-HAA	21.09				
								G2GBifacial1591-HAA	20.87				
								G2GBifacial1585-HAA	20.64				
								G2GBifacial1578-HAA	20.41				
								G2GBifacial1572-HAA	20.18				
22	M/s. Contendre Greenergy Pvt. Ltd. (New Addition in ALMM List)	Final Plot No: 369, Pandit Deendayal Energy University, Raysan Village, Town Planning Scheme 19, Pdpu road, Gandhinagar, Gujarat, India	R-72012700	45	i	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	CG X144-500 (500 Wp)	CG X144-500	19.36	144 (Half Cut Cells)	1500		
ii	Mono c-Si PERC Module (Glass to Transparent Backsheet)	CG X144-530 (530 Wp)	CG X144-505	19.55	144 (Half Cut Cells)	1500							
			CG X144-510	19.74									
			CG X144-515	19.94									
			CG X144-520	20.13									
			CG X144-525	20.32									
			CG X144-530	20.52									
			CG X144-535	20.71									
			CG X144-540	20.90									
			CG X144-545	21.10									
			CG X144-550	21.29									
iii	Mono c-Si PERC Module (Glass to Transparent Backsheet)	CG X132-485 (485 Wp)	CG X144-555	21.48	132 (Half Cut Cells)	1500							
			CG X132-465	19.58									
			CG X132-470	19.79									
			CG X132-475	20.00									
			CG X132-480	20.21									
			CG X132-485	20.42									
			CG X132-490	20.64									
			CG X132-495	20.85									
iv	Mono c-Si PERC Module (Glass to Transparent Backsheet)	CG X120-440 (440 Wp)	CG X132-500	21.06	120 (Half Cut Cells)	1500							
			CG X132-505	21.27									
			CG X120-420	19.40									
			CG X120-425	19.63									
			CG X120-430	19.86									
			CG X120-435	20.09									
			CG X120-440	20.33									
			CG X120-445	20.56									
			CG X120-450	20.79									
			CG X120-455	21.02									
v	Mono c-Si PERC Module (Glass to Transparent Backsheet)	CG X108-400 (400 Wp)	CG X120-460	21.25	108 (Half Cut Cells)	1500							
			CG X108-380	19.44									
			CG X108-385	19.69									
			CG X108-390	19.95									
			CG X108-395	20.20									
			CG X108-400	20.46									
			CG X108-405	20.72									
vi	Mono c-Si PERC Module (Glass to Transparent Backsheet)	CG X96-335 (335 Wp)	CG X108-410	20.97	96 (Half Cut Cells)	1500							
			CG X108-415	21.23									
			CG X96-340	19.49									

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
					vii	Mono c-Si PERC Module (Glass to Transparent Backsheet)	CG X96-355 (355 Wp)	CG X96-345 CG X96-350 CG X96-355 CG X96-360 CG X96-365 CG X96-370	19.78 20.07 20.35 20.64 20.93 21.21	96 (Half Cut Cells)	1500		
23	M/s. Nextbrio Industries Private Limited (New Addition in ALMM List)	Khajoor Gaon, Nawabganj, Chinnat Deva road, Barabanki - 225003, Uttar Pradesh, India	R-93035440	21	i	Bifacial Mono c-Si PERC Module (Glass to Transparent)	NXB108P-410 (410 Wp)	NXB108P-400 NXB108P-405 NXB108P-410 NXB108P-415 NXB108P-420	20.48 21.00 20.74 21.25 21.51	108 (Half Cut Cells)	1500	21.05.2025	20.05.2029
								NXB120P-435 NXB120P-440 NXB120P-445 NXB120P-450 NXB120P-455 NXB120P-460	20.13 20.36 20.59 20.82 21.05 21.28	120 (Half Cut Cells)	1500		
					iii	Bifacial Mono c-Si PERC Module (Glass to Transparent)	NXB132N-485 (485 Wp)	NXB132N-475 NXB132N-480 NXB132N-485 NXB132N-490 NXB132N-495 NXB132N-500	20.00 20.21 20.42 20.64 20.85 21.06	132 (Half Cut Cells)	1500		
					iv	Bifacial Mono c-Si PERC Module (Glass to Transparent)	NXB144P-540 (540 Wp)	NXB144P-530 NXB144P-535 NXB144P-540 NXB144P-545 NXB144P-550 NXB144P-555 NXB144P-560	20.52 20.71 20.90 21.10 21.29 21.48 21.68	144 (Half Cut Cells)	1500		
								LUM 24590M LUM 24585M LUM 24580M LUM 24575M LUM 24570M LUM 24565M LUM 24560M LUM 24555M	21.11 20.93 20.75 20.57 20.39 20.21 20.03 19.85	156 (Half Cut Cells)	1500		
					ii	Mono c-Si PERC Module	LUM 24525M (525 Wp)	LUM 24550M LUM 24545M LUM 24540M LUM 24535M LUM 24530M LUM 24525M LUM 24520M LUM 24515M LUM 24510M LUM 24505M LUM 24500M	21.28 21.09 20.89 20.70 20.51 20.31 20.12 19.93 19.73 19.54 19.34	144 (Half Cut Cells)	1500		
					iii	Mono c-Si PERC Module	LUM 24475M (475 Wp)	LUM 24495M LUM 24490M LUM 24485M LUM 24480M LUM 24475M LUM 24470M LUM 24465M LUM 24460M	20.85 20.64 20.43 20.22 20.01 19.80 19.59 19.38	132 (Half Cut Cells)	1500		
					iv	Mono c-Si PERC Module	LUM 24430M (430 Wp)	LUM 24455M LUM 24450M LUM 24445M LUM 24440M	19.17 20.80 20.57 20.33	120 (Half Cut Cells)	1500		
								LUM 24435M LUM 24430M	20.10 19.87				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
								LUM 24425M	19.64	108 (Half Cut Cells)	1500		
					v	Mono c-Si PERC Module	LUM 24385M (385 Wp)	LUM 24420M	19.41				
								LUM 24400M	20.48				
								LUM 24395M	20.23				
								LUM 24390M	19.97				
								LUM 24385M	19.71				
								LUM 24380M	19.46				
								LUM 24375M	19.20				
					vi	N type TOPCon Modules	LUM 24600T156 (600 Wp)	LUM 24630T156	22.54				
								LUM 24625T156	22.36				
								LUM 24620T156	22.18				
								LUM 24615T156	22.00				
								LUM 24610T156	21.82				
								LUM 24605T156	21.64				
								LUM 24600T156	21.46				
								LUM 24595T156	21.28				
								LUM 24590T156	21.11				
								LUM 24585T156	20.93				
								LUM 24580T156	20.75				
								LUM 24575T156	20.57				
								LUM 24570T156	20.39				
					vii	N type TOPCon Modules	LUM 24565T144 (565 Wp)	LUM 24590T144	22.83				
								LUM 24585T144	22.63				
								LUM 24580T144	22.44				
								LUM 24575T144	22.25				
								LUM 24570T144	22.05				
								LUM 24565T144	21.86				
								LUM 24560T144	21.67				
								LUM 24555T144	21.47				
					viii	N type TOPCon Modules	LUM 24535T144 (535 Wp)	LUM 24550T144	21.28				
								LUM 24545T144	21.09				
								LUM 24540T144	20.89				
								LUM 24535T144	20.70				
								LUM 24535T144	20.70				
					ix	Bifacial N-TypeTOPCon Module (Glass to Glass)	LUM24540TG144 (540 Wp)	LUM 24540TG144	20.89	144 (Half Cut Cells)	1500		
					x	Bifacial N-TypeTOPCon Module (Glass to Glass)	LUM24540TG144 (570 Wp)	LUM 24545TG144	21.09	144 (Half Cut Cells)	1500		
								LUM 24550TG144	21.28				
								LUM 24555TG144	21.48				
								LUM 24560TG144	21.67				
								LUM 24565TG144	21.86				
								LUM 24570TG144	22.06				
								LUM 24575TG144	22.25				
								LUM 24580TG144	22.44				
								LUM 24585TG144	22.64				
								LUM 24590TG144	22.83				
					xi	Bifacial N-TypeTOPCon Module (Glass to Glass)	LUM24600TG156 (600 Wp)	LUM 24595TG144	23.02	156 (Half Cut Cells)	1500		
LUM 24570TG156	20.39												
LUM 24575TG156	20.57												
LUM 24580TG156	20.75												
LUM 24585TG156	20.93												
LUM 24590TG156	21.11												
LUM 24595TG156	21.29												
LUM 24600TG156	21.46												
LUM 24605TG156	21.64												
LUM 24610TG156	21.82												
LUM 24615TG156	22.00												
LUM 24620TG156	22.18												
LUM 24625TG156	22.36												
LUM 24630TG156	22.54												

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
			R-83011479		xii	Bifacial Mono c-Si PERC Module (Glass to Glass)	LUM24575MG (575Wp)	LUM 24560MG	20.03	156 (Half Cut Cells)	1500		
								LUM 24565MG	20.21				
								LUM 24570MG	20.39				
								LUM 24575MG	20.57				
								LUM 24580MG	20.75				
								LUM 24585MG	20.93				
								LUM 24590MG	21.11				
					xiii	Bifacial Mono c-Si PERC Module (Glass to Glass)	LUM 24500MG (500 Wp)	LUM 24500MG	19.35	144(Half Cut Cells)	1500		
					xiv	Bifacial Mono c-Si PERC Module (Glass to Glass)	LUM 24530MG (530 Wp)	LUM 24505MG	19.54	144 (Half Cut Cells)	1500		
								LUM 24510MG	19.73				
								LUM 24515MG	19.93				
								LUM 24520MG	20.12				
								LUM 24525MG	20.31				
								LUM 24530MG	20.51				
								LUM 24535MG	20.70				
								LUM 24540MG	20.89				
								LUM 24545MG	21.09				
								LUM 24550MG	21.28				
					xv	Bifacial Mono c-Si PERC Module (Glass to Glass)	LUM 24475MG (475 Wp)	LUM 24555MG	21.48	132 (Half Cut Cells)	1500		
								LUM 24455MG	19.17				
								LUM 24460MG	19.38				
								LUM 24465MG	19.59				
								LUM 24470MG	19.80				
								LUM 24475MG	20.01				
								LUM 24480MG	20.22				
								LUM 24485MG	20.43				
					xvi	Bifacial Mono c-Si PERC Module (Glass to Glass)	LUM 24430MG (430 Wp)	LUM 24490MG	20.64	120 (Half Cut Cells)	1500		
			LUM 24495MG					20.86					
			LUM 2415MG					19.18					
			LUM 24420MG					19.41					
			LUM 24425MG					19.64					
			LUM 24430MG					19.87					
			LUM 24435MG					20.10					
			LUM 24440MG					20.34					
			xvii		Bifacial Mono c-Si PERC Module (Glass to Glass)	LUM 24385MG (385 Wp)	LUM 24445MG	20.57	108 (Half Cut Cells)	1500			
							LUM 24450MG	20.80					
							LUM 24375MG	19.20					
							LUM 24380MG	19.46					
							LUM 24385MG	19.72					
			xviii		Mono c-Si PERC Module	AMS 24570M (570 Wp)	LUM 24390MG	19.97	156 (Half Cut Cells)	1500			
							LUM 24395MG	20.23					
							LUM 24400MG	20.48					
							AMS 24590M	21.11					
							AMS 24585M	20.93					
AMS 24580M	20.75												
AMS 24575M	20.57												
AMS 24570M	20.39												
xix	Mono c-Si PERC Module	AMS 24530M (530 Wp)	AMS 24565M	20.21	144 (Half Cut Cells)	1500							
			AMS 24560M	20.03									
			AMS 24555M	19.85									
			AMS 24550M	21.28									
			AMS 24545M	21.09									
			AMS 24540M	20.89									
			AMS 24535M	20.70									
			AMS 24530M	20.51									
			AMS 24525M	20.31									
			AMS 24520M	20.12									
			AMS 24515M	19.93									
			AMS 24510M	19.74									
AMS 24505M	19.54												
AMS 24500M	19.35												

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
					xx	Mono c-Si PERC Module	AMS 24475M (475 Wp)	AMS 24495M	20.85	132 (Half Cut Cells)	1500		
								AMS 24490M	20.64				
								AMS 24485M	20.43				
								AMS 24480M	20.22				
								AMS 24475M	20.01				
								AMS 24470M	19.80				
								AMS 24465M	19.59				
								AMS24460M	19.38				
					xxi	Mono c-Si PERC Module	AMS 24430M (430 Wp)	AMS24455M	19.17	120 (Half Cut Cells)	1500		
								AMS 24450M	20.80				
								AMS 24445M	20.57				
								AMS 24440M	20.33				
								AMS 24435M	20.10				
								AMS 24430M	19.87				
								AMS 24425M	19.64				
								AMS 24420M	19.41				
					xxii	Mono c-Si PERC Module	AMS 24385M (385 Wp)	AMS 24415M	19.18	108 (Half Cut Cells)	1500		
								AMS 24400M	20.48				
								AMS 24395M	20.23				
								AMS 24390M	19.97				
								AMS 24385M	19.71				
								AMS 24380M	19.46				
					xxiii	N type TOPCon Modules	AMS 24600T156 (600 Wp)	AMS 24375M	19.20	156 (Half Cut Cells)	1500		
								AMS 24630T156	22.54				
								AMS 24625T156	22.36				
								AMS 24620T156	22.18				
								AMS 24615T156	22.00				
								AMS 24610T156	21.82				
								AMS 24605T156	21.64				
								AMS 24600T156	21.46				
								AMS 24595T156	21.28				
								AMS 24590T156	21.11				
								AMS 24585T156	20.93				
								AMS 24580T156	20.75				
					xxiv	N type TOPCon Modules	AMS 24560T144 (560 Wp)	AMS 24575T156	20.57	144 (Half Cut Cells)	1500		
								AMS 24570T156	20.39				
								AMS 24590T144	22.83				
								AMS 24585T144	22.63				
								AMS 24580T144	22.44				
								AMS 24575T144	22.25				
								AMS 24570T144	22.05				
								AMS 24565T144	21.86				
								AMS 24560T144	21.67				
								AMS 24555T144	21.47				
								AMS 24550T144	21.28				
					xxv	N type TOPCon Modules	AMS 24535T144 (535 Wp)	AMS 24535T144	20.70	144 (Half Cut Cells)	1500		
					xxvi	Bifacial N-Type TOPCon Module (Glass to Glass)	AMS 24540TG144 (540 Wp)	AMS 24540TG144	20.89	144 (Half Cut Cells)	1500		
					xxvii	Bifacial N-Type TOPCon Module (Glass to Glass)	AMS 24570TG144 (570 Wp)	AMS 24540T144	20.89	144 (Half Cut Cells)	1500		
								AMS 24545TG144	21.09				
								AMS 24550TG144	21.28				
								AMS 24555TG144	21.48				
								AMS 24560TG144	21.67				
								AMS 24565TG144	21.86				
								AMS 24570TG144	22.06				
								AMS 24575TG144	22.25				
					AMS 24580TG144	22.44							
					AMS 24585TG144	22.64							

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
								AMS 24590TG144	22.83				
								AMS 24595TG144	23.02				
								AMS 24570TG156	20.39				
								AMS 24575TG156	20.57				
								AMS 24580TG156	20.75				
								AMS 24585TG156	20.93				
								AMS 24590TG156	21.11				
								AMS 24595TG156	21.29				
								AMS 24600TG156	21.46				
								AMS 24605TG156	21.64				
								AMS 24610TG156	21.82				
								AMS 24615TG156	22.00				
								AMS 24620TG156	22.18				
								AMS 24625TG156	22.36				
								AMS 24630TG156	22.54				
								AMS 24560MG	20.03				
								AMS 24565MG	20.21				
								AMS 24570MG	20.39				
								AMS 24575MG	20.57				
								AMS 24580MG	20.75				
								AMS 24585MG	20.93				
								AMS 24590MG	21.11				
								AMS 24500MG	19.35				
								AMS 24505MG	19.54				
								AMS 24510MG	19.73				
								AMS 24515MG	19.93				
								AMS 24520MG	20.12				
								AMS 24525MG	20.31				
								AMS 24530MG	20.51				
								AMS 24535MG	20.70				
								AMS 24540MG	20.89				
								AMS 24545MG	21.09				
								AMS 24550MG	21.28				
								AMS 24555MG	21.48				
								AMS 24455MG	19.17				
								AMS 24460MG	19.38				
								AMS 24465MG	19.59				
								AMS 24470MG	19.80				
								AMS 24475MG	20.01				
								AMS 24480MG	20.22				
								AMS 24485MG	20.43				
								AMS 24490MG	20.64				
								AMS 24495MG	20.86				
								AMS 24415MG	19.18				
								AMS 24420MG	19.41				
								AMS 24425MG	19.64				
								AMS 24430MG	19.87				
								AMS 24435MG	20.10				
								AMS 24440MG	20.34				
								AMS 24445MG	20.57				
								AMS 24450MG	20.80				
								AMS 24375MG	19.20				
								AMS 24380MG	19.46				
								AMS 24385MG	19.72				
								AMS 24390MG	19.97				
								AMS 24395MG	20.23				
								AMS 24400MG	20.48				
								AE36MM120	19.68				
								AE108MM375	19.20				
								AE108MM380	19.46				
25	M/s. Amrut Energy Private Limited (New Addition in ALMM List)	Survey No. 69, Opp. Gangotri Hotel, Khatraj - Kalol Road, Khatra, Kalol, Gandhinagar -382721, Gujarat	R-72006793	48	i	Mono c-Si PERC Module	AE36MM120 (120Wp)	AE36MM120	19.68	36 (Half Cut Cells)	1500	21.05.2025	20.05.2029

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity (subject to valid BIS Registration; else deemed to be delisted)	
												From	To
		Gujarat, India			ii	Mono c-Si PERC - Module	AE108MM385 (385Wp)	AE108MM385	19.72	108 (Half Cut Cells)	1500		
								AE108MM390	19.97				
								AE108MM395	20.23				
								AE108MM400	20.48				
					iii	Mono c-Si PERC - Module	AE120MM430 (430Wp)	AE120MM415	19.18	120 (Half Cut Cells)	1500		
								AE120MM420	19.41				
								AE120MM425	19.64				
								AE120MM430	19.87				
								AE120MM435	20.10				
								AE120MM440	20.34				
								AE120MM445	20.57				
								AE120MM450	20.80				
					iv	Mono c-Si PERC - Module	AE132MM475 (475Wp)	AE132MM455	19.17	132 (Half Cut Cells)	1500		
								AE132MM460	19.38				
								AE132MM465	19.59				
								AE132MM470	19.80				
								AE132MM475	20.01				
								AE132MM480	20.22				
								AE132MM485	20.43				
								AE132MM490	20.64				
								AE132MM495	20.86				
					v	Mono c-Si PERC - Module	AE144MM525 (475Wp)	AE144MM500	19.36	144 (Half Cut Cells)	1500		
								AE144MM505	19.55				
								AE144MM510	19.74				
								AE144MM515	19.94				
								AE144MM520	20.13				
								AE144MM525	20.32				
								AE144MM530	20.52				
								AE144MM535	20.71				
								AE144MM540	20.90				
								AE144MM545	21.10				
								AE144MM550	21.29				
26	M/s. Waaree Energies Limited (Model Addition + Capacity Addition)	Survey No. 1934, 1939, 1941, 1942, NH-48, Degam, Chikhali, Navasari, Gujarat - 396530, India	R-72005533	9760	i	Bifacial N - Type TOPCon Module (Glass to Glass)	BIN-17-640 (640 Wp)	BIN-17-630	22.62	156 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								BiN-17-635	22.80				
								BiN-17-640	22.98				
								BiN-17-645	23.16				
					ii	Bifacial N - Type TOPCon Module (Glass to Glass)	BIN-08-595 (595 Wp)	BiN-08-585	22.65	144 (Half Cut Cells)	1500		
								BiN-08-590	22.84				
27	M/s. Waaree Energies Limited (Model Addition + Change in Capacity)	Unit 2B, Survey No. 267, NH-48, Nandigram Village, Taluke Umbergaon, District Valsad, Gujarat 396105	R-72003085	1106	i	Bifacial N - Type TOPCon Module (Glass to Glass)	Bin-17-640 (640 Wp)	BiN-08-595	23.03	156 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								BiN-08-600	23.23				
								BiN-17-630	22.54				
								BiN-17-635	22.72				
					ii	Bifacial N - Type TOPCon Module (Glass to Glass)	BIN-08-590 (590 Wp)	BiN-17-640	22.90	144 (Half Cut Cells)	1500		
								BiN-17-645	23.07				
								BiN-08-585	22.65				
								BiN-08-590	22.84				
								BiN-08-595	23.03				
								BiN-08-600	23.23				

F. No. 283/41/2024-GRID SOLAR
भारत सरकार / Government of India
नवीन और नवीकरणीय ऊर्जा मंत्रालय / Ministry of New & Renewable Energy
ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003.
Dated: 21st April 2025

OFFICE MEMORANDUM

Sub: Updation of List I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 – Reg.

Ref: (i) MNRE's O.M. No. 283/54/2018-GRID SOLAR-Part(1) dated 10.03.2021
(ii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 10.05.2023;
(iii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 22.03.2024;

Reference is invited to this Ministry's O.M.s of even no. dated 10.03.2021, regarding implementation of Approved Models and Manufacturers of Solar Photovoltaic Modules (Requirement for Compulsory Registration) Order, 2019 and publishing List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019.

2. This Ministry vide its O.M. No. 283/22/2023-GRID SOLAR/Pt dated 10.05.2023 and O.M. of even no. dated 22.03.2024 inter-alia directed that only such models of Solar PV Module Manufacturers will be enlisted under ALMM, which comply with the BIS Standards and are having the following minimum module efficiency:

Category	Application/ Use	Minimum Module Efficiency requirement for crystalline-Silicon technology based Solar PV Modules	Minimum Module Efficiency requirement for Cadmium Telluride Thin Film technology based Solar PV Modules
Category I	Utility / Grid Scale Power Plants	20.0%	19.00%
Category II	Rooftop and Solar Pumping	19.5%	18.50%
Category III	Solar Lighting	19.0%	18.00%

3. Post the O.M. dated 10.05.2023 and subsequent O.M. dated 22.03.2024, only such models of Solar PV Modules have been considered for enlistment under ALMM List-I, whose module efficiency is meeting the eligibility criteria as mentioned in table at para-2 above.


4. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 was last updated on 27.03.2025.

5. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 is hereby further revised and the Revision-XXXVII (in the format of additions / modifications to Revision-XXXVI) is enclosed at Annexure-I. The last revision no. XXXVI dated 27.03.2025 along with provisional enlistments therein is at pages after Annexure-I.

6. The ALMM enlistment validity is subject to valid BIS Registration; else deemed to be delisted.

7. The details of Registration No. (R. No.) which has been allotted by BIS is mentioned against each manufacturer / manufacturing unit enlisted in ALMM and further details related to BIS certification like validity, models included, etc. may be checked from BIS website by using the following link:
https://www.crsbis.in/BIS/Lims_registrationnc.do?hmode=getLimsData

8. This issues with the approval of competent authority.



(Sanjay G. Karndhar)
Scientist-E

E-mail: karndhar.sg@nic.in

Encl: as above

To: All Concerned

Copy to: Director (Technical), NIC, MNRE for uploading this document on MNRE's website

A. Correction of errors in last revision of ALMM List-I dated 27.03.2025

There were some typographical errors in the last ALMM list published on 27.03.2025 and the same are hereby corrected as follows:

1. M/s. Australian Premium Solar (India) Pvt. Ltd - Typo Error corrected in Model numbers.

In. Sl. No. 40=> Sl.No. 07=> Enlisted model No. 2 may be read as **APSBF-550/144**

In. Sl. No. 40=> Sl.No. 14=> Enlisted model No. 1 may be read as **APSAM-550/144**

In. Sl. No. 40=> Sl.No. 14=> Enlisted model No. 2 may be read as **APSAM-555/144**

In. Sl. No. 40=> Sl.No. 14=> Enlisted model No. 3 may be read as **APSAM-560/144**

2. M/s. Solex Energy Limited - No. of cells updated as per the latest BIS test report

In. Sl. No. 42=> Sl.No. 42=> No. of cells in modules may be read as **33 (Half Cut Cells)**

3. M/s. Mundra Solar PV Limited - Typo error in Enlisted capacity corrected

In. Sl. No. 52=> Enlisted capacity may be read as **2125**

4. M/s. H R Solar Solution Private Limited - Typo Error in Type of module corrected

In. Sl. No. 34 => Sl. No. 1 => Type of Module may be read as **Mono c-Si PERC Module**



B. New additions on 21.04.2025 in the List of Manufacturers and Models of Solar PV Modules Enlisted under ALMM Order													
S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
1	M/s. Redren Energy Pvt. Ltd (Model Addition)	Survey No. 154/1, 154/2, Opposite Rangpar, Bus Stand, National Highway No. 27, Jalida, Wankaner, Morbi-363621, Gujarat, India	R-72001775	397	1	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-108HCBF400 (400 Wp)	RSM10MP-108HCBF380	19.44	108 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10MP-108HCBF385	19.69				
								RSM10MP-108HCBF390	19.95				
								RSM10MP-108HCBF395	20.20				
								RSM10MP-108HCBF400	20.46				
								RSM10MP-108HCBF405	20.72				
								RSM10MP-108HCBF410	20.97				
								RSM10MP-108HCBF415	21.23				
								RSM10MP-108HCBF420	21.48				
					2	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-120HCBF425 (425 Wp)	RSM10MP-120HCBF415	19.17	120 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10MP-120HCBF420	19.40				
								RSM10MP-120HCBF425	19.63				
								RSM10MP-120HCBF430	19.86				
								RSM10MP-120HCBF435	20.09				
					3	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-120HCBF450 (450 Wp)	RSM10MP-120HCBF440	20.33	120 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10MP-120HCBF445	20.56				
								RSM10MP-120HCBF450	20.79				
								RSM10MP-120HCBF455	21.02				
								RSM10MP-120HCBF460	21.25				
					4	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-132HCBF465 (465 Wp)	RSM10MP-132HCBF455	19.16	132 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10MP-132HCBF460	19.37				
								RSM10MP-132HCBF465	19.58				
								RSM10MP-132HCBF470	19.79				
								RSM10MP-132HCBF475	20.00				
					5	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-132HCBF495 (495 Wp)	RSM10MP-132HCBF480	20.21	132 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10MP-132HCBF485	20.42				
								RSM10MP-132HCBF490	20.64				
								RSM10MP-132HCBF495	20.85				
								RSM10MP-132HCBF500	21.06				
					6	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-144HCBF510 (510 Wp)	RSM10MP-132HCBF505	21.27	144 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10MP-144HCBF495	19.16				
								RSM10MP-144HCBF500	19.36				
								RSM10MP-144HCBF505	19.55				
								RSM10MP-144HCBF510	19.74				
					7	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RSM10MP-144HCBF540 (540 Wp)	RSM10MP-144HCBF515	19.94	144 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10MP-144HCBF520	20.13				
								RSM10MP-144HCBF525	20.32				
								RSM10MP-144HCBF530	20.52				
								RSM10MP-144HCBF535	20.71				
					8	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-144-590 (590 Wp)	RSM10MP-144HCBF540	20.90	144 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10MP-144HCBF545	21.10				
								RSM10MP-144HCBF550	21.29				
								RS-M10TC-144-610	23.61				
								RS-M10TC-144-605	23.42				
								RS-M10TC-144-600	23.23				
								RS-M10TC-144-595	23.03				
								RS-M10TC-144-590	22.84				
								RS-M10TC-144-585	22.65				
								RS-M10TC-144-580	22.45				
								RS-M10TC-144-575	22.26				
					9	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-144-560 (560 Wp)	RS-M10TC-144-570	22.07	144 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RS-M10TC-144-565	21.87				
								RS-M10TC-144-560	21.68				
								RS-M10TC-144-555	21.48				
					10	Bifacial N-Type TOPCon	RS-M10TC-132-550	RS-M10TC-144-550	21.29	144 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RS-M10TC-132-560	23.58				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
						Module (Glass to Glass)	(550 Wp)	RS-M10TC-132-555	23.37				
								RS-M10TC-132-550	23.16				
								RS-M10TC-132-545	22.95				
								RS-M10TC-132-540	22.74				
								RS-M10TC-132-535	22.53				
								RS-M10TC-132-530	22.32				
					11	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-132-520 (520 Wp)	RS-M10TC-132-525	22.11	132 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RS-M10TC-132-520	21.90				
								RS-M10TC-132-515	21.69				
								RS-M10TC-132-510	21.48				
								RS-M10TC-132-505	21.27				
					12	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-120-490 (490 Wp)	RS-M10TC-120-505	23.33	120 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RS-M10TC-120-500	23.10				
								RS-M10TC-120-495	22.87				
								RS-M10TC-120-490	22.63				
								RS-M10TC-120-485	22.40				
								RS-M10TC-120-480	22.17				
								RS-M10TC-120-475	21.94				
								RS-M10TC-120-470	21.71				
					13	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-120-460 (460 Wp)	RS-M10TC-120-465	21.48	120 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RS-M10TC-120-460	21.25				
					14	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-108-440 (440 Wp)	RS-M10TC-120-455	21.02	108 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RS-M10TC-108-455	23.27				
								RS-M10TC-108-450	23.02				
								RS-M10TC-108-445	22.76				
								RS-M10TC-108-440	22.51				
								RS-M10TC-108-435	22.25				
								RS-M10TC-108-430	21.99				
					15	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-108-415 (415 Wp)	RS-M10TC-108-425	21.74	108 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RS-M10TC-108-420	21.48				
								RS-M10TC-108-415	21.23				
					16	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-96-390 (390 Wp)	RS-M10TC-108-410	20.97	96 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RS-M10TC-96-400	22.95				
								RS-M10TC-96-395	22.66				
								RS-M10TC-96-390	22.38				
								RS-M10TC-96-385	22.09				
					17	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-96-370 (370 Wp)	RS-M10TC-96-380	21.80	96 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RS-M10TC-96-375	21.52				
								RS-M10TC-96-370	21.23				
								RS-M10TC-96-365	20.94				
								RS-M10TC-96-360	20.65				
					18	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-84-340 (340 Wp)	RS-M10TC-84-350	22.83	84 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RS-M10TC-84-345	22.50				
								RS-M10TC-84-340	22.18				
								RS-M10TC-84-335	21.85				
								RS-M10TC-84-330	21.52				
					19	Bifacial N-Type TOPCon Module (Glass to Glass)	RS-M10TC-84-320 (320 Wp)	RS-M10TC-84-325	21.20	84 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RS-M10TC-84-320	20.87				
								RS-M10TC-84-315	20.55				
					20	N-Type TOPCon Module	RSM10CTC144-590 (590 Wp)	RSM10CTC144-610	23.61	144 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10CTC144-605	23.42				
								RSM10CTC144-600	23.23				
								RSM10CTC144-595	23.03				
								RSM10CTC144-590	22.84				
								RSM10CTC144-585	22.65				
								RSM10CTC144-580	22.45				
								RSM10CTC144-575	22.26				
								RSM10CTC144-570	22.07				
					21	N-Type TOPCon Module	RSM10CTC144-560	RSM10CTC144-565	21.87	144 (Half Cut Cells)	1500	05.04.2024	04.04.2028

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
							(560 Wp)	RSM10CTC144-560	21.68				
							RSM10CTC144-555	21.48					
							RSM10CTC144-550	21.29					
					22	N-Type TOPCon Module	RSM10CTC132-550 (550 Wp)	RSM10CTC132-560	23.58	132 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10CTC132-555	23.37				
								RSM10CTC132-550	23.16				
								RSM10CTC132-545	22.95				
								RSM10CTC132-540	22.74				
								RSM10CTC132-535	22.53				
								RSM10CTC132-530	22.32				
					23	N-Type TOPCon Module	RSM10CTC132-520 (520 Wp)	RSM10CTC132-525	22.11	132 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10CTC132-520	21.90				
								RSM10CTC132-515	21.69				
								RSM10CTC132-510	21.48				
								RSM10CTC132-505	21.27				
					24	N-Type TOPCon Module	RSM10CTC120-490 (490 Wp)	RSM10CTC120-505	23.33	120 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10CTC120-500	23.10				
								RSM10CTC120-495	22.87				
								RSM10CTC120-490	22.63				
								RSM10CTC120-485	22.40				
								RSM10CTC120-480	22.17				
								RSM10CTC120-475	21.94				
								RSM10CTC120-470	21.71				
					25	N-Type TOPCon Module	RSM10CTC120-460 (460 Wp)	RSM10CTC120-465	21.48	120 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10CTC120-460	21.25				
								RSM10CTC120-455	21.02				
					26	N-Type TOPCon Module	RSM10CTC108-440 (440 Wp)	RSM10CTC108-455	23.27	108 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10CTC108-450	23.02				
								RSM10CTC108-445	22.76				
								RSM10CTC108-440	22.51				
								RSM10CTC108-435	22.25				
								RSM10CTC108-430	21.99				
								RSM10CTC108-425	21.74				
					27	N-Type TOPCon Module	RSM10CTC108-415 (415 Wp)	RSM10CTC108-420	21.48	108 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10CTC108-415	21.23				
								RSM10CTC108-410	20.97				
					28	N-Type TOPCon Module	RSM10CTC96-390 (390 Wp)	RSM10CTC96-400	22.95	96 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10CTC96-395	22.66				
								RSM10CTC96-390	22.38				
								RSM10CTC96-385	22.09				
								RSM10CTC96-380	21.80				
					29	N-Type TOPCon Module	RSM10CTC96-370 (370 Wp)	RSM10CTC96-375	21.52	96 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10CTC96-370	21.23				
								RSM10CTC96-365	20.94				
								RSM10CTC96-360	20.65				
					30	N-Type TOPCon Module	RSM10CTC84-340 (340 Wp)	RSM10CTC84-350	22.83	84 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10CTC84-345	22.50				
								RSM10CTC84-340	22.18				
								RSM10CTC84-335	21.85				
								RSM10CTC84-330	21.52				
					31	N-Type TOPCon Module	RSM10CTC84-320 (320 Wp)	RSM10CTC84-325	21.20	84 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10CTC84-320	20.87				
								RSM10CTC84-315	20.55				
					32	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC144-590 (590 Wp)	RSM10BTC144-610	23.61	144 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10BTC144-605	23.42				
								RSM10BTC144-600	23.23				
								RSM10BTC144-595	23.03				
								RSM10BTC144-590	22.84				
								RSM10BTC144-585	22.65				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					33	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC144-560 (560 Wp)	RSM10BTC144-580	22.45	144 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10BTC144-575	22.26				
								RSM10BTC144-570	22.07				
								RSM10BTC144-565	21.87				
								RSM10BTC144-560	21.68				
								RSM10BTC144-555	21.48				
					34	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC132-550 (550 Wp)	RSM10BTC144-550	21.29				
								RSM10BTC132-560	23.58	132 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10BTC132-555	23.37				
								RSM10BTC132-550	23.16				
								RSM10BTC132-545	22.95				
								RSM10BTC132-540	22.74				
					35	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC132-520 (520 Wp)	RSM10BTC132-535	22.53				
								RSM10BTC132-530	22.32	132 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10BTC132-525	22.11				
								RSM10BTC132-520	21.90				
								RSM10BTC132-515	21.69				
								RSM10BTC132-510	21.48				
					36	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC120-490 (490 Wp)	RSM10BTC132-505	21.27	120 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10BTC120-505	23.33				
								RSM10BTC120-500	23.10				
								RSM10BTC120-495	22.87				
								RSM10BTC120-490	22.63				
								RSM10BTC120-485	22.40				
					37	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC120-460 (460 Wp)	RSM10BTC120-480	22.17	120 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10BTC120-475	21.94				
								RSM10BTC120-470	21.71				
								RSM10BTC120-465	21.48				
								RSM10BTC120-460	21.25				
								RSM10BTC120-455	21.02				
					38	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC108-440 (440 Wp)	RSM10BTC108-455	23.27	108 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10BTC108-450	23.02				
								RSM10BTC108-445	22.76				
								RSM10BTC108-440	22.51				
								RSM10BTC108-435	22.25				
								RSM10BTC108-430	21.99				
					39	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC108-415 (415 Wp)	RSM10BTC108-425	21.74	108 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10BTC108-420	21.48				
								RSM10BTC108-415	21.23				
					40	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC96-390 (390 Wp)	RSM10BTC108-410	20.97	96 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10BTC96-400	22.95				
								RSM10BTC96-395	22.66				
								RSM10BTC96-390	22.38				
								RSM10BTC96-385	22.09				
					41	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC96-370 (370 Wp)	RSM10BTC96-380	21.80	96 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10BTC96-375	21.52				
								RSM10BTC96-370	21.23				
								RSM10BTC96-365	20.94				
					42	Bifacial N-Type TOPCon Module (Glass to Transparent	RSM10BTC84-345 (345 Wp)	RSM10BTC96-360	20.65	84 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10BTC84-350	22.83				
								RSM10BTC84-345	22.50				
								RSM10BTC84-340	22.18				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
						Backsheet)		RSM10BTC84-335	21.85	84 (Half Cut Cells)	1500	05.04.2024	04.04.2028
					43	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RSM10BTC84-325 (325 Wp)	RSM10BTC84-330	21.52				
								RSM10BTC84-325	21.20				
								RSM10BTC84-320	20.87				
								RSM10BTC84-315	20.55				
2	M/s. Raajratna Ventures Limited (Model Addition)	Survey No. 69/2, Ahmedabad- Mehsana Highway, Opp Madhu Mill, Village Chandarda, Tal Kadi, Dist. Mehsana, Gujarat - 382715, India	R-72003379	86	1	Mono c-Si PERC Module	R545MBT (545 Wp)	R560MBT	21.68	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								R555MBT	21.48				
								R550MBT	21.29				
								R545MBT	21.10				
								R540MBT	20.90				
								R535MBT	20.71				
					2	Mono c-Si PERC Module	R485M132 (485 Wp)	R465M132	19.58	132 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								R470M132	19.79				
								R475M132	20.00				
								R480M132	20.21				
								R485M132	20.42				
								R490M132	20.64				
								R495M132	20.85				
								R500M132	21.06				
								R505M132	21.27				
								DESERV EXTREME-420	21.44	108 (Half Cut Cells)	1500	18.08.2024	17.08.2028
							DESERV EXTREME-435 (435 Wp)	DESERV EXTREME-425	21.70				
								DESERV EXTREME-430	21.95				
								DESERV EXTREME-435	22.21				
								DESERV EXTREME-440	22.46				
								DESERV EXTREME-445	22.72				
3	M/s. Renewsys India Pvt. Ltd (Model Addition)	Plot No. E141, Additional Industrial Area, MIDC, Patalganga, Tal. Panvel, Karade Khurd, Raigad-410202 Maharashtra	R-71018970	1176	1	Bifacial N-Type TOPCon Module (Glass to Glass)	DESERV EXTREME-435 (435 Wp)	DESERV EXTREME-450	22.97	120 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								DESERV EXTREME-465	21.44				
								DESERV EXTREME-470	21.67				
								DESERV EXTREME-475	21.90				
								DESERV EXTREME-480	22.13				
								DESERV EXTREME-485	22.37				
					2	Bifacial N-Type TOPCon Module (Glass to Glass)	DESERV EXTREME-485 (485 Wp)	DESERV EXTREME-490	22.60	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								DESERV EXTREME-495	22.83				
								DESERV EXTREME-500	23.06				
								DESERV EXTREME-565	21.90				
								DESERV EXTREME-570	22.09				
								DESERV EXTREME-575	22.29				
					3	Bifacial N-Type TOPCon Module (Glass to Glass)	DESERV EXTREME-585 (585 Wp)	DESERV EXTREME-580	22.48				
								DESERV EXTREME-585	22.68				
								DESERV EXTREME-590	22.87				
								DESERV EXTREME-595	23.06				
								DESERV EXTREME-600	23.26				
								DESERV EXTREME-615	22.05	156 (Half Cut Cells)	1500	18.08.2024	17.08.2028
					4	Bifacial N-Type TOPCon Module (Glass to Glass)	DESERV EXTREME-635 (635 Wp)	DESERV EXTREME-620	22.23				
								DESERV EXTREME-625	22.41				
								DESERV EXTREME-630	22.59				
								DESERV EXTREME-635	22.76				
								DESERV EXTREME-640	22.94				
					5	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	DESERV EXTREME-435 (435 Wp)	DESERV EXTREME-645	23.12	108 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								DESERV EXTREME-650	23.30				
								DESERV EXTREME-420	21.44				
								DESERV EXTREME-425	21.70				
								DESERV EXTREME-430	21.95				
								DESERV EXTREME-435	22.21				
								DESERV EXTREME-440	22.46				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								DESERV EXTREME-445	22.72				
								DESERV EXTREME-450	22.97				
					6	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	DESERV EXTREME-485 (485 Wp)	DESERV EXTREME-465	21.44	120 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								DESERV EXTREME-470	21.67				
								DESERV EXTREME-475	21.90				
								DESERV EXTREME-480	22.13				
								DESERV EXTREME-485	22.37				
								DESERV EXTREME-490	22.60				
								DESERV EXTREME-495	22.83				
								DESERV EXTREME-500	23.06				
					7	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	DESERV EXTREME-585 (585 Wp)	DESERV EXTREME-565	21.90	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								DESERV EXTREME-570	22.09				
								DESERV EXTREME-575	22.29				
								DESERV EXTREME-580	22.48				
								DESERV EXTREME-585	22.68				
								DESERV EXTREME-590	22.87				
								DESERV EXTREME-595	23.06				
								DESERV EXTREME-600	23.26				
					8	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	DESERV EXTREME-635 (635 Wp)	DESERV EXTREME-615	22.05	156 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								DESERV EXTREME-620	22.23				
								DESERV EXTREME-625	22.41				
								DESERV EXTREME-630	22.59				
								DESERV EXTREME-635	22.76				
								DESERV EXTREME-640	22.94				
								DESERV EXTREME-645	23.12				
								DESERV EXTREME-650	23.30				
4	M/s. Icon Solar En Power Technologies Private Limited (Model Addition)	PH No. 09, Gram Dighari Mandir Hasaud, The Arang, Raipur- 492001, Chhattisgarh, India	R-59000140	574	1	Bifacial Mono c-Si PERC Module (Glass to Transperent Backsheet)	ISEN580-Bi (580 Wp)	ISEN600-Bi	21.47	156 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								ISEN595-Bi	21.29				
								ISEN590-Bi	21.12				
								ISEN585-Bi	20.94				
								ISEN580-Bi	20.76				
								ISEN575-Bi	20.58				
								ISEN570-Bi	20.40				
								ISEN565-Bi	20.22				
					2	Bifacial Mono c-Si PERC Module (Glass to Transperent Backsheet)	ISEN540-Bi (540 Wp)	ISEN560-Bi	20.04	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								ISEN555-Bi	21.48				
								ISEN550-Bi	21.29				
								ISEN545-Bi	21.10				
								ISEN540-Bi	20.90				
								ISEN535-Bi	20.71				
								ISEN530-Bi	20.52				
								ISEN525-Bi	20.32				
					3	Bifacial Mono c-Si PERC Module (Glass to Transperent Backsheet)	ISEN490-Bi (490 Wp)	ISEN520-Bi	20.13	132 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								ISEN505-Bi	21.27				
								ISEN500-Bi	21.06				
								ISEN495-Bi	20.85				
								ISEN490-Bi	20.64				
					4	Bifacial Mono c-Si PERC Module (Glass to Transperent Backsheet)	ISEN440-Bi (440 Wp)	ISEN485-Bi	20.42	120 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								ISEN480-Bi	20.21				
								ISEN460-Bi	21.26				
								ISEN455-Bi	21.03				
								ISEN450-Bi	20.80				
								ISEN445-Bi	20.57				
								ISEN440-Bi	20.34				
								ISEN435-Bi	20.10				
					5	Bifacial Mono c-Si PERC	ISEN395-Bi	ISEN430-Bi	19.87	108 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								ISEN425-Bi	19.64				
								ISEN420-Bi	19.41				
								ISEN410-Bi	21.00				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
						Module (Glass to Transperent Backsheet)	(395 Wp)	ISEN405-Bi	20.74				
								ISEN400-Bi	20.48				
								ISEN395-Bi	20.23				
								ISEN390-Bi	19.97				
								ISEN385-Bi	19.72				
								ISEN380-Bi	19.46				
5	M/s. TP Solar Limited (Model Addition)	Plot No. A 109, Near Elcot Road, TP Solar Limited, Sipcot Road and OSR Park, Gangaikondan Road, Sipcot Industrial Park, Gangaikondan Industrial Park, Tirunelveli, Tamil Nadu-627352	R-61004146	5222	1	Mono c-Si PERC Module	TP495VG10 (495 Wp)	TP505VG10	21.07	132 (Half Cut Cells)	1500	22.03.2024	21.03.2028
								TP500VG10	20.86				
								TP495VG10	20.65				
								TP490VG10	20.44				
								TP485VG10	20.23				
								TP480VG10	20.02				
					2	Mono c-Si PERC Module	TP470VG10 (470Wp)	TP475VG10	19.81	132 (Half Cut Cells)	1500	22.03.2024	21.03.2028
								TP470VG10	19.61				
								TP465VG10	19.40				
								TP460VG10	19.19				
								TP555HG10	21.48	144 (Half Cut Cells)	1500	22.03.2024	21.03.2028
					3	Mono c-Si PERC Module	TP545HG10 (545 Wp)	TP550HG10	21.29				
								TP545HG10	21.10				
								TP540HG10	20.90				
								TP535HG10	20.71				
								TP530HG10	20.52				
					4	Mono c-Si PERC Module	TP510HG10 (510 Wp)	TP525HG10	20.32	144 (Half Cut Cells)	1500	22.03.2024	21.03.2028
								TP520HG10	20.13				
								TP515HG10	19.94				
								TP510HG10	19.74				
								TP505HG10	19.55				
								TP500HG10	19.36				
					5	Mono c-Si PERC Module	TP575LG10 (575 Wp)	TP600LG10	21.54	156 (Half Cut Cells)	1500	22.03.2024	21.03.2028
								TP595LG10	21.36				
								TP590LG10	21.18				
								TP585LG10	21.00				
								TP580LG10	20.83				
								TP575LG10	20.65				
								TP570LG10	20.47				
								TP565LG10	20.29				
								TP560LG10	20.11				
								TP555LG10	19.93				
					6	Mono c-Si PERC Module	TP455MG10 (455 Wp)	TP465MG10	21.27	120 (Half Cut Cells)	1500	22.03.2024	21.03.2028
								TP460MG10	21.04				
								TP455MG10	20.81				
								TP450MG10	20.58				
								TP445MG10	20.35				
					7	Mono c-Si PERC Module	TP430MG10 (430 Wp)	TP440MG10	20.12	120 (Half Cut Cells)	1500	22.03.2024	21.03.2028
								TP435MG10	19.90				
								TP430MG10	19.67				
								TP425MG10	19.44				
								TP420MG10	19.21				
								FST-M10. 156G-680	24.33	156 (Half Cut Cell)	1500	28.10.2024	27.10.2028
6	M/s. FS Green Energies Private Limited (Model Addition)	Block No. 160 - 164, 168 Besides Act Agro Chem Pvt. Ltd., Juni Jithardi Road, Near Karjan Cross Road, NH - 8, Vadodara-391240, Gujarat, India	R-72011258	644	1	Bifacial N-Type TOPCon Module (Glass to Glass)	FST-M10. 156G-660 (660 Wp)	FST-M10. 156G-675	24.15				
								FST-M10. 156G-670	23.97				
								FST-M10. 156G-665	23.79				
								FST-M10. 156G-660	23.61				
								FST-M10. 156G-655	23.43				
								FST-M10. 156G-650	23.25				
								FST-M10. 156G-645	23.07				
								FST-M10. 156G-640	22.90				
								FST-M10. 156G-635	22.72				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					2	Bifacial N-Type TOPCon Module (Glass to Glass)	FST-M10.144G-605 (605 Wp)	FST-M10. 144G-625	24.19	144 (Half Cut Cell)	1500	28.10.2024	27.10.2028
								FST-M10. 144G-620	24.00				
								FST-M10. 144G-615	23.81				
								FST-M10. 144G-610	23.61				
								FST-M10. 144G-605	23.42				
								FST-M10. 144G-600	23.23				
								FST-M10. 144G-595	23.03				
								FST-M10. 144G-590	22.84				
								FST-M10. 144G-585	22.65				
					3	Bifacial N-Type TOPCon Module (Glass to Glass)	FST-M10.132G-555 (555 Wp)	FST-M10. 132G-575	24.23	132 (Half Cut Cell)	1500	28.10.2024	27.10.2028
								FST-M10. 132G-570	24.02				
								FST-M10. 132G-565	23.80				
								FST-M10. 132G-560	23.59				
								FST-M10. 132G-555	23.38				
								FST-M10. 132G-550	23.17				
								FST-M10. 132G-545	22.96				
								FST-M10. 132G-540	22.75				
								FST-M10. 132G-535	22.54				
					4	Bifacial N-Type TOPCon Module (Glass to Glass)	FST-M10.120G-505 (505 Wp)	FST-M10. 120G-520	24.03	120 (Half Cut Cell)	1500	28.10.2024	27.10.2028
								FST-M10. 120G-515	23.80				
								FST-M10. 120G-510	23.57				
								FST-M10. 120G-505	23.34				
								FST-M10. 120G-500	23.11				
								FST-M10. 120G-495	22.88				
								FST-M10. 120G-490	22.65				
								FST-M10. 120G-485	22.42				
					5	Bifacial N-Type TOPCon Module (Glass to Glass)	FST-M10.108G-455 (455 Wp)	FST-M10. 108G-470	24.05	108 (Half Cut Cell)	1500	28.10.2024	27.10.2028
								FST-M10. 108G-465	23.80				
								FST-M10. 108G-460	23.54				
								FST-M10. 108G-455	23.29				
								FST-M10. 108G-450	23.03				
								FST-M10. 108G-445	22.78				
								FST-M10. 108G-440	22.52				
7	M/s. Credence Solar Panels Private Limited (Renewal and Model Addition)	Plot no 18 and 19, Survey No 142/2, Rajkot-Jamnagar highway, Padadhari, Rajkot, Gujarat, India- 360110	R-72006165	495	1	Mono c-Si PERC Module	CS-QU650-132 (650Wp)	CS-QU620-132	19.96	132 (Half Cut Cells)	1500	21.04.2025	20.04.2029
								CS-QU625-132	20.12				
								CS-QU630-132	20.28				
								CS-QU635-132	20.44				
								CS-QU640-132	20.60				
								CS-QU645-132	20.76				
								CS-QU650-132	20.92				
								CS-QU655-132	21.09				
								CS-QU660-132	21.25				
								CS-QU665-132	21.41				
								CS-QU670-132	21.57				
					2	Mono c-Si PERC Module	CS-QU575-120 (575Wp)	CS-QU550-120	19.42	120 (Half Cut Cells)	1500		
								CS-QU555-120	19.60				
								CS-QU560-120	19.78				
								CS-QU565-120	19.95				
								CS-QU570-120	20.13				
								CS-QU575-120	20.31				
								CS-QU580-120	20.48				
								CS-QU585-120	20.66				
								CS-QU590-120	20.84				
					3	Mono c-Si PERC Module	CS-QU525-110 (525Wp)	CS-QU500-110	19.14	110 (Half Cut Cells)	1500		
								CS-QU505-110	19.33				
								CS-QU510-110	19.52				
								CS-QU515-110	19.71				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity										
												From	To (subject to valid BIS Registration; else deemed to be delisted)									
								CS-QU520-110	19.90													
								CS-QU525-110	20.09													
								CS-QU530-110	20.28													
								CS-QU535-110	20.48													
								CS-QU540-110	20.67													
					4	Bifacial Mono c-Si PERC Module (Glass to Glass)	CS-QB650-132 (650Wp)	CS-QB620-132	19.96	132 (Half Cut Cells)	1500											
								CS-QB625-132	20.12													
								CS-QB630-132	20.28													
								CS-QB635-132	20.44													
								CS-QB640-132	20.60													
								CS-QB645-132	20.76													
								CS-QB650-132	20.92													
					5	Bifacial Mono c-Si PERC Module (Glass to Glass)	CS-QB575-120 (575Wp)	CS-QB550-120	19.42	120 (Half Cut Cells)	1500											
								CS-QB555-120	19.60													
								CS-QB560-120	19.78													
								CS-QB565-120	19.95													
								CS-QB570-120	20.13													
								CS-QB575-120	20.31													
								CS-QB580-120	20.48													
								CS-QB585-120	20.66													
								CS-QB590-120	20.84													
					6	Bifacial Mono c-Si PERC Module (Glass to Glass)	CS-QB525-110 (525Wp)	CS-QB500-110	19.14	110 (Half Cut Cells)	1500											
								CS-QB505-110	19.33													
								CS-QB510-110	19.52													
								CS-QB515-110	19.71													
								CS-QB520-110	19.90													
								CS-QB525-110	20.09													
								CS-QB530-110	20.28													
								CS-QB535-110	20.48													
								CS-QB540-110	20.67													
								7	Mono c-Si PERC Module (Glass to Backsheet)					CS-HN525-144 (525Wp)	CS-HN500-144	19.50	144 (Half Cut Cells)	1500				
					CS-HN505-144	19.70																
					CS-HN510-144	19.89																
					CS-HN515-144	20.09																
					CS-HN520-144	20.28																
					CS-HN525-144	20.48																
					CS-HN530-144	20.67																
					CS-HN535-144	20.87																
					CS-HN540-144	21.06																
					CS-HN545-144	21.26																
					CS-HN550-144	21.45																
					8	Bifacial Mono c-Si PERC Module (Glass to Glass)	CS-QB670-132 (670Wp)			CS-QB655-132	21.09				132 (Half Cut Cells)	1500						
										CS-QB660-132	21.25											
								CS-QB665-132	21.41													
								CS-QB670-132	21.57													
								CS-QB675-132	21.73													
								CS-QB680-132	21.89													
					9	Bifacial Mono c-Si PERC Module (Glass to Glass)	CS-QB610-120 (610Wp)	CS-QB685-132	22.05	120 (Half Cut Cells)	1500											
								CS-QB595-120	21.01													
								CS-QB600-120	21.19													
								CS-QB605-120	21.37													
								CS-QB610-120	21.54													
								CS-QB615-120	21.72													
					10	Bifacial Mono c-Si PERC Module (Glass to Glass)	CS-QB560-110 (560Wp)	CS-QB620-120	21.90	110 (Half Cut Cells)	1500											
								CS-QB545-110	20.86													
								CS-QB550-110	21.05													
								CS-QB555-110	21.24													
								CS-QB560-110	21.43													

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								CS-QB570-110	21.82				
					11	Bifacial Mono c-Si PERC Module (Glass to Glass)	CS-HB570-156 (570Wp)	CS-HB545-156	19.49	156 (Half Cut Cells)	1500		
								CS-HB550-156	19.67				
								CS-HB555-156	19.85				
								CS-HB560-156	20.03				
								CS-HB565-156	20.20				
								CS-HB570-156	20.38				
								CS-HB575-156	20.56				
								CS-HB580-156	20.74				
								CS-HB585-156	20.92				
								CS-HB590-156	21.10				
								CS-HB595-156	21.28				
					12	Bifacial Mono c-Si PERC Module (Glass to Glass)	CS-HB530-144 (530Wp)	CS-HB505-144	19.70	144 (Half Cut Cells)	1500		
								CS-HB510-144	19.89				
								CS-HB515-144	20.09				
								CS-HB520-144	20.28				
								CS-HB525-144	20.48				
								CS-HB530-144	20.67				
								CS-HB535-144	20.87				
								CS-HB540-144	21.06				
								CS-HB545-144	21.26				
								CS-HB550-144	21.45				
					13	Bifacial N Type TOPCon Module (Glass to Glass)	CS-HBT580-144 (580Wp)	CS-HBT560-144	21.68	144 (Half Cut Cells)	1500		
								CS-HBT565-144	21.87				
								CS-HBT570-144	22.07				
								CS-HBT575-144	22.26				
								CS-HBT580-144	22.45				
								CS-HBT585-144	22.65				
								CS-HBT590-144	22.84				
								CS-HBT595-144	23.03				
								CS-HBT600-144	23.23				
					14	Bifacial N Type TOPCon Module (Glass to Glass)	CS-HBT625-156 (625Wp)	CS-HBT610-156	21.81	156 (Half Cut Cells)	1500		
								CS-HBT615-156	21.99				
								CS-HBT620-156	22.17				
								CS-HBT625-156	22.35				
								CS-HBT630-156	22.53				
								CS-HBT635-156	22.71				
								CS-HBT640-156	22.89				
					15	Mono c-Si PERC Module	CS-QU685-132 (685Wp)	CS-QU675-132	21.73	132 (Half Cut Cells)	1500		
								CS-QU680-132	21.89				
								CS-QU685-132	22.05				
								CS-QU690-132	22.21				
								CS-QU695-132	22.37				
								CS-QU700-132	22.53				
					16	Mono c-Si PERC Module	CS-QU625-120 (625Wp)	CS-QU610-120	21.54	120 (Half Cut Cells)	1500		
								CS-QU615-120	21.72				
								CS-QU620-120	21.90				
								CS-QU625-120	22.07				
								CS-QU630-120	22.25				
								CS-QU635-120	22.43				
					17	Mono c-Si PERC Module	CS-QU570-110 (570Wp)	CS-QU560-110	21.43	110 (Half Cut Cells)	1500		
								CS-QU565-110	21.62				
								CS-QU570-110	21.82				
								CS-QU575-110	22.01				
								CS-QU580-110	22.20				
								CS-QBT710-132	22.86				
					18	Bifacial N Type TOPCon Module (Glass to Glass)	CS-QBT695-132 (695Wp)	CS-QBT705-132	22.70	132 (Half Cut Cells) 18BB (210*210 mm)	1500		
								CS-QBT700-132	22.53				
								CS-QBT695-132	22.37				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
												From	To (subject to valid BIS Registration; else deeemd to be delisted)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
					19	Bifacial N Type TOPCon Module (Glass to Glass)	CS-QBT630-120 (630Wp)	CS-QBT690-132	22.21	120 (Half Cut Cells) 18BB (210*210 mm)	1500																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
								CS-QBT685-132	22.05																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
								CS-QBT680-132	21.89																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
								CS-QBT645-120	22.78																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
								CS-QBT640-120	22.60																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
								CS-QBT635-120	22.43																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
								CS-QBT630-120	22.25																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
					20	Bifacial N Type TOPCon Module (Glass to Glass)	CS-QBT575-110 (575Wp)	CS-QBT625-120	22.07	110 (Half Cut Cells) 18BB (210*210 mm)	1500																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
								CS-QBT620-120	21.90																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
								CS-QBT590-110	22.58																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
								CS-QBT585-110	22.39																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
								CS-QBT580-110	22.20																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
								CS-QBT575-110	22.01																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
								CS-QBT570-110	21.82																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
8	M/s. Sunify Solar LLP (Renewal)	Survey no. 624P1, Near Hanuman Temple, Sarvad, Pipaliya Maliya Highway, Chachavadarda road, Morbi, Gujarat, India-363660	R-72005800	152	1	Mono c-Si PERC Module	SS132C490M (490 Wp)	CS-QBT565-110	21.62	132 (Half Cut Cell)	1500	21.04.2025	20.04.2029																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
								SS132C480M	20.21																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
								SS132C485M	20.42					144 (Half Cut Cell)	1500																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
								SS132C490M	20.64																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
								SS132C495M	20.85																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
					2	Mono c-Si PERC Module	SS144C510M (510Wp)	SS132C500M	21.06	144 (Half Cut Cell)	1500																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
								SS144C505M	19.55																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
								SS144C510M	19.74																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
								SS144C515M	19.94																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
								SS144C520M	20.13																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
					3	Mono c-Si PERC Module	SS144C535M (535Wp)	SS144C525M	20.32																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
								SS144C530M	20.52																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
								SS144C535M	20.71																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
								SS144C540M	20.90																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
								SS144C545M	21.10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
								SS144C550M	21.29																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
								SS144C555M	21.48																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
								SS144C560M	21.68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
					4	Mono c-Si PERC Module	SS156C565M (565Wp)	SS156C565M	20.21	156 (Half cut cell)	1500																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
								SS156C570M	20.39																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
								SS156C575M	20.57																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
								SS156C580M	20.75																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
								SS156C585M	20.93																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
9	M/s. Websol Energy System Limited (New Addition in ALMM)	Sector-II, Falta Special Economic Zone, Falta, 24 Parganas (South) - 743504, West Bengal, India	R-51000698	242				1	Mono c-Si PERC Module					W5500-GTB-MP535 (535 Wp)	W5500-GTB-MP550	21.32	144 (Half Cut Cells)	1500	21.04.2025	20.04.2029																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
															W5500-GTB-MP545	21.13																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
					W5500-GTB-MP540	20.94																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
					W5500-GTB-MP535	20.75																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
					W5500-GTB-MP530	20.55																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
					W5500-GTB-MP525	20.36																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
					W5500-GTB-MP520	20.13																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
					2	Mono c-Si PERC Module	W5500-GTB-MP505 (505 Wp)	W5500-GTB-MP515	19.94	144 (Half Cut Cells)	1500																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
								W5500-GTB-MP510	19.74																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
								W5500-GTB-MP505	19.55																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
								W5500-GTB-MP500	19.36																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
3	Mono c-Si PERC Module	W5000-GTB-MP495 (495 Wp)	W5500-GTB-MP495	19.16	132 (Half Cut Cells)	1500																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
			W5000-GTB-MP505	21.26																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
			W5000-GTB-MP500	21.05																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
			W5000-GTB-MP495	20.84																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
			W5000-GTB-MP490	20.63																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
			W5000-GTB-MP485	20.42																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
4	Mono c-Si PERC Module	W5000-GTB-MP465 (465 Wp)	W5000-GTB-MP480	20.21	132 (Half Cut Cells)	1500																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
			W5000-GTB-MP475	20.00																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
			W5000-GTB-MP470	19.79																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
			W5000-GTB-MP465	19.58																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				</

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity													
												From	To (subject to valid BIS Registration; else deemed to be delisted)												
					5	Mono c-Si PERC Module	W4600-GTB-MP450 (450 Wp)	W5000-GTB-MP455	19.16	120 (Half Cut Cells)	1500														
								W4600-GTB-MP460	21.28																
								W4600-GTB-MP455	21.05																
								W4600-GTB-MP450	20.81																
								W4600-GTB-MP445	20.58																
					6	Mono c-Si PERC Module	W4600-GTB-MP425 (425 Wp)	W4600-GTB-MP440	20.35	120 (Half Cut Cells)	1500														
								W4600-GTB-MP435	20.12																
								W4600-GTB-MP430	19.89																
								W4600-GTB-MP425	19.66																
								W4600-GTB-MP420	19.43																
								W4600-GTB-MP415	19.20																
								10	M/s. Ankur Traders & Engineers Private Limited (Renewal)					D-130, B.S. Road, Industrial Area, Ghaziabad - 201009, Uttar Pradesh	R-93009695	54	1	Mono PERC C-Si Module	ASM585(585 Wp)	ASM560	20.03	156 (Half Cut Cells)	1500	21.04.2025	20.04.2029
																				ASM565	20.21				
																				ASM570	20.39				
ASM575	20.57																								
ASM580	20.75																								
2	Mono PERC C-Si Module	ASM530 (530 Wp)	ASM585	20.93	144 (Half Cut Cells)	1500																			
			ASM505	19.55																					
			ASM510	19.74																					
			ASM515	19.94																					
			ASM520	20.13																					
3	Mono PERC C-Si Module	ASM480 (480 Wp)	ASM525	20.32	132 (Half Cut Cells)	1500																			
			ASM530	20.52																					
			ASM535	20.71																					
			ASM540	20.90																					
			ASM545	21.09																					
			ASM550	21.29																					
			ASM500	21.07																					
			ASM495	20.85																					
			ASM490	20.64																					
			ASM485	20.43																					
4	Mono PERC C-Si Module	ASM430 (430 Wp)	ASM480	20.22	120 (Half Cut Cells)	1500																			
			ASM475	20.01																					
			ASM470	19.80																					
			ASM465	19.59																					
			ASM460	19.38																					
			ASM450	20.79																					
			ASM445	20.57																					
			ASM440	20.33																					
			ASM435	20.10																					
			ASM430	19.87																					
5	Mono PERC C-Si Module	ASM260 (260 Wp)	ASM425	19.64	72 (Half Cut Cells)	1500																			
			ASM420	19.41																					
			ASM415	19.18																					
			ASM255	19.25																					
			ASM260	19.62																					
6	Mono PERC C-Si Module	ASM130 (130 Wp)	ASM265	20.00	36 (Half Cut Cells)	1500																			
			ASM270	20.38																					
			ASM130	19.12																					
			ASM135	19.86																					
			11	M/s. Fujiyama Power Systems Private Limited (Renewal + Model Addition)			Plot No. 51,52 Sector- Ecotech-1, Ecotech Extn-1, Greater Noida, Gautam Buddha Nagar, Uttar Pradesh, India	R-93022209	355	1	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	UTL660-132BM (660 Wp)	UTL670-132BM	21.30	132 (Half Cut Cell)	1500	21.04.2025	20.04.2029							
UTL665-132BM	21.14																								
UTL660-132BM	20.99																								
UTL655-132BM	20.83																								
UTL650-132BM	20.67																								
2	Bifacial Mono c-Si PERC Module (Glass to Transparent	UTL360-72BM (360 Wp)			UTL365-72BM	20.83				72 (Half Cut Cell)	1500														
					UTL360-72BM	20.54																			
					UTL355-72BM	20.26																			

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
						Backsheet)		UTL350-72BM	19.97				
					3	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	UTL345-68BM (345 Wp)	UTL345-68BM UTL340-68BM	20.85 20.54	68 (Half Cut Cell)	1500		
					4	Bifacial N-type TOPCon Module (Glass to Transparent Backsheet)	UTL575-144BT (575 Wp)	UTL590-144BT UTL585-144BT UTL580-144BT UTL575-144BT UTL570-144BT UTL560-144BT UTL555-144BT UTL550-144BT	22.87 22.68 22.48 22.29 22.09 21.71 21.51 21.32	144 (Half Cut Cell)	1500		
					5	Bifacial N-type TOPCon Module (Glass to Transparent Backsheet)	UTL525-132BT (525 Wp)	UTL525-132BT	22.14	132 (Half Cut Cell)	1500		
					6	Bifacial N-type TOPCon Module (Glass to Glass)	UTL575-144GT (575 Wp)	UTL590-144GT UTL585-144GT UTL580-144GT UTL575-144GT UTL570-144GT UTL560-144GT UTL550-144GT	22.87 22.68 22.48 22.29 22.09 21.71 21.32	144 (Half Cut Cell)	1500		
					7	Mono c-Si PERC Modules	UTL530-72M (530 Wp)	UTL540-72M UTL535-72M UTL530-72M UTL525-72M UTL520-72M	20.75 20.55 20.35 20.15 20.00	72 (Full Cell)	1500		
					8	Mono c-Si PERC Modules	UTL530-144M (530 Wp)	UTL540-144M UTL535-144M UTL530-144M UTL525-144M UTL520-144M	20.75 20.55 20.35 20.15 20.00	144 (Half Cut Cell)	1500		
					9	Mono c-Si PERC Modules	UTL435-72M (435 Wp)	UTL440-72M UTL435-72M UTL430-72M UTL425-72M	20.20 19.97 19.78 19.51	72 (Full Cell)	1500		
					10	Mono c-Si PERC Modules	UTL435-144M (435 Wp)	UTL440-144M UTL435-144M UTL430-144M UTL425-144M	20.20 19.97 19.78 19.51	144 (Half Cut Cell)	1500		
					11	Mono c-Si PERC Modules	UTL395-72MI (395 Wp)	UTL400-72MI UTL395-72MI UTL385-72MI UTL380-72MI	20.06 19.80 19.30 19.05	72 (Full Cell)	1500		
					12	Mono c-Si PERC Modules	UTL395-72M (395 Wp)	UTL400-72M UTL395-72M UTL390-72M UTL385-72M UTL380-72M	20.06 19.80 19.55 19.30 19.05	72 (Full Cell)	1500		
					13	Mono c-Si PERC Modules	UTL195-36MI (195 Wp)	UTL200-36MI UTL195-36MI	19.70 19.20	36 (Full Cell)	1500		
					14	Mono c-Si PERC	UTL200-36M	UTL205-36M	20.20	36 (Full Cell)	1500		

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity		
												From	To (subject to valid BIS Registration; else deemed to be delisted)	
						Modules	(200 Wp)	UTL200-36M	19.70					
								UTL195-36M	19.20					
12	M/s. Aatmanirbhar Solar Pvt. Ltd. (Renewal)	Survey no 192, Dudhathal, Kheda, Gujarat - 387620, India	R-72005940	158	1	Mono c-Si PERC Module	ASPL380MP72 (380 Wp)	ASPL380MP72	19.13	72 (Half Cut Cells)	1500	21.04.2025	20.04.2029	
								ASPL385MP72	19.39					
								ASPL390MP72	19.64					
								ASPL395MP72	19.89					
								2	Mono c-Si PERC Module					ASPL405MP108 (405 Wp)
					ASPL395MP108	20.23								
					ASPL400MP108	20.48								
					ASPL405MP108	20.74								
					ASPL410MP108	21.00								
					3	Mono c-Si PERC Module	ASPL535MP144 (535 Wp)	ASPL415MP108	21.25	144 (Half Cut Cells)	1500			
								ASPL525MP144	20.32					
								ASPL530MP144	20.52					
								ASPL535MP144	20.71					
								ASPL540MP144	20.90					
					4	Bifacial Mono c-Si PERC Module (Glass to Glass)	ASPL585MP156 (585 Wp)	ASPL545MP144	21.10	156 (Half Cut Cells)	1500			
								ASPL550MP144	21.29					
								ASPL580MP156	20.75					
								ASPL585MP156	20.93					
								ASPL590MP156	21.11					
					5	N Type TOPCon Module	ASPL425TPC108 (425 Wp)	ASPL415TPC108	21.25	108 (Half Cut Cells)	1500			
								ASPL420TPC108	21.51					
								ASPL425TPC108	21.76					
								ASPL430TPC108	22.02					
								ASPL435TPC108	22.28					
					6	N Type TOPCon Module	ASPL470TPC120 (470 Wp)	ASPL460TPC120	21.25	120 (Half Cut Cells)	1500			
								ASPL465TPC120	21.48					
								ASPL470TPC120	21.71					
								ASPL475TPC120	21.94					
								ASPL480TPC120	22.17					
					7	Bifacial N Type TOPCon Module (Glass to Glass)	ASPL565TPC144 (565 Wp)	ASPL545TPC144	21.10	144 (Half Cut Cells)	1500			
								ASPL550TPC144	21.29					
								ASPL555TPC144	21.48					
								ASPL560TPC144	21.68					
								ASPL565TPC144	21.87					
								ASPL570TPC144	22.07					
								ASPL575TPC144	22.26					
								ASPL580TPC144	22.45					
								ASPL585TPC144	22.65					
					8	Bifacial N Type TOPCon Module (Glass to Glass)	ASPL620TPC156 (620 Wp)	ASPL605TPC156	21.64	156 (Half Cut Cells)	1500			
								ASPL610TPC156	21.82					
								ASPL615TPC156	22.00					
								ASPL620TPC156	22.18					
								ASPL625TPC156	22.36					
								ASPL630TPC156	22.54					
13	M/s. Emmvee Energy Private Limited (Model Addition)	Sy. No. 66-70/3, Sompura Industrial Area, Pemmanahalli Village, Sompura Hobli, Nelamangala Taluk, Bengaluru Rural District, Karnataka - 562111, India	R-62004626	3264	1	Bifacial N-Type TOPCon Modules (Glass to Glass)	E595HCBG144-T (595 Wp)	E585HCBG144-T	22.65	144 (Half Cut Cells)	1500	08.07.2024	07.07.2028	
								E590HCBG144-T	22.84					
								E595HCBG144-T	23.03					
								E600HCBG144-T	23.23					
								E605HCBG144-T	23.42					
					2	Bifacial N-Type TOPCon Modules (Glass to Transparent Backsheet)	E415HCBT108-T (415 Wp)	E395HCBT108-T	20.25	108 (Half Cut Cells)	1500			
								E400HCBT108-T	20.51					
								E405HCBT108-T	20.76					
								E410HCBT108-T	21.02					
								E415HCBT108-T	21.28					
								E420HCBT108-T	21.53					
								E425HCBT108-T	21.79					
								E430HCBT108-T	22.05					

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								E435HCBT108-T	22.30				
					3	Bifacial N-Type TOPCon Modules (Glass to Transparent Backsheet)	E460HCBT120T (460Wp)	E440HCBT120-T	20.28	120 (Half Cut Cells)	1500	08.07.2024	07.07.2028
								E445HCBT120-T	20.51				
								E450HCBT120-T	20.74				
								E455HCBT120-T	20.97				
								E460HCBT120-T	21.20				
								E465HCBT120-T	21.44				
								E470HCBT120-T	21.67				
								E475HCBT120-T	21.90				
								E480HCBT120-T	22.13				
								E480HCBT132-T	20.19	132 (Half Cut Cells)	1500	08.07.2024	07.07.2028
					4	Bifacial N-Type TOPCon Modules (Glass to Transparent Backsheet)	E505HCBT132-T (505 Wp)	E485HCBT132-T	20.40				
								E490HCBT132-T	20.61				
								E495HCBT132-T	20.82				
								E500HCBT132-T	21.03				
								E505HCBT132-T	21.24				
								E510HCBT132-T	21.45				
								E515HCBT132-T	21.66				
								E520HCBT132-T	21.87				
								E525HCBT132-T	22.08				
								E530HCBT132-T	22.29	144 (Half Cut Cells)	1500	08.07.2024	07.07.2028
					5	Bifacial N-Type TOPCon Modules (Glass to Transparent Backsheet)	E555HCBT144-T (555 Wp)	E530HCBT144-T	20.52				
								E535HCBT144-T	20.71				
								E540HCBT144-T	20.90				
								E545HCBT144-T	21.10				
								E550HCBT144-T	21.29				
								E555HCBT144-T	21.48				
								E560HCBT144-T	21.68				
								E565HCBT144-T	21.87				
								E570HCBT144-T	22.07				
								E575HCBT144-T	22.26				
					6	Bifacial N-Type TOPCon Modules (Glass to Transparent Backsheet)	E525HCBT144-T (525 Wp)	E580HCBT144-T	22.45	144 (Half Cut Cells)	1500	08.07.2024	07.07.2028
								E525HCBT144-T	20.32				
					7	N-Type TOPCon Module	E415HCMW108-T (415 Wp)	E395HCMW108-T	20.25	108 (Half Cut Cells)	1500	08.07.2024	07.07.2028
								E400HCMW108-T	20.51				
								E405HCMW108-T	20.76				
								E410HCMW108-T	21.02				
								E415HCMW108-T	21.28				
								E420HCMW108-T	21.53				
								E425HCMW108-T	21.79				
								E430HCMW108-T	22.05				
								E435HCMW108-T	22.30				
					8	N-Type TOPCon Module	E460HCMW120-T (460 Wp)	E440HCMW120-T	20.28	120 (Half Cut Cells)	1500	08.07.2024	07.07.2028
								E445HCMW120-T	20.51				
								E450HCMW120-T	20.74				
								E455HCMW120-T	20.97				
								E460HCMW120-T	21.20				
								E465HCMW120-T	21.44				
								E470HCMW120-T	21.67				
								E475HCMW120-T	21.90				
								E480HCMW120-T	22.13				
					9	N-Type TOPCon Module	E505HCMW132-T (505 Wp)	E480HCMW132-T	20.19	132 (Half Cut Cells)	1500	08.07.2024	07.07.2028
								E485HCMW132-T	20.40				
								E490HCMW132-T	20.61				
								E495HCMW132-T	20.82				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								E500HCMW132-T	21.03	144 (Half Cut Cells)	1500	08.07.2024	07.07.2028
								E505HCMW132-T	21.24				
								E510HCMW132-T	21.45				
								E515HCMW132-T	21.66				
								E520HCMW132-T	21.87				
								E525HCMW132-T	22.08				
								E530HCMW132-T	22.29				
								E530HCMW144-T	20.52				
								E535HCMW144-T	20.71				
								E540HCMW144-T	20.90				
					10	N-Type TOPCon Module	E505HCMW144-T (555 Wp)	E545HCMW144-T	21.10				
								E550HCMW144-T	21.29				
								E555HCMW144-T	21.48				
								E560HCMW144-T	21.68				
								E565HCMW144-T	21.87				
								E570HCMW144-T	22.07				
								E575HCMW144-T	22.26				
								E580HCMW144-T	22.45				
								E525HCMW144-T	20.32	144 (Half Cut Cells)	1500	08.07.2024	07.07.2028
					11	N-Type TOPCon Module	E525HCMW144-T (525 Wp)						
14	M/s. Emmvee Photovoltaic Power Private Limited (Model Addition)	Sy. No. 66-70/3, Pemmanahalli Village, Sompura Hobli, Dabaspeta, Nelamangala Taluk, Bengaluru Rural District, Karnataka - 562111, India	R-62002976	678	1	Bifacial N-Type TOPCon Modules (Glass to Glass)	E590HCBG144-T	E585HCBG144-T	22.65	144 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								E590HCBG144-T	22.84				
								E595HCBG144-T	23.03				
15	M/s. Gautam Solar Private Limited (New Addition in ALMM)	7KM Milestone, Tosham Road, Dist. Bhiwani, Bhiwani Khera-127032, Haryana, India	R-91017574	470	1	Mono c-Si PERC Modules	G2X530-HAD (530 Wp)	G2X510-HAD	19.73	144 (Half Cut Cells)	1500	21.04.2025	20.04.2029
								G2X515-HAD	19.92				
								G2X520-HAD	20.11				
								G2X525-HAD	20.31				
								G2X530-HAD	20.50				
								G2X535-HAD	20.69				
								G2X540-HAD	20.89				
								G2X545-HAD	21.08				
								G2X550-HAD	21.27				
								G2X555-HAD	21.47				
								G2X560-HAD	21.66				
					2	Mono c-Si PERC Modules	G2X495-HAB (495 Wp)	G2X520-HAB	21.89	132 (Half Cut Cells)	1500		
								G2X515-HAB	21.68				
								G2X510-HAB	21.47				
								G2X505-HAB	21.26				
								G2X500-HAB	21.05				
								G2X495-HAB	20.84				
								G2X490-HAB	20.63				
								G2X485-HAB	20.41				
					3	Mono c-Si PERC Modules	G2X450-HAA (450 Wp)	G2X465-HAA	21.47	120 (Half Cut Cells)	1500		
								G2X460-HAA	21.24				
								G2X455-HAA	21.01				
								G2X450-HAA	20.78				
								G2X445-HAA	20.55				
								G2X440-HAA	20.31				
					4	Mono c-Si PERC Modules	G2X450-HAY (405 Wp)	G2X420-HAY	21.31	108 (Half Cut Cells)	1500		
								G2X415-HAY	21.06				
								G2X410-HAY	20.80				
								G2X405-HAY	20.55				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity								
												From	To (subject to valid BIS Registration; else deemed to be delisted)							
								G2X400-HAY	20.30	96 (Half Cut Cells)	1500									
								G2X390-HAY	19.79											
					5	Mono c-Si PERC Modules	G2X360-HAX (360 Wp)	G2X370-HAX	21.21											
								G2X365-HAX	20.93											
								G2X360-HAX	20.64											
								G2X355-HAX	20.35											
								G2X350-HAX	20.07											
					6	Bifacial Mono c-Si PERC Modules	G2XBifacial 1695-HAD (535 Wp) (510 Wp-560 Wp)	G2XBifacial 728-HAD	21.66	144 (Half Cut Cells)	1500									
								G2XBifacial 721-HAD	21.47											
								G2XBifacial 715-HAD	21.27											
								G2XBifacial 708-HAD	21.08											
								G2XBifacial 702-HAD	20.89											
								G2XBifacial 695-HAD	20.69											
								G2XBifacial 689-HAD	20.50											
								G2XBifacial 682-HAD	20.31											
								G2XBifacial 676-HAD	20.11											
								G2XBifacial 669-HAD	19.92											
								G2XBifacial 663-HAD	19.73											
					7	Bifacial Mono c-Si PERC Modules	G2XBifacial 1650-HAB (500 Wp) (485 Wp-520 Wp)	G2XBifacial 1676-HAB	21.75	132 (Half Cut Cells)	1500									
								G2XBifacial 1669-HAB	21.54											
								G2XBifacial 1663-HAB	21.33											
								G2XBifacial 1656-HAB	21.13											
								G2XBifacial 1650-HAB	20.92											
								G2XBifacial 1643-HAB	20.71											
								G2XBifacial 1637-HAB	20.50											
								G2XBifacial 1630-HAB	20.29											
					8	Bifacial Mono c-Si PERC Modules	G2XBifacial 1585-HAa (450 Wp) (440 Wp-465 Wp)	G2XBifacial 1604-HAA	21.32	120 (Half Cut Cells)	1500									
								G2XBifacial 1598-HAA	21.09											
								G2XBifacial 1591-HAA	20.87											
								G2XBifacial 1585-HAA	20.64											
								G2XBifacial 1578-HAA	20.41											
								G2XBifacial 1572-HAA	20.18											
					9	Bifacial Mono c-Si PERC Modules	G2XBifacial 1526-HAY (405 Wp) (390 Wp-420 Wp)	G2XBifacial 1546-HAY	21.31	108 (Half Cut Cells)	1500									
								G2XBifacial 1539-HAY	21.06											
								G2XBifacial 1533-HAY	20.80											
								G2XBifacial 1526-HAY	20.55											
								G2XBifacial 1520-HAY	20.30											
					10	Bifacial Mono c-Si PERC Modules	G2XBifacial 1468-HAX (360 Wp) (350 Wp-370 Wp)	G2XBifacial 1507-HAY	19.79	96 (Half Cut Cells)	1500									
								G2XBifacial 1481-HAX	21.00											
								G2XBifacial 1474-HAX	20.71											
								G2XBifacial 1468-HAX	20.43											
								G2XBifacial 1461-HAX	20.14											
					16	M/s. Knack Energy Private Limited (New Addition in ALMM)	Survey No. 291 & 292, Besides Kamla Amrut Industrial Estate, Budasun, Near Hitachi, Jhonson Kadi, Mehsana-382715,Gujarat, India	R-72012319	598	1	Bifacial N-Type TOPCon Module (Glass to Glass)			KNACK-NG2G-16B-156-630 (630 Wp)	KNACK-NG2G-16B-156-605	21.63	156 (Half Cut Cells)	1500	21.04.2025	20.04.2029
															KNACK-NG2G-16B-156-610	21.81				
KNACK-NG2G-16B-156-615	21.99																			
KNACK-NG2G-16B-156-620	22.17																			
KNACK-NG2G-16B-156-625	22.35																			
KNACK-NG2G-16B-156-630	22.53																			
KNACK-NG2G-16B-156-635	22.71																			
KNACK-NG2G-16B-156-640	22.89																			
KNACK-NG2G-16B-156-645	23.07																			
KNACK-NG2G-16B-156-650	23.24																			
2	Bifacial N-Type TOPCon Module (Glass to Glass)	KNACK-NG2G-16A-156-630 (630 Wp)	KNACK-NG2G-16A-156-605	21.63						156 (Half Cut Cells)	1500									
			KNACK-NG2G-16A-156-610	21.81																
			KNACK-NG2G-16A-156-615	21.99																
			KNACK-NG2G-16A-156-620	22.17																
			KNACK-NG2G-16A-156-625	22.35																
			KNACK-NG2G-16A-156-630	22.53																

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity										
												From	To (subject to valid BIS Registration; else deemed to be delisted)									
								KNACK-NG2G-16A-156-635	22.71													
								KNACK-NG2G-16A-156-640	22.89													
								KNACK-NG2G-16A-156-645	23.07													
								KNACK-NG2G-16A-156-650	23.24													
					3	Bifacial N-Type TOPCon Module (Glass to Glass)	KNACK-NG2G-16B-144-560 (560 Wp)	KNACK-NG2G-16B-144-545	21.10	144 (Half Cut Cells)	1500											
								KNACK-NG2G-16B-144-550	21.29													
								KNACK-NG2G-16B-144-555	21.48													
								KNACK-NG2G-16B-144-560	21.68													
								KNACK-NG2G-16B-144-565	21.87													
								KNACK-NG2G-16B-144-570	22.07													
								KNACK-NG2G-16B-144-575	22.06													
								4	Bifacial N-Type TOPCon Module (Glass to Glass)	KNACK-NG2G-16B-144-590 (590 Wp)	KNACK-NG2G-16B-144-580			22.45	144 (Half Cut Cells)	1500						
					KNACK-NG2G-16B-144-585	22.65																
					KNACK-NG2G-16B-144-590	22.84																
					KNACK-NG2G-16B-144-595	23.03																
					KNACK-NG2G-16B-144-600	23.23																
					5	Bifacial N-Type TOPCon Module (Glass to Glass)	KNACK-NG2G-16A-144-560 (560 Wp)	KNACK-NG2G-16A-144-545	21.10	144 (Half Cut Cells)	1500											
								KNACK-NG2G-16A-144-550	21.29													
								KNACK-NG2G-16A-144-555	21.48													
								KNACK-NG2G-16A-144-560	21.68													
								KNACK-NG2G-16A-144-565	21.87													
								KNACK-NG2G-16A-144-570	22.07													
								KNACK-NG2G-16A-144-575	22.26													
								6	Bifacial N-Type TOPCon Module (Glass to Glass)	KNACK-NG2G-16A-144-590 (590 Wp)	KNACK-NG2G-16A-144-580			22.45	144 (Half Cut Cells)	1500						
					KNACK-NG2G-16A-144-585	22.65																
					KNACK-NG2G-16A-144-590	22.84																
					KNACK-NG2G-16A-144-595	23.03																
					KNACK-NG2G-16A-144-600	23.23																
					7	Bifacial Mono c-Si PERC Module (Glass to Glass)	KNACK-PG2G-10A-144-530 (530 Wp)	KNACK-PG2G-10A-144-505	19.55	144 (Half Cut Cells)	1500											
								KNACK-PG2G-10A-144-510	19.74													
								KNACK-PG2G-10A-144-515	19.94													
								KNACK-PG2G-10A-144-520	20.13													
								KNACK-PG2G-10A-144-525	20.32													
								KNACK-PG2G-10A-144-530	20.52													
								KNACK-PG2G-10A-144-535	20.71													
								KNACK-PG2G-10A-144-540	20.90													
								KNACK-PG2G-10A-144-545	21.10													
								KNACK-PG2G-10A-144-550	21.29													
								KNACK-PG2G-10A-144-555	21.48													
								8	Bifacial N-Type TOPCon Module (Glass to Glass)					KNACK-NG2G-16B-132-515 (515 Wp)	KNACK-NG2G-16B-132-495	20.87	132 (Half Cut Cells)	1500				
															KNACK-NG2G-16B-132-500	21.08						
															KNACK-NG2G-16B-132-505	21.29						
					KNACK-NG2G-16B-132-510	21.50																
					KNACK-NG2G-16B-132-515	21.71																
					KNACK-NG2G-16B-132-520	21.92																
					KNACK-NG2G-16B-132-525	22.13																
					KNACK-NG2G-16B-132-530	22.34																
					KNACK-NG2G-16B-132-535	22.55																
					KNACK-NG2G-16B-132-540	22.76																
					9	Bifacial N-Type TOPCon Module (Glass to Glass)	KNACK-NG2G-16A-132-515 (515 Wp)	KNACK-NG2G-16A-132-495	20.87	132 (Half Cut Cells)	1500											
								KNACK-NG2G-16A-132-500	21.08													
								KNACK-NG2G-16A-132-505	21.29													
								KNACK-NG2G-16A-132-510	21.50													
								KNACK-NG2G-16A-132-515	21.71													
								KNACK-NG2G-16A-132-520	21.92													
								KNACK-NG2G-16A-132-525	22.13													
								KNACK-NG2G-16A-132-530	22.34													
								KNACK-NG2G-16A-132-535	22.55													
								KNACK-NG2G-16A-132-540	22.76													

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					10	Bifacial Mono c-Si PERC Module (Glass to Glass)	KNACK-PG2G-10A-132-480 (480 Wp)	KNACK-PG2G-10A-132-460	19.39	132 (Half Cut Cells)	1500		
								KNACK-PG2G-10A-132-465	19.60				
								KNACK-PG2G-10A-132-470	19.81				
								KNACK-PG2G-10A-132-475	20.02				
								KNACK-PG2G-10A-132-480	20.23				
								KNACK-PG2G-10A-132-485	20.44				
								KNACK-PG2G-10A-132-490	20.65				
								KNACK-PG2G-10A-132-495	20.87				
								KNACK-PG2G-10A-132-500	21.08				
					11	Bifacial N-Type TOPCon Module (Glass to Glass)	KNACK-NG2G-16B-120-470 (470 Wp)	KNACK-NG2G-16B-120-450	20.80	120 (Half Cut Cells)	1500		
								KNACK-NG2G-16B-120-455	21.03				
								KNACK-NG2G-16B-120-460	21.26				
								KNACK-NG2G-16B-120-465	21.49				
								KNACK-NG2G-16B-120-470	21.72				
								KNACK-NG2G-16B-120-475	21.95				
								KNACK-NG2G-16B-120-480	22.18				
								KNACK-NG2G-16B-120-485	22.42				
								KNACK-NG2G-16B-120-490	22.65				
					12	Bifacial N-Type TOPCon Module (Glass to Glass)	KNACK-NG2G-16A-120-470 (470 Wp)	KNACK-NG2G-16A-120-450	20.80	120 (Half Cut Cells)	1500		
								KNACK-NG2G-16A-120-455	21.03				
								KNACK-NG2G-16A-120-460	21.26				
								KNACK-NG2G-16A-120-465	21.49				
								KNACK-NG2G-16A-120-470	21.72				
								KNACK-NG2G-16A-120-475	21.95				
								KNACK-NG2G-16A-120-480	22.18				
								KNACK-NG2G-16A-120-485	22.42				
								KNACK-NG2G-16A-120-490	22.65				
					13	Bifacial Mono c-Si PERC Module (Glass to Glass)	KNACK-PG2G-10A-120-435 (435 Wp)	KNACK-PG2G-10A-120-415	19.18	120 (Half Cut Cells)	1500		
								KNACK-PG2G-10A-120-420	19.41				
								KNACK-PG2G-10A-120-425	19.64				
								KNACK-PG2G-10A-120-430	19.87				
								KNACK-PG2G-10A-120-435	20.10				
								KNACK-PG2G-10A-120-440	20.34				
								KNACK-PG2G-10A-120-445	20.57				
								KNACK-PG2G-10A-120-450	20.80				
								KNACK-PG2G-10A-120-455	21.03				
					14	Bifacial N-Type TOPCon Module (Glass to Glass)	KNACK-NG2G-16B-108-425 (425 Wp)	KNACK-NG2G-16B-108-405	20.64	108 (Half Cut Cells)	1500		
								KNACK-NG2G-16B-108-410	20.90				
								KNACK-NG2G-16B-108-415	21.15				
								KNACK-NG2G-16B-108-420	21.41				
								KNACK-NG2G-16B-108-425	21.66				
								KNACK-NG2G-16B-108-430	21.92				
								KNACK-NG2G-16B-108-435	22.17				
								KNACK-NG2G-16B-108-440	22.43				
								KNACK-NG2G-16B-108-445	22.68				
					15	Bifacial N-Type TOPCon Module (Glass to Glass)	KNACK-NG2G-16A-108-425 (425 Wp)	KNACK-NG2G-16A-108-405	20.64	108 (Half Cut Cells)	1500		
								KNACK-NG2G-16A-108-410	20.90				
								KNACK-NG2G-16A-108-415	21.15				
								KNACK-NG2G-16A-108-420	21.41				
								KNACK-NG2G-16A-108-425	21.66				
								KNACK-NG2G-16A-108-430	21.92				
								KNACK-NG2G-16A-108-435	22.17				
								KNACK-NG2G-16A-108-440	22.43				
								KNACK-NG2G-16A-108-445	22.68				
					16	Bifacial Mono c-Si PERC Module (Glass to Glass)	KNACK-PG2G-10A-108-385 (385 Wp)	KNACK-PG2G-10A-108-375	19.11	108 (Half Cut Cells)	1500		
								KNACK-PG2G-10A-108-380	19.37				
								KNACK-PG2G-10A-108-385	19.62				
								KNACK-PG2G-10A-108-390	19.88				
					17	Bifacial Mono c-Si PERC	KNACK-PG2G-10A-108-	KNACK-PG2G-10A-108-395	20.13	108 (Half Cut Cells)	1500		

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity		
												From	To (subject to valid BIS Registration; else deemed to be delisted)	
						Module (Glass to Glass)	405 (405 Wp)	KNACK-PG2G-10A-108-400	20.39					
								KNACK-PG2G-10A-108-405	20.64					
								KNACK-PG2G-10A-108-410	20.90					
17	M/s. Loom Solar Private Limited (New Addition in ALMM)	Block Ala, Palwal Logistic Park, Ferozpur, Palwal-121102, Haryana, India	R-91017728	43	1	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SHARK 585 (585 Wp)	SHARK	23.23	144 (Half Cut Cells)	1500	21.04.2025	20.04.2029	
								SHARK 595	23.03					
								SHARK 590	22.84					
								SHARK 585	22.65					
								SHARK 580	22.45					
								SHARK 575	22.26					
								SHARK 570	22.07					
								SHARK 565	21.87					
					2	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SHARK 290 (290 Wp)	SHARK 300	22.39	72 (Half Cut Cells)	1500			
								SHARK 295	22.02					
								SHARK 290	21.65					
								SHARK 285	21.27					
								SHARK 280	20.90					
18	M/s. Rayon Illuminations Solar Solutions Private Limited (New Addition in ALMM)	Plot No. 42, Sector 5, DMIC Shendra, Aurangabad-431007, Maharashtra, India	R-71036293	62	1	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RS144MB 545W (545 Wp)	RS144MB 550W	21.29	144 (Half Cut Cells)	1500	21.04.2025	20.04.2029	
								RS144MB 545W	21.10					
								RS144MB 540W	20.90					
								RS144MB 535W	20.71					
					2	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RS132MB 490W (490 Wp)	RS132MB 500W	21.06	132 (Half Cut Cells)	1500			
								RS132MB 495W	20.85					
								RS132MB 490W	20.64					
								RS132MB 485W	20.42					
								RS132MB 480W	20.21					
								RS132MB 475W	20.00					
					3	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RS132MB 460W (460 Wp)	RS132MB 470W	19.79	132 (Half Cut Cells)	1500			
								RS132MB 465W	19.58					
								RS132MB 460W	19.37					
								RS132MB 455W	19.16					
					4	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RS120MB 445W (445 Wp)	RS120MB 455W	21.02	120 (Half Cut Cells)	1500			
								RS120MB 450W	20.79					
								RS120MB 445W	20.56					
								RS120MB 440W	20.33					
					5	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RS120MB 420W (420 Wp)	RS120MB 435W	20.09	120 (Half Cut Cells)	1500			
								RS120MB 430W	19.86					
								RS120MB 425W	19.63					
								RS120MB 420W	19.40					
					6	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RS108MB 385W (385Wp)	RS120MB 415W	19.17	108 (Half Cut Cells)	1500			
								RS108MB 395W	20.23					
								RS108MB 390W	19.97					
								RS108MB 385W	19.72					
								RS108MB 380W	19.46					
					7	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RS144TP 575W (575Wp)	RS108MB 375W	19.20	144 (Half Cut Cells)	1500			
								RS144TP 590W	22.84					
								RS144TP 585W	22.65					
								RS144TP 580W	22.45					
								RS144TP 575W	22.26					
								RS144TP 570W	22.07					
								RS144TP 565W	21.87					
								RS144TP 560W	21.68					
					8	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RS144TP 535W (535Wp)	RS144TP 555W	21.48	144 (Half Cut Cells)	1500			
								RS144TP 550W	21.29					
								RS144TP 545W	21.10					
								RS144TP 540W	20.90					
								RS144TP 535W	20.71					
								RS144TP 530W	20.52					
								RS144TP 525W	20.32					
								RS144TP 520W	20.13					

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					9	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RS132TP 505W (505Wp)	RS132TP 515W	21.69	132 (Half Cut Cells)	1500		
								RS132TP 510W	21.48				
								RS132TP 505W	21.27				
								RS132TP 500W	21.06				
								RS132TP 495W	20.85				
					10	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RS132TP 480W (480Wp)	RS132TP 490W	20.64	132 (Half Cut Cells)	1500		
								RS132TP 485W	20.42				
								RS132TP 480W	20.21				
								RS132TP 475W	20.00				
								RS132TP 470W	19.79				
					11	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RS120TP 445W (445Wp)	RS120TP 465W	21.48	120 (Half Cut Cells)	1500		
								RS120TP 460W	21.25				
								RS120TP 455W	21.02				
								RS120TP 450W	20.79				
								RS120TP 445W	20.56				
								RS120TP 440W	20.33				
								RS120TP 435W	20.09				
								RS120TP 430W	19.86				
								RS120TP 425W	19.63				
					12	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	RS108TP 400W (400Wp)	RS108TP 420W	21.51	108 (Half Cut Cells)	1500		
								RS108TP 415W	21.25				
								RS108TP 410W	21.00				
								RS108TP 405W	20.74				
								RS108TP 400W	20.48				
								RS108TP 395W	20.23				
								RS108TP 390W	19.97				
								RS108TP 385W	19.72				

F. No. 283/41/2024-GRID SOLAR

भारत सरकार / Government of India

नवीन और नवीकरणीय ऊर्जा मंत्रालय / Ministry of New & Renewable Energy

ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003.

Dated: 27th March, 2025

OFFICE MEMORANDUM

Sub: Updation of List I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 – Reg.

- Ref:** (i) MNRE's O.M. No. 283/54/2018-GRID SOLAR–Part(1) dated 10.03.2021
(ii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 10.05.2023;
(iii) MNRE's O.M. No. 283/22/2023-GRID SOLAR/Pt dated 22.03.2024;

Reference is invited to this Ministry's O.M.s of even no. dated 10.03.2021, regarding implementation of Approved Models and Manufacturers of Solar Photovoltaic Modules (Requirement for Compulsory Registration) Order, 2019 and publishing List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019.

2. This Ministry vide its O.M. No. 283/22/2023-GRID SOLAR/Pt dated 10.05.2023 and O.M. of even no. dated 22.03.2024 inter-alia directed that only such models of Solar PV Module Manufacturers will be enlisted under ALMM, which comply with the BIS Standards and are having the following minimum module efficiency:

Category	Application/ Use	Minimum Module Efficiency requirement for crystalline-Silicon technology based Solar PV Modules	Minimum Module Efficiency requirement for Cadmium Telluride Thin Film technology based Solar PV Modules
Category I	Utility / Grid Scale Power Plants	20.0%	19.00%
Category II	Rooftop and Solar Pumping	19.5%	18.50%
Category III	Solar Lighting	19.0%	18.00%

3. Post the O.M. dated 10.05.2023 and subsequent O.M. dated 22.03.2024, only such models of Solar PV Modules have been considered for enlistment under ALMM List-I, whose module efficiency is meeting the eligibility criteria as mentioned in table at para-2 above.


4. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 was last updated on 17.02.2025.

5. The List – I (Manufacturers and Models of Solar PV Modules) of ALMM Order, 2019 is hereby further revised and the Revision-XXXVI of same is enclosed at Annexure-I. The details of provisional enlistments granted by MNRE in ALMM List-I are at pages after Annexure-I.

6. The ALMM enlistment validity is subject to valid BIS Registration; else deemed to be delisted.

7. The details of Registration No. (R. No.) which has been allotted by BIS is mentioned against each manufacturer / manufacturing unit enlisted in ALMM and further details related to BIS certification like validity, models included, etc. may be checked from BIS website by using the following link:
https://www.crsbis.in/BIS/Lims_registrationc.do?hmode=getLimsData

8. This issues with the approval of competent authority.



(Sanjay G. Karndhar)
Scientist-E

E-mail: karndhar.sg@nic.in

Encl: as above

To: All Concerned

Copy to: Director (Technical), NIC, MNRE for uploading this document on MNRE's website

List of Manufacturers and Models of Solar PV Modules Enlisted under ALMM Order (As on 27th March 2025)													
S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
1	Emmvee Photovoltaic Power Pvt. Ltd.	#13/1, International Airport Road (Bellary Road), Bettahalasuru Post, Bengaluru-562157, Karnataka	R-62001074	512	i	Mono C-Si PERC Modules	E390M72 (390 Wp)	E385M72	19.20	72 (Full Cells)	1500	10.03.2023	09.03.2027
								E390M72	19.45				
								E395M72	19.70				
					ii	Mono C-Si PERC Modules	E325M60 (325 Wp)	E320M60	19.04	60 (Full Cells)	1500	10.03.2023	09.03.2027
								E325M60	19.34				
								E330M60	19.64				
2	M/s Sova Solar Ltd.	Layout Plot No: 25, E.P.I.P, Banskopa, Durgapur 713212, West Bengal, India.	R-51000590	1297	i	Mono C-Si PERC Modules	SS535144HCMP (535Wp)	SS520144HCMP	20.16	144 (Half-Cut Cells)	1500	10.03.2023	09.03.2027
								SS525144HCMP	20.35				
								SS530144HCMP	20.54				
								SS535144HCMP	20.74				
								SS540144HCMP	20.93				
								SS545144HCMP	21.13				
								SS550144HCMP	21.32				
								SS555144HCMP	21.51				
					ii	Mono C-Si PERC Bifacial Modules	SS535144HCBP (535Wp)	SS520144HCBP	20.16	144 (Half-Cut Cells)	1500	10.03.2023	09.03.2027
								SS525144HCBP	20.35				
								SS530144HCBP	20.54				
								SS535144HCBP	20.74				
								SS540144HCBP	20.93				
								SS545144HCBP	21.13				
								SS550144HCBP	21.32				
								SS555144HCBP	21.51				
					iii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	SS535144HCMP (535Wp)	SS520144HCMP	20.16	144 (Half-Cut Cells)	1500	10.03.2023	09.03.2027
								SS525144HCMP	20.35				
								SS530144HCMP	20.54				
								SS535144HCMP	20.74				
								SS540144HCMP	20.93				
								SS545144HCMP	21.13				
								SS550144HCMP	21.32				
								SS555144HCMP	21.51				
					iv	N-Type TOPCON Modules (Glass to Glass)	SS565144HCGT (565Wp)	SS580144HCGT	22.48	144 (Half Cut Cells)	1500	10.03.2023	09.03.2027
								SS575144HCGT	22.29				
								SS570144HCGT	22.09				
								SS565144HCGT	21.90				
								SS560144HCGT	21.71				
								SS555144HCGT	21.51				
								SS550144HCGT	21.32				
								SS545144HCGT	21.12				
								SS540144HCGT	20.93				
					v	Mono c-Si PERC Modules (Glass to Transparent Backsheet)	SS490132HCMP (490Wp)	SS505132HCMP	21.27	132 (Half Cut Cells)	1500	10.03.2023	09.03.2027
								SS500132HCMP	21.06				
								SS495132HCMP	20.85				
								SS490132HCMP	20.64				
								SS485132HCMP	20.43				
								SS480132HCMP	20.22				
								SS475132HCMP	20.01				
								SS470132HCMP	19.80				
3	M/s Solex Energy Ltd	Plot No. 131/A Phase-1, G.I.D.C, Vitthal Udyognagar, Anand, Gujarat	R-72002577	21	i	Mono C-Si PERC Modules	SESM24375 (375 Wp)	SESM24370	19.04	72 (Full Cells)	1000	10.03.2023	09.03.2027
								SESM24375	19.30				
								SESM24380	19.55				
					ii	Mono C-Si PERC Modules	SE520CM120W320 (320 Wp)	SE520CM120W320	19.21	120 (Half Cells)	1000	10.03.2023	09.03.2027
								SE524CM144W375	19.01				
								SE524CM144W380	19.30				
					iii	Mono C-Si PERC Modules	SE524CM144W380 (380 Wp)	SE524CM144W385	19.51	144 (Half Cells)	1000	10.03.2023	09.03.2027
4	Saatvik Green Energy Pvt. Ltd.	Village Dubli, Tehsil- Barara, Dist- Ambala -133101, Haryana	R-91003670	1740	i	Mono C-Si PERC Modules	SGE 190-36M (190 Wp)	SGE 190-36M	19.11	36 (Full Cells)	1000	10.03.2023	09.03.2027
					ii	Mono C-Si PERC Modules	SGE 255-48M (255 Wp)	SGE 255-48M	19.37	48 (Full Cells)	1000	10.03.2023	09.03.2027

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					iii	Mono C-Si PERC Modules	SGE 285-54M (285 Wp)	SGE 280-54M SGE 285-54M	19.15 19.49	54 (Full Cells)	1000	10.03.2023	09.03.2027
					iv	Mono C-Si PERC Modules	SGE 315-60M (315 Wp)	SGE 310-60M SGE 315-60M	19.08 19.41	60 (Full Cells)	1500	10.03.2023	09.03.2027
					v	Mono C-Si PERC Modules	SGE 375-72M (375 Wp)	SGE 370-72M SGE 375-72M SGE 380-72M	19.09 19.35 19.61	72 (Full Cells)	1500	10.03.2023	09.03.2027
					vi	Mono C-Si PERC Modules	SGE570-156MHC, (570 Wp)	SGE555-156MHC SGE560-156MHC SGE565-156MHC SGE570-156MHC SGE575-156MHC SGE580-156MHC SGE585-156MHC SGE590-156MHC SGE520-144MHC	19.78 19.96 20.14 20.32 20.50 20.67 20.85 21.03 20.13	156 (Half Cut Cells)	1500	10.03.2023	09.03.2027
					vii	Mono C-Si PERC Modules	SGE530-144MHC, (530 Wp)	SGE525-144MHC SGE530-144MHC SGE535-144MHC SGE540-144MHC SGE545-144MHC SGE550-144MHC	20.32 20.52 20.70 20.90 21.10 21.29	144 (Half Cut Cells)	1500	10.03.2023	09.03.2027
					viii	Mono C-Si PERC Modules	SGE485-132MHC, (485 Wp)	SGE470-132MHC SGE475-132MHC SGE480-132MHC SGE485-132MHC SGE490-132MHC SGE495-132MHC SGE500-132MHC	19.78 20.01 20.23 20.41 20.63 20.84 21.05	132 (Half Cut Cells)	1500	10.03.2023	09.03.2027
					ix	Mono C-Si PERC Modules	SGE440-120MHC, (440 Wp)	SGE420-120MHC SGE425-120MHC SGE430-120MHC SGE435-120MHC SGE440-120MHC SGE445-120MHC SGE450-120MHC SGE455-120MHC	19.37 19.60 19.83 20.06 20.29 20.52 20.76 20.99	120 (Half Cut Cells)	1500	10.03.2023	09.03.2027
					x	Mono C-Si PERC Modules	SGE395-108MHC, (395 Wp)	SGE380-108MHC SGE385-108MHC SGE390-108MHC SGE395-108MHC SGE400-108MHC SGE405-108MHC SGE410-108MHC	19.44 19.69 19.95 20.20 20.46 20.71 20.98	108 (Half Cut Cells)	1500	10.03.2023	09.03.2027
					xi	Mono C-Si PERC Modules	SGE 395-72M, (395 Wp)	SGE 385-72M SGE 390-72M SGE 395-72M SGE 400-72M	19.22 19.47 19.72 19.97	72 (Full Cell)	1500	10.03.2023	09.03.2027
					xii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	SGE535-144MBHC (535 Wp)	SGE525-144MBHC SGE530-144MBHC SGE535-144MBHC SGE540-144MBHC SGE545-144MBHC SGE550-144MBHC	20.32 20.52 20.71 20.90 21.10 21.29	144 (Half Cut Cells)	1500	10.03.2023	09.03.2027
					xiii	Bifacial N Type TOPCon Module	SGE425-108TGG (425 Wp)	SGE410-108TGG SGE415-108TGG SGE420-108TGG SGE425-108TGG SGE430-108TGG SGE435-108TGG SGE440-108TGG SGE460-120TGG SGE465-120TGG SGE470-120TGG	20.97 21.22 21.48 21.74 21.99 22.25 22.51 21.21 21.46 21.68	108 (Half Cut Cells)	1500	10.03.2023	09.03.2027
							SGE475-120TGG						

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xiv	Bifacial N Type TOPCon Module	SGE475-120TGG (475 Wp)	SGE475-120TGG	21.91	120 (Half Cut Cells)	1500	10.03.2023	09.03.2027
								SGE480-120TGG	22.14				
								SGE485-120TGG	22.37				
								SGE490-120TGG	22.60				
					xv	Bifacial N Type TOPCon Module	SGE520-132TGG (520 Wp)	SGE510-132TGG	21.46	132 (Half Cut Cells)	1500	10.03.2023	09.03.2027
								SGE515-132TGG	21.67				
								SGE520-132TGG	21.88				
								SGE525-132TGG	22.09				
								SGE530-132TGG	22.30				
								SGE535-132TGG	22.51				
					xvi	Bifacial N Type TOPCon Module	SGE575-144TGG (575 Wp)	SGE560-144TGG	21.68	144 (Half Cut Cells)	1500	10.03.2023	09.03.2027
								SGE565-144TGG	21.87				
								SGE570-144TGG	22.06				
								SGE575-144TGG	22.26				
								SGE580-144TGG	22.45				
								SGE585-144TGG	22.64				
					xvii	Bifacial N Type TOPCon Module	SGE615-156TGG (615 Wp)	SGE590-144TGG	22.84	156 (Half Cut Cells)	1500	10.03.2023	09.03.2027
								SGE600-156TGG	21.47				
								SGE605-156TGG	21.65				
								SGE610-156TGG	21.83				
								SGE615-156TGG	22.01				
								SGE620-156TGG	22.19				
					xviii	Mono c-Si PERC Module	SGE500-144 MHC (500 Wp)	SGE625-156TGG	22.37	144 (Half Cut Cells)	1500	10.03.2023	09.03.2027
					xix	Mono c-Si PERC Modules	SGE555-144MHC (555 Wp)	SGE500-144 MHC	19.35	144 (Half Cut Cells)	1500	10.03.2023	09.03.2027
					5	Navitas Green Solutions Pvt. Ltd.	Plot No. B-20/3, Road No. 13, 14, Palsana-Baleshwar Rd, Hoziwala Industrial Estate, Sachin, Surat-394230, Gujarat	R-72003140	250	i	Mono C-Si PERC Modules	NSM375 (375 Wp)	SGE555-144MHC
NSM370	19.07	72 (Full Cells)	1500	10.03.2023									09.03.2027
NSM375	19.33												
NSM380	19.58												
ii	Mono C-Si PERC Modules	NSM320-60 (320 Wp)	NSM310-60	19.09						60 (Full Cells)	1500	10.03.2023	09.03.2027
			NSM315-60	19.40									
			NSM320-60	19.71									
			NSM325-60	20.02									
			NSM330-60	20.33									
iii	Mono C-Si PERC Modules	NSM350-66 (350 Wp)	NSM340-66	19.03						66 (Full Cells)	1500	10.03.2023	09.03.2027
			NSM345-66	19.31									
			NSM350-66	19.59									
			NSM355-66	19.87									
iv	Mono PERC C-Si Module	NSM580-156 (580 Wp)	NSM570-156	20.39						156 (Half Cut Cells)	1500	10.03.2023	09.03.2027
			NSM575-156	20.57									
			NSM580-156	20.74									
			NSM585-156	20.92									
v	Mono PERC C-Si Module	NSM540-144 (540 Wp)	NSM525-144	20.32						144 (Half Cut Cells)	1500	10.03.2023	09.03.2027
			NSM530-144	20.51									
			NSM535-144	20.71									
			NSM540-144	20.90									
			NSM545-144	21.09									
			NSM550-144	21.29									
			NSM555-144	21.48									
vi	Mono PERC C-Si Module	NSM500-132 (500 Wp)	NSM560-144	21.67						132 (Half Cut Cells)	1500	10.03.2023	09.03.2027
			NSM480-132	20.21									
			NSM485-132	20.42									
			NSM490-132	20.64									
			NSM495-132	20.85									
vii	Mono PERC C-Si Module	NSM445-120 (445 Wp)	NSM500-132	21.06						120 (Half Cut Cells)	1500	10.03.2023	09.03.2027
			NSM435-120	20.09									
			NSM440-120	20.33									
			NSM445-120	20.56									
			NSM450-120	20.79									
viii	Mono PERC C-Si Module	NSM400-108 (400 Wp)	NSM455-120	21.02						108 (Half Cut Cells)	1500	10.03.2023	09.03.2027
			NSM390-108	19.96									
			NSM395-108	20.21									
			NSM400-108	20.47									
			NSM405-108	20.72									

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					ix	Mono PERC C-Si Module	NSM360-96 (360 Wp)	NSM410-108	20.98	96 (Half Cut Cells)	1500	10.03.2023	09.03.2027
								NSM350-96	20.06				
								NSM355-96	20.35				
								NSM360-96	20.64				
					x	Mono PERC C-Si Module	NSM270-72 (270 Wp)	NSM365-96	20.92	72 (Half Cut Cells)	1500	10.03.2023	09.03.2027
								NSM260-72	19.62				
								NSM265-72	20.00				
								NSM270-72	20.38				
					xi	Mono PERC C-Si Module	NSM470-156 (470 Wp)	NSM275-72	20.76	156 (Half Cut Cells)	1500	10.03.2023	09.03.2027
								NSM460-156	19.65				
								NSM465-156	19.86				
								NSM470-156	20.07				
								NSM475-156	20.29				
								NSM480-156	20.50				
								NSM485-156	20.72				
					xii	Mono PERC C-Si Module	NSM450-144 (450 Wp)	NSM435-144	20.08	144 (Half Cut Cells)	1500	10.03.2023	09.03.2027
								NSM440-144	20.32				
								NSM445-144	20.78				
								NSM450-144	20.55				
								NSM455-144	21.01				
								NSM460-144	21.64				
								NSM465-144	21.47				
					xiii	Mono PERC C-Si Module	NSM405-132 (405 Wp)	NSM395-132	19.85	132 (Half Cut Cells)	1500	10.03.2023	09.03.2027
								NSM400-132	20.10				
								NSM405-132	20.35				
								NSM410-132	20.60				
								NSM415-132	20.85				
					xiv	Mono PERC C-Si Module	NSM370-120 (370 Wp)	NSM360-120	19.84	120 (Half Cut Cells)	1500	10.03.2023	09.03.2027
								NSM365-120	20.11				
								NSM370-120	20.39				
								NSM375-120	20.66				
					xv	Mono PERC C-Si Module	NSM330-108 (330 Wp)	NSM320-108	19.52	108 (Half Cut Cells)	1500	10.03.2023	09.03.2027
								NSM325-108	19.82				
								NSM330-108	20.13				
								NSM335-108	20.43				
					xvi	Mono PERC C-Si Module	NSM290-96 (290 Wp)	NSM340-108	20.74	96 (Half Cut Cells)	1500	10.03.2023	09.03.2027
								NSM285-96	19.47				
								NSM290-96	19.81				
								NSM295-96	20.15				
					xvii	Mono PERC C-Si Module	NSM220-72 (220 Wp)	NSM300-96	20.49	72 (Half Cut Cells)	1500	10.03.2023	09.03.2027
								NSM215-72	19.32				
								NSM220-72	19.77				
								NSM225-72	20.22				
					xviii	Mono PERC C-Si Module	NSM395 (395 Wp)	NSM385	19.40	72 (Full Cells)	1500	10.03.2023	09.03.2027
								NSM390	19.65				
								NSM395	19.90				
								NSM400	20.15				
					xix	Mono PERC C-Si Module	NSM-WBPR64 - MIO-160(160Wp)	NSM-WBPR64 - MIO-160	19.82	64 (Half Cut Cells)	1000	10.03.2023	09.03.2027
					xx	Mono PERC C-Si Module	NSM-WBPR60 - MIO-225(225Wp)	NSM-WBPR60 - MIO-225	20.28	60 (Half Cut Cells)	1000		
					xxi	Mono PERC C-Si Module	NSM-WBPR56 - MIO-210(210Wp)	NSM-WBPR56 - MIO-210	20.26	56(Half Cut Cells)	1000		
					xxii	Mono PERC C-Si Module	NSM-WBPR52 - MIO-200(200Wp)	NSM-WBPR52 - MIO-200	20.72	52 (Half Cut Cells)	1000		
					xxiii	Mono PERC C-Si Module	NSM-WBPR48 - MIO-180(180Wp)	NSM-WBPR48 - MIO-180	20.13	48 (Half Cut Cells)	1000		
					xxiv	Mono PERC C-Si Module	NSM-WBPR44 - MIO-110(110Wp)	NSM-WBPR44 - MIO-110	19.38	44 (Half Cut Cells)	1000		
					xxv	Mono PERC C-Si Module	NSM-WBPR44 - MIO-165(165Wp)	NSM-WBPR44 - MIO-160	20.05	44 (Half Cut Cells)	1000		
					xxvi	Mono PERC C-Si Module	NSM-WBPR40 - MIO-150(150Wp)	NSM-WBPR40 - MIO-150	19.95	40 (Half Cut Cells)	1000		
					xxvii	Mono PERC C-Si Module	NSM-WBPR36 - MIO-90(90Wp)	NSM-WBPR36 - MIO-90	19.07	36 (Half Cut Cells)	1000		
					xxviii	Mono PERC C-Si Module	NSM-WBPR36 - MIO-135(135Wp)	NSM-WBPR36 - MIO-135	19.83	36 (Half Cut Cells)	1000		
					xxix	Mono PERC C-Si Module	NSM-WBPR32 - MIO-120(120Wp)	NSM-WBPR32 - MIO-120	19.68	32 (Half Cut Cells)	1000		
6	Jakson Engineers Ltd.	Plot No-25, Ecotech-III, Udyog Kendra, Greater NOIDA-201306, Gautam Budha Nagar, Uttar Pradesh, India.	R-93005959	1162	i	Mono C-Si PERC Modules	JH-440M, (440Wp)	JH-420M	19.26	120 (Half-Cut Cells)	1500	17.08.2023	16.08.2027
								JH-425M	19.49				
								JH-430M	19.71				
								JH-435M	19.94				
								JH-440M	20.17				
								JH-445M	20.40				
								JH-450M	20.63				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								JH-455M	20.86	132 (Half-Cut Cells)	1500	17.08.2023	16.08.2027
					ii	Mono C-Si PERC Modules	JH-490M, (490Wp)	JH-460M	21.09				
								JH-470M	19.66				
								JH-475M	19.87				
								JH-480M	20.08				
								JH-485M	20.29				
								JH-490M	20.50				
								JH-495M	20.71				
								JH-500M	20.92				
								JH-505M	21.13				
					iii	Mono C-Si PERC Modules	JH-535M, (535Wp)	JH-510M	21.34	144 (Half-Cut Cells)	1500	17.08.2023	16.08.2027
								JH-515M	19.85				
								JH-520M	20.04				
								JH-525M	20.23				
								JH-530M	20.43				
								JH-535M	20.62				
								JH-540M	20.81				
								JH-545M	21.00				
								JH-550M	21.20				
								JH-555M	21.39				
					iv	Mono C-Si PERC Modules	JH-580M, (580Wp)	JH-580M	20.67	156 (Half-Cut Cells)	1500	17.08.2023	16.08.2027
								JH-585M	20.85				
								JH-590M	21.03				
								JH-595M	21.21				
								JH-600M	21.38				
					v	Mono C-Si PERC Modules	JP-H395M, (385Wp-405Wp)	JP-H385M	19.37	72 (Full Cells)	1500	17.08.2023	16.08.2027
								JP-H390M	19.62				
								JP-H395M	19.87				
								JP-H400M	20.12				
								JP-H405M	20.37				
					vi	Mono C-Si PERC Modules	JH-400M, (400Wp)	JH-380M	19.28	108 (Half-Cut Cells)	1500	17.08.2023	16.08.2027
								JH-385M	19.53				
								JH-390M	19.79				
								JH-395M	20.04				
								JH-400M	20.29				
								JH-405M	20.55				
								JH-410M	20.88				
								JH-415M	21.06				
					vii	Mono c-Si Bifacial PERC Module	JH-400BB	JH-380BB	19.48	108 (Half Cut Cells)	1500	17.08.2023	16.08.2027
								JH-385BB	19.73				
								JH-390BB	19.99				
								JH-395BB	20.25				
								JH-400BB	20.50				
								JH-405BB	20.76				
								JH-410BB	21.01				
								JH-415BB	21.27				
					viii	Mono c-Si Bifacial PERC Module	JH-440BB	JH-420BB	19.39	120 (Half Cut Cells)	1500	17.08.2023	16.08.2027
								JH-425BB	19.62				
								JH-430BB	19.85				
								JH-435BB	20.08				
								JH-440BB	20.31				
								JH-445BB	20.54				
								JH-450BB	20.77				
								JH-455BB	21.00				
								JH-460BB	21.23				
					ix	Mono c-Si Bifacial PERC Module	JH-490BB	JH-475BB	20.02	132 (Half Cut Cells)	1500	17.08.2023	16.08.2027
								JH-480BB	20.23				
								JH-485BB	20.44				
								JH-490BB	20.65				
								JH-495BB	20.86				
								JH-500BB	21.07				
								JH-505BB	21.29				
								JH-510BB	21.50				
								JH-515BB	21.71				
								JH-520BB	20.15				
								JH-525BB	20.34				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity								
												From	To (subject to valid BIS Registration; else deeeemd to be delisted)							
								JH-530BB	20.53	144 (Half Cut Cells)	1500	17.08.2023	16.08.2027							
								JH-535BB	20.73											
								JH-540BB	20.92											
								JH-545BB	21.11											
								JH-550BB	21.31											
								JH-555BB	21.50											
								xi	Mono c-Si Bifacial PERC Module					JH-400BT	JH-380BT	19.48	108 (Half Cut Cells)	1500	17.08.2023	16.08.2027
															JH-385BT	19.73				
															JH-390BT	19.99				
															JH-395BT	20.25				
															JH-400BT	20.50				
															JH-405BT	20.76				
															JH-410BT	21.01				
															JH-415BT	21.27				
															JH-420BT	19.39				
															JH-425BT	19.62				
								xii	Mono c-Si Bifacial PERC Module					JH-440BT	JH-430BT	19.85	120 (Half Cut Cells)	1500	17.08.2023	16.08.2027
															JH-435BT	20.08				
															JH-440BT	20.31				
															JH-445BT	20.54				
															JH-450BT	20.77				
															JH-455BT	21.00				
															JH-460BT	21.23				
															JH-475BT	20.02				
															JH-480BT	20.23				
															JH-485BT	20.44				
								xiii	Mono c-Si Bifacial PERC Module					JH-490BT	JH-490BT	20.65	132 (Half Cut Cells)	1500	17.08.2023	16.08.2027
															JH-495BT	20.86				
															JH-500BT	21.07				
															JH-505BT	21.29				
															JH-510BT	21.50				
															JH-515BT	21.71				
															JH-520BT	20.15				
															JH-525BT	20.34				
															JH-530BT	20.53				
								xiv	Mono c-Si Bifacial PERC Module					JH-535BT	JH-535BT	20.73	144 (Half Cut Cells)	1500	17.08.2023	16.08.2027
															JH-540BT	20.92				
															JH-545BT	21.11				
															JH-550BT	21.31				
															JH-555BT	21.50				
															JH-380BW	19.48				
															JH-385BW	19.73				
								xv	Mono c-Si Bifacial PERC Module					JH-400BW	JH-390BW	19.99	108 (Half Cut Cells)	1500	17.08.2023	16.08.2027
															JH-395BW	20.25				
															JH-400BW	20.50				
															JH-405BW	20.76				
															JH-410BW	21.01				
															JH-415BW	21.27				
															JH-420BW	19.39				
								xvi	Mono c-Si Bifacial PERC Module					JH-440BW	JH-425BW	19.62	120 (Half Cut Cells)	1500	17.08.2023	16.08.2027
															JH-430BW	19.85				
															JH-435BW	20.08				
															JH-440BW	20.31				
															JH-445BW	20.54				
															JH-450BW	20.77				
															JH-455BW	21.00				
															JH-460BW	21.23				
															JH-475BW	20.02				
															JH-480BW	20.23				
								xvii	Mono c-Si Bifacial PERC Module					JH-490BW	JH-485BW	20.44	132 (Half Cut Cells)	1500	17.08.2023	16.08.2027
															JH-490BW	20.65				
															JH-495BW	20.86				
															JH-500BW	21.07				
															JH-505BW	21.29				
															JH-510BW	21.50				
															JH-515BW	21.71				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xviii	Mono c-Si Bifacial PERC Module	JH-535BW	JH-520BW	20.15	144 (Half Cut Cells)	1500	17.08.2023	16.08.2027
								JH-525BW	20.34				
								JH-530BW	20.53				
								JH-535BW	20.73				
								JH-540BW	20.92				
								JH-545BW	21.11				
								JH-550BW	21.31				
								JH-555BW	21.50				
					xix	N-Type TOPCon Module (Glass to Transparent Backsheet)	JN-420BT (420 Wp)	JN-400BT	20.50	108 (Half Cut Cells)	1500	17.08.2023	16.08.2027
								JN-405BT	20.76				
								JN-410BT	21.01				
								JN-415BT	21.27				
								JN-420BT	21.53				
								JN-425BT	21.78				
								JN-430BT	22.04				
								JN-435BT	22.29				
								JN-440BT	22.55				
								JN-445BT	20.54	120 (Half Cut Cells)	1500	17.08.2023	16.08.2027
					xx	N-Type TOPCon Module (Glass to Transparent Backsheet)	JN-470BT (470 Wp)	JN-450BT	20.77				
								JN-455BT	21.00				
								JN-460BT	21.23				
								JN-465BT	21.46				
								JN-470BT	21.70				
								JN-475BT	21.93				
								JN-480BT	22.16				
								JN-485BT	22.39				
								JN-490BT	22.62				
					xxi	N-Type TOPCon Module (Glass to Transparent Backsheet)	JN-520BT (520 Wp)	JN-495BT	20.86	132 (Half Cut cells)	1500	17.08.2023	16.08.2027
								JN-500BT	21.07				
								JN-505BT	21.28				
								JN-510BT	21.50				
								JN-515BT	21.71				
								JN-520BT	21.92				
								JN-525BT	22.13				
								JN-530BT	22.34				
								JN-535BT	22.55				
					xxii	N-Type TOPCon Module (Glass to Transparent Backsheet)	JN-570BT (570 Wp)	JN-540BT	22.76	144 (Half Cut Cells)	1500	17.08.2023	16.08.2027
								JN-545BT	21.12				
								JN-550BT	21.31				
								JN-555BT	21.50				
								JN-560BT	21.70				
								JN-565BT	21.89				
								JN-570BT	22.08				
								JN-575BT	22.28				
								JN-580BT	22.47				
								JN-585BT	22.66				
					xxiii	N-Type TOPCon Module (Glass to Glass)	JN-420G (420 Wp)	JN-590BT	22.86	108 (Half Cut Cells)	1500	17.08.2023	16.08.2027
								JN-400G	20.50				
								JN-405G	20.76				
								JN-410G	21.01				
								JN-415G	21.27				
								JN-420G	21.53				
								JN-425G	21.78				
								JN-430G	22.04				
								JN-435G	22.29				
					xxiv	N-Type TOPCon Module (Glass to Glass)	JN-470G (470 Wp)	JN-445G	20.54	120 (Half Cut Cells)	1500	17.08.2023	16.08.2027
								JN-450G	20.77				
								JN-455G	21.00				
								JN-460G	21.23				
								JN-465G	21.46				
								JN-470G	21.70				
								JN-475G	21.93				
								JN-480G	22.16				
								JN-485G	22.39				
								JN-495G	20.86				
								JN-500G	21.07				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xxv	N-Type TOPCon Module (Glass to Glass)	JN-520G (520 Wp)	JN-505G	21.28	132 (Half Cut cells)	1500	17.08.2023	16.08.2027
								JN-510G	21.50				
								JN-515G	21.71				
								JN-520G	21.92				
								JN-525G	22.13				
								JN-530G	22.34				
					xxvi	N-Type TOPCon Module (Glass to Glass)	JN-570G (570 Wp)	JN-545G	21.12	144 (Half Cut Cells)	1500	17.08.2023	16.08.2027
								JN-550G	21.31				
								JN-555G	21.50				
								JN-560G	21.70				
								JN-565G	21.89				
								JN-570G	22.08				
								JN-575G	22.28				
								JN-580G	22.47				
7	Insolation Energy Pvt. Ltd	Khasra No 766/2, VIII-Bagwara, Teh-Amer Jaipur, Rajasthan	R-84002330	174	i	Mono c-Si PERC Module	INA72MP375	INA72MP375	19.23	72 (Full Cells)	1500	29.09.2023	28.09.2027
					ii	Mono c-Si PERC Module	INA72MP385	INA72MP395	19.80	72 (Full Cells)	1500	29.09.2023	28.09.2027
								INA72MP390	19.55				
								INA72MP385	19.30				
8	Gautam Solar Pvt. Ltd.	Plot No-67-70, Sector-8A IIE, Sidcul Haridwar- 249403, Uttarakhand	R-83006041	710	i	Mono c-Si PERC Modules	G2XBifacial1767-HAE (590 Wp) 595Wp)	INA72MP380	19.05	156 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2XBifacial1734-HAE	20.20				
								G2XBifacial1741-HAE	20.38				
								G2XBifacial1747-HAE	20.56				
								G2XBifacial1754-HAE	20.74				
								G2XBifacial1760-HAE	20.92				
					ii	Mono c-Si PERC Modules	G2XBifacial1695-HAD (535 Wp) (510Wp-550Wp)	G2XBifacial1767-HAE	21.10	144 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2XBifacial1773-HAE	21.28				
								G2XBifacial1663-HAD	19.74				
								G2XBifacial1669-HAD	19.94				
								G2XBifacial1676-HAD	20.13				
								G2XBifacial1682-HAD	20.32				
								G2XBifacial1689-HAD	20.52				
								G2XBifacial1695-HAD	20.71				
								G2XBifacial1702-HAD	20.90				
								G2XBifacial1708-HAD	21.10				
					iii	Mono c-Si PERC Modules	G2XBifacial1643-HAB (495 Wp) (485Wp-505Wp)	G2XBifacial1715-HAD	21.29	132 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2XBifacial1656-HAB	21.13				
								G2XBifacial1650-HAB	20.92				
								G2XBifacial1643-HAB	20.71				
					iv	Mono c-Si PERC Modules	G2XBifacial1585-HAA (450 Wp) (440Wp-460Wp)	G2XBifacial1637-HAB	20.50	120 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2XBifacial1630-HAB	20.29				
								G2XBifacial1598-HAA	21.09				
								G2XBifacial1591-HAA	20.87				
								G2XBifacial1585-HAA	20.64				
								G2XBifacial1578-HAA	20.41				
					v	Mono c-Si PERC Modules	G2XBifacial1526-HAY (405 Wp) (390Wp-415Wp)	G2XBifacial1572-HAA	20.18	108 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2XBifacial1539-HAY	21.06				
								G2XBifacial1533-HAY	20.80				
								G2XBifacial1526-HAY	20.55				
								G2XBifacial1520-HAY	20.30				
					vi	Mono c-Si PERC Modules	G2XBifacial1468-HAX (360 Wp) (365Wp-350Wp)	G2XBifacial1507-HAY	19.79	96 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2XBifacial1474-HAX	20.71				
								G2XBifacial1468-HAX	20.43				
								G2XBifacial1461-HAX	20.14				
								G2XBifacial1455-HAX	19.86				
					vii	Mono c-Si PERC Modules	G2X590-HAE (590 Wp)	G2X565-HAE	20.20	156 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2X570-HAE	20.38				
								G2X575-HAE	20.56				
								G2X580-HAE	20.74				
								G2X585-HAE	20.92				
								G2X590-HAE	21.10				
								G2X595-HAE	21.28				
								G2X510-HAD	19.74				
								G2X515-HAD	19.94				
								G2X520-HAD	20.13				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					viii	Mono c-Si PERC Modules	G2X530-HAD (530 Wp)	G2X525-HAD	20.32	144 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2X530-HAD	20.52				
								G2X535-HAD	20.71				
								G2X540-HAD	20.90				
								G2X545-HAD	21.10				
					ix	Mono c-Si PERC Modules	G2X495-HAB (495 Wp)	G2X550-HAD	21.29	132 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2X505-HAB	21.13				
								G2X500-HAB	20.92				
								G2X495-HAB	20.71				
								G2X490-HAB	20.50				
					x	Mono c-Si PERC Modules	G2X450-HAA (450 Wp)	G2X485-HAB	20.29	120 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2X460-HAA	21.09				
								G2X455-HAA	20.87				
								G2X450-HAA	20.64				
								G2X445-HAA	20.41				
					xi	Mono c-Si PERC Modules	G2X405-HAY (405 Wp)	G2X440-HAA	20.18	108 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2X415-HAY	21.06				
								G2X410-HAY	20.80				
								G2X405-HAY	20.55				
								G2X400-HAY	20.30				
					xii	Mono c-Si PERC Modules	G2X360-HAX (360 Wp)	G2X390-HAY	19.79	96 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2X365-HAX	20.71				
								G2X360-HAX	20.43				
								G2X355-HAX	20.14				
								G2X350-HAX	19.86				
					xiii	Mono c-Si PERC Modules	GS-420-AAA (420 Wp)	G2X350-HAX	19.86	78 (Full Cells)	1500	29.09.2023	28.09.2027
								GS-410-AAA	19.03				
								GS-415-AAA	19.26				
								GS-420-AAA	19.49				
								GS-425-AAA	19.72				
					xiv	Mono c-Si PERC Modules	GS-400-AAB (400 Wp)	GS-430-AAA	19.95	72 (Full Cells)	1500	29.09.2023	28.09.2027
								GS-380-AAB	19.13				
								GS-385-AAB	19.39				
								GS-390-AAB	19.64				
								GS-395-AAB	19.89				
					xv	Mono c-Si PERC Modules	GS-360-AAC (360 Wp)	GS-405-AAB	20.14	66 (Full Cells)	1500	29.09.2023	28.09.2027
								GS-405-AAB	20.39				
								GS-410-AAB	20.64				
								GS-415-AAB	20.90				
								GS-420-AAB	21.15				
					xvi	Mono c-Si PERC Modules	GS-330-AAD (330 Wp)	GS-350-AAC	19.13	60 (Full Cells)	1500	29.09.2023	28.09.2027
								GS-355-AAC	19.40				
								GS-360-AAC	19.67				
								GS-365-AAC	19.95				
								GS-320-AAD	19.16				
					xvii	Mono c-Si PERC Modules	GS-295-AAE (295 Wp)	GS-325-AAD	19.46	54 (Full Cells)	1500	29.09.2023	28.09.2027
								GS-330-AAD	19.76				
								GS-335-AAD	20.06				
								GS-290-AAE	19.21				
								GS-295-AAE	19.54				
					xviii	Mono c-Si PERC Modules	GS-260-AAF (260 Wp)	GS-300-AAE	19.87	48 (Full Cells)	1500	29.09.2023	28.09.2027
								GS-260-AAF	19.26				
								GS-265-AAF	19.63				
								GS-230-AAG	19.33				
					xix	Mono c-Si PERC Modules	GS-200-AAH (200 Wp)	GS-195-AAH	19.26	36 (Full Cells)	1500	29.09.2023	28.09.2027
								GS-200-AAH	19.75				
								GS-205-AAH	20.25				
								GS-210-AAH	20.74				
								G2X590-HAD	22.82				
								G2X1767-UHAD	22.78				
								G2X588-HAD	22.74				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xxi	N-Type TOPCon Module	G2X575-HAD (575Wp) (551Wp-590Wp)	G2X587-HAD	22.70	144 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2X1758T-UHAD	22.66				
								G2X585-HAD	22.63				
								G2X1752-UHAD	22.59				
								G2X583-HAD	22.55				
								G2X582-HAD	22.51				
								G2X1743T-UHAD	22.47				
								G2X580-HAD	22.43				
								G2X1737-UHAD	22.39				
								G2X578-HAD	22.36				
								G2X577-HAD	22.32				
								G2X1728T-UHAD	22.28				
								G2X575-HAD	22.24				
								G2X1722-UHAD	22.20				
								G2X573-HAD	22.16				
								G2X572-HAD	22.12				
								G2X1713T-UHAD	22.08				
								G2X570-HAD	22.05				
								G2X1707-UHAD	22.01				
								G2X568-HAD	21.97				
								G2X567-HAD	21.93				
								G2X1698T-UHAD	21.89				
								G2X565-HAD	21.85				
								G2X1692-UHAD	21.81				
								G2X563-HAD	21.78				
								G2X562-HAD	21.74				
								G2X1683T-UHAD	21.70				
								G2X560-HAD	21.66				
								G2X1677-UHAD	21.62				
								G2X558-HAD	21.58				
								G2X557-HAD	21.54				
								G2X1668T-UHAD	21.50				
								G2X555-HAD	21.47				
								G2X1662-UHAD	21.43				
								G2X553-HAD	21.39				
								G2X552-HAD	21.35				
								G2X1653T-UHAD	21.31				
					xxii	N-Type TOPCon Module	G2X480-HAA (480 Wp) (461Wp-495Wp)	G2X495-HAA	22.70	120 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2X1482-UHAA	22.65				
								G2X493-HAA	22.61				
								G2X492-HAA	22.56				
								G2X1473T-UHAA	22.52				
								G2X490-HAA	22.47				
								G2X1467-UHAA	22.42				
								G2X488-HAA	22.38				
								G2X487-HAA	22.33				
								G2X1458T-UHAA	22.29				
								G2X485-HAA	22.24				
								G2X1452-UHAA	22.19				
								G2X483-HAA	22.15				
								G2X482-HAA	22.10				
								G2X1443T-UHAA	22.06				
								G2X480-HAA	22.01				
								G2X1437-UHAA	21.97				
								G2X478-HAA	21.92				
								G2X477-HAA	21.87				
								G2X1428T-UHAA	21.83				
								G2X475-HAA	21.78				
								G2X1422-UHAA	21.74				
								G2X473-HAA	21.69				
								G2X472-HAA	21.64				
								G2X1413T-UHAA	21.60				
								G2X470-HAA	21.55				
								G2X1407-UHAA	21.51				
								G2X468-HAA	21.46				
								G2X467-HAA	21.42				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								G2X1398T-UHAA	21.37				
								G2X465-HAA	21.32				
								G2X1392-UHAA	21.28				
								G2X463-HAA	21.23				
								G2X462-HAA	21.19				
								G2X1383T-UHAA	21.14				
					xxiii	N-Type TOPCon Module	G2X430-HAY (430 Wp) (416Wp-450Wp)	G2X450-HAY	22.83	108 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2X1347-UHAY	22.78				
								G2X448-HAY	22.73				
								G2X447-HAY	22.68				
								G2X1338T-UHAY	22.63				
								G2X445-HAY	22.58				
								G2X1332-UHAY	22.53				
								G2X443-HAY	22.48				
								G2X442-HAY	22.43				
								G2X1323T-UHAY	22.38				
								G2X440-HAY	22.32				
								G2X1317-UHAY	22.27				
								G2X438-HAY	22.22				
								G2X437-HAY	22.17				
								G2X1308T-UHAY	22.12				
								G2X435-HAY	22.07				
								G2X1302-UHAY	22.02				
								G2X433-HAY	21.97				
								G2X432-HAY	21.92				
								G2X1293T-UHAY	21.87				
								G2X430-HAY	21.82				
								G2X1287-UHAY	21.77				
								G2X428-HAY	21.72				
								G2X427-HAY	21.67				
								G2X1278T-UHAY	21.61				
								G2X425-HAY	21.56				
								G2X1272-UHAY	21.51				
								G2X423-HAY	21.46				
								G2X422-HAY	21.41				
								G2X1263T-UHAY	21.36				
								G2X420-HAY	21.31				
								G2X1257-UHAY	21.26				
								G2X418-HAY	21.21				
								G2X417-HAY	21.16				
								G2X1248T-UHAY	21.11				
					xxiv	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1740-HAD (580Wp) (567Wp - 590Wp)	G2G1770-HAD	22.82	144 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2G1767-UHAD	22.78				
								G2G1764N-UHAD	22.74				
								G2G1761B-UHAD	22.70				
								G2G1758NB-UHAD	22.66				
								G2G1755-HAD	22.63				
								G2G1752-UHAD	22.59				
								G2G1749N-UHAD	22.55				
								G2G1746B-UHAD	22.51				
								G2G1743NB-UHAD	22.47				
								G2G1740-HAD	22.43				
								G2G1737-UHAD	22.39				
								G2G1734N-UHAD	22.36				
								G2G1731B-UHAD	22.32				
								G2G1728NB-UHAD	22.28				
								G2G1725-HAD	22.24				
								G2G1722-UHAD	22.20				
								G2G1719N-UHAD	22.16				
								G2G1716B-UHAD	22.12				
								G2G1713NB-UHAD	22.08				
								G2G1710-HAD	22.05				
								G2G1707-UHAD	22.01				
								G2G1704N-UHAD	21.97				
								G2G1701B-UHAD	21.93				
								G2G1635-HAB	22.80				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xxv	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1560-HAB (520Wp) (496Wp - 545Wp)	G2G1632-UHAB	22.76	132 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2G1629N-UHAB	22.72				
								G2G1626B-UHAB	22.67				
								G2G1623NB-UHAB	22.63				
								G2G1620-HAB	22.59				
								G2G1617-UHAB	22.55				
								G2G1614N-UHAB	22.51				
								G2G1611B-UHAB	22.46				
								G2G1608NB-UHAB	22.42				
								G2G1605-HAB	22.38				
								G2G1602-UHAB	22.34				
								G2G1599N-UHAB	22.30				
								G2G1596B-UHAB	22.26				
								G2G1593NB-UHAB	22.21				
								G2G1590-HAB	22.17				
								G2G1587-UHAB	22.13				
								G2G1584N-UHAB	22.09				
								G2G1581B-UHAB	22.05				
								G2G1578NB-UHAB	22.00				
								G2G1575-HAB	21.96				
								G2G1572-UHAB	21.92				
								G2G1569N-UHAB	21.88				
								G2G1566B-UHAB	21.84				
								G2G1563NB-UHAB	21.79				
								G2G1560-HAB	21.75				
								G2G1557-UHAB	21.71				
								G2G1554N-UHAB	21.67				
								G2G1551B-UHAB	21.63				
								G2G1548NB-UHAB	21.59				
								G2G1545-HAB	21.54				
								G2G1542-UHAB	21.50				
								G2G1539N-UHAB	21.46				
								G2G1536B-UHAB	21.42				
								G2G1533NB-UHAB	21.38				
								G2G1530-HAB	21.33				
								G2G1527-UHAB	21.29				
								G2G1524N-UHAB	21.25				
								G2G1521B-UHAB	21.21				
								G2G1518NB-UHAB	21.17				
								G2G1515-HAB	21.13				
								G2G1512-UHAB	21.08				
								G2G1509N-UHAB	21.04				
								G2G1506B-UHAB	21.00				
								G2G1503NB-UHAB	20.96				
								G2G1500-HAB	20.92				
								G2G1497-UHAB	20.87				
								G2G1494N-UHAB	20.83				
								G2G1491B-UHAB	20.79				
								G2G1488NB-UHAB	20.75				
					xxvi	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1470-HAB (490Wp) (470Wp - 495Wp)	G2G1485-HAB	20.71	132 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2G1482-UHAB	20.67				
								G2G1479N-UHAB	20.62				
								G2G1476B-UHAB	20.58				
								G2G1473NB-UHAB	20.54				
								G2G1470-HAB	20.50				
								G2G1467-UHAB	20.46				
								G2G1464N-UHAB	20.41				
								G2G1461B-UHAB	20.37				
								G2G1458NB-UHAB	20.33				
								G2G1455-HAB	20.29				
								G2G1452-UHAB	20.25				
								G2G1449N-UHAB	20.21				
								G2G1446B-UHAB	20.16				
								G2G1443NB-UHAB	20.12				
								G2G1440-HAB	20.08				
								G2G1425-HAB	19.87				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xxvii	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1422-UHAA (474Wp) (451Wp - 495Wp)	G2G1410-HAB	19.66	120 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2G1485-HAA	22.70				
								G2G1482-UHAA	22.65				
								G2G1479N-UHAA	22.61				
								G2G1476B-UHAA	22.56				
								G2G1473NB-UHAA	22.52				
								G2G1470-HAA	22.47				
								G2G1467-UHAA	22.42				
								G2G1464N-UHAA	22.38				
								G2G1461B-UHAA	22.33				
								G2G1458NB-UHAA	22.29				
								G2G1455-HAA	22.24				
								G2G1452-UHAA	22.19				
								G2G1449N-UHAA	22.15				
								G2G1446B-UHAA	22.10				
								G2G1443NB-UHAA	22.06				
								G2G1440-HAA	22.01				
								G2G1437-UHAA	21.97				
								G2G1434N-UHAA	21.92				
								G2G1431B-UHAA	21.87				
								G2G1428NB-UHAA	21.83				
								G2G1425-HAA	21.78				
								G2G1422-UHAA	21.74				
								G2G1419N-UHAA	21.69				
								G2G1416B-UHAA	21.64				
								G2G1413NB-UHAA	21.60				
								G2G1410-HAA	21.55				
								G2G1407-UHAA	21.51				
								G2G1404N-UHAA	21.46				
								G2G1401B-UHAA	21.42				
								G2G1398NB-UHAA	21.37				
								G2G1395-HAA	21.32				
								G2G1392-UHAA	21.28				
								G2G1389N-UHAA	21.23				
								G2G1386B-UHAA	21.19				
								G2G1383NB-UHAA	21.14				
								G2G1380-HAA	21.09				
								G2G1377-UHAA	21.05				
								G2G1374N-UHAA	21.00				
								G2G1371B-UHAA	20.96				
								G2G1368NB-UHAA	20.91				
								G2G1365-HAA	20.87				
								G2G1362-UHAA	20.82				
								G2G1359N-UHAA	20.77				
								G2G1356B-UHAA	20.73				
								G2G1353NB-UHAA	20.68				
					xxviii	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1335-HAA (445Wp) (440Wp - 450Wp)	G2G1350-HAA	20.64	120 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2G1347-UHAA	20.59				
								G2G1344N-UHAA	20.54				
								G2G1341B-UHAA	20.50				
								G2G1338NB-UHAA	20.45				
								G2G1335-HAA	20.41				
								G2G1332-UHAA	20.36				
								G2G1329N-UHAA	20.31				
								G2G1326B-UHAA	20.27				
								G2G1323NB-UHAA	20.22				
								G2G1320-HAA	20.18				
								G2G1350-HAY	22.83				
								G2G1347-UHAY	22.78				
								G2G1344N-UHAY	22.73				
								G2G1341B-UHAY	22.68				
								G2G1338NB-UHAY	22.63				
								G2G1335-HAY	22.58				
								G2G1332-UHAY	22.53				
								G2G1329N-UHAY	22.48				
								G2G1326B-UHAY	22.43				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xxix	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1290-HAY (430Wp) (410Wp -450Wp)	G2G1323NB-UHAY	22.38	108 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2G1320-HAY	22.32				
								G2G1317-UHAY	22.27				
								G2G1314N-UHAY	22.22				
								G2G1311B-UHAY	22.17				
								G2G1308NB-UHAY	22.12				
								G2G1305-HAY	22.07				
								G2G1302-UHAY	22.02				
								G2G1299N-UHAY	21.97				
								G2G1296B-UHAY	21.92				
								G2G1293NB-UHAY	21.87				
								G2G1290-HAY	21.82				
								G2G1287-UHAY	21.77				
								G2G1284N-UHAY	21.72				
								G2G1281B-UHAY	21.67				
								G2G1278NB-UHAY	21.61				
								G2G1275-HAY	21.56				
								G2G1272-UHAY	21.51				
								G2G1269N-UHAY	21.46				
								G2G1266B-UHAY	21.41				
								G2G1263NB-UHAY	21.36				
								G2G1260-HAY	21.31				
								G2G1257-UHAY	21.26				
								G2G1254N-UHAY	21.21				
								G2G1251B-UHAY	21.16				
								G2G1248NB-UHAY	21.11				
								G2G1245-HAY	21.06				
								G2G1230-HAY	20.80				
					xxx	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1185-HAY (395Wp) (390Wp - 405Wp)	G2G1215-HAY	20.55	108 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2G1200-HAY	20.30				
								G2G1185-HAY	20.04				
					xxxi	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1155-HAX (385Wp) (371Wp - 400Wp)	G2G1170-HAY	19.79	96 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2G1200-HAX	22.70				
								G2G1197-UHAX	22.64				
								G2G1194N-UHAX	22.58				
								G2G1191B-UHAX	22.53				
								G2G1188NB-UHAX	22.47				
								G2G1185-HAX	22.41				
								G2G1182-UHAX	22.36				
								G2G1179N-UHAX	22.30				
								G2G1176B-UHAX	22.24				
								G2G1173NB-UHAX	22.19				
								G2G1170-HAX	22.13				
								G2G1167-UHAX	22.07				
								G2G1164N-UHAX	22.02				
								G2G1161B-UHAX	21.96				
								G2G1158NB-UHAX	21.90				
								G2G1155-HAX	21.85				
								G2G1152-UHAX	21.79				
								G2G1149N-UHAX	21.73				
								G2G1146B-UHAX	21.68				
								G2G1143NB-UHAX	21.62				
								G2G1140-HAX	21.56				
								G2G1125-HAX	21.28				
								G2G1122-UHAX	21.22				
								G2G1119N-UHAX	21.17				
								G2G1116B-UHAX	21.11				
								G2G1113NB-UHAX	21.05				
								G2G1110-HAX	21.00				
								G2G1107-UHAX	20.94				
								G2G1104N-UHAX	20.88				
								G2G1101B-UHAX	20.83				
								G2G1098NB-UHAX	20.77				
								G2G1095-HAX	20.71				
								G2G1092-UHAX	20.66				
								G2G1089N-UHAX	20.60				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xxxii	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1065-HAX (355Wp) (340Wp - 370Wp)	G2G1086B-UHAX	20.54	96 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2G1083NB-UHAX	20.49				
								G2G1080-HAX	20.43				
								G2G1077-UHAX	20.37				
								G2G1074N-UHAX	20.32				
								G2G1071B-UHAX	20.26				
								G2G1068NB-UHAX	20.20				
								G2G1065-HAX	20.14				
								G2G1062-UHAX	20.09				
								G2G1059N-UHAX	20.03				
								G2G1056B-UHAX	19.97				
								G2G1053NB-UHAX	19.92				
								G2G1050-HAX	19.86				
								G2G1035-HAX	19.58				
								G2G1020-HAX	19.29				
					xxxiii	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G1005-HAC (335Wp) (321Wp - 350Wp)	G2G1050-HAC	22.53	84 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2G1047-UHAC	22.46				
								G2G1044N-UHAC	22.40				
								G2G1041B-UHAC	22.34				
								G2G1038NB-UHAC	22.27				
								G2G1035-HAC	22.21				
								G2G1032-UHAC	22.14				
								G2G1029N-UHAC	22.08				
								G2G1026B-UHAC	22.01				
								G2G1023NB-UHAC	21.95				
								G2G1020-HAC	21.88				
								G2G1017-UHAC	21.82				
								G2G1014N-UHAC	21.76				
								G2G1011B-UHAC	21.69				
								G2G1008NB-UHAC	21.63				
								G2G1005-HAC	21.56				
								G2G1002-UHAC	21.50				
								G2G999N-UHAC	21.43				
								G2G996B-UHAC	21.37				
								G2G993NB-UHAC	21.31				
								G2G990-HAC	21.24				
								G2G987-UHAC	21.18				
								G2G984N-UHAC	21.11				
								G2G981B-UHAC	21.05				
								G2G978NB-UHAC	20.98				
								G2G975-HAC	20.92				
								G2G972-UHAC	20.86				
								G2G969N-UHAC	20.79				
								G2G966B-UHAC	20.73				
								G2G963NB-UHAC	20.66				
					xxxiv	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G930-HAC (310Wp) (300Wp - 320Wp)	G2G960-HAC	20.60	84 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2G957-UHAC	20.53				
								G2G954N-UHAC	20.47				
								G2G951B-UHAC	20.40				
								G2G948NB-UHAC	20.34				
								G2G945-HAC	20.28				
								G2G942-UHAC	20.21				
								G2G939N-UHAC	20.15				
								G2G936B-UHAC	20.08				
								G2G933NB-UHAC	20.02				
								G2G930-HAC	19.95				
								G2G915-HAC	19.63				
								G2G912-UHAC	19.57				
								G2G909N-UHAC	19.50				
								G2G906B-UHAC	19.44				
								G2G903NB-UHAC	19.37				
								G2G900-HAC	19.31				
								G2G915-HAF	22.68				
								G2G912-UHAF	22.60				
								G2G909N-UHAF	22.53				
								G2G906B-UHAF	22.45				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xxxv	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G885-HAF (295Wp) (281Wp - 305Wp)	G2G903NB-UHAF	22.38	72 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2G900-HAF	22.31				
								G2G897-UHAF	22.23				
								G2G894N-UHAF	22.16				
								G2G891B-UHAF	22.08				
								G2G888NB-UHAF	22.01				
								G2G885-HAF	21.93				
								G2G882-UHAF	21.86				
								G2G879N-UHAF	21.79				
								G2G876B-UHAF	21.71				
								G2G873NB-UHAF	21.64				
								G2G870-HAF	21.56				
								G2G867-UHAF	21.49				
								G2G864N-UHAF	21.41				
								G2G861B-UHAF	21.34				
								G2G858NB-UHAF	21.27				
								G2G855-HAF	21.19				
								G2G852-UHAF	21.12				
								G2G849N-UHAF	21.04				
								G2G846B-UHAF	20.97				
								G2G843NB-UHAF	20.89				
					xxxvi	Bifacial N-Type TOPCon Module (Glass to Glass)	G2G810-HAF (270Wp) (260Wp - 280Wp)	G2G840-HAF	20.82	72 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2G825-HAF	20.45				
								G2G810-HAF	20.08				
								G2G795-HAF	19.70				
								G2G780-HAF	19.33				
					xxxvii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	G2X1740N-UHAD (580Wp) (567Wp - 590Wp)	G2X1770N-UHAD	22.82	144 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2X1767N-UHAD	22.78				
								G2X1764N-UHAD	22.74				
								G2X1761N-UHAD	22.70				
								G2X1758N-UHAD	22.66				
								G2X1755N-UHAD	22.63				
								G2X1752N-UHAD	22.59				
								G2X1749N-UHAD	22.55				
								G2X1746N-UHAD	22.51				
								G2X1743N-UHAD	22.47				
								G2X1740N-UHAD	22.43				
								G2X1737N-UHAD	22.39				
								G2X1734N-UHAD	22.35				
								G2X1731N-UHAD	22.32				
								G2X1728N-UHAD	22.28				
								G2X1725N-UHAD	22.24				
								G2X1722N-UHAD	22.20				
								G2X1719N-UHAD	22.16				
								G2X1716N-UHAD	22.12				
								G2X1713N-UHAD	22.08				
								G2X1710N-UHAD	22.04				
								G2X1707N-UHAD	22.01				
								G2X1704N-UHAD	21.97				
								G2X1701N-UHAD	21.93				
					xxxviii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	G2X1590N-UHAB (530Wp) (505Wp - 550Wp)	G2X1650N-UHAB	23.01	132 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2X1647N-UHAB	22.97				
								G2X1644N-UHAB	22.92				
								G2X1641N-UHAB	22.88				
								G2X1638N-UHAB	22.84				
								G2X1635N-UHAB	22.80				
								G2X1632N-UHAB	22.76				
								G2X1629N-UHAB	22.71				
								G2X1626N-UHAB	22.67				
								G2X1623N-UHAB	22.63				
								G2X1620N-UHAB	22.59				
								G2X1617N-UHAB	22.55				
								G2X1614N-UHAB	22.51				
								G2X1611N-UHAB	22.46				
								G2X1608N-UHAB	22.42				
								G2X1605N-UHAB	22.38				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								G2X1590N-UHAB	22.17				
								G2X1575N-UHAB	21.96				
								G2X1560N-UHAB	21.75				
								G2X1545N-UHAB	21.54				
								G2X1530N-UHAB	21.33				
								G2X1515N-UHAB	21.12				
					xxxix	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	G2X1455N-UHAA (485Wp) (470Wp - 500Wp)	G2X1500N-UHAA	22.93	120 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2X1497N-UHAA	22.88				
								G2X1494N-UHAA	22.84				
								G2X1491N-UHAA	22.79				
								G2X1488N-UHAA	22.74				
								G2X1485N-UHAA	22.70				
								G2X1482N-UHAA	22.65				
								G2X1479N-UHAA	22.61				
								G2X1476N-UHAA	22.56				
								G2X1473N-UHAA	22.51				
								G2X1470N-UHAA	22.47				
								G2X1467N-UHAA	22.42				
								G2X1464N-UHAA	22.38				
								G2X1461N-UHAA	22.33				
								G2X1458N-UHAA	22.29				
								G2X1455N-UHAA	22.24				
								G2X1440N-UHAA	22.01				
								G2X1425N-UHAA	21.78				
								G2X1410N-UHAA	21.55				
					XL	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	G2X1320N-UHAY (440Wp) (425Wp - 450Wp)	G2X1350N-UHAY	22.83	108 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2X1347N-UHAY	22.78				
								G2X1344N-UHAY	22.73				
								G2X1341N-UHAY	22.68				
								G2X1338N-UHAY	22.63				
								G2X1335N-UHAY	22.58				
								G2X1332N-UHAY	22.53				
								G2X1329N-UHAY	22.48				
								G2X1326N-UHAY	22.43				
								G2X1323N-UHAY	22.37				
								G2X1320N-UHAY	22.32				
								G2X1305N-UHAY	22.07				
								G2X1290N-UHAY	21.82				
								G2X1275N-UHAY	21.56				
					XLI	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	G2X1170N-UHAX (390Wp) (380Wp - 400Wp)	G2X1200N-UHAX	22.70	96 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2X1185N-UHAX	22.41				
								G2X1170N-UHAX	22.13				
								G2X1155N-UHAX	21.85				
								G2X1140N-UHAX	21.56				
					XLII	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	G2X1035N-UHAC (345Wp) (335Wp - 350Wp)	G2X1050N-UHAC	22.53	84 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2X1035N-UHAC	22.21				
								G2X1020N-UHAC	21.88				
								G2X1005N-UHAC	21.56				
					XLIII	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	G2X885N-UHAF (295Wp) (285Wp - 305Wp)	G2X915N-UHAF	22.68	72 (Half Cut Cells)	1500	29.09.2023	28.09.2027
								G2X900N-UHAF	22.31				
								G2X885N-UHAF	21.93				
								G2X870N-UHAF	21.56				
								G2X855N-UHAF	21.19				
9	Novasys Greenergy Pvt. Ltd	Khasra No. 185, Mouza: Mahalgaon, Tehsil: Kamptee, Nagpur-441202, Maharashtra	R-71010499	442	i	Mono c-Si PERC Modules	NOVA195MP36 (195Wp)	NOVA195MP36	19.4	36 (Full Cell)	1500	10.11.2023	09.11.2027
					ii	Mono c-Si PERC Modules	NOVA250MP48 (250Wp)	NOVA255MP48	19.2	48 (Full Cell)	1500	10.11.2023	09.11.2027
								NOVA260MP48	19.6				
					iii	Mono c-Si PERC Modules	NOVA320MP60 (320Wp)	NOVA315MP60	19.2	60 (Full Cell)	1500	10.11.2023	09.11.2027
								NOVA320MP60	19.5				
								NOVA325MP60	19.8				
								NOVA330MP60	20.1				
								NOVA340MP66	19				
					iv	Mono c-Si PERC Modules	NOVA350MP66 (350Wp)	NOVA345MP66	19.3	66 (Full Cell)	1500	10.11.2023	09.11.2027
								NOVA350MP66	19.6				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								NOVA355MP66	19.9				
								NOVA360MP66	20.1				
					v	Mono c-Si PERC Modules	NOVA290MP54 (290Wp)	NOVA285MP54	19.2	54 (Full Cell)	1500	10.11.2023	09.11.2027
								NOVA290MP54	19.5				
								NOVA295MP54	19.9				
								NOVA380MP72	19.14				
					vi	Mono c-Si PERC Modules	NOVA380MP72 (380Wp)	NOVA385MP72	19.4	72 (Full Cells)	1500	10.11.2023	09.11.2027
								NOVA390MP72	19.65				
								NOVA395MP72	19.9				
					vii	Mono c-Si PERC Modules	NOVA380MP144 (380Wp)	NOVA380MP144	19	144 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								NOVA385MP144	19.3				
								NOVA390MP144	19.5				
								NOVA395MP144	19.8				
					viii	Mono c-Si PERC Modules	NOVA350MP96 (350 Wp)	NOVA335MP96	19.06	96 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								NOVA340MP96	19.35				
								NOVA345MP96	19.63				
								NOVA350MP96	19.92				
								NOVA355MP96	20.21				
								NOVA360MP96	20.5				
								NOVA365MP96	20.78				
					ix	Mono c-Si PERC Modules	NOVA265MP72 (265 Wp)	NOVA255MP72	19.06	72 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								NOVA260MP72	19.45				
								NOVA265MP72	19.81				
								NOVA270MP72	20.19				
								NOVA275MP72	20.57				
					x	Mono c-Si PERC Modules	NOVA390MP108 (390 Wp)	NOVA375MP108	19.11	108 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								NOVA380MP108	19.37				
								NOVA385MP108	19.63				
								NOVA390MP108	19.88				
								NOVA395MP108	20.14				
								NOVA400MP108	20.4				
								NOVA405MP108	20.66				
					xi	Mono c-Si PERC Modules	NOVA415MP108 (415 Wp)	NOVA410MP108	20.91	108 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								NOVA415MP108	21.17				
					xii	Mono c-Si PERC Modules	NOVA435MP120 (435 Wp)	NOVA415MP120	19.11	120 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								NOVA420MP120	19.34				
								NOVA425MP120	19.57				
								NOVA430MP120	19.8				
								NOVA435MP120	20.03				
								NOVA440MP120	20.26				
								NOVA445MP120	20.49				
								NOVA450MP120	20.72				
								NOVA455MP120	20.95				
					xiii	Mono c-Si PERC Modules	NOVA460MP 120 (460 Wp)	NOVA460MP 120	21.18	120 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					xiv	Mono c-Si PERC Modules	NOVA475MP132 (475 Wp)	NOVA455MP132	19.2	132 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								NOVA460MP132	19.41				
								NOVA465MP132	19.62				
								NOVA470MP132	19.83				
								NOVA475MP132	20.04				
								NOVA480MP132	20.25				
								NOVA485MP132	20.46				
								NOVA490MP132	20.67				
								NOVA495MP132	20.89				
					xv	Mono c-Si PERC Modules	NOVA500MP132 (500 Wp)	NOVA500MP132	21.1	132 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								NOVA505MP132	21.31				
					xvi	Mono c-Si PERC Modules	NOVA520MP144 (520 Wp)	NOVA495MP144	19.16	144 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								NOVA500MP144	19.35				
								NOVA505MP144	19.54				
								NOVA510MP144	19.74				
								NOVA515MP144	19.94				
								NOVA520MP144	20.13				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xvi	Mono c-Si PERC Modules	NOVA520WP144 (520 Wp)	NOVA525MP144	20.31	144 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								NOVA530MP144	20.51				
								NOVA535MP144	20.7				
								NOVA540MP144	20.89				
								NOVA545MP144	21.09				
					xvii	Mono c-Si PERC Modules	NOVA550MP144 (550Wp)	NOVA550MP144	21.28	144 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					xviii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	NOVA265BF72 (265 Wp)	NOVA260BF72	19.43	72 (Half Cut Cell)	1500	10.11.2023	09.11.2027
								NOVA265BF72	19.80				
								NOVA270BF72	20.18				
								NOVA275BF72	20.55				
					xix	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	NOVA355BF96 (355 Wp)	NOVA345BF96	19.63	96 (Half Cut Cell)	1500	10.11.2023	09.11.2027
								NOVA350BF96	19.91				
								NOVA355BF96	20.20				
								NOVA360BF96	20.48				
								NOVA365BF96	20.77				
					xx	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	NOVA400BF108 (400 Wp)	NOVA380BF108	19.37	108 (Half Cut Cell)	1500	10.11.2023	09.11.2027
								NOVA385BF108	19.62				
								NOVA390BF108	19.88				
								NOVA395BF108	20.13				
								NOVA400BF108	20.39				
								NOVA405BF108	20.64				
								NOVA410BF108	20.90				
								NOVA415BF108	21.15				
					xxi	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	NOVA440BF120 (440 Wp)	NOVA425BF120	19.57	120 (Half Cut Cell)	1500	10.11.2023	09.11.2027
								NOVA430BF120	19.80				
								NOVA435BF120	20.03				
								NOVA440BF120	20.26				
								NOVA445BF120	20.49				
								NOVA450BF120	20.72				
								NOVA455BF120	20.95				
								NOVA460BF120	21.18				
					xxii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	NOVA485BF132 (485 Wp)	NOVA465BF132	19.58	132 (Half Cut Cell)	1500	10.11.2023	09.11.2027
								NOVA470BF132	19.79				
								NOVA475BF132	20.00				
								NOVA480BF132	20.21				
								NOVA485BF132	20.42				
								NOVA490BF132	20.63				
								NOVA495BF132	20.84				
								NOVA500BF132	21.06				
					xxiii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	NOVA535BF144 (535 Wp)	NOVA505BF132	21.27	144 (Half Cut Cell)	1500	10.11.2023	09.11.2027
								NOVA520BF144	20.13				
								NOVA525BF144	20.32				
								NOVA530BF144	20.52				
								NOVA535BF144	20.71				
								NOVA540BF144	20.90				
								NOVA545BF144	21.10				
								NOVA550BF144	21.29				
10	M/s. Pahal Solar Private Limited	Ground Floor, Block No. 71, 72 Plot No. 167 to 171, 180 to 189, 19, E-172, 173,178, 179. Opp. Shiv Shakti Estate, Olpad,Surat-394540, Gujarat, India	R-72001848	282	i	Mono c-Si PERC Modules	PS_540 (540Wp)	PS_550	21.29	144 (Half Cut Cell)	1500	10.11.2023	09.11.2027
								PS_545	21.09				
								PS_540	20.9				
								PS_535	20.71				
								PS_530	20.51				
								PS_525	20.32				
					ii	Mono c-Si PERC Modules	PS_500 (500Wp)	PS_500	19.35	132 (Half Cut Cell)	1500	10.11.2023	09.11.2027
								PS_495	19.16				
					iii	Mono c-Si PERC Modules	PS_445 (445Wp)	PS_445	20.37	144 (Half Cut Cell)	1500	10.11.2023	09.11.2027
								PS_440	20.14				
								PS_435	19.91				
								PS_430	19.68				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					iv	Mono c-Si PERC Modules	PS_415 (415 Wp)	PS_415	19	132 (Half Cut Cell)	1500	10.11.2023	09.11.2027
					v	Mono c-Si PERC Modules	PS_370 (370 Wp)	PS_380	19.53	132 (Half Cut Cell)	1500	10.11.2023	09.11.2027
								PS_375	19.28				
								PS_370	19.02				
					vi	Bifacial N-type TOPCon Modules	PSN_155 (155Wp)	PSN_150	19.90	40 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								PSN_155	20.56				
								PSN_160	21.22				
					vii	Bifacial N-type TOPCon Modules	PSN_210 (210Wp)	PSN_200	19.28	56 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								PSN_205	19.76				
								PSN_210	20.24				
								PSN_215	20.72				
								PSN_220	21.21				
					viii	Bifacial N-type TOPCon Modules	PSN_255 (255Wp)	PSN_245	20.79	64 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								PSN_250	21.22				
								PSN_255	21.64				
								PSN_260	22.06				
								PSN_265	22.49				
					ix	Bifacial N-type TOPCon Modules	PSN_280 (280Wp)	PSN_270	20.38	72 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								PSN_275	20.76				
								PSN_280	21.13				
								PSN_285	21.51				
								PSN_290	21.89				
					x	Bifacial N-type TOPCon Modules	PSN_305 (305Wp)	PSN_295	20.18	80 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								PSN_300	20.52				
								PSN_305	20.86				
								PSN_310	21.21				
								PSN_315	21.55				
					xi	Bifacial N-type TOPCon Modules	PSN_335 (335Wp)	PSN_320	20.87	84 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								PSN_325	21.19				
								PSN_330	21.52				
								PSN_335	21.85				
								PSN_340	22.17				
					xii	Bifacial N-type TOPCon Modules	PSN_360 (360Wp)	PSN_345	22.50	96 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								PSN_350	20.06				
								PSN_355	20.35				
								PSN_360	20.64				
								PSN_365	20.92				
					xiii	Bifacial N-type TOPCon Modules	PSN_380 (380Wp)	PSN_370	21.21	96 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								PSN_375	21.50				
								PSN_380	21.78				
								PSN_385	22.07				
								PSN_390	22.36				
					xiv	Bifacial N-type TOPCon Modules	PSN_410 (410Wp)	PSN_400	20.48	108 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								PSN_405	20.74				
								PSN_410	20.99				
								PSN_415	21.25				
								PSN_420	21.50				
					xv	Bifacial N-type TOPCon Modules	PSN_435 (435Wp)	PSN_425	21.76	108 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								PSN_430	22.02				
								PSN_435	22.27				
								PSN_440	22.53				
								PSN_445	22.78				
					xvi	Bifacial N-type TOPCon	PSN_480	PSN_450	23.04	120 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								PSN_460	21.26				
								PSN_465	21.49				
								PSN_470	21.72				
								PSN_475	21.95				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xvi	Modules	(480Wp)	PSN_480	22.18	120 (Half Cut Cells)	1300	10.11.2023	09.11.2027
								PSN_485	22.41				
								PSN_490	22.64				
								PSN_495	22.87				
					xvii	Bifacial N-type TOPCon Modules	PSN_520 (520Wp)	PSN_500	21.07	132 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								PSN_505	21.28				
								PSN_510	21.49				
								PSN_515	21.70				
								PSN_520	21.91				
								PSN_525	22.13				
								PSN_530	22.34				
								PSN_535	20.71				
					xviii	Bifacial N-type TOPCon Modules	PSN_560 (560Wp)	PSN_540	20.90	144 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								PSN_545	21.09				
								PSN_550	21.29				
								PSN_555	21.48				
								PSN_560	21.67				
								PSN_565	21.87				
								PSN_570	22.06				
								PSN_575	22.25				
					xix	Bifacial N-type TOPCon Modules	PSN_610 (610Wp)	PSN_580	22.45	156 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								PSN_585	20.91				
								PSN_590	21.09				
								PSN_595	21.27				
								PSN_600	21.45				
								PSN_605	21.63				
								PSN_610	21.81				
								PSN_615	21.99				
								PSN_620	22.17				
								PSN_625	22.34				
								PSN_630	22.52				
					i	Mono c-Si PERC Modules	PIX MP3 72 390 (390 Wp)	PIX MP3 72 380	19.14	72 (Full Cells)	1500	10.11.2023	09.11.2027
								PIX MP3 72 385	19.4				
								PIX MP3 72 390	19.65				
								PIX MP3 72 395	19.9				
11	M/s Pixon Green Energy Pvt. Ltd.	R.S. No. 157/1, 158/1, 158/2, 165/1, 166 of Khijadiya Nana, R.S. No. 15/1 of Depaliya, Padadhari, Rajkot Gujarat-360110	R-72004570	745				PIX MP3 72 400	20.15	132 (Half cut cells)	1500	10.11.2023	09.11.2027
								PIX MPH 132 625	19.93				
								PIX MPH 132 630	20.09				
								PIX MPH 132 635	20.25				
					ii	Mono c-Si PERC Module	PIX MPH 132 645 (645Wp)	PIX MPH 132 640	20.41	132 (Half cut cells)	1500	10.11.2023	09.11.2027
								PIX MPH 132 645	20.57				
								PIX MPH 132 650	20.72				
								PIX MPH 132 655	20.88				
								PIX MPH 132 660	21.04				
								PIX MBHTB 132 625	19.93				
								PIX MBHTB 132 630	20.09				
								PIX MBHTB 132 635	20.25				
					iii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	PIX MBHTB 132 645 (645Wp)	PIX MBHTB 132 640	20.41	132 (Half cut cells)	1500	10.11.2023	09.11.2027
								PIX MBHTB 132 645	20.57				
								PIX MBHTB 132 650	20.72				
								PIX MBHTB 132 655	20.88				
								PIX MBHTB 132 660	21.04				
					iv	Mono c-Si PERC Module	PIX MPH 120 600 (600Wp)	PIX MPH 120 570	19.94	120 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								PIX MPH 120 575	20.11				
								PIX MPH 120 580	20.29				
								PIX MPH 120 585	20.46				
								PIX MPH 120 590	20.64				
								PIX MPH 120 595	20.81				
								PIX MPH 120 600	20.99				
								PIX MBHTB 120 570	19.94				
						Bifacial Mono c-Si PERC Module	PIX MBHTB 120 600	PIX MBHTB 120 575	20.11				
								PIX MBHTB 120 580	20.29				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity																									
												From	To (subject to valid BIS Registration; else deemed to be delisted)																								
								PIX MBHTB 120 585	20.46	120 (Half Cut Cells)	1500	10.11.2023	09.11.2027																								
								PIX MBHTB 120 590	20.64																												
								PIX MBHTB 120 595	20.81																												
								PIX MBHTB 120 600	20.99																												
								PIX MPH 108 510	19.76					108 (half cut cell)	1500	10.11.2023	09.11.2027																				
								PIX MPH 108 515	19.95																												
								PIX MPH 108 520	20.14																												
								PIX MPH 108 525	20.34																												
								PIX MPH 108 530	20.53																												
								PIX MPH 108 535	20.73																												
								PIX MPH 108 540	20.92																												
								PIX MPHTB 108 510	19.76									108 (Half cut cell)	1500	10.11.2023	09.11.2027																
								PIX MPHTB 108 515	19.95																												
								PIX MPHTB 108 520	20.14																												
								PIX MPHTB 108 525	20.34																												
								PIX MPHTB 108 530	20.53																												
								PIX MPHTB 108 535	20.73																												
								PIX MPHTB 108 540	20.92																												
								PIX MPH 156 560	20.00													156 (Half cut cells)	1500	10.11.2023	09.11.2027												
								PIX MPH 156 565	20.18																												
								PIX MPH 156 570	20.36																												
								PIX MPH 156 575	20.54																												
								PIX MPH 156 580	20.71																												
								PIX MPH 156 585	20.89																												
								PIX MPH 156 590	21.07																												
								PIX MPH 156 595	21.25																												
								PIX MBHTB 156 560	20.00																	156 (Half cut cells)	1500	10.11.2023	09.11.2027								
								PIX MBHTB 156 565	20.18																												
								PIX MBHTB 156 570	20.36																												
								PIX MBHTB 156 575	20.54																												
								PIX MBHTB 156 580	20.71																												
								PIX MBHTB 156 585	20.89																												
								PIX MBHTB 156 590	21.07																												
								PIX MBHTB 156 595	21.25																												
								PIX MPHB 144 510	19.74																					144 (Half cut cells)	1500	10.11.2023	09.11.2027				
								PIX MPHB 144 515	19.94																												
								PIX MPHB 144 520	20.13																												
								PIX MPHB 144 525	20.32																												
								PIX MPHB 144 530	20.52																												
								PIX MPHB 144 535	20.71																												
								PIX MPHB 144 540	20.90																												
								PIX MPHB 144 545	21.09																												
								PIX MPH 144 510	19.74																									144 (Half cut cells)	1500	10.11.2023	09.11.2027
								PIX MPH 144 515	19.94																												
								PIX MPH 144 520	20.13																												
								PIX MPH 144 525	20.32																												
								PIX MPH 144 530	20.52																												
PIX MPH 144 535	20.71																																				
PIX MPH 144 540	20.90																																				
PIX MPH 144 545	21.09																																				
PIX MBHTB 144 510	19.74	144 (Half cut cells)	1500	10.11.2023	09.11.2027																																
PIX MBHTB 144 515	19.94																																				
PIX MBHTB 144 520	20.13																																				
PIX MBHTB 144 525	20.32																																				
PIX MBHTB 144 530	20.52																																				
PIX MBHTB 144 535	20.71																																				
PIX MBHTB 144 540	20.90																																				
PIX MBHTB 144 545	21.09																																				
PIX MPH 132 470	19.74					132 (Half cut cell)	1500	10.11.2023	09.11.2027																												
PIX MPH 132 475	19.95																																				
PIX MPH 132 480	20.16																																				
PIX MPH 132 485	20.37																																				
PIX MPH 132 490	20.58																																				
PIX MPH 132 495	20.79																																				
PIX MPH 132 500	21.00																																				
PIX MBHTB 132 470	19.74																																				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xiv	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	PIX MBHTB 132 490 (490 Wp)	PIX MBHTB 132 475	19.95	132 (Half cut cell)	1500	10.11.2023	09.11.2027
								PIX MBHTB 132 480	20.16				
								PIX MBHTB 132 485	20.37				
								PIX MBHTB 132 490	20.58				
								PIX MBHTB 132 495	20.79				
					xv	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	PIX MBHDTB 156 575 (575 Wp)	PIX MBHTB 132 500	21.00	156 (Half cut cells)	1500	10.11.2023	09.11.2027
								PIX MBHDTB 156 560	20.00				
								PIX MBHDTB 156 565	20.18				
								PIX MBHDTB 156 570	20.36				
								PIX MBHDTB 156 575	20.54				
								PIX MBHDTB 156 580	20.72				
								PIX MBHDTB 156 585	20.89				
								PIX MBHDTB 156 590	21.07				
								PIX MBHDTB 156 595	21.25				
					xvi	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	PIX MBHDTB 144 525 (525 Wp)	PIX MBHDTB 144 510	19.74	144 (Half cut cells)	1500	10.11.2023	09.11.2027
								PIX MBHDTB 144 515	19.94				
								PIX MBHDTB 144 520	20.13				
								PIX MBHDTB 144 525	20.32				
								PIX MBHDTB 144 530	20.52				
								PIX MBHDTB 144 535	20.71				
								PIX MBHDTB 144 540	20.90				
								PIX MBHDTB 144 545	21.10				
					xvii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	PIX MBHDTB 132 485 (485 Wp)	PIX MBHDTB 132 470	19.75	132 (Half cut cells)	1500	10.11.2023	09.11.2027
								PIX MBHDTB 132 475	19.96				
								PIX MBHDTB 132 480	20.17				
								PIX MBHDTB 132 485	20.38				
								PIX MBHDTB 132 490	20.59				
								PIX MBHDTB 132 495	20.80				
					xviii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	PIX MBHDTB 120 440 (440 Wp)	PIX MBHDTB 132 500	21.01	120 (Half cut cells)	1500	10.11.2023	09.11.2027
								PIX MBHDTB 120 420	19.35				
								PIX MBHDTB 120 425	19.58				
								PIX MBHDTB 120 430	19.81				
								PIX MBHDTB 120 435	20.04				
								PIX MBHDTB 120 440	20.27				
								PIX MBHDTB 120 445	20.50				
								PIX MBHDTB 120 450	20.73				
								PIX MBHDTB 120 455	20.96				
					xix	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	PIX MBHDTB 108 395 (395 Wp)	PIX MBHDTB 108 375	19.10	108 (Half cut cells)	1500	10.11.2023	09.11.2027
								PIX MBHDTB 108 380	19.36				
								PIX MBHDTB 108 385	19.61				
								PIX MBHDTB 108 390	19.87				
								PIX MBHDTB 108 395	20.12				
								PIX MBHDTB 108 400	20.38				
								PIX MBHDTB 108 405	20.63				
					xx	Mono c-Si PERC Module	PIX MPHD 156 575 (575 Wp)	PIX MBHDTB 108 410	20.89	156 (Half cut cells)	1500	10.11.2023	09.11.2027
								PIX MPHD 156 560	20.00				
								PIX MPHD 156 565	20.18				
								PIX MPHD 156 570	20.36				
								PIX MPHD 156 575	20.54				
								PIX MPHD 156 580	20.72				
								PIX MPHD 156 585	20.89				
								PIX MPHD 156 590	21.07				
					xxi	Mono c-Si PERC Module	PIX MPHD 144 530 (530 Wp)	PIX MPHD 156 595	21.25	144 (Half cut cells)	1500	10.11.2023	09.11.2027
								PIX MPHD 144 510	19.74				
								PIX MPHD 144 515	19.94				
								PIX MPHD 144 520	20.13				
								PIX MPHD 144 525	20.32				
								PIX MPHD 144 530	20.52				
								PIX MPHD 144 535	20.71				
								PIX MPHD 144 540	20.90				
								PIX MPHD 144 545	21.10				
					xxii	Mono c-Si PERC Module	PIX MPHD 132 490 (490 Wp)	PIX MPHD 132 470	19.75	132 (Half cut cells)	1500	10.11.2023	09.11.2027
								PIX MPHD 132 475	19.96				
								PIX MPHD 132 480	20.17				
								PIX MPHD 132 485	20.38				
								PIX MPHD 132 490	20.59				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								PIX MPH 132 495	20.80	120 (Half cut cells)	1500	10.11.2023	09.11.2027
					xxiii	Mono c-Si PERC Module	PIX MPH 120 440 (440 Wp)	PIX MPH 132 500	21.01				
								PIX MPH 120 420	19.35				
								PIX MPH 120 425	19.58				
								PIX MPH 120 430	19.81				
								PIX MPH 120 435	20.04				
								PIX MPH 120 440	20.27				
								PIX MPH 120 445	20.50				
								PIX MPH 120 450	20.73				
								PIX MPH 120 455	20.96				
								PIX MPH 108 375	19.10				
					xxiv	Mono c-Si PERC Module	PIX MPH 108 395 (395 Wp)	PIX MPH 108 380	19.36	108 (Half cut cells)	1500	10.11.2023	09.11.2027
								PIX MPH 108 385	19.61				
								PIX MPH 108 390	19.87				
								PIX MPH 108 395	20.12				
								PIX MPH 108 400	20.38				
								PIX MPH 108 405	20.63				
								PIX MPH 108 410	20.89				
12	Alpex Solar Pvt. Ltd.	Plot No. I-25 & I-26, UPSIDC, Site-5, Kasna, Greater Noida, Uttar Pradesh-201306	R-93007480	423	i	Mono c-Si PERC Module	ALP380WM, (380Wp-385Wp)	ALP380WM (380 Wp)	19.38	72 (Full Cells)	1500	10.11.2023	09.11.2027
								ALP385WM (385 Wp)	19.64				
					ii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ALP24L565WM-T (565 Wp)	ALP24L540WM-T	20.90	144 ((Half Cut Cells))	1500	10.11.2023	09.11.2027
								ALP24L545WM-T	21.10				
								ALP24L550WM-T	21.29				
								ALP24L555WM-T	21.48				
								ALP24L560WM-T	21.68				
								ALP24L565WM-T	21.87				
								ALP24L570WM-T	22.07				
								ALP24L575WM-T	22.26				
								ALP24L580WM-T	22.45				
								ALP24L585WM-T	22.65				
								ALP24L590WM-T	22.84				
					iii	Mono c-Si PERC Module	ALP24L540WM (540Wp)	ALP24L520WM	20.13	144 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								ALP24L525WM	20.32				
								ALP24L530WM	20.52				
								ALP24L535WM	20.71				
								ALP24L540WM	20.90				
								ALP24L545WM	21.10				
								ALP24L550WM	21.29				
								ALP24L555WM	21.48				
								ALP24L560WM	21.68				
					iv	Mono c-Si PERC Module	ALP22L495WM (495Wp)	ALP22L480WM	20.21	132 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								ALP22L485WM	20.42				
								ALP22L490WM	20.64				
								ALP22L495WM	20.85				
								ALP22L500WM	21.06				
								ALP22L505WM	21.27				
								ALP22L510WM	21.48				
								ALP22L515WM	21.69				
								ALP22L495WM-T	20.85				
					v	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ALP22L510WM-T (510Wp)	ALP22L500WM-T	21.06	132 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								ALP22L505WM-T	21.27				
								ALP22L510WM-T	21.48				
								ALP22L515WM-T	21.69				
					vi	Mono c-Si PERC Module	ALP20L455WM (455Wp)	ALP20L435WM	20.06	120 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								ALP20L440WM	20.29				
								ALP20L445WM	20.52				
								ALP20L450WM	20.75				
								ALP20L455WM	20.99				
								ALP20L460WM	21.22				
								ALP20L465WM	21.45				
								ALP20L470WM	21.68				
								ALP20L475WM	21.91				
								ALP20L450WM-T	20.75				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					vii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ALP20L465WM-T (465Wp)	ALP20L455WM-T	20.99	120 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								ALP20L460WM-T	21.22				
								ALP20L465WM-T	21.45				
								ALP20L470WM-T	21.68				
								ALP20L475WM-T	21.91				
					viii	Mono c-Si PERC Module	ALP18L410WM (410Wp)	ALP18L390WM	19.95	108 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								ALP18L395WM	20.20				
								ALP18L400WM	20.46				
								ALP18L405WM	20.72				
								ALP18L410WM	20.97				
								ALP18L415WM	21.23				
								ALP18L420WM	21.48				
								ALP18L425WM	21.74				
								ALP18L405WM-T	20.72				
					ix	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ALP18L415WM-T (415Wp)	ALP18L410WM-T	20.97	108 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								ALP18L415WM-T	21.23				
								ALP18L420WM-T	21.48				
								ALP18L425WM-T	21.74				
								ALP16L345WM	19.75				
					x	Mono c-Si PERC Module	ALP16L360WM (360Wp)	ALP16L350WM	20.04	96 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								ALP16L355WM	20.33				
								ALP16L360WM	20.61				
								ALP16L365WM	20.90				
								ALP16L370WM	21.19				
					xi	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ALP16L365WM-T (365Wp)	ALP16L375WM	21.47	96 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								ALP16L360WM-T	20.61				
								ALP16L365WM-T	20.90				
								ALP16L370WM-T	21.19				
								ALP16L375WM-T	21.47				
					xii	Mono c-Si PERC Module	ALP14L325WM (325Wp)	ALP14L310WM	20.17	84 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								ALP14L315WM	20.5				
								ALP14L320WM	20.83				
								ALP14L325WM	21.15				
								ALP14L330WM	21.48				
								ALP14L335WM	21.8				
								ALP14L340WM	22.13				
					xiii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ALP14L325WM-T (325Wp)	ALP14L315WM-T	20.50	84 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								ALP14L320WM-T	20.83				
								ALP14L325WM-T	21.15				
								ALP14L330WM-T	21.48				
								ALP14L335WM-T	21.80				
					xiv	Mono c-Si PERC Module	ALP12L275WM (275Wp)	ALP14L340WM-T	22.13	72 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								ALP12L265WM	19.97				
								ALP12L270WM	20.35				
								ALP12L275WM	20.73				
								ALP12L280WM	21.10				
					xv	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ALP12L275WM-T (275Wp)	ALP12L285WM	21.48	72 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								ALP12L270WM-T	20.35				
								ALP12L275WM-T	20.73				
								ALP12L280WM-T	21.10				
					xvi	Mono c-Si PERC Module	ALP11L235WM (235Wp)	ALP12L285WM-T	21.48	64 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								ALP11L225WM	19.02				
								ALP11L230WM	19.45				
								ALP11L235WM	19.87				
								ALP11L240WM	20.29				
					xviii	Bifacial Mono c-Si PERC Module (Glass to Transparent	ALP11L245WM-T (245Wp)	ALP11L245WM	20.71	64 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								ALP11L240WM-T	20.29				
								ALP11L245WM-T	20.71				
					xviii	Mono c-Si PERC Module	ALP08L185WM (185Wp)	ALP11L250WM-T	21.14	48 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								ALP08L180WM	19.74				
								ALP08L185WM	20.29				
					xix	Bifacial Mono c-Si PERC Module (Glass to Transparent	ALP08L185WM-T (185Wp)	ALP08L190WM	20.84	48 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								ALP08L180WM-T	19.74				
								ALP08L185WM-T	20.29				
					xx	Mono c-Si PERC Module	ALP07L150WM	ALP08L190WM-T	20.84	40 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								ALP07L150WM	19.77				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xx	Mono c-Si PERC Module	(150Wp)	ALP07L155WM	20.43	40 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					xxi	Bifacial Mono c-Si PERC Module	ALP07L150WM-T (150Wp)	ALP07L150WM-T	19.77	40 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								ALP07L155WM-T	20.43				
					xxii	Mono c-Si PERC Module	ALP06L135WM (135Wp)	ALP06L135WM	19.20	36 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					xxiii	Bifacial Mono c-Si PERC Module	ALP06L135WM-T (135Wp)	ALP06L140WM	19.91	36 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								ALP06L135WM-T	19.20				
					xxiv	Mono c-Si PERC Module	ALP05L120WM (120Wp)	ALP06L140WM-T	19.91	32 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								ALP05L120WM	19.43				
					xxv	Bifacial Mono c-Si PERC Module	ALP05L120WM-T (120Wp)	ALP05L125WM	20.24	32 (Half Cut Cells)	1500	10.11.2023	09.11.2027
								ALP05L120WM-T	19.43				
					13	Vikram Solar Ltd.	B1000A, B1100C, Indospace Industrial Park, Panruti Pvt. Ltd., Survey No-2/A, Sriperumbudur Taluk, Panaiyur Village, Kanchipuram-603302, Tamil Nadu	R-61002070	1408	i	Mono c-Si PERC Modules	SOMERA VSMH.72.550.05 (550 Wp)	ALP05L125WM-T
SOMERA VSMH.72.555.05	21.52												
SOMERA VSMH.72.550.05	21.33												
SOMERA VSMH.72.545.05	21.13												
ii	Mono c-Si PERC Modules	SOMERA VSMH.60.455.05 (455 Wp)	SOMERA VSMH.72.540.05	20.94						120 (Half Cut Cells)	1500	10.11.2023	09.11.2027
			SOMERA VSMH.60.460.05	21.28									
			SOMERA VSMH.60.455.05	21.05									
			SOMERA VSMH.60.450.05	20.82									
iii	Bifacial Mono c-Si PERC Modules (Glass to Glass)	PARADEA VSM DH.72.545.05 (545 Wp)	SOMERA VSMH.60.445.05	20.59						144 (Half Cut Cells)	1500	10.11.2023	09.11.2027
			PARADEA VSM DH.72.565.05	21.91									
			PARADEA VSM DH.72.560.05	21.72									
			PARADEA VSM DH.72.555.05	21.52									
			PARADEA VSM DH.72.550.05	21.33									
			PARADEA VSM DH.72.545.05	21.13									
			PARADEA VSM DH.72.540.05	20.94									
			PARADEA VSM DH.72.535.05	20.75									
iv	Mono c-Si PERC Modules	PREXOS VSM DHT.72.535.05 (535 Wp)	PREXOS VSM DHT.72.535.05	20.75						144 (Half Cut Cells)	1500	10.11.2023	09.11.2027
			PREXOS VSM DHT.72.530.05	20.55									
v	Bifacial Mono c-Si PERC Modules	PARADEA VSM DH.66.650.05 (650 Wp)	PARADEA VSM DH.66.660.05	21.25						132 (Half Cut Cells)	1500	10.11.2023	09.11.2027
			PARADEA VSM DH.66.655.05	21.09									
			PARADEA VSM DH.66.650.05	20.92									
			PARADEA VSM DH.66.645.05	20.76									
			PARADEA VSM DH.66.640.05	20.60									
			PARADEA VSM DH.66.635.05	20.44									
vi	Bifacial Mono c-Si PERC Modules	PARADEA VSM DH.60.590.05 (590 Wp)	PARADEA VSM DH.60.600.05	21.20						120(Half Cut Cells)	1500	10.11.2023	09.11.2027
			PARADEA VSM DH.60.595.05	21.02									
			PARADEA VSM DH.60.590.05	20.85									
			PARADEA VSM DH.60.585.05	20.67									
			PARADEA VSM DH.60.580.05	20.50									
vii	Mono c-Si PERC Modules	SOMERA VSMH.66.655.05 (655 Wp)	SOMERA VSMH.66.670.05	21.57						132 (Half Cut Cells)	1500	10.11.2023	09.11.2027
			SOMERA VSMH.66.665.05	21.41									
			SOMERA VSMH.66.660.05	21.25									
			SOMERA VSMH.66.655.05	21.09									
			SOMERA VSMH.66.650.05	20.92									
			SOMERA VSMH.66.645.05	20.76									
			SOMERA VSMH.66.640.05	20.60									
			SOMERA VSMH.60.610.05	21.55									
viii	Mono c-Si PERC Modules	SOMERA VSMH.60.600.05 (600 Wp)	SOMERA VSMH.60.605.05	21.38						120 (Half Cut Cells)	1500	10.11.2023	09.11.2027
			SOMERA VSMH.60.600.05	21.20									
			SOMERA VSMH.60.595.05	21.02									
			SOMERA VSMH.60.590.05	20.85									
			SOMERA VSMH.60.585.05	20.67									
			SOMERA VSMH.60.580.05	20.49									
			SOMERA VSMH.72.455.05	20.46									
ix	Mono c-Si PERC Modules	SOMERA VSMH.72.450.05 (450 Wp)	SOMERA VSMH.72.450.05	20.23						144 (Half Cut Cells)	1500	10.11.2023	09.11.2027
			SOMERA VSMH.72.445.05	20.01									
			SOMERA VSMH.72.440.05	19.79									
			PARADEA VSM DH.78.615.03	22.08									
x	Bifacial Mono c-Si PERC Modules (Glass to Glass)	PARADEA VSM DH.72.600.05 (600 Wp)	PARADEA VSM DH.78.610.04	21.90						156 (Half Cut Cells)	1500	10.11.2023	09.11.2027
			PARADEA VSM DH.78.605.05	21.72									
			PARADEA VSM DH.78.600.05	21.54									
			PARADEA VSM DH.78.595.05	21.36									
			PARADEA VSM DH.78.590.05	21.18									
			PARADEA VSM DH.78.585.05	21.00									
			PARADEA VSM DH.78.580.05	20.83									
			HYPERSOL VSM DH.72.610.05	23.61									

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xii	Bifacial N Type TOPCon Modules (Glass to Glass)	HYPERSOL VSMDH.72.585.05 (585 Wp)	HYPERSOL VSMDH.72.605.05 HYPERSOL VSMDH.72.600.05 HYPERSOL VSMDH.72.595.05 HYPERSOL VSMDH.72.590.05 HYPERSOL VSMDH.72.585.05 HYPERSOL VSMDH.72.580.05 HYPERSOL VSMDH.72.575.05 HYPERSOL VSMDH.72.570.05 HYPERSOL VSMDH.72.565.05 HYPERSOL VSMDH.72.560.05	23.42 23.23 23.03 22.84 22.65 22.45 22.26 22.07 21.87 21.68	144 (Half Cut Cells)	1500	10.11.2023	09.11.2027
					xiii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	PREXOS VSMDHT.72.550.05 (550 Wp)	PREXOS VSMDHT.72.560.05 PREXOS VSMDHT.72.555.05 PREXOS VSMDHT.72.550.05 PREXOS VSMDHT.72.545.05 PREXOS VSMDHT.72.540.05	21.72 21.52 21.33 21.13 20.94	144 (Half Cut Cells)	1500	10.11.2023	09.11.2027
14	M/s. Contendre Greenergy Pvt. Ltd.	Unit No: I/6, Rajlakhmi HiTech Industrial Park, Sonale Village, Bhiwandi-421302, Maharashtra	R-71013196	49	i	Mono c-Si PERC Modules	CG MB72-405 (405 Wp)	CG MB72-395 CG MB72-400 CG MB72-405 CG MB72-410 CG MB72-415	19.17 19.41 19.66 19.90 20.14	72 (Full Cells)	1500	30.12.2023	29.12.2027
15	M/s. ECE (India) Energies Pvt. Ltd.	F-27, Express Highway, MIDC, Amravati-444607, Maharashtra, India.	R-71012220	40	i	Mono c-Si PERC Module	ECE060M310 (310Wp)	ECE060M310	19.19	60 (Full Cells)	1500	04.03.2024	03.03.2028
					ii	Mono c-Si PERC Module	ECE060M340 (340Wp)	ECE060M340	19.23	66 (Full Cells)	1500	04.03.2024	03.03.2028
					iii	Mono c-Si PERC Module	ECE060M370 (370Wp)	ECE060M370	19.17	72 (Full Cells)	1500	04.03.2024	03.03.2028
		Co-ALMM with M/s Navitas Green Solutions Pvt. Ltd. Manufacturing Address: Plot No. B-20/3, Road No. 13, 14, Palsana-Baleshwar Rd, Hoziwala Industrial Estate, Sachin, Surat-394230, Gujarat	R-72008389	100 (As per Co-Branding Agreement)	iv	Mono c-Si PERC Module	ECE072M220 (220 Wp)	ECE072M215 ECE072M220 ECE072M225	19.32 19.77 20.22	72 (Half Cut Cells)	1500	10.04.2024	28.05.2025
								ECE072M260 ECE072M265 ECE072M270 ECE072M275	19.62 20.00 20.38 20.76	72 (Half Cut Cells)	1500	10.04.2024	28.05.2025
								ECE096M285 ECE096M290 ECE096M295 ECE096M300	19.42 19.81 20.15 20.49	96 (Half Cut Cells)	1500	10.04.2024	28.05.2025
					vii	Mono c-Si PERC Module	ECE096M360 (360 Wp)	ECE096M350 ECE096M360 ECE096M365	20.06 20.35 20.64	96 (Half Cut Cells)	1500	10.04.2024	28.05.2025
								ECE108M320 ECE108M325 ECE108M330 ECE108M335	20.92 19.52 19.82 20.13	108 (Half Cut Cells)	1500	10.04.2024	28.05.2025
								ECE108M340 ECE108M390 ECE108M395 ECE108M400 ECE108M405 ECE108M410	20.74 19.96 20.21 20.47 20.72 20.98	108 (Half Cut Cells)	1500	10.04.2024	28.05.2025
					x	Mono c-Si PERC Module	ECE120M370 (370 Wp)	ECE120M360 ECE120M365 ECE120M370 ECE120M375	19.84 20.11 20.39 20.66	120 (Half Cut Cells)	1500	10.04.2024	28.05.2025
								ECE120M435 ECE120M440 ECE120M445 ECE120M450 ECE120M455	20.10 20.33 20.56 20.79 21.02	120 (Half Cut Cells)	1500	10.04.2024	28.05.2025
					xii	Mono c-Si PERC Module	ECE132M405 (405 Wp)	ECE132M395 ECE132M400 ECE132M405 ECE132M410 ECE132M415	19.85 20.10 20.35 20.06 20.85	132 (Half Cut Cells)	1500	10.04.2024	28.05.2025

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xiii	Mono c-Si PERC Module	ECE132M490 (490 Wp)	ECE132M480	20.22	132 (Half Cut Cells)	1500	10.04.2024	28.05.2025
								ECE132M485	20.43				
								ECE132M490	20.64				
								ECE132M495	20.85				
								ECE132M500	21.06				
					xiv	Mono c-Si PERC Module	ECE144M450 (450 Wp)	ECE144M435	20.09	144 (Half Cut Cells)	1500	10.04.2024	28.05.2025
								ECE144M440	20.32				
								ECE144M445	20.55				
								ECE144M450	20.78				
								ECE144M455	21.01				
								ECE144M460	21.24				
								ECE144M465	21.48				
								ECE144M525	20.32				
								ECE144M530	20.51				
								ECE144M535	20.71				
					xv	Mono c-Si PERC Module	ECE144M545 (545 Wp)	ECE144M540	20.90	144 (Half Cut Cells)	1500	10.04.2024	28.05.2025
								ECE144M545	21.09				
								ECE144M550	21.29				
								ECE144M555	21.48				
								ECE144M560	21.67				
								ECE156M460	19.30				
								ECE156M465	19.51				
								ECE156M470	19.72				
					xvi	Mono c-Si PERC Module	ECE156M470 (470 Wp)	ECE156M475	19.93	156 (Half Cut Cells)	1500	10.04.2024	28.05.2025
								ECE156M480	20.14				
								ECE156M485	20.35				
								ECE156M570	20.39				
								ECE156M575	20.57				
					xvii	Mono c-Si PERC Module	ECE156M580 (580 Wp)	ECE156M580	20.74	156 (Half Cut Cells)	1500	10.04.2024	28.05.2025
								ECE156M585	20.92				
16	Rayzon Solar Private Limited	Block No. 94/1/1F, 94/1/3, 102/1, 103, 104, 105, 109, 110, 118, 119, 120, Kim Mandvi Road, Near Hariya Talav, B/H Aron Pipe, Kim Mandvi Road, Karanj, Surat - 394110, Gujarat, India.	R-72002305	3006	i	Mono c-Si PERC Modules	RS400WC (400 Wp)	RS385WC	19.72	108 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								RS390WC	19.96				
								RS395WC	20.22				
								RS400WC	20.47				
								RS405WC	20.75				
								RS410WC	20.97				
								RS415WC	21.22				
								RS420WC	21.48				
								RS425WC	19.67				
								RS430WC	19.88				
					ii	Mono c-Si PERC Modules	RS445WC (445 Wp)	RS435WC	20.12	120 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								RS440WC	20.37				
								RS445WC	20.60				
								RS450WC	20.84				
								RS455WC	21.00				
								RS460WC	21.23				
								RS465WC	21.47				
								RS470WC	19.84				
					iii	Mono c-Si PERC Modules	RS490WC (490 Wp)	RS475WC	20.02	132 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								RS480WC	20.26				
								RS485WC	20.46				
								RS490WC	20.66				
								RS495WC	20.87				
								RS500WC	21.06				
								RS505WC	21.28				
								RS510WC	21.49				
					iv	Mono c-Si PERC Modules	RS535WC (535 Wp)	RS515WC	19.96	144 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								RS520WC	20.17				
								RS525WC	20.34				
								RS530WC	20.55				
								RS535WC	20.74				
								RS540WC	20.94				
								RS545WC	21.10				
								RS550WC	21.32				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								RS555WC	21.52				
								RS560WC	21.71				
					v	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	RSB530WC (530 Wp)	RSB505WC	19.56	144 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								RSB510WC	19.79				
								RSB515WC	19.99				
								RSB520WC	20.18				
								RSB525WC	20.37				
								RSB530WC	20.56				
								RSB535WC	20.75				
								RSB540WC	20.94				
								RSB545WC	21.13				
								RSB550WC	21.32				
					vi	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	RSB480WC (480 Wp)	RSB460WC	19.40	132 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								RSB465WC	19.60				
								RSB470WC	19.84				
								RSB475WC	20.02				
								RSB480WC	20.26				
								RSB485WC	20.46				
								RSB490WC	20.66				
								RSB495WC	20.87				
								RSB500WC	21.08				
								RSB415WC	19.18				
					vii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	RSB435WC (435 Wp)	RSB420WC	19.42	120 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								RSB425WC	19.65				
								RSB430WC	19.86				
								RSB435WC	20.10				
								RSB440WC	20.35				
								RSB445WC	20.58				
								RSB450WC	20.81				
								RSB455WC	21.02				
					viii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	RSB390WC (390 Wp)	RSB380WC	19.47	108 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								RSB385WC	19.72				
								RSB390WC	19.96				
								RSB395WC	20.22				
								RSB400WC	20.47				
								RSB405WC	20.75				
					ix	Bifacial Mono c-Si PERC Modules (Glass to Glass)	RSG530WC (530 Wp)	RSB410WC	21.00	144 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								RSG505WC	19.57				
								RSG510WC	19.76				
								RSG515WC	19.95				
								RSG520WC	20.15				
								RSG525WC	20.34				
								RSG530WC	20.53				
								RSG535WC	20.73				
								RSG540WC	20.92				
								RSG545WC	21.12				
					x	Bifacial Mono c-Si PERC Modules (Glass to Glass)	RSG480WC (480 Wp)	RSG550WC	21.31	132 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								RSG555WC	21.50				
								RSG460WC	19.40				
								RSG465WC	19.60				
								RSG470WC	19.84				
								RSG475WC	20.02				
								RSG480WC	20.26				
								RSG485WC	20.46				
								RSG490WC	20.66				
								RSG495WC	20.87				
								RSG500WC	21.08				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xi	Bifacial Mono c-Si PERC Modules (Glass to Glass)	RSG435WC (435 Wp)	RSG415WC	19.18	120 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								RSG420WC	19.42				
								RSG425WC	19.65				
								RSG430WC	19.86				
								RSG435WC	20.10				
								RSG440WC	20.35				
								RSG445WC	20.58				
								RSG450WC	20.81				
								RSG455WC	21.02				
					xii	Bifacial Mono c-Si PERC Modules (Glass to Glass)	RSG390WC (390 Wp)	RSG380WC	19.47	108 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								RSG385WC	19.72				
								RSG390WC	19.96				
								RSG395WC	20.22				
								RSG400WC	20.47				
								RSG405WC	20.75				
								RSG410WC	21.00				
								RS535144TGC	20.73	144 (Half Cut Cells)	1500	04.03.2024	03.03.2028
					xii	Bifacial N Type TOPCon Module (Glass to Glass)	RS560144TGC (560 Wp)	RS540144TGC	20.92				
								RS545144TGC	21.12				
								RS550144TGC	21.31				
								RS555144TGC	21.50				
								RS560144TGC	21.70				
								RS565144TGC	21.89				
								RS570144TGC	22.08				
								RS575144TGC	22.28				
								RS580144TGC	22.47	132 (Half Cut Cells)	1500	04.03.2024	03.03.2028
					xiv	Bifacial N Type TOPCon Module (Glass to Glass)	RS510132TGC (510 Wp)	RS585144TGC	22.66				
								RS485132TGC	20.43				
								RS490132TGC	20.64				
								RS495132TGC	20.85				
								RS500132TGC	21.06				
								RS505132TGC	21.27				
								RS510132TGC	21.49				
								RS515132TGC	21.70				
								RS520132TGC	21.91	120 (Half Cut Cells)	1500	04.03.2024	03.03.2028
					xv	Bifacial N Type TOPCon Module (Glass to Glass)	RS465120TGC (465 Wp)	RS525132TGC	22.12				
								RS530132TGC	22.33				
								RS535132TGC	22.54				
								RS445120TGC	20.54				
								RS450120TGC	20.77				
								RS455120TGC	21.00				
								RS460120TGC	21.23				
								RS465120TGC	21.46	108 (Half Cut Cells)	1500	04.03.2024	03.03.2028
					xvi	Bifacial N Type TOPCon Module (Glass to Glass)	RS415108TGC (415 Wp)	RS470120TGC	21.70				
								RS475120TGC	21.93				
								RS480120TGC	22.16				
								RS485120TGC	22.39				
								RS395108TGC	20.24				
								RS400108TGC	20.50				
								RS405108TGC	20.76				
								RS410108TGC	21.01				
								RS415108TGC	21.27	144 (Half Cut Cells)	1500	04.03.2024	03.03.2028
					xvii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	RSG560WC (560 Wp)	RS420108TGC	21.53				
								RS425108TGC	21.78				
								RS430108TGC	22.04				
								RS435108TGC	22.30				
								RSG560WC	21.70				
					xviii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	RSB560WC (560 Wp)	RSB555WC	21.50				
								RSB560WC	21.70	144 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								RS600144TGC	23.25				
					xix	Bifacial N Type TOPCon Module (Glass to Glass)	RS600144TGC (600 Wp)	RS595144TGC	23.05	144 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								RS590144TGC	22.86				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
17	M/s. Kosol Energie Pvt. Ltd.	Survey No: 415/B, Opp. Super Gas, Village: Bhayla, Bavla-Bagodra Highway, Ta: Bavla, Dist: Ahmedabad-382220, Gujarat, India.	R-72003417	637	i	Mono c-Si PERC Modules	KE550M (550 Wp)	KE570M	22.06	144 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								KE565M	21.87				
								KE560M	21.68				
								KE555M	21.48				
								KE550M	21.29				
								KE545M	21.10				
								KE540M	20.90				
								KE535M	20.71				
								KE530M	20.52				
								KE570T	22.06				
					ii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	KE550T (550 Wp)	KE565T	21.87	144 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								KE560T	21.68				
								KE555T	21.48				
								KE550T	21.29				
								KE545T	21.10				
								KE540T	20.90				
								KE535T	20.71				
								KE530T	20.52				
								KE460M	21.21				
								KE455M	20.98				
					iii	Mono c-Si PERC Modules	KE445M (445 Wp)	KE450M	20.75	120 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								KE445M	20.52				
								KE440M	20.29				
								KE435M	20.06				
								KE430M	19.83				
								KE460T	21.21				
								KE455T	20.98				
					iv	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	KE445T (445 Wp)	KE450T	20.75	120 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								KE445T	20.52				
								KE440T	20.29				
								KE435T	20.06				
								KE430T	19.83				
								KE415M	21.24				
								KE410M	20.98				
					v	Mono c-Si PERC Modules	KE400M (400 Wp)	KE405M	20.73	108 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								KE400M	20.47				
								KE395M	20.22				
								KE390M	19.96				
								KE385M	19.70				
								KE415T	21.24				
								KE410T	20.98				
					vi	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	KE400T (400 Wp)	KE405T	20.73	108 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								KE400T	20.47				
								KE395T	20.22				
								KE390T	19.96				
								KE385T	19.70				
								KE255M	19.22	48 (Full Cells)	1500	04.03.2024	03.03.2028
					vii	Mono c-Si PERC Modules	KE255M (255 Wp)	KE280M	19.05	54 (Full Cells)	1500	04.03.2024	03.03.2028
								KE285M	19.39				
					ix	Mono c-Si PERC Modules	KE325M (325 Wp)	KE315M	19.17	60 (Full Cells)	1500	04.03.2024	03.03.2028
								KE320M	19.47				
								KE325M	19.78				
								KE330M	20.08				
								KE335M	20.38				
								KE380M	19.16				
					x	Mono c-Si PERC Modules	KE390M (390 Wp)	KE385M	19.42	72 (Full Cells)	1500	04.03.2024	03.03.2028
								KE390M	19.67				
								KE395M	19.92				
								CSPL-144MHC-TF-520	20.14	144 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								CSPL-144MHC-TF-525	20.33				
18	M/s. Citizen Solar Pvt. Ltd.	New Survey No-966, Village: Indrad, Chhatral Kadi Road, Ta: Kadi, Dist.: Mehsana, Gujarat-382715, India.	R-72001929	150	i	Mono c-Si PERC Module (Glass to Transparent	CSPL-144MHC-TF-535 (535Wp)	CSPL-144MHC-TF-530	20.52				
								CSPL-144MHC-TF-535	20.72				
								CSPL-144MHC-TF-540	20.91				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
						backsheet)		CSPL-144MHC-TF-545	21.11				
								CSPL-144MHC-TF-550	21.30				
								CSPL-144MHC-TF-555	21.49				
								CSPL-144MHC-TF-560	21.69				
					ii	Mono c-Si PERC Module	CSPL-144MHC-WF-535 (535Wp)	CSPL-144MHC-WF-520	20.14	144 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								CSPL-144MHC-WF-525	20.33				
								CSPL-144MHC-WF-530	20.52				
								CSPL-144MHC-WF-535	20.72				
								CSPL-144MHC-WF-540	20.91				
								CSPL-144MHC-WF-545	21.11				
								CSPL-144MHC-WF-550	21.30				
								CSPL-144MHC-WF-555	21.49				
								CSPL-144MHC-WF-560	21.69				
								CSPL-132MHC-TF-480	20.21				
					iii	Mono c-Si PERC Module (Glass to Transparent backsheet)	CSPL-132MHC-TF-485 (485Wp)	CSPL-132MHC-TF-485	20.42	132 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								CSPL-132MHC-TF-490	20.63				
								CSPL-132MHC-TF-495	20.84				
								CSPL-132MHC-WF-480	20.21				
					iv	Mono c-Si PERC Module	CSPL-132MHC-WF-485 (485Wp)	CSPL-132MHC-WF-485	20.42	132 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								CSPL-132MHC-WF-490	20.63				
								CSPL-132MHC-WF-495	20.84				
								CSPL-120MHC-TF-435	20.04				
					v	Mono c-Si PERC Module (Glass to Transparent backsheet)	CSPL-120MHC-TF-440 (440Wp)	CSPL-120MHC-TF-440	20.27	120 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								CSPL-120MHC-TF-445	20.50				
								CSPL-120MHC-TF-450	20.73				
								CSPL-120MHC-WF-435	20.04				
					vi	Mono c-Si PERC Module	CSPL-120MHC-WF-440 (440Wp)	CSPL-120MHC-WF-440	20.27	120 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								CSPL-120MHC-WF-445	20.50				
								CSPL-120MHC-WF-450	20.73				
								CSPL-108MHC-TF-390	19.88				
					vii	Mono c-Si PERC Module (Glass to Transparent backsheet)	CSPL-108MHC-TF-395 (395Wp)	CSPL-108MHC-TF-395	20.14	108 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								CSPL-108MHC-TF-400	20.39				
								CSPL-108MHC-TF-405	20.65				
								CSPL-108MHC-WF-390	19.88				
					viii	Mono c-Si PERC Module	CSPL-108MHC-WF-395 (395Wp)	CSPL-108MHC-WF-395	20.14	108 (Half Cut Cells)	1500	04.03.2024	03.03.2028
								CSPL-108MHC-WF-400	20.39				
								CSPL-108MHC-WF-405	20.65				
								CSPL-108MHC-WF-405	20.65				
					ix	Mono c-Si PERC Modules.	CSPL24M390 (390 Wp)	CSPL24M380	19.15	72 (Full Cells)	1500	04.03.2024	03.03.2028
								CSPL24M385	19.41				
								CSPL24M390	19.66				
								CSPL24M395	19.91				
								CSPL24M400	20.16				
19	M/s. Redren Energy Pvt. Ltd	Survey No. 154/1, 154/2, Opposite Rangpar, Bus Stand, National Highway No. 27, Jalida, Wankaner, Morbi-363621, Gujarat, India	R-72001775	77	i	Mono c-Si PERC Module	RPLUS24380 (380 Wp)	RPLUS24380	19.11	72 (Full Cells)	1500	05.04.2024	04.04.2028
					ii	Mono c-Si PERC Module	RPLUS20320 (320 Wp)	RPLUS20330	20.05	60 (Full Cells)	1500	05.04.2024	04.04.2028
								RPLUS20325	19.74				
								RPLUS20320	19.44				
								RPLUS20315	19.14				
					iii	Mono c-Si PERC Module	RPLUS18300 (300 Wp)	RPLUS18300	20.37	54 (Full Cells)	1500	05.04.2024	04.04.2028
								RPLUS18295	20.03				
								RPLUS18290	19.69				
								RPLUS18285	19.35				
					iv	Mono c-Si PERC Module	RSM10MP-72HCMF550 (550Wp)	RSM10MP-72HCMF550	21.29	144 (Half Cut Cells)	1500	05.04.2024	04.04.2028
					v	Mono c-Si PERC Module	RSM10MP-72HCMF520 (520Wp)	RSM10MP-72HCMF545	21.10	144 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10MP-72HCMF540	20.90				
								RSM10MP-72HCMF535	20.71				
								RSM10MP-72HCMF530	20.52				
								RSM10MP-72HCMF525	20.32				
								RSM10MP-72HCMF520	20.13				
								RSM10MP-72HCMF515	19.94				
								RSM10MP-72HCMF510	19.74				
								RSM10MP-72HCMF505	19.55				
								RSM10MP-72HCMF500	19.35				
								RSM10MP-72HCMF495	19.16				
								RSM10MP-66HCMF505	21.27				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					vi	Mono c-Si PERC Module	RSM10MP-66HCF500 (500 Wp)	RSM10MP-66HCF500	21.06	132 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10MP-66HCF495	20.84				
								RSM10MP-66HCF490	20.63				
								RSM10MP-66HCF485	20.42				
								RSM10MP-66HCF480	20.21				
								RSM10MP-66HCF475	20.03				
					vii	Mono c-Si PERC Module	RSM10MP-66HCF470 (470 Wp)	RSM10MP-66HCF470	19.79	132 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10MP-66HCF465	19.58				
								RSM10MP-66HCF460	19.37				
								RSM10MP-66HCF455	19.16				
					viii	Mono c-Si PERC Module	RSM10MP-60HCF460 (460 Wp)	RSM10MP-60HCF460	21.25	120 (Half Cut Cells)	1500	05.04.2024	04.04.2028
					ix	Mono c-Si PERC Module	RSM10MP-60HCF435 (435 Wp)	RSM10MP-60HCF455	21.02	120 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10MP-60HCF450	20.79				
								RSM10MP-60HCF445	20.55				
								RSM10MP-60HCF440	20.32				
								RSM10MP-60HCF435	20.09				
								RSM10MP-60HCF430	19.86				
								RSM10MP-60HCF425	19.63				
								RSM10MP-60HCF420	19.40				
								RSM10MP-60HCF415	19.17				
					x	Mono c-Si PERC Module	RSM10MP-54HCF400 (400 Wp)	RSM10MP-54HCF420	21.48	108 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								RSM10MP-54HCF415	21.23				
								RSM10MP-54HCF410	20.97				
								RSM10MP-54HCF405	20.71				
								RSM10MP-54HCF400	20.46				
								RSM10MP-54HCF395	20.20				
								RSM10MP-54HCF390	19.95				
								RSM10MP-54HCF385	19.69				
								RSM10MP-54HCF380	19.44				
20	M/s. Premier Energies Photovoltaic Pvt. Ltd	Plot No-8/B/1 & 8/B/2, SY No. 62 P 63 P and 88 P, E-City, Village Raviriyala, Maheshwaram Mandal, Ranga Reddy, Telangana-501359, India	R-63002356	1241	i	Mono c-Si PERC Module	PE-490HM, (490Wp)	PE-470HM	19.80	132 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								PE-475HM	20.01				
								PE-480HM	20.22				
								PE-485HM	20.43				
								PE-490HM	20.64				
								PE-495HM	20.86				
								PE-510HM	21.49				
								PE-505HM	21.28				
								PE-500HM	21.07				
					ii	Mono c-Si PERC Module	PE-530HM, (530 Wp)	PE-515HM	19.94	144 (Half-Cut Cells)	1500	05.04.2024	04.04.2028
								PE-520HM	20.13				
								PE-525HM	20.32				
								PE-530HM	20.52				
								PE-535HM	20.71				
								PE-540HM	20.90				
								PE-545HM	21.10				
								PE-550HM	21.29				
								PE-555HM	21.48				
					iii	Bifacial Mono c-Si PERC Module	PE-530HGB, (530 Wp)	PE-510HGB	19.74	144 (Half-Cut Cells)	1500	05.04.2024	04.04.2028
								PE-515HGB	19.94				
								PE-520HGB	20.13				
								PE-525HGB	20.32				
								PE-530HGB	20.52				
								PE-535HGB	20.71				
								PE-540HGB	20.90				
								PE-545HGB	21.10				
								PE-550HGB	21.29				
					iv	Mono c-Si PERC Module	PE-565HM, (565 Wp)	PE-555HM	19.86	156 (Half-Cut Cells)	1500	05.04.2024	04.04.2028
								PE-560HM	20.04				
								PE-565HM	20.22				
								PE-570HM	20.40				
								PE-575HM	20.58				
								PE-580HM	20.76				
								PE-585HM	20.94				
								PE-590HM	21.12				
								PE-520HB	21.91				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					v	Bifacial Mono c-Si PERC Module	PE-500HB, (500Wp)	PE-515HB	21.70	132 (Half-Cut Cells)	1500	05.04.2024	04.04.2028
								PE-510HB	21.49				
								PE-505HB	21.28				
								PE-500HB	21.07				
								PE-495HB	20.86				
								PE-490HB	20.64				
					vi	Bifacial Mono c-Si PERC Module	PE-535HB, (535Wp)	PE-550HB	21.29	144 (Half-Cut Cells)	1500	05.04.2024	04.04.2028
								PE-545HB	21.10				
								PE-540HB	20.90				
								PE-535HB	20.71				
								PE-530HB	20.52				
								PE-525HB	20.32				
					vii	Bifacial N-Type TOPCon Modules	PE-565THB144, (565Wp)	PE-545THB144	21.10	144 (Half-Cut Cells)	1500	05.04.2024	04.04.2028
								PE-550THB144	21.29				
								PE-555THB144	21.48				
								PE-560THB144	21.68				
								PE-565THB144	21.87				
								PE-570THB144	22.07				
								PE-575THB144	22.26				
								PE-580THB144	22.45				
								PE-585THB144	22.65				
								PE-590THB144	22.84				
					viii	Bifacial N-Type TOPCon Modules	PE-515THB132, (515Wp)	PE-495THB132	20.86	132 (Half-Cut Cells)	1500	05.04.2024	04.04.2028
								PE-500THB132	21.07				
								PE-505THB132	21.28				
								PE-510THB132	21.49				
								PE-515THB132	21.70				
								PE-520THB132	21.91				
								PE-525THB132	22.12				
								PE-530THB132	22.33				
								PE-535THB132	22.54				
								PE-450THB120	20.80	120 (Half-Cut Cells)	1500	05.04.2024	04.04.2028
					x	Bifacial N-Type TOPCon Modules	PE-470THB120, (470Wp)	PE-455THB120	21.03				
								PE-450THB120	21.26				
								PE-460THB120	21.49				
								PE-465THB120	21.72				
								PE-470THB120	21.95				
								PE-475THB120	22.18				
								PE-480THB120	22.42				
								PE-485THB120	22.65				
								PE-490THB120	22.88				
								SSSPL-72TP-255	19.20	72 (Half Cut Cells)	1500	05.04.2024	04.04.2028
21	M/s. Sri Savitr Solar Pvt. Ltd	Plot No. 34/1, Sy No. 374, C.I.E. Phase 2, Gandhi Nagar, Quthbulapur, Ranga Reddy, Hyderabad, Telangana - 500037, India	R-63000922	40	i	Mono c-Si PERC Module	SSSPL-72TP-265 (265 Wp)	SSSPL-72TP-260	19.58				
								SSSPL-72TP-265	19.96				
								SSSPL-72TP-270	20.33				
								SSSPL-72TP-275	20.71				
					ii	Mono c-Si PERC Module	SSSPL-72TP-265 (280 Wp)	SSSPL-72TP-280	21.08	72 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								SSSPL-108TP-380	19.47				
					iii	Mono c-Si PERC Module	SSSPL-108TP-390 (390 Wp)	SSSPL-108TP-390	19.98	108 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								SSSPL-108TP-400	20.49				
					iv	Mono c-Si PERC Module	SSSPL-108TP-410 (410Wp)	SSSPL-108TP-410	21.00	108 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								SSSPL-120TP-420	19.42				
					v	Mono c-Si PERC Module	SSSPL-120TP-440 (440Wp)	SSSPL-120TP-430	19.89	120 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								SSSPL-120TP-440	20.35				
								SSSPL-120TP-450	20.81				
								SSSPL-120TP-460	21.27				
								SSSPL-132TP-470	19.81				
					vi	Mono c-Si PERC Module	SSSPL-132TP-485 (485 Wp)	SSSPL-132TP-475	20.02	132 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								SSSPL-132TP-480	20.23				
								SSSPL-132TP-485	20.44				
								SSSPL-132TP-490	20.66				
								SSSPL-132TP-495	20.87				
								SSSPL-132TP-500	21.07				
								SSSPL-144TP-500	19.36				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					vii	Mono c-Si PERC Module	SSSPL-144TP-520 (520 Wp)	SSSPL-144TP-510	19.75	144 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								SSSPL-144TP-520	20.14				
								SSSPL-144TP-530	20.52				
								SSSPL-144TP-540	20.91				
					viii	Mono c-Si PERC Module	SSSPL-144TP-550 (550 Wp)	SSSPL-144TP-550	21.30	144 (Half Cut Cells)	1500	05.04.2024	04.04.2028
					ix	Mono c-Sii Module	SSPL-36-260 (260 Wp)	SSPL-36-260	20.96	36(Half Cut Cells)	1500	05.04.2024	04.04.2028
					x	Mono c-Sii Module	SSPL-36-270 (260 Wp)	SSPL-36-270	21.27	36(Half Cut Cells)	1500		
					xi	Mono c-Sii Module	SSPL-36-230 (230 Wp)	SSPL-36-230	20.83	36(Half Cut Cells)	1500		
					xii	Mono c-Sii Module	SSPL-36-240 (240 Wp)	SSPL-36-240	20.83	36(Half Cut Cells)	1500		
					xiii	Mono c-Sii Module	SSPL-36-250 (250 Wp)	SSPL-36-250	20.95	36(Half Cut Cells)	1500		
					xiv	Mono c-Sii Module	SSPL-36-200 (200 Wp)	SSPL-36-200	20.56	36(Half Cut Cells)	1500		
					xv	Mono c-Sii Module	SSPL-36-210 (210 Wp)	SSPL-36-210	20.68	36(Half Cut Cells)	1500		
					xvi	Mono c-Sii Module	SSPL-36-220 (220 Wp)	SSPL-36-220	20.83	36(Half Cut Cells)	1500		
					xvii	Mono c-Sii Module	SSPL-36-180 (180 Wp)	SSPL-36-180	20.42	36(Half Cut Cells)	1500		
					xviii	Mono c-Sii Module	SSPL-36-175 (175 Wp)	SSPL-36-175	20.47	36(Half Cut Cells)	1500		
					xix	Mono c-Sii Module	SSPL-36-170 (170 Wp)	SSPL-36-170	20.43	36(Half Cut Cells)	1500		
					xx	Mono c-Sii Module	SSPL-36-160 (160 Wp)	SSPL-36-160	20.34	36(Half Cut Cells)	1500		
					xxi	Mono c-Sii Module	SSPL-36-150 (150 Wp)	SSPL-36-150	20.14	36(Half Cut Cells)	1500		
					xxii	Mono c-Sii Module	SSPL-36-140 (140 Wp)	SSPL-36-140	20.02	36(Half Cut Cells)	1500		
					xxiii	Mono c-Sii Module	SSPL-36-130 (130 Wp)	SSPL-36-130	20.01	36(Half Cut Cells)	1500		
					xxiv	Mono c-Sii Module	SSPL-36-125 (125 Wp)	SSPL-36-125	19.82	36(Half Cut Cells)	1500		
					xxv	Mono c-Sii Module	SSPL-36-120 (120 Wp)	SSPL-36-120	19.74	36(Half Cut Cells)	1500		
					xxvi	Mono c-Sii Module	SSPL-36-100 (100 Wp)	SSPL-36-100	19.35	36(Half Cut Cells)	1500		
					xxvii	Mono c-Sii Module	SSPL-36-90 (90 Wp)	SSPL-36-90	19.38	36(Half Cut Cells)	1500		
					xxviii	Mono c-Sii Module	SSPL-36-80(80 Wp)	SSPL-36-80	19.21	36(Half Cut Cells)	1500		
					xxix	Mono c-Sii Module	SSPL-36-75 (75 Wp)	SSPL-36-75	19.05	36(Half Cut Cells)	1500		
					xxx	Mono c-Sii Module	SSPL-36-70 (700 Wp)	SSPL-36-70	19.03	36(Half Cut Cells)	1500		
					xxxi	Mono c-Sii Module	SSPL-36-60 (60 Wp)	SSPL-36-60	19.02	36(Half Cut Cells)	1500		
					xxxii	Mono c-Sii Module	SSPL-36-50 (50 Wp)	SSPL-36-50	19.01	36(Half Cut Cells)	1500		
					xxxiii	Mono c-Sii Module	SSPL-36-40 (40 Wp)	SSPL-36-40	19.05	36(Half Cut Cells)	1500		
22	M/s. Bluebird Solar Pvt. Ltd	Plot No: 5, Ecotech-II, Udyog Vihar, Khasra No. 739, Greater Noida-201306, Uttar Pradesh, India	R-93014680	106	i	Mono c-Si PERC Modules	BBS24MF395 (395Wp)	BBS24MF380	19.10	72 (Full Cells)	1500	05.04.2024	04.04.2028
								BBS24MF385	19.35				
								BBS24MF390	19.60				
								BBS24MF395	19.85				
								BBS24MF400	20.10				
								BBS24MF405	20.35				
					ii	Mono c-Si PERC Module	BBS24MC460 (460Wp)	BBS24MC440	19.73	120 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								BBS24MC445	19.95				
								BBS24MC450	20.18				
								BBS24MC455	20.40				
								BBS24MC460	20.63				
								BBS24MC465	20.85				
					iii	Mono c-Si PERC. Module	BBS24MC495 (495Wp)	BBS24MC470	21.08	132 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								BBS24MC475	21.31				
								BBS24MC480	19.45				
								BBS24MC485	19.65				
								BBS24MC490	19.85				
								BBS24MC495	20.05				
					iv	Mono c-Si PERC. Module	BBS24MC525 (525Wp)	BBS24MC500	20.25	144 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								BBS24MC505	20.46				
								BBS24MC510	20.66				
								BBS24MC515	19.96				
								BBS24MC520	20.15				
								BBS24MC525	20.34				
					v	Bifacial Mono c-Si PERC Module	BBS24MC460-TB (460 Wp)	BBS24MC530	20.53	120 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								BBS24MC535	20.73				
								BBS24MC540	20.92				
								BBS24MC545	21.12				
								BBS24MC550	21.31				
								BBS24MC440-TB	19.76				
								BBS24MC445-TB	19.99				
								BBS24MC450-TB	20.21				
								BBS24MC455-TB	20.44				
								BBS24MC460-TB	20.66				
								BBS24MC465-TB	20.89				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					vi	Bifacial Mono c-Si PERC Module	BBS24MC495-TB (495 Wp)	BBS24MC470-TB	21.11	132 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								BBS24MC475-TB	21.33				
								BBS24MC480-TB	19.94				
								BBS24MC485-TB	20.14				
								BBS24MC490-TB	20.35				
								BBS24MC495-TB	20.56				
								BBS24MC500-TB	20.77				
								BBS24MC505-TB	20.97				
								BBS24MC510-TB	21.18				
								BBS24MC520-TB	19.12				
								BBS24MC525-TB	19.31				
								BBS24MC530-TB	19.49				
					vii	Bifacial Mono c-Si PERC Module	BBS24MC525-TB (525 Wp)	BBS24MC535-TB	19.67	144 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								BBS24MC540-TB	19.86				
								BBS24MC545-TB	20.04				
								BBS24MC550-TB	20.23				
								BBS24MC555-TB	20.41				
								BBS24MC560-TB	20.59				
								BBS24MC565-TB	20.78				
								BBS24MC570-TB	20.96				
								BBS24MC575-TB	21.14				
								BBS24MC555	20.41				
								BBS24MC560	20.59				
								BBS24MC565	20.78				
					viii	Bifacial Mono c-Si PERC Module	BBS24MC570-TB (570 Wp)	BBS24MC575-TB	21.14	144 (Half Cut Cells)	1500	05.04.2024	04.04.2028
								BBS24MC555	20.41				
								BBS24MC560	20.59				
								BBS24MC565	20.78				
								BBS24MC570-TB	20.96				
								BBS24MC575-TB	21.14				
								BBS24MC555	20.41				
								BBS24MC560	20.59				
								BBS24MC565	20.78				
								BBS24MC570	20.96				
								BBS24MC575	21.14				
								ix	Mono c-Si PERC Module				
BBS24MC555	20.41												
BBS24MC560	20.59												
BBS24MC565	20.78												
BBS24MC570	20.96												
BBS24MC575	21.14												
BBS24MC555	20.41												
BBS24MC560	20.59												
BBS24MC565	20.78												
BBS24MC570	20.96												
BBS24MC575	21.14												
23	M/s. Rajasthan Electronics and Instruments Limited (REIL.)	2, Kanakpura Industrial Area, Sirsi Road, Jaipur-302040	R-84003077	23	i	Mono c-Si Module	385W72 (385 Wp)			390W72	20.07	72 (Full Cell)	1500
		Co-ALMM with M/s Sova Solar Ltd	R-51002631	2 (As per Co-Branding Agreement)	ii	Mono c-Si PERC Module	RSS535144HCMP (535Wp)	385W72	19.82				
								380W72	19.56				
								375W72	19.30				
								RSS520144HCMP	20.16				
		Manufacturing Address: Layout Plot No: 25, E.P.I.P, Banskopa, Durgapur 713212, West Bengal	R-51002631	2 (As per Co-Branding Agreement)	ii	Mono c-Si PERC Module	RSS535144HCMP (535Wp)	RSS525144HCMP	20.35	144 (Half Cut Cells)	1500	08.07.2024	31.03.2026
								RSS530144HCMP	20.54				
								RSS535144HCMP	20.74				
								RSS540144HCMP	20.93				
								RSS545144HCMP	21.13				
								RSS550144HCMP	21.32				
								RSS555144HCMP	21.51				
		Co-ALMM with M/s Cosmic PV Power Private Limited	R-72010197	2 (As per Co-Branding Agreement)	iii	Mono c-Si PERC Module	RCOS TWIN-530 (530 Wp)	RCOS TWIN-550	21.3	144 (Half Cut Cells)	1500	08.07.2024	17.03.2026
								RCOS TWIN-545	21.1				
								RCOS TWIN-540	20.9				
								RCOS TWIN-535	20.71				
								RCOS TWIN-530	20.51				
								RCOS TWIN-525	20.32				
								RCOS TWIN-520	20.13				
								RCOS TWIN-515	19.93				
								RCOS TWIN-510	19.74				
		Co-ALMM with M/s Grew Energy Private Limited	R-84004561	2 (As per Co-Branding Agreement)	iv	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RGMB72HM10540 (540Wp)	RGMB72HM10550	21.29	144 (Half Cut Cells)	1500	08.07.2024	
								RGMB72HM10545	21.1				
								RGMB72HM10540	20.9				
								RGMB72HM10535	20.71				
								RGMB72HM10530	20.52				
								RGMB72HM10525	20.32				
					v	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	RGMB66HM10495 (495Wp)	RGMB66HM10505	21.26	132 (Half Cut Cells)	1500	08.07.2024	
								RGMB66HM10500	21.05				
								RGMB66HM10495	20.83				
								RGMB66HM10490	20.62				
								RGMB66HM10485	20.41				
								RGMB66HM10480	20.2				
					vi	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	RGMB60HM10450 (450 Wp)	RGMB60HM10460	21.24	120 (Half Cut Cells)	1500	08.07.2024	
								RGMB60HM10455	21.01				
								RGMB60HM10450	20.78				
RGMB60HM10445	20.54												
RGMB60HM10440	20.31												
RGMB60HM10435	20.08												

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					vii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	RGMB54HM10405 (405 Wp)	RGMB54HM10415	21.21	108 (Half Cut Cells)	1500	08.07.2024	30.04.2026
								RGMB54HM10410	20.96				
								RGMB54HM10405	20.7				
								RGMB54HM10400	20.45				
								RGMB54HM10395	20.19				
								RGMB54HM10390	19.94				
					viii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	RGMB48HM10355 (355 Wp)	RGMB48HM10365	20.9	96 (Half Cut Cells)	1500	08.07.2024	
								RGMB48HM10360	20.61				
								RGMB48HM10355	20.33				
								RGMB48HM10350	20.04				
								RGMB48HM10345	19.75				
								RGMB48HM10340	19.47				
					ix	Mono c-Si PERC Modules	RGMF72HM10540 (540 Wp)	RGMF72HM10550	21.29	144 (Half Cut Cells)	1500	08.07.2024	
								RGMF72HM10545	21.1				
								RGMF72HM10540	20.9				
								RGMF72HM10535	20.71				
								RGMF72HM10530	20.52				
								RGMF72HM10525	20.32				
					x	Mono c-Si PERC Modules	RGMF66HM10495 (495 Wp)	RGMF66HM10505	21.26	132(Half Cut Cells)	1500	08.07.2024	
								RGMF66HM10500	21.05				
								RGMF66HM10495	20.83				
								RGMF66HM10490	20.62				
								RGMF66HM10485	20.41				
								RGMF66HM10480	20.2				
					xi	Mono c-Si PERC Modules	RGMF60HM10450 (450 Wp)	RGMF60HM10460	21.24	120 (Half Cut Cells)	1500	08.07.2024	
								RGMF60HM10455	21.01				
								RGMF60HM10450	20.78				
								RGMF60HM10445	20.54				
								RGMF60HM10440	20.31				
								RGMF60HM10435	20.08				
					xii	Mono c-Si PERC Modules	RGMF54HM10405 (405 Wp)	RGMF54HM10415	21.21	108 (Half Cut Cells)	1500	08.07.2024	
								RGMF54HM10410	20.96				
								RGMF54HM10405	20.7				
								RGMF54HM10400	20.45				
								RGMF54HM10395	20.19				
								RGMF54HM10390	19.94				
					xiii	Mono c-Si PERC Modules	RGMF48HM10355 (355 Wp)	RGMF48HM10365	20.9	96 (Half Cut Cells)	1500	08.07.2024	
								RGMF48HM10360	20.61				
								RGMF48HM10355	20.33				
								RGMF48HM10350	20.04				
								RGMF48HM10345	19.75				
								RGMF48HM10340	19.47				
24	M/s. Sahaj Solar Private Ltd	Plot No. D4, Survey No. 742,745, Gallops Industrial Park, Village Rajoda, Sarkhej – Bavla Road, NH 8B, Ahmedabad, Gujarat – 382220, India	R-72005630	54	i	Mono PERC c-Si Module	SS-535 (535 Wp)	SS-520	20.12	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								SS-525	20.31				
								SS-530	20.51				
								SS-535	20.70				
								SS-540	20.89				
								SS-545	21.09				
					ii	Mono PERC c-Si Module	SS-132C495 (495 Wp)	SS-550	21.28	132 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								SS-132C480	20.22				
								SS-132C485	20.43				
								SS-132C490	20.64				
								SS-132C495	20.86				
								SS-132C500	21.07				
					iii	Mono PERC c-Si Module	SS-120C445 (445 Wp)	SS-132C505	21.27	120 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								SS-132C510	21.49				
								SS-132C515	21.70				
								SS-120C440	20.34				
								SS-120C445	20.57				
								SS-120C450	20.79				
25	M/s. Raajratna Ventures Limited	Survey No. 69/2, Ahmedabad-Mehsana Highway, Opp Madhu Mill, Village Chandarda, Tal Kadi, Dist. Mehsana, Gujarat - 382715, India	R-72003379	79	i	Mono c-Si PERC Modules	R435M (435Wn)	SS-120C455	21.02	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								R420M	19.27				
								R425M	19.50				
								R430M	19.73				
								R435M	19.96				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								R440M	20.18	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								R445M	20.41				
								R450M	20.64				
					ii	Mono c-Si PERC Modules	R530M (530Wp)	R510M	19.73				
								R515M	19.93				
								R520M	20.12				
								R525M	20.31				
								R530M	20.51				
								R535M	20.70				
								R540M	20.89				
								R545M	21.09				
								R550M	21.28				
								ASM-M10-144-500	19.48				
								ASM-M10-144-501	19.51				
								ASM-M10-144-502	19.55				
26	M/s. Mundra Solar Energy Ltd	Taluka Mundra, Survey No.180/P, Sector-01,South Of APL/CGPL Power Plant, Near EMC Bridge,Tunda, Kachchh- 370435 Gujarat	R-72005460	1977	i	Mono c-Si PERC Modules	ASM-M10-144-525 (525Wp)	ASM-M10-144-503	19.59	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								ASM-M10-144-504	19.63				
								ASM-M10-144-505	19.67				
								ASM-M10-144-506	19.71				
								ASM-M10-144-507	19.75				
								ASM-M10-144-508	19.79				
								ASM-M10-144-509	19.83				
								ASM-M10-144-510	19.86				
								ASM-M10-144-511	19.9				
								ASM-M10-144-512	19.94				
								ASM-M10-144-513	19.98				
								ASM-M10-144-514	20.02				
								ASM-M10-144-515	20.06				
								ASM-M10-144-516	20.1				
								ASM-M10-144-517	20.14				
								ASM-M10-144-518	20.18				
								ASM-M10-144-519	20.22				
								ASM-M10-144-520	20.25				
								ASM-M10-144-521	20.29				
								ASM-M10-144-522	20.33				
								ASM-M10-144-523	20.37				
								ASM-M10-144-524	20.41				
								ASM-M10-144-525	20.45				
								ASM-M10-144-526	20.49				
								ASM-M10-144-527	20.53				
								ASM-M10-144-528	20.57				
								ASM-M10-144-529	20.6				
								ASM-M10-144-530	20.64				
								ASM-M10-144-531	20.68				
								ASM-M10-144-532	20.72				
								ASM-M10-144-533	20.76				
								ASM-M10-144-534	20.8				
								ASM-M10-144-535	20.84				
								ASM-M10-144-536	20.88				
								ASM-M10-144-537	20.92				
								ASM-M10-144-538	20.96				
								ASM-M10-144-539	20.99				
								ASM-M10-144-540	21.03				
								ASM-M10-144-541	21.07				
								ASM-M10-144-542	21.11				
								ASM-M10-144-543	21.15				
								ASM-M10-144-544	21.18				
								ASM-M10-144-545	21.22				
								ASM-M10-144-546	21.27				
								ASM-M10-144-547	21.3				
								ASM-M10-144-548	21.34				
								ASM-M10-144-549	21.38				
								ASM-M10-144-550	21.42				
								ASB-M10-144-500	19.48				
								ASB-M10-144-501	19.51				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					ii	Bifacial Mono c-Si PERC Modules	ASB-M10-144-525 (525Wp)	ASB-M10-144-502	19.55	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								ASB-M10-144-503	19.59				
								ASB-M10-144-504	19.63				
								ASB-M10-144-505	19.67				
								ASB-M10-144-506	19.71				
								ASB-M10-144-507	19.75				
								ASB-M10-144-508	19.79				
								ASB-M10-144-509	19.83				
								ASB-M10-144-510	19.86				
								ASB-M10-144-511	19.9				
								ASB-M10-144-512	19.94				
								ASB-M10-144-513	19.98				
								ASB-M10-144-514	20.02				
								ASB-M10-144-515	20.06				
								ASB-M10-144-516	20.1				
								ASB-M10-144-517	20.14				
								ASB-M10-144-518	20.18				
								ASB-M10-144-519	20.22				
								ASB-M10-144-520	20.25				
								ASB-M10-144-521	20.29				
								ASB-M10-144-522	20.33				
								ASB-M10-144-523	20.37				
								ASB-M10-144-524	20.41				
								ASB-M10-144-525	20.45				
								ASB-M10-144-526	20.49				
								ASB-M10-144-527	20.53				
								ASB-M10-144-528	20.57				
								ASB-M10-144-529	20.6				
								ASB-M10-144-530	20.64				
								ASB-M10-144-531	20.68				
								ASB-M10-144-532	20.72				
								ASB-M10-144-533	20.76				
								ASB-M10-144-534	20.8				
								ASB-M10-144-535	20.84				
								ASB-M10-144-536	20.88				
								ASB-M10-144-537	20.92				
								ASB-M10-144-538	20.96				
								ASB-M10-144-539	20.99				
								ASB-M10-144-540	21.03				
								ASB-M10-144-541	21.07				
								ASB-M10-144-542	21.11				
								ASB-M10-144-543	21.15				
								ASB-M10-144-544	21.18				
								ASB-M10-144-545	21.22				
								ASB-M10-144-546	21.27				
								ASB-M10-144-547	21.3				
								ASB-M10-144-548	21.34				
								ASB-M10-144-549	21.38				
								ASB-M10-144-550	21.42				
					iii	Bifacial Mono c-Si PERC Modules	ASB-M10-144-553 (553)	ASB-M10-144-551	21.35	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								ASB-M10-144-552	21.39				
								ASB-M10-144-553	21.43				
								ASB-M10-144-554	21.46				
								ASB-M10-144-555	21.50				
								ASB-M10-144-560	21.70				
								DESERV EXTREME-590	21.02	156 (Half Cut Cells)	1500	18.08.2024	17.08.2028
27	M/s. Renewsys India Pvt. Ltd	Plot No. E141, Additional Industrial Area, MIDC, Patalganga, Tal. Panvel, Karade Khurd, Raigad-410202 Maharashtra	R-71018970	1060	1	Bifacial Mono c-Si PERC Module	DESERV EXTREME-575 (575 Wp)	DESERV EXTREME-585	20.84				
								DESERV EXTREME-580	20.66				
								DESERV EXTREME-575	20.48				
								DESERV EXTREME-570	20.30				
								DESERV EXTREME-565	20.13				
								DESERV EXTREME-560	21.56				
								DESERV EXTREME-555	21.37				
					2	Bifacial Mono c-Si PERC	DESERV EXTREME-540	DESERV EXTREME-550	21.18	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								DESERV EXTREME-545	20.99				
								DESERV EXTREME-540	20.79				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
						Module	(540 Wp)	DESERV EXTREME-535	20.60	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								DESERV EXTREME-530	20.41				
								DESERV EXTREME-525	20.22				
								DESERV EXTREME-520	20.02				
								DESERV EXTREME-515	19.83				
					3	Bifacial Mono c-Si PERC Module	DESERV EXTREME-500 (500 Wp)	DESERV EXTREME-510	19.63	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								DESERV EXTREME-505	19.44				
								DESERV EXTREME-500	19.25				
								DESERV EXTREME-495	19.06				
								DESERV EXTREME-455	20.91				
					4	Bifacial Mono c-Si PERC Module	DESERV EXTREME-455 (455 Wp)	DESERV EXTREME-450	20.68	120 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								DESERV EXTREME-445	20.45				
								DESERV EXTREME-440	20.22				
								DESERV EXTREME-435	19.99				
								DESERV EXTREME-420	21.44				
					5	Bifacial Mono c-Si PERC Module	DESERV EXTREME-415 (415 Wp)	DESERV EXTREME-415	21.18	108 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								DESERV EXTREME-410	20.93				
								DESERV EXTREME-405	20.67				
								DESERV SGALACTIC-590	21.02				
								DESERV SGALACTIC-585	20.84				
					6	Mono c-Si PERC Modules	DESERV SGALACTIC-575 (575Wp)	DESERV SGALACTIC-580	20.66	156 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								DESERV SGALACTIC-575	20.48				
								DESERV SGALACTIC-570	20.30				
								DESERV SGALACTIC-565	20.13				
								DESERV SGALACTIC-560	21.56				
					7	Mono c-Si PERC Module	DESERV SGALACTIC-555 (555 Wp)	DESERV SGALACTIC-555	21.37	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								DESERV SGALACTIC-555	21.18				
								DESERV SGALACTIC-550	21.18				
								DESERV SGALACTIC-545	20.99				
								DESERV SGALACTIC-540	20.79				
					8	Mono c-Si PERC Module	DESERV SGALACTIC-535 (535 Wp)	DESERV SGALACTIC-535	20.60	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								DESERV SGALACTIC-530	20.41				
								DESERV SGALACTIC-525	20.22				
								DESERV SGALACTIC-520	20.02				
								DESERV SGALACTIC-515	19.83				
					9	Mono c-Si PERC Module	DESERV SGALACTIC-500 (500 Wp)	DESERV SGALACTIC-510	19.63	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								DESERV SGALACTIC-505	19.44				
								DESERV SGALACTIC-500	19.25				
								DESERV SGALACTIC-495	19.06				
								DESERV SGALACTIC-465	21.37				
					10	Mono c-Si PERC Module	DESERV SGALACTIC-465 (465 Wp)	DESERV SGALACTIC-465	21.14	120 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								DESERV SGALACTIC-460	21.14				
								DESERV SGALACTIC-420	21.44				
								DESERV SGALACTIC-415	21.18				
								DESERV SGALACTIC-410	20.93				
					11	Mono c-Si PERC Module	DESERV SGALACTIC-415 (415 Wp)	DESERV SGALACTIC-410	20.93	108 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								DESERV SGALACTIC-405	20.67				
								BIN-17-605	21.64				
								BIN-17-610	21.82				
								BIN-17-615	22.00				
28	M/s. Waaree Energies Limited	Survey No. 1934, 1939, 1941, 1942, NH-48, Degam, Chikhali, Navasari, Gujarat - 396530, India	R-72005533	9668	i	Bifacial N - Type TOPCon Module	BIN-17-615 (615 Wp)	BIN-17-620	22.18	156 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								BIN-17-625	22.36				
								BIN-08-560	21.68				
								BIN-08-565	21.87				
								BIN-08-570	22.07				
					ii	Bifacial N - Type TOPCon Module	BIN-08-570 (570 Wp)	BIN-08-575	22.26	144 (Half Cut Cells)	1500	18.08.2024	17.08.2028
								BIN-08-580	22.45				
								WSMD-520	20.2				
								WSMD-525	20.39				
								WSMD-530	20.58				
					iii	Mono c-Si PERC Modules	WSMD-540 (540Wp)	WSMD-535	20.78	144 (Half-Cut Cells)	1500	18.08.2024	17.08.2028
								WSMD-540	20.97				
								WSMD-545	21.17				
								WSMD-550	21.36				
								WSMD-580	20.35				
					iv	Mono c-Si PERC Modules	WSMD-600 (600Wp)	WSMD-585	20.52	120 (Half-Cut Cells)	1500	18.08.2024	17.08.2028
								WSMD-590	20.7				
								WSMD-595	20.88				
								WSMD-600	21.06				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					v	Mono c-Si PERC Modules	WSMD-650 (650Wp)	WSMD-605	21.24	132 (Half-Cut Cells)	1500	18.08.2024	17.08.2028
								WSMD-630	20.16				
								WSMD-635	20.32				
								WSMD-640	20.48				
								WSMD-645	20.64				
					vi	Bifacial Mono c-Si PERC Modules	Bi-55-540 (540Wp)	WSMD-650	20.8	144 (Half-Cut Cells)	1500	18.08.2024	17.08.2028
								Bi-55-520	20.2				
								Bi-55-525	20.39				
								Bi-55-530	20.58				
								Bi-55-535	20.78				
								Bi-55-540	20.97				
								Bi-55-545	21.17				
					vii	Bifacial Mono c-Si PERC Modules	Bi-66-600 (600Wp)	Bi-55-550	21.36	120 (Half-Cut Cells)	1500	18.08.2024	17.08.2028
								Bi-66-580	20.35				
								Bi-66-585	20.52				
								Bi-66-590	20.7				
								Bi-66-595	20.88				
					viii	Bifacial Mono c-Si PERC Modules	Bi-68-650 (650Wp)	Bi-66-600	21.06	132 (Half-Cut Cells)	1500	18.08.2024	17.08.2028
								Bi-68-630	20.16				
								Bi-68-635	20.32				
								Bi-68-640	20.48				
								Bi-68-645	20.64				
								Bi-68-650	20.8				
29	M/s. Goldi Sun Private Limited	City Survey No. 920, Vijalpore Road, TA, Distt. Navsari, Gujarat - 396445, India	R-72006149	3912	i	Mono c-Si PERC Module	GS10-M144-WF-525 (525 Wp)	GS10-M144-WF-500	19.36	144 (Half-Cut Cells)	1500	27.09.2024	26.09.2028
								GS10-M144-WF-505	19.54				
								GS10-M144-WF-510	19.75				
								GS10-M144-WF-515	19.94				
								GS10-M144-WF-520	20.13				
								GS10-M144-WF-525	20.33				
								GS10-M144-WF-530	20.53				
								GS10-M144-WF-535	20.73				
								GS10-M144-WF-540	20.92				
								GS10-M144-WF-545	21.11				
					ii	Bifacial Mono c-Si PERC Module	GS10-B144-TF-535 (535Wp)	GS10-M144-WF-550	21.30	144 (Half-Cut Cells)	1500	27.09.2024	26.09.2028
								GS10-B144-TF-525	20.33				
								GS10-B144-TF-530	20.53				
								GS10-B144-TF-535	20.73				
								GS10-B144-TF-540	20.92				
								GS10-B144-TF-545	21.10				
					iii	Bifacial Mono c-Si PERC Module	GS10-B144-GF-535 (535Wp)	GS10-B144-TF-550	21.30	144 (Half-Cut Cells)	1500	27.09.2024	26.09.2028
								GS10-B144-GF-525	20.34				
								GS10-B144-GF-530	20.53				
								GS10-B144-GF-535	20.73				
								GS10-B144-GF-540	20.92				
					iv	Mono c-Si PERC Module	GS10-M132-WF-500 (500Wp)	GS10-B144-GF-545	21.10	132 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								GS10-B144-GF-550	21.30				
					v	Bifacial N-Type TOPCon Module (Glass to Glass)	GS10-T144-GF-575 (575Wp)	GS10-M132-WF-500	21.06	144 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								GS10-M132-WF-505	21.28				
								GS10-T144-GF-555	21.47				
								GS10-T144-GF-560	21.67				
								GS10-T144-GF-565	21.86				
								GS10-T144-GF-570	22.05				
								GS10-T144-GF-575	22.26				
								GS10-T144-GF-580	22.45				
								GS10-T144-GF-585	22.64				
								GS10-T144-GF-590	22.83				
					vi	Bifacial-N-Type TOPCon Module (Glass to Glass)	GS10-T132-GF-535 (535Wp)	GS10-T144-GF-595	23.03	132 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								GS10-T132-GF-515	21.68				
								GS10-T132-GF-520	21.89				
								GS10-T132-GF-525	22.10				
								GS10-T132-GF-530	22.31				
								GS10-T132-GF-535	22.52				
								GS10-T132-GF-540	22.73				
								GS10-T132-GF-545	22.94				
								GS10-T132-GF-550	23.15				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					vii	Bifacial-N-Type TOPCon Module (Glass to Glass)	GS10-T120-GF-485 (485Wp)	GS10-T120-GF-465	21.47	120 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								GS10-T120-GF-470	21.70				
								GS10-T120-GF-475	21.93				
								GS10-T120-GF-480	22.16				
								GS10-T120-GF-485	22.39				
								GS10-T120-GF-490	22.62				
								GS10-T120-GF-495	22.85				
								GS10-T120-GF-500	23.08				
					viii	Bifacial-N-Type TOPCon Module (Glass to Glass)	GS10-T108-GF-425 (425Wp)	GS10-T108-GF-415	21.15	108 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								GS10-T108-GF-420	21.41				
								GS10-T108-GF-425	21.66				
								GS10-T108-GF-430	21.92				
								GS10-T108-GF-435	22.17				
								GS10-T108-GF-440	22.43				
								GS10-T108-GF-445	22.68				
								GS10-T108-GF-450	22.94				
					ix	Bifacial-N-Type TOPCon Modules (Glass to Glass)	GS10-T144-GF-535 (535Wp)	GS10-T144-GF-520	20.13	144 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								GS10-T144-GF-525	20.32				
								GS10-T144-GF-530	20.52				
								GS10-T144-GF-535	20.71				
								GS10-T144-GF-540	20.90				
								GS10-T144-GF-545	21.10				
								GS10-T144-GF-550	21.29				
					x	Mono c-Si PERC Module	GS10-B108-TF-395 (395Wp)	GS10-B108-TF-390	19.88	108 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								GS10-B108-TF-395	20.13				
								GS10-B108-TF-400	20.39				
								GS10-B108-TF-405	20.64				
30	M/s. SASA Energy LLP	S.No. 193, Opposite Dargah, Morbi-Halvad Road, At-Nichi Mandal, Morbi – Rajkot, Gujarat - 363642, India	R-72005681	100	i	Mono c-Si PERC Module	SASA265C-72 (265 Wp)	SASA255C-72	19.06	72 (Half cut Cells)	1500	27.09.2024	26.09.2028
								SASA260C-72	19.43			27.09.2024	26.09.2028
								SASA265C-72	19.80			27.09.2024	26.09.2028
								SASA270C-72	20.18			27.09.2024	26.09.2028
								SASA275C-72	20.55			27.09.2024	26.09.2028
								SASA335C-96	19.06	96 (Half Cut cells)	1500	27.09.2024	26.09.2028
					ii	Mono c-Si PERC Module	SASA350C-96 (350 Wp)	SASA340C-96	19.34			27.09.2024	26.09.2028
								SASA345C-96	19.63			27.09.2024	26.09.2028
								SASA350C-96	19.91			27.09.2024	26.09.2028
								SASA355C-96	20.20			27.09.2024	26.09.2028
								SASA360C-96	20.48			27.09.2024	26.09.2028
								SASA365C-96	20.76			27.09.2024	26.09.2028
								SASA375C-108	19.11	108 (Half Cut Cells)	1500	27.09.2024	26.09.2028
					iii	Mono c-Si PERC Module	SASA395C-108 (395 Wp)	SASA380C-108	19.37			27.09.2024	26.09.2028
								SASA385C-108	19.62			27.09.2024	26.09.2028
								SASA390C-108	19.88			27.09.2024	26.09.2028
								SASA395C-108	20.13			27.09.2024	26.09.2028
								SASA400C-108	20.39			27.09.2024	26.09.2028
								SASA405C-108	20.64			27.09.2024	26.09.2028

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					iv	Mono c-Si PERC Module	SASA435C-120 (435 Wp)	SASA410C-108	20.90	120 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								SASA415C-120	19.11			27.09.2024	26.09.2028
								SASA420C-120	19.34			27.09.2024	26.09.2028
								SASA425C-120	19.57			27.09.2024	26.09.2028
								SASA430C-120	19.80			27.09.2024	26.09.2028
								SASA435C-120	20.03			27.09.2024	26.09.2028
								SASA440C-120	20.26			27.09.2024	26.09.2028
								SASA445C-120	20.49			27.09.2024	26.09.2028
								SASA450C-120	20.72			27.09.2024	26.09.2028
								SASA455C-120	20.95			27.09.2024	26.09.2028
					v	Mono c-Si PERC Module	SASA480C-132 (480 Wp)	SASA460C-132	19.41	132 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								SASA465C-132	19.62			27.09.2024	26.09.2028
								SASA470C-132	19.83			27.09.2024	26.09.2028
								SASA475C-132	20.04			27.09.2024	26.09.2028
								SASA480C-132	20.25			27.09.2024	26.09.2028
								SASA485C-132	20.46			27.09.2024	26.09.2028
								SASA490C-132	20.67			27.09.2024	26.09.2028
								SASA495C-132	20.88			27.09.2024	26.09.2028
								SASA500C-132	21.10			27.09.2024	26.09.2028
								SASA500C-144	19.35	144 (Half Cut Cells)	1500	27.09.2024	26.09.2028
					vi	Mono c-Si PERC Module	SASA525C-144 (525 Wp)	SASA505C-144	19.55			27.09.2024	26.09.2028
								SASA510C-144	19.74			27.09.2024	26.09.2028
								SASA515C-144	19.94			27.09.2024	26.09.2028
								SASA520C-144	20.13			27.09.2024	26.09.2028
								SASA525C-144	20.32			27.09.2024	26.09.2028
								SASA530C-144	20.52			27.09.2024	26.09.2028
								SASA535C-144	20.71			27.09.2024	26.09.2028
								SASA540C-144	20.90			27.09.2024	26.09.2028
								SASA545C-144	21.09			27.09.2024	26.09.2028
								SASA550C-144	21.29			27.09.2024	26.09.2028
					vii	Mono c-Si PERC Module	SASA390M72 (390 Wp)	SASA380M72	19.11	72 (Full Cells)	1500	27.09.2024	26.09.2028
								SASA385M72	19.37			27.09.2024	26.09.2028
								SASA390M72	19.62			27.09.2024	26.09.2028
								SASA395M72	19.87			27.09.2024	26.09.2028
					viii	Mono c-Si PERC Module	SASA355M66 (355 Wp)	SASA400M72	20.17	66 (Full Cells)	1500	27.09.2024	26.09.2028
								SASA350M66	19.20			27.09.2024	26.09.2028
								SASA355M66	19.48			27.09.2024	26.09.2028
					ix	Mono c-Si PERC Module	SASA325M60 (325 Wp)	SASA360M66	19.75	60 (Full Cells)	1500	27.09.2024	26.09.2028
								SASA320M60	19.25			27.09.2024	26.09.2028
								SASA325M60	19.55			27.09.2024	26.09.2028
					x	Mono c-Si PERC Module	SASA300M54 (300 Wp)	SASA330M60	19.85	54 (Full Cells)	1500	27.09.2024	26.09.2028
								SASA290M54	19.30			27.09.2024	26.09.2028
								SASA295M54	19.63			27.09.2024	26.09.2028
					xi	Mono c-Si PERC Module	SASA260M48 (260 Wp)	SASA300M54	19.90	48 (Full Cells)	1500	27.09.2024	26.09.2028
								SASA305M54	20.34			27.09.2024	26.09.2028
								SASA255M48	19.00			27.09.2024	26.09.2028
					xii	Mono c-Si PERC Module	SASA24MPC395 (395 Wp)	SASA260M48	19.37	144 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								SASA265M48	19.74			27.09.2024	26.09.2028
								SASA24MPC385	19.17			27.09.2024	26.09.2028
								SASA24MPC390	19.42			27.09.2024	26.09.2028
								SASA24MPC395	19.67			27.09.2024	26.09.2028
								SASA24MPC400	19.70			27.09.2024	26.09.2028
								SASA24MPC405	20.20			27.09.2024	26.09.2028
31	M/s. SUNBOND Energy Pvt. Ltd.	S.No. 181/P2 Opp. 66 kV substation, Mitana- Padadhari Road , Mitana, Rajkot, Gujarat 363650, India	R-72005762	271	i	Mono c-Si PERC Module	SEPLM10-525 (525 Wp)	SEPLM10-550	21.29	144 (Half Cut Cell)	1500	27.09.2024	26.09.2028
								SEPLM10-545	21.10				
								SEPLM10-540	20.90				
								SEPLM10-535	20.71				
								SEPLM10-530	20.52				
								SEPLM10-525	20.32				
								SEPLM10-520	20.13				
								SEPLM10-515	19.94				
								SEPLM10-510	19.74				
								SEPLM10-505	19.55				
								SEPLM10-500	19.36				
								SEPLM10-495	19.16				
								SEPLM10-480	20.1				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					ii	Mono c-Si PERC Module	SEPLM10-460 (460 Wp)	SEPLM10-475	19.89	132(Half Cut Cell)	1500	27.09.2024	26.09.2028
								SEPLM10-470	19.68				
								SEPLM10-465	19.47				
								SEPLM10-460	19.26				
								SEPLM10-455	19.05				
					iii	Mono c-Si PERC Module	SEPLM10-425 (425 Wp)	SEPLM10-440	20.2	120(Half Cut Cell)	1500	27.09.2024	26.09.2028
								SEPLM10-435	19.97				
								SEPLM10-430	19.74				
								SEPLM10-425	19.51				
								SEPLM10-420	19.28				
					iv	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	SEPLM10 B156-580 (580Wp)	SEPLM10-415	19.05	156(Half Cut Cell)	1500	27.09.2024	26.09.2028
								SEPLM10 B156-600	21.47				
								SEPLM10 B156-595	21.29				
								SEPLM10 B156-590	21.11				
								SEPLM10 B156-585	20.94				
					v	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	SEPLM10 B156-580 (580Wp)	SEPLM10 B156-580	20.76	144(Half Cut Cell)	1500	27.09.2024	26.09.2028
								SEPLM10 B156-575	20.58				
								SEPLM10 B156-570	20.4				
								SEPLM10 B156-565	20.22				
								SEPLM10 B144-560	21.68				
					vi	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	SEPLM10 B144-540 (540Wp)	SEPLM10 B144-555	21.48	132(Half Cut Cell)	1500	27.09.2024	26.09.2028
								SEPLM10 B144-550	21.29				
								SEPLM10 B144-545	21.1				
								SEPLM10 B144-540	20.9				
								SEPLM10 B144-535	20.71				
					vii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	SEPLM10 B132-500 (500Wp)	SEPLM10 B144-530	20.52	120(Half Cut Cell)	1500	27.09.2024	26.09.2028
								SEPLM10 B132-515	21.69				
								SEPLM10 B132-510	21.48				
								SEPLM10 B132-505	21.27				
								SEPLM10 B132-500	21.06				
					viii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	SEPLM10 B120-460 (460Wp)	SEPLM10 B132-495	20.84	108(Half Cut Cell)	1500	27.09.2024	26.09.2028
								SEPLM10 B132-490	20.63				
								SEPLM10 B120-480	22.21				
								SEPLM10 B120-475	21.98				
								SEPLM10 B120-470	21.74				
					ix	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SEPLT16B 156-620 (620Wp)	SEPLM10 B120-465	21.51	156(Half Cut Cell)	1500	27.09.2024	26.09.2028
								SEPLM10 B120-460	21.28				
								SEPLM10 B120-455	21.05				
								SEPLM10 B120-450	20.82				
								SEPLM10 B108-440	22.53				
					x	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SEPLT16B 156-620 (620Wp)	SEPLM10 B108-435	22.27	144(Half Cut Cell)	1500	27.09.2024	26.09.2028
								SEPLM10 B108-430	22.02				
								SEPLM10 B108-425	21.76				
								SEPLM10 B108-420	21.51				
								SEPLM10 B108-415	21.25				
					xi	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SEPLT16B 144-580 (580Wp)	SEPLM10 B108-410	20.99	120(Half Cut Cell)	1500	27.09.2024	26.09.2028
								SEPLM10 B108-405	20.74				
								SEPLT16B 156-640	22.9				
								SEPLT16B 156-635	22.72				
								SEPLT16B 156-630	22.55				
					xii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SEPLT16B 132-540	SEPLT16B 156-625	22.37	144(Half Cut Cell)	1500	27.09.2024	26.09.2028
								SEPLT16B 156-620	22.19				
								SEPLT16B 156-615	22.01				
								SEPLT16B 156-610	21.83				
								SEPLT16B 156-605	21.65				
					xiii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SEPLT16B 132-540	SEPLT16B 156-600	21.47	120(Half Cut Cell)	1500	27.09.2024	26.09.2028
								SEPLT16B 144-595	23.03				
								SEPLT16B 144-590	22.84				
								SEPLT16B 144-585	22.64				
								SEPLT16B 144-580	22.45				
					xiv	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SEPLT16B 132-540	SEPLT16B 144-575	22.26	144(Half Cut Cell)	1500	27.09.2024	26.09.2028
								SEPLT16B 144-570	22.06				
								SEPLT16B 132-560	23.58				
								SEPLT16B 132-555	23.37				
								SEPLT16B 132-550	23.16				
								SEPLT16B 132-545	22.95				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deeedm to be delisted)
					xi	(Glass to Transparent Backsheet)	(540Wp)	SEPLT16B 132-540	22.74	132(Half Cut Cell)	1300V	27.09.2024	26.09.2028
								SEPLT16B 132-535	22.53				
								SEPLT16B 132-530	22.32				
								SEPLT16B 132-525	22.11				
					xii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SEPLT16B 120-500 (500Wp)	SEPLT16B 120-510	23.59	120(Half Cut Cell)	1500	27.09.2024	26.09.2028
								SEPLT16B 120-505	23.36				
								SEPLT16B 120-500	23.13				
								SEPLT16B 120-495	22.9				
								SEPLT16B 120-490	22.67				
								SEPLT16B 120-485	22.44				
								SEPLT16B 120-480	22.21				
								SEPLT16B 120-475	21.98				
					xiii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	SEPLT16B 108-430 (430Wp)	SEPLT16B 108-450	23.04	108(Half Cut Cell)	1500	27.09.2024	26.09.2028
								SEPLT16B 108-445	22.79				
								SEPLT16B 108-440	22.53				
								SEPLT16B 108-435	22.27				
								SEPLT16B 108-430	22.02				
								SEPLT16B 108-425	21.76				
								SEPLT16B 108-420	21.51				
								SEPLT16B 108-415	21.25				
								E545HCMW144	21.10	144 (Half Cut Cells)	1500	27.09.2024	26.09.2028
					i	Mono c-Si PERC Modules	E520HCMW144 (520 Wp)	E540HCMW144	20.90				
								E535HCMW144	20.71				
								E530HCMW144	20.52				
								E525HCMW144	20.32				
								E520HCMW144	20.13				
								E515HCMW144	19.94				
								E510HCMW144	19.74				
								E505HCMW144	19.55				
								E500HCMW144	19.36				
								E495HCMW144	19.16				
					ii	Bifacial Mono c-Si PERC Modules (Glass to Glass)	E520HCBG144 (520 Wp)	E545HCBG144	21.10	144 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								E540HCBG144	20.90				
								E535HCBG144	20.71				
								E530HCBG144	20.52				
								E525HCBG144	20.32				
								E520HCBG144	20.13				
								E515HCBG144	19.94				
								E510HCBG144	19.74				
								E505HCBG144	19.55				
								E500HCBG144	19.36				
					iii	Mono c-Si PERC Modules	E430HCMW120 (430 Wp)	E495HCBG144	19.16	120 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								E450HCMW120	20.74				
								E445HCMW120	20.51				
								E440HCMW120	20.28				
								E435HCMW120	20.05				
								E430HCMW120	19.82				
								E425HCMW120	19.59				
								E420HCMW120	19.36				
								E415HCMW120	19.13				
					iv	Bifacial Mono c-Si PERC Modules (Glass to Glass)	E430HCBG120 (430 Wp)	E450HCBG120	20.74	120 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								E445HCBG120	20.51				
								E440HCBG120	20.28				
								E435HCBG120	20.05				
								E430HCBG120	19.82				
								E425HCBG120	19.59				
								E420HCBG120	19.36				
								E415HCBG120	19.13				
32	M/s. Emmvee Photovoltaic Power Private Limited	Sy. No. 66-70/3, Pemmanahalli Village, Sompura Hobli, Dabaspet, Nelamangala Taluk, Bengaluru rural District, Karnataka	R-62002976	676	v	Mono c-Si PERC Modules	E550HCMW144 (550 Wp)	E550HCMW144	21.29	144 Half Cut Cells	1500	27.09.2024	26.09.2028
								E550HCBG144	21.29	144 Half Cut Cells	1500	27.09.2024	26.09.2028
								E385HCBG108	19.74	108 Half Cut Cells	1500	27.09.2024	26.09.2028
					vii	Bifacial Mono c-Si PERC Modules	E395HCBG108 (395 Wp)	E390HCBG108	20.00				
								E395HCBG108	20.25				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deeedm to be delisted)
						(Glass to Glass)	(395 Wp)	E400HCBG108	20.51	132 Half Cut Cells	1500	27.09.2024	26.09.2028
					viii	Bifacial Mono c-Si PERC Module (Glass to Glass)	E490HCBG132 (490 Wp)	E405HCBG108	20.76				
								E480HCBG132	20.19				
								E485HCBG132	20.40				
								E490HCBG132	20.61				
								E495HCBG132	20.82				
					ix	Mono c-Si PERC Module	E395HCMW108 (395 Wp)	E500HCBG132	21.03	108 Half Cut Cells	1500	27.09.2024	26.09.2028
								E385HCMW108	19.74				
								E390HCMW108	20.00				
								E395HCMW108	20.25				
								E400HCMW108	20.51				
								E405HCMW108	20.76				
					x	Mono c-Si PERC Module	E490HCMW132 (490 Wp)	E480HCMW132	20.19	132 Half Cut Cells	1500	27.09.2024	26.09.2028
								E485HCMW132	20.40				
								E490HCMW132	20.61				
								E495HCMW132	20.82				
								E500HCMW132	21.03				
					xi	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	E525HCBT144 (525 Wp)	E550HCBT144	21.29	144 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								E545HCBT144	21.10				
								E540HCBT144	20.90				
								E535HCBT144	20.71				
								E530HCBT144	20.52				
								E525HCBT144	20.32				
								E520HCBT144	20.13				
								E515HCBT144	19.94				
								E510HCBT144	19.74				
								E505HCBT144	19.55				
								E500HCBT144	19.35				
					xii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	E495HCBT144 (495 Wp)	E495HCBT144	19.16	144 (Half Cut Cells)	1500	27.09.2024	26.09.2028
					xiii	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	E490HCBT132 (490 Wp)	E500HCBT132	21.03	132 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								E495HCBT132	20.81				
								E490HCBT132	20.60				
								E485HCBT132	20.39				
								E480HCBT132	20.18				
					xiv	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	E430HCBT120 (430 Wp)	E450HCBT120	20.74	120 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								E445HCBT120	20.51				
								E440HCBT120	20.28				
								E435HCBT120	20.05				
								E430HCBT120	19.82				
								E425HCBT120	19.59				
								E420HCBT120	19.36				
					xv	Bifacial Mono c-Si PERC Modules (Glass to Transparent Backsheet)	E395HCBT108 (395 Wp)	E405HCBT108	20.76	108 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								E400HCBT108	20.51				
								E395HCBT108	20.25				
								E390HCBT108	19.99				
								E385HCBT108	19.74				
								E580HCBG144-T	22.45	144 (Half Cut Cells)	1500	27.09.2024	26.09.2028
					xvi	Bifacial N-Type TOPCon Modules (Glass to Glass)	E555HCBG144-T (555 Wp)	E575HCBG144-T	22.26				
								E570HCBG144-T	22.06				
								E565HCBG144-T	21.87				
								E560HCBG144-T	21.68				
								E555HCBG144-T	21.48				
								E550HCBG144-T	21.29				
								E545HCBG144-T	21.10				
								E540HCBG144-T	20.90				
								E535HCBG144-T	20.71				
								E530HCBG144-T	20.52				
					xvii	Bifacial N-Type TOPCon Modules (Glass to Glass)	E525HCBG144-T (525 Wp)	E525HCBG144-T	20.32	144 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								E530HCBG132-T	22.29				
								E525HCBG132-T	22.08				
								E520HCBG132-T	21.87				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xviii	Bifacial N-Type TOPCon Modules (Glass to Glass)	E505HCBG132-T (505 Wp)	E515HCBG132-T	21.66	132 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								E510HCBG132-T	21.45				
								E505HCBG132-T	21.24				
								E500HCBG132-T	21.03				
								E495HCBG132-T	20.81				
								E490HCBG132-T	20.60				
								E485HCBG132-T	20.39				
								E480HCBG132-T	20.18				
					xix	Bifacial N-Type TOPCon Modules (Glass to Glass)	E460HCBG120-T (460 Wp)	E480HCBG120-T	22.13	120 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								E475HCBG120-T	21.90				
								E470HCBG120-T	21.66				
								E465HCBG120-T	21.43				
								E460HCBG120-T	21.20				
								E455HCBG120-T	20.97				
								E450HCBG120-T	20.74				
								E445HCBG120-T	20.51				
								E440HCBG120-T	20.28				
								E435HCBG108-T	22.30				
								E430HCBG108-T	22.04				
								E425HCBG108-T	21.79				
					xx	Bifacial N-Type TOPCon Modules (Glass to Glass)	E415HCBG108-T (415 Wp)	E420HCBG108-T	21.53	108 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								E415HCBG108-T	21.28				
								E410HCBG108-T	21.02				
								E405HCBG108-T	20.76				
								E400HCBG108-T	20.51				
								E395HCBG108-T	20.25				
								SGMJ156BG-595	21.28				
								SGMJ156BG-590	21.10				
								SGMJ156BG-585	20.92				
								SGMJ156BG-580	20.74				
33	M/s. Ganesh Green Bharat Limited (Formaly Known as M/s. Ganesh Electrical Pvt. Ltd.)	Survey No. 319/320/321, Tundali, Tundali approach road, Behind Honest Restaurant, Near Nadasan Flyover, Mehsna - 382732, Gujarat	R-72005886	579	i	Bifacial Mono c-Si Perc Module (Glass to Glass)	SGMJ156BG-570 (570 Wp)	SGMJ156BG-575	20.56	156 (Half Cut Cells)	1500	25.01.2025	24.01.2029
								SGMJ156BG-570	20.38				
								SGMJ156BG-565	20.20				
								SGMJ156BG-560	20.03				
								SGMJ156BG-555	19.85				
								SGMJ156BG-550	19.67				
								SGMJ156BG-545	19.49				
					ii	Bifacial Mono c-Si Perc Module (Glass to Glass)	SGMJ156BG-540 (540 Wp)	SGMJ156BG-540	19.31	156 (Half Cut Cells)	1500	25.01.2025	24.01.2029
					iii	Bifacial Mono c-Si Perc Module (Glass to Glass)	SGMJ144BG-525 (525 Wp)	SGMJ144BG-550	21.29	144 (Half Cut Cells)	1500	25.01.2025	24.01.2029
								SGMJ144BG-545	21.10				
								SGMJ144BG-540	20.90				
								SGMJ144BG-535	20.71				
								SGMJ144BG-530	20.52				
								SGMJ144BG-525	20.32				
								SGMJ144BG-520	20.13				
								SGMJ144BG-515	19.94				
								SGMJ144BG-510	19.74				
								SGMJ144BG-505	19.55				
								SGMJ144BG-500	19.36				
					iv	Bifacial Mono c-Si Perc Module (Glass to Glass)	SGMJ144BG-495 (495 Wp)	SGMJ144BG-495	19.16	144 (Half Cut Cells)	1500	25.01.2025	24.01.2029
					v	Bifacial Mono c-Si Perc Module (Glass to Glass)	SGMJ132BG-480 (480 Wp)	SGMJ132BG-500	21.06	132 (Half Cut Cells)	1500	25.01.2025	24.01.2029
								SGMJ132BG-495	20.85				
								SGMJ132BG-490	20.64				
								SGMJ132BG-485	20.42				
								SGMJ132BG-480	20.21				
								SGMJ132BG-475	20.00				
								SGMJ132BG-470	19.79				
								SGMJ132BG-465	19.58				
								SGMJ132BG-460	19.37				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					vi	Bifacial Mono c-Si Perc Module (Glass to Glass)	SGMJ132BG-455 (455 Wp)	SGMJ132BG-455	19.16	132 (Half Cut Cells)	1500	25.01.2025	24.01.2029
					vii	Bifacial Mono c-Si Perc Module (Glass to Glass)	SGMJ120BG-435 (435 Wp)	SGMJ120BG-455	21.01	120 (Half Cut Cells)	1500	25.01.2025	24.01.2029
								SGMJ120BG-450	20.78				
								SGMJ120BG-445	20.55				
								SGMJ120BG-440	20.31				
								SGMJ120BG-435	20.08				
								SGMJ120BG-430	19.85				
								SGMJ120BG-425	19.62				
								SGMJ120BG-420	19.39				
								SGMJ120BG-415	19.16				
					viii	Bifacial Mono c-Si Perc Module (Glass to Glass)	SGMJ108BG-385 (385 Wp)	SGMJ108BG-395	20.18	108 (Half Cut Cells)	1500	25.01.2025	24.01.2029
								SGMJ108BG-390	19.93				
								SGMJ108BG-385	19.67				
								SGMJ108BG-380	19.41				
								SGMJ108BG-375	19.16				
					ix	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	SGMJ156BT-585 (585 Wp)	SGMJ156BT-595	21.28	156 (Half Cut Cells)	1500	25.01.2025	24.01.2029
								SGMJ156BT-590	21.10				
								SGMJ156BT-585	20.92				
								SGMJ156BT-580	20.74				
								SGMJ156BT-575	20.56				
								SGMJ156BT-570	20.38				
								SGMJ144BT-550	21.29				
					x	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	SGMJ144BT-525 (525 Wp)	SGMJ144BT-545	21.10	144 (Half Cut Cells)	1500	25.01.2025	24.01.2029
								SGMJ144BT-540	20.90				
								SGMJ144BT-535	20.71				
								SGMJ144BT-530	20.52				
								SGMJ144BT-525	20.32				
								SGMJ144BT-520	20.13				
								SGMJ144BT-515	19.94				
								SGMJ144BT-510	19.74				
								SGMJ144BT-505	19.55				
								SGMJ144BT-500	19.36				
					xi	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	SGMJ144BT-495 (495 Wp)	SGMJ144BT-495	19.16	144 (Half Cut Cells)	1500	25.01.2025	24.01.2029
					xii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	SGMJ132BT-480 (480 Wp)	SGMJ132BT-500	21.06	132 (Half Cut Cells)	1500	25.01.2025	24.01.2029
								SGMJ132BT-495	20.85				
								SGMJ132BT-490	20.64				
								SGMJ132BT-485	20.42				
								SGMJ132BT-480	20.21				
								SGMJ132BT-475	20.00				
								SGMJ132BT-470	19.79				
								SGMJ132BT-465	19.58				
					xiii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	SGMJ132BT-455 (455 Wp)	SGMJ132BT-460	19.37				
								SGMJ132BT-455	19.16	132 (Half Cut Cells)	1500	25.01.2025	24.01.2029
					xiv	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	SGMJ120BT-435 (435 Wp)	SGMJ120BT-455	21.01	120 (Half Cut Cells)	1500	25.01.2025	24.01.2029
								SGMJ120BT-450	20.78				
								SGMJ120BT-445	20.55				
								SGMJ120BT-440	20.31				
								SGMJ120BT-435	20.08				
								SGMJ120BT-430	19.85				
								SGMJ120BT-425	19.62				
								SGMJ120BT-420	19.39				
								SGMJ120BT-415	19.16				
					xv	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	SGMJ108BT-385 (385 Wp)	SGMJ108BT-395	20.18	108 (Half Cut Cells)	1500	25.01.2025	24.01.2029
								SGMJ108BT-390	19.93				
								SGMJ108BT-385	19.67				
								SGMJ108BT-380	19.41				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								SGMJ108BT-375	19.16				
								SGMJ96-365	21.04				
								SGMJ96-360	20.76				
								SGMJ96-355	20.47				
								SGMJ96-350	20.18				
								SGMJ96-345	19.89				
								SGMJ96-340	19.60				
								SGMJ96-335	19.31				
								SGMJ96-330	19.03				
								SGMJ84-325	21.32				
								SGMJ84-320	20.99				
								SGMJ84-315	20.66				
								SGMJ84-310	20.33				
								SGMJ84-305	20.00				
								SGMJ84-300	19.68				
								SGMJ84-295	19.35				
								SGMJ72-285	21.68				
								SGMJ72-280	21.29				
								SGMJ72-275	20.91				
								SGMJ72-270	20.53				
								SGMJ72-265	20.15				
								SGMJ72-260	19.77				
								SGMJ60-250	22.62				
								SGMJ60-245	22.17				
								SGMJ60-240	21.72				
								SGMJ60-235	21.27				
								SGMJ60-230	20.81				
								SGMJ60-225	20.36				
								SGMJ54-220	22.00				
								SGMJ54-215	21.50				
								SGMJ54-210	21.00				
								SGMJ54-205	20.50				
								SGMJ54-200	20.00				
								SGMJ48-195	21.78				
								SGMJ48-190	21.22				
								SGMJ48-185	20.66				
								SGMJ48-180	20.11				
								SGMJ48-170	19.30				
								SGMJ12-060	21.50				
								SGMJ12-055	21.00				
								SGM-400	20.61				
								SGM-395	20.36				
								SGM-390	20.01				
								SGM-385	19.84				
								SGM-380	19.58				
								SGM-375	19.33				
								SGM-345	19.30				
								SGM-340	19.02				
								SGM-330	20.33				
								SGMJ144-520	20.13				
								SGMJ144-525	20.32				
								SGMJ144-530	20.52				
								SGMJ144-535	20.71				
								SGMJ144-540	20.90				
								SGMJ144-545	21.09				
								SGMJ144-550	21.29				
								SGMJ132-455	19.16				
								SGMJ132-460	19.37				
								SGMJ132-465	19.58				
								SGMJ132-470	19.79				
								SGMJ132-475	20.00				
								SGMJ132-480	20.21				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
							(430Wp)	SGMJ132-485	20.42				
								SGMJ132-490	20.63				
								SGMJ132-495	20.84				
								SGMJ132-500	21.06				
					xxix	Mono c-Si PERC Module	SGMJ120-435 (435Wp)	SGMJ120-415	19.17	120 (Half Cut Cells)	1500	25.01.2025	24.01.2029
								SGMJ120-420	19.40				
								SGMJ120-425	19.63				
								SGMJ120-430	19.86				
								SGMJ120-435	20.09				
								SGMJ120-440	20.32				
								SGMJ120-445	20.56				
								SGMJ120-450	20.79				
								SGMJ120-455	21.02				
					xxx	Mono c-Si PERC Module	SGMJ108-385 (385Wp)	SGMJ108-375	19.20	108 (Half Cut Cells)	1500	25.01.2025	24.01.2029
								SGMJ108-380	19.46				
								SGMJ108-385	19.71				
								SGMJ108-390	19.97				
					vi	Bifacial Mono c-Si PERC Module	H525M144 (525)	SGMJ108-395	20.23	144 (Half Cut Cells)	1500	25.01.2025	24.01.2029
								H500M144	19.36				
								H505M144	19.55				
								H510M144	19.74				
								H515M144	19.94				
								H520M144	20.13				
								H525M144	20.32				
								H530M144	20.52				
								H535M144	20.71				
								H540M144	20.9				
								H545M144	21.10				
					vii	Mono c-Si PERC Module	H195M36 (195Wp)	H195M36	19.19	36(Full Cells)	1500	25.01.2025	24.01.2029
								H200M36	19.69				
					viii	Mono c-Si PERC Module	H350M96 (350Wp)	H335M96	19.16	96 (Half Cut Cells)	1500	25.01.2025	24.01.2029
								H340M96	19.44				
								H345M96	19.73				
								H350M96	20.02				
								H355M96	20.3				
								H360M96	20.59				
					ix	Mono c-Si PERC Module	H390M108 (390Wp)	H375M108	19.16	108(Half Cut Cells)	1500	25.01.2025	24.01.2029
								H380M108	19.41				
								H385M108	19.67				
								H390M108	19.93				
								H395M108	20.18				
								H400M108	20.44				
					x	Mono c-Si PERC Module	H430M120 (430Wp)	H405M108	20.69	120(Half Cut Cells)	1500	25.01.2025	24.01.2029
								H415M120	19.16				
								H420M120	19.39				
								H425M120	19.62				
								H430M120	19.85				
								H435M120	20.08				
					xi	Mono c-Si PERC Module	H480M132 (480Wp)	H440M120	20.31	132(Half Cut Cells)	1500	25.01.2025	24.01.2029
								H445M120	20.55				
								H450M120	20.78				
								H460M132	19.37				
								H465M132	19.58				
								H470M132	19.79				
					xii	Mono c-Si PERC Module	H455M132 (455Wp)	H475M132	20.00				
								H480M132	20.21				
								H485M132	20.42				
								H490M132	20.64				
								H495M132	20.85	132(Half Cut Cells)	1500	25.01.2025	24.01.2029
								H500M132	21.06				
								H455M132	19.16				
								H295M84	19.16				
								H300M84	19.48				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xiii	Mono c-Si PERC Module	H305M84 (305Wp)	H305M84	19.81	84(Half Cut Cells)	1500	25.01.2025	24.01.2029
								H310M84	20.13				
								H315M84	20.45				
								H320M84	20.78				
					xiv	Mono c-Si PERC Module	H260M72 (260Wp)	H255M72	19.15	72 (Half Cut Cells)	1500	25.01.2025	24.01.2029
								H260M72	19.53				
								H265M72	19.91				
								H270M72	20.28				
					xv	Mono c-Si PERC Module	H230M64 (230Wp)	H230M64	19.33	64 (Half Cut Cells)	1500	25.01.2025	24.01.2029
								H235M64	19.75				
								H240M64	20.17				
								H325M60	19.23				
					xvi	Mono c-Si PERC Module	H325M60 (325Wp)	H330M60	19.53	60 (Full Cells)	1500	25.01.2025	24.01.2029
								H335M60	19.82				
								H340M60	20.12				
								H385M72	19.11				
					xvii	Mono c-Si PERC Module	H400M72 (400Wp)	H390M72	19.36	72 (Full Cells)	1500	25.01.2025	24.01.2029
								H395M72	19.61				
								H400M72	19.86				
								H405M72	20.11				
								H410M72	20.36				
					xviii	Mono c-Si PERC Module	H60M36 (60Wp)	H60M36	19.08	36(Half Cut Cells)	1500	25.01.2025	24.01.2029
					xix	Mono c-Si PERC Module	H65M36 (65Wp)	H65M36	19.09*	36(Half Cut Cells)	1500	25.01.2025	24.01.2029
					xx	Mono c-Si PERC Module	H75M36 (75Wp)	H75M36	19.07	36(Half Cut Cells)	1500	25.01.2025	24.01.2029
					xxi	Mono c-Si PERC Module	H80M36 (80Wp)	H80M36	19.18	36(Half Cut Cells)	1500	25.01.2025	24.01.2029
					xxii	Mono c-Si PERC Module	H85M36 (85Wp)	H85M36	19.12	36(Half Cut Cells)	1500	25.01.2025	24.01.2029
					xxiii	Mono c-Si PERC Module	H90M36 (90Wp)	H90M36	19.02	36(Half Cut Cells)	1500	25.01.2025	24.01.2029
					xxiv	Mono c-Si PERC Module	H95M36 (95Wp)	H95M36	19.27	36(Half Cut Cells)	1500	25.01.2025	24.01.2029
					xxv	Mono c-Si PERC Module	H100M36 (100Wp)	H100M36	19.38	36(Half Cut Cells)	1500	25.01.2025	24.01.2029
					xxvi	Mono c-Si PERC Module	H115M36 (115Wp)	H110M36	19.02	36(Half Cut Cells)	1500	25.01.2025	24.01.2029
								H115M36	19.89				
								H120M36	19.88				
					xxvii	Mono c-Si PERC Module	H125M36 (125Wp)	H125M36	19.59	36(Half Cut Cells)	1500	25.01.2025	24.01.2029
					xxviii	Mono c-Si PERC Module	H130M36 (130Wp)	H130M36	19.13	36(Half Cut Cells)	1500	25.01.2025	24.01.2029
								H135M36	19.86				
					xxix	Mono c-Si PERC Module	H140M36 (140Wp)	H140M36	19.60	36(Half Cut Cells)	1500	25.01.2025	24.01.2029
					xxx	Mono c-Si PERC Module	H150M36 (150Wp)	H150M36	19.79	36(Half Cut Cells)	1500	25.01.2025	24.01.2029
								H155M36	20.45				
					xxxi	Mono c-Si PERC Module	H165M36 (165Wp)	H160M36	19.64	36(Half Cut Cells)	1500	25.01.2025	24.01.2029
								H165M36	20.25				
					xxxii	Mono c-Si PERC Module	H175M36 (175Wp)	H170M36	19.47	36(Half Cut Cells)	1500	25.01.2025	24.01.2029
								H175M36	20.04				
								H180M36	20.61				
					xxxiii	Mono c-Si PERC Module	H185M36 (185Wp)	H185M36	20.07	36(Half Cut Cells)	1500	25.01.2025	24.01.2029
					xxxiv	Mono c-Si PERC Module	H195M36 (195Wp)	H190M36	19.05	36(Half Cut Cells)	1500	25.01.2025	24.01.2029
								H195M36	19.55				
								H200M36	20.05				
35	M/s. Spark Solar Technologies Pvt. Ltd.	N-4, Rajlaxmi Hitech Textile Park, Sonale Village, Off. Mumbai Nasik Highway Bhiwandi, Thane-421302, Maharashtra	R-71023310	124	i	Mono PERC C-Si Modules	SS 535-144R M10 (535 Wp)	SS 545-144R M10	21.12	144 (Half Cut Cell)	1500	31.05.2023	30.05.2027
								SS 540-144R M10	20.92				
								SS 535-144R M10	20.73				
								SS 530-144R M10	20.54				
								SS 525-144R M10	20.34				
								SS 500-132R M10	21.06				
					ii	Mono PERC C-Si Modules	SS 495-132R M10 (495 Wp)	SS 495-132R M10	20.85	132 (Half Cut Cell)	1500	31.05.2023	30.05.2027

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					iii	Bifacial N-Type TOPCon Modules	SS 580-144 TB (580 Wp)	SS 490-132R M10	20.64	144 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SS 600-144 TB	23.23				
								SS 595-144 TB	23.03				
								SS 590-144 TB	22.84				
								SS 585-144 TB	22.64				
								SS 580-144 TB	22.45				
								SS 575-144 TB	22.26				
								SS 570-144 TB	22.06				
								SS 565-144 TB	21.87				
								SS 560-144 TB	21.68				
								SS 555-144 TB	21.48				
								SS 600-144 T	23.23				
					iv	N-Type TOPCon Modules	SS 580-144 T (580 Wp)	SS 595-144 T	23.03	144 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SS 590-144 T	22.84				
								SS 585-144 T	22.64				
								SS 580-144 T	22.45				
								SS 575-144 T	22.26				
								SS 570-144 T	22.06				
								SS 565-144 T	21.87				
								SS 560-144 T	21.68				
								SS 555-144 T	21.48				
					v	Bifacial N-Type TOPCon Modules	SS 545-132 TB (545 Wp)	SS 550-132 TB	23.16	132 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SS 545-132 TB	22.95				
								SS 540-132 TB	22.40				
								SS 535-132 TB	22.53				
					vi	N-Type TOPCon Modules	SS 545-132 T (545 Wp)	SS 550-132 T	23.16	132 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SS 545-132 T	22.95				
								SS 540-132 T	22.40				
								RSL72FM-390WP	19.6				
36	M/s. Rhine Solar Limited	Killa No. 80/6, Janti Kalan Rd, Sersa, Kundli, Sonipat-131028, Haryana	R-91008249	71	i	Mono PERC C-Si Module	RSL72FM-380WP, (380 Wp)	RSL72FM-380WP	19.4	72 (Full Cell)	1500	31.05.2023	30.05.2027
								RSL72FM-370WP	19.2				
								RSL600M	21.28				
					ii	Mono c-Si PERC Module	RSL590M (590 Wp)	RSL595M	21.11	156 (Half Cut Cell)	1500	31.05.2023	30.05.2027
								RSL590M	20.94				
								RSL585M	20.77				
								RSL580M	20.60				
								RSL575M	20.40				
					iii	Mono c-Si PERC Module	RSL545M (545 Wp)	RSL570M	22.07	144 (Half Cut Cell)	1500	31.05.2023	30.05.2027
								RSL565M	21.87				
								RSL560M	21.68				
								RSL555M	21.49				
								RSL550M	21.30				
								RSL545M	21.10				
								RSL540M	20.91				
								RSL535M	20.72				
								RSL530M	20.51				
								RSL525M	20.33				
					iv	Mono c-Si PERC Module	RSL500M (500 Wp)	RSL520M	21.70	132 (Half Cut Cell)	1500	31.05.2023	30.05.2027
								RSL515M	21.48				
								RSL510M	21.28				
								RSL505M	21.06				
								RSL500M	20.86				
								RSL495M	20.65				
								RSL490M	20.44				
								RSL485M	20.23				
								RSL480M	20.03				
								RSL475M	19.81				
					v	Mono c-Si PERC Module	RSL470M (470 Wp)	RSL470M	19.61	132 (Half Cut Cell)	1500	31.05.2023	30.05.2027
								RSL465M	19.40				
								RSL460M	21.04				
								RSL455M	20.82				
								RSL450M	20.59				
								RSL445M	20.35				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					vi	Mono c-Si PERC Module	RSL440M (440 Wp)	RSL440M	20.13	120 (Half Cut Cell)	1500	31.05.2023	30.05.2027
								RSL435M	19.89				
								RSL430M	19.68				
								RSL425M	19.44				
								RSL420M	19.22				
					vii	Mono c-Si PERC Module	RSL380M (380 Wp)	RSL395M	20.03	108 (Half Cut Cell)	1500	31.05.2023	30.05.2027
								RSL390M	19.76				
								RSL385M	19.51				
								RSL380M	19.26				
								RSL375M	19.01				
					viii	Mono c-Si PERC Module	RSL345M (345 Wp)	RSL360M	20.48	96 (Half Cut Cell)	1500	31.05.2023	30.05.2027
								RSL355M	20.20				
								RSL350M	19.92				
								RSL345M	19.63				
								RSL340M	19.35				
37	M/s Swelect HHV Solar Photovoltaics Pvt. Ltd	SF – No. 169/1-2 , 168/3A-3E,169/4-9,166/1B1B,166/1B2A-2E,166/1B2L,166/1B2M, Kuppaapalayam Village, Avinashi Taluk, Coimbatore-641107, Tamil Nadu	R-61003433	703	i	Mono-PERC C-Si Module	SWM11BN6520 (520 Wp)	RSL335M	19.07	144 (Half Cut Cell)	1500	31.05.2023	30.05.2027
								SWM11BN6540	20.77				
								SWM11BN6535	20.57				
								SWM11BN6530	20.38				
								SWM11BN6525	20.19				
								SWM11BN6520	20.00				
								SWM11BN6515	19.81				
								SWM11BN6510	19.62				
								SWM11BN6505	19.42				
								SWM11BN6500	19.23				
					ii	Mono-PERC C-Si Module	SWM11BN4475 (475 Wp)	SWM11BN4495	20.71	132 (Half Cut Cell)	1500	31.05.2023	30.05.2027
								SWM11BN4490	20.50				
								SWM11BN4485	20.29				
								SWM11BN4480	20.09				
								SWM11BN4475	19.87				
								SWM11BN4470	19.66				
								SWM11BN4465	19.46				
								SWM11BN4460	19.25				
					iii	Mono-PERC C-Si Module	SWM11BN2430 (430 Wp)	SWM11BN4455	19.04	120 (Half Cut Cell)	1500	31.05.2023	30.05.2027
								SWM11BN2450	20.65				
								SWM11BN2445	20.42				
								SWM11BN2440	20.19				
								SWM11BN2435	19.96				
								SWM11BN2430	19.73				
								SWM11BN2425	19.5				
								SWM11BN2420	19.27				
					iv	Mono-PERC C-Si Module	SWM11BN0390 (390 Wp)	SWM11BN2415	19.04	108 (Half Cut Cell)	1500	31.05.2023	30.05.2027
								SWM11BN0405	20.57				
								SWM11BN0400	20.32				
								SWM11BN0395	20.06				
								SWM11BN0390	19.81				
								SWM11BN0385	19.55				
								SWM11BN0380	19.3				
								SWM11BN0375	19.05				
					v	Mono c-Si PERC Module	SWM11BB0385 (385 Wp)	SWM11BB0375	19.20	108 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWM11BB0380	19.46				
								SWM11BB0385	19.71				
								SWM11BB0390	19.97				
								SWM11BB0395	20.22				
								SWM11BB0400	20.48				
								SWM11BB0405	20.74				
								SWM11BB0410	20.99				
					vi	Mono c-Si PERC Module	SWM11BB2435 (435 Wp)	SWM11BB2415	19.17	120 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWM11BB2420	19.40				
								SWM11BB2425	19.63				
								SWM11BB2430	19.86				
								SWM11BB2435	20.10				
								SWM11BB2440	20.32				
								SWM11BB2445	20.56				
								SWM11BB2450	20.79				
								SWM11BB2455	21.02				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					vii	Mono c-Si PERC Module	SWM11BB4470 (470 Wp)	SWM11BB4455	19.16	132 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWM11BB4460	19.37				
								SWM11BB4465	19.58				
								SWM11BB4470	19.79				
								SWM11BB4475	20.00				
								SWM11BB4480	20.21				
								SWM11BB4485	20.42				
					viii	Mono c-Si PERC Module	SWM11BB4500 (500 Wp)	SWM11BB4490	20.63	132 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWM11BB4495	20.84				
								SWM11BB4500	21.06				
								SWM11BB6500	19.35				
								SWM11BB6505	19.55				
								SWM11BB6510	19.74				
								SWM11BB6515	19.94				
					ix	Mono c-Si PERC Module	SWM11BB6525 (525 Wp)	SWM11BB6520	20.13	144 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWM11BB6525	20.32				
								SWM11BB6530	20.52				
								SWM11BB6535	20.71				
								SWM11BB6540	20.90				
								SWM11BB6545	21.10				
								SWM11BB6550	21.29				
								SWM11BB8540	19.32				
								SWM11BB8545	19.50				
								SWM11BB8550	19.67				
								SWM11BB8555	19.85				
					x	Mono c-Si PERC Module	SWM11BB8560 (560 Wp)	SWM11BB8560	20.03	156 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWM11BB8565	20.21				
								SWM11BB8570	20.39				
								SWM11BB8575	20.57				
								SWM11BB8580	20.75				
								SWM11BB8585	20.93				
								SWM11BB8590	21.11				
					xi	Mono c-Si PERC Module	SWM11BB8595 (595 Wp)	SWM11BB8595	21.28	156 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWM11BT0375	19.20				
								SWM11BT0380	19.46				
								SWM11BT0385	19.71				
								SWM11BT0390	19.97				
								SWM11BT0395	20.22				
								SWM11BT0400	20.48				
					xii	Bifacial Mono c-Si PERC Module	SWM11BT0385 (385 Wp)	SWM11BT0405	20.74	108 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWM11BT0410	20.99				
								SWM11BT2415	19.17				
								SWM11BT2420	19.40				
								SWM11BT2425	19.63				
								SWM11BT2430	19.86				
								SWM11BT2435	20.10				
					xiii	Bifacial Mono c-Si PERC Module	SWM11BT2435 (435 Wp)	SWM11BT2440	20.32	120 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWM11BT2445	20.56				
								SWM11BT2450	20.79				
								SWM11BT2455	21.02				
								SWM11BT4455	19.16				
								SWM11BT4460	19.37				
								SWM11BT4465	19.58				
					xiv	Bifacial Mono c-Si PERC Module	SWM11BT4470 (470 Wp)	SWM11BT4470	19.79	132 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWM11BT4475	20.00				
								SWM11BT4480	20.21				
								SWM11BT4485	20.42				
								SWM11BT4490	20.63				
								SWM11BT4495	20.84				
								SWM11BT4500	21.06				
					xv	Bifacial Mono c-Si PERC Module	SWM11BT4500 (500 Wp)	SWM11BT6500	19.35	132 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWM11BT6505	19.55				
								SWM11BT6510	19.74				
								SWM11BT6515	19.94				
								SWM11BT6520	20.13				
								SWM11BT6525	20.32				
					xvi	Bifacial Mono c-Si PERC Module	SWM11BT6525 (525 Wp)			144 (Half Cut Cells)	1500	31.05.2023	30.05.2027

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
						Module		SWM11BT6530	20.52				
								SWM11BT6535	20.71				
								SWM11BT6540	20.90				
								SWM11BT6545	21.10				
								SWM11BT6550	21.29				
					xvii	Bifacial Mono c-Si PERC Module	SWM11BT8560 (560 Wp)	SWM11BT8540	19.32	156 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWM11BT8545	19.50				
								SWM11BT8550	19.67				
								SWM11BT8555	19.85				
								SWM11BT8560	20.03				
								SWM11BT8565	20.21				
								SWM11BT8570	20.39				
								SWM11BT8575	20.57				
								SWM11BT8580	20.75				
								SWM11BT8585	20.93				
					xviii	Bifacial Mono c-Si PERC Module	SWM11BT8595 (595 Wp)	SWM11BT8590	21.11	156 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWM11BT8595	21.28				
					xix	Mono c-Si PERC Module	SWM11BN6550 (550 Wp)	SWM11BN6545	20.96	144 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWM11BN6550	21.15				
					xx	Mono c-Si PERC Module	SWM11BN8560 (560 Wp)	SWM11BN8535	19.03	156 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWM11BN8540	19.21				
								SWM11BN8545	19.39				
								SWM11BN8550	19.57				
								SWM11BN8555	19.74				
								SWM11BN8560	19.92				
								SWM11BN8565	20.10				
								SWM11BN8570	20.28				
								SWM11BN8575	20.46				
								SWM11BN8580	20.63				
					xxi	Mono c-Si PERC Module	SWM11BN8595 (595 Wp)	SWM11BN8585	20.81	156 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWM11BN8590	20.99				
					xxii	Bifacial N-Type TOPCon Module (Glass to Glass)	SWT15BG0395 (395 Wp)	SWM11BN8595	21.17	108 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWT15BG0380	19.46				
								SWT15BG0385	19.72				
								SWT15BG0390	19.97				
								SWT15BG0395	20.23				
					xxiii	Bifacial N-Type TOPCon Module (Glass to Glass)	SWT15BG0425 (425 Wp)	SWT15BG0400	20.48	108 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWT15BG0405	20.74				
								SWT15BG0410	21.00				
								SWT15BG0415	21.25				
								SWT15BG0420	21.51				
					xxiv	Bifacial N-Type TOPCon Module (Glass to Glass)	SWT15BG2435 (435 Wp)	SWT15BG0425	21.76	120 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWT15BG0430	22.02				
								SWT15BG0435	22.28				
								SWT15BG2420	19.40				
								SWT15BG2425	19.63				
					xxv	Bifacial N-Type TOPCon Module (Glass to Glass)	SWT15BG2465 (465 Wp)	SWT15BG2430	19.86	120 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWT15BG2435	20.09				
								SWT15BG2440	20.33				
								SWT15BG2445	20.56				
								SWT15BG2450	20.79				
					xxvi	Bifacial N-Type TOPCon Module (Glass to Glass)	SWT15BG4480 (480 Wp)	SWT15BG2455	21.02	132 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWT15BG2460	21.25				
								SWT15BG2465	21.48				
								SWT15BG2470	21.71				
								SWT15BG2475	21.94				
								SWT15BG2480	22.17				
								SWT15BG4465	19.58				
								SWT15BG4470	19.79				
								SWT15BG4475	20.00				
								SWT15BG4480	20.21				
								SWT15BG4485	20.42				
								SWT15BG4490	20.64				
								SWT15BG4495	20.85				
								SWT15BG4500	21.06				
								SWT15BG4505	21.27				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xxvii	Bifacial N-Type TOPCon Module (Glass to Glass)	SWT15BG4515 (515 Wp)	SWT15BG4510	21.48	132 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWT15BG4515	21.69				
								SWT15BG4520	21.90				
								SWT15BG4525	22.11				
								SWT15BG4530	22.32				
					xxviii	Bifacial N-Type TOPCon Module (Glass to Glass)	SWT15BG6525 (525 Wp)	SWT15BG6505	19.55	144 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWT15BG6510	19.74				
								SWT15BG6515	19.94				
								SWT15BG6520	20.13				
								SWT15BG6525	20.32				
								SWT15BG6530	20.52				
								SWT15BG6535	20.71				
								SWT15BG6540	20.90				
								SWT15BG6545	21.10				
								SWT15BG6550	21.29				
					xxix	Bifacial N-Type TOPCon Module (Glass to Glass)	SWT15BG6565 (565 Wp)	SWT15BG6555	21.48	144 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWT15BG6560	21.68				
								SWT15BG6565	21.87				
								SWT15BG6570	22.07				
								SWT15BG6575	22.26				
								SWT15BG6580	22.45				
								SWT15BG8550	19.68				
								SWT15BG8555	19.85				
					xxx	Bifacial N-Type TOPCon Module (Glass to Glass)	SWT15BG8570 (570 Wp)	SWT15BG8560	20.03	156 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWT15BG8565	20.21				
								SWT15BG8570	20.39				
								SWT15BG8575	20.57				
								SWT15BG8580	20.75				
								SWT15BG8585	20.93				
					xxxi	Bifacial N-Type TOPCon Module (Glass to Glass)	SWT15BG8610 (610 Wp)	SWT15BG8590	21.11	156 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SWT15BG8595	21.29				
								SWT15BG8600	21.46				
								SWT15BG8605	21.64				
								SWT15BG8610	21.82				
								SWT15BG8615	22.00				
								SWT15BG8620	22.18				
								SWT15BG8625	22.36				
								SWT15BG8630	22.54				
					i	Mono c-Si PERC Module	SL72M6-390 (390 Wp)	SL72M6-380	19.15	72 (Full Cell)	1500	31.05.2023	30.05.2027
								SL72M6-385	19.40				
								SL72M6-390	19.64				
								SL72M6-395	19.90				
								SL72M6-400	20.15				
38	M/s. SAEL Solar Mfg Private Limited	Village-Hukumat Singh Wala, Moga Road, Ferozepur-142052, Punjab	R-97001058	184	ii	Mono c-Si PERC Module	SL144HC-530 (530 Wp)	SL72M6-405	20.40	144 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SL144HC-505	19.54				
								SL144HC-510	19.73				
								SL144HC-515	19.93				
								SL144HC-520	20.12				
								SL144HC-525	20.31				
								SL144HC-530	20.50				
								SL144HC-535	20.70				
								SL144HC-540	20.97				
								SL144HC-545	21.08				
								SL144HC-550	21.28				
								SL144HC-555	21.47				
					iii	N-Type TOPCon Module	SL144GTG-580T (580Wp)	SL144GTG-590T	22.87	144 (Half Cut Cells)	1500	31.05.2023	30.05.2027
								SL144GTG-585T	22.68				
								SL144GTG-580T	22.48				
								SL144GTG-575T	22.29				
								SL144GTG-570T	22.09				
								SL144GTG-565T	21.9				
								INA-144MHC-WF-520	20.14	144 (Half Cut Cell)	1500	31.05.2023	30.05.2027
					i	Mono PERC c-Si Modules	INA-144MHC-WF-530 (530Wp)	INA-144MHC-WF-525	20.33				
								INA-144MHC-WF-530	20.53				
								INA-144MHC-WF-535	20.72				
								INA-144MHC-WF-540	20.91				
39	M/s. Insolation Green Energy Pvt. Ltd	Khasra No 11/1, 1136/9, Chomu, Jatavali, Jaipur-302001, Rajasthan	R-84003549	617	i	Mono PERC c-Si Modules	INA-144MHC-WF-530 (530Wp)			144 (Half Cut Cell)	1500	31.05.2023	30.05.2027

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					ii	Bifacial Mono PERC c-Si Modules	INA-144MHC-TF-530 (530Wp)	INA-144MHC-WF-545	21.11	144 (Half Cut Cell)	1500	31.05.2023	30.05.2027
								INA-144MHC-TF-520	20.14				
								INA-144MHC-TF-525	20.33				
								INA-144MHC-TF-530	20.53				
								INA-144MHC-TF-535	20.72				
								INA-144MHC-TF-540	20.91				
					iii	Mono PERC c-Si Modules	INA-132MHC-WF-490 (490Wp)	INA-144MHC-TF-545	21.11	132 (Half Cut Cell)	1500	31.05.2023	30.05.2027
								INA-132MHC-WF-480	20.19				
								INA-132MHC-WF-485	20.41				
								INA-132MHC-WF-490	20.62				
								INA-132MHC-WF-495	20.83				
								INA-132MHC-WF-500	21.04				
					iv	Bifacial Mono PERC c-Si Modules	INA-132MHC-TF-490 (490Wp)	INA-132MHC-TF-480	20.19	132 (Half Cut Cell)	1500	31.05.2023	30.05.2027
								INA-132MHC-TF-485	20.41				
								INA-132MHC-TF-490	20.62				
								INA-132MHC-TF-495	20.83				
								INA-132MHC-TF-500	21.04				
								INA-120MHC-WF-435	20.04	120 (Half Cut Cell)	1500	31.05.2023	30.05.2027
					v	Mono PERC c-Si Modules	INA-120MHC-WF-440 (440Wp)	INA-120MHC-WF-440	20.27				
								INA-120MHC-WF-445	20.50				
								INA-120MHC-WF-450	20.73				
								INA-120MHC-TF-435	20.04				
								INA-120MHC-TF-440	20.27	120 (Half Cut Cell)	1500	31.05.2023	30.05.2027
					vi	Bifacial Mono PERC c-Si Modules	INA-120MHC-TF-440 (440Wp)	INA-120MHC-TF-445	20.50				
								INA-120MHC-TF-450	20.73				
								INA-108MHC-WF-390	19.86	108 (Half Cut Cell)	1500	31.05.2023	30.05.2027
					vii	Mono PERC c-Si Modules	INA-108MHC-WF-395 (395Wp)	INA-108MHC-WF-395	20.11				
								INA-108MHC-WF-400	20.37				
								INA-108MHC-WF-405	20.62				
					viii	Bifacial Mono PERC c-Si Modules	INA-108MHC-TF-395 (395Wp)	INA-108MHC-TF-390	19.86	108 (Half Cut Cell)	1500	31.05.2023	30.05.2027
								INA-108MHC-TF-395	20.11				
								INA-108MHC-TF-400	20.37				
								INA-108MHC-TF-405	20.62				
					ix	Mono c-Si PERC Module	INA-144MHC-WF-555	INA-144MHC-WF-550	21.29	144 Half Cut Cells	1500	31.05.2023	30.05.2027
								INA-144MHC-WF-555	21.48				
								INA-144MHC-WF-560	21.68				
					x	Bifacial Mono c-Si PERC Module	INA-144MHC-TF-555	INA-144MHC-TF-550	21.29	144 Half Cut Cells	1500	31.05.2023	30.05.2027
								INA-144MHC-TF-555	21.48				
								INA-144MHC-TF-560	21.68				
40	M/s. Australian Premium Solar (India) Pvt. Ltd	Tajpur, National Highway No. 08, Ta: Prantij, Dist: Sabarkantha - 383205, Gujarat	R-72001791	287	i	Mono c-Si PERC Module	APSAM-520/144 (520Wp)	APSAM-545/144	21.12	144 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								APSAM-540/144	20.91				
								APSAM-535/144	20.73				
								APSAM-530/144	20.53				
								APSAM-525/144	20.35				
								APSAM-520/144	20.16				
								APSAM-515/144	19.98				
								APSAM-510/144	19.79				
								APSAM-505/144	19.60				
								APSAM-500/144	19.42				
					ii	Mono c-Si PERC Module	APSAM-485/132 (485Wp)	APSAM-495/132	20.85	132 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								APSAM-490/132	20.64				
								APSAM-485/132	20.43				
								APSAM-480/132	20.22				
								APSAM-475/132	20.01				
								APSAM-450/120	20.73	120 (Half Cut Cell)	1500	01.09.2023	31.08.2027
					iii	Mono c-Si PERC Module	APSAM-440/120 (440Wp)	APSAM-445/120	20.50				
								APSAM-440/120	20.27				
								APSAM-435/120	20.04				
								APSAM-410/108	20.98	108 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								APSAM-405/108	20.72				
					iv	Mono c-Si PERC Module	APSAM-400/108 (400Wp)	APSAM-400/108	20.47				
								APSAM-395/108	20.21				
								APSAM-390/108	19.96				
								APSAM-365/96	20.92	96 (Half Cut Cell)	1500	01.09.2023	31.08.2027
					v	Mono c-Si PERC Module	APSAM-360/96 (360Wp)	APSAM-360/96	20.64				
								APSAM-355/96	20.35				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					vi	Mono c-Si PERC Module	APSAM-265/72 (265Wp)	APSAM-350/96	20.06	72 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								APSAM-275/72	20.82				
								APSAM-270/72	20.45				
								APSAM-265/72	20.07				
								APSAM-260/72	19.69				
					vii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	APSBF-530/144 (530 Wp)	APSBF-555/144	21.48	144 (Half Cut Cell)	1500	14.06.2024	01.01.2025
								APSBF-5501/144	21.29				
								APSBF-545/144	21.10				
								APSBF-540/144	20.90				
								APSBF-535/144	20.71				
								APSBF-530/144	20.52				
								APSBF-525/144	20.32				
								APSBF-520/144	20.13				
								APSBF-515/144	19.94				
								APSBF-510/144	19.74				
								APSBF-505/144	19.55				
								APSBF-510/132	21.49				
								APSBF-505/132	21.28				
								APSBF-500/132	21.07				
					viii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	APSBF-500/132(500 Wp)	APSBF-495/132	20.86	132 (Half Cut Cell)	1500	14.06.2024	01.01.2025
								APSBF-490/132	20.64				
								APSBF-485/132	20.43				
								APSBF-480/132	20.22				
								APSBF-475/132	20.01				
								APSBF-465/120	21.49				
								APSBF-460/120	21.26				
								APSBF-455/120	21.03				
					ix	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	APSBF-450/120(450 Wp)	APSBF-450/120	20.80	120(Half Cut Cell)	1500	14.06.2024	01.01.2025
								APSBF-445/120	20.57				
								APSBF-440/120	20.34				
								APSBF-435/120	20.10				
								APSBF-420/108	21.50				
								APSBF-415/108	21.24				
					x	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	APSBF-410/108(410 Wp)	APSBF-410/108	20.98	108(Half Cut Cell)	1500	14.06.2024	01.01.2025
								APSBF-405/108	20.73				
								APSBF-400/108	20.47				
								APSBF-370/96	21.21				
					xi	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	APSBF-365/96(365 Wp)	APSBF-365/96	20.93	96(Half Cut Cell)	1500	14.06.2024	01.01.2025
								APSBF-360/96	20.64				
								APSBF-290/72	21.89				
					xii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	APSBF-280/72(280 Wp)	APSBF-285/72	21.52	72(Half Cut Cell)	1500	14.06.2024	01.01.2025
								APSBF-280/72	21.14				
								APSBF-275/72	20.76				
					xiii	Mono c-Si PERC Module	APSAM-505/132(505 Wp)	APSAM-500/132	21.07	132(Half Cut Cell)	1500	27.05.2024	01.01.2025
								APSAM-505/132	21.28				
								APSAM-550/132	21.29				
					xiv	Mono c-Si PERC Module	APSAM-555/144(555 Wp)	APSAM-555/132	21.48	144(Half Cut Cell)	1500	27.05.2024	01.01.2025
								APSAM-560/132	21.68				
								Orb410M66-15	21.02				
41	M/s. Orb Energy Private Limited	No. 95, Digital Park Road, 2nd Stage, Yeshwanthapura, Bangalore - 560022, Karnataka	R-62001708	71	i	Mono c-Si PERC Modules	Orb410M66-15 (410Wp)	Orb410M66-15	21.02	66 (Full Cell)	1500	01.09.2023	31.08.2027
								Orb405M66-15	20.77				
								Orb400M66-15	20.51				
								Orb395M66-15	20.25				
								Orb390M66-15	20.00				
								Orb450M72-15	21.19				
					ii	Mono c-Si PERC Modules	Orb450M72-15 (450Wp)	Orb445M72-15	20.95	72 (Full Cell)	1500	01.09.2023	31.08.2027
								Orb440M72-15	20.72				
								Orb435M72-15	20.48				
								Orb430M72-15	20.25				
								SMF72HM10-500	19.36				
								SMF72HM10-505	19.55				
					i	Mono c-Si PERC Module	SMF72HM10-510 (510Wp)	SMF72HM10-510	19.74	144 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMF72HM10-515	19.94				
								SMF72HM10-520	20.13				
								SMF72HM10-525	20.32				
								SMF72HM10-530	20.52				
								SMF72HM10-535	20.71				
42	M/s. Solex Energy Limited	Plot No 1A, Block 938, Tadkeshwar, Kim Mandvi Road, Mandvi, Surat-394110, Gujarat	R-72008125	581									

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					ii	Mono c-Si PERC Module	SMF72HM10-540 (540Wp)	SMF72HM10-540	20.91	144 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMF72HM10-545	21.10				
								SMF72HM10-550	21.30				
								SMF72HM10-555	21.49				
					iii	Mono c-Si PERC Module	SMFB72HM10-510 (510Wp)	SMFB72HM10-500	19.36	144 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMFB72HM10-505	19.55				
								SMFB72HM10-510	19.74				
								SMFB72HM10-515	19.94				
								SMFB72HM10-520	20.13				
								SMFB72HM10-525	20.32				
								SMFB72HM10-530	20.52				
								SMFB72HM10-535	20.71				
					iv	Mono c-Si PERC Module	SMFB72HM10-540 (540Wp)	SMFB72HM10-540	20.91	144 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMFB72HM10-545	21.10				
								SMFB72HM10-550	21.30				
								SMFB72HM10-555	21.49				
								SMFB72HM10-560	19.37				
								SMFB72HM10-565	19.59				
					v	Mono c-Si PERC Module	SMF66HM10-475 (475Wp)	SMF66HM10-470	19.80	132 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMF66HM10-475	20.02				
								SMF66HM10-480	20.24				
								SMF66HM10-485	20.44				
					vi	Mono c-Si PERC Module	SMF66HM10-495 (495Wp)	SMF66HM10-490	20.65	132 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMF66HM10-495	20.86				
								SMF66HM10-500	21.07				
								SMF66HM10-505	21.28				
					vii	Mono c-Si PERC Module	SMFB66HM10-475 (475Wp)	SMFB66HM10-460	19.37	132 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMFB66HM10-465	19.59				
								SMFB66HM10-470	19.80				
								SMFB66HM10-475	20.02				
					viii	Mono c-Si PERC Module	SMFB66HM10-495 (495Wp)	SMFB66HM10-480	20.24	132 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMFB66HM10-485	20.44				
								SMFB66HM10-490	20.65				
								SMFB66HM10-495	20.86				
					ix	Mono c-Si PERC Module	SMF60HM10-440 (440Wp)	SMFB66HM10-500	21.07	120 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMFB66HM10-505	21.28				
								SMF60HM10-420	19.37				
								SMF60HM10-425	19.61				
								SMF60HM10-430	19.83				
								SMF60HM10-435	20.06				
								SMF60HM10-440	20.29				
								SMF60HM10-445	20.51				
					x	Mono c-Si PERC Module	SMFB60HM10-440 (440Wp)	SMF60HM10-450	20.75	120 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMF60HM10-455	20.98				
								SMF60HM10-460	21.21				
								SMFB60HM10-420	19.37				
								SMFB60HM10-425	19.61				
								SMFB60HM10-430	19.83				
								SMFB60HM10-435	20.06				
								SMFB60HM10-440	20.29				
					xi	Mono c-Si PERC Module	SMF54HM10-385 (385Wp)	SMFB60HM10-445	20.51	108 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMFB60HM10-445	20.51				
								SMFB60HM10-450	20.75				
								SMFB60HM10-455	20.98				
								SMFB60HM10-460	21.21				
								SMF54HM10-375	19.20				
					xii	Mono c-Si PERC Module	SMF54HM10-405 (405Wp)	SMF54HM10-380	19.46	108 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMF54HM10-385	19.73				
								SMF54HM10-390	19.98				
								SMF54HM10-395	20.23				
					xiii	Mono c-Si PERC Module	SMFB54HM10-385 (385Wp)	SMF54HM10-400	20.49	108 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMF54HM10-405	20.73				
								SMF54HM10-410	21.00				
								SMF54HM10-415	21.24				
								SMFB54HM10-375	19.20	108 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMFB54HM10-380	19.46				
								SMFB54HM10-385	19.73				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deeedm to be delisted)
								SMFB54HM10-390	19.98	108 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMFB54HM10-395	20.23				
								SMFB54HM10-400	20.49				
					xiv	Mono c-Si PERC Module	SMFB54HM10-405 (405Wp)	SMFB54HM10-405	20.73				
								SMFB54HM10-410	21.00				
								SMFB54HM10-415	21.24				
					xv	Mono c-Si PERC Module	SMF48HM10-345 (345Wp)	SMF48HM10-335	19.21	96 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMF48HM10-340	19.50				
								SMF48HM10-345	19.780				
					xvi	Mono c-Si PERC Module	SMF48HM10-365 (365Wp)	SMF48HM10-350	20.06	96 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMF48HM10-355	20.34				
								SMF48HM10-360	20.62				
					xvii	Mono c-Si PERC Module	SMFB48HM10-345 (345Wp)	SMF48HM10-365	20.91	96 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMF48HM10-370	21.19				
								SMFB48HM10-335	19.21				
					xviii	Mono c-Si PERC Module	SMFB48HM10-365 (365Wp)	SMFB48HM10-340	19.50	96 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMFB48HM10-345	19.78				
								SMFB48HM10-350	20.06				
					xix	Mono c-Si PERC Module	SMF42HM10-305 (305Wp)	SMFB48HM10-355	20.34	96 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMFB48HM10-360	20.62				
								SMFB48HM10-365	20.91				
					xx	Mono c-Si PERC Module	SMFB42HM10-295 (305Wp)	SMFB48HM10-370	21.19	84 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMF42HM10-295	19.21				
								SMF42HM10-300	19.54				
					xxi	Mono c-Si PERC Module	SMFB42HM10-305 (305Wp)	SMF42HM10-305	19.88	84 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMF42HM10-310	20.2				
								SMF42HM10-315	20.5				
					xxii	Mono c-Si PERC Module	SMFB42HM10-320 (265Wp)	SMF42HM10-320	20.8	72 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMFB42HM10-295	19.21				
								SMFB42HM10-300	19.54				
					xxiii	Bifacial Mono c-Si PERC Modules	SMB72HM10-525 (525Wp)	SMFB42HM10-305	19.88	144 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMFB42HM10-310	20.2				
								SMFB42HM10-315	20.5				
					xxiv	Bifacial Mono c-Si PERC Modules	SMB872HM10-525 (525Wp)	SMFB42HM10-320	20.8	144 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMF36HM10-255	19.25				
								SMF36HM10-260	19.63				
					xxv	Mono c-Si PERC Module	SMFB36HM10-265 (265Wp)	SMF36HM10-265	19.99	72 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMF36HM10-270	20.36				
								SMF36HM10-275	20.73				
					xxvi	Mono c-Si PERC Module	SMFB36HM10-275 (265Wp)	SMFB36HM10-255	19.25	72 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMFB36HM10-260	19.63				
								SMFB36HM10-265	19.99				
					xxvii	Bifacial Mono c-Si PERC Modules	SMB72HM10-500	SMFB36HM10-270	20.36	144 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMFB36HM10-275	20.73				
								SMB72HM10-500	19.36				
					xxviii	Bifacial Mono c-Si PERC Modules	SMB872HM10-525 (525Wp)	SMB72HM10-505	19.55	144 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMB72HM10-510	19.74				
								SMB72HM10-515	19.94				
					xxix	Mono c-Si PERC Module	SMFB72HM10-520 (525Wp)	SMB72HM10-520	20.13	144 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMB72HM10-525	20.32				
								SMB72HM10-530	20.52				
					xxx	Mono c-Si PERC Module	SMBB72HM10-500	SMB72HM10-535	20.71	144 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMB72HM10-540	20.91				
								SMB72HM10-545	21.10				
					xxxi	Mono c-Si PERC Module	SMBB72HM10-500	SMB72HM10-550	21.30	144 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMBB72HM10-500	19.36				
								SMBB72HM10-505	19.55				
					xxxii	Bifacial Mono c-Si PERC Modules	SMB872HM10-525 (525Wp)	SMBB72HM10-510	19.74	144 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMBB72HM10-515	19.94				
								SMBB72HM10-520	20.13				
					xxxiii	Mono c-Si PERC Module	SMBB872HM10-520 (525Wp)	SMBB72HM10-525	20.32	144 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMBB72HM10-530	20.52				
								SMBB72HM10-535	20.71				
					xxxiv	Mono c-Si PERC Module	SMBB872HM10-520 (525Wp)	SMBB72HM10-540	20.91	144 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMBB72HM10-545	21.10				
								SMBB72HM10-550	21.30				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xxv	Bifacial Mono c-Si PERC Modules	SMB66HM10-465 (465Wp)	SMB66HM10-455	19.16	132 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMB66HM10-460	19.37				
								SMB66HM10-465	19.59				
								SMB66HM10-470	19.80				
								SMB66HM10-475	20.02				
					xxvi	Bifacial Mono c-Si PERC Modules	SMB66HM10-490 (490Wp)	SMB66HM10-480	20.24	132 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMB66HM10-485	20.65				
								SMB66HM10-490	20.86				
								SMB66HM10-495	21.07				
								SMB66HM10-500	21.28				
					xxvii	Bifacial Mono c-Si PERC Modules	SMBB66HM10-465 (465Wp)	SMBB66HM10-455	19.16	132 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMBB66HM10-460	19.37				
								SMBB66HM10-465	19.59				
								SMBB66HM10-470	19.80				
								SMBB66HM10-475	20.02				
					xxviii	Bifacial Mono c-Si PERC Modules	SMBB66HM10-490 (490Wp)	SMBB66HM10-480	20.24	132 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMBB66HM10-485	20.44				
								SMBB66HM10-490	20.65				
								SMBB66HM10-495	20.86				
								SMBB66HM10-500	21.07				
					xxix	Bifacial Mono c-Si PERC Modules	SMB60HM10-435 (435Wp)	SMB60HM10-415	19.13	120 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMB60HM10-420	19.37				
								SMB60HM10-425	19.61				
								SMB60HM10-430	19.83				
								SMB60HM10-435	20.06				
								SMB60HM10-440	20.29				
								SMB60HM10-445	20.51				
								SMB60HM10-450	20.75				
								SMB60HM10-455	20.98				
								SMBB60HM10-415	19.13				
					xxx	Bifacial Mono c-Si PERC Modules	SMBB60HM10-435 (435Wp)	SMBB60HM10-420	19.37	120 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMBB60HM10-425	19.61				
								SMBB60HM10-430	19.83				
								SMBB60HM10-435	20.06				
								SMBB60HM10-440	20.29				
								SMBB60HM10-445	20.51				
								SMBB60HM10-450	20.75				
								SMBB60HM10-455	20.98				
								SMB54HM10-375	19.2	108 (Half Cut Cell)	1500	01.09.2023	31.08.2027
					xxxi	Bifacial Mono c-Si PERC Modules	SMB54HM10-385 (385Wp)	SMB54HM10-380	19.46				
								SMB54HM10-385	19.73				
								SMB54HM10-390	19.98				
					xxxii	Bifacial Mono c-Si PERC Modules	SMB54HM10-405 (405Wp)	SMB54HM10-395	20.23	108 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMB54HM10-400	20.49				
								SMB54HM10-405	20.73				
								SMB54HM10-410	21.00				
					xxxiii	Bifacial Mono c-Si PERC Modules	SMBB54HM10-385 (385Wp)	SMBB54HM10-375	19.20	108 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMBB54HM10-380	19.46				
								SMBB54HM10-385	19.73				
								SMBB54HM10-390	19.98				
					xxxiv	Bifacial Mono c-Si PERC Modules	SMBB54HM10-405 (405Wp)	SMBB54HM10-395	20.23	108 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMBB54HM10-400	20.49				
								SMBB54HM10-405	20.73				
								SMBB54HM10-410	21.00				
					xxxv	Bifacial Mono c-Si PERC Modules	SMB48HM10-350 (350Wp)	SMB48HM10-335	19.21	96 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMB48HM10-340	19.50				
								SMB48HM10-345	19.78				
								SMB48HM10-350	20.06				
								SMB48HM10-355	20.34				
								SMB48HM10-360	20.62				
								SMB48HM10-365	20.91				
								SMBB48HM10-335	19.21				
					xxxvi	Bifacial Mono c-Si PERC Modules	SMBB48HM10-350 (350Wp)	SMBB48HM10-340	19.50	96 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMBB48HM10-345	19.78				
								SMBB48HM10-350	20.06				
								SMBB48HM10-355	20.34				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					xxxvii	Bifacial Mono c-Si PERC Modules	SMB42HM10-305 (305Wp)	SMBB48HM10-360	20.62	84 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMBB48HM10-365	20.91				
								SMB42HM10-295	19.21				
								SMB42HM10-300	19.54				
								SMB42HM10-305	19.88				
								SMB42HM10-310	20.20				
					xxxviii	Bifacial Mono c-Si PERC Modules	SMBB42HM10-305 (305Wp)	SMB42HM10-315	20.50	84 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMB42HM10-320	20.80				
								SMBB42HM10-295	19.21				
								SMBB42HM10-300	19.54				
								SMBB42HM10-305	19.88				
								SMBB42HM10-310	20.20				
					xxxix	Bifacial Mono c-Si PERC Modules	SMB36HM10-265 (265Wp)	SMBB42HM10-315	20.50	72 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMBB42HM10-320	20.80				
								SMB36HM10-255	19.25				
								SMB36HM10-260	19.63				
								SMB36HM10-265	19.66				
								SMB36HM10-270	20.36				
					xl	Bifacial Mono c-Si PERC Modules	SMB836HM10-265 (265Wp)	SMB36HM10-275	20.73	72 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								SMB836HM10-255	19.25				
								SMB836HM10-260	19.63				
								SMB836HM10-265	19.99				
								SMB836HM10-270	20.36				
								SMB836HM10-275	20.73				
					xli	Mono c-Si PERC Module	JKM-SMF-540P-72HL4-V (540Wp)	JKM-SMF-530P-72HL4-V	20.52	144 (Half Cut Cell)	1500	01.09.2023	31.08.2027
								JKM-SMF-535P-72HL4-V	20.71				
								JKM-SMF-540P-72HL4-V	20.91				
								JKM-SMF-545P-72HL4-V	21.10				
								JKM-SMF-550P-72HL4-V	21.30				
								SMF33HM10-120	19.12	66 (Half Cut Cells)	1000	01.09.2023	31.08.2027
					xlii	Mono c-Si PERC Module	SMF33HM10-120 (120 Wp)	SMF33HM10-125	19.91				
								GS10-M144-WF-500	19.36				
								GS10-M144-WF-505	19.56				
								GS10-M144-WF-510	19.75				
								GS10-M144-WF-515	19.94				
43	M/s. Goldi Solar Pvt Limited	Block No:149, Plot No: J&K1, Beside IOC petrol Pump, National Highway No 8, Pipodara, Surat-394110, Gujarat	R-72001805	396	i	Mono c-Si PERC Module	GS10-M144-WF-525, (525Wp)	GS10-M144-WF-520	20.14	144 (Half Cut Cell)	1500	20.09.2023	19.09.2027
								GS10-M144-WF-525	20.33				
								GS10-M144-WF-530	20.53				
								GS10-M144-WF-535	20.73				
								GS10-M144-WF-540	20.92				
								GS10-M144-WF-545	21.12				
								GS10-M144-WF-550	21.31				
								GS10-M132-WF-480	20.22				
								GS10-M132-WF-485	20.43				
								GS10-M132-WF-490	20.64				
								GS10-M132-WF-495	20.85				
								GS10-M132-WF-500	21.06				
					ii	Mono c-Si PERC Module	GS10-M132-WF-490, (490Wp)	GS10-M132-WF-505	21.28	132 (Half Cut Cell)	1500	20.09.2023	19.09.2027
								TP455HGZ(H)	20.46				
								TP450HGZ(H)	20.23				
								TP445HGZ(H)	20.01				
								TP440HGZ(H)	19.78				
								TP435HGZ(H)	19.56				
								TP430HGZ(H)	19.34				
								TP425HGZ(H)	19.11				
								TP595LG10	21.36				
								TP590LG10	21.18				
								TP585LG10	21.00				
								TP580LG10	20.83				
44	M/s. Tata Power Renewable Energy Limited (Formerly M/s. Tata Power Solar Systems Ltd)	Sy No. 43P and 44(P), Electronic City, 2nd Stage, Consisting Hosur Road, Bangalore-560100, Karnataka	R-62001090	577	i	Mono c-Si PERC Module	TP440HGZ(H), (440Wp)	TP575LG10	20.65	156 (Half Cut Cell)	1500	20.09.2023	19.09.2027
								TP570LG10	20.47				
								TP565LG10	20.29				
								TP560LG10	20.11				
								TP555LG10	19.93				
								TP550HG10	21.34				
					ii	Mono c-Si PERC Module	TP570LG10, (570Wp)	TP545HG10	21.14				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					iii	Mono c-Si PERC Module	TP525HG10, (525Wp)	TP540HG10	20.95	144 (Half Cut Cell)	1500	20.09.2023	19.09.2027
								TP5435HG10	20.76				
								TP530HG10	20.56				
								TP525HG10	20.37				
								TP520HG10	20.17				
								TP515HG10	19.98				
								TP510HG10	19.79				
								TP505HG10	19.59				
					iv	Mono c-Si PERC Module	TP480VG10, (480Wp)	TP500VG10	20.82	132 (Half Cut Cell)	1500	20.09.2023	19.09.2027
								TP495VG10	20.61				
								TP490VG10	20.40				
								TP485VG10	20.19				
								TP480VG10	19.98				
								TP475VG10	19.77				
								TP470VG10	19.57				
								TP465VG10	19.36				
								TP460VG10	19.15				
					v	Mono c-Si PERC Module	TP440MG10, (440Wp)	TP455MG10	20.81	120 (Half Cut Cell)	1500	20.09.2023	19.09.2027
								TP450MG10	20.58				
								TP445MG10	20.35				
								TP440MG10	20.12				
								TP435MG10	19.89				
								TP430MG10	19.66				
								TP425MG10	19.43				
								TP420MG10	19.21				
					vi	Mono c-Si PERC Module	TP400SG10, (400Wp)	TP410SG10	20.72	108 (Half Cut Cell)	1500	20.09.2023	19.09.2027
								TP405SG10	20.47				
								TP400SG10	20.21				
								TP395SG10	19.96				
								TP390SG10	19.71				
								TP385SG10	19.46				
					vii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	TP480VG10TB (480 Wp)	TP460VG10TB	19.19	132 (Half Cut Cells)	1500	20.09.2023	19.09.2027
								TP465VG10TB	19.40				
								TP470VG10TB	19.60				
								TP475VG10TB	19.81				
								TP480VG10TB	20.02				
								TP485VG10TB	20.23				
								TP490VG10TB	20.44				
								TP495VG10TB	20.65				
								TP500VG10TB	20.86				
					viii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	TP435MG10TB (435 Wp)	TP420MG10TB	19.21	120 (Half Cut Cells)	1500	20.09.2023	19.09.2027
								TP425MG10TB	19.44				
								TP430MG10TB	19.67				
								TP435MG10TB	19.90				
								TP440MG10TB	20.12				
								TP445MG10TB	20.35				
								TP450MG10TB	20.58				
								TP455MG10TB	20.81				
					ix	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	TP530HG10TB (530 Wp)	TP505HG10TB	19.59	144 (Half Cut Cells)	1500	20.09.2023	19.09.2027
								TP510HG10TB	19.78				
								TP515HG10TB	19.98				
								TP520HG10TB	20.17				
								TP525HG10TB	20.37				
								TP530HG10TB	20.56				
								TP535HG10TB	20.75				
								TP540HG10TB	20.95				
								TP545HG10TB	21.14				
								TP550HG10TB	21.34				
					x	Bifacial Mono c-Si PERC Module (Glass to Glass Backsheet)	TP570LG10B (570 Wp)	TP555LG10B	19.93	156 (Half Cut Cells)	1500	20.09.2023	19.09.2027
								TP560LG10B	20.11				
								TP565LG10B	20.29				
								TP570LG10B	20.47				
								TP575LG10B	20.64				
								TP580LG10B	20.82				
								TP585LG10B	21.00				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								TP590LG10B	21.18	144 (Half Cut Cells)	1500	20.09.2023	19.09.2027
					xi	Bifacial Mono c-Si PERC Module (Glass to Glass Backsheet)	TP530HG10B (530 Wp)	TP595LG10B	21.36				
								TP505HG10B	19.59				
								TP510HG10B	19.78				
								TP515HG10B	19.98				
								TP520HG10B	20.17				
								TP525HG10B	20.37				
								TP530HG10B	20.56				
								TP535HG10B	20.75				
								TP540HG10B	20.95				
								TP545HG10B	21.14				
								TP550HG10B	21.34				
					xii	Bifacial Mono c-Si PERC Module (Glass to Glass Backsheet)	TP480VG10B (480 Wp)	TP460VG10B	19.19	132 (Half Cut Cells)	1500	20.09.2023	19.09.2027
								TP465VG10B	19.40				
								TP470VG10B	19.60				
								TP475VG10B	19.81				
								TP480VG10B	20.02				
								TP485VG10B	20.23				
								TP490VG10B	20.44				
								TP495VG10B	20.65				
								TP500VG10B	20.86				
								TP420MG10B	19.21	120 (Half Cut Cells)	1500	20.09.2023	19.09.2027
					xiii	Bifacial Mono c-Si PERC Module (Glass to Glass Backsheet)	TP435MG10B (435 Wp)	TP425MG10B	19.44				
								TP430MG10B	19.67				
								TP435MG10B	19.90				
								TP440MG10B	20.12				
								TP445MG10B	20.35				
								TP450MG10B	20.58				
								TP455MG10B	20.81				
					xvii	Bifacial Mono c-Si PERC Modules (Glass to Glass)	TP595LG10VB (595 Wp)	TP570LG10VB	20.47	156 Half Cut Cells	1500	28.08.2024	30.04.2026
								TP575LG10VB	20.64				
								TP580LG10VB	20.82				
								TP585LG10VB	21.00				
								TP590LG10VB	21.18				
								TP595LG10VB	21.36				
								TP600LG10VB	21.54				
								TP605LG10VB	21.72				
								TP610LG10VB	21.9				
								TP615LG10VB	22.08				
					xviii	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP595LG10VB (595 Wp)	TP570LG10VB	20.47	156 Half Cut Cells	1500	28.10.2024	30.04.2026
								TP575LG10VB	20.64				
								TP580LG10VB	20.82				
								TP585LG10VB	21.00				
								TP590LG10VB	21.18				
								TP595LG10VB	21.36				
					xix	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP540HG10VB (540 Wp)	TP525HG10VB	19.26	144 (Half Cut Cells)	1500	28.10.2024	30.04.2026
								TP530HG10VB	19.44				
								TP535HG10VB	19.62				
								TP540HG10VB	19.81				
								TP545HG10VB	19.99				
								TP550HG10VB	20.18				
45	M/s. Surya International Enterprise Private Limited	Plot No. S4-E1-21, EMC Park, Infovally II, Harekrushnapur, Jatani, Bhubaneswar-751019, Orissa	R-52000175	77	i	Mono PERC c-Si Modules	Si565M10-156 (565)	Si585M10-156	20.93	156 (Half Cut Cell)	1500	16.11.2023	15.11.2027
								Si580M10-156	20.75				
								Si575M10-156	20.57				
								Si570M10-156	20.39				
								Si565M10-156	20.21				
								Si560M10-156	20.03				
								Si555M10-156	19.85				
								Si550M10-156	19.68				
								Si545M10-156	19.5				
								Si540M10-156	19.32				
								Si550M10-144	21.27				
								Si545M10-144	21.08				
								Si540M10-144	20.89				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					ii	Mono PERC c-Si Modules	SI525M10-144 (525)	SI535M10-144	20.69	144 (Half Cut Cell)	1500	16.11.2023	15.11.2027
								SI530M10-144	20.5				
								SI525M10-144	20.31				
								SI520M10-144	20.11				
								SI515M10-144	19.92				
								SI510M10-144	19.73				
								SI505M10-144	19.53				
								SI500M10-144	19.34				
					iii	Mono PERC c-Si Modules	SI475M10-132 (475)	SI495M10-132	20.84	132 (Half Cut Cell)	1500	16.11.2023	15.11.2027
								SI490M10-132	20.63				
								SI485M10-132	20.41				
								SI480M10-132	20.2				
								SI475M10-132	19.99				
								SI470M10-132	19.78				
								SI465M10-132	19.57				
								SI460M10-132	19.36				
					iv	Mono PERC C-Si Modules	SI430M10-120 (430)	SI455M10-132	19.15	120 (Half Cut Cell)	1500	16.11.2023	15.11.2027
								SI450M10-120	20.78				
								SI445M10-120	20.55				
								SI440M10-120	20.31				
								SI435M10-120	20.08				
								SI430M10-120	19.85				
								SI425M10-120	19.62				
								SI420M10-120	19.39				
					v	Mono PERC C-Si Modules	SI390M10-108 (390)	SI415M10-120	19.16	108 (Half Cut Cell)	1500	16.11.2023	15.11.2027
								SI405M10-108	20.69				
								SI400M10-108	20.44				
								SI395M10-108	20.18				
								SI390M10-108	19.93				
								SI385M10-108	19.67				
								SI380M10-108	19.41				
								SI375M10-108	19.16				
					vi	Mono PERC C-Si Modules	SI345M10-96 (350)	SI365M10-96	20.87	96 (Half Cut Cell)	1500	16.11.2023	15.11.2027
								SI360M10-96	20.59				
								SI355M10-96	20.3				
								SI350M10-96	20.02				
								SI340M10-96	19.44				
								SI335M10-96	19.16				
								SI320M10-84	20.78				
								SI315M10-84	20.45				
					vii	Mono PERC C-Si Modules	SI305M10-84 (305)	SI310M10-84	20.13	84 (Half Cut Cell)	1500	16.11.2023	15.11.2027
								SI305M10-84	19.8				
								SI300M10-84	19.48				
								SI295M10-84	19.15				
								SI270M10-72	20.38				
								SI265M10-72	20.01				
								SI260M10-72	19.63				
								SI255M10-72	19.25				
					viii	Mono PERC C-Si Modules	SI260M10-72 (260)	SI240M10-64	19.99	72 (Full Cell)	1500	16.11.2023	15.11.2027
								SI235M10-64	19.61				
								SI230M10-64	19.24				
								ISSM10-500-144	19.92				
46	M/s Inter Solar Systems Private Limited	Village Sundran, Derabassi, P.O – Mubarkpur, District Sas Nagar, Mohali-140507, Punjab	R-97001139	49	i	Mono c-Si PERC Module	ISSM10-525-144 (525Wp)	ISSM10-505-144	20.12	144 (Half Cut Cells)	1500	16.11.2023	15.11.2027
								ISSM10-510-144	20.23				
								ISSM10-515-144	20.28				
								ISSM10-520-144	20.38				
								ISSM10-525-144	20.47				
								ISSM10-530-144	20.51				
								ISSM10-535-144	20.59				
								ISSM10-540-144	20.67				
								ISSM10-545-144	20.71				
								ISSM10-550-144	20.83				
								RPS2MH72M8515	19.93				
								RPS2MH72M8520	20.13				
								RPS2MH72M8525	20.32				
								RPS2MH72M8530	20.52				
47	M/s. ReNew Photovolotics Private Limited	Plot No-DTA-02-40 to 45, Domestic Tariff Area Phase-II, Mahindra World City, Tehsil-Sanganer, Jaipur-302037, Rajasthan	R-84003778	2842						144 (Half Cut Cell)	1500	16.11.2023	15.11.2027

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					i	Mono PERC c-Si Modules	RPS2MH72MB530 (330Wp)	RPS2MH72MB535	20.71	144 (Half Cut Cell)	1500	16.11.2023	17.11.2027
								RPS2MH72MB540	20.9				
								RPS2MH72MB545	21.1				
								RPS2MH72MB550	21.29				
					ii	Bifacial Mono c-Si PERC Module	RPS2MH72BD530 (530Wp)	RPS2MH72BD515	19.93	144 (Half Cut Cell)	1500	16.11.2023	15.11.2027
								RPS2MH72BD520	20.13				
								RPS2MH72BD525	20.32				
								RPS2MH72BD530	20.52				
								RPS2MH72BD535	20.71				
								RPS2MH72BD540	20.9				
								RPS2MH72BD545	21.1				
								RPS2MH72BD550	21.29				
								AS-555-HM156	19.88				
								AS-560-HM156	20.05				
								AS-565-HM156	20.22				
								AS-570-HM156	20.40				
48	M/s Abhishek Solar Industries Private Limited Unit II	Khata No. 67 Plot No. 53, Mesra, PO – Neori Vikas, Near NH 33, Ranchi, Jharkhand - 835217, India	R-58000140	142	i	Mono c-Si PERC Module	AS-575-HM156 (575 Wp)	AS-575-HM156	20.59	156 Half Cut Cells	1500	24.01.2024	23.01.2028
								AS-580-HM156	20.78				
								AS-585-HM156	20.96				
								AS-590-HM156	21.13				
								AS-595-HM156	21.30				
								AS-500-HM144	19.36				
								AS-505-HM144	19.54				
								AS-510-HM144	19.75				
					ii	Mono c-Si PERC Module	AS-525-HM144 (525 Wp)	AS-515-HM144	19.94	144 Half Cut Cells	1500	24.01.2024	23.01.2028
								AS-520-HM144	20.13				
								AS-525-HM144	20.32				
								AS-530-HM144	20.52				
								AS-535-HM144	20.70				
								AS-540-HM144	20.92				
								AS-545-HM144	21.11				
								AS-550-HM144	21.31				
					iii	Mono c-Si PERC Module	AS-475-HM132 (475 Wp)	AS-455-HM132	19.18	132 Half Cut Cells	1500	24.01.2024	23.01.2028
								AS-460-HM132	19.37				
								AS-465-HM132	19.60				
								AS-470-HM132	19.80				
								AS-475-HM132	20.01				
								AS-480-HM132	20.23				
								AS-485-HM132	20.44				
								AS-490-HM132	20.64				
iv	Mono c-Si PERC Module	AS-385-HM108 (385 Wp)	AS-495-HM132	20.85	108 Half Cut Cells	1500	24.01.2024	23.01.2028					
			AS-375-HM108	19.21									
			AS-380-HM108	19.47									
			AS-385-HM108	19.73									
			AS-390-HM108	19.99									
			AS-395-HM108	20.27									
			AS-400-HM108	20.47									
			AS-415-HM120	19.20									
v	Mono c-Si PERC Module	AS-430-HM120 (430Wp)	AS-420-HM120	19.42	120 Half Cut Cells	1500	24.01.2024	23.01.2028					
			AS-425-HM120	19.64									
			AS-430-HM120	19.87									
			AS-435-HM120	20.11									
			AS-440-HM120	20.33									
			AS-445-HM120	20.56									
			AS-450-HM120	20.79									
			AS-555-HM144 (555Wp)	21.68									
vi	Mono c-Si PERC Module	AS-555-HM144 (555Wp)	AS-560-HM144	21.68	144 (Half Cut Cells)	1500	24.01.2024	23.01.2028					
			AS-555-HM144	21.48									
			AS-500-HM132 (500Wp)	21.07					132 (Half Cut Cells)	1500			
			AS-500-HM132 (500Wp)	21.07									
vii	Mono c-Si PERC Module	AS-500-HM132 (500Wp)	AS-460-HM120	21.26	120 (Half Cut Cells)	1500	24.02.2024	23.02.2028					
			AS-455-HM120 (455Wp)	21.03									
			ISEN560	20.03									
			ISEN565	20.21									
49	M/s. Icon Solar En Power Technologies Private Limited	PH No. 09, Gram Dighari Mandir Hasaud, The Arang, Raipur- 492001, Chhattisgarh, India	R-59000140	395	i	Mono c-Si PERC Module	ISEN575 (575 Wp)	ISEN570	20.39	156 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								ISEN575	20.57				
								ISEN580	20.75				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								ISEN585	20.93	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
					ii	Mono c-Si PERC Module	ISEN540 (540 Wp)	ISEN590	21.11				
								ISEN520	20.12				
								ISEN525	20.32				
								ISEN530	20.52				
								ISEN535	20.71				
								ISEN540	20.9				
								ISEN545	21.1				
								ISEN550	21.3				
								ISEN555	21.48				
					iii	Mono c-Si PERC Module	ISEN500 (500 Wp)	ISEN500	21.05	132 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								ISEN510	21.47				
					iv	Mono c-Si PERC Module	ISEN440 (440 Wp)	ISEN420	19.41	120 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								ISEN425	19.64				
								ISEN430	19.87				
								ISEN435	20.1				
								ISEN440	20.34				
								ISEN445	20.57				
								ISEN450	20.8				
								ISEN455	21.03				
								ISEN460	21.26				
					v	Mono c-Si PERC Module	ISEN395 (395 Wp)	ISEN380	19.46	108 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								ISEN385	19.72				
								ISEN390	19.97				
								ISEN395	20.23				
								ISEN400	20.48				
								ISEN405	20.74				
					vi	Bifacial N-type TOPCon Module	ISEN610N-TOP (610 Wp)	ISEN410	21	156 (Half Cut Cell)	1500	24.02.2024	23.02.2028
								ISEN620N-TOP	22.19				
								ISEN615N-TOP	22.01				
								ISEN610N-TOP	21.83				
								ISEN605N-TOP	21.65				
					vii	Bifacial N-type TOPCon Module	ISEN575N-TOP (575 Wp)	ISEN600N-TOP	21.47	144 (Half Cut Cell)	1500	24.02.2024	23.02.2028
								ISEN590N-TOP	22.84				
								ISEN585N-TOP	22.64				
								ISEN580N-TOP	22.45				
								ISEN575N-TOP	22.26				
								ISEN570N-TOP	22.06				
								ISEN565N-TOP	21.87				
					viii	Bifacial N-type TOPCon Module	ISEN530N-TOP (530 Wp)	ISEN560N-TOP	21.68	132 (Half Cut Cell)	1500	24.02.2024	23.02.2028
								ISEN540N-TOP	22.74				
								ISEN535N-TOP	22.53				
								ISEN530N-TOP	22.32				
								ISEN525N-TOP	22.11				
					ix	Bifacial N-type TOPCon Module	ISEN480N-TOP (480 Wp)	ISEN520N-TOP	21.90	120 (Half Cut Cell)	1500	24.02.2024	23.02.2028
								ISEN500N-TOP	23.11				
								ISEN495N-TOP	22.88				
								ISEN490N-TOP	22.65				
								ISEN485N-TOP	22.41				
								ISEN480N-TOP	22.18				
								ISEN475N-TOP	21.95				
								ISEN470N-TOP	21.72				
								ISEN465N-TOP	21.49				
								ISEN460N-TOP	21.26				
					x	Bifacial N-type TOPCon Module	ISEN430N-TOP (430 Wp)	ISEN440N-TOP	22.53	108 (Half Cut Cell)	1500	24.02.2024	23.02.2028
								ISEN435N-TOP	22.28				
								ISEN430N-TOP	22.02				
								ISEN425N-TOP	21.76				
								ISEN420N-TOP	21.51				
					i	Mono c-Si PERC Module	WSMD-540 (540Wp)	WSMD-520	20.2	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								WSMD-525	20.39				
								WSMD-530	20.58				
								WSMD-535	20.78				
								WSMD-540	20.97				
								WSMD-545	21.17				
50	M/s. Waaree Energies Limited	Unit 2B, Survey No. 267, NH-48, Nandigram Village, Taluke Umbergaon, District Valsad, Gujarat 396105	R-72003085	1156				WSMD-550	21.36				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					ii	Bifacial Mono c- Si PERC Module	Bi-55-540 (540Wp)	Bi-55-520	20.2	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								Bi-55-525	20.39				
								Bi-55-530	20.58				
								Bi-55-535	20.78				
								Bi-55-540	20.97				
								Bi-55-545	21.17				
					iii	N TOPCon Module	WSMT-570 (570Wp)	Bi-55-550	21.36	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								WSMT-560	21.75				
								WSMT-565	21.94				
								WSMT-570	22.14				
								WSMT-575	22.33				
								WSMT-580	22.53				
					iv	N TOPCon Module	WSMT-615 (615Wp)	WSMT-605	21.74	156 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								WSMT-610	21.92				
								WSMT-615	22.1				
								WSMT-620	22.28				
								WSMT-625	22.46				
								BiN-17-605	21.64				
					v	N TOPCon Module(Bifacial)	BiN-17-615 (615Wp)	BiN-17-610	21.82	156 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								BiN-17-615	22				
								BiN-17-620	22.18				
								BiN-17-625	22.35				
								BiN-08-560	21.67				
								BiN-08-565	21.87				
					vi	N TOPCon Module(Bifacial)	BiN-08-570 (570Wp)	BiN-08-570	22.06	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								BiN-08-575	22.25				
								BiN-08-580	22.45				
WSMD-420	19.32												
WSMD-425	19.55												
WSMD-430	19.78												
51	M/s. Waaree Energies Limited	Survey No 38/1,Tumb Village,Tumb,Umbergaon,Valsad,Gujarat-396150	R-72002038	1095	i	Mono c- Si PERC Module	WSMD-440 (440Wp)	WSMD-435	20.01	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								WSMD-440	20.24				
								WSMD-445	20.47				
								WSMD-450	20.7				
								WSMD-520	20.2				
								WSMD-525	20.39				
					ii	Mono c- Si PERC Module	WSMD-540 (540Wp)	WSMD-530	20.58	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								WSMD-535	20.78				
								WSMD-540	20.97				
								WSMD-545	21.17				
								WSMD-550	21.36				
								Bi-31-420	19.32				
					iii	Mono c- Si PERC Bifacial Module	Bi-31-440(440Wp)	Bi-31-425	19.55	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								Bi-31-430	19.78				
								Bi-31-435	20.01				
								Bi-31-440	20.24				
								Bi-31-445	20.47				
								Bi-31-450	20.7				
					iv	Bifacial Mono c-Si PERC Module	Bi-55-540 (540Wp)	Bi-55-520	20.2	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								Bi-55-525	20.39				
								Bi-55-530	20.58				
								Bi-55-535	20.78				
								Bi-55-540	20.97				
								Bi-55-545	21.17				
v	Mono c- Si PERC Module	WSMDi-400 (400Wp)	Bi-55-550	21.36	132 (Half Cut Cells)	1500	24.02.2024	23.02.2028					
			WSMDi-395	19.79									
			WSMDi-400	20.03									
			WSMDi-405	20.28									
			WSMDi-410	20.53									
			WSMDi-415	20.78									
			ASM-M10-144-500	19.47									
			ASM-M10-144-501	19.51									
			ASM-M10-144-502	19.55									
			ASM-M10-144-503	19.59									
52	M/s. Mundra Solar PV Limited	Survey No 180P, Co Mundra Solar Technopark Pvt. Ltd, Electronic manufacturing Cluster EMC, Village Vandh & Tunda, mundra, Kutch Adani Ports & SEZ, Tunda, Kachchh - - 370435, Gujarat	R-72008532	1942				ASM-M10-144-504	19.63				
								ASM-M10-144-505	19.67				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					i	Mono c-Si PERC Modules	ASM-M10-144-523 (523Wp)	ASM-M10-144-506	19.7	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								ASM-M10-144-507	19.74				
								ASM-M10-144-508	19.78				
								ASM-M10-144-509	19.82				
								ASM-M10-144-510	19.86				
								ASM-M10-144-511	19.9				
								ASM-M10-144-512	19.94				
								ASM-M10-144-513	19.98				
								ASM-M10-144-514	20.02				
								ASM-M10-144-515	20.05				
								ASM-M10-144-516	20.09				
								ASM-M10-144-517	20.13				
								ASM-M10-144-518	20.17				
								ASM-M10-144-519	20.21				
								ASM-M10-144-520	20.25				
								ASM-M10-144-521	20.29				
								ASM-M10-144-522	20.33				
								ASM-M10-144-523	20.37				
								ASM-M10-144-524	20.41				
								ASM-M10-144-525	20.44				
								ASM-M10-144-526	20.48				
								ASM-M10-144-527	20.52				
								ASM-M10-144-528	20.56				
								ASM-M10-144-529	20.6				
								ASM-M10-144-530	20.64				
								ASM-M10-144-531	20.68				
								ASM-M10-144-532	20.72				
								ASM-M10-144-533	20.76				
								ASM-M10-144-534	20.8				
								ASM-M10-144-535	20.83				
								ASM-M10-144-536	20.87				
								ASM-M10-144-537	20.91				
								ASM-M10-144-538	20.95				
								ASM-M10-144-539	20.99				
								ASM-M10-144-540	21.03				
								ASM-M10-144-541	21.07				
								ASM-M10-144-542	21.11				
								ASM-M10-144-543	21.15				
								ASM-M10-144-544	21.18				
								ASM-M10-144-545	21.22				
					ii	Bifacial c-Si PERC Modules	ASB-M10-144-548 (548Wp)	ASB-M10-144-520	20.25	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								ASB-M10-144-521	20.29				
								ASB-M10-144-522	20.33				
								ASB-M10-144-523	20.37				
								ASB-M10-144-524	20.41				
								ASB-M10-144-525	20.44				
								ASB-M10-144-526	20.48				
								ASB-M10-144-527	20.52				
								ASB-M10-144-528	20.56				
								ASB-M10-144-529	20.6				
								ASB-M10-144-530	20.64				
								ASB-M10-144-531	20.68				
								ASB-M10-144-532	20.72				
								ASB-M10-144-533	20.76				
								ASB-M10-144-534	20.8				
								ASB-M10-144-535	20.83				
								ASB-M10-144-536	20.87				
								ASB-M10-144-537	20.91				
								ASB-M10-144-538	20.95				
								ASB-M10-144-539	20.99				
								ASB-M10-144-540	21.03				
								ASB-M10-144-541	21.07				
								ASB-M10-144-542	21.11				
								ASB-M10-144-543	21.15				
								ASB-M10-144-544	21.18				
								ASB-M10-144-545	21.22				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								ASB-M10-144-546	21.26				
								ASB-M10-144-547	21.3				
								ASB-M10-144-548	21.34				
								ASB-M10-144-549	21.38				
								ASB-M10-144-550	21.42				
					iii	Bifacial N-type TOPCon Modules	ASB-M10-144-563 (563Wp)	ASB-M10-144-520	20.15	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								ASB-M10-144-525	20.34				
								ASB-M10-144-530	20.53				
								ASB-M10-144-535	20.73				
								ASB-M10-144-540	20.92				
								ASB-M10-144-545	21.12				
								ASB-M10-144-550	21.42				
								ASB-M10-144-551	21.46				
								ASB-M10-144-552	21.5				
								ASB-M10-144-553	21.54				
								ASB-M10-144-554	21.57				
								ASB-M10-144-555	21.61				
								ASB-M10-144-556	21.65				
								ASB-M10-144-557	21.69				
								ASB-M10-144-558	21.73				
								ASB-M10-144-559	21.77				
								ASB-M10-144-560	21.81				
								ASB-M10-144-561	21.85				
								ASB-M10-144-562	21.89				
								ASB-M10-144-563	21.92				
								ASB-M10-144-564	21.96				
								ASB-M10-144-565	22.00				
								ASB-M10-144-566	22.04				
								ASB-M10-144-567	22.08				
								ASB-M10-144-568	22.12				
								ASB-M10-144-569	22.16				
								ASB-M10-144-570	22.2				
								ASB-M10-144-571	22.24				
								ASB-M10-144-572	22.28				
								ASB-M10-144-573	22.31				
								ASB-M10-144-574	22.35				
								ASB-M10-144-575	22.39				
								ASB-M10-144-576	22.42				
								ASB-M10-144-577	22.46				
								ASB-M10-144-578	22.49				
								ASB-M10-144-579	22.53				
								ASB-M10-144-580	22.57				
		Co-ALMM with M/s Goldi Sun Private Limited Manufacturing Address: City Survey No. 920, Vijalpore Road, TA, Distt. Navsari, Gujarat – 396445, India	R-72012025	187 MW (As per Co-Branding Agreement)	i	Bifacial N type TOPCon Module	ASB-M10-144-575 (575 Wp)	ASB-M10-144-555	21.61	144 (Half Cut Cells)	1500	From the date of enlistemnt	16.01.2026
								ASB-M10-144-560	21.81				
								ASB-M10-144-565	22.00				
								ASB-M10-144-570	22.20				
								ASB-M10-144-575	22.39				
53	M/s. Vikram Solar Ltd.	Special Economic Zone (SEZ), Sector 2,Falta, 24 Parganas (South) - 743504, West Bengal	R-51000566	1447	i	Mono c-Si PERC Module	SOMERA VSMH.72.545.05 (545 Wp)	SOMERA VSMH.72.550.05	21.33	144 (Half cut Cells)	1500	24.02.2024	23.02.2028
								SOMERA VSMH.72.545.05	21.13				
								SOMERA VSMH.72.540.05	20.94				
								SOMERA VSMH.72.535.05	20.75				
					ii	Mono c-Si PERC Module	SOMERA VSMH.60.455.05 (455 Wp)	SOMERA VSMH.60.460.05	21.28	120 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								SOMERA VSMH.60.455.05	21.05				
								SOMERA VSMH.60.450.05	20.82				
								SOMERA VSMH.60.445.05	20.59				
					iii	Bifacial Mono c-Si PERC Module	PARADEA VSM DH.72.545.05 (545 Wp)	PARADEA VSM DH.72.550.05	21.33	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								PARADEA VSM DH.72.545.05	21.13				
								PARADEA VSM DH.72.540.05	20.94				
								PARADEA VSM DH.72.535.05	20.75				
					iv	Mono c-Si PERC Module	SOMERA VSMH.72.445.05 (445 Wp)	SOMERA VSMH.72.450.05	20.23	144 (Half Cut cells)	1500	24.02.2024	23.02.2028
								SOMERA VSMH.72.445.05	20.01				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deeedm to be delisted)
					v	Mono c-Si PERC Modules (Glass to Glass)	PARADEA VSMDH.78.585.05 (585 Wp)	SOMERA VSMH.72.440.05	19.79	156 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								PARADEA VSMDH.78.570.05	20.47				
								PARADEA VSMDH.78.575.05	20.64				
								PARADEA VSMDH.78.580.05	20.82				
								PARADEA VSMDH.78.585.05	21.00				
								PARADEA VSMDH.78.590.05	21.18				
					vi	Mono c-Si PERC Modules (Glass to Glass)	PARADEA VSMDH.66.500.05 (500 Wp)	PARADEA VSMDH.78.595.05	21.36	132 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								PARADEA VSMDH.66.490.05	20.61				
								PARADEA VSMDH.66.500.05	21.04				
					vii	N-Type TOPCon Module	HYPER SOL VSMDH.72.590.05 (590 Wp)	HYPER SOL VSMDH.72.570.05	21.08	144 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								HYPER SOL VSMDH.72.575.05	21.27				
								HYPER SOL VSMDH.72.580.05	21.45				
								HYPER SOL VSMDH.72.585.05	21.64				
								HYPER SOL VSMDH.72.590.05	21.82				
								HYPER SOL VSMDH.72.595.05	22.01				
								HYPER SOL VSMDH.72.600.05	22.19				
								HYPER SOL VSMDH.72.605.05	22.38				
								HYPER SOL VSMDH.72.610.05	22.56				
					viii	N-Type TOPCon Module	HYPER SOL VSMDH.66.540.05 (540 Wp)	HYPER SOL VSMDH.66.520.05	21.90	132 (Half Cut Cells)	1500	24.02.2024	23.02.2028
								HYPER SOL VSMDH.66.525.05	22.11				
								HYPER SOL VSMDH.66.530.05	22.32				
								HYPER SOL VSMDH.66.535.05	22.53				
								HYPER SOL VSMDH.66.540.05	22.74				
								HYPER SOL VSMDH.66.545.05	22.95				
								HYPER SOL VSMDH.66.550.05	23.16				
								HYPER SOL VSMDH.66.555.05	23.37				
54	M/s. TP Solar Limited	Plot No. A 109, Near Elcot Road, TP Solar Limited, Sipcot Road and OSR Park, Gangaikondan Road, Sipcot Industrial Park, Gangaikondan Industrial Park, Tirunelveli, Tamil Nadu-627352	R-61004146	5222	i	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP575LG10B (575Wp)	TP555LG10B	19.93	156(Half Cut Cells)	1500	22.03.2024	21.03.2028
								TP560LG10B	20.11				
								TP565LG10B	20.29				
								TP570LG10B	20.47				
								TP575LG10B	20.65				
								TP580LG10B	20.83				
								TP585LG10B	21.00				
								TP590LG10B	21.18				
								TP595LG10B	21.36				
								TP600LG10B	21.54				
					ii	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP520HG10B (520Wp)	TP500HG10B	19.40	144 (Half cut Cells)	1500	22.03.2024	21.03.2028
								TP505HG10B	19.59				
								TP510HG10B	19.79				
								TP515HG10B	19.98				
								TP520HG10B	20.17				
								TP525HG10B	20.37				
								TP530HG10B	20.56				
								TP535HG10B	20.76				
					iii	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP550HG10B (550 Wp)	TP540HG10B	20.95	144 (Half cut Cells)	1500	22.03.2024	21.03.2028
								TP545HG10B	21.14				
								TP550HG10B	21.34				
					iv	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP470VG10B (470 Wp)	TP555HG10B	21.53	132 (Half cut Cells)	1500	22.03.2024	21.03.2028
								TP460VG10B	19.19				
								TP465VG10B	19.47				
								TP470VG10B	19.61				
								TP475VG10B	19.81				
								TP480VG10B	20.02				
								TP485VG10B	20.23				
					v	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP500VG10B (500 Wp)	TP490VG10B	20.44	132 (Half cut Cells)	1500	22.03.2024	21.03.2028
								TP495VG10B	20.65				
								TP500VG10B	20.86				
								TP505VG10B	21.07				
					vi	Bifacial Mono c-Si PERC Module	TP435MG10B (435 Wp)	TP420MG10B	19.21	120 (Half Cut Cells)	1500	22.03.2024	21.03.2028
								TP425MG10B	19.44				
								TP430MG10B	19.66				
								TP435MG10B	19.89				
								TP440MG10B	20.12				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
						(Glass to Glass)		TP445MG10B	20.35	120 (Half Cut Cells)	1500	22.03.2024	21.03.2028
					vii	Bifacial Mono c-Si PERC Module (Glass to Glass)	TP460MG10B (460 Wp)	TP450MG10B	20.58				
								TP455MG10B	20.81				
								TP460MG10B	21.03				
					viii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	TP575LG10TB (575Wp)	TP465MG10B	21.26	156(Half Cut Cells)	1500	22.03.2024	21.03.2028
								TP555LG10TB	19.93				
								TP560LG10TB	20.11				
								TP565LG10TB	20.29				
								TP570LG10TB	20.47				
								TP575LG10TB	20.65				
								TP580LG10TB	20.83				
								TP585LG10TB	21.00				
								TP590LG10TB	21.18				
								TP595LG10TB	21.36				
								TP600LG10TB	21.54				
					ix	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	TP520HG10TB (520Wp)	TP500HG10TB	19.40	144 (Half cut Cells)	1500	22.03.2024	21.03.2028
								TP505HG10TB	19.59				
								TP510HG10TB	19.79				
								TP515HG10TB	19.98				
								TP520HG10TB	20.17				
								TP525HG10TB	20.37				
								TP530HG10TB	20.56				
								TP535HG10TB	20.76				
								TP540HG10TB	20.95				
								TP545HG10TB	21.14				
					x	Bifacial Mono c-Si PERC Module (Glass to Transparent)	TP550HG10TB (550 Wp)	TP550HG10TB	21.34	144 (Half cut Cells)	1500	22.03.2024	21.03.2028
								TP555HG10TB	21.53				
								TP460VG10TB	19.19				
					xi	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	TP470VG10TB (470 Wp)	TP465VG10TB	19.47	132 (Half cut Cells)	1500	22.03.2024	21.03.2028
								TP470VG10TB	19.61				
								TP475VG10TB	19.81				
								TP480VG10TB	20.02				
								TP485VG10TB	20.23				
								TP490VG10TB	20.44				
					xii	Bifacial Mono c-Si PERCModule (Glass to Transparent)	TP500VG10TB (500 Wp)	TP495VG10TB	20.65	132 (Half cut Cells)	1500	22.03.2024	21.03.2028
								TP500VG10TB	20.86				
								TP505VG10TB	21.07				
								TP420MG10TB	19.21				
					xiii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	TP435MG10TB (435 Wp)	TP425MG10TB	19.44	120 (Half Cut Cells)	1500	22.03.2024	21.03.2028
								TP430MG10TB	19.66				
								TP435MG10TB	19.89				
								TP440MG10TB	20.12				
								TP445MG10TB	20.35				
								TP450MG10TB	20.58				
								TP455MG10TB	20.81				
					xiv	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	TP460MG10TB (460 Wp)	TP460MG10TB	21.03	120 (Half Cut Cells)	1500	22.03.2024	21.03.2028
								TP465MG10TB	21.26				
55	M/s. Solberry Energy Private Limited	Survey No.-164/002 & 165, Near Kamla Amrut Ind.Estate, Village-Indrad, Tal.-Kadi, Dist. - Mehsana - 382715, Gujarat, India	R-72009490	56	i	Mono c-Si PERC Module	SE144H520M (520 Wp)	SE144H540M	20.92	144 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								SE144H535M	20.73				
								SE144H530M	20.53				
								SE144H525M	20.34				
								SE144H520M	20.15				
								SE144H515M	19.95				
								SE144H510M	19.76				
								SE144H505M	19.57				
								SE132H500M	21.06				
								SE132H495M	20.85				
								SE132H490M	20.64				
					ii	Mono c-Si PERC Module	SE132H480M	SE132H485M	20.43	132 (Half cut Cells)	1500	10.04.2024	09.04.2028

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					ii	Mono c-Si PERC Module	(480 Wp)	SE132H480M	20.22	132 (Half cut Cells)	1500	10.04.2024	09.04.2028
								SE132H475M	20.01				
								SE132H470M	19.80				
								SE132H465M	19.60				
					iii	Mono c-Si PERC Module	SE120H440M (440 Wp)	SE120H460M	21.23	120 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								SE120H455M	21.00				
								SE120H450M	20.77				
								SE120H445M	20.54				
								SE120H440M	20.31				
								SE120H435M	20.10				
								SE120H430M	19.85				
								SE120H425M	19.62				
								SE120H420M	19.39				
								SE108H410M	20.97				
					iv	Mono c-Si PERC Module	SE108H400M (400 Wp)	SE108H405M	20.71	108 (Half cut cells)	1500	10.04.2024	09.04.2028
								SE108H400M	20.45				
								SE108H395M	20.20				
								SE108H390M	19.94				
								SE108H385M	19.69				
					v	Mono c-Si PERC Module	SE108H375M (375 Wp)	SE108H380M	19.43	108 (Half cut cells)	1500	10.04.2024	09.04.2028
								SE108H375M	19.18				
					vi	Mono c-Si PERC Module	SE96H345M (345 Wp)	SE96H360M	20.62	96 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								SE96H355M	20.33				
								SE96H350M	20.05				
								SE96H345M	19.76				
								SE96H340M	19.47				
								SE96H335M	19.19				
								SE144H540MB	20.92				
					vii	Bifacial Mono c-Si PERC Module	SE144H520MB (520 Wp)	SE144H535MB	20.73	144 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								SE144H530MB	20.53				
								SE144H525MB	20.34				
								SE144H520MB	20.15				
								SE144H515MB	19.95				
								SE144H510MB	19.76				
								SE144H505MB	19.57				
					viii	Bifacial Mono c-Si PERC Module	SE132H480MB (480 Wp)	SE132H500MB	21.06	132 (Half cut Cells)	1500	10.04.2024	09.04.2028
								SE132H495MB	20.85				
								SE132H490MB	20.64				
								SE132H485MB	20.43				
								SE132H480MB	20.22				
								SE132H475MB	20.01				
								SE132H470MB	19.80				
					ix	Bifacial Mono c-Si PERC Module	SE120H440MB (440 Wp)	SE132H465MB	19.60	120 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								SE120H460MB	21.23				
								SE120H455MB	21.00				
								SE120H450MB	20.77				
								SE120H445MB	20.54				
								SE120H440MB	20.31				
								SE120H435MB	20.10				
								SE120H430MB	19.85				
								SE120H425MB	19.62				
								SE120H420MB	19.39				
								SE108H410MB	20.97				
					x	Bifacial Mono c-Si PERC Module	SE108H400MB (400 Wp)	SE108H405MB	20.71	108 (Half cut cells)	1500	10.04.2024	09.04.2028
								SE108H400MB	20.45				
								SE108H395MB	20.20				
								SE108H390MB	19.94				
								SE108H385MB	19.69				
					xi	Bifacial Mono c-Si PERC Module	SE108H375MB (375Wp)	SE108H380MB	19.43	108 (Half cut cells)	1500	10.04.2024	09.04.2028
								SE108H375MB	19.18				
					xii	Bifacial Mono c-Si PERC Module	SE96H345MB (345 Wp)	SE96H360MB	20.62	96 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								SE96H355MB	20.33				
								SE96H350MB	20.05				
								SE96H345MB	19.76				
								SE96H340MB	19.47				
								SE96H335MB	19.19				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
56	M/s.Premier Energies International Private Limited	Plot No. S-95, S-96, S-100, S-101, S-102, S-103 & S-104, Raviryala, Raviryal(V), Maheswaram(M), Rangareddy (D), Telangana - 501359, India	R-63003719	1320	i	Bifacial N-type TOPCon Module (Glass to Transparent)	PEI-144-565THB-M10 (565 Wp)	PEI-144-545THB-M10	21.09	144 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								PEI-144-550THB-M10	21.28				
								PEI-144-555THB-M10	21.47				
								PEI-144-560THB-M10	21.67				
								PEI-144-565THB-M10	21.86				
								PEI-144-570THB-M10	22.05				
								PEI-144-575THB-M10	22.25				
								PEI-144-580THB-M10	22.44				
								PEI-144-585THB-M10	22.63				
								PEI-144-590THB-M10	22.83				
					ii	N-type TOPCon Module (Glass to Transparent)	PEI-132-520THB-M10 (520 Wp)	PEI-132-495THB-M10	20.85	132 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								PEI-132-500THB-M10	21.06				
								PEI-132-505THB-M10	21.28				
								PEI-132-510THB-M10	21.49				
								PEI-132-515THB-M10	21.70				
								PEI-132-520THB-M10	21.91				
								PEI-132-525THB-M10	22.12				
								PEI-132-530THB-M10	22.33				
								PEI-132-535THB-M10	22.54				
								PEI-132-540THB-M10	22.75				
					iii	Bifacial Mono c-Si PERC Modules (Glass to Transparent))	PEI-144-535HB-M10 (535 Wp)	PEI-144-535HB-M10	20.70	144 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								PEI-144-540HB-M10	20.89				
								PEI-144-545HB-M10	21.09				
								PEI-144-550HB-M10	21.28				
								PEI-144-555HB-M10	21.48				
								PEI-144-560HB-M10	21.67				
					iv	Bifacial Mono c-Si PERC Modules (Glass to Transparent)	PEI-132-490HB-M10 (490 Wp)	PEI-132-470HB-M10	19.80	132 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								PEI-132-475HB-M10	20.01				
								PEI-132-480HB-M10	20.22				
								PEI-132-485HB-M10	20.43				
								PEI-132-490HB-M10	20.64				
								PEI-132-495HB-M10	20.86				
								PEI-132-500HB-M10	21.07				
								PEI-132-505HB-M10	21.28				
					v	Bifacial Mono c-Si PERC Modules (Glass to Glass)	PEI-144-535HGB-M10 (535 Wp)	PEI-132-510HB-M10	21.49	144 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								PEI-144-535HGB-M10	20.70				
								PEI-144-540HGB-M10	20.89				
								PEI-144-545HGB-M10	21.09				
								PEI-144-550HGB-M10	21.28				
								PEI-144-555HGB-M10	21.48				
					vi	Bifacial Mono c-Si PERC Modules (Glass to Glass)	PEI-132-490HGB-M10 (490 Wp)	PEI-144-560HGB-M10	21.67	132 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								PEI-132-470HGB-M10	19.80				
								PEI-132-475HGB-M10	20.01				
								PEI-132-480HGB-M10	20.22				
								PEI-132-485HGB-M10	20.43				
								PEI-132-490HGB-M10	20.64				
								PEI-132-495HGB-M10	20.86				
								PEI-132-500HGB-M10	21.07				
								PEI-132-505HGB-M10	21.28				
								PEI-132-510HGB-M10	21.49				
					vii	Bifacial N-type TOPCon Module (Glass to Glass)	PEI-144-565THGB-M10 (565 Wp)	PEI-144-545THGB-M10	21.09	144 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								PEI-144-550THGB-M10	21.28				
								PEI-144-555THGB-M10	21.47				
								PEI-144-560THGB-M10	21.67				
								PEI-144-565THGB-M10	21.86				
								PEI-144-570THGB-M10	22.05				
								PEI-144-575THGB-M10	22.25				
								PEI-144-580THGB-M10	22.44				
								PEI-144-585THGB-M10	22.63				
								PEI-144-590THGB-M10	22.83				
					viii	N-type TOPCon Module (Glass to Glass)	PEI-132-520THGB-M10 (520 Wp)	PEI-132-495THGB-M10	20.85	132 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								PEI-132-500THGB-M10	21.06				
								PEI-132-505THGB-M10	21.28				
								PEI-132-510THGB-M10	21.49				
								PEI-132-515THGB-M10	21.70				
								PEI-132-520THGB-M10	21.91				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
57	M/s. Total Solar Technologies Private Limited	Block No. 84 Paiki, Opposite Chachawadi Temple, Changodar, Chachawadi Vasma, Changodar, Ahmedabad - 382213, Gujarat, India	R-72009466	52	i	Mono c-Si PERC Module	TST144MPH-535 (535Wp)	PEI-132-525THGB-M10	22.12	144 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								PEI-132-530THGB-M10	22.33				
								PEI-132-535THGB-M10	22.54				
								PEI-132-540THGB-M10	22.75				
					ii	Mono c-Si PERC Module	TST132MPH-490 (490Wp)	TST144MPH-525	20.00	132 (Half cut Cells)	1500	10.04.2024	09.04.2028
								TST144MPH-530	20.18				
								TST144MPH-535	20.38				
								TST144MPH-540	20.58				
					iii	Mono c-Si PERC Module	TST120MPH-445 (445Wp)	TST132MPH-480	19.91	120 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								TST132MPH-485	20.11				
								TST132MPH-490	20.32				
								TST132MPH-495	20.53				
					iv	Mono c-Si PERC Module	TST108MPH-400 (400Wp)	TST132MPH-500	20.74	108 (Half cut cells)	1500	10.04.2024	09.04.2028
								TST120MPH-440	19.99				
								TST120MPH-445	20.22				
								TST120MPH-450	20.45				
					v	Mono c-Si PERC Module	TST96MPH-360 (360Wp)	TST120MPH-455	20.68	96 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								TST108MPH-390	19.60				
								TST108MPH-395	19.86				
								TST108MPH-400	20.11				
					vi	Mono c-Si PERC Module	TST84MPH-315 (315Wp)	TST108MPH-405	20.36	84 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								TST108MPH-410	20.61				
								TST96MPH-350	19.68				
					vii	Mono c-Si PERC Module	TST72MPH-270 (270Wp)	TST96MPH-355	19.96	72 (Half cut Cells)	1500	10.04.2024	09.04.2028
								TST96MPH-360	20.24				
								TST96MPH-365	20.52				
					viii	Mono c-Si PERC Module	TST60MPH-220 (220Wp)	TST84MPH-305	19.46	60 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								TST84MPH-310	19.78				
								TST84MPH-315	20.09				
								TST84MPH-320	20.41				
58	M/s. Integrated Batteries India Pvt Ltd	Plot No. 40, Sector -10, Greater Noida, Uttar Pradesh - 201310, India	R-93017612	93	i	Mono c-Si PERC Modules	IBMPF-395 (395 Wp)	TST72MPH-260	19.16	108 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								TST72MPH-265	19.53				
								TST72MPH-270	19.90				
								TST72MPH-275	20.27				
					ii	Mono c-Si PERC Modules	IBMPH-435 (435 Wp)	TST60MPH-220	19.22	120 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								TST60MPH-225	19.66				
								IBMPF-380	19.30				
								IBMPF-385	19.55				
					iii	Mono c-Si PERC Modules	IBMPH-480 (480 Wp)	IBMPF-390	19.81	132 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								IBMPF-395	20.06				
								IBMPF-400	20.31				
					iv	Mono c-Si PERC Modules	IBMPH-525 (525 Wp)	IBMPH-405	20.57	144 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								IBMPH-410	20.82				
								IBMPH-415	19.05				
								IBMPH-420	19.28				
								IBMPH-425	19.51				
								IBMPH-430	19.74				
								IBMPH-435	19.97				
								IBMPH-440	20.19				
								IBMPH-445	20.42				
								IBMPH-450	20.65				
								IBMPH-455	20.88				
								IBMPH-460	19.26				
								IBMPH-465	19.47				
								IBMPH-470	19.68				
								IBMPH-475	19.89				
								IBMPH-480	20.10				
								IBMPH-485	20.31				
								IBMPH-490	20.52				
								IBMPH-495	20.73				
								IBMPH-500	20.93				
								IBMPH-505	19.57				
								IBMPH-510	19.77				
								IBMPH-515	19.96				
								IBMPH-520	20.16				
								IBMPH-525	20.35				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								IBMPH-530	20.54				
								IBMPH-535	20.74				
								IBMPH-540	20.93				
								IBMPH-545	21.13				
59	M/s.ReNew Photovoltaics Private Limited	Plot No. 232, TP-2/A, Dholera Special Investment Region, Dholera, Ahmedabad - 382455, Gujarat, India	R-72009903	1766	i	Bifacial Mono c-Si PERC Module	RPS2MH72BD550 (550Wp)	RPS2MH72BD535	20.71	144 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								RPS2MH72BD540	20.90				
								RPS2MH72BD545	21.10				
								RPS2MH72BD550	21.30				
								RPS2MH72BD555	21.48				
								RPS2MH72BD560	21.68				
								RPS2MH72BD530	20.52				
					ii	Bifacial Mono c-Si PERC Modules	RPS2MH72BD560 (560 Wp)	RPS2MH72BD535	20.71	144 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								RPS2MH72BD540	20.90				
								RPS2MH72BD545	21.10				
								RPS2MH72BD550	21.30				
								RPS2MH72BD555	21.48				
								RPS2MH72BD560	21.68				
								GMF72HM10525	20.32	144 (Half Cut Cells)	1500	10.04.2024	09.04.2028
60	M/s. Grew Energy Private Limited	Khasra No. 2215, 2216, 1654, 1655, 1656, 2217, 2214, DUDU Jaipur, Rajasthan- 303008, India	R-84004332	2803	i	Mono c-Si PERC Module	GMF72HM10540 (540 Wp)	GMF72HM10530	20.51				
								GMF72HM10535	20.71				
								GMF72HM10540	20.90				
								GMF72HM10545	21.09				
								GMF72HM10550	21.29				
								GMF72HM10550	21.29				
					ii	Bifacial Mono c-Si PERC Module (Glass to Transparent BackSheet)	GMB72HM10540 (540 Wp)	GMB72HM10525	20.32	144 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								GMB72HM10530	20.51				
								GMB72HM10535	20.71				
								GMB72HM10540	20.90				
								GMB72HM10545	21.09				
								GMB72HM10550	21.29				
								GMB72HM10550	21.29				
					iii	Mono c-Si PERC Module	GMF66HM10490 (490 Wp)	GMF66HM10480	20.20	132 (Half cut Cells)	1500	10.04.2024	09.04.2028
								GMF66HM10485	21.41				
								GMF66HM10490	20.62				
								GMF66HM10495	20.83				
								GMF66HM10500	21.04				
								GMF66HM10505	21.25				
								GMF66HM10505	21.25				
					iv	Bifacial Mono c-Si PERC Module (Glass to Transparent BackSheet)	GMB66HM10490 (490 Wp)	GMB66HM10480	20.20	132 (Half cut Cells)	1500	10.04.2024	09.04.2028
								GMB66HM10485	21.41				
								GMB66HM10490	20.62				
								GMB66HM10495	20.83				
								GMB66HM10500	21.04				
								GMB66HM10505	21.25				
								GMB66HM10505	21.25				
					v	Mono c-Si PERC Module	GMF60HM10450 (450 Wp)	GMF60HM10435	20.08	120 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								GMF60HM10440	20.31				
								GMF60HM10445	20.54				
								GMF60HM10450	20.77				
								GMF60HM10455	21.00				
								GMF60HM10460	21.23				
								GMF60HM10460	21.23				
					vi	Bifacial Mono c-Si PERC Module (Glass to Transparent BackSheet)	GMB60HM10450 (450 Wp)	GMF54HM10390	19.93	120 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								GMF54HM10395	20.19				
								GMF54HM10400	20.44				
								GMF54HM10405	20.70				
								GMF54HM10410	20.95				
								GMF54HM10415	21.21				
								GMF54HM10415	21.21				
					vii	Mono c-Si PERC Module	GMF54HM10400 (400 Wp)	GMF54HM10390	19.93	108 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								GMF54HM10395	20.19				
								GMF54HM10400	20.44				
								GMF54HM10405	20.70				
								GMF54HM10410	20.95				
								GMF54HM10415	21.21				
								GMF54HM10415	21.21				
					viii	Bifacial Mono c-Si PERC Module (Glass to Transparent BackSheet)	GMB54HM10400 (400 Wp)	GMF54HM10390	19.93	108 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								GMF54HM10395	20.19				
								GMF54HM10400	20.44				
								GMF54HM10405	20.70				
								GMF54HM10410	20.95				
								GMF54HM10415	21.21				
								GMF54HM10415	21.21				
								GMF48HM10340	19.46				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					ix	Mono c-Si PERC Module	GMF48HM10350 (350 Wp)	GMF48HM10345	19.75	96 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								GMF48HM10350	20.04				
								GMF48HM10355	20.32				
								GMF48HM10360	20.61				
								GMF48HM10365	20.90				
					x	Bifacial Mono c-Si PERC Module (Glass to Transparent BackSheet)	GMB48HM10350 (350 Wp)	GMB48HM10340	19.46	96 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								GMB48HM10345	19.75				
								GMB48HM10350	20.04				
								GMB48HM10355	20.32				
								GMB48HM10360	20.61				
					xi	N Type TOPCon Module	GTG78HM10615 (615 Wp)	GMB48HM10365	20.90	156 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								GTG78HM10635	22.72				
								GTG78HM10630	22.54				
								GTG78HM10625	22.36				
								GTG78HM10620	22.18				
					xii	N Type TOPCon Module	GTG72HM10580 (580 Wp)	GTG78HM10615	22.00	144 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								GTG78HM10610	21.82				
								GTG78HM10605	21.64				
								GTG72HM10590	22.84				
								GTG72HM10585	22.64				
					xiii	N Type TOPCon Module	GTG66HM10525 (525 Wp)	GTG72HM10580	22.45	132 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								GTG72HM10575	22.26				
								GTG72HM10570	22.06				
								GTG66HM10540	22.73				
								GTG66HM10535	22.52				
					xiv	N Type TOPCon Module	GTG60HM10475 (475 Wp)	GTG66HM10530	22.31	120 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								GTG66HM10525	22.10				
								GTG66HM10520	21.89				
								GTG66HM10515	21.68				
								GTG60HM10490	22.62				
					xv	N Type TOPCon Module	GTG54HM10425 (425 Wp)	GTG60HM10485	22.39	128 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								GTG60HM10480	22.16				
								GTG60HM10475	21.93				
								GTG60HM10470	21.70				
								GTG60HM10465	21.47				
					xvi	N Type TOPCon Module	GTG48HM10375 (375 Wp)	GTG54HM10440	22.49	96 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								GTG54HM10435	22.24				
								GTG54HM10430	21.98				
								GTG54HM10425	21.73				
								GTG54HM10420	21.47				
61	M/s. AG Solar Urja Udyog	Plot No. 428 & 443, Khata No. 212/215, Rengali, Sambalpur - 768212, Orissa, India	R-52000205	53	i	Mono c-Si PERC Modules	ASU144CM545Wp (545 Wp)	GTG54HM10415	21.21	144 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								GTG48HM10390	22.33				
								GTG48HM10385	22.04				
								GTG48HM10380	21.76				
								GTG48HM10375	21.47				
					ii	Mono c-Si PERC Module	ASU132CM500Wp (500 Wp)	GTG48HM10370	21.19	132 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								GTG48HM10365	20.90				
								ASU144CM520Wp	20.15				
								ASU144CM525Wp	20.34				
								ASU144CM530Wp	20.53				
								ASU144CM535Wp	20.73				
								ASU144CM540Wp	20.92				
								ASU144CM545Wp	21.12				
								ASU144CM550Wp	21.31				
								ASU132CM510Wp	21.48				
								ASU132CM505Wp	21.27				
								ASU132CM500Wp	21.06				
								ASU132CM495Wp	20.85				
								ASU132CM490Wp	20.64				
					iii	Mono c-Si PERC Module	ASU120CM435Wp (435 Wp)	ASU120CM450Wp	20.80	120 (Half Cut Cells)	1500	10.04.2024	09.04.2028
								ASU120CM445Wp	20.57				
								ASU120CM440Wp	20.34				
								ASU120CM435Wp	20.10				
								ASU120CM430Wp	19.87				
								ASU120CM425Wp	19.64				
								ASU120CM420Wp	19.41				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deeedm to be delisted)
					iv	Mono c-Si PERC Module	ASU108CM400Wp (400 Wp)	ASU108CM410Wp ASU108CM405Wp ASU108CM400Wp ASU108CM395Wp ASU108CM390Wp	21.00 20.74 20.48 20.23 19.97	108 (Half Cut Cells)	1500	10.04.2024	09.04.2028
62	M/s. FS India Solar Ventures Private Limited	Plot No. A-1/1, Sipcot Industrial Park, Pillaipakkam - 602105, Tamil Nadu, India	R-61004316	3212	i	Cadmium Telluride Thin Film Module	FS-7525-FT1 (525 Wp)	FS-7505-FT1 FS-7510-FT1 FS-7515-FT1 FS-7520-FT1 FS-7525-FT1 FS-7530-FT1 FS-7532-FT1 FS-7535-FT1 FS-7540-FT1	18.06 18.23 18.41 18.60 18.77 18.95 19.02 19.13 19.30	268 (Thin Film Cells)	1500	29.04.2024	28.04.2028
					ii	Cadmium Telluride Thin Film Module	FS-7525A-FT1 (525 Wp)	FS-7505A-FT1 FS-7510A-FT1 FS-7515A-FT1 FS-7520A-FT1 FS-7525A-FT1 FS-7530A-FT1 FS-7532A-FT1 FS-7535A-FT1 FS-7540A-FT1	18.06 18.23 18.41 18.60 18.77 18.95 19.02 19.13 19.30	268 (Thin Film Cells)	1500	29.04.2024	28.04.2028
63	M/s. RenewSys India Pvt Ltd	Sy No. 114/P, Srinagar (V), Fabcity, Maheswaram(M), Ranga Reddy District, Telangana - 501359, India	R-63000760	576	i	Bifacial N type TOPCon Modules	DESERV EXTREME-635 (635 Wp)	DESERV EXTREME-650 DESERV EXTREME-645 DESERV EXTREME-640 DESERV EXTREME-635 DESERV EXTREME-630 DESERV EXTREME-625 DESERV EXTREME-620 DESERV EXTREME-615	23.30 23.12 22.94 22.76 22.59 22.41 22.23 22.05	156 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					ii	Bifacial N type TOPCon Modules	DESERV EXTREME-590 (590 Wp)	DESERV EXTREME-600 DESERV EXTREME-595 DESERV EXTREME-590 DESERV EXTREME-585 DESERV EXTREME-580 DESERV EXTREME-575 DESERV EXTREME-570 DESERV EXTREME-565	23.26 23.06 22.87 22.68 22.48 22.29 22.09 21.90	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					iii	Bifacial N type TOPCon Modules	DESERV EXTREME-490 (490 Wp)	DESERV EXTREME-500 DESERV EXTREME-495 DESERV EXTREME-490 DESERV EXTREME-485 DESERV EXTREME-480 DESERV EXTREME-475 DESERV EXTREME-470 DESERV EXTREME-465	23.06 22.83 22.60 22.37 22.13 21.90 21.67 21.44	120 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					iv	Bifacial N type TOPCon Modules	DESERV EXTREME-440 (440 Wp)	DESERV EXTREME-450 DESERV EXTREME-445 DESERV EXTREME-440 DESERV EXTREME-435 DESERV EXTREME-430 DESERV EXTREME-425 DESERV EXTREME-420 DESERV EXTREME-415	22.97 22.72 22.46 22.21 21.95 21.70 21.44 21.18	108 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					v	N type TOPCon Modules	DESERV SGALACTIC-635 (635 Wp)	DESERV SGALACTIC-635 DESERV SGALACTIC-630 DESERV SGALACTIC-625 DESERV SGALACTIC-620 DESERV SGALACTIC-615	22.76 22.59 22.41 22.23 22.05	156 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					vi	N type TOPCon Modules	DESERV SGALACTIC-590 (590 Wp)	DESERV SGALACTIC-590 DESERV SGALACTIC-585 DESERV SGALACTIC-580 DESERV SGALACTIC-575	22.87 22.68 22.48 22.29	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								DESERV SGALACTIC-570	22.09				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					vii	N type TOPCon Modules	DESERV SGALACTIC-490 (490 Wp)	DESERV SGALACTIC-565	21.90	120 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								DESERV SGALACTIC-490	22.60				
								DESERV SGALACTIC-485	22.37				
								DESERV SGALACTIC-480	22.13				
								DESERV SGALACTIC-475	21.90				
								DESERV SGALACTIC-470	21.67				
								DESERV SGALACTIC-465	21.44				
								DESERV SGALACTIC-440	22.46				
					viii	N type TOPCon Modules	DESERV SGALACTIC-440 (440 Wp)	DESERV SGALACTIC-435	22.21	108 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								DESERV SGALACTIC-430	21.95				
								DESERV SGALACTIC-425	21.70				
								DESERV SGALACTIC-420	21.44				
								DESERV SGALACTIC-415	21.18				
								OSWAL255MPD72	19.06				
								OSWAL260MPD72	19.43				
								OSWAL265MPD72	19.80				
64	M/s. Oswal Solar Structure Pvt. Ltd.	Opp DD International Pvt Ltd, Link Road, Village Kutail, Karnal- 132037, Haryana, India	R-91013935	170	i	Mono c-Si PERC Module	OSWAL265MPD72 (265 Wp)	OSWAL270MPD72	20.18	72 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								OSWAL275MPD72	20.55				
								OSWAL255MPN72	19.06				
								OSWAL260MPN72	19.43				
								OSWAL265MPN72	19.80				
					ii	Mono c-Si PERC Module	OSWAL265MPN72 (265 Wp)	OSWAL270MPN72	20.18	72 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								OSWAL275MPN72	20.55				
								OSWAL335MPD96	19.06				
								OSWAL340MPD96	19.34				
								OSWAL345MPD96	19.63				
					iii	Mono c-Si PERC Module	OSWAL350MPD96 (350 Wp)	OSWAL350MPD96	19.91	96 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								OSWAL355MPD96	20.20				
								OSWAL360MPD96	20.48				
								OSWAL365MPD96	20.76				
								OSWAL335MPN96	19.06				
					iv	Mono c-Si PERC Module	OSWAL350MPN96 (350 Wp)	OSWAL340MPN96	19.34	96 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								OSWAL345MPN96	19.63				
								OSWAL350MPN96	19.91				
								OSWAL355MPN96	20.20				
								OSWAL360MPN96	20.48				
					v	Mono c-Si PERC Module	OSWAL390MPD108 (390 Wp)	OSWAL365MPN96	20.76	108 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								OSWAL375MPD108	19.11				
								OSWAL380MPD108	19.37				
								OSWAL385MPD108	19.62				
								OSWAL390MPD108	19.88				
					vi	Mono c-Si PERC Module	OSWAL410MPD108 (410 Wp)	OSWAL395MPD108	20.13	108 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								OSWAL400MPD108	20.39				
								OSWAL405MPD108	20.64				
								OSWAL410MPD108	20.90				
					vii	Mono c-Si PERC Module	OSWAL390MPN108 (390 Wp)	OSWAL375MPN108	19.11	108 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								OSWAL380MPN108	19.37				
								OSWAL385MPN108	19.62				
								OSWAL390MPN108	19.88				
								OSWAL395MPN108	20.13				
					viii	Mono c-Si PERC Module	OSWAL410MPN108 (410 Wp)	OSWAL400MPN108	20.39	108 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								OSWAL405MPN108	20.64				
								OSWAL410MPN108	20.90				
								OSWAL415MPD120	19.11	120 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					ix	Mono c-Si PERC Module	OSWAL435MPD120 (435 Wp)	OSWAL420MPD120	19.34				
								OSWAL425MPD120	19.57				
								OSWAL430MPD120	19.80				
								OSWAL435MPD120	20.03				
								OSWAL440MPD120	20.26				
								OSWAL445MPD120	20.49				
								OSWAL450MPD120	20.72				
								OSWAL455MPD120	20.95				
								OSWAL415MPN120	19.11				
								OSWAL420MPN120	19.34				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					x	Mono c-Si PERC Module	OSWAL435MPN120 (435 Wp)	OSWAL425MPN120	19.57	120 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								OSWAL430MPN120	19.80				
								OSWAL435MPN120	20.03				
								OSWAL440MPN120	20.26				
								OSWAL445MPN120	20.49				
								OSWAL450MPN120	20.72				
								OSWAL455MPN120	20.95				
					xi	Mono c-Si PERC Module	OSWAL475MPD132 (475 Wp)	OSWAL455MPD132	19.20	132 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								OSWAL460MPD132	19.41				
								OSWAL465MPD132	19.62				
								OSWAL470MPD132	19.83				
								OSWAL475MPD132	20.04				
								OSWAL480MPD132	20.25				
								OSWAL485MPD132	20.46				
								OSWAL490MPD132	20.67				
								OSWAL495MPD132	20.88				
					xii	Mono c-Si PERC Module	OSWAL500MPD132 (500 Wp)	OSWAL500MPD132	21.10	132 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					xiii	Mono c-Si PERC Module	OSWAL475MPN132 (475 Wp)	OSWAL455MPN132	19.20	132 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								OSWAL460MPN132	19.41				
								OSWAL465MPN132	19.62				
								OSWAL470MPN132	19.83				
								OSWAL475MPN132	20.04				
								OSWAL480MPN132	20.25				
								OSWAL485MPN132	20.46				
								OSWAL490MPN132	20.67				
					xiv	Mono c-Si PERC Module	OSWAL500MPN132 (500 Wp)	OSWAL495MPN132	20.88				
					xv	Mono c-Si PERC Module	OSWAL520MP144 (520 Wp)	OSWAL500MPN132	21.10	132 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								OSWAL495MP144	19.16	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								OSWAL500MP144	19.35				
								OSWAL505MP144	19.54				
								OSWAL510MP144	19.74				
								OSWAL515MP144	19.94				
								OSWAL520MP144	20.13				
								OSWAL525MP144	20.32				
								OSWAL530MP144	20.51				
								OSWAL535MP144	20.71				
								OSWAL540MP144	20.90				
					xvi	Mono c-Si PERC Module	OSWAL550MP144 (550 Wp)	OSWAL545MP144	21.09	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					xvii	Mono c-Si PERC Module	OSWAL520MPN144 (520 Wp)	OSWAL550MP144	21.29	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								OSWAL495MPN144	19.16				
								OSWAL500MPN144	19.35				
								OSWAL505MPN144	19.54				
								OSWAL510MPN144	19.74				
								OSWAL515MPN144	19.94				
								OSWAL520MPN144	20.13				
								OSWAL525MPN144	20.32				
								OSWAL530MPN144	20.51				
								OSWAL535MPN144	20.71				
								OSWAL540MPN144	20.90				
								OSWAL545MPN144	21.09				
					xviii	Mono c-Si PERC Module	OSWAL550MPN144 (550 Wp)	OSWAL550MPN144	21.29	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					xix	Mono c-Si PERC Module	OSWAL570MP156 (570 Wp)	OSWAL550MP156	19.70	156 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								OSWAL555MP156	19.88				
								OSWAL560MP156	20.06				
								OSWAL565MP156	20.24				
								OSWAL570MP156	20.42				
								OSWAL575MP156	20.59				
								OSWAL580MP156	20.77				
								OSWAL585MP156	20.95				
								OSWAL590MP156	21.13				
								OSWAL595MP156	21.31				
65	M/s. HQ Lamps	Plot No. 459-B, Sector - 53, Phase III,	R-91014206	46				HQL144CMD520Wp	20.14				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity								
												From	To (subject to valid BIS Registration; else deemed to be delisted)							
	Manufacturing Co Pvt Ltd.	EPIP Industrial Estate, Kundali, Sonipat-131028, Haryana, India			i	Mono c-Si PERC Modules	HQL144CMD535Wp (535 Wp)	HQL144CMD525Wp	20.34	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028							
								HQL144CMD530Wp	20.53											
								HQL144CMD535Wp	20.73											
								HQL144CMD540Wp	20.92											
								HQL144CMD545Wp	21.12											
								HQL144CMD550Wp	21.31											
					ii	Mono c-Si PERC Modules	HQL144CMD505 Wp	HQL144CMD495Wp	19.18	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028							
								HQL144CMD500Wp	19.36											
								HQL144CMD505Wp	19.55											
								HQL144CMD510Wp	19.74											
								HQL144CMD515Wp	19.94											
								HQL132CMD450Wp	19.03											
					iii	Mono c-Si PERC Modules	HQL132CMD 465Wp (465 Wp)	HQL132CMD455Wp	19.24	132 (Half Cut Cells)	1500									
								HQL132CMD460Wp	19.45											
								HQL132CMD465Wp	19.67											
								HQL132CMD470Wp	19.88											
								HQL132CMD475Wp	20.09											
								HQL132CMD480Wp	20.30											
					iv	Mono c-Si PERC Modules	HQL132CMD 490Wp (490 Wp)	HQL132CMD485Wp	20.51	132 (Half Cut Cells)	1500									
								HQL132CMD490Wp	20.72											
								HQL132CMD495Wp	20.93											
								HQL132CMD500Wp	21.15											
								HQL120CMD410Wp	19.02											
								HQL120CMD415Wp	19.25											
					v	Mono c-Si PERC Modules	HQL120CMD 425Wp (425 Wp)	HQL120CMD420Wp	19.48	120 (Half Cut Cells)	1500									
								HQL120CMD425Wp	19.71											
								HQL120CMD430Wp	19.94											
								HQL120CMD435Wp	20.18											
								HQL120CMD440Wp	20.41											
								HQL120CMD445Wp	20.64											
					vi	Mono c-Si PERC Modules	HQL120CMD 450Wp (450 Wp)	HQL120CMD450Wp	20.87	120 (Half Cut Cells)	1500									
								HQL120CMD455Wp	21.10											
								HQL108CMD370Wp	19.13											
								HQL108CMD375Wp	19.38											
						vii	Mono c-Si PERC Modules	HQL108CMD 385Wp (385 Wp)	HQL108CMD380Wp	19.64	108 (Half Cut Cells)			1500						
									HQL108CMD385Wp	19.90										
					HQL108CMD390Wp				20.16											
					HQL108CMD395Wp				20.42											
					HQL36CMN120Wp				19.88											
					HQL36CMD1 20Wp(120 Wp)				19.76											
66	M/s. ADM Solar Power & Infrastructure Pvt. Ltd.	Plot No: 22/1, The Printer House Private Limited, Mathura Road, Ballabgarh, Sikri Industrial Area, Faridabad, Haryana -121004, India	R-93011576	141	i	Mono c-Si PERC Module	ADM270-72M (270Wp)	ADM265-72M	20.14	72 (Half Cut Cells)	1500	24.05.2024	23.05.2028							
								ADM270-72M	20.52											
								ADM275-72M	20.90											
								ADM280-72M	21.28											
								ADM350-96M	19.93											
								ADM355-96M	20.22											
					ii	Mono c-Si PERC Module	ADM360-96M (360Wp)	ADM360-96M	20.50	96 (Half Cut Cells)	1500	24.05.2024	23.05.2028							
								ADM365-96M	20.79											
								ADM370-96M	21.07											
								ADM400-108M	20.33											
								iii	Mono c-Si PERC Module					ADM405-108M (405Wp)	ADM405-108M		108 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					ADM410-108M	20.58														
					ADM415-108M	20.83														
					ADM445-120M	21.09														
					ADM450-120M	20.43														
					iv	Mono c-Si PERC Module	ADM450-120M (450Wp)	ADM450-120M	20.66	120 (Half Cut Cells)	1500	24.05.2024	23.05.2028							
								ADM455-120M	20.89											
								ADM460-120M	21.12											
ADM485-132M	20.31																			

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					v	Mono c-Si PERC Module	ADM500-132M (500Wp)	ADM490-132M	20.52	132 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								ADM495-132M	20.73				
								ADM500-132M	20.94				
								ADM505-132M	21.15				
								ADM510-132M	21.36				
					vi	Mono c-Si PERC Module	ADM525-144M (525Wp)	ADM500-144M	19.38	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								ADM505-144M	19.58				
								ADM510-144M	19.77				
								ADM515-144M	19.97				
								ADM520-144M	20.16				
								ADM525-144M	20.35				
								ADM530-144M	20.51				
								ADM535-144M	20.71				
								ADM540-144M	20.90				
								ADM545-144M	21.09				
								ADM550-144M	21.29				
								ADM555-144M	21.48				
								ADM575-156M	20.57				
					vii	Mono c-Si PERC Module	ADM590-156M (590Wp)	ADM580-156M	20.74	156 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								ADM585-156M	20.92				
								ADM590-156M	21.10				
								ADM590-156M	21.10				
67	M/s. Cosmic PV Power Pvt. Ltd.	Survey No. 1605/1, Block No. 2098/1/B, Tadkeshvar, Mandavi, Surat-394170, Gujarat, India	R-72009539	185	i	Mono c-Si PERC Module	COS TWIN-525 (525Wp)	COS TWIN-510	19.74	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								COS TWIN-515	19.93				
								COS TWIN-520	20.13				
								COS TWIN-525	20.32				
								COS TWIN-530	20.51				
								COS TWIN-535	20.71				
								COS TWIN-540	20.90				
								COS TWIN-545	21.10				
								COS TWIN-550	21.30				
								LUM 24590M	21.11				
								LUM 24585M	20.93				
								LUM 24580M	20.75				
68	M/s. Luminous Power Technologies Pvt. Ltd.	Plot No- CP-17 To CP-22, Sector-City Park, Luminous Plant, P.N.D.T IIE Sidcul, Pant Nagar, Rudrapur, Udham Singh Nagar - 263153, Uttarakhand, India	R- 83011410	300	i	Mono c-Si PERC Module	LUM 24570M (570 Wp)	LUM 24570M	20.57	156 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								LUM 24575M	20.75				
								LUM 24570M	20.39				
								LUM 24565M	20.21				
								LUM 24560M	20.03				
								LUM 24555M	19.85				
								LUM 24550M	21.28				
								LUM 24545M	21.09				
								LUM 24540M	20.89				
								LUM 24535M	20.70				
					ii	Mono c-Si PERC Module	LUM 24525M (525 Wp)	LUM 24530M	20.51	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								LUM 24525M	20.31				
								LUM 24520M	20.12				
								LUM 24515M	19.93				
								LUM 24510M	19.73				
								LUM 24505M	19.54				
								LUM 24500M	19.34				
								LUM 24495M	20.85				
								LUM 24490M	20.64				
								LUM 24485M	20.43				
					iii	Mono c-Si PERC Module	LUM 24475M (475 Wp)	LUM 24480M	20.22	132 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								LUM 24475M	20.01				
								LUM 24470M	19.80				
								LUM 24465M	19.59				
								LUM24460M	19.38				
								LUM24455M	19.17				
								LUM 24450M	20.80				
								LUM 24445M	20.57				
								LUM 24440M	20.33				
					iv	Mono c-Si PERC Module	LUM 24430M (430 Wp)	LUM 24435M	20.10	120 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								LUM 24430M	19.87				
								LUM 24425M	19.64				
								LUM 24420M	19.41				
								LUM 24400M	20.48				
								LUM 24400M	20.48				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					v	Mono c-Si PERC Module	LUM 24385M (385 Wp)	LUM 24395M	20.23	108 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								LUM 24390M	19.97				
								LUM 24385M	19.71				
								LUM 24380M	19.46				
								LUM 24375M	19.20				
					vi	N type TOPCon Modules	LUM 24600T156 (600 Wp)	LUM 24630T156	22.54	156 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								LUM 24625T156	22.36				
								LUM 24620T156	22.18				
								LUM 24615T156	22.00				
								LUM 24610T156	21.82				
								LUM 24605T156	21.64				
								LUM 24600T156	21.46				
								LUM 24595T156	21.28				
								LUM 24590T156	21.11				
								LUM 24585T156	20.93				
								LUM 24580T156	20.75				
								LUM 24575T156	20.57				
								LUM 24570T156	20.39				
								LUM 24590T144	22.83	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					vii	N type TOPCon Modules	LUM 24565T144 (565 Wp)	LUM 24585T144	22.63				
								LUM 24580T144	22.44				
								LUM 24575T144	22.25				
								LUM 24570T144	22.05				
								LUM 24565T144	21.86				
								LUM 24560T144	21.67				
								LUM 24555T144	21.47				
								LUM 24550T144	21.28				
								LUM 24545T144	21.09				
								LUM 24540T144	20.89				
					viii	N type TOPCon Modules	LUM 24535T144 (535 Wp)	LUM 24535T144	20.70	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					ix	Bifacial N-Type TOPCon Module (Glass to Glass)	LUM24540TG144 (540 Wp)	LUM 24540TG144	20.89	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								LUM 24545TG144	21.09				
					x	Bifacial N-Type TOPCon Module (Glass to Glass)	LUM24540TG144 (570 Wp)	LUM 24550TG144	21.28	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								LUM 24555TG144	21.48				
								LUM 24560TG144	21.67				
								LUM 24565TG144	21.86				
								LUM 24570TG144	22.06				
								LUM 24575TG144	22.25				
								LUM 24580TG144	22.44				
								LUM 24585TG144	22.64				
								LUM 24590TG144	22.83				
								LUM 24595TG144	23.02				
					xi	Bifacial N-Type TOPCon Module (Glass to Glass)	LUM24600TG156 (600 Wp)	LUM 24570TG156	20.39	156 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								LUM 24575TG156	20.57				
								LUM 24580TG156	20.75				
								LUM 24585TG156	20.93				
								LUM 24590TG156	21.11				
								LUM 24595TG156	21.29				
								LUM 24600TG156	21.46				
								LUM 24605TG156	21.64				
								LUM 24610TG156	21.82				
								LUM 24615TG156	22.00				
								LUM 24620TG156	22.18				
								LUM 24625TG156	22.36				
								LUM 24630TG156	22.54				
					xii	Bifacial Mono C-Si PERC Module (Glass to Glass)	LUM24575MG (575Wp)	LUM 24560MG	20.03	156 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								LUM 24565MG	20.21				
								LUM 24570MG	20.39				
								LUM 24575MG	20.57				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity		
												From	To (subject to valid BIS Registration; else deeedm to be delisted)	
						Module (Glass to Glass)		LUM 24580MG	20.75					
								LUM 24585MG	20.93					
								LUM 24590MG	21.11					
					xiii	Bifacial Mono C-Si PERC Module (Glass to Glass)	LUM 24500MG (500 Wp)	LUM 24500MG	19.35	144(Half Cut Cells)	1500	24.05.2024	23.05.2028	
					xiv	Bifacial Mono C-Si PERC Module (Glass to Glass)	LUM 24530MG (530 Wp)	LUM 24505MG	19.54	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028	
								LUM 24510MG	19.73					
								LUM 24515MG	19.93					
								LUM 24520MG	20.12					
								LUM 24525MG	20.31					
								LUM 24530MG	20.51					
								LUM 24535MG	20.70					
								LUM 24540MG	20.89					
								LUM 24545MG	21.09					
								LUM 24550MG	21.28					
								LUM 24555MG	21.48					
					xv	Bifacial Mono C-Si PERC Module (Glass to Glass)	LUM 24475MG (475 Wp)	LUM 24455MG	19.17	132 (Half Cut Cells)	1500	24.05.2024	23.05.2028	
								LUM 24460MG	19.38					
								LUM 24465MG	19.59					
								LUM 24470MG	19.80					
								LUM 24475MG	20.01					
								LUM 24480MG	20.22					
								LUM 24485MG	20.43					
								LUM 24490MG	20.64					
								LUM 24495MG	20.86					
								LUM 2415MG	19.18					
					xvi	Bifacial Mono c- Si PERC Module (Glass to Glass)	LUM 24430MG (430 Wp)	LUM 24420MG	19.41	120 (Half Cut Cells)	1500	24.05.2024	23.05.2028	
								LUM 24425MG	19.64					
								LUM 24430MG	19.87					
								LUM 24435MG	20.10					
								LUM 24440MG	20.34					
								LUM 24445MG	20.57					
								LUM 24450MG	20.80					
								LUM 24375MG	19.20					
					xvii	Bifacial Mono c- Si PERC Module (Glass to Glass)	LUM 24385MG (385 Wp)	LUM 24380MG	19.46	108 (Half Cut Cells)	1500	24.05.2024	23.05.2028	
								LUM 24385MG	19.72					
								LUM 24390MG	19.97					
								LUM 24395MG	20.23					
								LUM 24400MG	20.48					
			R- 83011479		xviii	Mono c-Si PERC Module	AMS 24570M (570 Wp)	AMS 24590M	21.11	156 (Half Cut Cells)	1500	24.05.2024	23.05.2028	
								AMS 24585M	20.93					
								AMS 24580M	20.75					
								AMS 24575M	20.57					
								AMS 24570M	20.39					
								AMS 24565M	20.21					
								AMS 24560M	20.03					
					xix	Mono c-Si PERC Module	AMS 24530M (530 Wp)	AMS 24555M	19.85	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028	
								AMS 24550M	21.28					
								AMS 24545M	21.09					
								AMS 24540M	20.89					
								AMS 24535M	20.70					
								AMS 24530M	20.51					
								AMS 24525M	20.31					
								AMS 24520M	20.12					
								AMS 24515M	19.93					
								AMS 24510M	19.74					
								AMS 24505M	19.54					
								AMS 24500M	19.35					
					xx	Mono c-Si PERC Module	AMS 24475M (475 Wp)	AMS 24495M	20.85	132 (Half Cut Cells)	1500	24.05.2024	23.05.2028	
								AMS 24490M	20.64					
								AMS 24485M	20.43					
								AMS 24480M	20.22					
								AMS 24475M	20.01					
								AMS 24470M	19.80					
								AMS 24465M	19.59					

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								AMS24460M	19.38	120 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					xxi	Mono c-Si PERC Module	AMS 24430M (430 Wp)	AMS24455M	19.17				
								AMS 24450M	20.80				
								AMS 24445M	20.57				
								AMS 24440M	20.33				
								AMS 24435M	20.10				
								AMS 24430M	19.87				
								AMS 24425M	19.64				
								AMS 24420M	19.41				
								AMS 24415M	19.18				
								AMS 24400M	20.48				
					xxii	Mono c-Si PERC Module	AMS 24385M (385 Wp)	AMS 24395M	20.23			24.05.2024	23.05.2028
								AMS 24390M	19.97				
								AMS 24385M	19.71				
								AMS 24380M	19.46				
								AMS 24375M	19.20				
								AMS 24630T156	22.54				
								AMS 24625T156	22.36			24.05.2024	23.05.2028
								AMS 24620T156	22.18				
								AMS 24615T156	22.00				
								AMS 24610T156	21.82				
					xxiii	N type TOPCon Modules	AMS 24600T156 (600 Wp)	AMS 24605T156	21.64				
								AMS 24600T156	21.46				
								AMS 24595T156	21.28				
								AMS 24590T156	21.11				
								AMS 24585T156	20.93				
								AMS 24580T156	20.75				
								AMS 24575T156	20.57				
								AMS 24570T156	20.39				
								AMS 24590T144	22.83			24.05.2024	23.05.2028
					xxiv	N type TOPCon Modules	AMS 24560T144 (560 Wp)	AMS 24585T144	22.63				
								AMS 24580T144	22.44				
								AMS 24575T144	22.25				
								AMS 24570T144	22.05				
								AMS 24565T144	21.86				
								AMS 24560T144	21.67				
								AMS 24555T144	21.47				
								AMS 24550T144	21.28				
								AMS 24545T144	21.09				
								AMS 24540T144	20.89				
					xxv	N type TOPCon Modules	AMS 24535T144 (535 Wp)	AMS 24535T144	20.70	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					xxvi	Bifacial N-Type TOPCon Module (Glass to Glass)	AMS 24540TG144 (540 Wp)	AMS 24540TG144	20.89	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
					xxvii	Bifacial N-Type TOPCon Module (Glass to Glass)	AMS 24570TG144 (570 Wp)	AMS 24545TG144	21.09	144 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								AMS 24550TG144	21.28				
								AMS 24555TG144	21.48				
								AMS 24560TG144	21.67				
								AMS 24565TG144	21.86				
								AMS 24570TG144	22.06				
								AMS 24575TG144	22.25				
								AMS 24580TG144	22.44				
								AMS 24585TG144	22.64				
								AMS 24590TG144	22.83				
					xxviii	Bifacial N-Type TOPCon Module (Glass to Glass)	AMS 24600TG156 (600 Wp)	AMS 24595TG144	23.02	156 (Half Cut Cells)	1500	24.05.2024	23.05.2028
								AMS 24570TG156	20.39				
								AMS 24575TG156	20.57				
								AMS 24580TG156	20.75				
								AMS 24585TG156	20.93				
								AMS 24590TG156	21.11				
								AMS 24595TG156	21.29				
								AMS 24600TG156	21.46				
								AMS 24605TG156	21.64				
								AMS 24610TG156	21.82				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity					
												From	To (subject to valid BIS Registration; else deemed to be delisted)				
								AMS 24615TG156	22.00	156 (Half Cut Cells)	1500	24.05.2024	23.05.2028				
								AMS 24620TG156	22.18								
								AMS 24625TG156	22.36								
					xxix	Bifacial Mono c-Si PERC Module (Glass to Glass)	AMS 24575MG (575 Wp)	AMS 24630TG156	22.54								
								AMS 24560MG	20.03								
								AMS 24565MG	20.21								
								AMS 24570MG	20.39								
								AMS 24575MG	20.57								
								AMS 24580MG	20.75								
								AMS 24585MG	20.93								
					xxx	Bifacial Mono c-Si PERC Module (Glass to Glass)	AMS 24500MG (500 Wp)	AMS 24590MG	21.11								
								AMS 24500MG	19.35								
					xxxi	Bifacial Mono c-Si PERC Module (Glass to Glass)	AMS 24530MG (530 Wp)	AMS 24500MG	19.35								
								AMS 24505MG	19.54								
								AMS 24510MG	19.73								
								AMS 24515MG	19.93								
								AMS 24520MG	20.12								
								AMS 24525MG	20.31								
								AMS 24530MG	20.51								
								AMS 24535MG	20.70								
								AMS 24540MG	20.89								
								AMS 24545MG	21.09								
								xxxii	Bifacial Mono c-Si PERC Module (Glass to Glass)	AMS 24475MG (475 Wp)	AMS 24550MG	21.28					
					AMS 24555MG	21.48											
					AMS 24455MG	19.17											
					AMS 24460MG	19.38											
					AMS 24465MG	19.59											
					AMS 24470MG	19.80											
					AMS 24475MG	20.01											
					xxxiii	Bifacial Mono c-Si PERC Module (Glass to Glass)	AMS 24430MG (430 Wp)	AMS 24480MG	20.22								
								AMS 24485MG	20.43								
								AMS 24490MG	20.64								
								AMS 24495MG	20.86								
								AMS 24415MG	19.18								
								AMS 24420MG	19.41								
								AMS 24425MG	19.64								
								AMS 24430MG	19.87								
					xxxiv	Bifacial Mono c-Si PERC Module (Glass to Glass)	AMS 24385MG (385 Wp)	AMS 24435MG	20.10								
								AMS 24440MG	20.34								
								AMS 24445MG	20.57								
								AMS 24450MG	20.80								
								AMS 24375MG	19.20								
								AMS 24380MG	19.46								
								AMS 24385MG	19.72								
					69	M/s. Tata Power Renewable Energy Limited (Formerly M/s. Tata Power Solar Systems Ltd)	Plot No. 24-B, Industrial Shed, SY No 123, Jigani 1st Phase, Industrial Area, Jigani, Anekal Taluk, Hobli, Bengaluru, Rural Karnataka-560105, India	R-62002585	94	i	Mono c-Si PERC Modules	TP520HG10 (520 Wp)	AMS 24390MG	19.97			
													AMS 24395MG	20.23			
													AMS 24400MG	20.48			
TP495HG10	19.20																
TP500HG10	19.40																
TP505HG10	19.59																
TP510HG10	19.79																
TP515HG10	19.98																
TP520HG10	20.17																
TP525HG10	20.37																
TP530HG10	20.56																
TP535HG10	20.76																
TP540HG10	20.95																
TP545HG10	21.10																
70	M/s. PV Power Technologies Private Limited	Plot No.60, Tarapur Textile Park limited, Boisar Chillar Road, Sai Baba Boulevard Township, Boisar East, Palghar - 401501, Maharashtra, India	R-71007650	86									i	Mono c-Si PERC Module	ECO 400MH (400 Wp)	ECO 380MH	19.11
																ECO 385MH	19.36
					ECO 390MH	19.62											
					ECO 395MH	19.87											
					ECO 400MH	20.12											
					ECO 535M10HC144T	20.73											
					ECO 540M10HC144T	20.92											
							Co-ALMM with M/s. Rayzon Solar Private Limited	R-72012084	50 MW for 2 Years (As per Co-Branding								

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
		Manufacturing Address: Block No. 94/1/1F, 94/1/3, 102/1, 103, 104, 105, 109, 110, 118, 119, 120, Kim Mandvi Road, Near Hariya Talav, B/H Aron Pipe, Kim Mandvi Road, Karanj, Surat - 394110, Gujarat, India.		Agreement)	ii	Bifacial N-Type TOPCon Module (Glass to Glass)	ECO 560M10HC144T (560Wp)	ECO 545M10HC144T	21.12	144 (Half Cut Cells)	1500	Date of inclusion in ALMM	01.09.2026
								ECO 550M10HC144T	21.31				
								ECO 555M10HC144T	21.50				
								ECO 560M10HC144T	21.70				
								ECO 565M10HC144T	21.89				
								ECO 570M10HC144T	22.08				
								ECO 575M10HC144T	22.28				
								ECO 580M10HC144T	22.47				
								ECO 585M10HC144T	22.66				
								iii	Bifacial N-Type TOPCon Module (Glass to Glass)				
					ECO 490M10HC132T	20.64							
					ECO 495M10HC132T	20.85							
					ECO 500M10HC132T	21.06							
					ECO 505M10HC132T	21.27							
					ECO 510M10HC132T	21.49							
					ECO 515M10HC132T	21.70							
					ECO 520M10HC132T	21.91							
					ECO 525M10HC132T	22.12							
					ECO 530M10HC132T	22.33							
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	ECO 465M10HC120T (465Wp)	ECO 535M10HC132T	22.54	120 (Half Cut Cells)	1500	Date of inclusion in ALMM	01.09.2026
								ECO 445M10HC120	20.54				
								ECO 450M10HC120	20.77				
								ECO 455M10HC120	21.00				
								ECO 460M10HC120	21.23				
								ECO 465M10HC120	21.46				
								ECO 470M10HC120	21.70				
								ECO 475M10HC120	21.93				
								ECO 480M10HC120	22.16				
								ECO 485M10HC120	22.39				
					v	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ECO 530M10HC144B (530Wp)	ECO 505M10HC144B	19.56	144 (Half Cut Cells)	1500	Date of inclusion in ALMM	01.09.2026
								ECO 510M10HC144B	19.76				
								ECO 515M10HC144B	19.95				
								ECO 520M10HC144B	20.15				
								ECO 525M10HC144B	20.34				
								ECO 530M10HC144B	20.53				
								ECO 535M10HC144B	20.73				
								ECO 540M10HC144B	20.92				
								ECO 545M10HC144B	21.12				
								ECO 550M10HC144B	21.31				
					vi	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ECO 480M10HC132B (480Wp)	ECO 555M10HC144B	21.50	132 (Half Cut Cells)	1500	Date of inclusion in ALMM	01.09.2026
								ECO 560M10HC144B	21.70				
								ECO 460M10HC132B	19.40				
								ECO 465M10HC132B	19.60				
								ECO 470M10HC132B	19.84				
								ECO 475M10HC132B	20.02				
								ECO 480M10HC132B	20.26				
								ECO 485M10HC132B	20.46				
								ECO 490M10HC132B	20.66				
								ECO 495M10HC132B	20.87				
					vii	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	ECO 435M10HC120B (435Wp)	ECO 500M10HC132B	21.08	120(Half Cut Cells)	1500	Date of inclusion in ALMM	01.09.2026
								ECO 415M10HC120B	19.18				
								ECO 420M10HC120B	19.42				
								ECO 425M10HC120B	19.65				
								ECO 430M10HC120B	19.86				
								ECO 435M10HC120B	20.10				
								ECO 440M10HC120B	20.35				
								ECO 445M10HC120B	20.58				
								ECO 450M10HC120B	20.81				
								ECO 455M10HC120B	21.02				
					viii	Mono c-Si PERC Module	ECO 535M10HC144 (535Wp)	ECO 515M10HC144	19.96	144 (Half Cut Cells)	1500	Date of inclusion in ALMM	01.09.2026
								ECO 520M10HC144	20.17				
								ECO 525M10HC144	20.34				
								ECO 530M10HC144	20.55				
								ECO 535M10HC144	20.74				
								ECO 540M10HC144	20.94				
								ECO 545M10HC144	21.10				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								ECO 550M10HC144	21.32	132 (Half Cut Cells)	1500	Date of inclusion in ALMM	01.09.2026
								ECO 555M10HC144	21.52				
								ECO 560M10HC144	21.71				
					ix	Mono c-Si PERC Module	ECO490 M10HC132 (490 Wp)	ECO470 M10HC132	19.84	132 (Half Cut Cells)	1500	Date of inclusion in ALMM	01.09.2026
								ECO475 M10HC132	20.02				
								ECO480 M10HC132	20.26				
								ECO485 M10HC132	20.46				
								ECO490 M10HC132	20.66				
								ECO495 M10HC132	20.87				
								ECO500 M10HC132	21.06				
								ECO505 M10HC132	21.28				
								ECO510 M10HC132	21.49				
								ECO 425M10HC120	19.67	120 (Half Cut Cells)	1500	Date of inclusion in ALMM	01.09.2026
					x	Mono c-Si PERC Module	ECO 445M10HC120 (445Wp)	ECO 430M10HC120	19.88				
								ECO 435M10HC120	20.12				
								ECO 440M10HC120	20.37				
								ECO 445M10HC120	20.60				
								ECO 450M10HC120	20.84				
								ECO 455M10HC120	21.00				
								ECO 460M10HC120	21.23				
								ECO 465M10HC120	21.47				
					xi	Bifacial Mono c-Si PERC (Glass to Glass)	ECO 530M10HC144G (530Wp)	ECO 505M10HC144G	19.57	144 (Half Cut Cells)	1500	Date of inclusion in ALMM	01.09.2026
								ECO 510M10HC144G	19.76				
								ECO 515M10HC144G	19.95				
								ECO 520M10HC144G	20.15				
								ECO 525M10HC144G	20.34				
								ECO 530M10HC144G	20.53				
								ECO 535M10HC144G	20.73				
								ECO 540M10HC144G	20.92				
								ECO 545M10HC144G	21.31				
								ECO 550M10HC144G	21.31				
								ECO 555M10HC144G	21.50				
					xii	Bifacial Mono c-Si PERC Module (Glass to Glass)	ECO 480M10HC132G (480Wp)	ECO 460M10HC132G	19.40	132 (Half Cut Cells)	1500	Date of inclusion in ALMM	01.09.2026
								ECO 465M10HC132G	19.60				
								ECO 470M10HC132G	19.84				
								ECO 475M10HC132G	20.02				
								ECO 480M10HC132G	20.26				
								ECO 485M10HC132G	20.46				
								ECO 490M10HC132G	20.66				
								ECO 495M10HC132G	20.87				
								ECO 500M10HC132G	21.08				
					xiii	Bifacial Mono c-Si PERC Module (Glass to Glass)	ECO 435M10HC120G (435Wp)	ECO 415M10HC120G	19.18	120 (Half Cut Cells)	1500	Date of inclusion in ALMM	01.09.2026
								ECO 420M10HC120G	19.42				
								ECO 425M10HC120G	19.65				
								ECO 430M10HC120G	19.86				
								ECO 435M10HC120G	20.10				
								ECO 440M10HC120G	20.35				
								ECO 445M10HC120G	20.58				
								ECO 450M10HC120G	20.81				
								ECO 455M10HC120G	21.02				
71	M/s. Emmvee Energy Private Limited	Sy. No. 66-70/3, Sompura Industrial Area, Pemmanahalli Village, Sompura Hobli, Nelamangala Taluk, Bengaluru Rural District, Karnataka - 562111, India	R-62004626	1504	i	Bifacial Mono c-Si PERC Modules (Glass to Glass)	E525HCBG144 (525 Wp)	E550HCBG144	21.29	144 (Half Cut Cells)	1500	08.07.2024	07.07.2028
								E545HCBG144	21.10				
								E540HCBG144	20.90				
								E535HCBG144	20.71				
								E530HCBG144	20.52				
								E525HCBG144	20.32				
								E520HCBG144	20.13				
								E515HCBG144	19.94				
								E510HCBG144	19.74				
								E505HCBG144	19.55				
								E500HCBG144	19.36				
					ii	Bifacial Mono c-Si PERC Modules (Glass to Glass)	E495HCBG144 (495 Wp)	E495HCBG144	19.16	144 (Half Cut Cells)	1500	08.07.2024	07.07.2028
						Bifacial Mono c-Si PERC	E495HCBG144	E500HCBG132	21.03				
								E495HCBG132	20.82				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					iii	Modules (Glass to Glass)	E490HCBG132 (490 Wp)	E490HCBG132	20.61	132 (Half Cut Cells)	1500	08.07.2024	07.07.2028
					iv	Bifacial Mono c-Si PERC Modules (Glass to Glass)	E430HCBG120 (430 Wp)	E485HCBG132	20.40				
								E480HCBG132	20.19				
								E450HCBG120	20.74				
								E445HCBG120	20.51				
								E440HCBG120	20.28				
								E435HCBG120	20.05				
								E430HCBG120	19.82				
								E425HCBG120	19.59				
								E420HCBG120	19.36				
								E415HCBG120	19.13				
					v	Bifacial Mono c-Si PERC Modules (Glass to Glass)	E395HCBG108 (395 Wp)	E405HCBG108	20.76				
								E400HCBG108	20.51				
								E395HCBG108	20.25				
								E390HCBG108	20.00				
					vi	Bifacial N-Type TOPCon Modules (Glass to Glass)	E555HCBG144-T (555 Wp)	E385HCBG108	19.74				
								E580HCBG144-T	22.45				
								E575HCBG144-T	22.26				
								E570HCBG144-T	22.07				
								E565HCBG144-T	21.87				
								E560HCBG144-T	21.68				
								E555HCBG144-T	21.48				
								E550HCBG144-T	21.29				
								E545HCBG144-T	21.10				
								E540HCBG144-T	20.90				
					vii	Bifacial N-Type TOPCon Modules (Glass to Glass)	E525HCBG144-T (525 Wp)	E535HCBG144-T	20.71				
								E530HCBG144-T	20.52				
								E525HCBG144-T	20.32				
								viii	Bifacial N-Type TOPCon Modules (Glass to Glass)	E505HCBG132-T (505 Wp)	E580HCBG144-T	22.45	
											E575HCBG144-T	22.26	
											E570HCBG144-T	22.07	
											E565HCBG144-T	21.87	
											E560HCBG144-T	21.68	
											E555HCBG144-T	21.48	
											E550HCBG144-T	21.29	
					E545HCBG144-T	21.10							
					E540HCBG144-T	20.90							
					E535HCBG144-T	20.71							
					ix	Bifacial N-Type TOPCon Modules (Glass to Glass)	E460HCBG120-T (460 Wp)	E530HCBG132-T	22.29				
								E525HCBG132-T	22.08				
								E520HCBG132-T	21.87				
								E515HCBG132-T	21.66				
								E510HCBG132-T	21.45				
								E505HCBG132-T	21.24				
								E500HCBG132-T	21.03				
								E495HCBG132-T	20.82				
								E490HCBG132-T	20.61				
								E485HCBG132-T	20.40				
					x	Bifacial N-Type TOPCon Modules (Glass to Glass)	E415HCBG108-T (415 Wp)	E480HCBG132-T	20.19				
								E480HCBG120-T	22.13				
								E475HCBG120-T	21.90				
								E470HCBG120-T	21.67				
								E465HCBG120-T	21.44				
								E460HCBG120-T	21.20				
								E455HCBG120-T	20.97				
								E450HCBG120-T	20.74				
								E445HCBG120-T	20.51				
E440HCBG120-T	20.28												
72	M/s. Lubi Electronics	Survey No. 75, Opposite Essar Petrol Pump, Prantiya, Gandinagar - 382355, Gujarat, India	R-72002380	40	i	Mono c-Si PERC Module	LE24M395 (395 Wp)	E435HCBG108-T	22.30	72 (Full Cells)	1500	08.07.2024	07.07.2028
LE430HCBG108-T	22.05												
LE425HCBG108-T	21.79												
LE420HCBG108-T	21.53												
LE415HCBG108-T	21.28												
LE410HCBG108-T	21.02												
							LE405HCBG108-T	20.76					
							LE400HCBG108-T	20.51					
							E395HCBG108-T	20.25					
							LE24M410	20.88					
							LE24M405	20.63					
							LE24M400	20.37					
							LE24M395	20.12					
							LE24M390	19.86					

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
		Co-ALMM with M/s. Solex Energy Limited Manufacturing Address: Plot No 1A, Block 938, Tadkeshwar, Kim Mandvi Road, Mandvi, Surat - 394110, Gujarat, India	R-72011304	20 MW/Year (As per Co-Branding Agreement)	ii	Mono c-Si PERC Module	LE144M530H (530 Wp)	LE24M38S	19.61	144 (Half Cut Cells)	1500	02.12.2024	12.09.2025
								LE24M380	19.36				
								LE144M555H	21.48				
								LE144M550H	21.29				
								LE144M545H	21.10				
								LE144M540H	20.90				
								LE144M535H	20.71				
								LE144M530H	20.52				
								LE144M525H	20.32				
								LE144M520H	20.13				
								LE144M515H	19.94				
								LE144M510H	19.74				
								LE144M505H	19.55				
					iii	Mono c-Si PERC Module	LE144M500H (500 Wp)	LE144M500H	19.35	144 (Half Cut Cells)	1500	02.12.2024	12.09.2025
					iv	Bifacial Mono c-Si PERC Module	LE144MBF525H (525 Wp)	LE144MBF550H	21.29	144 (Half Cut Cells)	1500	02.12.2024	12.09.2025
								LE144MBF545H	21.10				
								LE144MBF540H	20.90				
								LE144MBF535H	20.71				
								LE144MBF530H	20.52				
								LE144MBF525H	20.32				
								LE144MBF520H	20.13				
								LE144MBF515H	19.94				
								LE144MBF510H	19.74				
								LE144MBF505H	19.55				
								LE144MBF500H	19.35				
					v	Mono c-Si PERC Module	LE132M485H (485 Wp)	LE132M505H	21.26	132 (Half Cut Cells)	1500	02.12.2024	12.09.2025
								LE132M500H	21.05				
								LE132M495H	20.83				
								LE132M490H	20.62				
								LE132M485H	20.41				
								LE132M480H	20.20				
								LE132M475H	19.99				
								LE132M470H	19.78				
								LE132M465H	19.57				
								LE132M460H	19.36				
					vi	Bifacial Mono c-Si PERC Module	LE132MBF480H (480 Wp)	LE132MBF500H	21.05	132 (Half Cut Cells)	1500	02.12.2024	12.09.2025
								LE132MBF495H	20.83				
								LE132MBF490H	20.62				
								LE132MBF485H	20.41				
								LE132MBF480H	20.20				
								LE132MBF475H	19.99				
								LE132MBF470H	19.78				
								LE132MBF465H	19.57				
					vii	Bifacial Mono c-Si PERC Module	LE132MBF455H (455 Wp)	LE132MBF455H	19.15	132 (Half Cut Cells)	1500	02.12.2024	12.09.2025
					viii	Mono c-Si PERC Module	LE120M440H (440 Wp)	LE120M460H	21.18	120 (Half Cut Cells)	1500	02.12.2024	12.09.2025
								LE120M455H	20.95				
								LE120M450H	20.72				
								LE120M445H	20.49				
								LE120M440H	20.26				
								LE120M435H	20.03				
								LE120M430H	19.80				
								LE120M425H	19.57				
					ix	Mono c-Si PERC Module	LE120M420H (420 Wp)	LE120M420H	19.34	120 (Half Cut Cells)	1500	02.12.2024	12.09.2025
					x	Bifacial Mono c-Si PERC Module	LE120MBF435H (435 Wp)	LE120MBF455H	20.95	120 (Half Cut Cells)	1500	02.12.2024	12.09.2025
								LE120MBF450H	20.72				
								LE120MBF445H	20.49				
								LE120MBF440H	20.26				
								LE120MBF435H	20.03				
								LE120MBF430H	19.80				
								LE120MBF425H	19.57				
								LE120MBF420H	19.34				
								LE120MBF415H	19.11				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity								
												From	To (subject to valid BIS Registration; else deemed to be delisted)							
					xi	Mono c-Si PERC Module	LE108M400H (400 Wp)	LE108M415H	21.15	108 (Half Cut Cells)	1500	02.12.2024	12.09.2025							
								LE108M410H	20.90											
								LE108M405H	20.64											
								LE108M400H	20.39											
								LE108M395H	20.13											
								LE108M390H	19.88											
								LE108M385H	19.62											
								LE108M380H	19.37											
					xii	Mono c-Si PERC Module	LE108M375H (375 Wp)	LE108M375H	19.11	108 (Half Cut Cells)	1500	02.12.2024	12.09.2025							
								LE108MBF410H	20.90											
					xiii	Bifacial Mono c-Si PERC Module	LE108MBF385H (385 Wp)	LE108MBF405H	20.64	108 (Half Cut Cells)	1500	02.12.2024	12.09.2025							
								LE108MBF400H	20.39											
								LE108MBF395H	20.13											
								LE108MBF390H	19.88											
								LE108MBF385H	19.62											
								LE108MBF380H	19.37											
								LE108MBF375H	19.11											
								AVN72M10G565	21.87											
73	M/s Avaada Electro Private Limited	Khasra No. 1145, 1146, 1150, 1151, 1152, 1154, 1156, Village - Kot, Tehsil - Dadri, Pargana, Dadri, Gautam Buddha Nagar - 203207, Uttar Pradesh, India	R-93030724	1165	i	Bifacial N-Type TOPCon Modules	AVN72M10G575 (575 Wp)	AVN72M10G570	22.06	144 (Half Cut Cells)	1500	28.08.2024	27.08.2028							
								AVN72M10G575	22.26											
								AVN72M10G580	22.45											
								AVN72M10G585	22.64											
								AVN66M10G515	21.69											
								AVN66M10G520	21.90											
					ii	Bifacial N-Type TOPCon Modules	AVN66M10G525 (525 Wp)	AVN66M10G525	22.11	132 (Half Cut Cells)	1500	28.08.2024	27.08.2028							
								AVN66M10G530	22.32											
								AVN66M10G535	22.53											
								AVN60M10G465	21.47											
					iii	Bifacial N-Type TOPCon Modules	AVN60M10G475 (475 Wp)	AVN60M10G470	21.70	120 (Half Cut Cells)	1500	28.08.2024	27.08.2028							
								AVN60M10G475	21.93											
								AVN60M10G480	22.16											
								AVN60M10G485	22.39											
								LSP 520	20.13					144 (Half Cut Cells)	1500	28.08.2024	27.08.2028			
								LSP 525	20.32											
					LSP 530	20.52														
					LSP 535	20.71														
LSP 540	20.90																			
LSP 420	19.41	120 (Half Cut Cells)	1500	28.08.2024	27.08.2028															
LSP 425	19.64																			
LSP 430	19.87																			
LSP 435	20.10																			
LSP 440	20.33																			
LSP 445	20.57																			
74	M/s. Laxmi Solar Power System Private Limited	Khasra No. 192, Harsun Tildahdi Kharora near ITBP camp, Raipur - 493225, Chhattisgarh, India	R-59000442	121	i	Mono c-Si PERC Modules	LSP 530 (530 Wp)	LSP 450	20.80	108 (Half Cut Cells)	1500	28.08.2024	27.08.2028							
								LSP 390	19.97											
								LSP 395	20.23											
								LSP 400	20.48											
								LSP 405	20.74											
								LSP 410	20.99											
					ii	Mono c-Si PERC Modules	LSP 435 (435 Wp)	LSP 500	21.05	132 (Half Cut Cells)	1500	28.08.2024	27.08.2028							
								USM10 - 144 - 510 WP	19.72											
								USM10 - 144 - 515 WP	19.91											
								USM10 - 144 - 520 WP	20.10											
								USM10 - 144 - 525 WP	20.30											
								USM10 - 144 - 530 WP	20.49											
					iii	Mono c-Si PERC Modules	LSP 400 (400 Wp)	USM10 - 144 - 535 WP	20.68	144 (Half Cut Cells)	1500	28.08.2024	27.08.2028							
								USM10 - 144 - 540 WP	20.88											
								USM10 - 144 - 545 WP	21.07											
								USM10 - 144 - 550 WP	21.26											
								USM10 - 132 - 495 WP	19.14											
								USM10 - 132 - 500 WP	19.33											
iv	Mono c-Si PERC Modules	LSP 500 (500 Wp)	USM10 - 132 - 505 WP	19.52	132 (Half Cut Cells)	1500	28.08.2024	27.08.2028												
			USM10 - 120 - 425 WP	19.63																
			USM10 - 120 - 430 WP	19.86																
			USM10 - 120 - 435 WP	20.09																
			75	M/s. Uratom Solar (India) Private Limited					Survey No. 752 P1, National Highway 27, Near Chordi Village, Gondal - 360311, Gujarat, India	R-72010081	46	i	Bifacial Mono c-Si PERC Module (Glass to Transparent Backsheet)	USM10 - 144 - 530 WP (530 Wp)	USM10 - 144 - 530 WP	20.30	144 (Half Cut Cells)	1500	28.08.2024	27.08.2028
															USM10 - 144 - 535 WP	20.68				
USM10 - 144 - 540 WP	20.88																			
USM10 - 144 - 545 WP	21.07																			
USM10 - 144 - 550 WP	21.26																			
USM10 - 132 - 495 WP	19.14																			
USM10 - 132 - 500 WP	19.33																			
USM10 - 132 - 505 WP	19.52																			
ii	Bifacial Mono c-Si PERC Module (Glass to Transparent)	USM10 - 132 - 490 WP (490 Wp)			USM10 - 120 - 425 WP	19.63	132 (Half Cut Cells)	1500							28.08.2024	27.08.2028				
					USM10 - 120 - 430 WP	19.86														
					USM10 - 120 - 435 WP	20.09														

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					iii	Module (Glass to Transparent Backsheet)	USM10 - 120 - 440 WP (440 Wp)	USM10 - 120 - 440 WP	20.32	120 (Half Cut Cells)	1500	28.08.2024	27.08.2028
								USM10 - 120 - 445 WP	20.55				
								USM10 - 120 - 450 WP	20.78				
								USM10 - 120 - 455 WP	21.01				
								USM10 - 120 - 460 WP	21.24				
					iv	Mono c-Si PERC Module	USM10 - 144 - 530 WP (530 Wp)	USM10 - 144 - 510 WP	19.72	144 (Half Cut Cells)	1500	28.08.2024	27.08.2028
								USM10 - 144 - 515 WP	19.91				
								USM10 - 144 - 520 WP	20.10				
								USM10 - 144 - 525 WP	20.30				
								USM10 - 144 - 530 WP	20.49				
								USM10 - 144 - 535 WP	20.68				
								USM10 - 144 - 540 WP	20.88				
								USM10 - 144 - 545 WP	21.07				
								USM10 - 144 - 550 WP	21.26				
					v	Mono c-Si PERC Module	USM10 - 132 - 490 WP (490 Wp)	USM10 - 132 - 495 WP	19.14	132 (Half Cut Cells)	1500	28.08.2024	27.08.2028
								USM10 - 132 - 500 WP	19.33				
								USM10 - 132 - 505 WP	19.52				
					vi	Mono c-Si PERC Module	USM10 - 120 - 440 WP (440 Wp)	USM10 - 120 - 425 WP	19.63	120 (Half Cut Cells)	1500	28.08.2024	27.08.2028
								USM10 - 120 - 430 WP	19.86				
								USM10 - 120 - 435 WP	20.09				
								USM10 - 120 - 440 WP	20.32				
								USM10 - 120 - 445 WP	20.55				
								USM10 - 120 - 450 WP	20.78				
								USM10 - 120 - 455 WP	21.01				
								USM10 - 120 - 460 WP	21.25				
76	M/s Powertrac Solar Pojects Limited	LS No. - 248/2, Opp. Rai Bus stand, Wadhwan-Limbdi Highway, Taluko Wadhwan, Sankali, Surendranagar-363030, Gujarat, India	R-72007269	47	i	Mono c-Si PERC Modules	PSPL144MPM530 (530 Wp)	PSPL144MPM505	19.54	144 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								PSPL144MPM510	19.73				
								PSPL144MPM515	19.93				
								PSPL144MPM520	20.12				
								PSPL144MPM525	20.31				
								PSPL144MPM530	20.51				
								PSPL144MPM535	20.70				
								PSPL144MPM540	20.89				
								PSPL144MPM545	21.09				
								PSPL144MPM550	21.28				
					ii	Mono c-Si PERC Modules	PSPL156MPM570 (570 Wp)	PSPL156MPM545	19.49	156 (Half Cut Cells)	1500	27.09.2024	26.09.2028
								PSPL156MPM550	19.67				
								PSPL156MPM555	19.85				
								PSPL156MPM560	20.02				
								PSPL156MPM565	20.20				
								PSPL156MPM570	20.38				
								PSPL156MPM575	20.56				
								PSPL156MPM580	20.74				
								PSPL156MPM585	20.92				
								PSPL156MPM590	21.10				
								PSPL156MPM595	21.28				
77	M/s. Sun N Sand Exim (India) Pvt. Ltd.	Plot No- 106, Sector 16, HSIIDC Industrial Estate, Bahadurgarh, Distt. Jhajjar, Haryana – 124507, India	R-91004529	69	i	Mono c-Si PERC Modules	SNS120CM340Wp (340 Wp)	SNS120CM330Wp	19.58	120 (Half Cut Cell)	1500	27.09.2024	26.09.2028
								SNS120CM335Wp	19.88				
								SNS120CM340Wp	20.18				
								SNS120CM345Wp	20.47				
								SNS120CM350Wp	20.77				
					ii	Mono c-Si PERC Modules	SNS120CM450Wp (450 Wp)	SNS120CM435Wp	20.06	120 (Half Cut Cell)	1500	27.09.2024	26.09.2028
								SNS120CM440Wp	20.29				
								SNS120CM445Wp	20.52				
								SNS120CM450Wp	20.75				
								SNS120CM455Wp	20.99				
					iii	Mono c-Si PERC Modules	SNS132CM375Wp (375 Wp)	SNS120CM460Wp	21.22	132 (Half Cut Cell)	1500	27.09.2024	26.09.2028
								SNS132CM365Wp	19.78				
								SNS132CM370Wp	20.05				
								SNS132CM375Wp	20.33				
								SNS132CM380Wp	20.6				
					iv	Mono c-Si PERC Modules	SNS132CM490Wp	SNS132CM385Wp	20.87	132 (Half Cut Cell)	1500	27.09.2024	26.09.2028
								SNS132CM475Wp	20.01				
								SNS132CM480Wp	20.22				
								SNS132CM485Wp	20.43				
								SNS132CM490Wp	20.64				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity			
												From	To (subject to valid BIS Registration; else deemed to be delisted)		
					iv	Mono c-Si PERC Modules	(490 Wp)	SNS132CM495Wp	20.86	132 (Half Cut Cell)	1300	27.09.2024	26.09.2028		

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity								
												From	To (subject to valid BIS Registration; else deemed to be delisted)							
78	Junna Solar Systems Limited	Unit – II Plot Number 21, Chandanvaely, Sy No 195, Shabad Mandal, Hythabad, Ranga Reddy, Telangana, India-501503	R-63004146	94	xxvii	Mono c-Si PERC Modules	SNS36CMP060Wp	SNS36CMP060Wp	19.69	36 (Half Cut Cell)										
					xxviii	Mono c-Si PERC Modules	SNS36CMP050Wp	SNS36CMP050Wp	19.54	36 (Half Cut Cell)										
					i	Mono c-Si PERC Module	JUNNA525MP144 (525 Wp)	JUNNA550MP144	21.31	144 (Half Cut Cell)	1500V	27.09.2024	26.09.2028							
								JUNNA545MP144	21.12											
								JUNNA540MP144	20.92											
								JUNNA535MP144	20.73											
								JUNNA530MP144	20.53											
								JUNNA525MP144	20.34											
								JUNNA520MP144	20.15											
								JUNNA515MP144	19.95											
								JUNNA510MP144	19.76											
								JUNNA505MP144	19.57											
								JUNNA500MP144	19.37											
								JUNNA500MP132	21.06											
					ii	Mono c-Si PERC Module	JUNNA480MP132 (480 Wp)	JUNNA495MP132	20.85	132 (Half Cut Cell)	1500V	27.09.2024	26.09.2028							
								JUNNA490MP132	20.64											
								JUNNA485MP132	20.43											
								JUNNA480MP132	20.22											
								JUNNA475MP132	20.01											
								JUNNA470MP132	19.80											
								JUNNA465MP132	19.59											
								JUNNA460MP132	19.38											
								JUNNA455MP120	21.00											
								JUNNA450MP120	20.77											
								JUNNA445MP120	20.54											
								JUNNA440MP120	20.31											
					iii	Mono c-Si PERC Module	JUNNA435MP120 (435 Wp)	JUNNA435MP120	20.08	120 (Half Cut Cell)	1500V	27.09.2024	26.09.2028							
								JUNNA430MP120	19.85											
								JUNNA425MP120	19.62											
								JUNNA420MP120	19.39											
								JUNNA415MP120	19.16											
								JUNNA410MP108	20.97											
								JUNNA405MP108	20.71											
								JUNNA400MP108	20.45											
								JUNNA395MP108	20.20											
								JUNNA390MP108	19.94											
								JUNNA385MP108	19.69											
								JUNNA380MP108	19.43											
					v	Mono c-Si PERC Module	JUNNA350MP96 (350 Wp)	JUNNA365MP96	20.91	96 (Half Cut Cell)	1500V	27.09.2024	26.09.2028							
								JUNNA360MP96	20.62											
								JUNNA355MP96	20.33											
								JUNNA350MP96	20.05											
								JUNNA345MP96	19.76											
								JUNNA340MP96	19.47											
								JUNNA335MP96	19.19											
								JUNNA275MP72	20.75											
								JUNNA270MP72	20.37											
								JUNNA265MP72	19.99											
								JUNNA260MP72	19.61											
								JUNNA255MP72	19.24											
79	M/s SAEI Solar P6 Pvt. Ltd.	Land Kh. No. 354/2, New Kh. No. 844/354, Village Patan, Tehsil Kishangarh, Ajmer - 305801, Rajasthan, India	R-84004898	2374	i	Bifacial N-Type TOPCon Module (Glass to Glass)	SL156GTG-630 T (630 Wp)	SL156GTG-640 T	22.94	156 (Half Cut Cells)	1500	14.10.2024	13.10.2028							
								SL156GTG-635 T	22.76											
								SL156GTG-630 T	22.58											
								SL156GTG-625 T	22.4											
								SL156GTG-620 T	22.23											
								SL156GTG-615 T	22.05											
								SL156GTG-610 T	21.87											
								SL156GTG-605 T	21.69											
								SL156GTG-600 T	21.51											
								ii	Bifacial N-Type TOPCon Module (Glass to Glass)					SL144GTG-580T (580 Wp)	SL144GTG-580T	22.53	144(Half Cut Cells)	1500	14.10.2024	13.10.2028
															SL144GTG-575T	22.34				
															SL144GTG-570T	22.14				
					SL144GTG-565T	21.95														
					SL144HC-545	21.09														
					SL144HC-540	20.89														
					iii	Mono c-Si PERC Module	SL144HC-530	SL144HC-535	20.7	144(Half Cut Cells)	1500	14.10.2024	13.10.2028							

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					iii	Mono c-Si PERC Module	(530 Wp)	SL144HC-530	20.51	144 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								SL144HC-525	20.31				
								SL144HC-520	20.12				
80	M/s. FS Green Energies Private Limited	Block No. 160 - 164, 168 Besides Act Agro Chem Pvt. Ltd., Juni Jithardi Road, Near Karjan Cross Road, NH - 8, Vadodara-391240, Gujarat, India	R-72011258	572	i	Bifacial N-Type TOPCon Modules (Glass to Glass)	FST-M10.156G-620 (620 Wp)	FST-M10.156G-630	22.54	156 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FST-M10.156G-625	22.36				
								FST-M10.156G-620	22.18				
								FST-M10.156G-615	22.00				
								FST-M10.156G-610	21.82				
					ii	Bifacial N-Type TOPCon Modules (Glass to Glass)	FST-M10.144G-570 (570 Wp)	FST-M10.144G-580	22.45	144 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FST-M10.144G-575	22.26				
								FST-M10.144G-570	22.07				
								FST-M10.144G-565	21.87				
								FST-M10.144G-560	21.68				
					iii	Bifacial N-Type TOPCon Modules (Glass to Glass)	FST-M10.132G-525 (525 Wp)	FST-M10.132G-530	22.33	132 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FST-M10.132G-525	22.12				
								FST-M10.132G-520	21.91				
					iv	Bifacial N-Type TOPCon Modules (Glass to Glass)	FST-M10.120G-475 (475 Wp)	FST-M10.120G-480	22.18	120 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FST-M10.120G-475	21.95				
								FST-M10.120G-470	21.72				
					v	Bifacial N-Type TOPCon Modules (Glass to Glass)	FST-M10.108G-430 (430 Wp)	FST-M10.108G-435	22.26	108 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FST-M10.108G-430	22.01				
								FST-M10.108G-425	21.75				
					vi	Bifacial Mono c-Si PERC Module (Glass to Transparent Back sheet)	FSP-M10.156B-585 (585 Wp)	FST-M10.108G-420	21.50	156 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FSP-M10.156B-600	21.46				
								FSP-M10.156B-595	21.29				
								FSP-M10.156B-590	21.11				
								FSP-M10.156B-585	20.93				
								FSP-M10.156B-580	20.75				
								FSP-M10.156B-575	20.57				
								FSP-M10.156B-570	20.39				
								FSP-M10.156B-565	20.21				
					vii	Bifacial Mono c-Si PERC Module (Glass to Transparent Back sheet)	FSP-M10.144B-535 (535 Wp)	FSP-M10.156B-560	20.03	144 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FSP-M10.144B-550	21.29				
								FSP-M10.144B-545	21.10				
								FSP-M10.144B-540	20.90				
								FSP-M10.144B-535	20.71				
								FSP-M10.144B-530	20.52				
					viii	Bifacial Mono c-Si PERC Module (Glass to Transparent Back sheet)	FSP-M10.132B-495 (495 Wp)	FSP-M10.144B-525	20.32	132 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FSP-M10.144B-520	20.13				
								FSP-M10.132B-505	21.28				
								FSP-M10.132B-500	21.07				
								FSP-M10.132B-495	20.86				
								FSP-M10.132B-490	20.64				
					ix	Bifacial Mono c-Si PERC Module (Glass to Transparent Back sheet)	FSP-M10.120B-445 (445 Wp)	FSP-M10.132B-485	20.43	120 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FSP-M10.132B-480	20.22				
								FSP-M10.120B-460	21.26				
								FSP-M10.120B-455	21.03				
								FSP-M10.120B-450	20.80				
								FSP-M10.120B-445	20.57				
					x	Bifacial Mono c-Si PERC Module (Glass to Transparent Back sheet)	FSP-M10.108B-405 (405 Wp)	FSP-M10.120B-440	20.34	108 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FSP-M10.120B-435	20.10				
								FSP-M10.120B-430	19.87				
								FSP-M10.108B-415	21.24				
								FSP-M10.108B-410	20.98				
								FSP-M10.108B-405	20.73				
					xi	Mono c-Si PERC Module	FSP-M10.156W-580 (580 Wp)	FSP-M10.108B-400	20.47	156 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FSP-M10.108B-395	20.22				
								FSP-M10.108B-390	19.96				
								FSP-M10.156W-600	21.46				
								FSP-M10.156W-595	21.29				
								FSP-M10.156W-590	21.11				
								FSP-M10.156W-585	20.93				
								FSP-M10.156W-580	20.75				
								FSP-M10.156W-575	20.57				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
								FSP-M10.156W-570	20.39				
								FSP-M10.156W-565	20.21				
								FSP-M10.156W-560	20.03				
					xii	Mono c-Si PERC Module	FSP-M10.144W-535 (535 Wp)	FSP-M10.144W-550	21.29	144 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FSP-M10.144W-545	21.10				
								FSP-M10.144W-540	20.90				
								FSP-M10.144W-535	20.71				
								FSP-M10.144W-530	20.52				
								FSP-M10.144W-525	20.32				
								FSP-M10.144W-520	20.13				
								FSP-M10.132W-505	21.28				
								FSP-M10.132W-500	21.07				
					xiii	Mono c-Si PERC Module	FSP-M10.132W-490 (490Wp)	FSP-M10.132W-495	20.86	132 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FSP-M10.132W-490	20.64				
								FSP-M10.132W-485	20.43				
								FSP-M10.132W-480	20.22				
								FSP-M10.120W-460	21.26				
								FSP-M10.120W-455	21.03				
					xiv	Mono c-Si PERC Module	FSP-M10.120W-450 (450 Wp)	FSP-M10.120W-450	20.80	120 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FSP-M10.120W-445	20.57				
								FSP-M10.120W-440	20.34				
								FSP-M10.120W-435	20.10				
								FSP-M10.120W-430	19.87				
					xv	Mono c-Si PERC Module	FSP-M10.108W-400 (400 Wp)	FSP-M10.108W-415	21.24	108 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FSP-M10.108W-410	20.98				
								FSP-M10.108W-405	20.73				
								FSP-M10.108W-400	20.47				
								FSP-M10.108W-395	20.22				
								FSP-M10.108W-390	19.96				
					xvi	Bifacial Mono c-Si PERC Module (Glass to Glass)	FSP-M10.144G-540 (540 Wp)	FSP-M10.144G-560	21.68	144 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FSP-M10.144G-555	21.48				
								FSP-M10.144G-550	21.29				
								FSP-M10.144G-545	21.10				
								FSP-M10.144G-540	20.90				
								FSP-M10.144G-535	20.71				
								FSP-M10.144G-530	20.52				
								FSP-M10.144G-525	20.32				
								FSP-M10.144G-520	20.13				
					xvii	Bifacial Mono c-Si PERC Module (Glass to Glass)	FSP-M10.132G-490 (490 Wp)	FSP-M10.132G-505	21.28	132 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FSP-M10.132G-500	21.07				
								FSP-M10.132G-495	20.86				
								FSP-M10.132G-490	20.64				
								FSP-M10.132G-485	20.43				
								FSP-M10.132G-480	20.22				
					xviii	Bifacial Mono c-Si PERC Module (Glass to Glass)	FSP-M10.120G-445 (445 Wp)	FSP-M10.120G-460	21.26	120 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FSP-M10.120G-455	21.03				
								FSP-M10.120G-450	20.80				
								FSP-M10.120G-445	20.57				
								FSP-M10.120G-440	20.34				
								FSP-M10.120G-435	20.10				
					xix	Bifacial Mono c-Si PERC Module (Glass to Glass)	FSP-M10.108G-405 (405 Wp)	FSP-M10.120G-430	19.87	108 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								FSP-M10.108G-415	21.24				
								FSP-M10.108G-410	20.98				
								FSP-M10.108G-405	20.73				
								FSP-M10.108G-400	20.47				
								FSP-M10.108G-395	20.22				
81	M/s. Hexatron Industries Limited	Survey No. 575, 576, 577 & 578 Village Tenpur, Taluka Bayad, Aravalli - 383325, Gujarat, India	R-72010715	203	i	N Type TOPCon Module (Glass to Transparent Backsheet)	HEXN156N615 (615 Wp)	FSP-M10.108G-390	19.96	156 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								HEXN156N630	22.55				
								HEXN156N625	22.37				
								HEXN156N620	22.19				
								HEXN156N615	22.01				
								HEXN156N610	21.83				
								HEXN156N605	21.65				
								HEXN156N600	21.47				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					ii	N Type TOPCon Module (Glass to Transparent Backsheet)	HEXN144N585 (585 Wp)	HEXN144N600	23.23	144 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								HEXN144N595	23.03				
								HEXN144N590	22.84				
								HEXN144N585	22.65				
								HEXN144N580	22.45				
								HEXN144N575	22.26				
					iii	N Type TOPCon Module (Glass to Transparent Backsheet)	HEXN132N535 (535 Wp)	HEXN144N570	22.07	132 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								HEXN132N550	23.16				
								HEXN132N545	22.95				
								HEXN132N540	22.74				
								HEXN132N535	22.53				
								HEXN132N530	22.32				
					iv	N Type TOPCon Module (Glass to Transparent Backsheet)	HEXN120N485 (485 Wp)	HEXN132N525	22.11	120 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								HEXN132N520	21.90				
								HEXN120N500	23.13				
								HEXN120N495	22.90				
								HEXN120N490	22.67				
								HEXN120N485	22.44				
					v	N Type TOPCon Module (Glass to Transparent Backsheet)	HEXN108N435 (435 Wp)	HEXN120N480	22.21	108 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								HEXN120N475	21.98				
								HEXN120N470	21.75				
								HEXN108N450	23.04				
								HEXN108N445	22.79				
								HEXN108N440	22.53				
					vi	Mono c-Si PERC Module (Glass to Transparent Backsheet)	HEXN156P585 (585 Wp)	HEXN108N435	22.28	156 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								HEXN108N430	22.02				
								HEXN108N425	21.76				
								HEXN108N420	21.51				
								HEXN156P595	21.29				
								HEXN156P590	21.12				
					vii	Mono c-Si PERC Module (Glass to Transparent Backsheet)	HEXN144P545 (545 Wp)	HEXN156P585	20.94	144 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								HEXN156P580	20.76				
								HEXN156P575	20.58				
								HEXN156P570	20.40				
								HEXN144P560	21.68				
								HEXN144P555	21.48				
					viii	Mono c-Si PERC Module (Glass to Transparent Backsheet)	HEXN132P505 (505 Wp)	HEXN144P550	21.29	132 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								HEXN144P545	21.10				
								HEXN144P540	20.90				
								HEXN144P535	20.71				
								HEXN144P530	20.52				
								HEXN132P520	21.90				
					ix	Mono c-Si PERC Module (Glass to Transparent Backsheet)	HEXN120P445 (445 Wp)	HEXN132P515	21.69	120 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								HEXN132P510	21.48				
								HEXN132P505	21.27				
								HEXN132P500	21.06				
								HEXN132P495	20.85				
								HEXN132P490	20.64				
					x	Mono c-Si PERC Module (Glass to Transparent Backsheet)	HEXN108P410 (410 Wp)	HEXN120P460	21.28	108 (Half Cut Cells)	1500	28.10.2024	27.10.2028
								HEXN120P455	21.05				
								HEXN120P450	20.82				
								HEXN120P445	20.59				
								HEXN120P440	20.36				
								HEXN120P435	20.13				
82	M/s. Indosolar Limited	3c/1, Ecotech-II, Udyog Vihar, Greater Noida -210306 Uttar Pradesh	R-93032344	1525				HEXN120P430	19.89				
								HEXN108P425	21.76				
								HEXN108P420	21.51				
								HEXN108P415	21.25				
								HEXN108P410	21.00				
								HEXN108P405	20.74				
								HEXN108P400	20.48				
								HEXN108P395	20.23				
								Bi-55-520	20.20				
								Bi-55-525	20.39				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity			
												From	To (subject to valid BIS Registration; else deemed to be delisted)		
					i	Bifacial Mono c- Si PERC Modules (Glass to Glass)	Bi-55-535 (535 Wp)	Bi-55-530 Bi-55-535 Bi-55-540 Bi-55-545 Bi-55-550	20.59 20.78 20.98 21.17 21.37	144(Half Cut Cells) (Cell Size 182*182)	1500	06.01.2025	05.01.2029		
					ii	Bifacial N-type TOPCon Modules (Glass to Glass)	BiN-08-575 (575 Wp)	BiN-08-560 BiN-08-565 BiN-08-570 BiN-08-575 BiN-08-580 BiN-08-585 BiN-08-590 BiN-08-595 BiN-08-600	21.68 21.87 22.06 22.26 22.45 22.64 22.84 23.03 23.22	144 (Half Cut Cells) (Cell Size 182*182)	1500				
					iii	Bifacial N-type TOPCon Modules (Glass to Glass)	BiN-03-695 (695 Wp)	BiN-03-680 BiN-03-685 BiN-03-690 BiN-03-695 BiN-03-700 BiN-03-705 BiN-03-710	21.89 22.05 22.21 22.37 22.53 22.70 22.86	132 (Half Cut Cells) (Cell Size 210*210)	1500				
83	M/s.Visaka Industries Limited (ATUM Division)	Survey No. 95&96, Adjacent to Kukkadam Railway Station, Kukkadam Post, Gajalapur, Madugulapally, Nalgonda-508207, Uttar Pradesh, India	R-63000795	16	i	Mono c-Si PERC Module (Cell Size 182*182)	VIL-550M (550Wp)	VIL-550M	21.29	144 (Half Cut Cells)	1500			06.01.2025	05.01.2029
					ii	Mono c-Si PERC Module (Cell Size 182*182)	VIL-550AM (550Wp)	VIL-550AM	20.31	144 (Half Cut Cells)	1500				
84	M/s. BVG India Limited	Plot No. 6, Sector Ecotech 8, Gautam Budha Nagar, Greater Noida - 201310, Uttar Pradesh, India	R-93032417	367	i	Mono c-Si PERC Module	BVGM10144-540 (540 Wp)	BVGM10144-550 BVGM10144-545 BVGM10144-540 BVGM10144-535 BVGM10144-530 BVGM10144-525	21.29 21.10 20.90 20.71 20.52 20.32	144 (Half Cut Cells)	1500			23.01.2025	22.01.2029
85	M/s KLK Ventures Pvt. Ltd.	A52, Sector 58, Gautam Budha Nagar, Noida, Uttar Pradesh, India- 201301	R-93024279	33	i	Mono c-Si PERC Module	KLK525W (525 Wp)	KLK500W KLK505W KLK510W KLK515W KLK520W KLK525W KLK530W KLK535W KLK540W KLK545W KLK550W	19.35 19.54 19.73 19.93 20.12 20.31 20.51 20.70 20.89 21.09 21.28	144 (Half Cut Cells)	1500			23.01.2025	22.01.2029
					ii	Mono c-Si PERC Module	KLK575W (575 Wp)	KLK555W KLK560W KLK565W KLK570W KLK575W KLK580W KLK585W KLK590W	19.85 20.03 20.21 20.39 20.57 20.75 20.93 21.11	156(Half Cut Cells)	1500			23.01.2025	22.01.2029
86	M/s SAN Energy and Solution	Plot No. 356, San Energy Solution, Near Girdharia Mod, Sheosagar, NH2, Sasaram, Rohtas- 821111, Bihar, India	R-53000221	27	i	Mono c-Si PERC Modules	SG545WP (545 Wp)	SG535WP SG540WP SG545WP	20.69 20.88 21.08	144 (Half Cut Cells)	1500			23.01.2025	22.01.2029
87	M/s. Easy Photo Voltech Pvt. Ltd.	Khasra no 98 Sikhera road industrial Area Modinagar Ghaziabad 201006, Uttar Pradesh, India	R-93023272	81	i	Mono c-Si PERC Module	JSD-24575 (575Wp)	JSD-24555 JSD-24560 JSD-24565 JSD-24570 JSD-24575 JSD-24580 JSD-24585 JSD-24590 JSD-24595	19.85 20.03 20.21 20.39 20.57 20.74 20.92 21.10 21.28	156 (Half Cut Cells)	1500			17.02.2025	16.02.2029
								JSD-24550 JSD-24545 JSD-24540 JSD-24535	21.29 21.10 20.90 20.71						

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					ii	Mono c-Si PERC Module	JSD-24525 (525Wp)	JSD-24530	20.52	144 (Half Cut Cells)	1500	17.02.2025	16.02.2029
								JSD-24525	20.32				
								JSD-24520	20.13				
								JSD-24515	19.94				
								JSD-24510	19.74				
								JSD-24505	19.55				
								JSD-24500	19.36				
								JSDA-24500	21.06				
					iii	Mono c-Si PERC Module	JSD-24480 (480Wp)	JSD-24495	20.85	132 (Half Cut Cells)	1500	17.02.2025	16.02.2029
								JSD-24490	20.64				
								JSD-24485	20.42				
								JSD-24480	20.21				
								JSD-24475	20.00				
								JSD-24470	19.79				
								JSD-24465	19.58				
								JSD-24460	19.37				
								JSD-24455	19.16				
								JSDA-24460	21.25				
								JSDA-24455	21.02				
								JSD-24450	20.79				
					iv	Mono c-Si PERC Module	JSD-24440 (440Wp)	JSD-24445	20.56	120 (Half Cut Cells)	1500	17.02.2025	16.02.2029
								JSD-24440	20.33				
								JSD-24435	20.09				
								JSD-24430	19.86				
								JSD-24425	19.63				
								JSD-24420	19.40				
								JSD-24415	19.17				
					v	Mono c-Si PERC Module	JSD-24415 (415Wp)	JSD-24400	20.46	120 (Half Cut Cells)	1500	17.02.2025	16.02.2029
								JSD-24395	20.20				
								JSD-24390	19.95				
								JSD-24385	19.69				
								JSD-24380	19.44				
								JSD-24375	19.18				
								ASP550D	21.31				
								ASP545D	21.12				
88	M/s. Akshaya Solar Power (India) Private Limited	Plot No G 1/A, TSIC General Park, Sultanpur, Ameenpur, Sangareddy, Hyderabad, Telangana- 502319, India	R-63000825	33	i	Mono c-Si PERC Module	ASP525D (525 Wp)	ASP540D	20.92	144 (Half Cut Cells)	1500	17.02.2025	16.02.2029
								ASP535D	20.73				
								ASP530D	20.53				
								ASP525D	20.34				
								ASP520D	20.15				
								ASP515D	19.95				
								ASP510D	19.76				
								ASP505D	19.57				
					ii	Mono c-Si PERC Module	ASP500D-132 (500 Wp)	ASP500D	19.37	132 (Half Cut Cells)	1500	17.02.2025	16.02.2029
								ASP500D-132	21.06				
								ASP495D-132	20.85				
								ASP490D-132	20.64				
								ASP485D-132	20.43				
								ASP480D-132	20.22				
								ASP475D-132	20.01				
								ASP470D-132	19.80				
					iii	Mono c-Si PERC Module	ASP470D-132 (470 Wp)	ASP465D-132	19.59	132 (Half Cut Cells)	1500	17.02.2025	16.02.2029
								ASP460D-132	19.38				
								ASP455D-132	19.17				
								ASP450D-132	18.96				
								ASP450D-120	20.77				
								ASP445D-120	20.54				
								ASP440D-120	20.31				
								ASP435D-120	20.08				
					iv	Mono c-Si PERC Module	ASP430D-120 (430 Wp)	ASP430D-120	19.85	120 (Half Cut Cells)	1500	17.02.2025	16.02.2029
								ASP425D-120	19.62				
								ASP420D-120	19.39				
								ASP415D-120	19.16				
								ASP410D-108	20.97				
					v	Mono c-Si PERC Module	ASP410D-108 (410 Wp)	ASP410D-108	20.97	108 (Half Cut Cells)	1500	17.02.2025	16.02.2029
								ASP410D-108	20.97				
								ASP410D-108	20.97				
								ASP410D-108	20.97				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					vi	Mono c-Si PERC Module	ASP390D-108 (390 Wp)	ASP405D-108 ASP400D-108 ASP395D-108 ASP390D-108 ASP385D-108 ASP380D-108 ASP375D-108	20.71 20.45 20.20 19.94 19.69 19.43 19.18	120 (Half Cut Cells)	1500	17.02.2025	16.02.2029
89	M/s Asote Solutions Private Limited	346, Asot Solar, Anita, 346, Kim-Vadoli Road, Surat-394110,Gujarat	R-72011754	152	i	Bifacial N-Type TOPCon Module (Glass to Glass)	PMS100ASTC144GG565 (565Wp)	PMS100ASTC144GG590 PMS100ASTC144GG585 PMS100ASTC144GG580 PMS100ASTC144GG575 PMS100ASTC144GG570 PMS100ASTC144GG565 PMS100ASTC144GG560 PMS100ASTC144GG555 PMS100ASTC144GG550 PMS100ASTC144GG545 PMS100ASTC144GG540	22.84 22.65 22.45 22.26 22.07 21.87 21.68 21.48 21.29 21.1 20.9	144 (Half Cut Cells)	1500	27.03.2025	26.03.2029
					ii	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	PMS100ASTC144GG565 (565Wp)	PMS100ASTC144GG590 PMS100ASTC144GG585 PMS100ASTC144GG580 PMS100ASTC144GG575 PMS100ASTC144GG570 PMS100ASTC144GG565 PMS100ASTC144GG560 PMS100ASTC144GG555 PMS100ASTC144GG550 PMS100ASTC144GG545 PMS100ASTC144GG540	22.84 22.65 22.45 22.26 22.07 21.87 21.68 21.48 21.29 21.1 20.9	144 (Half Cut Cells)	1500	27.03.2025	26.03.2029
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	PMS100ASTC144GG535 (535 Wp)	PMS100ASTC144GG535	20.71	144 (Half Cut Cells)	1500	27.03.2025	26.03.2029
					iv	Bifacial N-Type TOPCon Module (Glass to Transparent Backsheet)	PMS100ASTC144GG535 (535 Wp)	PMS100ASTC144GG535	20.71	144 (Half Cut Cells)	1500	27.03.2025	26.03.2029
90	M/s. MKU Holdings Private Limited	DTA-02, Plot NO. 16-17-20-21, Ajmer Road, Bagru Mahindra World City SEZ, Sanganer, Jaipur - 302039, Rajasthan, India	R-84005282	1183	i	Bifacial N-Type TOPCon Module (Glass to Glass)	ACM-HD144N-580 (580 Wp)	ACM-HD144N-590 ACM-HD144N-585 ACM-HD144N-580 ACM-HD144N-575 ACM-HD144N-570	22.84 22.65 22.45 22.26 22.07	144 (Half Cut Cells) (Cell Size: 182*183 mm)	1500	27.03.2025	26.03.2029
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	ACM-HD120N-490 (490 Wp)	ACM-HD120N-500 ACM-HD120N-495 ACM-HD120N-490 ACM-HD120N-485 ACM-HD120N-480	23.05 22.82 22.59 22.36 22.13	120 (Half Cut Cells) (Cell Size: 182*183 mm)	1500	27.03.2025	26.03.2029
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	ACM-HD132N-535 (535 Wp)	ACM-HD132N-550 ACM-HD132N-545 ACM-HD132N-540 ACM-HD132N-535 ACM-HD132N-530 ACM-HD132N-525 ACM-HD132N-520	23.13 22.92 22.71 22.50 22.29 22.08 21.87	132 (Half Cut Cells) (Cell Size: 182*183 mm)	1500	27.03.2025	26.03.2029
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	ACM-HD108N-435 (435 Wp)	ACM-HD108N-450 ACM-HD108N-445 ACM-HD108N-440 ACM-HD108N-435 ACM-HD108N-430 ACM-HD108N-425	23.07 22.81 22.56 22.30 22.05 21.79	108 (Half Cut Cells) (Cell Size: 182*183 mm)	1500	27.03.2025	26.03.2029
91	M/s. Navitas Solar Private Limited	371,371/B,372, 373/A/B, 374/A/B, 334/A, 375, 377, Sisodra, Ankleshwar, Gujarat,394810, India	R-72011657	1100	i	Bifacial N-Type TOPCon Module	NSG-BFT156-M10-630 (630 Wp)	NSG-BFT156-M10-600 NSG-BFT156-M10-605 NSG-BFT156-M10-610 NSG-BFT156-M10-615 NSG-BFT156-M10-620 NSG-BFT156-M10-625 NSG-BFT156-M10-630	21.49 21.67 21.85 22.03 22.21 22.39 22.57	156 (Half Cut Cell)	1500	27.03.2025	26.03.2029

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
						(Glass to Glass)	(555 Wp)	NSG-BFT156-M10-635	22.74				
								NSG-BFT156-M10-640	22.92				
								NSG-BFT156-M10-645	23.10				
								NSG-BFT156-M10-650	23.28				
								NSG-BFT156-M10-655	23.46				
					ii	Bifacial N- Type TOPCon Module (Glass to Glass)	NSG-BFT144-M10-555 (555 Wp)	NSG-BFT156-M10-660	23.64	144 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								NSG-BFT144-M10-545	21.10				
								NSG-BFT144-M10-550	21.29				
								NSG-BFT144-M10-555	21.48				
								NSG-BFT144-M10-560	21.68				
					iii	Bifacial N- Type TOPCon Module (Glass to Glass)	NSG-BFT144-M10-590 (555 Wp)	NSG-BFT144-M10-565	21.87	144 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								NSG-BFT144-M10-570	22.07				
								NSG-BFT144-M10-575	22.26				
								NSG-BFT144-M10-580	22.45				
								NSG-BFT144-M10-585	22.65				
					iv	Bifacial N- Type TOPCon Module (Glass to Glass)	NSG-BFT132-M10-520 (520 Wp)	NSG-BFT144-M10-590	22.84	132 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								NSG-BFT144-M10-595	23.03				
								NSG-BFT144-M10-600	23.23				
								NSG-BFT144-M10-605	23.42				
								NSG-BFT144-M10-610	23.61				
					v	Bifacial N- Type TOPCon Module (Glass to Glass)	NSG-BFT132-M10-520 (520 Wp)	NSG-BFT132-M10-500	21.06	120 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								NSG-BFT132-M10-505	21.27				
								NSG-BFT132-M10-510	21.48				
								NSG-BFT132-M10-515	21.69				
								NSG-BFT132-M10-520	21.90				
					vi	Bifacial N- Type TOPCon Module (Glass to Glass)	NSG-BFT120-M10-470 (470 Wp)	NSG-BFT132-M10-525	22.11	108 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								NSG-BFT132-M10-530	22.32				
								NSG-BFT132-M10-535	22.53				
								NSG-BFT132-M10-540	22.74				
								NSG-BFT120-M10-450	20.78				
					vii	Bifacial N- Type TOPCon Module (Glass to Glass)	NSG-BFT108-M10-425 (425 Wp)	NSG-BFT120-M10-455	21.01	96 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								NSG-BFT120-M10-460	21.24				
								NSG-BFT120-M10-465	21.47				
								NSG-BFT120-M10-470	21.70				
								NSG-BFT120-M10-475	21.93				
					viii	Bifacial N- Type TOPCon Module (Glass to Glass)	NSG-BFT96-M10-375 (375 Wp)	NSG-BFT120-M10-480	22.16	84 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								NSG-BFT120-M10-485	22.39				
								NSG-BFT120-M10-490	22.62				
								NSG-BFT108-M10-405	20.69				
								NSG-BFT108-M10-410	20.95				
					ix	Bifacial N- Type TOPCon Module (Glass to Glass)	NSG-BFT72-M10-285 (285 Wp)	NSG-BFT108-M10-415	21.20	72 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								NSG-BFT108-M10-420	21.46				
								NSG-BFT108-M10-425	21.71				
								NSG-BFT108-M10-430	21.97				
								NSG-BFT108-M10-435	22.22				
								NSG-BFT108-M10-440	22.48				
								NSG-BFT96-M10-360	20.59				
								NSG-BFT96-M10-365	20.87				
								NSG-BFT96-M10-370	21.16				
								NSG-BFT96-M10-375	21.45				
								NSG-BFT96-M10-380	21.73				
								NSG-BFT96-M10-385	22.02				
								NSG-BFT96-M10-390	22.30				
								NSG-BFT84-M10-315	20.45				
								NSG-BFT84-M10-320	20.78				
								NSG-BFT84-M10-325	21.10				
								NSG-BFT84-M10-330	21.43				
								NSG-BFT84-M10-335	21.75				
								NSG-BFT84-M10-340	22.08				
								NSG-BFT72-M10-270	20.28	72 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								NSG-BFT72-M10-275	20.66				
								NSG-BFT72-M10-280	21.03				
								NSG-BFT72-M10-285	21.41				
								NSG-BFT72-M10-290	21.78				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					x	Bifacial Mono c-Si PERC Module (Glass to Glass)	NSG-BFPR156-M10-585 (585 Wp)	NSG-BFPR156-M10-560	20.03	156 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								NSG-BFPR156-M10-565	20.21				
								NSG-BFPR156-M10-570	20.39				
								NSG-BFPR156-M10-575	20.57				
								NSG-BFPR156-M10-580	20.75				
								NSG-BFPR156-M10-585	20.93				
								NSG-BFPR156-M10-590	21.11				
								NSG-BFPR156-M10-595	21.29				
								NSG-BFPR156-M10-600	21.46				
					xi	Bifacial Mono c-Si PERC Module (Glass to Glass)	NSG-BFPR144-M10-540 (540 Wp)	NSG-BFPR144-M10-525	20.32	144 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								NSG-BFPR144-M10-530	20.52				
								NSG-BFPR144-M10-535	20.71				
								NSG-BFPR144-M10-540	20.90				
								NSG-BFPR144-M10-545	21.10				
								NSG-BFPR144-M10-550	21.29				
								NSG-BFPR144-M10-555	21.48				
								NSG-BFPR132-M10-475	20.00				
								NSG-BFPR132-M10-480	20.21				
					xii	Bifacial Mono PERC C-Si Module (Glass to Glass)	NSG-BFPR132-M10-490 (490 Wp)	NSG-BFPR132-M10-485	20.42	132(Half Cut Cell)	1500	27.03.2025	26.03.2029
								NSG-BFPR132-M10-490	20.64				
								NSG-BFPR132-M10-495	20.85				
								NSG-BFPR132-M10-500	21.06				
								NSG-BFPR132-M10-505	21.27				
								NSG-BFPR120-M10-435	20.08				
					xiii	Bifacial Mono c-Si PERC Module (Glass to Glass)	NSG-BFPR120-M10-445 (445 Wp)	NSG-BFPR120-M10-440	20.31	120 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								NSG-BFPR120-M10-445	20.55				
								NSG-BFPR120-M10-450	20.78				
								GS10-T144-GF-595	23.03				
								GS10-T144-GF-590	22.84				
								GS10-T144-GF-585	22.65				
92	M/s. Goldi Sun Private Limited	Unit no 6 , Block No. 341, Prime Industrial and Logistic Hub, NR. P.P Savani University, NH-48,Gram Panchayat, Dhamdod - 394125, Surat,Gujarat, India	R-72012467	1474	i	Bifacial N-Type TOPCon Module (Glass to Glass)	GS10-T144-GF-575 (575 Wp)	GS10-T144-GF-580	22.45	144 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								GS10-T144-GF-575	22.26				
								GS10-T144-GF-570	22.07				
								GS10-T144-GF-565	21.87				
								GS10-T144-GF-560	21.68				
								GS10-T144-GF-555	21.48				
								GS10-T132-GF-550	23.15				
								GS10-T132-GF-545	22.94				
					ii	Bifacial N-Type TOPCon Module (Glass to Glass)	GS10-T144-GF-535 (535 Wp)	GS10-T132-GF-540	22.73	132 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								GS10-T132-GF-535	22.52				
								GS10-T132-GF-530	22.31				
								GS10-T132-GF-525	22.10				
								GS10-T132-GF-520	21.89				
								GS10-T132-GF-515	21.68				
								GS10-T120-GF-500	23.08				
								GS10-T120-GF-495	22.85				
					iii	Bifacial N-Type TOPCon Module (Glass to Glass)	GS10-T120-GF-480 (480 Wp)	GS10-T120-GF-490	22.62	120 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								GS10-T120-GF-485	22.39				
								GS10-T120-GF-480	22.16				
								GS10-T120-GF-475	21.93				
								GS10-T120-GF-470	21.70				
								GS10-T120-GF-465	21.47				
								GS10-T108-GF-450	22.94				
								GS10-T108-GF-445	22.68				
								GS10-T108-GF-440	22.43				
					iv	Bifacial N-Type TOPCon Module (Glass to Glass)	GS10-T108-GF-450 (450 Wp)	GS10-T108-GF-435	22.17	108 (Half Cut Cell)	1500	27.03.2025	26.03.2029
								GS10-T108-GF-430	21.92				
								GS10-T108-GF-425	21.66				
								GS10-T108-GF-420	21.41				
								GS10-T108-GF-415	21.15				
93	M/s. Axitec Energy India Pvt Ltd	Survey No.: 257/5, 257/6, Thandalam-Arakkonam Road, Sathari Village, Kadamthur, Tiruvallur Taluk - 631203, Tamil Nadu, India	R-61005258	18	i	Mono c-Si PERC Module	AC-580MH/156V	AC-595MH/156V	20.03	156 (Half Cut Cells)	1500	27.03.2025	26.03.2029
								AC-590MH/156V	20.21				
								AC-585MH/156V	20.39				
								AC-580MH/156V	20.57				

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	BIS Registration No.	Enlisted Capacity (MWs / Year)	S. No.	Type of Module	Applied Model	Enlisted Models	Module Efficiency (%)	No. of Cells in Module	System Voltage (in Volt)	Validity	
												From	To (subject to valid BIS Registration; else deemed to be delisted)
					i	Mono c-Si PERC Module	(580 Wp)	AC-575MH/156V	20.75	130 (Half Cut Cells)	1500	27.03.2025	26.03.2029
								AC-570MH/156V	20.93				
								AC-565MH/156V	21.11				
								AC-560MH/156V	21.29				
					ii	Mono c-Si PERC Module	AC-525MH/144V (525 Wp)	AC-550MH/144V	21.30	144 (Half Cut Cells)	1500	27.03.2025	26.03.2029
								AC-545MH/144V	21.11				
								AC-540MH/144V	20.91				
								AC-535MH/144V	20.72				
								AC-530MH/144V	20.53				
								AC-525MH/144V	20.33				
								AC-520MH/144V	20.14				
								AC-515MH/144V	19.94				
								AC-510MH/144V	19.75				
								AC-505MH/144V	19.56				
								AC-500MH/144V	19.36				
					iii	Mono c-Si PERC Module	AC-495MH/132V (495 Wp)	AC-500MH/132V	20.95	132 (Half Cut Cells)	1500	27.03.2025	26.03.2029
								AC-495MH/132V	20.74				
								AC-490MH/132V	20.53				
					iv	Mono c-Si PERC Module	AC-450MH/120V (450 Wp)	AC-455MH/120V	20.99	120 (Half Cut Cells)	1500	27.03.2025	26.03.2029
								AC-450MH/120V	20.75				
								AC-445MH/120V	20.52				
					v	Mono c-Si PERC Module	AC-405MH/108V (405 Wp)	AC-410MH/108V	20.85	108 (Half Cut Cells)	1500	27.03.2025	26.03.2029
								AC-405MH/108V	20.60				
								AC-400MH/108V	20.34				