

F. No. 283/51/2025-GRID SOLAR

भारत सरकार / Government of India

नवीन और नवीकरणीय ऊर्जा मंत्रालय / Ministry of New & Renewable Energy

ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003.

Dated: 30th April 2026

OFFICE MEMORANDUM

Sub: Publishing 7th Revision of ALMM (Approved List of Models & Manufacturers) LIST-II (for Solar PV Cells) – Reg.

Ref:

- i. MNRE's O.M. No. 283/54/2018-GRID SOLAR dated 02.01.2019, regarding ALMM Order and subsequent amendments and clarifications thereto;
- ii. MNRE's O.M. No. 283/54/2018-GRID SOLAR dated 28.03.2019, regarding Guidelines for enlistment under ALMM and subsequent amendments and clarifications thereto;
- iii. MNRE's O.M. No. 283/59/2024-GRID SOLAR/Pt dated 09.12.2024 regarding amendment to ALMM order, for implementation of ALMM for Solar PV Cells
- iv. Amendment dated 28.07.2025 to O.M. dated 09.12.2024 referred above

1. In accordance with above referred O.M.s, Ministry of New & Renewable Energy (MNRE) vide its O.M. of even no. dated 31.07.2025, issued ALMM List-II for Solar PV Cells. Now, MNRE, hereby issues the **Seventh Revision** of the ALMM List-II for Solar PV Cells, which is at Annexure-I. Amendments/ Updations in previous versions of ALMM List-II are at Annexure-II.
2. This issues with the approval of competent authority.



(Sanjay G. Karndhar)

Scientist-E

E-mail: karndhar.sg@nic.in

Encl: as above

To: All Concerned

Copy to: Director (Technical), NIC, MNRE for uploading this document on MNRE's website

A. Amendments/ Updations in previous list* of ALMM List-II

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	Enlisted Capacity (MWs / Year)	Enlisted Type of Solar Cell	Previously Listed Range of Efficiency (%) [Min-Max]	Previously Listed Range of Wattage (Wp) [Min-Max]	Revised Range of Efficiency (%) / Wattage (Wp) [Min-Max]
1	M/s Waaree Energies Limited	Sr. No. 1934, 1939, 1941, 1942, NH-48, Degam, Chikhli, Navsari, Gujarat - 396530, India	1328	Mono Crystalline PERC (P-Type) Bifacial Solar Cell, 10 bus bar, 182.2mm x 182.2mm, PID free	22.20% to 23.50%	7.36 W to 7.75 W	22.00% to 23.70%; 7.36 W to 7.85 W
			3923	Mono Crystalline TOPCon (N-Type) Bifacial Solar Cell (M10R), 16 bus bar 183.75mm x 182.2mm, PID free	24.40% to 25.50%	8.10 W to 8.60 W	24.00% to 25.80%; 8.00 W to 8.68 W

*List dt. 15.12.2026



B. New additions on 30/04/2026 in the List of Manufacturers and Models of Solar PV Cells Enlisted under ALMM Order									
S. No.	Name of the Manufacturer	Location of Manufacturing Facility	Enlisted Capacity (MWs / Year)	Type of Solar Cell	Enlisted Models	Average Solar Cell Efficiency (%) and Wattage (Wp)	Range of Efficiency (%) and Wattage (Wp) [#] [Min-Max]	Validity	
								From	To
1	M/s. Renewsys India Pvt. Ltd. (New Addition)	Sy. No. 114/P, Srinagar (V), Fabcity, Maheswaram (M), Ranga Reddy District, Telangana, India - 501359	452	Bifacial N-Type TOPCon Solar Cells, 182.2 mm × 183.75 mm, 16 BB, PID free##	RESERV 71P	24.60%	24.00 % to 25.60 %	30.04.2026	29.04.2030
						8.23 W	8.03W to 8.54 W		

Solar Cell Efficiency and Wattage range are as claimed by manufacturer

PID is as claimed by manufacturer.

**Note: Unless explicitly stated otherwise, in case of model inclusion or capacity addition / change, through revision in ALMM List, the capacity mentioned against any manufacturing unit, as appearing in the said Revision to the ALMM List, shall be the ALMM enlisted manufacturing capacity for that manufacturing unit (from the date of the said revision), and the capacity enlisted for that manufacturing unit should not be interpreted as Sum of (enlisted capacity for that manufacturing unit in previous ALMM list/ previous revision to ALMM List) and (enlisted capacity in the present revision)*

F. No. 283/51/2025-GRID SOLAR

भारत सरकार / Government of India

नवीन और नवीकरणीय ऊर्जा मंत्रालय / **Ministry of New & Renewable Energy**

ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003.

Dated: 13th April, 2026

OFFICE MEMORANDUM

Sub: Publishing 6th Revision of ALMM (Approved List of Models & Manufacturers) LIST-II (for Solar PV Cells) – Reg.

Ref:

- i. MNRE's O.M. No. 283/54/2018-GRID SOLAR dated 02.01.2019, regarding ALMM Order and subsequent amendments and clarifications thereto;
- ii. MNRE's O.M. No. 283/54/2018-GRID SOLAR dated 28.03.2019, regarding Guidelines for enlistment under ALMM and subsequent amendments and clarifications thereto;
- iii. MNRE's O.M. No. 283/59/2024-GRID SOLAR/Pt dated 09.12.2024 regarding amendment to ALMM order, for implementation of ALMM for Solar PV Cells
- iv. Amendment dated 28.07.2025 to O.M. dated 09.12.2024 referred above

1. In accordance with above referred O.M.s, Ministry of New & Renewable Energy (MNRE) vide its O.M. of even no. dated 31.07.2025, issued ALMM List-II for Solar PV Cells. Now, MNRE, hereby issues the **Sixth Revision** of the ALMM List-II for Solar PV Cells, which is at Annexure-I.
2. This issues with the approval of competent authority.



(Sanjay G. Karndhar)

Scientist-E

E-mail: karndhar.sg@nic.in

Encl: as above

To: All Concerned

Copy to: Director (Technical), NIC, MNRE for uploading this document on MNRE's website

New additions on 13/04/2026 in the List of Manufacturers and Models of Solar PV Cells Enlisted under ALMM Order									
S. No.	Name of the Manufacturer	Location of Manufacturing Facility	Enlisted Capacity (MWs / Year)	Type of Solar Cell	Enlisted Models	Average Solar Cell Efficiency (%) and Wattage (Wp)	Range of Efficiency (%) and Wattage (Wp) [#] [Min-Max]	Validity	
								From	To
1	M/s. Reliance Industries Limited, Jamnagar, Gujarat (New Addition)	New Energy Complex AT Navagam/ Kana Chhikari via Khodiyar Colony, PO Jamnagar, Gujarat - 361006, India	1238	HJT Solar Cell, 210 mm × 105 mm, No bus bar, PID free##	HJNxx	25.40%	23.80 % to 25.60 %	13.04.2026	12.04.2030
						5.60 W	5.28 W to 5.66 W		
2	M/s. Jupiter Solartech Private Limited (New Addition)	Floor No. Unit III, Village Katha, PO & Tehsil Baddi, District Solan, Himachal Pradesh - 173205	991	Mono PERC Bifacial Solar Cell, P Type , 182.2mm × 183.75 mm, 10BB, PID Free##	182.2x183.75	23.70%	20.00 % to23.80 %	13.04.2026	12.04.2030
						7.94 W	6.69 W to 7.97 W		
3	M/s Websol Energy System Limited (Capacity Addition)	Sector - II, Falta Special Economic Zone, Falta, 24 Parganas (South) , Pin - 743504, West Bengal, India	1202	Mono Crystalline PERC (Bifacial), P-Type Bifacial: Dimension - 182.2mm×182.2mm, 182.2mm×183.75mm, 10BB, PID Free##	WS182MP10 (WS182MP10R)	23.55%	19.00 % to23.60 %	24.11.2025	23.11.2029
						7.77 W	6.29 W to 7.88 W		

Solar Cell Efficiency and Wattage range are as claimed by manufacturer

PID is as claimed by manufacturer.

**Note: Unless explicitly stated otherwise, in case of model inclusion or capacity addition / change, through revision in ALMM List, the capacity mentioned against any manufacturing unit, as appearing in the said Revision to the ALMM List, shall be the ALMM enlisted manufacturing capacity for that manufacturing unit (from the date of the said revision), and the capacity enlisted for that manufacturing unit should not be interpreted as Sum of (enlisted capacity for that manufacturing unit in previous ALMM list/ previous revision to ALMM List) and (enlisted capacity in the present revision)*

F. No. 283/51/2025-GRID SOLAR

भारत सरकार / Government of India

नवीन और नवीकरणीय ऊर्जा मंत्रालय / **Ministry of New & Renewable Energy**

ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003.

Dated: 13th February, 2026

OFFICE MEMORANDUM

Sub: Publishing 5th Revision of ALMM (Approved List of Models & Manufacturers) LIST-II (for Solar PV Cells) – Reg.

Ref:

- i. MNRE's O.M. No. 283/54/2018-GRID SOLAR dated 02.01.2019, regarding ALMM Order and subsequent amendments and clarifications thereto;
- ii. MNRE's O.M. No. 283/54/2018-GRID SOLAR dated 28.03.2019, regarding Guidelines for enlistment under ALMM and subsequent amendments and clarifications thereto;
- iii. MNRE's O.M. No. 283/59/2024-GRID SOLAR/Pt dated 09.12.2024 regarding amendment to ALMM order, for implementation of ALMM for Solar PV Cells
- iv. Amendment dated 28.07.2025 to O.M. dated 09.12.2024 referred above

1. In accordance with above referred O.M.s, Ministry of New & Renewable Energy (MNRE) vide its O.M. of even no. dated 31.07.2025, issued ALMM List-II for Solar PV Cells. Now, MNRE, hereby issues the **Fifth Revision** of the ALMM List-II for Solar PV Cells, which is at Annexure-I.
2. This issues with the approval of competent authority.



(Sanjay G. Karndhar)

Scientist-E

E-mail: karndhar.sg@nic.in

Encl: as above

To: All Concerned

Copy to: Director (Technical), NIC, MNRE for uploading this document on MNRE's website

New additions on 13/02/2026 in ALMM List-II for Solar PV Cells									
S. No.	Name of the Manufacturer	Location of Manufacturing Facility	Enlisted Capacity (MWs / Year)	Type of Solar Cell	Enlisted Models	Average Solar Cell Efficiency (%) and Wattage (Wp)	Range of Efficiency (%) and Wattage (Wp) [#] [Min-Max]	Validity	
								From	To
1	M/s Fujiyama Power Systems Limited	KH-345/1, 345/2, 345/3, 347/1, 347/2, 347/3, 349/2, 349/3 NANGLA CHAMROO, GAUTAMPURI, DADRI, GAUTAMBUDDHA NAGAR, UTTAR PRADESH, INDIA-202207	437	Bifacial Mono-c-Si PERC Cells (182.2 mm x 182.2 mm, 10 Busbar, PID Free##)	UT-182M	23.41%	22.60% to 23.60%	13.02.2026	12.02.2030
						7.73 W	7.46 W to 7.79 W		

Solar Cell Efficiency and Wattage range are as claimed by manufacturer

PID is as claimed by manufacturer.

**Note: Unless explicitly stated otherwise, in case of model inclusion or capacity addition / change, through revision in ALMM List, the capacity mentioned against any manufacturing unit, as appearing in the said Revision to the ALMM List, shall be the ALMM enlisted manufacturing capacity for that manufacturing unit (from the date of the said revision), and the capacity enlisted for that manufacturing unit should not be interpreted as Sum of (enlisted capacity for that manufacturing unit in previous ALMM list/ previous revision to ALMM List) and (enlisted capacity in the present revision)*

F. No. 283/51/2025-GRID SOLAR

भारत सरकार / Government of India

नवीन और नवीकरणीय ऊर्जा मंत्रालय / **Ministry of New & Renewable Energy**

ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003.

Dated: 5th February, 2026

OFFICE MEMORANDUM

Sub: Publishing 4th Revision of ALMM (Approved List of Models & Manufacturers) LIST-II (for Solar PV Cells) – Reg.

Ref:

- i. MNRE's O.M. No. 283/54/2018-GRID SOLAR dated 02.01.2019, regarding ALMM Order and subsequent amendments and clarifications thereto;
- ii. MNRE's O.M. No. 283/54/2018-GRID SOLAR dated 28.03.2019, regarding Guidelines for enlistment under ALMM and subsequent amendments and clarifications thereto;
- iii. MNRE's O.M. No. 283/59/2024-GRID SOLAR/Pt dated 09.12.2024 regarding amendment to ALMM order, for implementation of ALMM for Solar PV Cells
- iv. Amendment dated 28.07.2025 to O.M. dated 09.12.2024 referred above

1. In accordance with above referred O.M.s, Ministry of New & Renewable Energy (MNRE) vide its O.M. of even no. dated 31.07.2025, issued ALMM List-II for Solar PV Cells. Now, MNRE, hereby issues **the Fourth Revision** of the ALMM List-II for Solar PV Cells, which is at Annexure-I.
2. This issues with the approval of competent authority.



(Sanjay G. Karndhar)

Scientist-E

E-mail: karndhar.sg@nic.in

Encl: as above

To: All Concerned

Copy to: Director (Technical), NIC, MNRE for uploading this document on MNRE's website

New additions on 05/02/2026 in ALMM List-II for Solar PV Cells									
S. No.	Name of the Manufacturer	Location of Manufacturing Facility	Enlisted Capacity (MWs / Year)	Type of Solar Cell	Enlisted Models	Average Solar Cell Efficiency (%) and Wattage (Wp)	Range of Efficiency (%) and Wattage (Wp)* [Min-Max]	Validity	
								From	To
1	M/s Evervolt Solar Technology India Pvt. Ltd. (New Addition)	No. 250, Thespia Drive, Sricity Dtz, Gollavaripalem, Satyavedu, Tirupati (Dt.), Andhra Pradesh – 517646, India.	1074	Bifacial Mono-c-Si PERC Cells (182.2 mm x 182.2 mm , 10 Busbar, PID Free##)	EVT-M10-BR-PERC	23.10%	22% to 23.50 %	05.02.2026	04.02.2030
						7.66 W	7.264 W to 7.759 W		
2	M/s Mundra Solar PV Limited (Model Addition)	Survey No 180 P, Co Mundra Solar Technopark Pvt Ltd, Electronics Manufacturing Cluster EMC, Village Vandh and Tunda, Mundra, Kutch, Adani Ports and Special Economic Zone, Tunda, Kachchh, Gujarat 370435	2298*	Bifacial N Type TOPCon Cells (182.3 mm x 210 mm, 16 BB, PID Free##)	TPRB16	25.35%	24.5 % to 25.7 %	31.07.2025	30.07.2029
						9.70 W	9.37 W to 9.82 W		
3	M/s Premier Energies Photovoltaic Private Limited (Model Addition)	Plot No. 8/B/1 & 2, Survey No. 62 (P), 63 (P) & 88 (P), (Fab City), Raviryal, Maheshwaram (M), Ranga Reddy District – 501359, Telangana, India	1358**	Bifacial N-Type Topcon Solar Cells (G12R, 182.3 mm x 210 mm, 16 Busbar, PID Free##)	PE_BLUE SHARK_N TYPE_TOPCON 16BB	25.37%	24 % to 26 %	31.07.2025	30.07.2029
						9.71 W	9.18 W to 9.95 W		
4	M/s. FS India Solar Ventures Private Limited	Plot No. A-1/1, Sipcot Industrial Park, Pillaipakkam - 602105, Tamil Nadu	3433*	Is enlisted in ALMM List-I for solar PV modules and is deemed to be eligible for Inclusion in ALMM List-II for solar PV cells, as per para 9 of OM dated 09.12.2024				31.07.2025	28.04.2028

Solar Cell Efficiency and Wattage range are as claimed by manufacturer

PID is as claimed by manufacturer.

*Note: Unless explicitly stated otherwise, in case of model inclusion or capacity addition / change, through revision in ALMM List, the capacity mentioned against any manufacturing unit, as appearing in the said Revision to the ALMM List, shall be the ALMM enlisted manufacturing capacity for that manufacturing unit (from the date of the said revision), and the capacity enlisted for that manufacturing unit should not be interpreted as Sum of (enlisted capacity for that manufacturing unit in previous ALMM list/ previous revision to ALMM List) and (enlisted capacity in the present revision)

** This capacity (TOPCon) is in addition to the Mono-PERC Capacity (751) of M/s Premier Energies which was previously mentioned in ALMM List II dated 31.07.2025

F. No. 283/51/2025-GRID SOLAR

भारत सरकार / Government of India

नवीन और नवीकरणीय ऊर्जा मंत्रालय / Ministry of New & Renewable Energy

ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003.

Dated: 15th December, 2025

OFFICE MEMORANDUM

Sub: Publishing 3rd Revision of ALMM (Approved List of Models & Manufacturers) LIST-II (for Solar PV Cells) – Reg.

Ref:

- i. MNRE's O.M. No. 283/54/2018-GRID SOLAR dated 02.01.2019, regarding ALMM Order and subsequent amendments and clarifications thereto;
- ii. MNRE's O.M. No. 283/54/2018-GRID SOLAR dated 28.03.2019, regarding Guidelines for enlistment under ALMM and subsequent amendments and clarifications thereto;
- iii. MNRE's O.M. No. 283/59/2024-GRID SOLAR/Pt dated 09.12.2024 regarding amendment to ALMM order, for implementation of ALMM for Solar PV Cells
- iv. Amendment dated 28.07.2025 to O.M. dated 09.12.2024 referred above

1. In accordance with above referred O.M.s, Ministry of New & Renewable Energy (MNRE) vide its O.M. of even no. dated 31.07.2025, issued ALMM List-II for Solar PV Cells. Now, MNRE, hereby issues the **Third Revision** of the ALMM List-II for Solar PV Cells, which is at Annexure-I.
2. This issues with the approval of competent authority.



(Sanjay G. Karndhar)
Scientist-E
E-mail: karndhar.sg@nic.in

Encl: as above

To: All Concerned

Copy to: Director (Technical), NIC, MNRE for uploading this document on MNRE's website

New additions on 15/12/2025 in ALMM List-II for Solar PV Cells									
S. No.	Name of the Manufacturer	Location of Manufacturing Facility	Enlisted Capacity (MWs / Year)	Type of Solar Cell	Enlisted Models	Average Solar Cell Efficiency (%) and Wattage (Wp)	Range of Efficiency (%) and Wattage (Wp) [#] [Min-Max]	Validity	
								From	To
1	M/s Waaree Energies Limited	Sr. No. 1934,1939,1941,1942, NH-48, Degam, Chikhli, Navsari, Gujarat - 396530, India	1328	Mono Crystalline PERC(P-Type) Bifacial Solar Cell, 182.2mm × 182.2mm,10 bus bar, PID free##)	WSC-P-M10-10BB Mono PERC Solar Cell	23.55%	22.20 % to 23.50 %	15.12.2025	14.12.2029
						7.78 W	7.36 W to 7.75 W		
			3923	Mono Crystalline TOPCon (N- Type) Bifacial Solar Cell (M10R), Dimension - 183.75mm×182.2mm, 16 bus bar, PID free##)	WSC-N-M10R-16BB Mono TOPCon Solar Cell	25.54%	24.40% to 25.50 %		
						8.53 W	8.10 W to 8.60 W		

Solar Cell Efficiency and Wattage range are as claimed by manufacturer

PID is as claimed by manufacturer.

F. No. 283/51/2025-GRID SOLAR

भारत सरकार / Government of India

नवीन और नवीकरणीय ऊर्जा मंत्रालय / **Ministry of New & Renewable Energy**

ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003.

Dated: 24th November, 2025

OFFICE MEMORANDUM

Sub: Publishing 2nd Revision of ALMM (Approved List of Models & Manufacturers) LIST-II (for Solar PV Cells) – Reg.

Ref:

- i. MNRE's O.M. No. 283/54/2018-GRID SOLAR dated 02.01.2019, regarding ALMM Order and subsequent amendments and clarifications thereto;
- ii. MNRE's O.M. No. 283/54/2018-GRID SOLAR dated 28.03.2019, regarding Guidelines for enlistment under ALMM and subsequent amendments and clarifications thereto;
- iii. MNRE's O.M. No. 283/59/2024-GRID SOLAR/Pt dated 09.12.2024 regarding amendment to ALMM order, for implementation of ALMM for Solar PV Cells
- iv. Amendment dated 28.07.2025 to O.M. dated 09.12.2024 referred above

1. In accordance with above referred O.M.s, Ministry of New & Renewable Energy (MNRE) vide its O.M. of even no. dated 31.07.2025, issued ALMM List-II for Solar PV Cells. Now, MNRE, hereby issues the Second Revision of the ALMM List-II for Solar PV Cells, which is at Annexure-I.
2. This issues with the approval of competent authority.



(Sanjay G. Karndhar)

Scientist-E

E-mail: karndhar.sg@nic.in

Encl: as above

To: All Concerned

Copy to: Director (Technical), NIC, MNRE for uploading this document on MNRE's website

New additions on 24/11/2025 in ALMM List-II for Solar PV Cells									
S. No.	Name of the Manufacturer	Location of Manufacturing Facility	Enlisted Capacity (MWs / Year)	Type of Solar Cell	Enlisted Models	Average Solar Cell Efficiency (%) and Wattage (Wp)	Range of Efficiency (%) and Wattage (Wp) [#] [Min-Max]	Validity	
								From	To
1	M/s Websol Energy System Limited	Sector - II, Falta Special Economic Zone, Falta, 24 Parganas (South) , Pin - 743504, West Bengal, India	602	Mono Crystalline PERC (Bifacial), P-Type Bifacial: Dimension - 182.2mm×182.2mm, 182.2mm×183.75mm, 1 OBB, PID Free ^{##}	WS182MP10 (WS182MP10R)	23.16%	19.00% to 23.60 %	24.11.2025	23.11.2029
						7.66W	6.29W to 7.88W		

Solar Cell Efficiency and Wattage range are as claimed by manufacturer

PID is as claimed by manufacturer.

F. No. 283/51/2025-GRID SOLAR
भारत सरकार / Government of India
नवीन और नवीकरणीय ऊर्जा मंत्रालय / **Ministry of New & Renewable Energy**
ग्रिड और ऊर्जा विभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003
Dated: 23rd September 2025

OFFICE MEMORANDUM

Sub: Publishing 1st Revision of ALMM (Approved List of Models & manufacturers) LIST-II (for Solar PV Cells) – Reg.

Ref:

- i. MNRE's O.M. No. 283/54/2018-GRID SOLAR dated 02.01.2019, regarding ALMM Order and subsequent amendments and clarifications thereto;
- ii. MNRE's O.M. No. 283/54/2018-GRID SOLAR dated 28.03.2019, regarding Guidelines for enlistment under ALMM and subsequent amendments and clarifications thereto;
- iii. MNRE's O.M. No. 283/59/2024-GRID SOLAR/Pt dated 09.12.2024 regarding amendment to ALMM order, for implementation of ALMM for Solar PV Cells
- iv. Amendment dated 28.07.2025 to O.M. dated 09.12.2024 referred above

1. In accordance with above referred O.M.s, Ministry of New & Renewable Energy (MNRE) vide its O.M. of even no. dated 31.07.2025, issued ALMM List-II for Solar PV Cells. Now, MNRE, hereby issues the First Revision of the ALMM List-II for Solar PV Cells, which is at Annexure-I.

2. This issues with the approval of competent authority.



(Priya)
Scientist-D

Email: priya.mnre@gov.in

Encl: as above

To: All Concerned

Copy to: Director (Technical), NIC, MNRE for uploading this document on MNRE's website

New additions on 23/09/2025 in ALMM List-II for Solar PV Cells									
S. No.	Name of the Manufacturer	Location of Manufacturing Facility	Enlisted Capacity (MWs / Year)	Type of Solar Cell	Enlisted Models	Average Solar Cell Efficiency (%) and Wattage (Wp)	Range of Efficiency (%) and Wattage (Wp) [#] [Min-Max]	Validity	
								From	To
1	M/s. TP Solar Ltd.	Plot No. A109, Near Elcot Road, TP Solar Ltd., Sipcot Road and OSR Park Gangaikondan Road, Sipcot Industrial Park, Gangaikondan Industrial Park, Tirunelveli, Tamil Nadu -627352, India	4480	Mono Crystalline PERC Bifacial Solar cell, (182.2 mm × 182.2 mm, 10 bus bar, PID free##)	TPSLM10PM10B	23.25%	22.00 % to 23.70 %	23.09.2025	22.09.2029
						7.69 W	7.27 W to 7.84 W		
			53	Mono Crystalline TOPCon Bifacial Solar cell, (182.2 mm × 182.2 mm, 10 bus bar, PID free##)	182.2-247-10BB-160F-TOPCon	23.30%	22.50 % to 25.50 %		
						7.71 W	7.44 W to 8.43 W		
2	M/s Tata Power Renewable Energy Limited	Sy No. 43P and 44(P), Electronic City, 2nd Stage, Consisting Hosur Road, Bangalore – 560100, Karnataka, India	280	Bifacial Mono c-Si PERC Cells (182mm x 182 mm, 10 Busbar, PID Free##)	TPSM10MPE10B	22.89%	[20% to 23.5 %]	23.09.2025	22.09.2029
						7.54 W	[6.6W to 7.75 W]		

[#] Solar Cell Efficiency and Wattage range are as claimed by manufacturer

^{##} PID is as claimed by manufacturer.

F. No. 283/51/2025-GRID SOLAR

भारत सरकार / Government of India

नवीन और नवीकरणीय ऊर्जा मंत्रालय/ Ministry of New & Renewable Energy (MNRE)

ग्रिड सौर ऊर्जा प्रभाग / Grid Solar Power Division

Atal Akshay Urja Bhawan,
Lodhi Road, New Delhi – 110003.

Dated: 31st July 2025

OFFICE MEMORANDUM

Sub: Publishing ALMM LIST-II (for Solar PV Cells) – Reg.

Ref:

- i. MNRE's O.M. No. 283/54/2018-GRID SOLAR dated 02.01.2019, regarding ALMM Order and subsequent amendments and clarifications thereto;
- ii. MNRE's O.M. No. 283/54/2018-GRID SOLAR dated 28.03.2019, regarding Guidelines for enlistment under ALMM and subsequent amendments and clarifications thereto;
- iii. MNRE's O.M. No. 283/59/2024-GRID SOLAR/Pt dated 09.12.2024 regarding amendment to ALMM order, for implementation of ALMM for Solar PV Cells
- iv. Amendment dated 28.07.2025 to O.M. dated 09.12.2024 referred above

1. In accordance with above referred O.M.s, Ministry of New & Renewable Energy (MNRE), hereby issues the first version of the ALMM (Approved List of Models & Manufacturers) List-II for Solar PV Cells, which is at **Annexure-I**.

2. This issues with the approval of competent authority.

(Sanjay G. Karndhar)

Scientist-E

E-mail: karndhar.sg@nic.in

Encl: as above

To: All Concerned

Copy to: Director (Technical), NIC, MNRE for uploading this document on MNRE's website

ALMM List-II for Solar PV Cells									
S. No.	Name of the Manufacturer	Location of Manufacturing Facility	Enlisted Capacity (MWs / Year)	Type of Solar Cell	Enlisted Models	Average Solar Cell Efficiency (%) and Wattage (Wp)	Range of Efficiency (%) and Wattage (Wp) [#] [Min-Max]	Validity	
								From	To
1	M/s Emmvee Energy Pvt. Ltd.	Sy No. 66-70/3, Sompura Industrial Area, Pemmanahalli Village, Sompura Hobli, Nelamangala Taluku, Bangalore (Rural), 562111, Karnataka, India	1553	Bifacial N-Type TOPCon Cell (182.2mm x 183.75 mm, 16 BB, PID free ^{##})	EM16D1-TCM10	24.62%	[20.0% - 26.0%]	31.07.2025	30.07.2029
						8.24 W	[6.69 W - 8.70 W]		
2	M/s Premier Energies Photovoltaic Pvt Ltd	Plot No. 8/B/1 & 2, Survey No. 62 (P), 63 (P) & 88 (P), (Fab City), Raviryal, Maheshwaram (M), Ranga Reddy District – 501359, Telangana, India	751	Bifacial Mono c-Si PERC Cells (182.2 mm x 183.75 mm, 10 Busbar, PID Free ^{##})	PEPPL_PIRANHA_PTYPE_M10_BI-FACIAL	23.24%	[20.97% to 25.63 %]	31.07.2025	30.07.2029
						7.78 W	[6.99 W to 8.54 W]		
3	M/s Premier Energies International Pvt Ltd	Plot No. 8/B/1 & 2, Survey No. 62 (P), 63 (P) & 88 (P), (Fab City), Raviryal, Maheshwaram (M), Ranga Reddy District – 501359, Telangana, India	1174	Bifacial Mono c-Si PERC Cells (182.2 mm x 183.75 mm, 10 Busbar, PID Free ^{##})	PEPPL_PIRANHA_PTYPE_M10_BI-FACIAL	23.24%	[20.97% to 25.63 %]	31.07.2025	30.07.2029
						7.78 W	[6.99 W to 8.54 W]		

ALMM List-II for Solar PV Cells

S. No.	Name of the Manufacturer	Location of Manufacturing Facility	Enlisted Capacity (MWs / Year)	Type of Solar Cell	Enlisted Models	Average Solar Cell Efficiency (%) and Wattage (Wp)	Range of Efficiency (%) and Wattage (Wp) [#] [Min-Max]	Validity	
								From	To
4	M/s. Mundra Solar Energy Limited	Survey No. 180 P, CO Mundra Solar Technopark Pvt. Ltd, Electronics Manufacturing Cluster EMC, Village Vandh and Tunda, Mundra, Kutch, Adani Ports and Special Economic Zone, Tunda, Kachchh, Gujarat, 370435	1939	Bifacial Mono c-Si PERC Cells (182 mm x 182 mm, 10 Busbar, PID free ^{##})	MSELM10B10	23.43%	[22.6% to 23.5 %]	31.07.2025	30.07.2029
						7.71 W	[7.53 W to 7.83 W]		
5	M/s. Mundra Solar PV Limited	Survey No. 180 P, CO Mundra Solar Technopark Pvt. Ltd, Electronics Manufacturing Cluster EMC, Village Vandh and Tunda, Mundra, Kutch, Adani Ports and Special Economic Zone, Tunda, Kachchh, Gujarat, 370435	1893	Bifacial N Type TOPCon Cells (182 mm x 182 mm, 16 busbar, PID free ^{##})	TPB16	25.27%	[24.6% to 25.5 %]	31.07.2025	30.07.2029
						8.34 W	[8.14 W to 8.44 W]		
6	M/s ReNew Photovoltaics Pvt Ltd	FP. No. 232(Part), Survey No 151/2, TP 2A, Dholera SIR, Village- Dholera, District- Ahmedabad, Gujarat 382455	1766	Bifacial Mono c-Si PERC Cells (182.2mm x 183.75 mm & 182.2mm x 182.2 mm, 10 Busbar, PID free ^{##})	P-TYPE M10 PERC CELL	23.35%	[22.4% to 23.8%]	31.07.2025	30.07.2029
						7.72 W	[7.40 W to 7.96 W]		

ALMM List-II for Solar PV Cells										
S. No.	Name of the Manufacturer	Location of Manufacturing Facility	Enlisted Capacity (MWs / Year)	Type of Solar Cell	Enlisted Models	Average Solar Cell Efficiency (%) and Wattage (Wp)	Range of Efficiency (%) and Wattage (Wp) [#] [Min-Max]	Validity		
								From	To	
7	M/s. Jupiter International Limited (Unit 1)	Village Katha , PO & Tehsil Baddi, District Solan, Himachal Pradesh - 173205	339	Mono PERC Bifacial Solar Cell, P Type , 182.2mm x 182.2 mm and 182.2mm x 183.75 mm, 10 bus bar, PID free ^{##}	Mono PERC Bifacial Solar Cell, P Type	23.10%	[20.0 % to 23.80 %]	31.07.2025	30.07.2029	
						7.73 W	6.69 W to 7.97 W			
8	M/s. Jupiter International Limited (Unit 2)	Village Katha , PO & Tehsil Baddi, District Solan, Himachal Pradesh - 173205	440	Mono PERC Bifacial Solar Cell, P Type , 182.2mm x 182.2 mm and 182.2mm x 183.75 mm, 10 bus bar, PID free ^{##}	Mono PERC Bifacial Solar Cell, P Type	23.10%	[20.0 % to 23.80 %]	31.07.2025	30.07.2029	
						7.73 W	[6.69 W to 7.97 W]			
9	M/s. FS India Solar Ventures Private Limited	Plot No. A-1/1, Sipcot Industrial Park, Pillaipakkam - 602105, Tamil Nadu	3212	Is enlisted in ALMM List-I for solar PV modules and is deemed to be eligible for Inclusion in ALMM List-II for solar PV cells, as per para 9 of OM dated 09.12.2024					31.07.2025	28.04.2028

Solar Cell Efficiency and Wattage range are as claimed by manufacturer

PID is as claimed by manufacturer.