

N/17

Note: - The unit was issued Consent to Establish under Category-III under Water Act and Air Act. Total number of employees at the unit was more than 100. Therefore, as per new notification No. PCC/DMN/13-(Part IV)/98-99/2014-15/1199 Dated 09/10/2015 the unit falls under **Category-II**.

Name of the unit	M/s. Borkar Packaging Pvt. Ltd.	
Address	Sr. No. 341/5, Bharat Industrial Estste, Bhimpore, Daman.	
Area	Bhimpore	
Category	Category - II	
Applied for	Consent to Operate	
Consent granted for	Consent to Establish for D.G. set of 400 KVA (01 no.)	
Sr. No.	Documents required	Submitted
1.	Application in Form XIII under Water Act.	N.A.
2.	Application in Form I under Air Act.	Yes (C/967)
3.	Affidavit on Rs. 20 stamp paper showing capital investment.	Yes (C/955)
4.	Consent fees demand draft of Rs. 5359/- under Air Act.	Yes (C/215)
5.	Display Sign Board.	Not submitted
6.	Application for authorization to handle hazardous waste and industry data sheet in Form - I.	Not submitted
7.	Industry Data Sheet Format	Not submitted
8.	Copy of hazardous waste manifest in Form 13.	N.A.
9.	Copy of membership of common TSDF.	N.A.
10.	Copy of analysis of treated effluent.	N.A.
11.	Copy of stack monitoring report and ambient air quality monitoring report.	N.A.
Effluent discharge with quantity		
	Consumption	Discharge
Domestic water	9 KL/Day	9 KI/Day
Industrial water (Cooling)	3 KL/Day	--
Air Emission		
Installation	Fuel used	Stack/Acoustic
D.G. set-400 KVA (01 no)	Diesel-80 lit/Hr	Yes
Details of Effluent Treatment Plant/APCDS		
ETP	N.A.	
APCDS	N.A.	
Monitoring Reports		

Effluent Norms		
	Norms as per consent	As per report
pH	6.5-9.0	--
Suspended Solids	Not to exceed 100 mg/Lit	--
BOD	Not to exceed 100 mg/Lit	--
COD	Not to exceed 250 mg/Lit	--
Oil & grease	Not to exceed 10 mg/Lit	--

Observations and Recommendations :

The unit was inspected on 24/10/2016 and at the time of inspection following observations were noted:

- The unit was in operation at the time of inspection.
- The unit has installed Display signboard outside of premises.
- Total number of employees at the unit was above 100. ✓
- Products being manufactured at the time of inspection were multicolor printed paper board cartons.
- Manufacturing process involved at the unit was cutting and printing only. ✓
- The unit had installed D.G. set of 400 KVA (01 no.) and 320 KVA (01 no.).
- The unit had submitted application for Consent to Renewal for 'Multicolor printed paper board cartons-70000 sheets/day & D.G. set-320 KVA (1 no.)'

In view of above, Consent to Operate (Category-II) for "D.G.s et of 400 KVA (1 no.)" under Air Act for the period up to **31/10/2017** may be issue.

Submitted for your kind perusal and approval, Sir.

[Signature]
02/11/16

Member Secretary

F/SO No. 140024
 Dt: 03/11/16
 Dt: 08/11/16
 P/140035
 P/11116

May be approved for grant of CTO as proposed.

Chairman, PCC

6.11.2016

[Signature]
3/11/2016

MS -

[Signature]
9/11/2016

[Signature]