

M/s. Kandoi Fabrics P.Ltd., Sr.no.375/8, Zari Causeway Road, Village Kachigam, Daman was issued consent to establish to manufacture the products " HDPE/PP/LDPE Woven Fabric, Bags , Sacks, Laminated and unlaminated from 24 MT/Year to 4800 MTPA (by way of RM-extrusion-lamination-slitting –cheese winding-weaving-circular looms-stitching –printing – cutting-bailing-packing without any kind of dyeing /washing/ wet /chemical process/yarn process) and to install D.G.Sets of 380 KVA- 2 nos. valid upto 31/7/2014 Valid upto 31/5/2015 under water and air act . The unit has submitted consent fees till date. The activity falls under **Green category.**

The unit has submitted application for grant of consent to **Operate** under water and air act along with the following documents as below;

- (i). Dully filled in Application form no. XIII under Water act.
- (ii). Dully filled in Application form no. I under Air act.
- (iii) Consent fees under water and air act for Rs.20000/-
- (iv) Affidavit regarding details of capital investment
- (v) Copy of establishment consent obtained under water and air act.
- (vi) Application to obtain authorization under hazardous waste, industry data sheet, and details of display sign board.


The unit was inspected on 26/8/2014 in the presence of Mr.Sumit Wani, Production Manager of the Unit and the following observations were made.


- The unit was in operation at the time of inspection.
- The unit has installed plant and machinery such as Tape plant, circular weaving m/., lamination plant, bag printing m/c., stitching m/c., bail press m/c., bag cutting m/c.
- The unit is engaged in manufacturing of above mentioned products.
- The raw materials used are HDPE/PP granules, LDPE/LLDPE granules, master batches, calcium carbonate, printing ink.
- The manufacturing process mainly involves RM- Extrusion-Lamination-slitting –cheese winding-weaving-circular looms-stitching- printing – cutting-bailing –packing.
- The unit is not carrying out any printing process.
- The unit has displayed sign board with the details.

Since the unit has not provided acoustic enclosure to the D.G.Set, notice of direction to the unit may be issued under section 33(A) of Water Act for the unit and under Section 31(A) of Air Act for D.G.Set .

Submitted for kind perusal and signature please.

**Member Secretary**

  
17/9/2017

  
1/9/14

