

G. 6086

N/3

M/s. Krishna Packaging Unit-II., Sr. no.711/9, Somnath Road, Village-Dabhel, Nani Daman was issued Consent to Establish for manufacturing of "PP/HDPE plastics stitching thread tapes- 1000 MTPA, Multifilament yarn-1000 MTPA, PE/PP/Ropes-500 MTPA, Fibrillated Twisting yarn-500 MTPA, Leno Bags/Strips/threads-500 MTPA, Woven Roll Bags, Sheet, printed laminated woven sacks-500 MTPA and Tarpaulins made of PP/HDPE, Laminated - 500 MTPA (no other items)." under Water and Air act valid upto 31/03/2016. The activity falls under **Category-III**.

The unit has submitted application for grant of consent to Operate under Water and Air act on 16/11/2015 along with the following documents;

- Application form no. XIII under Water Act.
- Application form no. I under Air Act.
- Declaration giving details of capital investment including land, building and plant & machinery without description.
- Consent fees under water and air act for Rs 10000 /-.
- Display sign board.
- Application for authorization to handle Hazardous Waste (form-I).
- Industry Data Sheet.
- Copy of Consent to Establish under Water and Air Act.

Actual consent fee of the unit is Rs. 15000 whereas unit had submitted Rs. 10000 as consent fee.

The unit was inspected on 17/12/2015 at 17:30 hrs. At the time of inspection of the unit following observations were noted:

- Display sign board was not installed at the entrance gate of the unit..
- The unit was in operation at the time of inspection.
- Raw materials used in manufacturing process were granules of Polypropylene, High Density Polystyrene, LDPE, printing Ink and Master Batch.
- Products observed being manufactured during inspection were plastics stitching thread tapes, Multifilament yarn, Fibrillated Twisting yarn and Leno Bags/Strips/threads.
- Housekeeping observed was in good condition.
- Representative of the Unit were instructed to avail all the employees with necessary safety equipment (goggles, safety shoes) & training related to safety precautions to reduce the risk of hazards or accidents.
- Representative of the Unit were instructed to avail posters or stickers over each of the machine with their details and take necessary safety measures to avoid risk.
- Proper storage facilities were available for raw material and products.
- The unit is not significant to pollution potential. As there is no water used during any stage of process.
- The unit was availed with septic tank and soak pit for domestic waste water generation.

Based on the above mentioned scrutiny of the documents, submitted consent fee and observations during inspection a quarry letter had been prepared and placed.

Submitted for your perusal and approval, Sir please.

*Santosh*  
10/12/15

Member Secretary

*Santosh*  
22/12/2015

*Santosh*