

Name of the unit		M/s Manish Plast, Unit No. 2,	
Address		Sr. No. 371/1(1), B, Gala No. 10, Nupur Industrial Estate, Kachigam, Daman.	
Area		Kachigam	
Category		ORANGE	
Applied for		Consent to Operate under Water Act and Air Act.	
Consent granted for		Reprocess Plastic Granules (from 1 st generation in -house plastic waste) - 110 MTPA and injection moulded plastic granules - 90 MTPA valid upto 30/06/2015.	
Sr. No.	Documents required		Submitted Yes/No/NA
1.	Application in Form XIII under Water Act		Yes (at C/149)
2.	Application in Form I under Air Act		Yes (at C/143)
3.	Declaration showing capital investment.		Yes (at C/139)
4.	Consent fees under Water Act and Air Act.		Yes Rs. 2,000/- (at C/147)
5.	Environment statement in FORM V.		NA
6.	Application for authorization to handle hazardous waste and industry data sheet.		Yes (at C/131)
7.	Copy of hazardous waste manifest in Form 13.		NO
8.	Copy of membership of common TSDF		NA
9.	Copy of analysis of treated effluent		NA
10.	Copy of stack monitoring report and ambient air quality monitoring report.		NA
11.	Copy of noise level report etc.		NA
12.	Any other details/documents/ Performance report of APCD		NA
Effluent discharge with quantity			
	Consumption	Discharge	
Domestic water	1.0 KL/Day	0.5 KL/Day	
Industrial water	0.5 KL/Day	NIL	
Air Emission			
Installation	Fuel used	Stack/Acoustic	
Boiler/TFH/D. G. Set	NA	NA	
Details of Effluent Treatment Plant/APCDS - NA			
ETP	NA		
APCDS	NA		
Monitoring Reports			
Effluent Norms (NA)			
	Norms as per consent	As per report	
pH	6.5-9.0	--	
Suspended Solids	Not to exceed 100 mg/Lit	--	
BOD	Not to exceed 100 mg/Lit	--	

G-5860

N/5

File No. PCC/DDD/G-5860/WA/AA/KG/13-14/

M/s Manish Plast, Unit No. 2, Daman.

COD	Not to exceed 250 mg/Lit	--
Oil & grease	Not to exceed 10 mg/Lit	--
Air Emission from stack - NA		
	Norms as per consent	As per report
Particulate Matter	150 mg/NM ³	--
SO ₂	40 mg/NM ³	--
NO _x	25 mg/NM ³	--
Ambient air emission - NA		
	Norms as per consent	As per report
Particulate Matter ₁₀	100 µg/m ³	--
Particulate Matter _{2.5}	60 µg/m ³	--
NO ₂	80 µg/m ³	--
SO ₂	80 µg/m ³	--
Submitted:-		
<p>The unit was inspected on 17/08/2015 in presence of Mr. Ganesh representative of the unit and following observations were made:-</p> <ul style="list-style-type: none"> • The unit was in operation at the time of inspection. • The unit is engaged in manufacturing of Plastic Granules only. • The unit has installed machinery such as extruder – 1 No., aglo/grinder - No. and cutter – 1 No. • Manufacturing process is raw material – melting in extruder – cooling – cutting packing. • There is no installation under Air Act such as TFH/Boiler/D. G. Set. • Unit has displayed sign board at the main gate of the factory displaying information. <p>In view of above if approved Consent to Operate under Water Act and Air Act to manufacture Reprocess Plastic Granules (from 1st generation in-house plastic waste) – 110 MTPA is placed in file for approval, pl.</p> <p style="text-align: center;"><i>D. T. Laxmi</i> 19/8/15</p>		
Member Secretary		

May please be approved as proposed.

[Signature]
24/8/2015