

0-110

M/s. Firmenich Aromatics (India) Pvt. Ltd., (Unit-II), Survey no. 57/(3) 4 & 8, Village-Dunetha (Bhenslore), Nani Daman. was issued consent to establish for manufacturing of "Perfumery Compounds – 10000 MTPA and Flavour Compound-2500 MTPA and one D.G. Set-380 KVA-1 no. (no other items)." under Water and Air act valid upto 28/02/2016. The activity falls under **Category-III**.

The unit has submitted application for grant of consent to Operate under Water and Air act on 30/10/2015 along with the following documents;

- Application form no. XIII under Water Act.
- Application form no. I under Air Act.
- Declaration giving details of capital investment including land, building and plant & machinery without description.
- Consent fees under water and air act for Rs 30000 /-.
- Display sign board.
- Application for authorization to handle Hazardous Waste (form-I).
- Industry Data Sheet.
- Copy of Consent to Establish under Water and Air Act.

N/18

D-110

The unit was inspected on 17/12/2015 at 17:05 hrs. At the time of inspection of the unit following observations were noted:

- Display sign board was properly filled with product and waste generation details.
- The unit was in operation at the time of inspection.
- Housekeeping observed was excellent.
- Proper storage facilities were available for raw material and products.
- Strict rules for employees and visitors regarding Health, Safety & Environment were implemented in the unit premises.
- ETP was operational at the time of inspection and performance of the ETP was good. Treated effluent is utilized in gardening and sprinkling over loans in the unit premises.
- D. G. Set having capacity 250 and 365 KVA were installed in the unit having acoustic covering over it.
- Unit had maintained Zero liquid discharge from the industrial processing of the unit to the environment.
- The unit is not significant to pollution potential.

Previously unit had been issued Consent to Establish for manufacturing of "Perfumery Compounds - 10000 MTPA and Flavour Compound-2500 MTPA and one D.G. Set-380 KVA-1 no." Now the unit had applied for Consent to Operate for "Perfumery Compounds - 10000 MTPA and Flavour Compound-2500 MTPA and one D.G. Set-365 KVA-1 no." and base on the application for consent to operate a inspection had been conducted for the unit where D. G. Set-365 KVA had been observe installed in the unit.

As there is a variation in application for Consent to Establish, Consent to Operate and observations during inspection based on which a quarry letter had been prepared and placed.

Submitted for your perusal and approval, Sir please.

Signature
23/12/15

Member Secretary