


0-2304

Name of the unit	M/s Vaishali Plastics,	
Address	Sr. No. 380/1, Plot No. 7, Gala No. 701 & 702, Ground Floor, Modern Industrial Estate, Kachigam, Daman.	
Area	Kachigam	
Category	ORANGE	
Applied for	Consent to Operate under Water Act and Air Act.	
Consent granted for	Plastic Reprocessed Granules and Plastic Tubings, Bags, Rolls and Sheet – 2400 MTPA valid upto 30/09/2016.	
Sr. No.	Documents required	Submitted Yes/No/NA
1.	Application in Form XIII under Water Act.	Yes (at C/185)
2.	Application in Form I under Air Act.	Yes (at C/451)
3.	Affidavit showing capital investment in Rs. 20/- stamp paper.	Yes (at C/179)
4.	Consent fees under Water Act and Air Act.	Yes Rs. 2,000/- (at C/183)
5.	Environment statement in FORM V.	NA
6.	Application for authorization to handle hazardous waste and industry data sheet.	Yes (at C/163)
7.	Copy of hazardous waste manifest in Form 13.	NO
8.	Copy of membership of common TSDF.	NA
9.	Copy of analysis of treated effluent.	NA
10.	Copy of stack monitoring report and ambient air quality monitoring report.	NA
11.	Copy of noise level report etc.	NA
12.	Any other details/documents/ Performance report of APCD	NA
Effluent discharge with quantity		
	Consumption	Discharge
Domestic water	0.3 KL/Day	0.025 KL/Day
Industrial water	0.5 KL/Day	NIL

Air Emission		
Installation	Fuel used	Stack/Acoustic
Boiler/TFH/D. G. Set	NA	NA
Details of Effluent Treatment Plant/APCDS - NA		
ETP	NA	
APCDS	NA	
Monitoring Reports		
Effluent Norms (NA)		
	Norms as per consent	As per report
pH	6.5-9.0	--
Suspended Solids	Not to exceed 100 mg/Lit	--
BOD	Not to exceed 100 mg/Lit	--
COD	Not to exceed 250 mg/Lit	--
Oil & grease	Not to exceed 10 mg/Lit	--
Air Emission from stack - NA		
	Norms as per consent	As per report
Particulate Matter	150 mg/NM ³	--
SO ₂	40 mg/NM ³	--
NO _x	25 mg/NM ³	--
Ambient air emission - NA		
	Norms as per consent	As per report
Particulate Matter ₁₀	100 µg/m ³	--
Particulate Matter _{2.5}	60 µg/m ³	--
NO ₂	80 µg/m ³	--
SO ₂	80 µg/m ³	--
Submitted:-		
<p>The unit was inspected on 07/12/2015 in presence of Mr. Gajanand representative of the unit and following observations were made:-</p> <ul style="list-style-type: none"> • The unit was in operation at the time of inspection. • The unit is engaged in manufacturing of re-processed plastic granules only. • The unit has installed machinery such as extruder – 02 Nos. and aglo – 02 Nos. • Manufacturing process involves as raw material – extrusion – cutting – packing. • Water used for cooling is recycled back in process. • Unit has displayed sign board at the main gate of the factory. • There is no any D. G. Set/Boiler/TFH installed. • As per new notification the unit has to deposit balance consent fees Rs. 1000/-. <p>In view of above if approved letter is prepared and placed in file for approval, pl.</p>		
 08/12/15		
Member Secretary		

[Handwritten signature]
15/11/2015

[Handwritten signature]