

Name	M/s. Shreeji Plastics,
Address	Plot No. B-10, Ground Floor, IODC Udyog Nagar Industrial Estate, Village Ringanwada, Daman.
Products granted in establishment	Plastic reprocessed granules-4800 MTPA and plastic tubing, bags, rolls and sheets-1200 MTPA under Water Act and Air Act and valid upto 31/10/2015.
Category	Orange Category
Applied for	Operate consent under Water Act and Air Act

Documents submitted as per Checklist.

Sr. No	Documents	YES/NO/NA
A	Dully filled in application form no. XIII under Water Act.	Yes C/171
B	Dully filled in application form no. I under Air Act	Yes C/165
C	Consent fee under Water and Air Act in the form of demand draft in favour of Pollution control committee, payable at Silvassa or Daman	Yes C/169
D	Self declaration letter giving the details of capital investment including land, building and plant and machinery without depreciation	Yes C/141
E	Copy "establishment consent" order issued under Water Act.	Yes C/137
F	Copy "establishment consent" order issued under Air Act.	Yes C/137
G	Details of Pollution control system installed to treat Water/Air Pollution including copy of ETP/APCD drawings.	NA
H	1. Application for obtaining authorization for collection /reception/treatment /transports/storage/disposal of hazardous wastes (Forms I). 2. Industry Data Sheet (IDSF) 3. Display Sign Board	Yes C/149 Yes C/145 Yes C/151
I	Application as per Form-I for Plastic Waste (Management and Handling) Rules,2011	Yes C/157
J	Application as per Form-2 for recycling plastic waste	Yes C/161

Observations :

The unit was inspected on 28.01.2015 in the presence of Mr. Hetal Parek, Manager of the unit and the following observations were made;

1. The unit was in operation at the time of inspection.
2. The unit has installed the plant and machinery such as tubing plant-4 Nos., cutting & sealing m/c-3 Nos., mixer m/c.
3. The unit is manufacturing plastic tubing, bags, rolls and sheets.

O-2242


N/5

4. The manufacturing process is mainly by extrusion only.
5. The raw materials are basically ready HM/LD/HD/PP/HDPE virgin granules.
6. At the time of inspection the unit has not installed re-process extruder machine for manufacture of re-processed plastic granules and also unit person informed that at present they are not manufacture re-process plastic granules.
7. The unit is not significant to pollution potential.
8. The unit has not displayed signboard at the time of inspection.

The unit is manufacturing plastic tubing, bags, rolls and sheets product which is falls under **Green Category**.

Submitted:

In view of the above, if approved the unit ask to install display sign board in front of the gate. A letter is prepared and placed in the file.


29.01.15


Member Secretary


6/2

Letter was issued to the unit vide dated 27/02/2015 to install display sign board at the main gate and the unit vide letter dated 14/03/2016 has submitted reply informing that they have install display sign board. The unit has to deposit consent fees Rs. 3000/- under Water Act and Air Act for the year 2016-17. In view of above if approved letter is prepared and placed in file for approval, pl.

Member Secretary

D.T. Kaur
01/04/16


5/4/2016

Dejoh