

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	10-12-2025 13:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	10-12-2025 13:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Ministry Of Health And Family Welfare
विभाग का नाम / Department Name	Department Of Health And Family Welfare
संगठन का नाम / Organisation Name	N/a
कार्यालय का नाम / Office Name	Central Procurement Branch Dnh Dd
कुल मात्रा / Total Quantity	203905

बिड विवरण/Bid Details	
वस्तु श्रेणी /Item Category	Digital Dry Film 14 x 17 compatible with Drystal 5503 1x100 films per Cartridge , X-Ray Digital Cassette 14x17 inch compatible with AGFA CR-30XM , Mammography Cassette Agfa CR 30xM size 10x12 , X-RAY LEAD APRON COAT AND SURGICAL TYPE REGULAR SIZE , X-RAY LEAD APRON COAT AND SURGICAL TYPE XXXL SIZE , X-RAY LEAD APRON 0.5MM With Hnager , Microbar Barium Powder For X-Ray Use Only 3kg , Inj Godopentetate Dimeglumine 469mg per ml 10ml , Inj Iohexol 755mg per ml Iodine 350mg per ml Trometamine USP 1.21mg per ml 350mg per 1ml 100ml , Inj Iohexol 755mg per ml Iodine 350mg per ml Trometamine USP 1.21mg per ml 350mg per 1ml 50ml , Oral Contrast Tazogastro 100ml , Inj Truvu 76 percent I.V.P. Ionic Contrast 20ml , inj Iomeron 400 mg 100 ml , I.V.P. Ionionic Contrast 50 ml Iopamidol , Medrad Disposable MRI Kit For 65 per 115 MR , Imaxeon Salient 190ml Syringe With QFT , MRI Compatible ECG Leads For Cardiac MRI , Tissue Paper 30cm x 30cm 1 x 100 Tissue per Pkt , X-Ray cassette 12 x 15 Manual With Screan , X-Ray cassette 11 x 14 Manual With Screan , X-Ray cassette 12 x 10 Manual With Screan , X-Ray cassette 10 x 8 Manual With Screan , Lead Number Set 0 to 9 , X- Ray Developer 9 liter , X- Ray film 10x12.25 inch Blue Color 40x30.48 cm 1 x 50 pack , X- Ray film 11x14 inch Blue Color 27.94 x 35.56 cm 1 x 50 flims , X- Ray film 12x15 inch Blue Color 30.48x38.10 cm 1 x 50pack , X- Ray film 8x10 inch Blue Color 20.32x25.40 cm 1 x 50 flims , X- Ray fixer 9 liter , Lead Alphabet Set L And R , X-Ray Film Hanger Clip Type 12 x 15 , X-Ray Film Hanger Clip Type 11 x 14 , X-Ray Film Hanger Clip Type 10 x 12 , X-Ray Film Hanger Clip Type 8 x 10 , Digital Dry Film 11 x 14 compatible with Drystal 5503 1x100 films per Cartridge , Digital Dry Film 14 x 17 compatible to DV 5503 1x100 films per Cartridge , Digital Dry Film 8 x 10 compatible with Drystal 5503 1x100 films per Cartridge , X-Ray Digital Cassette 10x12 inch Compatible With Agfa CR 15-X , X-Ray Digital Cassette 14x17 inch Compatible With Agfa CR 15-X , X-Ray Digital Cassette 8x10 inch Compatible With Agfa CR 15-X , Instant Print Paper Film X-Ray A4 Size 8X10 , Instant Print Paper Film X-Ray,MRI, CT A3 Size 14X17
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	health
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Healthcare Kitchen and Dietary Service
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	X - Ray Developer for Radiology
बीओक्यू शीर्षक /BOQ Title	RadiologyMRICTmaterials
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years)	84 Lakh (s)
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Exemption for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Exemption for Years of Experience and Turnover	No

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Bidder Turnover,Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Digital Dry Film 14 x 17compatible with Drystal 5503 1x100 films per Cartridge
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation/
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
Schedule 1 ईएमडी राशि/EMD Amount (In INR)	2130
Schedule 2 ईएमडी राशि/EMD Amount (In INR)	18585
Schedule 3 ईएमडी राशि/EMD Amount (In INR)	13125

Schedule 4 ईएमडी राशि/EMD Amount (In INR)	5005
Schedule 5 ईएमडी राशि/EMD Amount (In INR)	2310
Schedule 6 ईएमडी राशि/EMD Amount (In INR)	7929
Schedule 7 ईएमडी राशि/EMD Amount (In INR)	539
Schedule 8 ईएमडी राशि/EMD Amount (In INR)	21271
Schedule 9 ईएमडी राशि/EMD Amount (In INR)	58800
Schedule 10 ईएमडी राशि/EMD Amount (In INR)	9450
Schedule 11 ईएमडी राशि/EMD Amount (In INR)	18900
Schedule 12 ईएमडी राशि/EMD Amount (In INR)	3812
Schedule 13 ईएमडी राशि/EMD Amount (In INR)	4091
Schedule 14 ईएमडी राशि/EMD Amount (In INR)	1465
Schedule 15 ईएमडी राशि/EMD Amount (In INR)	15119
Schedule 16 ईएमडी राशि/EMD Amount (In INR)	15400
Schedule 17 ईएमडी राशि/EMD Amount (In INR)	606
Schedule 18 ईएमडी राशि/EMD Amount (In INR)	4200
Schedule 19 ईएमडी राशि/EMD Amount (In INR)	635
Schedule 20 ईएमडी राशि/EMD Amount (In INR)	615
Schedule 21 ईएमडी राशि/EMD Amount (In INR)	924
Schedule 22 ईएमडी राशि/EMD Amount (In INR)	770
Schedule 23 ईएमडी राशि/EMD Amount (In INR)	2
Schedule 24 ईएमडी राशि/EMD Amount (In INR)	42
Schedule 25 ईएमडी राशि/EMD Amount (In INR)	491
Schedule 26 ईएमडी राशि/EMD Amount (In INR)	1217
Schedule 27 ईएमडी राशि/EMD Amount (In INR)	1562
Schedule 28 ईएमडी राशि/EMD Amount (In INR)	414
Schedule 29 ईएमडी राशि/EMD Amount (In INR)	262
Schedule 30 ईएमडी राशि/EMD Amount (In INR)	5
Schedule 31 ईएमडी राशि/EMD Amount (In INR)	98
Schedule 32 ईएमडी राशि/EMD Amount (In INR)	98

Schedule 33 ईएमडी राशि/EMD Amount (In INR)	98
Schedule 34 ईएमडी राशि/EMD Amount (In INR)	98
Schedule 35 ईएमडी राशि/EMD Amount (In INR)	8215
Schedule 36 ईएमडी राशि/EMD Amount (In INR)	8480
Schedule 37 ईएमडी राशि/EMD Amount (In INR)	3468
Schedule 38 ईएमडी राशि/EMD Amount (In INR)	3038
Schedule 39 ईएमडी राशि/EMD Amount (In INR)	4516
Schedule 40 ईएमडी राशि/EMD Amount (In INR)	2627
Schedule 41 ईएमडी राशि/EMD Amount (In INR)	143640
Schedule 42 ईएमडी राशि/EMD Amount (In INR)	204680

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00
ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	12

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Director Medical and Health Services
CENTRAL PROCUREMENT BRANCH AYUSHMAN AROGYA MANDIR, DHOLAR, MOTI DAMAN – 396220 Telephone – 0260 2961700.
(Director Medical And Health Services Dnhdd)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

3. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / **Evaluation Method** (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	Digital Dry Film 14 X 17compatible With Drystal 5503 1x100 Films Per Cartridge	5
Schedule 2	X-ray Digital Cassette 14x17 Inch Compatible With Agfa Cr-30xm	2
Schedule 3	Mammography Cassette Agfa Cr 30xm Size 10x12	3
Schedule 4	X-ray Lead Apron Coat And Surgical Type Regular Size	20
Schedule 5	X-ray Lead Apron Coat And Surgical Type Xxxl Size	5
Schedule 6	X-ray Lead Apron 0.5mm With Hnager	38
Schedule 7	Microbar Barium Powder For X-ray Use Only 3kg	14
Schedule 8	Inj Godopentetate Dimeglumine 469mg Per MI 10ml	850
Schedule 9	Inj Iohexol 755mg Per MI Iodine 350mg Per MI Trometamine Usp 1.21mg Per MI 350mg Per 1ml 100ml	1200
Schedule 10	Inj Iohexol 755mg Per MI Iodine 350mg Per MI Trometamine Usp 1.21mg Per MI 350mg Per 1ml 50ml	300
Schedule 11	Oral Contrast Tazogastro 100ml	450
Schedule 12	Inj Truvu 76 Percent I.v.p. Ionic Contrast 20ml	600
Schedule 13	Inj Iomeron 400 Mg 100 MI	50
Schedule 14	I.v.p. Ionionic Contrast 50 MI Iopamidol	50

Schedule 15	Medrad Disposable Mri Kit For 65 Per 115 Mr	300
Schedule 16	Imaxeon Salient 190ml Syringe With Qft	500
Schedule 17	Mri Compatible Ecg Leads For Cardiac Mri	500
Schedule 18	Tissue Paper 30cm X 30cm 1 X 100 Tissue Per Pkt	4800
Schedule 19	X-ray Cassette 12 X 15 Manual With Screan	2
Schedule 20	X-ray Cassette 11 X 14 Manual With Screan	2
Schedule 21	X-ray Cassette 12 X 10 Manual With Screan	2
Schedule 22	X-ray Cassette 10 X 8 Manual With Screan	2
Schedule 23	Lead Number Set 0 To 9	2
Schedule 24	X- Ray Developer 9 Liter	10
Schedule 25	X- Ray Film 10x12.25 Inch Blue Color 40x30.48 Cm 1 X 50 Pack	20
Schedule 26	X- Ray Film 11x14 Inch Blue Color 27.94 X 35.56 Cm 1 X 50 Flims	20
Schedule 27	X- Ray Film 12x15 Inch Blue Color 30.48x38.10 Cm 1 X 50pack	20
Schedule 28	X- Ray Film 8x10 Inch Blue Color 20.32x25.40 Cm 1 X 50 Flims	10
Schedule 29	X- Ray Fixer 9 Liter	10
Schedule 30	Lead Alphabet Set L And R	10
Schedule 31	X-ray Film Hanger Clip Type 12 X 15	8
Schedule 32	X-ray Film Hanger Clip Type 11 X 14	8
Schedule 33	X-ray Film Hanger Clip Type 10 X 12	8
Schedule 34	X-ray Film Hanger Clip Type 8 X 10	8
Schedule 35	Digital Dry Film 11 X 14 Compatible With Drystal 5503 1x100 Films Per Cartridge	30
Schedule 36	Digital Dry Film 14 X 17 Compatible To Dv 5503 1x100 Films Per Cartridge	20
Schedule 37	Digital Dry Film 8 X 10 Compatible With Drystal 5503 1x100 Films Per Cartridge	20
Schedule 38	X-ray Digital Cassette 10x12 Inch Compatible With Agfa Cr 15-x	2
Schedule 39	X-ray Digital Cassette 14x17 Inch Compatible With Agfa Cr 15-x	2
Schedule 40	X-ray Digital Cassette 8x10 Inch Compatible With Agfa Cr 15-x	2
Schedule 41	Instant Print Paper Film X-ray A4 Size 8x10	108000
Schedule 42	Instant Print Paper Film X-ray,mri, Ct A3 Size 14x17	86000

Digital Dry Film 14 X 17compatible With Drystal 5503 1x100 Films Per Cartridge

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	5	30

X-Ray Digital Cassette 14x17 Inch Compatible With AGFA CR-30XM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	2	30

Mammography Cassette Agfa CR 30xM Size 10x12

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	3	30

X-RAY LEAD APRON COAT AND SURGICAL TYPE REGULAR SIZE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
-------------------	---	-------------	------------------	---------------------------------

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	20	30

X-RAY LEAD APRON COAT AND SURGICAL TYPE XXXL SIZE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	5	30

X-RAY LEAD APRON 0.5MM With Hnager

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	38	30

Microbar Barium Powder For X-Ray Use Only 3kg

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	14	30

Inj Godopentetate Dimeglumine 469mg Per MI 10ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	850	30

Inj lohexol 755mg Per MI Iodine 350mg Per MI Trometamine USP 1.21mg Per MI 350mg Per 1ml 100ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	1200	30

Inj Iohexol 755mg Per MI Iodine 350mg Per MI Trometamine USP 1.21mg Per MI 350mg Per 1ml 50ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	300	30

Oral Contrast Tazogastro 100ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	450	30

Inj Truvu 76 Percent I.V.P. Ionic Contrast 20ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	600	30

Inj Iomeron 400 Mg 100 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	50	30

I.V.P. Ionic Contrast 50 MI Iopamidol

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	50	30

Medrad Disposable MRI Kit For 65 Per 115 MR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	300	30

Imaxeon Salient 190ml Syringe With QFT

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	500	30

MRI Compatible ECG Leads For Cardiac MRI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	500	30

Tissue Paper 30cm X 30cm 1 X 100 Tissue Per Pkt

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	4800	30

X-Ray Cassette 12 X 15 Manual With Screan

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	2	30

X-Ray Cassette 11 X 14 Manual With Screan

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	2	30

X-Ray Cassette 12 X 10 Manual With Screen

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	2	30

X-Ray Cassette 10 X 8 Manual With Screen

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	2	30

Lead Number Set 0 To 9

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	2	30

X- Ray Developer 9 Liter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	10	30

X- Ray Film 10x12.25 Inch Blue Color 40x30.48 Cm 1 X 50 Pack

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	20	30

X- Ray Film 11x14 Inch Blue Color 27.94 X 35.56 Cm 1 X 50 Films

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	20	30

X- Ray Film 12x15 Inch Blue Color 30.48x38.10 Cm 1 X 50pack

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	20	30

X- Ray Film 8x10 Inch Blue Color 20.32x25.40 Cm 1 X 50 Flims

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	10	30

X- Ray Fixer 9 Liter

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	10	30

Lead Alphabet Set L And R

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	10	30

X-Ray Film Hanger Clip Type 12 X 15

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	8	30

X-Ray Film Hanger Clip Type 11 X 14

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	8	30

X-Ray Film Hanger Clip Type 10 X 12

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	8	30

X-Ray Film Hanger Clip Type 8 X 10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	8	30

Digital Dry Film 11 X 14 Compatible With Drystal 5503 1x100 Films Per Cartridge

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	30	30

Digital Dry Film 14 X 17 Compatible To DV 5503 1x100 Films Per Cartridge

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	20	30

Digital Dry Film 8 X 10 Compatible With Drystal 5503 1x100 Films Per Cartridge

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	20	30

X-Ray Digital Cassette 10x12 Inch Compatible With Agfa CR 15-X

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	2	30

X-Ray Digital Cassette 14x17 Inch Compatible With Agfa CR 15-X

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	2	30

X-Ray Digital Cassette 8x10 Inch Compatible With Agfa CR 15-X

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	2	30

Instant Print Paper Film X-Ray A4 Size 8X10

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	108000	30

Instant Print Paper Film X-Ray,MRI, CT A3 Size 14X17

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	86000	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. If the agency is registered under MSME or NSIC, then EMD exemption certificate needs to be enclosed.
2. Make in india specific authorisation certificate needs to be enclosed.
3. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

4. **Forms of EMD and PBG**

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

Director Medical and Health Services
payable at
Silvassa

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

5. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

6. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

अस्वीकरण/**Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the

same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---