

बिड दस्तावेज़ / Bid Document

| बिड विवरण/Bid Details | |
|---------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| बिड बंद होने की तारीख/समय /Bid End Date/Time | 17-03-2026 17:00:00 |
| बिड खुलने की तारीख/समय /Bid Opening Date/Time | 17-03-2026 17:30:00 |
| बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date) | 180 (Days) |
| मंत्रालय/राज्य का नाम/Ministry/State Name | Ministry Of Health And Family Welfare |
| विभाग का नाम/Department Name | Department Of Health And Family Welfare |
| संगठन का नाम/Organisation Name | N/a |
| कार्यालय का नाम/Office Name | Central Procurement Branch Dnh Dd |
| कुल मात्रा/Total Quantity | 8650 |
| वस्तु श्रेणी /Item Category | Cassettes for Plasma Sterilization Machine Code 10144 1x2 cassettes per box , H2O2 58 percent 250 ml Bottle For Plasma SteriliserCompatible with SMS SpZoO Macine , Tyvek Pouch 04inch 1x6 roll per boxWith inbuilt Chemical Indicator strip should be compatible for use in Plasma Sterilizer , Biological Indicator 1X30 Units per box for use for Starred NX Sterrad 100NX machine , Printing Roll 80mmx25mtr Thermal Paper for Starred NX Machine , GKE The Batch Monitoring System BMS Steam Indicator Type II Compatible with GKE , Instant biological Indicator with Inbuilt Type V indicator For Steam or Instant evaluation 1 unit , Surgistain 4 Ltr Carba , Sterile Container For Orthopedic genral K6 183 1per1 -Large Size 580L x 280W x 100H,mm , Sterile Container For LSCS and Genral Surgery K6-373 3per4 Medium Size 465L x 280W x 100H , Sterile Container For Ortho Spine,Lower,Upper Extreme K 6 673 1per2 Small Size 285 L x 280W x 200H , Sterile Container For Eye Surgery K6-1936l Size 315 L x 135W x 100H mm , Cassettes for Plasma Sterilization Machine Code 10133 1x5 cassettes per box , Thermoseal Tape 18mm x 50mtr , Enzyme Cleaner 1 litre , Premix 4 Litre Carba , AVERY MONARCH Three Line labeler GUN Compatible With GKE Lable , Decontamination Tray Soaking Tank Lid and Dip Tray 4 Ltr 426x156x138mm Code DT4215 , Decontamination Tray Soaking Tank Lid and Dip Tray 12 Ltr890x200x145mm Code DT8920 |

बिड विवरण/Bid Details

GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS

Cassettes for Plasma Sterilization Machine Code 10144 1x2 cassettes per box, H2O2 58 percent 250 ml Bottle For Plasma SteriliserCompatible with SMS , Tyvek Pouch 04inch 1x6 roll per boxWith inbuilt Chemical Indicator strip, Biological Indicator 1X30 Units per box for use for Starred NX Sterrad 100NX, Printing Roll 80mmx25mtr Thermal Paper for Starred NX Machine, GKE The Batch Monitoring System BMS Steam Indicator Type II Compatible with GKE, Instant biological Indicator with Inbuilt Type V indicator for Steam/Instant 1, Surgistain 4 Ltr Carba, Sterile Cont for Orthopedic gen. K6 183 1per 1 Large Size 580L x 280W x 100Hmm, Sterile Cont. for LSCS & Gen. Surgery K6-373 3 per 4 Med. Size 465Lx280Wx100H, Sterile Cont. for Ortho Spine,Lower,Upper K6 673 1per2 Small 285Lx280Wx200H, Sterile Container For Eye Surgery K6-1936I Size 315 L x 135W x 100H mm , Cassettes for Plasma Sterilization Machine Code 10133 1x5 cassettes per box, Thermoseal Tape 18mm x 50mtr, Enzyme Cleaner 1 litre, Premix 4 Litre Carba, AVERY MONARCH Three Line labeler GUN Compatible With GKE Lable, Decontamination Tray Soaking Tank Lid & Dip 4 Ltr 426x156x138mm Code DT4215, Decontamination Tray Soaking Tank Lid & Dip 12 Ltr890x200x145mm Code DT8920

Searched String: Cassettes for Plasma Sterilization Machine Code 10144 1x2 cassettes per box

Category not available on GeM for the text string uploaded by the buyer

Searched String: H2O2 58 percent 250 ml Bottle For Plasma SteriliserCompatible with SMS

2-Phenoxyethanol

Searched String: Tyvek Pouch 04inch 1x6 roll per boxWith inbuilt Chemical Indicator strip

Category not available on GeM for the text string uploaded by the buyer

Searched String: Biological Indicator 1X30 Units per box for use for Starred NX Sterrad 100NX

Household Refrigerating Appliances as per IS 17550, Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240

Searched String: Printing Roll 80mmx25mtr Thermal Paper for Starred NX Machine

Thermal Binding Machines , Thermal Paper (V2) Conforming to IS 17568, Staplers (V2)

Searched String: GKE The Batch Monitoring System BMS Steam Indicator Type II Compatible with GKE

Category not available on GeM for the text string uploaded by the buyer

Searched String: Instant biological Indicator with Inbuilt Type V indicator for Steam/Instant 1

Chemical Indicator for Steam Sterilization Process

| बिड विवरण / Bid Details | Searched String: Surgistain 4 Ltr Carba |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p> | Wet Grinder, Egg Boiler |
| | <p>Searched String: Sterile Cont for Orthopedic gen. K6 183 1per 1 Large Size 580L x 280W x 100Hmm</p> |
| | Modular Toilet |
| | <p>Searched String: Sterile Cont. for LSCS & Gen. Surgery K6-373 3 per 4 Med. Size 465Lx280Wx100H</p> |
| | Category not available on GeM for the text string uploaded by the buyer |
| | <p>Searched String: Sterile Cont. for Ortho Spine,Lower,Upper K6 673 1per2 Small 285Lx280Wx200H</p> |
| | Category not available on GeM for the text string uploaded by the buyer |
| | <p>Searched String: Sterile Container For Eye Surgery K6-1936l Size 315 L x 135W x 100H mm</p> |
| | <p>M.S Stopper for Traffic Control (Portable Barrier), Foundry Moulding Boxes of Steel Construction (V2) Conforming to IS 1280, Modular Toilet, Pulp Board as per IS 4664, Containerized Housing / Office Unit, File Storage Boxes, Rabbit/Guinea Pigs Caging System</p> |
| | <p>Searched String: Cassettes for Plasma Sterilization Machine Code 10133 1x5 cassettes per box</p> |
| Category not available on GeM for the text string uploaded by the buyer | |
| <p>Searched String: Thermoseal Tape 18mm x 50mtr</p> | |
| <p>Toothpaste (V2) as per IS 6356, Dry Erase Writing Boards (V3), Elastic Surgical Adhesive Tapes (V2), Pin Up Notice Board (V2), Dak Pad (V2), Cleaning Duster (V3), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Parallel Bar - Outdoor Gym Equipment, modular electrical enclosure switch board boxes for modular type accessories, Bunk Beds as per IS 17636</p> | |
| <p>Searched String: Enzyme Cleaner 1 litre</p> | |
| <p>Glass Cleaner, Liquid (V3) conforming to IS 8540, Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932, Quarternary Ammonium Compound Based Surface Cleaner, Liquid, Disinfectant Fluids , Phenolic Type (V4) conforming to IS 1061, Hand Cleaner Soap as per IS 2888, Quaternary Ammonium Compound based Surface Cleaner (liquid) (V2) conforming to IS 14364, Environmental Chamber, Electric Kettles and Jugs for Household and Similar Use as per IS 367 (V2), Watering Can For Gardening, Ultrasonic Cleaners</p> | |
| <p>Searched String: Premix 4 Litre Carba</p> | |
| <p>water baths, Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932, Environmental Chamber, Tissue Flotation Baths, Watering Can For Gardening, Kadhai</p> | |
| <p>Searched String: AVERY MONARCH Three Line labeler GUN Compatible With GKE Lable</p> | |

| | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| बिड विवरण / Bid Details | Category not available on GeM for the text string uploaded by the buyer |
| | <p>Searched String: Decontamination Tray Soaking Tank Lid & Dip 4 Ltr 426x156x138mm Code DT4215</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Decontamination Tray Soaking Tank Lid & Dip 12 Ltr890x200x145mm Code DT8920</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> |
| अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification | <ul style="list-style-type: none"> Low Temperature Hydrogen Peroxide Gas Plasma Sterilizer |
| बीओक्यू शीर्षक /BOQ Title | CSSD Materials |
| बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /Minimum Average Annual Turnover of the bidder (For 3 Years) | 73 Lakh (s) |
| एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover | No |
| स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover | No |
| विक्रेता से मांगे गए दस्तावेज़/Document required from seller | Bidder Turnover,Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/Do you want to show documents uploaded by bidders to all bidders participated in bid? | Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in) |
| बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension | 3 |
| दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended | 3 |
| ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count | 1 |
| बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled | No |
| बिड का प्रकार/Type of Bid | Two Packet Bid |

बिड विवरण/Bid Details

| | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
| प्राथमिक उत्पाद श्रेणी/Primary product category | Cassettes for Plasma Sterilization Machine Code 10144 1x2 cassettes per box |
| तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation | 2 Days |
| निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No |
| मूल्यांकन पद्धति/Evaluation Method | Item wise evaluation |
| मध्यस्थता खंड/Arbitration Clause | No |
| सुलह खंड/Mediation Clause | No |

ईएमडी विवरण/EMD Detail

| | |
|--------------------------------------------|---------------------|
| एडवाइजरी बैंक/Advisory Bank | State Bank of India |
| Schedule 1 ईएमडी राशि/EMD Amount (In INR) | 153900 |
| Schedule 2 ईएमडी राशि/EMD Amount (In INR) | 97920 |
| Schedule 3 ईएमडी राशि/EMD Amount (In INR) | 5229 |
| Schedule 4 ईएमडी राशि/EMD Amount (In INR) | 2520 |
| Schedule 5 ईएमडी राशि/EMD Amount (In INR) | 190 |
| Schedule 6 ईएमडी राशि/EMD Amount (In INR) | 12000 |
| Schedule 7 ईएमडी राशि/EMD Amount (In INR) | 15750 |
| Schedule 8 ईएमडी राशि/EMD Amount (In INR) | 244 |
| Schedule 9 ईएमडी राशि/EMD Amount (In INR) | 42471 |
| Schedule 10 ईएमडी राशि/EMD Amount (In INR) | 38623 |
| Schedule 11 ईएमडी राशि/EMD Amount (In INR) | 35221 |
| Schedule 12 ईएमडी राशि/EMD Amount (In INR) | 22008 |
| Schedule 13 ईएमडी राशि/EMD Amount (In INR) | 5775 |
| Schedule 14 ईएमडी राशि/EMD Amount (In INR) | 523 |
| Schedule 15 ईएमडी राशि/EMD Amount (In INR) | 1170 |
| Schedule 16 ईएमडी राशि/EMD Amount (In INR) | 291 |
| Schedule 17 ईएमडी राशि/EMD Amount (In INR) | 3506 |

| | |
|--------------------------------------------|-----|
| Schedule 18 ईएमडी राशि/EMD Amount (In INR) | 990 |
| Schedule 19 ईएमडी राशि/EMD Amount (In INR) | 779 |

ईपीबीजी विवरण /ePBG Detail

| | |
|-------------------------------------------------------------------|---------------------|
| एडवाइजरी बैंक/Advisory Bank | State Bank of India |
| ईपीबीजी प्रतिशत (%) /ePBG Percentage(%) | 5.00 |
| ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months). | 14 |

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Director Medical and Health Services DNHDD
CENTRAL PROCUREMENT BRANCH DNH DD, Ayushman Arogya Mandir, Dholar, Moti Daman-396220, Ph. No.0260-2961700
(Director Medical And Health Services Dnhdd)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

| | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| एमआईआई खरीद वरीयता / MII Purchase Preference | Yes |
| मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X% | 20 |
| मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference | 50 |

| | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time) | Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time) |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|

एमएसई खरीद वरीयता/MSE Purchase Preference

| | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| एमएसई खरीद वरीयता/MSE Purchase Preference | Yes |
| सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X% | 15 |
| सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference | 25 |

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM_No.1_4_2021_PPD_dated_18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

3. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of

purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

| मूल्यांकन अनुसूचियां / Evaluation Schedules | वस्तु/श्रेणी / Item/Category | मात्रा / Quantity |
|-------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| Schedule 1 | Cassettes For Plasma Sterilization Machine Code 10144 1x2 Cassettes Per Box | 180 |
| Schedule 2 | H2o2 58 Percent 250 MI Bottle For Plasma Sterilisercompatible With Sms Spzoo Macine | 120 |
| Schedule 3 | Tyvek Pouch 04inch 1x6 Roll Per Boxwith Inbuilt Chemical Indicator Strip Should Be Compatible For Use In Plasma Sterilizer | 6 |
| Schedule 4 | Biological Indicator 1x30 Units Per Box For Use For Starred Nx Sterrad 100nx Machine | 4 |
| Schedule 5 | Printing Roll 80mmx25mtr Thermal Paper For Starred Nx Machine | 46 |
| Schedule 6 | Gke The Batch Monitoring System Bms Steam Indicator Type li Compatible With Gke | 5000 |
| Schedule 7 | Instant Biological Indicator With Inbuilt Type V Indicator For Steam Or Instant Evaluation 1 Unit | 3000 |
| Schedule 8 | Surgistain 4 Ltr Carba | 2 |
| Schedule 9 | Sterile Container For Orthopedic Genral K6 183 1per1 -large Size 580l X 280w X 100h,mm | 13 |
| Schedule 10 | Sterile Container For Lscs And Genral Surgery K6-373 3per4 Medium Size 465l X 280w X 100h | 14 |
| Schedule 11 | Sterile Container For Ortho Spine,lower,upper Extreme K 6 673 1per2 Small Size 285 L X 280w X 200h | 13 |
| Schedule 12 | Sterile Container For Eye Surgery K6-1936l Size 315 L X 135w X 100h Mm | 13 |
| Schedule 13 | Cassettes For Plasma Sterilization Machine Code 10133 1x5 Cassettes Per Box | 5 |
| Schedule 14 | Thermoseal Tape 18mm X 50mtr | 205 |
| Schedule 15 | Enzyme Cleaner 1 Litre | 6 |

| | | |
|-------------|---------------------------------------------------------------------------------------|----|
| Schedule 16 | Premix 4 Litre Carba | 3 |
| Schedule 17 | Avery Monarch Three Line Labeler Gun Compatible With Gke Lable | 8 |
| Schedule 18 | Decontamination Tray Soaking Tank Lid And Dip Tray 4 Ltr 426x156x138mm Code Dt4215 | 10 |
| Schedule 19 | Decontamination Tray Soaking Tank Lid And Dip Tray 12 Ltr890x200x145mm Code Dt8920 | 2 |

Cassettes For Plasma Sterilization Machine Code 10144 1x2 Cassettes Per Box

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|
| 1 | Heena | 396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA | 180 | 30 |

H2O2 58 Percent 250 MI Bottle For Plasma SteriliserCompatible With SMS SpZoO Macine

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | Heena | 396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA | 120 | 30 |

Tyvek Pouch 04inch 1x6 Roll Per BoxWith Inbuilt Chemical Indicator Strip Should Be Compatible For Use In Plasma Sterilizer

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | Heena | 396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA | 6 | 30 |

Biological Indicator 1X30 Units Per Box For Use For Starred NX Sterrad 100NX Machine

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|
| 1 | Heena | 396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA | 4 | 30 |

Printing Roll 80mmx25mtr Thermal Paper For Starred NX Machine

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|
| 1 | Heena | 396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA | 46 | 30 |

GKE The Batch Monitoring System BMS Steam Indicator Type II Compatible With GKE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | Heena | 396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA | 5000 | 30 |

Instant Biological Indicator With Inbuilt Type V Indicator For Steam Or Instant Evaluation 1 Unit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | Heena | 396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA | 3000 | 30 |

Surgistain 4 Ltr Carba

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | Heena | 396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA | 2 | 30 |

Sterile Container For Orthopedic Genral K6 183 1per1 -Large Size 580L X 280W X 100H,mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | Heena | 396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA | 13 | 30 |

Sterile Container For LSCS And Genral Surgery K6-373 3per4 Medium Size 465L X 280W X 100H

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | Heena | 396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA | 14 | 30 |

Sterile Container For Ortho Spine,Lower,Upper Extreme K 6 673 1per2 Small Size 285 L X 280W X 200H

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | Heena | 396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA | 13 | 30 |

Sterile Container For Eye Surgery K6-1936I Size 315 L X 135W X 100H Mm

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|-------------|------------------|---------------------------------|
|-------------------|---------------------------------------------------------------|-------------|------------------|---------------------------------|

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | Heena | 396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA | 13 | 30 |

Cassettes For Plasma Sterilization Machine Code 10133 1x5 Cassettes Per Box

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | Heena | 396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA | 5 | 30 |

Thermoseal Tape 18mm X 50mtr

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | Heena | 396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA | 205 | 30 |

Enzyme Cleaner 1 Litre

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | Heena | 396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA | 6 | 30 |

Premix 4 Litre Carba

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | Heena | 396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA | 3 | 30 |

AVERY MONARCH Three Line Labeler GUN Compatible With GKE Lable

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | Heena | 396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA | 8 | 30 |

Decontamination Tray Soaking Tank Lid And Dip Tray 4 Ltr 426x156x138mm Code DT4215

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | Heena | 396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA | 10 | 30 |

Decontamination Tray Soaking Tank Lid And Dip Tray 12 Ltr890x200x145mm Code DT8920

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

| | |
|-------------------------------|---------------------------|
| Specification Document | View File |
| BOQ Detail Document | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.N o. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|-------------------|---------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|------------------|---------------------------------|
| 1 | Heena | 396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA | 2 | 30 |

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/**Buyer Added Bid Specific Terms and Conditions**

1. Experience Certificate for the supply of the same to any Govt/ PSU/ any renowned private organisation along with Supply/ Purchase Order.
2. If the agency is registered under MSME or NSIC, then EMD exemption certificate needs to be enclosed.
3. Make in india specific authorisation certificate needs to be enclosed.
4. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/**Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid

template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.

16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---