बिड संख्या/Bid Number: GEM/2026/B/7338646
दिनांक /Dated: 10-03-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	31-03-2026 13:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	31-03-2026 13:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Health And Family Welfare
विभाग का नाम/Department Name	Department Of Health And Family Welfare
संगठन का नाम/Organisation Name	N/a
कार्यालय का नाम/Office Name	Central Procurement Branch Dnh Dd
कुल मात्रा/Total Quantity	3458

बिड विवरण/Bid Details	
वस्तु श्रेणी /Item Category	Hematology Quality Controls , Widal Test Kit O and H Tube , UPT kit 1 kit equals to 50 test , Field stain A 1 bottle equals to 500ml , Field stain B 1 bottle equals to 500ml , Haris Hematoxylin 1 bottle equals to 500ml , Methanol 1 can equales to 2.5Ltr , HCL upto 35 percentage pure 1 bottle equals to 500ml , Liquor ammonia 1 bottle equals to 500ml , Xylene1 bottle equals to 500ml , Lens cleaning solution 1 bottle equals to 500ml , Capillary for CT 1 kit equales to 100 test , Microscope bulb 6v , Microscope oil - immersion lens , Printer roll 57mm for XP 100 , 0.1 N NaOH 1 bottle equals to 500ml , EG7 I STAT Compatible with I stat 1 analyser MN 300 G Abbott , CHEM 8 I STAT Compatible with I stat 1 analyser MN 300 G Abbott , BGEM Test Cards Blood Analysis Compatible with Simense Epoc Blood Analysis Machine , Lugols Iodine 1 bottle equals to 100ml , Occult blood test kit 1 kit equals to 25 test , Coplin jars , CaCl2 soln. 1 bottle equals to 10ml compatible with Tulip Hemostar xf 1.0 , Uniplastin 1 bottle equals to 5ml Compatible with Tulip Hemostar xf 1.0 , Liquicelin 1 bottle equals to 3ml Compatible with Tulip Hemostar xf 1.0 , Cuvettes and stirrers for Hemostar XF 1.0 by 2.0 1 pack equals to 100 units Compatible with Tulip Hemostar xf 1.0 , QC for coagulometer Hemostar XF 1.0 Compatible with Tulip Hemostar xf 1.0 , Print roll for coagulometer Compatible with Tulip Hemostar xf 1.0 , Plastic cassettes for Histopathology sections , Sensor casette for ABL 9 SC9 300 by 60 2 BGE , Solution pack for ABL9 SP9 , S7430 QUALICHECK4 level 1 , S7440 QUALICHECK4 level 2 , S7450 QUALICHECK4 level 3 , Arterial blood collection syringe 2 ml without needle 350 pcs , Dissecting Cutting board for histopathology , Mispa i3 HbA1c kit Compatible with Agappe Mispa i3 , Mispa i3 RF kit Compatible with Agappe Mispa i3 , Mispa i3 CRP kit Compatible with Agappe Mispa i3 , Mispa i3 washing solution Compatible with Agappe Mispa i3 , Mispa i3 HbA1c control level 1 and 2 Compatible with Agappe Mispa i3 , Mispa i3 Protein Control Compatible with Agappe Mispa i3 , Probe Cleaner Mispa Compatible with Agappe Mispa i3 1pack equals to 10 nos , Probe cleaner for Erba H 360 Compatible with Transasia XL 360 , Erba H360 Diluent 1 nos equals to 20 Ltr Compatible with Transasia XL 360

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Hematology Quality Controls (Compatible with Mindray bc 6200), Widal Test Kit (O&H) Tube, UPT kit (1 kit = 50 test), Field stain A (1 bottle = 500ml), Field stain B (1 bottle = 500ml), Haris Hematoxylin (1 bottle = 500ml), Methanol (1 can = 2.5Ltr), HCL upto 35% pure (1 bottle = 500ml), Liquor ammonia (1 bottle = 500ml), Xylene (1 bottle = 500ml), Lens cleaning solution (1 bottle = 500ml), Capillary for CT (1 kit = 100 test), Microscope bulb (6v), Microscope oil - immersion lens, Printer roll 57mm for XP 100, 0.1 N NaOH (1 bottle = 500ml), EG7+ i-STAT (Compatible with i-stat 1 analyser MN 300-G Abbott), CHEM 8+ i-STAT(Compatible with i-stat 1 analyser MN 300-G Abbott), BGEM Test Cards Blood Analysis, Lugol's Iodine (1 bottle = 100ml), Occult blood test kit (1 kit = 25 test), Coplin jars, CaCl2 soln. (1 bottle = 10ml)(Compatible with Tulip Hemostar xf 1.0), Uniplastin (1 bottle = 5ml)(Compatible with Tulip Hemostar xf 1.0), Liquicelin (1 bottle = 3ml) (Compatible with Tulip Hemostar xf 1.0), Cuvettes and stirrers for Hemostar XF 1.0/2.0, QC for coagulometer (Hemostar XF 1.0) (Compatible with Tulip Hemostar xf 1.0), Print roll for coagulometer(Compatible with Tulip Hemostar xf 1.0), Plastic cassettes for Histopathology sections, Sensor casette for ABL 9 SC9 300/60 2-BGE, Solution pack for ABL9 SP9, S7430 QUALICHECK4+, level 1, S7440 QUALICHECK4+, level 2, S7450 QUALICHECK4+, level 3, Arterial blood collection syringe, 2 ml without needle, 350 pcs, Dissecting (Cutting) board for histopathology, Mispa i3 HbA1c kit (Compatible with Agappe Mispa i3), Mispa i3 RF kit(Compatible with Agappe Mispa i3), Mispa i3 CRP kit(Compatible with Agappe Mispa i3), Mispa i3 washing solution(Compatible with Agappe Mispa i3), Mispa i3 HbA1c control level 1 & 2(Compatible with Agappe Mispa i3) , Mispa i3 Protein Control(Compatible with Agappe Mispa i3), Probe Cleaner Mispa(Compatible with Agappe Mispa i3) (1pack = 10 nos), Probe cleaner for Erba H 360(Compatible with Transasia XL 360), Erba H360 Diluent (1 nos = 20 Ltr) (Compatible with Transasia XL 360)
	Searched String: Hematology Quality Controls (Compatible with Mindray bc 6200) Category not available on GeM for the text string uploaded by the buyer **Searched String**: Widal Test Kit (O&H) Tube Widal Test Kit - Agglutination Method for Human Samples, Anti - Streptolysin O (ASO) Kits, ASO (Anti Streptolysin-O) Test Kits (V2), H2S Vial Bacteriological Field Test kit, Point of Care Rapid Test Kits for Humans – Dengue, Malaria, Typhoid & Others, personal safety kit reflective luminous garments, Line Probe Assay DNA Extraction Kit under NTEP **Searched String**: UPT kit (1 kit = 50 test) Field test kit, Digital Trainer Kit, Rheumatoid Factor Test Kit - RA Test Kit (V2), CBNAAT MTB / RIF PCR Test Kit, Rapid Pregnancy Test Kit, Point of Care Rapid Test Kits for Humans – Dengue, Malaria, Typhoid & Others, HIV-1 Qualitative (Early Infant Diagnosis) Test Kit for NACO, Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), Relay Testing Educational Kit, Dengue ELISA Test Kit

बिड विवरण/Bid Details	
	Searched String: Field stain A (1 bottle = 500ml) Albert's Stain A, Leishman's Stain, Laboratory Glassware Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, Bottle for Chemical Laboratory, Laboratory Glassware Bottles (Aspirator Bottles) as per IS 1388 (Part 3), Microscope immersion oil, Bond Paper (V3) Conforming to IS 1848 (Part 1), Plain Copier Paper (V3) ISI Marked to IS 14490 **Searched String**: Field stain B (1 bottle = 500ml) Albert's Stain A, Laboratory Glassware Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1), Leishman's Stain, Urine Culture Bottle (V2), Copper Alloy Gate Valve for Waterworks Purpose as per IS 778, New Methylene Blue Stain (Reticulocyte Stain) **Searched String**: Haris Hematoxylin (1 bottle = 500ml) Laboratory Glassware Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1), GLACIAL ACETIC ACID, PH buffer solution, Bottle for Chemical Laboratory, Adf (Air Drying Film) Lubricant-IS13796, Household Insecticides (V2), Methylele Spirit (Denatured Alcohol) as per IS 4117, Hypochlorous Acid(HOCl), Plastic Wash Bottle, Urine Culture Bottle (V2) **Searched String**: Methanol (1 can = 2.5Ltr) BCAA 2:1:1 Powder, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Methanol as per IS 517, Liquid Fermented Organic Manure, Methanol for Bulk Supply as per IS 517, Isoprothiolane, Douche Can Set (V2), Test Sieves as per IS 460 (Part 1 and Part 2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Beehive Stand -as per IS 1735 Part 1, IS 1735 Part 2 **Searched String**: HCL upto 35% pure (1 bottle = 500ml) ELECTRONIC MAIL AND MESSAGING SOFTWARE, Laboratory Glassware Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1), Formic acid Anhydrous, Ammonium bicarbonate, Sodium fluoride, Extra Pure and AR/ACS, Tris(hydroxymethyl)aminomethane, Refined Mustard Oil (V2) (Defence), Barium Perchlorate **Searched String**: Liquor ammonia (1 bottle = 500ml) Ammonia, Liquor / Ammonium Hydroxide as per IS 799, Laboratory Glassware Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1), Anhydrous Ammonia Conforming to IS 662, Bottle for Chemical Laboratory, Ammonia solution 25%, Household Insecticides (V2), Ammonia Buffer Solution, Plastic Wash Bottle, Urine Culture Bottle (V2), Minifuge **Searched String**: Xylene (1 bottle = 500ml) Laboratory Glassware Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1), GLACIAL ACETIC ACID, PH buffer solution, Bottle for Chemical Laboratory, Adf (Air Drying Film) Lubricant-IS13796, Household Insecticides (V2), Methylele Spirit (Denatured Alcohol) as per IS 4117, Hypochlorous Acid(HOCl), Plastic Wash Bottle, Urine Culture Bottle (V2) **Searched String**: Lens cleaning solution (1 bottle =

बिड विवरण/Bid Details	
	500ml) Bio Culture for wastewater treatment, Laboratory Glassware Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1), PH buffer solution, Rust Remover Solution, Karl Fischer Reagent, Acetaldehyde solution, Laboratory Glassware Cleaning Solutions **Searched String**: Capillary for CT (1 kit = 100 test) HIV-1 Qualitative (Early Infant Diagnosis) Test Kit for NACO, Point of Care Rapid Test Kits for Humans – Dengue, Malaria, Typhoid & Others, Widal Test Kit - Agglutination Method for Human Samples, Digital Trainer Kit, Primary and Secondary Injection Test Kit for CT_VT and Relay Tester, Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), Rapid Plasma Reagin (RPR) Test Kit for Syphilis (V2), C-Reactive Protein (CRP) Test Kit - Latex Agglutination Method for Human Samples, Ready Made Water Analysis Test Kit, Dengue ELISA Test Kit **Searched String**: Microscope bulb (6v) Metallurgical Microscope, Microscopes - Pathological and Research as per IS 4381, IS 5204, IS 4381, IS 5204, Flower Bulb/Seeds, Hand Held Slit Lamp - RBSK, ECG Bulb Electrode, water baths, Advance Polarization Microscope, Coaxial Opthalmoscope Rechargeable, Rechargeable LED Bulb (V2), V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494 **Searched String**: Microscope oil - immersion lens Microscope immersion oil, Power Transformer, Oil immersed type **Searched String**: Printer roll 57mm for XP 100 Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Aluminium And Aluminium Alloy Foil For Pharmaceutical Packaging-IS:16011, Polyethylene Pipes for Water Supply, Labels Stickers (V3), Foot Steps For Hospital/Clinic and Domestic Purposes, modular electrical enclosure switch board boxes for modular type accessories, Polyethylene Pipes for Water Supply conforming to IS 4984, Modular Toilet, Tags for Files (V2) as per IS 8499, Absorbent Cotton (Sterile and Non-Sterile) for Medical Use Conforming to IS 16468 **Searched String**: 0.1 N NaOH (1 bottle = 500ml) N-(1-Naphthyl)ethylenediamine, Line Interactive UPS with AVR (V2), 1-Bromopropane (N-Propyl Bromide), PET bottle shredder, Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Online UPS (V2), Enamelled Round Copper Wire Conforming To IS 13730 (Part 0/Sec 1) (V2), Kit for Special School Students (Intellectual Disability) - Kit 1 Age Group 0 to 3 Years, Laboratory Glassware Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1), Disinfectant Fluids , Phenolic Type (V5) conforming to IS 1061 **Searched String**: EG7+ i-STAT (Compatible with i-stat 1 analyser MN 300-G Abbott) Category not available on GeM for the text string uploaded by the buyer

बिड विवरण/Bid Details	**Searched String**: CHEM 8+ i-STAT(Compatible with i-stat 1 analyser MN 300-G Abbott)
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Category not available on GeM for the text string uploaded by the buyer **Searched String**: BGEM Test Cards Blood Analysis Ready Made Water Analysis Test Kit, Arterial Blood Gas Analyzer (V2), Urine Test Strip (V2), Glucometer Strips, Customised Mobile Health Units, Breath Analyser, Dried Blood Spot (DBS) Card **Searched String**: Lugol's Iodine (1 bottle = 100ml) GLACIAL ACETIC ACID, Laboratory Glassware Bottles (Screw - Neck Bottles) as per IS 1388 (Part 1), Methylele Spirit (Denatured Alcohol) as per IS 4117, Karl Fischer Reagent, Mercuric Oxide, Absorbent Cotton (Sterile and Non-Sterile) for Medical Use Conforming to IS 16468, Packaged Drinking Water(Other than Packaged Natural Mineral Water) as per IS 14543, Sodium Phosphate Enema, Urine Culture Bottle (V2) **Searched String**: Occult blood test kit (1 kit = 25 test) Field test kit, Point of Care Rapid Test Kits for Humans – Dengue, Malaria, Typhoid & Others, Rheumatoid Factor Test Kit - RA Test Kit (V2), Relay Testing Educational Kit, Rapid Pregnancy Test Kit, ELISA Test Kits (V2), Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), Dengue ELISA Test Kit, Microbial Fuel Test Kit, Pregnancy Rapid Test Kit (Veterinary Use) **Searched String**: Coplin jars Glass Honey Jars Conforming to IS 11369, JAR TEST APPARATUS, Jars and Container Boxes-Handicraft, Jars And Container Boxes-Handicraft (Bamboo), Anaerobic Jar-IS:8501, Pulp DevItalizer, Flourinated HDPE Bottles and Containers as per IS 15749 **Searched String**: CaCl2 soln. (1 bottle = 10ml) (Compatible with Tulip Hemostar xf 1.0) Line Interactive UPS with AVR (V2), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: Uniplastin (1 bottle = 5ml)(Compatible with Tulip Hemostar xf 1.0) Line Interactive UPS with AVR (V2), UV - Visible Spectrophotometer (FSSAI), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Examination Cum Dressing Table with Drainage 0, Micro/Semi-Micro/Analytical weighing balance **Searched String**: Liquicelin (1 bottle = 3ml)(Compatible with Tulip Hemostar xf 1.0)

बिड विवरण/Bid Details	Line Interactive UPS with AVR (V2), UV - Visible Spectrophotometer (FSSAI), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Digital Light Meter, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Punching and Binding Machine (V2) **Searched String**: Cuvettes and stirrers for Hemostar XF 1.0/2.0 Electronic Weighing Scales, UV - Visible Spectrophotometer (FSSAI), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Flux for submerged arc welding of structural steel (BEML) -as per C4202 BEML Welding Electrode, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services conforming to IS 781, Automatic Fire Ball for Fire - Extinguishing, Ceramic (Vitreous China) Flushing Cisterns for Water Closets and Urinals conforming to IS 774, Unplsticized PVC Pipes for Water Supply conforming to IS 4985 **Searched String**: QC for coagulometer (Hemostar XF 1.0) (Compatible with Tulip Hemostar xf 1.0) Category not available on GeM for the text string uploaded by the buyer **Searched String**: Print roll for coagulometer(Compatible with Tulip Hemostar xf 1.0) Category not available on GeM for the text string uploaded by the buyer **Searched String**: Plastic cassettes for Histopathology sections Hollow Steel Sections for Structural use, File/Folder (V3), Plastic Caps for General purpose, Naval Brass Rods And Sections For Machining Purposes - IS 291, V - Belts - Endless V - Belt for Industrial Purposes as per IS 2494, Preformed Fibrous Pipe Sections For Thermal Insulation-IS: 9842, Plastic Crates for Fruits and Vegetable (V2) conforming to IS 15532, petri plates or dishes, Cladding Films for Greenhouse / Polyhouse, Plastic Bottles Water Bottle With Carry Bag For Cpmf (MHA) **Searched String**: Sensor casette for ABL 9 SC9 300/60 2-BGE Category not available on GeM for the text string uploaded by the buyer **Searched String**: Solution pack for ABL9 SP9 Customised Pack for Special Cover, Instrument Trolley for Hospitals (V2), Budesonide Respirator Solution for use in Nebulizer, Formaldehyde Solution (V3) Conforming to IS 3321, Formocresol Solution, foot step for hospitals, Ice Gel Pack for Medical use, Toilet Soap, Liquid (V3) Conforming to

बिड विवरण/Bid Details	IS 4199, Levosalbutamol Respirator Solution for use in Nebulizer, Point of Care Rapid Test Kits for Humans – Dengue, Malaria, Typhoid & Others **Searched String**: S7430 QUALICHECK4+, level 1 Entry and Mid Level Desktop Computer, Parallel Bar - Outdoor Gym Equipment, Surgical Drapes Conforming to IS 17334, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Aerial Bunched Cables as per IS 14255, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Rotary Hammer Drill (NDRF), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Pad Lock Various (As Per Defence Specification) **Searched String**: S7440 QUALICHECK4+, level 2 Entry and Mid Level Desktop Computer, Level Transmitter Radar Type, Laminar air flow cabinets or stations, water baths, Surgical Drapes Conforming to IS 17334, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Parallel Bar - Outdoor Gym Equipment, Desk and Bench Set for Classroom/Training Area, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: S7450 QUALICHECK4+, level 3 Entry and Mid Level Desktop Computer, Parallel Bar - Outdoor Gym Equipment, Surgical Drapes Conforming to IS 17334, Spirometer, Desk and Bench Set for Classroom/Training Area, Multifunction Printer (Print, Scan, Copy), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Aerial Bunched Cables as per IS 14255, Pneumatic impact wrenches, Split Air Conditioner Including Green AC, Wall Mount Type (V2) **Searched String**: Arterial blood collection syringe, 2 ml without needle, 350 pcs Sterile Hypodermic Syringe (V3), Blood Collection Tube **Searched String**: Dissecting (Cutting) board for histopathology Laparoscopic Dissecting Forcep, File/Folder (V3), Trackside Indicator Boards and Signages as per IRICEN Manual, Markers for White Board (V2), modular electrical enclosure switch board boxes for modular type accessories, Replacement Wood Cutting Blades for Reciprocating Saw, Electric Circular Saw for wood cutting (NDRF), Drawing Trussels / Drawing Board Stand, Card Board Box for Bio - Medical Waste Collection, Cutting Oil (V2) **Searched String**: Mispa i3 HbA1c kit (Compatible with Agappe Mispa i3) Line Interactive UPS with AVR (V2), Semi Automatic Bio Chemistry Analyser, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible

बिड विवरण/Bid Details	Conductor (V2) ISI Marked To IS 694, Digital Light Meter, Portable Toilet, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Solar Power Plant (Roof Top) for ONGRID System, Single Phase, Modular Table / Meeting Table / Centre Table (V2) **Searched String**: Mispa i3 RF kit(Compatible with Agappe Mispa i3) Punching and Binding Machine (V2), Semi Automatic Bio Chemistry Analyser, Medical Training kit with Human mannequins for medical education or training, Hygiene Kit for Gujarat **Searched String**: Mispa i3 CRP kit(Compatible with Agappe Mispa i3) Punching and Binding Machine (V2), Semi Automatic Bio Chemistry Analyser, Medical Training kit with Human mannequins for medical education or training, Hygiene Kit for Gujarat **Searched String**: Mispa i3 washing solution(Compatible with Agappe Mispa i3) Mobile Folding Privacy Screen / Ward Screen, Semi Automatic Bio Chemistry Analyser, Interactive Panel Solution for Institutions, SMART CLASS EQUIPMENT WITH DIGITAL CONTENTS SOFTWARE, Punching and Binding Machine (V2), Interactive Panels with CPU, Online UPS (≤10 KVA) With Battery Conforming To IS 16242 (Part 1), Online UPS (V2), Wooden Almirah / Wardrobe (V2), Sofa (V3) **Searched String**: Mispa i3 HbA1c control level 1 & 2(Compatible with Agappe Mispa i3) Digital Light Meter, Portable Toilet, Box Strapping Machine, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Entry and Mid Level Desktop Computer, Punching and Binding Machine (V2) **Searched String**: Mispa i3 Protein Control(Compatible with Agappe Mispa i3) Semi Automatic Bio Chemistry Analyser, Sanitary Napkins Incinetator Machine with Smoke Control Unit, Punching and Binding Machine (V2) **Searched String**: Probe Cleaner Mispa(Compatible with Agappe Mispa i3) (1pack = 10 nos) Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014 **Searched String**: Probe cleaner for Erba H 360(Compatible with Transasia XL 360) Category not available on GeM for the text string uploaded by the buyer **Searched String**: Erba H360 Diluent (1 nos = 20 Ltr) (Compatible with Transasia XL 360)

बिड विवरण/Bid Details	Category not available on GeM for the text string uploaded by the buyer
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / **Relevant Categories selected for notification**	• Methanol - (Commercial Grade) for ONGC as per IS 517 • Urine Test Strip (V2) • Widal Test Kit - Agglutination Method for Human Samples
बीओक्यू शीर्षक /**BOQ Title**	Rate Contract laboratory material
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) /**Minimum Average Annual Turnover of the bidder (For 3 Years)**	13 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/**Years of Past Experience Required for same/similar service**	3 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / **MSE Relaxation for Years Of Experience and Turnover**	Yes | Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / **Startup Relaxation for Years Of Experience and Turnover**	Yes | Complete
विक्रेता से मांगे गए दस्तावेज़/**Document required from seller**	Experience Criteria,Bidder Turnover,Certificate (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/**Do you want to show documents uploaded by bidders to all bidders participated in bid?**	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / **Minimum number of bids required to disable automatic bid extension**	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / **Number of days for which Bid would be auto-extended**	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / **Number of Auto Extension count**	1
बिड से रिवर्स नीलामी सक्रिय किया/**Bid to RA enabled**	No
बिड का प्रकार/**Type of Bid**	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/**Primary product category**	UPT kit 1 kit equals to 50 test
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /**Time allowed for Technical Clarifications during technical evaluation**	2 Days

बिड विवरण/Bid Details	
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाईजरी बैंक/Advisory Bank	State Bank of India
Schedule 1 ईएमडी राशि/EMD Amount (In INR)	7714
Schedule 2 ईएमडी राशि/EMD Amount (In INR)	6
Schedule 3 ईएमडी राशि/EMD Amount (In INR)	716
Schedule 4 ईएमडी राशि/EMD Amount (In INR)	63
Schedule 5 ईएमडी राशि/EMD Amount (In INR)	63
Schedule 6 ईएमडी राशि/EMD Amount (In INR)	218
Schedule 7 ईएमडी राशि/EMD Amount (In INR)	167
Schedule 8 ईएमडी राशि/EMD Amount (In INR)	25
Schedule 9 ईएमडी राशि/EMD Amount (In INR)	13
Schedule 10 ईएमडी राशि/EMD Amount (In INR)	46
Schedule 11 ईएमडी राशि/EMD Amount (In INR)	72
Schedule 12 ईएमडी राशि/EMD Amount (In INR)	13
Schedule 13 ईएमडी राशि/EMD Amount (In INR)	55
Schedule 14 ईएमडी राशि/EMD Amount (In INR)	25
Schedule 15 ईएमडी राशि/EMD Amount (In INR)	383
Schedule 16 ईएमडी राशि/EMD Amount (In INR)	88
Schedule 17 ईएमडी राशि/EMD Amount (In INR)	1275
Schedule 18 ईएमडी राशि/EMD Amount (In INR)	2112
Schedule 19 ईएमडी राशि/EMD Amount (In INR)	9180
Schedule 20 ईएमडी राशि/EMD Amount (In INR)	27
Schedule 21 ईएमडी राशि/EMD Amount (In INR)	275

Schedule 22 ईएमडी राशि/EMD Amount (In INR)	35
Schedule 23 ईएमडी राशि/EMD Amount (In INR)	100
Schedule 24 ईएमडी राशि/EMD Amount (In INR)	373
Schedule 25 ईएमडी राशि/EMD Amount (In INR)	646
Schedule 26 ईएमडी राशि/EMD Amount (In INR)	9394
Schedule 27 ईएमडी राशि/EMD Amount (In INR)	324
Schedule 28 ईएमडी राशि/EMD Amount (In INR)	36
Schedule 29 ईएमडी राशि/EMD Amount (In INR)	360
Schedule 30 ईएमडी राशि/EMD Amount (In INR)	14520
Schedule 31 ईएमडी राशि/EMD Amount (In INR)	3427
Schedule 32 ईएमडी राशि/EMD Amount (In INR)	435
Schedule 33 ईएमडी राशि/EMD Amount (In INR)	435
Schedule 34 ईएमडी राशि/EMD Amount (In INR)	435
Schedule 35 ईएमडी राशि/EMD Amount (In INR)	2322
Schedule 36 ईएमडी राशि/EMD Amount (In INR)	11
Schedule 37 ईएमडी राशि/EMD Amount (In INR)	3869
Schedule 38 ईएमडी राशि/EMD Amount (In INR)	665
Schedule 39 ईएमडी राशि/EMD Amount (In INR)	1559
Schedule 40 ईएमडी राशि/EMD Amount (In INR)	3069
Schedule 41 ईएमडी राशि/EMD Amount (In INR)	524
Schedule 42 ईएमडी राशि/EMD Amount (In INR)	2561
Schedule 43 ईएमडी राशि/EMD Amount (In INR)	198
Schedule 44 ईएमडी राशि/EMD Amount (In INR)	4013
Schedule 45 ईएमडी राशि/EMD Amount (In INR)	5520

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%)/ePBG Percentage(%)	5.00

ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).	2

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance securityshould be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Medical Superintendent, Government Hospital, Daman
Ayushman Arogya Mandir, Opp. Indian oil petrol Pump, Dholar, Moti Daman, Daman
(The Medical Superintendent, Government Hospital Damann)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers availabele upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes

सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में हो / Purchase Preference to MSE OEMs available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MSE purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

8. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and

its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
9. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / **Evaluation Method** (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / **Evaluation Schedules**	वस्तु/श्रेणी / **Item/Category**	मात्रा / **Quantity**
Schedule 1	Hematology Quality Controls	12
Schedule 2	Widal Test Kit O And H Tube	1
Schedule 3	Upt Kit 1 Kit Equals To 50 Test	120
Schedule 4	Field Stain A 1 Bottle Equals To 500ml	10
Schedule 5	Field Stain B 1 Bottle Equals To 500ml	10
Schedule 6	Haris Hematoxylin 1 Bottle Equals To 500ml	10
Schedule 7	Methanol 1 Can Equales To 2.5ltr	15
Schedule 8	Hcl Upto 35 Percentage Pure 1 Bottle Equals To 500ml	2
Schedule 9	Liquor Ammonia 1 Bottle Equals To 500ml	2
Schedule 10	Xylene1 Bottle Equals To 500ml	2
Schedule 11	Lens Cleaning Solution 1 Bottle Equals To 500ml	2
Schedule 12	Capillary For Ct 1 Kit Equales To 100 Test	10
Schedule 13	Microscope Bulb 6v	8
Schedule 14	Microscope Oil - Immersion Lens	2
Schedule 15	Printer Roll 57mm For Xp 100	30
Schedule 16	0.1 N Naoh 1 Bottle Equals To 500ml	14
Schedule 17	Eg7 I Stat Compatible With I Stat 1 Analyser Mn 300 G Abbott	100

Schedule 18	Chem 8 I Stat Compatible With I Stat 1 Analyser Mn 300 G Abbott	100
Schedule 19	Bgem Test Cards Blood Analysis Compatible With Simense Epoc Blood Analysis Machine	100
Schedule 20	Lugols Iodine 1 Bottle Equals To 100ml	5
Schedule 21	Occult Blood Test Kit 1 Kit Equals To 25 Test	10
Schedule 22	Coplin Jars	25
Schedule 23	Cacl2 Soln. 1 Bottle Equals To 10ml Compatible With Tulip Hemostar Xf 1.0	20
Schedule 24	Uniplastin 1 Bottle Equals To 5ml Compatible With Tulip Hemostar Xf 1.0	35
Schedule 25	Liquicelin 1 Bottle Equals To 3ml Compatible With Tulip Hemostar Xf 1.0	35
Schedule 26	Cuvettes And Stirrers For Hemostar Xf 1.0 By 2.0 1 Pack Equals To 100 Units Compatible With Tulip Hemostar Xf 1.0	25
Schedule 27	Qc For Coagulometer Hemostar Xf 1.0 Compatible With Tulip Hemostar Xf 1.0	6
Schedule 28	Print Roll For Coagulometer Compatible With Tulip Hemostar Xf 1.0	14
Schedule 29	Plastic Cassettes For Histopathology Sections	2500
Schedule 30	Sensor Casette For Abl 9 Sc9 300 By 60 2 Bge	8
Schedule 31	Solution Pack For Abl9 Sp9	12
Schedule 32	S7430 Qualicheck4 Level 1	1
Schedule 33	S7440 Qualicheck4 Level 2	1
Schedule 34	S7450 Qualicheck4 Level 3	1
Schedule 35	Arterial Blood Collection Syringe 2 Ml Without Needle 350 Pcs	6
Schedule 36	Dissecting Cutting Board For Histopathology	2
Schedule 37	Mispa I3 Hba1c Kit Compatible With Agappe Mispa I3	15
Schedule 38	Mispa I3 Rf Kit Compatible With Agappe Mispa I3	5
Schedule 39	Mispa I3 Crp Kit Compatible With Agappe Mispa I3	15
Schedule 40	Mispa I3 Washing Solution Compatible With Agappe Mispa I3	60
Schedule 41	Mispa I3 Hba1c Control Level 1 And 2 Compatible With Agappe Mispa I3	5
Schedule 42	Mispa I3 Protein Control Compatible With Agappe Mispa I3	10
Schedule 43	Probe Cleaner Mispa Compatible With Agappe Mispa I3 1pack Equals To 10 Nos	12
Schedule 44	Probe Cleaner For Erba H 360 Compatible With Transasia Xl 360	30
Schedule 45	Erba H360 Diluent 1 Nos Equals To 20 Ltr Compatible With Transasia Xl 360	50

Hematology Quality Controls

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	12	30

Widal Test Kit O And H Tube

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	1	30

UPT Kit 1 Kit Equals To 50 Test

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	120	30

Field Stain A 1 Bottle Equals To 500ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	10	30

Field Stain B 1 Bottle Equals To 500ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	10	30

Haris Hematoxylin 1 Bottle Equals To 500ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	10	30

Methanol 1 Can Equales To 2.5Ltr

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	15	30

HCL Upto 35 Percentage Pure 1 Bottle Equals To 500ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	2	30

Liquor Ammonia 1 Bottle Equals To 500ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	2	30

Xylene1 Bottle Equals To 500ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	2	30

Lens Cleaning Solution 1 Bottle Equals To 500ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	2	30

Capillary For CT 1 Kit Equales To 100 Test

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	10	30

Microscope Bulb 6v

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	8	30

Microscope Oil - Immersion Lens

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	2	30

Printer Roll 57mm For XP 100

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	30	30

0.1 N NaOH 1 Bottle Equals To 500ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	14	30

EG7 I STAT Compatible With I Stat 1 Analyser MN 300 G Abbott

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	100	30

CHEM 8 I STAT Compatible With I Stat 1 Analyser MN 300 G Abbott

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	100	30

BGEM Test Cards Blood Analysis Compatible With Simense Epoc Blood Analysis Machine

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	100	30

Lugols Iodine 1 Bottle Equals To 100ml

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	5	30

Occult Blood Test Kit 1 Kit Equals To 25 Test

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	10	30

Coplin Jars

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	25	30

CaCl2 Soln. 1 Bottle Equals To 10ml Compatible With Tulip Hemostar Xf 1.0

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	20	30

Uniplastin 1 Bottle Equals To 5ml Compatible With Tulip Hemostar Xf 1.0

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	35	30

Liquicelin 1 Bottle Equals To 3ml Compatible With Tulip Hemostar Xf 1.0

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	35	30

Cuvettes And Stirrers For Hemostar XF 1.0 By 2.0 1 Pack Equals To 100 Units Compatible With Tulip Hemostar Xf 1.0

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	25	30

QC For Coagulometer Hemostar XF 1.0 Compatible With Tulip Hemostar Xf 1.0

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	6	30

Print Roll For Coagulometer Compatible With Tulip Hemostar Xf 1.0

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	14	30

Plastic Cassettes For Histopathology Sections

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	2500	30

Sensor Casette For ABL 9 SC9 300 By 60 2 BGE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	8	30

Solution Pack For ABL9 SP9

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	12	30

S7430 QUALICHECK4 Level 1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	1	30

S7440 QUALICHECK4 Level 2

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	1	30

S7450 QUALICHECK4 Level 3

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	1	30

Arterial Blood Collection Syringe 2 Ml Without Needle 350 Pcs

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	6	30

Dissecting Cutting Board For Histopathology

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	2	30

Mispa I3 HbA1c Kit Compatible With Agappe Mispa I3

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	15	30

Mispa I3 RF Kit Compatible With Agappe Mispa I3

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	5	30

Mispa I3 CRP Kit Compatible With Agappe Mispa I3

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	15	30

Mispa I3 Washing Solution Compatible With Agappe Mispa I3

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	60	30

Mispa I3 HbA1c Control Level 1 And 2 Compatible With Agappe Mispa I3

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	5	30

Mispa I3 Protein Control Compatible With Agappe Mispa I3

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	10	30

Probe Cleaner Mispa Compatible With Agappe Mispa I3 1pack Equals To 10 Nos

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	12	30

Probe Cleaner For Erba H 360 Compatible With Transasia XL 360

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	30	30

Erba H360 Diluent 1 Nos Equals To 20 Ltr Compatible With Transasia XL 360

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Jaydeep Manubhai Patel	396220,Central Store, CHC, Fort Area, Moti Daman-396220	50	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Experience Certificate for the supply of the same to any Govt/ PSU/ any renowned private organisation along with Supply/ Purchase Order.
2. If the agency is registered under MSME or NSIC, then EMD exemption certificate needs to be enclosed.
3. Make in india specific authorisation certificate needs to be enclosed.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for attached categories, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.

10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---