

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	05-11-2026 13:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	06-11-2026 13:00:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Ministry Of Health And Family Welfare
विभाग का नाम / Department Name	Department Of Health And Family Welfare
संगठन का नाम / Organisation Name	N/a
कार्यालय का नाम / Office Name	Central Procurement Branch Dnh Dd
शिकायत निवारण के संपर्क विवरण / Contact details of Grievance redressal	HOD Email id :shaleen.bhardwaj@gov.in Buyer Email id: vaidehi.patel132@gov.in
कुल मात्रा / Total Quantity	12738
वस्तु श्रेणी / Item Category	UF Cellsheath 20 Lit , UF CELLSHEATH SF , UF CELLSHEATH CR , UFFlurocell , UF Flurocell , MEDITAPE UC 9A , CELLCLEN , UF CONTROL H , UC CONTROL H , SG Calibrator , 10X EZ PREP , 10X SSC Solution 2L , ASSY , Benchmark ULTRA CC1 , Benchmark ULTRA , BLUING Reagent , HEMATOXYLIN , Label , Reaction Buffer , Reag , UltraView Universal DAB Detection , RIBBON EBAR PRINTER , Acetone 2.5L , Xylene LR 2.5 L , Plastic cassette , Paraffin wax LR 2 kg , DPX mountant , Haematoxylin stain , Eosin stain 1 litre , Isopropyl alcohol LR , Filter paper , slide Label , Sodium dihydrogen phosphate , Disodium hydrogen phosphate , Surgical blades no 21 , Slide staining alluminium racks , slide alumunium tray , low profile microtrome , Steel Embedding Mould , ER antibody 25 ml , PR antibody 25 ml , HER2 , Ki 67 antibody , TOMO slides , Cytospin Slide

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	UF- Cellsheath 20 Lit , UF-CELLSHEATH SF, UF-CELLSHEATH CR , UF-Flurocell SF Sysmex Urine Analyser Machine), UF-Flurocell CR Sysmex Urine Analyser Machine), MEDITAPE UC-9A , CELLCLEN Analyser Machine), UF-CONTROL H Sysmex Urine Analyser Machine), UC-CONTROL H Sysmex Urine Analyser Machine), SG Calibrator, 10X EZ PREP (Compatible with Benchmark GX Stainer Analyser Machine), 10X SSC Solution 2L Analyser Machine), ASSY Test/Kit) (Compatible with Benchmark GX Stainer Analyser Machine), Benchmark ULTRA CC1 Analyser Machine), Benchmark ULTRA (Compatible with Benchmark GX Stainer Analyser Machine), BLUING Reagent , HEMATOXYLIN , Label, Reaction Buffer Stainer Analyser Machine), Reag, UltraView Universal DAB Detection , RIBBON EBAR PRINTER (Compatible with Benchmark GX Stainer Analyser Machine), Acetone 2.5L, Xylene LR 2.5 L, Plastic cassette, Paraffin wax LR 2 kg, DPX mountant , Haematoxylin stain , Eosin stain 1 litre, Isopropyl alcohol LR , Filter paper, slide Label, Sodium dihydrogen phosphate, Disodium hydrogen phosphate, Surgical blades no 21 , Slide staining aluminium racks, slide aluminium tray, low profile microtome , Steel Embedding Mould , ER antibody 25 ml , PR antibody 25 ml, HER2, Ki 67 antibody, TOMO slides, Cytospin Slide
	Searched String: UF- Cellsheath 20 Lit Water Container, 20 Litres Aluminium Alloy as per Defence specification, Laboratory Filter Papers (V2), Jerrycans Steel (V2) Conforming to IS 8996, Stabilized Hydrogen Peroxide Marked to IS 2080 (In Liter), Legal_Tech Ver 2.0 Searched String: UF-CELLSHEATH SF Ultra Filtration (UF) Membrane, Technical Grade Sulfur Hexafluoride (SF 6) for use in Electrical Equipment as per IS 13072, Water Purification System with UV (Ultra-Violet Process) or UV (Ultra-Violet Process)+UF (Ultra-Filtration Process) (V2), DRDO Design Bio - Digester Tank for Single Pan Bio Toilet, SF6 Gas Handling Plant (Powergrid), Consumables for Digital Duplicators, 245 kV SF6 Circuit Breaker Conforming To IS/IEC 62271 (Part 100), Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257, 72.5 kV SF6 Circuit Breaker Conforming To IS/IEC 62271 (Part 100) (V2), SF6 Gas Leakage Detector (GIS) Searched String: UF-CELLSHEATH CR Ultra Filtration (UF) Membrane, Computed Radiography System (CR System), Weld Mesh Fabric as per IS 4948, CR Type Surge Suppressor Upto 33 kV (BHEL), Water Purification System with UV (Ultra-Violet Process) or UV (Ultra-Violet Process)+UF (Ultra-Filtration Process) (V2), COMPUTED RADIOGRAPHY SYSTEM, Stainless Steel Bucket (Defence), Potassium Dichromate (V2), Blank ID Cards (V2), Crawler Mounted Crushing Machine with Jaw Crusher Searched String: UF-Flurocell SF Sysmex Urine Analyser Machine) Category not available on GeM for the text string uploaded by the buyer

बिड विवरण / Bid Details	Searched String: UF-Flurocell CR Sysmex Urine Analyser Machine)
	Category not available on GeM for the text string uploaded by the buyer Searched String: MEDITAPE UC-9A Wire rope as per IS 4521/API Spec 9A (ONGC), File/Folder (V3), Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, Biosafety Cabinet (V2), Steel Pipes for Water and Sewage as per IS 3589, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Polypropylene Cartridge Filter, Muffle Furnace, A3 Size Multifunction Printer (MFP), Cotton Towelling And Towels Conforming To IS 7056 (V4) Searched String: CELLCLEN Analyser Machine) Trash Analyser (Textile), Sanitary Napkins Incinerator Machine with Smoke Control Unit, Gas Analyser, ESR Analyser, Scrubber Dryer Floor Cleaning Machine (V2), Power Analyser, Spectrum Analyzers And Vector Network Analyzers (V2), Moisture analyser, Sanitary Napkins Vending Machines, Breath Analyser Searched String: UF-CONTROL H Sysmex Urine Analyser Machine) Sanitary Napkins Incinerator Machine with Smoke Control Unit Searched String: UC-CONTROL H Sysmex Urine Analyser Machine) Sanitary Napkins Incinerator Machine with Smoke Control Unit Searched String: SG Calibrator Temperature calibrator, Process Calibrator, OTI / WTI Calibrator, Pressure Calibrator, Theft Proof Rifle Racks, Emamectin Benzoate 5% SG, Hand Held Calibrator, Slip Gauge Calibrator, Cricket gloves, Acephate 95% SG(Soluble Granules) Searched String: 10X EZ PREP (Compatible with Benchmark GX Stainer Analyser Machine) Category not available on GeM for the text string uploaded by the buyer Searched String: 10X SSC Solution 2L Analyser Machine) Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Muffle/Box Furnace (V2), Reciprocal Shakers - Mechanical Shaker Machine with Timer, Double sided tape, Portable Toilet, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Sodium Hypochlorite Solution (V2) as per IS 11673 (Part 1), Information Boards or Illustration Board (V2), 300mA X - Ray Machine (V2), Multipurpose Counter Machine Stickers for Post Office Searched String: ASSY Test/Kit) (Compatible with Benchmark GX Stainer Analyser Machine)

विड विवरण/Bid Details	Category not available on GeM for the text string uploaded by the buyer
	Searched String: Benchmark ULTRA CC1 Analyser Machine) Trash Analyser (Textile), Ultra - Sonic Bath Sonicator, Electronic Milk Analyser and adulteration detection equipment, Breath Analyser, Portable Ultrasound Machine, 45 degree Leg Press or Hack Squat Machine, Ultrasound Machine (V2), Note Sorting Machines (V2), Intracorporeal Lithotripsy Machine, Power Hacksaw Machine Searched String: Benchmark ULTRA (Compatible with Benchmark GX Stainer Analyser Machine) Category not available on GeM for the text string uploaded by the buyer Searched String: BLUING Reagent Barfoed's Reagent, Biochemistry Reagent Kit for Human Samples, Molisch's Reagent, Immunoassay Analyzer Reagent Kit for Human Samples, Biuret Reagent, Reagent Grade Distilled water, Tollen's Reagent, Protein Analyzer Reagents for Human Samples, Fouchet reagent, TRIzol Reagent Searched String: HEMATOXYLIN Category not available on GeM for the text string uploaded by the buyer Searched String: Label Handmade paper Label, Labels Stickers (V3), Label Printer / Barcode Printer, RFID Label Printer with Encoder, Thermal Ribbons for Label/Barcode Printer, Parcel Bag Labels of 'CBD / CED' Series, EMS Speed Post Tag Labels, Pre - Printed Bar - Coded Registered Tag Labels 'RBD' Series, Stainless Steel Name Plates, Monograms, Labels - BHEL, Identification Clip for Telecommunication Voice Distribution Module Searched String: Reaction Buffer Stainer Analyser Machine) Trash Analyser (Textile), Digital BMI Machine (V2), Arterial Blood Gas Analyzer (V2) Searched String: Reag Biochemistry Reagent Kit for Human Samples, Electrolyte Analyzer Reagents for Human Samples, Coagulation Analyzer Reagents for Human Samples, Immunoassay Analyzer Reagent Kit for Human Samples, Haematology Analyzer Reagents (V2), Protein Analyzer Reagents for Human Samples, Barfoed's Reagent, Folin - Ciocalteu Reagent, Anti-B Blood Grouping Reagent (V2), Anti - A Blood Grouping Reagent Searched String: UltraView Universal DAB Detection Category not available on GeM for the text string uploaded by the buyer Searched String: RIBBON EBAR PRINTER (Compatible with Benchmark GX Stainer Analyser Machine)

बिड विवरण / Bid Details	Category not available on GeM for the text string uploaded by the buyer
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Searched String: Acetone 2.5L ACETYLE ACETONE, File/Folder (V3), Acetyl Acetone (V2), Gear Lubricants, Multipurpose (Extreme Pressure Gear Oil) (V3) Conforming to IS 1118, Acetone as per IS 170, Sofa (V3), Acetone (V2) ISI Marked to IS 170, Marine paints, 2-2-BIPYRIDYL, Entry and Mid Level Desktop Computer Searched String: Xylene LR 2.5 L 5-5 Dithiobis -2-2 Nitrobenzoic Acid, File/Folder (V3), 5-Sulfosalicylic acid, Static Protective Relays, N Heptane, Muffle/Box Furnace (V2), LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), Azomethine-H-Monosodium Salt Monohydrate, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 Searched String: Plastic cassette Tissue Embedding Cassette, File/Folder (V3), Plastic Chain, Plastic Refractory, cobweb brush, Plastic Jerrycans, Speed Breaker (V3), Plastic Pouches, Flower Pots Or Planters (V3), Plastic Fireclay Searched String: Paraffin wax LR 2 kg Paraffin Wax Bath, Electronic Weighing Scales, paraffin wax medical for wax bath, Paraffin Wax Conforming to IS 4654, Reciprocating Air Compressors - Electric Motor Driven, Paraffin Wax Bath for Physiotherapy/Rehabilitation (V2), Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Mineral Mixtures For Supplementing Cattle Feeds Conforming to IS 1664, Towel Ring, Rubberized Weight Dumbbells Searched String: DPX mountant DPX New Searched String: Haematoxylin stain Haematoxylin Dye, TRIzol Reagent, Giemsa Stain, Leishman's Stain, New Methylene Blue Stain (Reticulocyte Stain), Stain Removing Agent, Universal Bevel Protractor, Calcofluor white stain, Auramine Rhodamine Stain, Albert's Stain A Searched String: Eosin stain 1 litre Leishman's Stain, Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932, Eosin Y Dissodium Salt, Leishman Stain for In Vitro Diagnostic (IVD) Use, Environmental Chamber, Laboratory Refrigerator (V2), Triazophos 40%EC as per IS:14937, Electric Kettles and Jugs for Household and Similar Use as per IS 367 (V2), Disinfectant Fluids , Phenolic Type (V5) conforming to IS 1061, Glass Cleaner, Liquid (V3) conforming to IS 8540 Searched String: Isopropyl alcohol LR Isopropyl Alcohol (IPA) (ONGC), Alcohol Based Hand

बिड विवरण / Bid Details	Sanitizer, Isopropyl Alcohol (2 - Propanol), Iso Propyl Alcohol (V2) Conforming To Is 2631, Alcohol Swab, Sodium Isopropyl Xanthate, ISO Propyl Alcohol as per IS 2631, Diethyl Phenyl Acetamide 50% (DEPA 50%) - Defence, Diethyl Phenyl Acetamide 20 % (Depa 20 %) (Defence), N Heptane
	Searched String: Filter paper Cellulose Nitrate Filter Paper (V2), Shredding Machine/Paper Shredder, Laboratory Filter Papers (V2), Filter Cloth, Bag filter, Syringe Filter, Filter Cartridge, Filter Sand, Pollen filter, Computer Paper (V3) Conforming to IS 12766 (In Packet) Searched String: slide Label Handmade paper Label, File/Folder (V3), Spreader Slide, Labels Stickers (V3), Slide storage box, Indoor Slide for Kids (V2), Label Printer / Barcode Printer, Outdoor Slide (V2), Automated slide stainer (V2), Microscopes Slide Coverslips as per IS 3099 Searched String: Sodium dihydrogen phosphate Sodium dihydrogen orthophosphate dihydrate, Blood Collection Tube, Potassium Dihydrogen Orthophosphate, Sodium Dihydrogen Orthophosphate (V2), Flame Photometer, Sodium Phosphate Enema, Potassium Dihydrogen Orthophosphate (V2), Sodium Phosphate, Dibasic, Anhydrous, Sodium Hypochlorite Solution (V3) Conforming To Is 11673, Tri Sodium Phosphate Dodecahydrate Searched String: Disodium hydrogen phosphate Disodium Phosphate, Anhydrous (V2) Conforming to IS 567, Di Sodium Hydrogen Phosphate-IS:567, Dipotassium hydrogen phosphate (V2) Conforming to IS 15304, Potassium Dihydrogen Orthophosphate, Disodium Citrate Sesquihydrate, Biochemistry Reagent Kit for Human Samples, EDTA disodium salt, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Edta Disodium Salt (V2), EDTA - Disodium Salt (ONGC) Searched String: Surgical blades no 21 Detachable Surgical Blades (Bard Parker Type), Protective Eye Goggles (MHA), Handles for surgical blades, detachable, Detachable Surgical Blades (Bard Parker Type) [V2], Handles for Detachable Surgical Blades (Bard Parker Type) Conforming to IS 3319, Locking Compression Plates (V2), Potassium Persulfate (Potassium Peroxodisulfate), Handloom Cotton Sponge Cloth as per IS 860, Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948, Handloom Cotton Bed Sheets (V2) as per IS 745 Searched String: Slide staining alluminium racks Drying Racks for Microscopic Slides Searched String: slide alumunium tray ALUMINIUM SLIDE TRAY, Executive Table (V4), Spreader Slide, File/Folder (V3), Baby Tray, Auditorium Chair (V2), Oil tray, Electronic Baby Weighing Scale - RBSK, Slide storage box, Automated slide stainer (V2) Searched String: low profile microtrome

बिड विवरण / Bid Details	Surface Profile Gauge, Revolving Chair (V5), Profile Projector (Version 2), Exam Pad (V2), Floor Mounted
	Horizontal Profile projector, Ultra low temperature laboratory deep freezer, Low temperature suit, Chair for General Purpose, Low temperature Gloves, Multipara Monitor - Low End Searched String: Steel Embedding Mould Foundry Moulding Boxes of Steel Construction (V2) Conforming to IS 1280, Steel Almirah / Cabinets (V4), Tissue Embedding Ring, Tissue Embedding Cassette, Tissue embedding station, Steel Filing Cabinets for General Office Purpose conforming to IS 3313 (V2), Mould Oil for Steel Melting Shop (SMS), Metal Storage Cabinet, Mould-Handicraft, Tissue Embedding Station (V2) Searched String: ER antibody 25 ml Urine Collection Bag - Sterile (Single Use), Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), Point of Care Rapid Test Kits for Humans – Dengue, Malaria, Typhoid & Others, Laboratory Glassware Volumetric Flask, Laboratory Glassware - Burettes (V2) as per IS 1997, Mucus Extractor, Ammonia solution 25%, Urine Culture Bottle (V2) Searched String: PR antibody 25 ml Propiconazole 25% EC, Urine Collection Bag - Sterile (Single Use), 0.5 ml Auto Disable (AD) Syringe for Universal Immunization Programme, Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), APCO 25 Phase-II Radio Trunking as per MHA QR, Point of Care Rapid Test Kits for Humans – Dengue, Malaria, Typhoid & Others, Primary Aluminium Ingots for Remelting for General Engineering Purposes Conforming to IS 2590, Laboratory Glassware Volumetric Flask, Fipronil 2.50% + Propargite 35.00% SE (Suspoemulsion), Laboratory Glassware - Burettes (V2) as per IS 1997 Searched String: HER2 Sofa (V3), Sanitary Napkins Incinerator Machine with Smoke Control Unit, Desk and Bench Set for Classroom/Training Area, Show Case, Biosafety Cabinet (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), water baths, Cotton Towelling And Towels Conforming To IS 7056 (V4), Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Bunk Beds conforming to IS 17636 Searched String: Ki 67 antibody Anti Hepatitis B Core Antibody ELISA Kits, Point of Care Rapid Test Kits for Humans – Dengue, Malaria, Typhoid & Others, Human Flow Cytometry Antibody Reagents, Dimethyl Sulfoxide (V2), Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), Dimethyl sulfoxide, Dengue ELISA Test Kit, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Anti-HEV ELISA Test Kits (V2), Flushing Cistern Searched String: TOMO slides Outdoor Slide (V2), File/Folder (V3), Drying Racks for Microscopic Slides, Napkin Dispenser, Microscope - Slides

बिड विवरण/Bid Details	(V3) as per IS 3099 (Part 2), Indoor Slide for Kids (V2), Optical Coherence Tomography (V2), Microscopes Slide Coverslips as per IS 3099, CT Scanners 16 Slice, Auditorium Chair (V2) Searched String: Cytospin Slide Cytocentrifuge, File/Folder (V3), Spreader Slide, Indoor Slide for Kids (V2), Slide storage box, Outdoor Slide (V2), Automated slide stainer (V2), Microscopes Slide Coverslips as per IS 3099, Automated slide stainer, Auditorium Chair (V2)
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	Lab Multi Sample Mixer
बीओक्यू शीर्षक / BOQ Title	Pathology
एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/ MSE Relaxation for Years of Experience and Turnover	No
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	Certificate (Requested in ATC), Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	No
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	UF Cellsheath 20 Lit
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	2 Days

बिड विवरण/Bid Details	
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Item wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
Schedule 1 ईएमडी राशि/EMD Amount (In INR)	39722
Schedule 2 ईएमडी राशि/EMD Amount (In INR)	2736
Schedule 3 ईएमडी राशि/EMD Amount (In INR)	241
Schedule 4 ईएमडी राशि/EMD Amount (In INR)	5296
Schedule 5 ईएमडी राशि/EMD Amount (In INR)	5296
Schedule 6 ईएमडी राशि/EMD Amount (In INR)	29644
Schedule 7 ईएमडी राशि/EMD Amount (In INR)	3917
Schedule 8 ईएमडी राशि/EMD Amount (In INR)	1103
Schedule 9 ईएमडी राशि/EMD Amount (In INR)	1324
Schedule 10 ईएमडी राशि/EMD Amount (In INR)	736
Schedule 11 ईएमडी राशि/EMD Amount (In INR)	588
Schedule 12 ईएमडी राशि/EMD Amount (In INR)	257
Schedule 13 ईएमडी राशि/EMD Amount (In INR)	33
Schedule 14 ईएमडी राशि/EMD Amount (In INR)	699
Schedule 15 ईएमडी राशि/EMD Amount (In INR)	441
Schedule 16 ईएमडी राशि/EMD Amount (In INR)	280
Schedule 17 ईएमडी राशि/EMD Amount (In INR)	287
Schedule 18 ईएमडी राशि/EMD Amount (In INR)	427
Schedule 19 ईएमडी राशि/EMD Amount (In INR)	368
Schedule 20 ईएमडी राशि/EMD Amount (In INR)	9
Schedule 21 ईएमडी राशि/EMD Amount (In INR)	3531

Schedule 22 ईएमडी राशि/EMD Amount (In INR)	74
Schedule 23 ईएमडी राशि/EMD Amount (In INR)	2758
Schedule 24 ईएमडी राशि/EMD Amount (In INR)	2988
Schedule 25 ईएमडी राशि/EMD Amount (In INR)	460
Schedule 26 ईएमडी राशि/EMD Amount (In INR)	1738
Schedule 27 ईएमडी राशि/EMD Amount (In INR)	478
Schedule 28 ईएमडी राशि/EMD Amount (In INR)	1618
Schedule 29 ईएमडी राशि/EMD Amount (In INR)	1177
Schedule 30 ईएमडी राशि/EMD Amount (In INR)	6620
Schedule 31 ईएमडी राशि/EMD Amount (In INR)	261
Schedule 32 ईएमडी राशि/EMD Amount (In INR)	74
Schedule 33 ईएमडी राशि/EMD Amount (In INR)	46
Schedule 34 ईएमडी राशि/EMD Amount (In INR)	46
Schedule 35 ईएमडी राशि/EMD Amount (In INR)	298
Schedule 36 ईएमडी राशि/EMD Amount (In INR)	74
Schedule 37 ईएमडी राशि/EMD Amount (In INR)	18
Schedule 38 ईएमडी राशि/EMD Amount (In INR)	2758
Schedule 39 ईएमडी राशि/EMD Amount (In INR)	1839
Schedule 40 ईएमडी राशि/EMD Amount (In INR)	1471
Schedule 41 ईएमडी राशि/EMD Amount (In INR)	1471
Schedule 42 ईएमडी राशि/EMD Amount (In INR)	1103
Schedule 43 ईएमडी राशि/EMD Amount (In INR)	405
Schedule 44 ईएमडी राशि/EMD Amount (In INR)	483
Schedule 45 ईएमडी राशि/EMD Amount (In INR)	1656

ईपीबीजी विवरण /ePBG Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)	5.00

ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months).

12

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(d). ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

लाभार्थी /Beneficiary :

Director Medical and Health Services, DNH&DD
CENTRAL PROCUREMENT BRANCH DNH DD, Department of Health and Family Welfare, N/A, Ministry of Health and Family Welfare
(Director Medical And Health Services)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers available upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
---	-----

सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ / Purchase Preference to MSE OEMs/ Service Provider available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

2. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within $L-1+ 15\%$ (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedule wise and the determination of L1 will be done separately for each schedule.

The details of item-consignee combination covered under each schedule are as under:

मूल्यांकन अनुसूचियां / Evaluation Schedules	वस्तु/श्रेणी / Item/Category	मात्रा / Quantity
Schedule 1	Uf Cellsheath 20 Lit	90
Schedule 2	Uf Cellsheath Sf	8
Schedule 3	Uf Cellsheath Cr	8
Schedule 4	Uffluorocell	9
Schedule 5	Uf Flurocell	9
Schedule 6	Meditape Uc 9a	26
Schedule 7	Cellcien	15
Schedule 8	Uf Control H	1
Schedule 9	Uc Control H	1
Schedule 10	Sg Calibrator	1
Schedule 11	10x Ez Prep	2
Schedule 12	10x Ssc Solution 2l	2
Schedule 13	Assy	2
Schedule 14	Benchmark Ultra Cc1	2
Schedule 15	Benchmark Ultra	2
Schedule 16	Bluing Reagent	2
Schedule 17	Hematoxylin	2
Schedule 18	Label	2
Schedule 19	Reaction Buffer	2
Schedule 20	Reag	2
Schedule 21	Ultraview Universal Dab Detection	2
Schedule 22	Ribbon Ebar Printer	2
Schedule 23	Acetone 2.5l	50
Schedule 24	Xylene Lr 2.5 L	50
Schedule 25	Plastic Cassette	5000
Schedule 26	Paraffin Wax Lr 2 Kg	50
Schedule 27	Dpx Mountant	20
Schedule 28	Haematoxylin Stain	20
Schedule 29	Eosin Stain 1 Litre	20
Schedule 30	Isopropyl Alcohol Lr	60
Schedule 31	Filter Paper	15
Schedule 32	Slide Label	2000
Schedule 33	Sodium Dihydrogen Phosphate	5

Schedule 34	Disodium Hydrogen Phosphate	5
Schedule 35	Surgical Blades No 21	15
Schedule 36	Slide Staining Alluminium Racks	10
Schedule 37	Slide Alumunium Tray	5
Schedule 38	Low Profile Microtrome	10
Schedule 39	Steel Embedding Mould	200
Schedule 40	Er Antibody 25 MI	1
Schedule 41	Pr Antibody 25 MI	1
Schedule 42	Her2	1
Schedule 43	Ki 67 Antibody	1
Schedule 44	Tomo Slides	7
Schedule 45	Cytospin Slide	5000

UF Cellsheath 20 Lit

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	90	30

UF CELLSHEATH SF

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	8	30

UF CELLSHEATH CR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	8	30

UFFlurocell

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	9	30

UF Flurocell

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	9	30

MEDITAPE UC 9A

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	26	30

CELLCLEN

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	15	30

UF CONTROL H

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	1	30

UC CONTROL H

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	1	30

SG Calibrator

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	1	30

10X EZ PREP

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	2	30

10X SSC Solution 2L

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	2	30

ASSY

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	2	30

Benchmark ULTRA CC1

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	2	30

Benchmark ULTRA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	2	30

BLUING Reagent

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	2	30

HEMATOXYLIN

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	2	30

Label

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	2	30

Reaction Buffer

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	2	30

Reag

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	2	30

UltraView Universal DAB Detection

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	2	30

RIBBON EBAR PRINTER

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	2	30

Acetone 2.5L

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	50	30

Xylene LR 2.5 L

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	50	30

Plastic Cassette

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	5000	30

Paraffin Wax LR 2 Kg

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	50	30

DPX Mountant

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	20	30

Haematoxylin Stain

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	20	30

Eosin Stain 1 Litre

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	20	30

Isopropyl Alcohol LR

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	60	30

Filter Paper

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	15	30

Slide Label

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	2000	30

Sodium Dihydrogen Phosphate

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	5	30

Disodium Hydrogen Phosphate

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	5	30

Surgical Blades No 21

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	15	30

Slide Staining Alluminium Racks

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	10	30

Slide Alumunium Tray

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	5	30

Low Profile Microtrome

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	10	30

Steel Embedding Mould

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	200	30

ER Antibody 25 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	1	30

PR Antibody 25 MI

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषदी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषदी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	1	30

HER2

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	1	30

Ki 67 Antibody

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	1	30

TOMO Slides

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	7	30

Cytospin Slide

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Heena	396230,CENTRAL MEDICAL STORE, OPP SHRI VINOBA BHAVE CIVIL HOSPITAL, WORKING WOMEN HOSTEL CAMPUS, SAYLI ROAD, SILVASSA	5000	30

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

2. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including

specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.

13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and
- All operative provisions of the erstwhile Labour Laws until their complete substitution.

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---