बिड संख्या/Bid Number: GEM/2026/B/8252752

दिनांक /Dated: 07-11-2026

## बिड दस्तावेज़ / Bid Document

| बिड विवरण/Bid Details | |
|---|---|
| **बिड बंद होने की तारीख/समय /Bid End Date/Time** | 30-11-2026 12:00:00 |
| **बिड खुलने की तारीख/समय /Bid Opening Date/Time** | 01-12-2026 12:00:00 |
| **बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)** | 180 (Days) |
| **मंत्रालय/राज्य का नाम/Ministry/State Name** | Ministry Of Health And Family Welfare |
| **विभाग का नाम/Department Name** | Department Of Health And Family Welfare |
| **संगठन का नाम/Organisation Name** | N/a |
| **कार्यालय का नाम/Office Name** | Central Procurement Branch Dnh Dd |
| **शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal** | HOD Email id :shaleen.bhardwaj@gov.in<br>Buyer Email id: vaidehi.patel132@gov.in |
| **कुल मात्रा/Total Quantity** | 12738 |
| **वस्तु श्रेणी /Item Category** | UF Cellsheath 20 Lit , UF CELLSHEATH SF , UF CELLSHEATH CR , UFFlurocell , UF Flurocell , MEDITAPE UC 9A , CELLCLEN , UF CONTROL H , UC CONTROL H , SG Calibrator , 10X EZ PREP , 10X SSC Solution 2L , ASSY , Benchmark ULTRA CC1 , Benchmark ULTRA , BLUING Reagent , HEMATOXYLIN , Label , Reaction Buffer , Reag , UltraView Universal DAB Detection , RIBBON EBAR PRINTER , Acetone 2.5L , Xylene LR 2.5 L , Plastic cassette , Paraffin wax LR 2 kg , DPX mountant , Haematoxylin stain , Eosin stain 1 litre , Isopropyl alcohol LR , Filter paper , slide Label , Sodium dihydrogen phosphate , Disodium hydrogen phosphate , Surgical blades no 21 , Slide staining alluminium racks , slide alumunium tray , low profile microtrome , Steel Embedding Mould , ER antibody 25 ml , PR antibody 25 ml , HER2 , Ki 67 antibody , TOMO slides , Cytospin Slide |

| बिड विवरण/Bid Details | |
|---|---|
| **GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS** | UF- Cellsheath 20 Lit , UF-CELLSHEATH SF, UF-CELLSHEATH CR , UF-Flurocell SF Sysmex Urine Analyser Machine), UF-Flurocell CR Sysmex Urine Analyser Machine), MEDITAPE UC-9A , CELLCLEN Analyser Machine), UF-CONTROL H Sysmex Urine Analyser Machine), UC-CONTROL H Sysmex Urine Analyser Machine), SG Calibrator, 10X EZ PREP (Compatible with Benchmark GX Stainer Analyser Machine), 10X SSC Solution 2L Analyser Machine), ASSY Test/Kit) (Compatible with Benchmark GX Stainer Analyser Machine), Benchmark ULTRA CC1 Analyser Machine), Benchmark ULTRA (Compatible with Benchmark GX Stainer Analyser Machine), BLUING Reagent , HEMATOXYLIN , Label, Reaction Buffer Stainer Analyser Machine), Reag, UltraView Universal DAB Detection , RIBBON EBAR PRINTER (Compatible with Benchmark GX Stainer Analyser Machine), Acetone 2.5L, Xylene LR 2.5 L, Plastic cassette, Paraffin wax LR 2 kg, DPX mountant , Haematoxylin stain , Eosin stain 1 litre, Isopropyl alcohol LR , Filter paper, slide Label, Sodium dihydrogen phosphate, Disodium hydrogen phosphate, Surgical blades no 21 , Slide staining alluminium racks, slide alumunium tray, low profile microtrome , Steel Embedding Mould , ER antibody 25 ml , PR antibody 25 ml, HER2, Ki 67 antibody, TOMO slides, Cytospin Slide |
| | **Searched String**: UF- Cellsheath 20 Lit<br><br>Water Container, 20 Litres Aluminium Alloy as per Defence specification, Laboratory Filter Papers (V2), Jerrycans Steel (V2) Conforming to IS 8996, Stabilized Hydrogen Peroxide Marked to IS 2080 (In Liter), Legal_Tech Ver 2.0<br><br>**Searched String**: UF-CELLSHEATH SF<br><br>Ultra Filtration (UF) Membrane, Technical Grade Sulfur Hexafluoride (SF 6) for use in Electrical Equipment as per IS 13072, Water Purification System with UV (Ultra-Violet Process) or UV (Ultra-Violet Process)+UF (Ultra-Filtration Process) (V2), DRDO Design Bio - Digester Tank for Single Pan Bio Toilet, SF6 Gas Handling Plant (Powergrid), Consumables for Digital Duplicators, 245 kV SF6 Circuit Breaker Conforming To IS/IEC 62271 (Part 100), Lead Acid Storage Batteries For Motor Vehicles with Light Weight and High Cranking Performance (V2) Conforming to IS 14257, 72.5 kV SF6 Circuit Breaker Conforming To IS/IEC 62271 (Part 100) (V2), SF6 Gas Leakage Detector (GIS)<br><br>**Searched String**: UF-CELLSHEATH CR<br><br>Ultra Filtration (UF) Membrane, Computed Radiography System (CR System), Weld Mesh Febric as per IS 4948, CR Type Surge Suppressor Upto 33 kV (BHEL), Water Purification System with UV (Ultra-Violet Process) or UV (Ultra-Violet Process)+UF (Ultra-Filtration Process) (V2), COMPUTED RADIOGRAPHY SYSTEM, Stainless Steel Bucket (Defence), Potassium Dichromate (V2), Blank ID Cards (V2), Crawler Mounted Crushing Machine with Jaw Crusher<br><br>**Searched String**: UF-Flurocell SF Sysmex Urine Analyser Machine)<br><br>Category not available on GeM for the text string uploaded by the buyer |

| बिड विवरण/Bid Details | **Searched String**: UF-Flurocell CR Sysmex Urine Analyser Machine) |
|---|---|
| | Category not available on GeM for the text string uploaded by the buyer<br><br>**Searched String**: MEDITAPE UC-9A<br><br>Wire rope as per IS 4521/API Spec 9A ( ONGC), File/Folder (V3), Aluminium Conductors For Overhead Transmission Purposes (V2) Conforming To IS 398, Biosafety Cabinet (V2), Steel Pipes for Water and Sewage as per IS 3589, Moulded Case Circuit Breakers (MCCB) Conforming To IS/IEC 60947 (Part 2), Polypropylene Cartridge Filter, Muffle Furnace, A3 Size Multifunction Printer (MFP), Cotton Towelling And Towels Conforming To IS 7056 (V4)<br><br>**Searched String**: CELLCLEN Analyser Machine)<br><br>Trash Analyser (Textile), Sanitary Napkins Incinerator Machine with Smoke Control Unit, Gas Analyser, ESR Analyser, Scrubber Dryer Floor Cleaning Machine (V2), Power Analyser, Spectrum Analyzers And Vector Network Analyzers (V2), Moisture analyser, Sanitary Napkins Vending Machines, Breath Analyser<br><br>**Searched String**: UF-CONTROL H Sysmex Urine Analyser Machine)<br><br>Sanitary Napkins Incinerator Machine with Smoke Control Unit<br><br>**Searched String**: UC-CONTROL H Sysmex Urine Analyser Machine)<br><br>Sanitary Napkins Incinerator Machine with Smoke Control Unit<br><br>**Searched String**: SG Calibrator<br><br>Temperature calibrator, Process Calibrator, OTI / WTI Calibrator, Pressure Calibrator, Theft Proof Rifle Racks, Emamectin Benzoate 5% SG, Hand Held Calibrator, Slip Gauge Calibrator, Cricket gloves, Acephate  95% SG(Soluble Granules)<br><br>**Searched String**: 10X EZ PREP (Compatible with Benchmark GX Stainer Analyser Machine)<br><br>Category not available on GeM for the text string uploaded by the buyer<br><br>**Searched String**: 10X SSC Solution 2L Analyser Machine)<br><br>Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Muffle/Box Furnace (V2), Reciprocal Shakers - Mechanical Shaker Machine with Timer, Double sided tape, Portable Toilet, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Sodium Hypochlorite Solution (V2) as per IS 11673 (Part 1), Information Boards or Illustration Board (V2), 300mA X - Ray Machine (V2), Multipurpose Counter Machine Stickers for Post Office<br><br>**Searched String**: ASSY Test/Kit) (Compatible with Benchmark GX Stainer Analyser Machine) |

| बिड विवरण/Bid Details | Category not available on GeM for the text string uploaded by the buyer |
| --- | --- |
| | **Searched String**: Benchmark ULTRA CC1 Analyser Machine)<br><br>Trash Analyser (Textile), Ultra - Sonic Bath Sonicator, Electronic Milk Analyser and adulteration detection equipment, Breath Analyser, Portable Ultrasound Machine, 45 degree Leg Press or Hack Squat Machine, Ultrasound Machine (V2), Note Sorting Machines (V2), Intracorporeal Lithotripsy Machine, Power Hacksaw Machine<br><br>**Searched String**: Benchmark ULTRA (Compatible with Benchmark GX Stainer Analyser Machine)<br><br>Category not available on GeM for the text string uploaded by the buyer<br><br>**Searched String**: BLUING Reagent<br><br>Barfoed's Reagent, Biochemistry Reagent Kit for Human Samples, Molisch's Reagent, Immunoassay Analyzer Reagent Kit for Human Samples, Biuret Reagent, Reagent Grade Distilled water, Tollen's Reagent, Protein Analyzer Reagents for Human Samples, Fouchet reagent, TRIzol Reagent<br><br>**Searched String**: HEMATOXYLIN<br><br>Category not available on GeM for the text string uploaded by the buyer<br><br>**Searched String**: Label<br><br>Handmade paper Label, Labels Stickers (V3), Label Printer / Barcode Printer, RFID Label Printer with Encoder, Thermal Ribbons for Label/Barcode Printer, Parcel Bag Labels of 'CBD / CED' Series, EMS Speed Post Tag Labels, Pre - Printed Bar - Coded Registered Tag Labels 'RBD' Series, Stainless Steel Name Plates, Monograms, Labels - BHEL, Identification Clip for Telecommunication Voice Distribution Module<br><br>**Searched String**: Reaction Buffer Stainer Analyser Machine)<br><br>Trash Analyser (Textile), Digital BMI Machine (V2), Arterial Blood Gas Analyzer (V2)<br><br>**Searched String**: Reag<br><br>Biochemistry Reagent Kit for Human Samples, Electrolyte Analyzer Reagents for Human Samples, Coagulation Analyzer Reagents for Human Samples, Immunoassay Analyzer Reagent Kit for Human Samples, Haematology Analyzer Reagents (V2), Protein Analyzer Reagents for Human Samples, Barfoed's Reagent, Folin - Ciocalteu Reagent, Anti-B Blood Grouping Reagent (V2), Anti - A Blood Grouping Reagent<br><br>**Searched String**: UltraView Universal DAB Detection<br><br>Category not available on GeM for the text string uploaded by the buyer<br><br>**Searched String**: RIBBON EBAR PRINTER (Compatible with Benchmark GX Stainer Analyser Machine) |

| बिड विवरण/Bid Details | Category not available on GeM for the text string uploaded by the buyer |
|---|---|
| **GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS** | **Searched String**: Acetone 2.5L<br><br>ACETYLE ACETONE, File/Folder (V3), Acetyl Acetone (V2), Gear Lubricants, Multipurpose ( Extreme Pressure Gear Oil ) (V3) Conforming to IS 1118, Acetone as per IS 170, Sofa (V3), Acetone (V2) ISI Marked to IS 170, Marine paints, 2-2-BIPYRIDYL, Entry and Mid Level Desktop Computer<br><br>**Searched String**: Xylene LR 2.5 L<br><br>5-5 Dithiobis -2-2 Nitrobenzoic Acid, File/Folder (V3), 5-Sulfosalicylic acid, Static Protective Relays, N Heptane, Muffle/Box Furnace (V2), LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), Azomethine-H-Monosodium Salt Monohydrate, LED Luminaire (Recessed Luminaire) (Ceiling Light) Conforming To IS 10322 (Part 5/Section 2) (V4), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694<br><br>**Searched String**: Plastic cassette<br><br>Tissue Embedding Cassette, File/Folder (V3), Plastic Chain, Plastic Refractory, cobweb brush, Plastic Jerrycans, Speed Breaker (V3), Plastic Pouches, Flower Pots Or Planters (V3), Plastic Fireclay<br><br>**Searched String**: Paraffin wax LR 2 kg<br><br>Paraffin Wax Bath, Electronic Weighing Scales, paraffin wax medical for wax bath, Paraffin Wax Conforming to IS 4654, Reciprocating Air Compressors - Electric Motor Driven, Paraffin Wax Bath for Physiotherapy/Rehabilitation (V2), Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Mineral Mixtures For Supplementing Cattle Feeds Conforming to IS 1664, Towel Ring, Rubberized Weight Dumbbells<br><br>**Searched String**: DPX mountant<br><br>DPX New<br><br>**Searched String**: Haematoxylin stain<br><br>Haematoxylin Dye, TRIzol Reagent, Giemsa Stain, Leishman's Stain, New Methylene Blue Stain (Reticulocyte Stain), Stain Removing Agent, Universal Bevel Protractor, Calcofluor white stain, Auramine Rhodamine Stain, Albert's Stain A<br><br>**Searched String**: Eosin stain 1 litre<br><br>Leishman's Stain, Enamel, Synthetic, Exterior (A) Undercoating (B) Finishing (V4) Confirming to IS 2932, Eosin Y Dissodium Salt, Leishman Stain for In Vitro Diagnostic (IVD) Use, Environmental Chamber, Laboratory Refrigerator (V2), Triazophos 40%EC as per IS:14937, Electric Kettles and Jugs for Household and Similar Use as per IS 367 (V2), Disinfectant Fluids , Phenolic Type (V5) conforming to IS 1061, Glass Cleaner, Liquid (V3) conforming to IS 8540<br><br>**Searched String**: Isopropyl alcohol LR<br><br>Isopropyl Alcohol (IPA) (ONGC), Alcohol Based Hand |

| बिड विवरण/Bid Details | Sanitizer, Isopropyl Alcohol (2 - Propanol), Iso Propyl Alcohol (V2) Conforming To Is 2631, Alcohol Swab, Sodium Isopropyl Xanthate, ISO Propyl Alcohol as per IS 2631, Diethyl Phenyl Acetamide 50% (DEPA 50%) - Defence, Diethyl Phenyl Acetamide 20 % (Depa 20 %) (Defence), N Heptane<br><br>**Searched String**: Filter paper<br><br>Cellulose Nitrate Filter Paper (V2), Shredding Machine/Paper Shredder, Laboratory Filter Papers (V2), Filter Cloth, Bag filter, Syringe Filter, Filter Cartridge, Filter Sand, Pollen filter, Computer Paper (V3) Conforming to IS 12766 (In Packet)<br><br>**Searched String**: slide Label<br><br>Handmade paper Label, File/Folder (V3), Spreader Slide, Labels Stickers (V3), Slide storage box, Indoor Slide for Kids (V2), Label Printer / Barcode Printer, Outdoor Slide (V2), Automated slide stainer (V2), Microscopes Slide Coverslips as per IS 3099<br><br>**Searched String**: Sodium dihydrogen phosphate<br><br>Sodium dihydrogen orthophosphate dihydrate, Blood Collection Tube, Potassium Dihydrogen Orthophosphate, Sodium Dihydrogen Orthophosphate (V2), Flame Photometer, Sodium Phosphate Enema, Potassium Dihydrogen Orthophosphate (V2), Sodium Phosphate, Dibasic, Anhydrous, Sodium Hypochlorite Solution (V3) Conforming To Is 11673, Tri Sodium Phosphate Dodecahydrate<br><br>**Searched String**: Disodium hydrogen phosphate<br><br>Disodium Phosphate, Anhydrous (V2) Conforming to IS 567, Di Sodium Hydrogen Phosphate-IS:567, Dipotassium hydrogen phosphate (V2) Conforming to IS 15304, Potassium Dihydrogen Orthophosphate, Disodium Citrate Sesquihydrate, Biochemistry Reagent Kit for Human Samples, EDTA disodium salt, 7 Watt White-LED Based Solar Street Lighting System As Per MNRE Specification, Edta Disodium Salt (V2), EDTA - Disodium Salt (ONGC)<br><br>**Searched String**: Surgical blades no 21<br><br>Detachable Surgical Blades (Bard Parker Type), Protective Eye Goggles (MHA), Handles for surgical blades, detachable, Detachable Surgical Blades (Bard Parker Type) [V2], Handles for Detachable Surgical Blades (Bard Parker Type) Conforming to IS 3319, Locking Compression Plates (V2), Potassium Persulfate (Potassium Peroxodisulfate), Handloom Cotton Sponge Cloth as per IS 860, Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948, Handloom Cotton Bed Sheets (V2) as per IS 745<br><br>**Searched String**: Slide staining alluminium racks<br><br>Drying Racks for Microscopic Slides<br><br>**Searched String**: slide alumunium tray<br><br>ALUMINIUM SLIDE TRAY, Executive Table (V4), Spreader Slide, File/Folder (V3), Baby Tray, Auditorium Chair (V2), Oil tray, Electronic Baby Weighing Scale - RBSK, Slide storage box, Automated slide stainer (V2)<br><br>**Searched String**: low profile microtrome |
|---|---|

| बिड विवरण/Bid Details | Surface Profile Gauge, Revolving Chair (V5), Profile Projector (Version 2), Exam Pad (V2), Floor Mounted Horizontal Profile projector, Ultra low temperature laboratory deep freezer, Low temperature suit, Chair for General Purpose, Low temperature Gloves, Multipara Monitor - Low End<br><br>**Searched String**: Steel Embedding Mould<br><br>Foundry Moulding Boxes of Steel Construction (V2) Conforming to IS 1280, Steel Almirah / Cabinets (V4), Tissue Embedding Ring, Tissue Embedding Cassette, Tissue embedding station, Steel Filing Cabinets for General Office Purpose conforming to IS 3313 (V2), Mould Oil for Steel Melting Shop (SMS), Metal Storage Cabinet, Mould-Handicraft, Tissue Embedding Station (V2)<br><br>**Searched String**: ER antibody 25 ml<br><br>Urine Collection Bag - Sterile (Single Use), Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), Point of Care Rapid Test Kits for Humans – Dengue, Malaria, Typhoid & Others, Laboratory Glassware Volumetric Flask, Laboratory Glassware - Burettes (V2) as per IS 1997, Mucus Extractor, Ammonia solution 25%, Urine Culture Bottle (V2)<br><br>**Searched String**: PR antibody 25 ml<br><br>Propiconazole 25% EC, Urine Collection Bag - Sterile (Single Use), 0.5 ml Auto Disable (AD) Syringe for Universal Immunization Programme, Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), APCO 25 Phase-II Radio Trunking as per MHA QR, Point of Care Rapid Test Kits for Humans – Dengue, Malaria, Typhoid & Others, Primary Aluminium Ingots for Remelting for General Engineering Purposes Conforming to IS 2590, Laboratory Glassware Volumetric Flask, Fipronil 2.50% + Propargite 35.00% SE (Suspoemulsion), Laboratory Glassware - Burettes (V2) as per IS 1997<br><br>**Searched String**: HER2<br><br>Sofa (V3), Sanitary Napkins Incinerator Machine with Smoke Control Unit, Desk and Bench Set for Classroom/Training Area, Show Case, Biosafety Cabinet (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), water baths, Cotton Towelling And Towels Conforming To IS 7056 (V4), Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Bunk Beds conforming to IS 17636<br><br>**Searched String**: Ki 67 antibody<br><br>Anti Hepatitis B Core Antibody ELISA Kits, Point of Care Rapid Test Kits for Humans – Dengue, Malaria, Typhoid & Others, Human Flow Cytometry Antibody Reagents, Dimethyl Sulfoxide (V2), Rapid Test Kit for HIV / Syphilis / Hepatitis B Virus (HBV) / Hepatitis C Virus (HCV), Dimethyl sulfoxide, Dengue ELISA Test Kit, Copper alloy Taps/Stop Valves (V2) Conforming to IS 8931, Anti-HEV ELISA Test Kits (V2), Flushing Cistern<br><br>**Searched String**: TOMO slides<br><br>Outdoor Slide (V2), File/Folder (V3), Drying Racks for Microscopic Slides, Napkin Dispenser, Microscope - Slides |
|---|---|

| बिड विवरण/Bid Details | (V3) as per IS 3099 (Part 2), Indoor Slide for Kids (V2), Optical Coherence Tomography (V2), Microscopes Slide Coverslips as per IS 3099, CT Scanners 16 Slice, Auditorium Chair (V2)<br><br>**Searched String**: Cytospin Slide<br><br>Cytocentrifuge, File/Folder (V3), Spreader Slide, Indoor Slide for Kids (V2), Slide storage box, Outdoor Slide (V2), Automated slide stainer (V2), Microscopes Slide Coverslips as per IS 3099, Automated slide stainer, Auditorium Chair (V2) |
|---|---|
| **अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification** | • Biosafety Cabinet (V2)<br>• Microscopes - Pathological and Research as per IS 4381, IS 5204, IS 4381, IS 5204 |
| **बीओक्यू शीर्षक /BOQ Title** | Pathology |
| **एमएसएमई के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है/MSE Relaxation for Years of Experience and Turnover** | No |
| **स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है /Startup Relaxation for Years of Experience and Turnover** | No |
| **विक्रेता से मांगे गए दस्तावेज़/Document required from seller** | Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document<br>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| **क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?** | Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in) |
| **बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension** | 1 |
| **दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended** | 3 |
| **ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count** | 1 |
| **बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled** | No |
| **बिड का प्रकार/Type of Bid** | Two Packet Bid |
| **प्राथमिक उत्पाद श्रेणी/Primary product category** | UF Cellsheath 20 Lit |
| **तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation** | 2 Days |

| बिड विवरण/Bid Details | |
|---|---|
| **निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)** | No |
| **मूल्यांकन पद्धति/Evaluation Method** | Item wise evaluation |
| **मध्यस्थता खंड/Arbitration Clause** | No |
| **सुलह खंड/Mediation Clause** | No |

**ईएमडी विवरण/EMD Detail**

| | |
|---|---|
| एडवाईजरी बैंक/Advisory Bank | State Bank of India |
| Schedule 1 ईएमडी राशि/EMD Amount (In INR) | 39722 |
| Schedule 2 ईएमडी राशि/EMD Amount (In INR) | 2736 |
| Schedule 3 ईएमडी राशि/EMD Amount (In INR) | 241 |
| Schedule 4 ईएमडी राशि/EMD Amount (In INR) | 5296 |
| Schedule 5 ईएमडी राशि/EMD Amount (In INR) | 5296 |
| Schedule 6 ईएमडी राशि/EMD Amount (In INR) | 29644 |
| Schedule 7 ईएमडी राशि/EMD Amount (In INR) | 3917 |
| Schedule 8 ईएमडी राशि/EMD Amount (In INR) | 1103 |
| Schedule 9 ईएमडी राशि/EMD Amount (In INR) | 1324 |
| Schedule 10 ईएमडी राशि/EMD Amount (In INR) | 736 |
| Schedule 11 ईएमडी राशि/EMD Amount (In INR) | 588 |
| Schedule 12 ईएमडी राशि/EMD Amount (In INR) | 257 |
| Schedule 13 ईएमडी राशि/EMD Amount (In INR) | 33 |
| Schedule 14 ईएमडी राशि/EMD Amount (In INR) | 699 |
| Schedule 15 ईएमडी राशि/EMD Amount (In INR) | 441 |
| Schedule 16 ईएमडी राशि/EMD Amount (In INR) | 280 |
| Schedule 17 ईएमडी राशि/EMD Amount (In INR) | 287 |
| Schedule 18 ईएमडी राशि/EMD Amount (In INR) | 427 |
| Schedule 19 ईएमडी राशि/EMD Amount (In INR) | 368 |
| Schedule 20 ईएमडी राशि/EMD Amount (In INR) | 9 |
| Schedule 21 ईएमडी राशि/EMD Amount (In INR) | 3531 |

| | |
|---|---|
| Schedule 22 ईएमडी राशि/EMD Amount (In INR) | 74 |
| Schedule 23 ईएमडी राशि/EMD Amount (In INR) | 2758 |
| Schedule 24 ईएमडी राशि/EMD Amount (In INR) | 2988 |
| Schedule 25 ईएमडी राशि/EMD Amount (In INR) | 460 |
| Schedule 26 ईएमडी राशि/EMD Amount (In INR) | 1738 |
| Schedule 27 ईएमडी राशि/EMD Amount (In INR) | 478 |
| Schedule 28 ईएमडी राशि/EMD Amount (In INR) | 1618 |
| Schedule 29 ईएमडी राशि/EMD Amount (In INR) | 1177 |
| Schedule 30 ईएमडी राशि/EMD Amount (In INR) | 6620 |
| Schedule 31 ईएमडी राशि/EMD Amount (In INR) | 261 |
| Schedule 32 ईएमडी राशि/EMD Amount (In INR) | 74 |
| Schedule 33 ईएमडी राशि/EMD Amount (In INR) | 46 |
| Schedule 34 ईएमडी राशि/EMD Amount (In INR) | 46 |
| Schedule 35 ईएमडी राशि/EMD Amount (In INR) | 298 |
| Schedule 36 ईएमडी राशि/EMD Amount (In INR) | 74 |
| Schedule 37 ईएमडी राशि/EMD Amount (In INR) | 18 |
| Schedule 38 ईएमडी राशि/EMD Amount (In INR) | 2758 |
| Schedule 39 ईएमडी राशि/EMD Amount (In INR) | 1839 |
| Schedule 40 ईएमडी राशि/EMD Amount (In INR) | 1471 |
| Schedule 41 ईएमडी राशि/EMD Amount (In INR) | 1471 |
| Schedule 42 ईएमडी राशि/EMD Amount (In INR) | 1103 |
| Schedule 43 ईएमडी राशि/EMD Amount (In INR) | 405 |
| Schedule 44 ईएमडी राशि/EMD Amount (In INR) | 483 |
| Schedule 45 ईएमडी राशि/EMD Amount (In INR) | 1656 |

**ईपीबीजी विवरण /ePBG Detail**

| | |
|---|---|
| एडवाइजरी बैंक/Advisory Bank | State Bank of India |
| ईपीबीजी प्रतिशत (%)/ePBG Percentage(%) | 5.00 |

| | |
|---|---|
| ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months). | 12 |

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). The EMD Amount will be applicable for each schedule/group selected during Bid creation.

(c).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

(d).ईएमडी और संपादन जमानत राशि लाभार्थी के पक्ष में होनी चाहिए। / Earnest Money Deposit (EMD) shall also be accepted by the buyer in the form of a surety bond.

**लाभार्थी /Beneficiary :**

Director Medical and Health Services
CENTRAL PROCUREMENT BRANCH DNH DD, Department of Health and Family Welfare, N/A, Ministry of Health and Family Welfare
(Director Medical And Health Services)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई खरीद वरीयता / MII Purchase Preference**

| | |
|---|---|
| एमआईआई खरीद वरीयता / MII Purchase Preference | Yes |
| मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers availabele upto price within L1+X% | 20 |
| मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference | 50 |
| सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time) | Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time) |

**एमएसई खरीद वरीयता/MSE Purchase Preference**

| | |
|---|---|
| एमएसई खरीद वरीयता/MSE Purchase Preference | Yes |

| | |
|---|---|
| सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X% | 15 |
| सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference | 25 |

1. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023. OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

2. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

**मूल्यांकन विधि(मदवार मूल्यांकन विधि) / Evaluation Method** ( Item Wise Evaluation Method )

Contract will be awarded schedule wise and the determination of L1 will be done separately for each schedule.

The details of item-consignee combination covered under each schedule are as under:

| मूल्यांकन अनुसूचियां / **Evaluation Schedules** | वस्तु/श्रेणी / **Item/Category** | मात्रा / **Quantity** |
|---|---|---|
| Schedule 1 | Uf Cellsheath 20 Lit | 90 |
| Schedule 2 | Uf Cellsheath Sf | 8 |
| Schedule 3 | Uf Cellsheath Cr | 8 |
| Schedule 4 | Ufflurocell | 9 |
| Schedule 5 | Uf Flurocell | 9 |
| Schedule 6 | Meditape Uc 9a | 26 |
| Schedule 7 | Cellclen | 15 |
| Schedule 8 | Uf Control H | 1 |
| Schedule 9 | Uc Control H | 1 |
| Schedule 10 | Sg Calibrator | 1 |
| Schedule 11 | 10x Ez Prep | 2 |
| Schedule 12 | 10x Ssc Solution 2l | 2 |
| Schedule 13 | Assy | 2 |
| Schedule 14 | Benchmark Ultra Cc1 | 2 |
| Schedule 15 | Benchmark Ultra | 2 |
| Schedule 16 | Bluing Reagent | 2 |
| Schedule 17 | Hematoxylin | 2 |
| Schedule 18 | Label | 2 |
| Schedule 19 | Reaction Buffer | 2 |
| Schedule 20 | Reag | 2 |
| Schedule 21 | Ultraview Universal Dab Detection | 2 |
| Schedule 22 | Ribbon Ebar Printer | 2 |
| Schedule 23 | Acetone 2.5l | 50 |
| Schedule 24 | Xylene Lr 2.5 L | 50 |
| Schedule 25 | Plastic Cassette | 5000 |
| Schedule 26 | Paraffin Wax Lr 2 Kg | 50 |
| Schedule 27 | Dpx Mountant | 20 |
| Schedule 28 | Haematoxylin Stain | 20 |
| Schedule 29 | Eosin Stain 1 Litre | 20 |
| Schedule 30 | Isopropyl Alcohol Lr | 60 |
| Schedule 31 | Filter Paper | 15 |
| Schedule 32 | Slide Label | 2000 |
| Schedule 33 | Sodium Dihydrogen Phosphate | 5 |

| | | |
|---|---|---|
| Schedule 34 | Disodium Hydrogen Phosphate | 5 |
| Schedule 35 | Surgical Blades No 21 | 15 |
| Schedule 36 | Slide Staining Alluminium Racks | 10 |
| Schedule 37 | Slide Alumunium Tray | 5 |
| Schedule 38 | Low Profile Microtrome | 10 |
| Schedule 39 | Steel Embedding Mould | 200 |
| Schedule 40 | Er Antibody 25 Ml | 1 |
| Schedule 41 | Pr Antibody 25 Ml | 1 |
| Schedule 42 | Her2 | 1 |
| Schedule 43 | Ki 67 Antibody | 1 |
| Schedule 44 | Tomo Slides | 7 |
| Schedule 45 | Cytospin Slide | 5000 |

## UF Cellsheath 20 Lit

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 90 | 30 |

## UF CELLSHEATH SF

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 8 | 30 |

## UF CELLSHEATH CR

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 8 | 30 |

## UFFlurocell

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 9 | 30 |

## UF Flurocell

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 9 | 30 |

## MEDITAPE UC 9A

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 26 | 30 |

## CELLCLEN

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 15 | 30 |

## UF CONTROL H

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 1 | 30 |

## UC CONTROL H

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 1 | 30 |

## SG Calibrator

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 1 | 30 |

## 10X EZ PREP

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 2 | 30 |

## 10X SSC Solution 2L

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 2 | 30 |

## ASSY

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 2 | 30 |

## Benchmark ULTRA CC1

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 2 | 30 |

## Benchmark ULTRA

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 2 | 30 |

## BLUING Reagent

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 2 | 30 |

## HEMATOXYLIN

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 2 | 30 |

## Label

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 2 | 30 |

## Reaction Buffer

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 2 | 30 |

## Reag

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 2 | 30 |

## UltraView Universal DAB Detection

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 2 | 30 |

## RIBBON EBAR PRINTER

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 2 | 30 |

## Acetone 2.5L

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 50 | 30 |

## Xylene LR 2.5 L

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 50 | 30 |

## Plastic Cassette

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 5000 | 30 |

## Paraffin Wax LR 2 Kg

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 50 | 30 |

## DPX Mountant

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 20 | 30 |

## Haematoxylin Stain

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 20 | 30 |

## Eosin Stain 1 Litre

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 20 | 30 |

## Isopropyl Alcohol LR

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 60 | 30 |

## Filter Paper

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 15 | 30 |

## Slide Label

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 2000 | 30 |

## Sodium Dihydrogen Phosphate

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 5 | 30 |

## Disodium Hydrogen Phosphate

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 5 | 30 |

## Surgical Blades No 21

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 15 | 30 |

## Slide Staining Alluminium Racks

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 10 | 30 |

## Slide Alumunium Tray

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 5 | 30 |

## Low Profile Microtrome

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 10 | 30 |

## Steel Embedding Mould

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 200 | 30 |

## ER Antibody 25 Ml

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 1 | 30 |

## PR Antibody 25 Ml

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 1 | 30 |

## HER2

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 1 | 30 |

## Ki 67 Antibody

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 1 | 30 |

## TOMO Slides

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 7 | 30 |

## Cytospin Slide

**(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)**

**तकनीकी विशिष्टियाँ /Technical Specifications**

| | |
|---|---|
| **Specification Document** | View File |
| **BOQ Detail Document** | View File |

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity**

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---|---|---|---|---|
| 1 | Raju D Bhusara | 396230,Central Medical Store, NAMO Hospital Campus, Opposite Collectorate Office, Silvassa - 396230 UT of DNH and DD | 5000 | 30 |

## क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Scope of Supply**

   Scope of supply (Bid price to include all cost components) : Only supply of Goods

2. **Buyer Added Bid Specific ATC**

   Buyer uploaded ATC document Click here to view the file.

## अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy

of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.

8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.**

**For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.**

**The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:**

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

**All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.**

**This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.**

**However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.**

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने

व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

**---धन्यवाद/Thank You---**