

REGD.
From

RATE CONTRACT

The Director General, Supplies & Disposals, Haryana,
S.C.O. No. 09 (1st & 2nd Floors), Sector-16, Panchkula.
Tel. Nos. 0172-2570121-124.

Fax No. 0172-2570121, E-mail: supplies@hry.nic.in

To

M/s Globus Infocom Limited,
A-65, Sector-4, Noida, Gautam Buddha Nagar, Uttar Pradesh-201301

Email-info@globusinfocom.com, ashish@globusinfocom.com,

Memo No. 75/HR/RC/E-4/2022-23/6039

Dated Panchkula the:- 30.08.2022

Subject:- Annual Rate Contract for the purchase of Electronics Lab System for
Elementary Education (Sr. No. 03).

Dear Sir,

With reference to your Tender No. & dated and this office acceptance letter No. & Dated and your letter No. and Dated given in Schedule "A", on the subject noted above, I have to inform you that your offer has been accepted for the supply of stores to the terms & conditions given in the Schedule "A" and "B".

2. I enclose herewith an agreement form in duplicate and request that the agreement may be executed on a non-judicial stamp paper of Rs.15/- signed and returned to this office within 10 days from the date of issue of this letter. One copy of the agreement will be sent to you duly executed on behalf of Governor of Haryana for your record. You may kindly send power of attorney in favour of the person/persons who is/ are authorized to signed the agreement together with/their specimen signature duly attested by a Magistrate or Oath Commissioner or Resolution of the firm authorizing the persons to sign the documents on behalf of the firm.

3. The Contract shall come into force from the date of its issue and shall remain operative upto one year i.e 29.08.2023. Government reserves the right to bring any other party on the rate contract at any subsequent stage during the pendency of this rate contract.

4. The store must confirms to the approved specification/samples as given in Schedule "A" attached, failing which the same shall be rejected at your risk and cost.

5. The inspection of the material will be carried out by the Indenting Officers or their authorized representatives at your premises before dispatch.

6. The supply must be completed within the stipulated delivery period failing which the risk purchase will be affected against you and the excess cost thus incurred will be recovered from you. Delayed supplies shall be accepted under penalty clause of the Schedule "B" unless the delivery period is extended by the competent authority.

7. The Director, Supplies & Disposals, Haryana reserves to himself the right to obtain contracted items of stores when available from any Govt. Deptt./ approved source without prejudice to this contract.

8. Failure to execute agreement/effect supplies within the stipulated period repeatedly offering supplies liable to rejection or without prior inspection may render your earnest money/security liable to forfeiture, debarring your firm in addition to other remedies as available under the terms of the contracts.

9. All cases, where payments are not made within time, should be referred to this office for taking necessary action against the defaulters.


10. Your attention is particularly invited to the provision of Schedule "B" regarding the compliance with requisitions, preparation and submission of bills and quarterly submission of statement of supplies.

11. **PRICE FALL CLAUSE:-** The price charged for the stores shall not exceed in any way the lowest price at which you quote/supply the stores of identical description of stores to DGS&D, New Delhi/State Govt./Central Govt./Institutions/ undertaking/any other person during the delivery period/currency period of the rate contracts. If at any time during the delivery/currency period, you reduce the rate, sale price of quoted stores to any person at the price lower than the price chargeable under this supply order/contract, you are required to inform this office and price payable under the supply order/contract for the stores supplied after the date of coming into force of such reduction of rates shall stand correspondingly reduced to that level. You shall promptly notify the reduction of rates to this office as well as to concerned Indenting Officers/Consignees. You shall also give a certificate on your bills that the rates charged by you are not in any way higher to these quoted to the DGS&D, New Delhi and other State Govt. Central Govt. Institutions etc. during the corresponding period. The Indenting Officer shall be required to ensure that requisite certificate is given by the concerned firm on the bills before releasing their payments.

12. All disputes will be settled only within the jurisdiction of Head Quarters of the Directorate of Supplies & Disposals, Haryana, Panchkula.

Please acknowledge the receipt of this letter.

Yours faithfully,

 Assistant Director, Supplies & Disposals,
For & On behalf of Governor of Haryana

Endst. 75/HR/RC/E-4/2022-23/6040

Dated 30.08.2022

A copy (i) copy of Schedule 'A' showing the prices accepted along with conditions of supply (ii) Schedule "B" i.e. conditions of contract applications are forwarded to Director General, Elementary Education, Haryana, Shiksha Sadan Sector-05, Panchkula for information and necessary action.

1. He may indent for the requirement of the goods included in the Schedule "A" attached direct on the approved contractors under intimation to this office.

2. The security deposited by the firms would be released after two months of the termination of the contract and he is therefore, requested to send the complaints, if any, against the contractors to this office within this limit for settlement, failing which no complaint or claim will be entertained.

3. The inspection shall be arranged by the Indenting Officer/Consignees or their authorized representatives at destination before releasing the payment of the supplies.

The stores should be accepted only after satisfactory inspection and issue of proper inspection note showing the acceptance of the material as per approved specifications.

4. Please report all cases in which contractor fails to effect supply within the delivery period stipulated in the Schedule "A" after the expiry of stipulated delivery period to this office for effecting purchase at the risk and cost of the contractors failing which all responsibility will rest with Indenting Officers/Consignees for not effecting risk purchase within prescribed period.

4-

Assistant Director, Supplies & Disposals,
For Director General, Supplies & Disposals, Haryana

Endst. 75/HR/RC/E-4/2022-23/6041

Dated 30.08.2022

A copy is forwarded to the following for information & necessary action:-
The Deputy Excise & Taxation Commissioner, NOIDA.

He is requested to ensure that the GST is paid by the firm to government against this rate contract.

Assistant Director, Supplies & Disposals,
For Director General, Supplies & Disposals, Haryana

Endst. 75/HR/RC/E-4/2022-23/6042-48

Dated 30.08.2022

A copy is forwarded to the following for information and action:-

1. The Accountant General (Audit), Haryana, Sector-33, Chandigarh.
2. The Controller of Stores, Punjab, Chandigarh.
3. The Controller of Stores, Himachal Pradesh Nigam Vihar, Shimla.
4. The Controller of Stores/Director of Industries and Commerce, J&K, Shrinagar.
5. St. Section O/o DGS&D, Haryana.
6. Programmer O/o DGS&D, Haryana.
7. Departmental Processing Charges branch DGS&D, Haryana

4-

Assistant Director, Supplies & Disposals,
For Director General, Supplies & Disposals, Haryana

SCHEDULE - "A"

Accepted rates of M/s Globus Infocom Limited, A-65, Sector-4, Noida, Gautam Buddha Nagar, Uttar Pradesh-201301 Email-info@globusinfocom.com, ashish@globusinfocom.com, offer No. GIL/SDH/2022-23/02 Dated 18.06.2022 and your letter No. nil dated 17.08.2022, this office acceptance letter No.4817 dated 25.08.2022 & your letter No. GIL/DSND/2022-23/08/RC01 dated 30.08.2022.

DIGITAL BOARD:-

Sr. No.	Description of Stores	Qty.	Rates in Rs. per piece Inclusive of GST@18%, freight & FOR Destination etc.
1.	DIGITAL BOARD -65 inches Make- Globus Model:- DB-Class-iG5 Touch Display Model Number:- Globus Impact X65-V9	8500 Nos.	Rs. 1,94,500.00

SPECIFICATIONS:-

Digital Board-65	
1	Technical Specifications of Digital Board
	Digital Board is a integrated solution including Cabinet (Cabinet with Visual Presenter & Digital Clock), Touch Display & USB Camera with inbuilt microphone.
A	Cabinet
Cabinet	Wall Mounted Lockable Enclosure to house Visual Presenter, Digital Clock & Wireless Keyboard & Mouse
Material of Cabinet	Powder coated CRCA Steel Sheet of minimum 1.2mm thickness
B	Visual Presenter
Type	Portable
Technology	CMOS
Image Capture Size	Minimum A4 Size (210x297 mm)
Native Resolution	Full HD 1920 x 1080 or better
Optical Zoom	12x or better
Digital Zoom	8x or better
Video Frame Rates	30 FPS or better
Focus Arrangement	Auto Focus
Camera Head Rotation Angle	Camera head rotation angle-180 degree in horizontal and 180 degree in vertical or better
Light Source	White LED
Inbuilt Microphone	Visual Presenter should have inbuilt microphone
Certifications	BIS, CE &RoHS
C	In -Built Digital Clock
Digital Clock	It should show the Time, Date, Day and Current Temperature
D	Keyboard
Keyboard	Wireless Keyboard
E	Optical Mouse
Optical Mouse	Wireless Mouse
E	Touch Display
Technology	DLED Backlight (IPS)

Display size (Diagonal)	65 inches or higher
Aspect Ratio	16:9 or better
Resolution	3840 X 2160 or higher
Contrast Ratio	5000:1 or higher
Brightness	600 cd/m ² or higher
Display colour	8 bit-16 million colours or better
Input Ports (Minimum)	HDMI x 3, Audio x 1, PC slot x 1, RS232x1
Output Ports (Minimum)	Audio x 1
USB Ports (Minimum)	USB 2.0/3.0 x 4, USB Type B for Touch x 1
Camera Port	Dedicated USB Based Camera Port
Camera Plate	Camera Plate on top for screw-in Camera installation
Built In Speakers	2.1 Stereo Sound with in-built 20 Watt x 2 speakers and 15 Watt x 1 Sub-Woofer or better
Viewing Angle	Horizontal 178 degrees, Vertical 178 degrees or better
Touch Technology	IR Recognition or better
Touch Resolution	32767 x 32767 or better
Touch Points	20 Points or Higher
Writing Points	10 Points with automatically detect pen diameter (8mm & 2mm) and write simultaneously with different colours and thicknesses.
Pen Recognition	Dual Pen recognition with 2mm tipped pens at real-time lag free response rate.
Touch on/Off	Should have touch on/off functionality
Touch Response Time	15 ms or better
OS Support/Embedded Player	Windows 10/ Windows 8/ Windows 7/Linux/Mac/Android
Stylus/Pen Holder	Frame/Structure of IFPD should have inbuilt magnetic mechanism to hold upto two numbers of Stylus/Pen
Hardness, Anti Scratch, Anti Glare	Minimum 7 H hardness, scratch resistant, anti glare, anti-crack resistant
Software Features	Marker, Paint Brush, Highlighter, Laser Pen, Artificial intelligent Pen, Shape Pen, Magic Line Pen, Different sizes available with Region eraser, Shapes,, Text, Generic consist of (shapes, 3DShapes, Arrows & Tables), Integrated image search from internet, Search Light, Screen Curtain, Inbuilt browser, screenshot, magnifier, calculator, soft keyboard, Clock, Stop Watch, Geometry Tools, Screen recording, Integrated webcam, Desktop Annotation, White board with different backgrounds and colors, Cloud storage, Cloud Download, Page management system. Multiple numbers of images available with internet like nature, sport, Daily necessity, animals. or documents/ contents. Annotation of on video, PPT, PDF. Annotate on PC/ Laptop with the help of smart phone, New, Open, Save, Save as, Import & Export (PNG, JPG, PDF, PPTX, IWB), Print, Youtube Drag & Drop, Magnifier, Youtube Integration, Canvas moving, Inbuilt Animation libraries, Follow me AI, Complete Ecosystem om mobile, web & PC, Google for Education partner, Casting in & Casting out from Remote locations via browser, Android & IOS Apps, Multitouch enable or Disable, Switching between presentation & Preparation modes. Interactive software of the Touch Display should detect the Visual Presenter and should be able to annotate on the image captured by the Visual

Presenter.

Save Option	Should have option to save directly to Google Drive and One Drive
Video Conferencing Interface	Should support USB based PTZ cameras allowing Software based Video Conferencing
Certifications	BIS, CE, RoHS
Accessories	AC Power cord, User Manual, Remote control, USB interface cable, Two Stylus, Wall mount bracket
Power supply requirement	230V AC +/- 10%, 50 Hz
Max Power consumption	Maximum 175 Watts
InBuilt Android Hardware	
CPU	Dual Core or Higher
Memory	3 GB or Higher Storage
Storage	32 GB or Higher
Android Version	8 or higher
F USB Camera with Inbuilt Microphone	
Sensor	2MP or better CMOS Sensor
Resolution	Native 1920 x 1080 or better
Field of View	120 degrees or better
White Balance	Auto, Indoor, Outdoor, One Push, Manual
Digital Noise Reduction	2D, 3D Digital Noise Reduction
Backlight Compensation	Should be available
Built in Microphone	Should available Built in beamforming microphone array with noise suspension and automatic gain algorithm with audio pickup distance up to 6 meters or better
Zoom	4x or higher
Video resolution	1080P@30/25fps, 720P@60/50fps
Low Light conditions	Image sensor should effectively reduce the image noise using 2D, 3D noise algorithm or better, even under low light conditions it should keep the picture Clean and clear
AI Powered Tracking	Should support Person Tracking
Remote control	All the parameters of the camera should be remote controlled. IR remote control to be provided
Interface	USB 2.0/3.0 or better
Certifications	BIS, CE & RoHS

NOTE:- M/S. GLOBUS INFOCOM LIMITED; NOIDA WILL PROVIDE CENTRAL MONITORING DASHBOARD FOR DIGITAL BOARDS AND VIRTUAL CLASSROOM SOFTWARE AT FREE OF COST.

Student Response System:-

Sr. No.	Description of Stores	Qty.	Rates in Rs. per piece Inclusive of GST@18%, freight & FOR Destination etc.
2.	STUDENT RESPONSE SYSTEM WITHOUT AIO COMPUTER Make- Globus MODEL- Globus SRS-50	1500 Nos.	Rs. 1,84,000.00

SPECIFICATION:-

Technical Specifications of Student Response System (SRS)		
S. No.	Parameter	Specification
1	Student's Clicker	
	RFID Module	2.4 GHz
	Power Function	Power button for Power ON/OFF
	Response Function	0-9, A-F, Yes/No Input and automatic switching
	Material	ABS with Polycarbonate
	Display	ID, Signal Intensity, Battery, Operation Instructions
	Backup	More than 60,000 of Answering or up to 12 months or more
	Communication Range	Upto 100 meters or more
	No. of clickers	50
2	Teacher's Clicker	
	Material	ABS+ Polycarbonate
	Response function	Page up/down, A-D, OK
	Display	ID, Signal Intensity, Battery, Operation Instructions
	RFID Module	2.4 GHz
	Communication Distance	Minimum 30 meters or better
	Next and Back Question change Support	Yes
	Lifeline Option Support	Yes
	Question Start and End Support	Yes
	No. of Clickers	1
3	Wireless Receiver Module	
	RFID Module	2.4 GHz
	Antenna	Dual Omnidirectional External Antenna
	Indicator Light	Red and Green Indicator Lights
	Wireless Range	Minimum 30 meters or more
	Material	ABS
	Data Interface	USB Type B

4-

	Power	USB Power supply
4	Required Operational features	
	General Features	SRS should be Integrated with Microsoft powerpoint
		User should be able to upload excel sheet for large no. users binding/ pairing at once
		SRS should support configurable binding/ unbinding of keypads as per user with Participants ID and name
		System should support Offline only Mode
		User should be able to Add/ Edit/ Delete Questions
		System should support Single Choice and Multiple Choice Questions
		System should support Yes/No Questions
		System should support Audience Polling (Yes/ No)
		SRS should support Voting Response
		SRS should Support Lifeline Response features
		Preset controlled participation Time
		Support quiz in powerpoint/slide-show related softwares
		Competition mode
		Team Leader Board
		Fatest responder with correct Answer
	Negative marking for questions	
	Option to set time & marks for each question	
	Report generation within software	
	Reports	Report question-wise
		Report participant-wise
		Report Summary
		Report Availability on Bar-chart format
		Report Availability in Pie- chart format
		Report availability in spread-sheet format
	Compatibility	Compatible with Windows App
		Cross-compatibility with any desktop/laptop systems

DIGITAL LANGUAGE LAB:-

Sr. No.	Description of Stores	Qty.	Rates in Rs. per piece Inclusive of GST@18%, freight & FOR Destination etc.
3.	DIGITAL LANGUAGE LAB MAKE- Globus Model:- GDLL20-A Touch Display Model Number- Globus Impact X65-V9	300 Nos.	Rs. 22,15,000.00

SPECIFICATIONS:-

Technical Specifications for Digital Language Lab (Software and Hardware Setup)			
S. No.	Feature	Description/Specifications	Quantity

1	Student AIO Computer		20
	Display	21" or Higher LED Backlight Panel	
	Native Resolution	Resolution of 1280x720 or higher.	
	Contrast ratio	1000:1	
	Aspect Ratio	16: 09	
	Brightness	250 nits (cd/m2)	
	Audio	High Definition Audio	
	Webcam	2.0 MP Full HD Webcam or better	
	CPU	Intel Core i3 Intel (10th gen or better)	
	RAM	8 GB RAM	
	Hard Disk	256 GB SSD or better	
	In-Built Wi-Fi / Wireless LAN Card	Should have a inbuilt Wi-Fi / Wireless LAN Card	
	Ports (Minimum)	DP/HDMI x 1, USB 2.0/3.0 ports x 4, LAN Port x 1	
	Standard Keyboard	Wired Keyboard	
	Optical Mouse	Wired Mouse	
Operating System	Windows 10		
Power Consumption	Maximum 150 watts or better		
2	Furniture		20
A	Modular Workstation - Students	<p>Frame Type- Free Standing SIZE : 750 L x 540 W x 750 H (mm) minimum Table top - 25mm thick pre-laminated particle board finished with 2mm PVC edge banding. Partition - 18mm thick pre-laminated particle board. Under-structure - 18mm thick pre-laminated particle board. Wire Management - Wire manager hole per workstation. The Booths should be in configuration of One Student Desk / Tables.</p>	
B	Chairs - Students	<p>Medium Back Chair, PU Moulded Seat & Back Cushion, Fabric Tapestry in blue/ black colour, with PP/PU Arms & no wheels. Chair Height Overall- 825mm ± 10mm Backrest Height - 480mm ± 5mm Backrest Width - 415mm ± 5mm Seat Width - 440mm ± 5mm Seat depth - 450mm ± 5mm Frame Material - CRCA 25.4 x 1.8mm Powder Coated (minimum 40 micron) Plywood in seat & backrest minimum 12mm thick Density of PU Foam in Seat & Backrest 32 ± 5 Kg/Cu. Mtr.</p>	
3	Online UPS		1 No.
	Phase	Single Phase with Ground	
	Capacity	6000 VA / 4800 W	

4-

Input	
Nominal Voltage	200 / 208 / 220 / 230 VAC
Input Voltage Range	160-300
Frequency Range	50-60 Hz +/- 5%
Power Factor	≥ 0.99 @ Nominal Voltage (100% Load)
Output	
Output Voltage	220 / 230/240 VAC
Voltage Regulation	± 1%
Frequency Range (Synchronized Range)	47.5- 52.5 Hz
Frequency Range (Batt. Mode)	50 Hz ± 0.25 Hz or 60 Hz ± 0.3 Hz
Overload	105% - 110% 10 min., 110% - 130% 2 min., >130% 2 sec
Current Crest Ratio	3:1 Max
Harmonic Distortion	≤ 3 % THD (Linear Load) ≤ 6 % THD (Non-Linear Load)
Transfer Time AC Mode to Battery Model	0 ms.
Transfer Time Inverter to Bypass	0 ms.
Waveform (Batt. Mode)	Pure Sinewave
Efficiency	
AC Mode (Overall)	88% or better
Battery Mode (Inverter)	83% or better
Battery	
Battery Type	12 V / 26 AH
Numbers	16
Typical Recharge Time	8-9 Hours Recover to 90% Capacity
Charging Current (max.)	10% of Battery AH
Charging Voltage	216 VDC ± 1%
Environment	
Operation Temp	0 - 40°C (Battery Life Cycle will be Shorten When Temperature is Above 25°C)
Operation Humidity	<95 and Condensing
Noise Level	Less than 55 dB @ 1 meter
Management	
Smart RS-232/USB	Supports Windows 2000 / 2003 / XP / Vista / 2008 / 7 / 8, Linux, Unix and MAC
Optional SNMP	Power Management from SNMP Manager and Web Browser
4 Network Switch	24-Port 10/100MBPS, RJ45 Ports Auto Negotiation, Auto MDI/MDIX eliminates the need for crossover cables, Switching Capacity 4.8 GBPS, Packet forwarding rate 3.57 MBPS, MAC address Table: 8k, Jumbo Frame 2KB, Green Technology: Yes;

1 No.

		Standards and Protocols: IEEE 802.3x	
5	Network Rack with electrical connectivity	19" Wall mount 4u rack, 400mm depth, single section with front toughened glass door, strong steel end, frame embedded at top and bottom with cable entry provisions, with lock & key, PDU 19" horizontal 6 way, universal socket 5 amp with on/off switch and indicator and 2.5 mtr cable and 3 pin plug.	1 lot
6	Cat6 23AWG UTP Cable	4 Pairs Unshielded Twisted Pair (UTP) Cable Solid Bare Copper Conductor Metal, Conductor Diameter: 0.560mm (23 AWG), Insulation: 0.970mm Diameter in HDPE, Cable Diameter: 6mm, with PE Central Cross separator.	1 Lot
7	Accessories for installation	Solution shall be provided with all cables, screws, fasteners, switch board, sockets, I/O face plates, connectors, electrical accessories, conduit, baton, flexible pipes, etc. as required for installation & optimum functioning of the Digital Lab.	1 Lot
8	Touch Display		1 No.
	Technology	DLED Backlight (IPS)	
	Display size (Diagonal)	65 inches or higher	
	Aspect Ratio	16:9 or better	
	Resolution	3840 X 2160 or higher	
	Contrast Ratio	5000:1 or higher	
	Brightness	600 cd/m ² or higher	
	Display colour	8 bit-16 million colours or better	
	Input Ports (Minimum)	HDMI x 3, Audio x 1, PC slot x 1, RS232x1	
	Output Ports (Minimum)	Audio x 1	
	USB Ports (Minimum)	USB 2.0/3.0 x 4, USB Type B for Touch x 1	
	Camera Port	Dedicated USB Based Camera Port	
	Camera Plate	Camera Plate on top for screw-in Camera installation	
	Built In Speakers	2.1 Stereo Sound with in-built 20 Watt x 2 speakers and 15 Watt x 1 Sub-Woofers or better	
	Viewing Angle	Horizontal 178 degrees, Vertical 178 degrees or better	
Touch Technology	IR Recognition or better		
Touch Resolution	32767 x 32767 or better		
Touch Points	20 Points or Higher		

7-

Writing Points	10 Points with automatically detect pen diameter (8mm & 2mm) and write simultaneously with different colours and thicknesses.
Pen Recognition	Dual Pen recognition with 2mm tipped pens at real-time lag free response rate.
Touch on/Off	Should have touch on/off functionality
Touch Response Time	15 ms or better
OS Support/Embedded Player	Windows 10/ Windows 8/ Windows 7/Linux/Mac/Android
Stylus/Pen Holder	Frame/Structure of IFPD should have inbuilt magnetic mechanism to hold upto two numbers of Stylus/Pen
Hardness, Anti Scratch, Anti Glare	Minimum 7 H hardness, scratch resistant, anti glare, anti-crack resistant
Software Features	Marker, Paint Brush, Highlighter, Laser Pen, Artificial intelligent Pen, Shape Pen, Magic Line Pen, Different sizes available with Region eraser, Shapes,, Text, Generic consist of (shapes, 3DShapes, Arrows & Tables), Integrated image search from internet, Search Light, Screen Curtain, inbuilt browser, screenshot, magnifier, calculator, soft keyboard, Clock, Stop Watch, Geometry Tools, Screen recording, integrated webcam, Desktop Annotation, White board with different backgrounds and colors, Cloud storage, Cloud Download, Page management system. Multiple numbers of images available with internet like nature, sport, Daily necessity, animals. ort documents/contents. Annotation of on video, PPT, PDF. Annotate on PC/ Laptop with the help of smart phone, New, Open, Save, Save as, Import & Export (PNG, JPG, PDF, PPTX, IWB), Print, Youtube Drag & Drop, Magnifier, Youtube integration, Canvas moving, Inbuilt Animation libraries, Follow me AI, Complete Ecosystem on mobile, web & PC, Google for Education partner, Casting in & Casting out from Remote locations via browser, Android & iOS Apps, Multitouch enable or Disable, Switching between presentation & Preparation modes.
Save Option	Should have option to save directly to Google Drive and One Drive
Video Conferencing Interface	Should support USB based PTZ cameras allowing Software based Video Conferencing
Certifications	BIS, CE, RoHS

4-

Accessories	AC Power cord, User Manual, Remote control, USB Interface cable, Two Stylus, Wall mount bracket
Power supply requirement	230V AC +/- 10%, 50 Hz
Max Power consumption	Maximum 175 Watts

InBuilt Android Hardware

CPU	Dual Core or Higher
Memory	3 GB or Higher Storage
Storage	32 GB or Higher
Android Version	8 or higher
Android Version	8 or higher
Storage	32 GB or Higher
Android Version	8 or higher

Mini PC

Form Factor	Mini PC should be of 2 litres Volume or less
CPU	Intel Core i7 (10 th Gen or better processor)
RAM	8 GB RAM
Hard Disk	256GB SSD or better
In-Built Wi-Fi / Wireless LAN Card	Should have a inbuilt Wi-Fi / Wireless LAN Card
Ports (Minimum)	HDMI / DP(Display Port) x 1, USB ports x 6, LAN Port x 1
Operating System	Windows 10

USB Camera with Inbuilt Microphone

Sensor	2MP or better CMOS Sensor
Resolution	Native 1920 x 1080 or better
Field of View	120 degrees or better
White Balance	Auto, Indoor, Outdoor, One Push, Manual
Digital Noise Reduction	2D,3D Digital Noise Reduction
Backlight Compensation	Should be available
Built in Microphone	Should available Built in beamforming microphone array with noise suspection and automatic gain algorithm with audio pickup distance up to 6 meters or better
Zoom	4x or higher
Video resolution	4K@30fps/25fps, 1080P@30/25fps, 720P@60/50fps
Low Light conditions	Image sensor should effectively reduce the image noise using 2D, 3D noise algorithm or better, even under low light conditions it should keep the picture Clean and clear
AI Powered Tracking	Should support Person Tracking, Auto framing with advance AI tracking Method
Remote control	All the parameters of the camera should be remote controlled. IR remote control to be provided

4-

Interface	USB 2.0/3.0 or better
Certifications	BIS, CE & RoHS

9

SPECIFICATIONS OF DIGITAL LANGUAGE LAB PLATFORM WITH ENGLISH HINDI & SANSKRIT LANGUAGE CONTENT

Intercom	Two way Intercom communication between Teacher & student. The communication should be through text, audio & Video.
Broadcast	Provision for teacher to broadcast text message to one student or to a group of selected students.
Audio Supervision	Provision for teacher to listen to any students recording & check their progress.
Chat	Provision for teacher to send alerts to student through Text Chat or Audio Chat.
Assignments	Provision for Teacher to create assignments & broadcast to the class. Provision should be there to assign same/separate tasks to different group of students. There should also be provision to assign task to students with a start and expiry date.
Reports & Analysis	<p>The Teacher's Dashboard should have the following features: Details about all the classes assigned to the teacher's, Students performance report both in text as well as Graphical for various tasks assigned to various classes. Provision for generating various reports to check & analyse progress of students. The language lab software should automatically generate reports giving details about each individual learner's activities performed in terms of no. of exercises attempted, time spent on each such activity on a day-to-day basis. Each students individual report should be available to the student as well as the teacher.</p> <p>The language lab software should also have reports that shows the usage of the software by each of the instructor/faculty/teacher.</p> <p>The teachers should be able to view all the answers given (both correct and incorrect) given by the students during the practice sessions at any given time. They should also be able to listen to the recorded exercises of the students. Teacher should be able to give remarks to students on their audio recorded exercises both in text & audio formats.</p> <p>A centralized report should be</p>

1 No.

4-

available to the Administrators/Governing Bodies on the usage of content by both the instructors and students for all the language lab software licenses procured under this project. This should be web based and available to various stakeholders of the project. Provide Management with password protected login, should have the option to view the reports of both teachers and students in terms of scores, grades, graph/Bar/Pie in exercises.

AV Lessons	Provision for teacher to create personal audio video lesson contents. Provision for teacher to assign the pre-recorded lesson for future dates.
E-exam	Paperless e-exam with automatic submission of answer sheets on completion of timelines.
Audio modulation	Provision to automatically generate graphical representation on the recorded audio of the learner as against the originals for self assessment and evaluation.
Multi Languages	The system should be compatible with multiple Languages, as content of multiple languages could be fed in to the platform. The content for all the languages English, Hindi & Sanskrit should be made available from the same dashboard and combined usage reports should be made available for all the three languages. Student should be able to use content of all the three languages from a single login ID. Enough exercises for practice should available for all the three languages to the students.
Accent	The entire teaching - learning content should be in neutral accent.
License	The proposed software should have Life Time Perpetual License.
Secured Login	The main interface of the teacher with password protected login should

	have different options to teach effectively in a lively manner.
Management Login	Provide Management with password protected login, should have the option to monitor the real-time activities of both teachers and students and view various reports of scores, grades, performance graph/Bar/Pie in exercises, answer sheets, teacher and student attendance reports.
E-Books	The teacher should be able to upload PDF files (e-books) for the students to read and able to provide writing assignments to the students.
External Media	Provision for teacher to use any external storage device (USB, CD/DVD) to play or display the content files.
OS & Hardware Support	The Software should support on Windows, Linux, IOS & Android. The software should seamlessly work on Desktop/Thin/Zero Client System.
Mobile Apps	The software should have Android & IOS supported Mobile App where Teacher can assign activities, Student can do the assignments and Teacher can evaluate it.
English Multimedia Content Learning Levels	<p>The Language Lab Software should take into account the following features: -</p> <p>It should enhance the Communicative English skills of the students of class III to X. It should have 8 levels of learning: Ranging from Basic to Intermediate and Advanced with substantial content to hone the learner skills. The content should be as per the Common European Framework of Reference i.e. CEFR and should cater to all the 6 levels of CEFR viz. A1, A2, B1, B2, C1 & C2.</p> <p>CEFR Levels:</p> <ol style="list-style-type: none"> i. A1 Beginner ii. A2 Elementary iii. B1 Intermediate iv. B2 Upper Intermediate v. C1 Advanced vi. C2 Mastery <p>Content should purely be multimedia based and comprise of graphics, audio, video and should be highly interactive in nature.</p>

Dr

It should have content for strengthening all the four language skills: -

Listening , Speaking, Reading & Writing

It should have Model Imitation that should facilitate the student to listen to the exact pronunciation of a word and then record one's own and then compare both of them, thereby helping the student to recognize the error and amend the differences.

The software should have capabilities of Listening, Recording and Comparing of Speech patterns both via audio and visual. The software should have speech spectrograph for graphical visualization.

The software should be based on neutral (Indian) accent and should not use foreign accent.

It should have jaw and tongue movement animations for all the sounds to facilitate learning of proper articulation of sounds.

The software should consist of a glossary of words with correct pronunciation in the Indian context. The English language lab software should have components to work on

- Intonation
- Word stress
- Syllables

The English language lab software should cater to the basics of English grammar using animated situations and related practice exercises.

It should be user friendly so that faculty can take classes with minimal of technical knowledge.

**Teaching Pedagogy
(Methodology)**

The English language lab software should have the following features for proper teaching - learning of English language skills by both the faculty and the students. It should be based on the 'Blended Learning' mechanism, i.e. It should have Instructor Lead Teaching (ILT/ Classroom teaching) content as well as Computer Based Training (CBT/Lab practice) content. The software should have predefined lesson plans with detailed breakup of each session of approximately 30 minutes each. The Instructor/ Faculty / Teacher should be able to create tasks for students to perform in the language lab at a later time which can be pre-defined. The

	Instructor / Faculty / Teacher should have the option to assign the same task to all the students and/or different tasks to different students of the same batch.
Sounds	The language software should provide proper articulation for all 44 sounds of English using animation.
MTI	Should have a Mother Tongue Influence (MTI) removal tool
Self Assessment	Provision for self assessment & send the exercise to teacher for evaluation at conclusion of every module / lesson plan.
Pronunciation	Provide sample lessons, words, pronunciation sounds, videos, comparison & assessment tools for proficiency in English pronunciation.
Comprehension	Provide lesson plan with focus on expressions, situational dialogues, comprehension, exercises with comparisons & assessment.
Resource Material & Training	<p>Training should be imparted for one day (6 hours) and training modules should include: -</p> <ul style="list-style-type: none"> • Training on usage of all the features of the language lab software • Training on the various aspects of language on its teaching pedagogy <p>Proper detailed trainer manuals to be provided for each level on the delivery mechanism. It should be in depth with minute to minute description of the teaching procedures. Classroom reference material in the form of Flash/ Cue Cards too should be made available for each session.</p> <p>In depth trainer videos should be made available in the software for the teacher to refer to. These videos should also be made available to the teachers using a mobile app which should be compatible with Android and IOS smart phones.</p> <p>Students reference material / workbooks in accordance to the software should be made available</p>

4-

Student Material	Students material in the form work books for each level should be available. This material should be integrated with the content.
Pre Recorded media	Provide Audio / Video recorded files from Poetry Masters, Writers, Speeches, Lectures, Documentary, Movies, News, etc. to improve comprehension of language.
Hindi Multimedia Content	Multimedia content covering Hindi Vowels and Consonants, Combination of letters, Commonly used Words, Greetings, etc.
Hindi through English	Content for learning Hindi Alphabets, Pronunciation, Anuswara & Nasalization, Accent, Pronouns & Nouns, Adjectives & Verbs, Tenses, Adverbs, Conjunctions, Voice & Construction, Order of Words, Standard Devanagari Script, Standardisation of Hindi Spelling
Hindi Literature	Content with reference to Hindi literature, poetry, poems, etc.
Hindi Grammar	Content for covering all components of Hindi grammar like: Alankar, Chand, Pad Parichay, Vachay, Idioms, Synonyms, etc.
Picture Gallery	Multimedia gallery in hindi for relating to day to day things like: Animals, Body Parts, Colours, Communications, Costumes, Festivals, Muscial Instruments, Religious, Professionals, Relations, Sports, Stationary, Trees, Universe, Week, etc.
Knowledge bank on Indian Culture & Heritage	Knowledge bank having details on Indian culture & heritage, sharing knowledge about: Indian Geography, Economy, Vedas, Upanishad, Ramayana, Mahabharata, ShrimadBhagvataGeeta, other Literatures, Dance, Music, Ayurveda, Yoga, Spirituality, Food, etc.
Sanskrit language content concept	Software to help in learning Sanskrit from basics and go on to making simple sentences. Introduction to concepts, skills and a section to self -assess your learning. Self-paced, activity based learning software, contains 250+ activities.

4-

Vocabulary Builder	Provide flash card based learning Should have multiple categories with 200+ words and synonyms. Provide meanings for words in English and Hindi. Categories should include Sanskrit words for Gods, Animals, Birds, Fruits, Vegetables, Parts of the body, Colours, Food, Relations, Professions, Emotions, Public Places, Sports, Grains, Computer, Musical Instruments, Time, Natural Occurrences and many more. Provide Brain Games for exercising Sanskrit.
Sanskrit Language Lesson Plan	Lesson plan covering noun forms, 200+ sanskrit words, Learning mode and the Practice mode. Covering Sanskrit Sandhis through animations, charts, tables, interactive exercises, examples and games. Practice the language skills (LSRW) Build your Vocabulary for using the language. Master your communication skills. Build and Re-inforce Foundation in grammar. Apply Language skills + Grammar through simple text and for school.
Licensed User Terminals	License to be provided for 20 terminals

SMART PODIUM:-

Sr. No.	Description of Stores	Qty.	Rates in Rs. per piece Inclusive of GST@18%, freight & FOR Destination etc.
4.	SMART PODIUM Make:-Globus Model:- SP300A	100 Nos.	Rs. 1,95,000.00

SPECIFICATIONS:-

Technical Specification of Smart Podium		
S. No.	Parameters	Specifications
1	Type/Mounting	FreeStanding
2	Construction	The enclosure should be made of Polycarbonate body and Steel Frame with Soft wheels. The Top sliding(Opening/Closing) cover should be made of Polycarbonate Body. The construction of the podium should be such that, while the podium is locked and not in use, there should not be any port exposed on the outer body for breakage/mishandling.
3	Display	Built-InhighlysensitiveInteractivePanelwithadjustable Motorizedtilt&amechanismto makethePanelstablesothatitdoesnotshakewhilewritingwithfollowi ngminimumfeatures-

(a)	Technology	Interactive Panel should have both EMR (Electro magnetic resonance) & P-CAP touch technologies to have finger and 2 mm thick touch stylus
(b)	ScreenType	LED
(c)	Size	53.0cm(21inches)orhigher
(d)	Resolution	1920x1080orhigher
(e)	Aspectratio	16:09
(f)	Computerinterfac e	OneUSB,OneVGA/DVI/HDMIPort
(g)	Interactive Resolution	4000Lpi(linesperinch)
(h)	ResponseTime	5ms
(i)	ViewingAngles	170(H);160(V)
(j)	Touch	FingerandStylus
(k)	Readingaccuracy	±0.5mm(center)
(l)	Trackingspeed	Approximately200pointspersecond
(m)	PenPressure sensitivity	1024Levels
4	SystemDetails	
(a)	Processor	Intel Core i3 (10th Gen or better processor)
(b)	SmallFormFactor	Computershouldbeof2litersVolumeorless
(c)	In-BuiltWi- Fi/WirelessLANCa rd	ShouldhaveainbuiltWi-Fi/WirelessLANCard
(d)	RAM	8 GB
(e)	HardDisk	256 GB SSD orbetter
(f)	Ports(Min.)	HDMI/ DP(Display Port) x 1, USB ports x 6, LAN Port x 1
(g)	Keyboard&Mouse	Wireless
(h)	OperatingSystem	Windows10
(i)	Antivirus	NortonAntiVirus/Mcafeeorequivalentwith1yearlicense
5	Multimedia Controller	
(a)	Ports on front Panel of Controller (Minimum)	VGA,HDMI,USB3.0x2,Audio IN or more
(b)	Buttons on front Panel of Controller (Minimum)	Push buttons to control Volume Up& Down, Volume Mute and to switch sources of HDMI Visual Presenter, VGA Visual Presenter, HDMI Laptop, PC HDMI, VGA Laptop, VGA PC and Controller Power On/Off, Display Power On and Power Off or more
(c)	Ports on Rear Panel of Controller (Minimum)	USB 3.0 X 2,VGA Input x 2, VGA Output x 2, RCA Audio IN X 1,RCA Audio Output x 2,HDMI Inputx2,HDMI Outputx2 , Programming Port (Phoenix connector) or more
(d)	Built in HDMI Repeater	Yes (HDMI Output port should support 15mtr HDMI cable)
(e)	Controller Resolution Output	4K (3840 x 2160) Native
(f)	Power	5 V DC (Suitable Adaptor should be supplied with controller)
6	Builtindevices	

(a)	Gooseneck Microphone	Gooseneck Microphone with XLR output. It should be Phantom powered so that there is no requirement of batteries thereby eliminating consumable cost. The gooseneck length should be at least 21.5 cm with ON/OFF switch and with LED light indicating ON/OFF status. The gooseneck microphone shall be permanently polarised condenser, highly directional feature in hypercardioid/lobar directivity.
(b)	Amplifier	250 Watts minimum
(c)	Speakers	Two speakers of Minimum 100 Watts each shall be a part of standard supply.
(d)	Wireless Microphone Units	One handheld Microphone and One Lapel Microphone with single receiver should be supplied with a range of 10 meters.
7	Sliding Trays	Provision for keeping Keyboard & Mouse
8	Power Supply	180-240V, 50Hz, AC Supply

AUDIO ROSTRUM:-

Sr. No.	Description of Stores	Qty.	Rates in Rs. per piece Inclusive of GST@18%, freight & FOR Destination etc.
5.	AUDIO ROSTRUM Make:-Globus MODEL- IMPACT-AP5-DM1	100 Nos.	Rs. 84,000.00

SPECIFICATIONS:-

Technical specifications of Audio Rostrum	
Parameters	Specifications
Construction	Wooden Top Assembly should be available with 1 Gooseneck Phantom Powered Microphone and 1 LED Lamp. It should have Metallic Base supporting the whole system and balancing the overall weight uniformly.
Speaker Stand	Should have inbuilt Speaker Stand consists of minimum 3 Speakers on front side.
VHF Wireless Mic	Two VHF wireless handheld microphones of 10 Metres range
Gooseneck Microphone	Available
Gooseneck Lamp	Available
In-Built Speakers	Two speakers of 40 watt each with 20 watt sub-woofer
Output Wattage	100W
Input/ Output	One Line RCA Input, One Microphone Input, 1 Line RCA Output.
Input Sensitivity	Microphone1: 10MV/680Ω, Microphone2: 10MV/600Ω, Aux: 350MV/10KΩ
Pre-Output	1V/0dB
Digital Amplifier	Class-D
Audio Format Support	Mp3

Maximum Support Capacity	Dedicated USB port and Micro SD slot with minimum 32GB drive capacity support
Sound Quality Control	Bass 10dB/Treble 10dB
Frequency Response	100-16KHz(+1dB,-3dB)
Wireless Transmission Distance	10-15 Meter or better
Antenna Integration	Support for two Dedicated Wireless UHF high gain antennas
Power Supply	AC 220V / 50Hz
Power Consumption	140W or better
Logo	Should available proper space to fix the department/school logo on Front side.
Audio Receiver Functionality	<p>Support to play loss less audio, LCD screen, support to display Audio track name</p> <ul style="list-style-type: none"> -Minimum function modes: USB / PLAYING / Bluetooth / FM -Should have options for playback and recording -Should have LCD screen - Should have wireless remote control - Long press mode selection button to automatically switch on and off - Support USB disk, Mico SD card function, read storage media below 32G, support MP3/WAV/ WMA/ AEC/FLAC format decoding - With USB disk / Micro SD card to play the current track memory function and the current function mode two kinds of memory - Support mobile phone Bluetooth function, can play audio from mobile wirelessly

(AS PER SAMPLE SUBMITTED BY YOU AND APPROVED BY THIS OFFICE)



TERMS AND CONDITIONS:-

1. **F.O.R.:-** The above rates are FOR destination anywhere in Haryana at supplier's risk
GST :- Inclusive in above rates.
2. **FREIGHT CHARGES:-**Inclusive.
3. **DELIVERY PERIOD:-** Delivery & Installation of complete material at all locations strictly within 150 days from the date of placement of supply order.
4. **Warrantee:-** One year onsite warranty and should include delivery, onsite installation and onsite trainings.
5. **PAYMENT TERMS** :- 90 % payment will be released within 15 days after physical delivery of inspected /accepted goods in physically good condition at consignee godown. Remaining 10% will be released after satisfactory installation/ working of the items. The Indenting Departments would have option to release payments in RTGS/Electronics mode also.
Delay in payments to the suppliers beyond the stipulated credit period indicated in the supply order, unless supported by cogent reasons and approved by a higher authority, will attract penal interest on the defaulting amount @ Rs. 25/- per rupees one lakh per day of delay beyond the stipulated credit period. Non provision of adequate budget will be no ground for delay in payments to the supplier.
6. **INSPECTION:-** The inspection will be conducted at the premises of the firm before affecting the supplies.

In case, the material offered for inspection by the firm fails to meet the specifications stipulated in NIT/Order/Contract and the samples are rejected by Inspecting Committee, the Indenting Department will have the right to levy a penalty at 0.1% of the total order value. In case, the material offered for inspection fails during the 2nd inspection also, the Indenting Department will have the right to increase the penalty to 0.25% of the total order value. In case, the material offered fails during the 3rd and final inspection also, the firm will be liable for penal action including forfeiture of EMD, risk purchase, debarring/ blacklisting in future, and no further opportunity for inspection would be provided to the supplier firm.

(OTHER TERMS & CONDITIONS AS PER DNIT AND SCHEDULE-B ATTACHED).

Encls.a/a


Assistant Director,
Supplies & Disposals, Haryana,
 For & On behalf of Governor of Haryana.