

**REGD. POST****SUPPLY ORDER**

From

The Director General, Supplies & Disposals, Haryana,  
S.C.O-09, (1<sup>st</sup> & 2<sup>nd</sup> Floor), Sector-16, Panchkula  
Telephone no. 0172-2570121, 2570124, E-mail: supplies@hry.nic.in

To

**M/s Swami Auto Care Pvt. Ltd.**  
Village-Devi Nagar, Opposite Haldiram,  
Tehsil-Derabassi, SAS Nagar, (Punjab)-140201

Memo No. 71/HR/E-3/2021-22/  
Dated Panchkula, the :-

**Subject:- Purchase of 05 Nos. Mobile Toilet Vans Fully Built-up, Manual Transmission, 100-160 BHP, BS-VI (OBD-II) required by Police Department, Haryana.**

\*\*\*\*\*

With reference to your tender bid id no. 701575, as per decision of Department High Powered Purchase Committee meeting held on 30.10.2023, your letter dated 30.10.2023 & this office acceptance letter No.17522-23 dated 02.11.2023 & your letter no. nil dated 07.12.2023, on the subject noted above.

Please supply the vehicle within 60 days from the date of issue of supply order to the consignee as given below.

The vehicle may please be sent directly to the Director General of Police, Haryana Sector-6, Panchkula. For payment and the bill of the cost of store in triplicate be given directly to the Director General of Police, Haryana Sector-6, Panchkula under advice to this office. I have to inform you that your offer has been accepted as per terms and conditions given below.

| Sr. No. | Description of Store   | Qty. (In Nos.) | Rates in Rs. per vehicle Inclusive of all duties/taxes & GST @ 28% /Cess & freight charges & FOR Destination etc. |
|---------|--|----------------|---|
| 1.      | Mobile Toilet Vans Fully Built-up, Manual Transmission, 100-160 BHP, BS-VI (OBD-II).<br><b>Model:- EICHER PRO 2075 BS-VI (OBD-II).</b> | 05             | 31,75,000/-   |

**Note:- Specifications of fabrication work & Chassis are attached at Annexure-I.**

## **TERMS & CONDITIONS:-**

1. **Place of delivery:-** Anywhere in Haryana.
2. **F.O.R. :-** The above rates are FOR destination basis at supplier's risk.
3. **GST :-** Inclusive in above rates.
4. **Freight Charges :-** Inclusive in above rates.
5. **Delivery Period :-** 60 days from the date of placement of Supply Order.
6. **Payment :-** 100% payment shall be made within 30 days against physical delivery of satisfactory inspected /accepted vehicles. The Indenting Department would have option to release payments in RTGS/Electronics mode also.

Delay in payments to the suppliers beyond the stipulated credit period inducted in the supply order, unless supported by cogent reasons and approved by a higher authority, will attract penal interest on the defaulting amount @ Rs.25/- per rupees one lakh per day of delay beyond the stipulated credit period. Non provision of adequate budget will be no ground for delay in payments to the supplier.

7. **Warranty :-** The vehicles shall be warranted for minimum a period of one year from the date of supply of duly fabricated vehicles to the consignee for the any manufacturing defects. During this period, if any defect is found / noticed in the vehicles, the same will be repaired or replaced free of charge. The performance security would be released after satisfactory completion of the warranty period.
8. **Free Service :-** Minimum three labour services.
9. **Colour:-** As per availability in concerned firm.
10. **Inspection :-** The inspection will be carried out at the premises of firm, by the representative of the Indenting Department or any agency authorized by the deptt. before taking delivery of vehicles as per specifications.

In case, the vehicle offered for inspection by the firm fails to meet the specifications stipulated in NIT/Order are rejected by the Inspecting Committee, the Indenting Department will have the right to levy a penalty at 0.1% of the total order value. In case, the vehicle offered for inspection fails during the 2nd inspection also, the Indenting Department will have the right to increase the penalty to 0.25% of the total order value. In case, the vehicle offered fails during the 3rd and final inspection also, the firm will be liable for penal action including forfeiture of security, risk purchase, debarring/ blacklisting in future, and no further opportunity for inspection would be provided to the supplier firm.

11. **PENALTY CLAUSE** :- Penalty to firm on Delay in delivery: If the contractor fail to deliver or dispatch any consignment within the period prescribed for such delivery or dispatch stipulated in the supply order, the delayed consignment will be subject to 2% penalty per consignment per month recoverable on the value of the stores supplied. The other details will be as per provision contained in Sr. No. 14 of "Schedule-'B' Condition of Contract".
12. **PRICE FALL CLAUSE** :- The price charged for the stores shall not exceed in any way the lowest price at which you quote/supply the stores of identical description of stores to State Govt./Central Govt./Institutions/ undertaking/ GeM any other person during the delivery period/ currency period of the rate contracts. If at any time during the delivery/currency period, you reduce the rate, sale price of quoted stores to any person at the price lower than the price chargeable under this supply order/contract, you are required to inform this office and price payable under the supply order/contract for the stores supplied after the date of coming into force of such reduction of rates shall stand correspondingly reduced to that level. You shall promptly notify the reduction of rates to this office as well as to concerned Indenting Officers/ Consignees. You shall also give a certificate on your bills that the rates charged by you are not in any way higher to these quoted to the GeM, New Delhi and other State Govt. Central Govt. Institutions etc. during the corresponding period. The Indenting Officer shall be required to ensure that requisite certificate is given by the concerned firm on the bills before releasing their payments. Full benefit due to reduction in GeM rate contract or Net Dealer Price during the period of rate contract/ supply will be passed on to the consignee in addition.
13. Enclosed one copy of schedule "B" i.e. conditions of contract applicable is sent herewith duly signed on behalf of Governor of Haryana.
14. Failure to effect supply within stipulated period or repeatedly offering supply liable for rejection may render to penal action as per rules.

In case of non supply or any breach of this contract, penal action would be taken.

Other terms & conditions will be as per NIT (Schedule-A/Schedule-B) attached.



Deputy Director,  
Supplies & Disposals, Haryana,  
For & On behalf of Governor of Haryana



Endst.No. 71/HR/E-3/2021-22/

Dated:

A copy of the above is forwarded to the Director General of Police, Haryana, Sector-6, Panchkula w.r.t. their indent no. 11501/P-1 dated 31.12.2021 for information and necessary action.

He is requested to point out deficiency, if any, in a week time otherwise it will be presumed that the supply order is correct in all respects.

Payment may please made to the supplier strictly as per approved payment terms and the instruction appearing at the end may also be complied with.



  
Deputy Director,  
For Director General, Supplies & Disposals,  
Haryana Panchkula

Endst. No. 71/HR/E-3/2021-2022/ 17/4

Dated 19/12/23

A copy is forwarded to the following for information and necessary action:-

1. The Principal Accountant General, Haryana, (Audit) Sector-33, Chandigarh.
2. The Deputy Excise & Taxation Commissioner, SAS Nagar, (Punjab).
- ✓ 3. Programmer O/o DGS&D, Haryana.
4. St. Section O/o DGS&D, Haryana.

  
Deputy Director  
For Director General, Supplies & Disposals  
Haryana, Panchkula  


**Detailed Technical Specifications for Mobile Toilet Van**

| Sr. No.   | Specification                                   | No. |
|-----------|---|-----|
| <b>1.</b> | <b>Body</b>                                     |     |
| (i)       | Tubular Structure 14G/16G                       |     |
| (ii)      | All Steel square body                           |     |
| (iii)     | Primary Floor panels by 20 G GI Panels          |     |
| (iv)      | Flooring by 12 mm BWR Ply                       |     |
| (v)       | Exterior Body Panels-GI Panels                  |     |
| (vi)      | Front Shape- Standard                           |     |
| (vii)     | Rear shape-standard                             |     |
| (viii)    | Toughened Glass-Front wind Shield               |     |
| (ix)      | Swing out Double Door in Saloon Area            |     |
| (x)       | Under Floor Storage with side Doors             |     |
| (xi)      | Body Louvers on Sides                           |     |
| (xii)     | Body Painting                                   |     |
| <b>2.</b> | <b>INTERIOR</b>                                 |     |
| (i)       | Finish Side walls by Pressed SS Panels          |     |
| (ii)      | Interior Finish Ceiling by ACP Panels           |     |
| (iii)     | Corridor Flooring Tile Finish                   |     |
| (iv)      | SS interior finish flooring for toilets         |     |
| (v)       | Driver Cabin seating and storage                |     |
| (vi)      | Interior Toilet partitions by Tubular Structure |     |
| (vii)     | Interior partition Finish by SS Panels          |     |
| (viii)    | Toilet Doors by Water Resistant Panels (UPVC)   |     |
| (ix)      | Hand Wash (Ceramic Finish)                      | 2   |
| (x)       | Shower Cabin floor by SS Tray                   |     |
| (xi)      | Pressurized self-cleaning for each toilet.      |     |
| (xii)     | Changing room by SS Panels and floor by tiles.  |     |
| <b>3.</b> | <b>TOILETS AND SHOWER CONVENTIONAL TYPE</b>     |     |
| (i)       | India Toilet SS Finish 304 Grade                | 1   |
| (ii)      | Western Toilet SS Finish 304 Grade              | 2   |
| (iii)     | Floor mounted fresh Water Tank 500 SS           |     |
| (iv)      | Pressure pump (12V)                             |     |
| (v)       | Suction pump for fresh water filling (220V)     |     |
| (vi)      | Pump for waste disposal system                  |     |
| (vii)     | Waste Holding Tank-250 L SS Finish              |     |
| (viii)    | Grey Water Tank-150 L (Loft Tank PVC)           |     |
| (ix)      | Water Level indicator (Manual)                  |     |
| (x)       | Waste Tank indicator (Manual)                   |     |
| (xi)      | No smell filters                                |     |
| (xii)     | Trouser Hook                                    |     |
| (xiii)    | Health Faucet in Each Toilet                    |     |
| (xiv)     | Wall Fixed Shower                               |     |
| (xv)      | Soap Holder                                     |     |

|   |  |   |
|---|--|---|
| <b>4.</b>   | <b>VENTILATION MANAGEMENT</b>  |   |
| (i)   | Exhaust Fans Compact industrial Model  | 5 |
| (ii)  | Fresh Air Fans ( Compact Industrial Model)   | 6 |
| (iii)   | Air Purifier units   | 2 |
| (iv)  | Under floor air circulation system (louvers and exhaust fans)  |   |
| (v)   | Saloon interior cross way air circulation system (exhaust fans and fresh air fans as per requirements) |   |
| <b>5.</b>   | <b>ELECTRICALS</b>   |   |
| i)  | 12 & 220 V Electrical System with Control panel  |   |
| ii)   | LED Lighting   |   |
| iii)  | Focus lighting on Rood Top   |   |
| iv)   | Heavy Duty Power Sockets for Equipment's   |   |
| v)  | Mobile & Lap Top Charger in Driver Cabin   |   |
| vi)   | Inverter (1.6-2.0 KVA)   |   |
| vii)  | Battery  |   |
| viii)   | Foot Step Lighting   |   |
| ix)   | External Connectivity Cable -30 mtr.   |   |
| x)  | Reverse Camera (3 inch screen display with night vision mode)  |   |
| <b>6.</b>   | <b>FITTING</b>   |   |
| i)  | Power Management 3 KVA Generator   | 1 |
| <b>7.</b>   | <b>GRAPHICS &amp; LAMINATION</b>   |   |
| i)  | Vinyl Stickers and Graphics on Exterior  |   |
| <b>The bidder should have to submit following schematic layouts</b> |  |   |
| i)  | Waste management system layout.  |   |
| ii)   | Interior Air quality management system layout.   |   |
| iii)  | Power control & distribution layout.   |   |
| iv)   | Plumbing diagram layout.   |   |
| v)  | Under floor air circulation system layout.   |   |
| vi)   | Pictures of previous built mobile toilet for reference.  |   |
| vii)  | Floor plan layout.   |   |

## **ii) Detailed Technical Specifications of Chassis for Mobile Toilet Van**

| <b>Sr. No.</b> | <b>Specifications</b> | <b>Range</b>                |
|----------------|-----------------------|-----------------------------|
| (i)            | Emission Norms        | BS-VI                       |
| (ii)           | Fuel Type             | Diesel                      |
| (iii)          | Engine Cylinders      | 4 or 6                      |
| (iv)           | Max Power             | 100-160 BHP @ 1200-2200 RPM |
| (v)            | Transmission          | Manual                      |
| (vi)           | Gearbox               | 5 or 6 speeds               |
| (vii)          | Fuel Tank (Liters)    | 120-300                     |
| (viii)         | Engine Location       | Front                       |
| (ix)           | Wheelbase (mm)        | 4200-5200                   |
| (x)            | Overall length (mm)   | 8200-9200                   |
| (xi)           | Overall width (mm)    | 2150-2400                   |
| (xii)          | Brakes                | Air Brakes                  |
| (xiii)         | Front Suspension      | Leaf spring Suspension      |
| (xiv)          | Rear Suspension       | Leaf spring Suspension      |