

```
CREATE TABLE "SMART_CARD" ("VEHREGNO" CHAR(10 byte) NOT NULL,  
    "REGDATE" CHAR(8 byte) NOT NULL,  
    "OWNERNAME" CHAR(35 byte) NOT NULL,  
    "FNAME" CHAR(35 byte) NOT NULL,  
    "CADDRESS" CHAR(136 byte) NOT NULL,  
    "MANUFACTURER" CHAR(6 byte) NOT NULL,  
    "MODELNO" CHAR(30 byte) NOT NULL,  
    "COLOUR" CHAR(15 byte) NOT NULL,  
    "FUEL" CHAR(6 byte) NOT NULL,  
    "VEHCLASS" CHAR(6 byte) NOT NULL,  
    "BODYTYPE" CHAR(6 byte) NOT NULL,  
    "SEATCAP" CHAR(3 byte) NOT NULL,  
    "STANDCAP" CHAR(2 byte) NOT NULL,  
    "MANUFDATE" CHAR(7 byte) NOT NULL,  
    "UNLADENWT" CHAR(6 byte) NOT NULL,  
    "CUBICCAP" CHAR(6 byte) NOT NULL,  
    "WHEELBASE" CHAR(6 byte) NOT NULL,  
    "NOOFCYLIN" CHAR(1 byte) NOT NULL,  
    "OWNERSERIAL" CHAR(2 byte) NOT NULL,  
    "CHASISNO" CHAR(30 byte) NOT NULL,  
    "ENGINENO" CHAR(30 byte) NOT NULL,  
    "TAXPAIDUPTO" CHAR(8 byte) NOT NULL,  
    "REGNVALIDITY" CHAR(8 byte) NOT NULL,  
    "APPROVINGAUTH" CHAR(10 byte) NOT NULL,  
    "FINNAME" CHAR(35 byte) NOT NULL,
```

"FINADDRESS" CHAR(30 byte) NOT NULL,
"HYPOFROM" CHAR(8 byte) NOT NULL,
"HYPOTO" CHAR(8 byte) NOT NULL,
"NOCNO" CHAR(30 byte) NOT NULL,
"STATETO" CHAR(2 byte) NOT NULL,
"RTOTO" CHAR(4 byte) NOT NULL,
"NCRBCLEARNO" CHAR(20 byte) NOT NULL,
"NOCISSUEDT" CHAR(8 byte) NOT NULL,
"INSCOMPNAME" CHAR(35 byte) NOT NULL,
"COVERPOLICYNO" CHAR(25 byte) NOT NULL,
"INSTYPE" CHAR(1 byte) NOT NULL,
"INVALIDUPTO" CHAR(8 byte) NOT NULL,
"PUCCENTERCODE" CHAR(4 byte) NOT NULL,
"PUCVALIDUPTO" CHAR(8 byte) NOT NULL,
"TAXAMOUNT" CHAR(6 byte) NOT NULL,
"FINE" CHAR(6 byte) NOT NULL,
"EXEMPTRECPTNO" CHAR(11 byte) NOT NULL,
"PAYMENTDT" CHAR(8 byte) NOT NULL,
"TAXVALIDFROM" CHAR(8 byte) NOT NULL,
"TAXVALIDTO" CHAR(8 byte) NOT NULL,
"EXEMPTION" CHAR(1 byte) NOT NULL,
"DRTOCODE" CHAR(2 byte) NOT NULL,
"BUFLAG" CHAR(2 byte) NOT NULL,
"FITVALIDUPTO" CHAR(8 byte) NOT NULL,
"FITINSOFFICER" CHAR(16 byte) NOT NULL,

"FITLOCATION" CHAR(16 byte) NOT NULL,
"GROSSVEHWT" CHAR(6 byte) NOT NULL,
"SEMITRAILERS" CHAR(2 byte) NOT NULL,
"TYREINFO" CHAR(64 byte) NOT NULL,
"AXLEINFO" CHAR(24 byte) NOT NULL,
"RCPT_NO" VARCHAR2(17 byte) NOT NULL,
"PUR_CD" VARCHAR2(15 byte) NOT NULL,
"DEAL_CD" VARCHAR2(50 byte) NOT NULL,
"OP_DT" DATE NOT NULL,
"STATUS" CHAR(1 byte) NOT NULL,
"FLAT_FILE" VARCHAR2(27 byte));

CREATE TABLE "RC_BE_TO_BO" ("VEHREGNO" CHAR(10 byte) NOT NULL,
"REGDATE" CHAR(8 byte) NOT NULL,
"OWNERNAME" CHAR(35 byte) NOT NULL,
"FNAME" CHAR(35 byte) NOT NULL,
"CADDRESS" CHAR(136 byte) NOT NULL,
"MANUFACTURER" CHAR(6 byte) NOT NULL,
"MODELNO" CHAR(30 byte) NOT NULL,
"COLOUR" CHAR(15 byte) NOT NULL,
"FUEL" CHAR(6 byte) NOT NULL,
"VEHCLASS" CHAR(6 byte) NOT NULL,
"BODYTYPE" CHAR(6 byte) NOT NULL,
"SEATCAP" CHAR(3 byte) NOT NULL,
"STANDCAP" CHAR(2 byte) NOT NULL,

"MANUFDATE" CHAR(7 byte) NOT NULL,
"UNLADENWT" CHAR(6 byte) NOT NULL,
"CUBICCAP" CHAR(6 byte) NOT NULL,
"WHEELBASE" CHAR(6 byte) NOT NULL,
"NOOFCYLIN" CHAR(1 byte) NOT NULL,
"OWNERSERIAL" CHAR(2 byte) NOT NULL,
"CHASISNO" CHAR(30 byte) NOT NULL,
"ENGINENO" CHAR(30 byte) NOT NULL,
"TAXPAIDUPTO" CHAR(8 byte) NOT NULL,
"REGNVALIDITY" CHAR(8 byte) NOT NULL,
"APPROVINGAUTH" CHAR(10 byte) NOT NULL,
"FINNAME" CHAR(35 byte) NOT NULL,
"FINADDRESS" CHAR(30 byte) NOT NULL,
"HYPOFROM" CHAR(8 byte) NOT NULL,
"HYPOTO" CHAR(8 byte) NOT NULL,
"NOCNO" CHAR(30 byte) NOT NULL,
"STATETO" CHAR(2 byte) NOT NULL,
"RTOTO" CHAR(4 byte) NOT NULL,
"NCRBCLEARNO" CHAR(20 byte) NOT NULL,
"NOCISSUEDT" CHAR(8 byte) NOT NULL,
"INSCOMPNAME" CHAR(35 byte) NOT NULL,
"COVERPOLICYNO" CHAR(25 byte) NOT NULL,
"INSTYPE" CHAR(1 byte) NOT NULL,
"INSVALIDUPTO" CHAR(8 byte) NOT NULL,
"PUCCENTERCODE" CHAR(4 byte) NOT NULL,

"PUCVALIDUPTO" CHAR(8 byte) NOT NULL,
"TAXAMOUNT" CHAR(6 byte) NOT NULL,
"FINE" CHAR(6 byte) NOT NULL,
"EXEMPTRECPTNO" CHAR(11 byte) NOT NULL,
"PAYMENTDT" CHAR(8 byte) NOT NULL,
"TAXVALIDFROM" CHAR(8 byte) NOT NULL,
"TAXVALIDTO" CHAR(8 byte) NOT NULL,
"EXEMPTION" CHAR(1 byte) NOT NULL,
"DRTOCODE" CHAR(2 byte) NOT NULL,
"BUFLAG" CHAR(2 byte) NOT NULL,
"FITVALIDUPTO" CHAR(8 byte) NOT NULL,
"FITINSOFFICER" CHAR(16 byte) NOT NULL,
"FITLOCATION" CHAR(16 byte) NOT NULL,
"GROSSVEHWT" CHAR(6 byte) NOT NULL,
"SEMITRAILERS" CHAR(2 byte) NOT NULL,
"TYREINFO" CHAR(64 byte) NOT NULL,
"AXLEINFO" CHAR(24 byte) NOT NULL,
"RCPT_NO" VARCHAR2(17 byte) NOT NULL,
"PUR_CD" VARCHAR2(15 byte) NOT NULL,
"DEAL_CD" VARCHAR2(50 byte) NOT NULL,
"OP_DT" DATE NOT NULL,
"STATUS" CHAR(1 byte) NOT NULL);
CREATE TABLE "RC_IA_TO_BE" ("VEHREGNO" CHAR(10 byte) NOT NULL,
"REGDATE" CHAR(8 byte) NOT NULL,

"OWNERNAME" CHAR(35 byte) NOT NULL,
"FNAME" CHAR(35 byte) NOT NULL,
"CADDRESS" CHAR(136 byte) NOT NULL,
"MANUFACTURER" CHAR(6 byte) NOT NULL,
"MODELNO" CHAR(30 byte) NOT NULL,
"COLOUR" CHAR(15 byte) NOT NULL,
"FUEL" CHAR(6 byte) NOT NULL,
"VEHCLASS" CHAR(6 byte) NOT NULL,
"BODYTYPE" CHAR(6 byte) NOT NULL,
"SEATCAP" CHAR(3 byte) NOT NULL,
"STANDCAP" CHAR(2 byte) NOT NULL,
"MANUFDATE" CHAR(7 byte) NOT NULL,
"UNLADENWT" CHAR(6 byte) NOT NULL,
"CUBICCAP" CHAR(6 byte) NOT NULL,
"WHEELBASE" CHAR(6 byte) NOT NULL,
"NOOFCYLIN" CHAR(1 byte) NOT NULL,
"OWNERSERIAL" CHAR(2 byte) NOT NULL,
"CHASISNO" CHAR(30 byte) NOT NULL,
"ENGINENO" CHAR(30 byte) NOT NULL,
"TAXPAIDUPTO" CHAR(8 byte) NOT NULL,
"REGNVALIDITY" CHAR(8 byte) NOT NULL,
"APPROVINGAUTH" CHAR(10 byte) NOT NULL,
"FINNAME" CHAR(35 byte) NOT NULL,
"FINADDRESS" CHAR(30 byte) NOT NULL,
"HYPOFROM" CHAR(8 byte) NOT NULL,

"HYPOTO" CHAR(8 byte) NOT NULL,
"NOCNO" CHAR(30 byte) NOT NULL,
"STATETO" CHAR(2 byte) NOT NULL,
"RTOTO" CHAR(4 byte) NOT NULL,
"NCRBCLEARNO" CHAR(20 byte) NOT NULL,
"NOCISSUEDT" CHAR(8 byte) NOT NULL,
"INSCOMPNAME" CHAR(35 byte) NOT NULL,
"COVERPOLICYNO" CHAR(25 byte) NOT NULL,
"INSTYPE" CHAR(1 byte) NOT NULL,
"INSVALIDUPTO" CHAR(8 byte) NOT NULL,
"PUCCENTERCODE" CHAR(4 byte) NOT NULL,
"PUCVALIDUPTO" CHAR(8 byte) NOT NULL,
"TAXAMOUNT" CHAR(6 byte) NOT NULL,
"FINE" CHAR(6 byte) NOT NULL,
"EXEMPTRECPTNO" CHAR(11 byte) NOT NULL,
"PAYMENTDT" CHAR(8 byte) NOT NULL,
"TAXVALIDFROM" CHAR(8 byte) NOT NULL,
"TAXVALIDTO" CHAR(8 byte) NOT NULL,
"EXEMPTION" CHAR(1 byte) NOT NULL,
"DRTOCODE" CHAR(2 byte) NOT NULL,
"BUFLAG" CHAR(2 byte) NOT NULL,
"FITVALIDUPTO" CHAR(8 byte) NOT NULL,
"FITINSOFFICER" CHAR(16 byte) NOT NULL,
"FITLOCATION" CHAR(16 byte) NOT NULL,
"GROSSVEHWT" CHAR(6 byte) NOT NULL,

"SEMITRAILERS" CHAR(2 byte) NOT NULL,
"TYREINFO" CHAR(64 byte) NOT NULL,
"AXLEINFO" CHAR(24 byte) NOT NULL,
"RCPT_NO" VARCHAR2(17 byte) NOT NULL,
"PUR_CD" VARCHAR2(15 byte) NOT NULL,
"DEAL_CD" VARCHAR2(50 byte) NOT NULL,
"OP_DT" DATE NOT NULL,
"STATUS" CHAR(1 byte) NOT NULL,
 "RCCARDCHIPNO" varCHAR(100 byte),
"DRTO1ID" CHAR(16 byte),
"DRTO1NAME" CHAR(40 byte),
"DRTO1CHIPNO" varCHAR(50 byte),
"DRTO1USN" CHAR(32 byte),
"DRTO2ID" CHAR(16 byte),
"DRTO2NAME" CHAR(40 byte),
"DRTO2CHIPNO" varCHAR(50 byte),
"DRTO2USN" CHAR(32 byte),
"RCISSUEDATE" DATE,
"RCISSUETIME" DATE,
"DRTOBATCHNO" NUMBER(10),
"DRTOPAIRNO" NUMBER(10));

```
CREATE TABLE SMART_CARD_UPDATE (RCPT_NO VARCHAR2(11) NOT NULL,REGN_NO  
CHAR(10),PUR_CD VARCHAR2(15),DATA_FOR_UPDATION LONG,DEAL_CD VARCHAR2(10),OP_DT  
DATE,STATUS CHAR(1),RCCARDCHIPNO VARCHAR2(100),DRTOID CHAR(16),DRTONAME  
CHAR(40),DRTOCHIPNO VARCHAR2(50),DRTOUSN CHAR(32),CARD_UPDATE_DT DATE);
```