

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
<b>Bid End Date/Time/बिड बंद होने की तारीख/समय</b>	25-02-2025 19:00:00
<b>Bid Opening Date/Time/बिड खुलने की तारीख/समय</b>	25-02-2025 19:30:00
<b>Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)</b>	180 (Days)
<b>Ministry/State Name/मंत्रालय/राज्य का नाम</b>	Ministry Of Social Justice And Empowerment
<b>Department Name/विभाग का नाम</b>	Department Of Empowerment Of Persons With Disabilities
<b>Organisation Name/संगठन का नाम</b>	N/a
<b>Office Name/कार्यालय का नाम</b>	Pandit Deendayal Upadhyaya National Institute For Persons With Physical Disabilities
<b>क्रेता ईमेल/Buyer Email</b>	buyer11.depd.dl@gembuyer.in
<b>Total Quantity/कुल मात्रा</b>	1
<b>Item Category/मद केटेगरी</b>	Gait Analysis System with EMG and Software
<b>GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS</b>	Gait Analysis System with EMG and Software
<b>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</b>	Business Intelligence and Data Analysis Software (V2), Emergency lighting and accessories (Portable Emergency Lighting System Tower type with Battery Bank), Software Based Solution For Mobile Devices And CDR Analysis, SOFTWARE FOR E-MAIL PARSING AND ANALYSIS TOOL, Office Chair (V3), Accounts and Bill Monitoring Management System Software, Emergency lighting and accessories (PORTABLE EMERGENCY LIGHTING SYSTEM Tower type With AC Genset), File And Leave Management System Software, SMART CLASS EQUIPMENT WITH DIGITAL CONTENTS SOFTWARE, Software Intelligence System for Application Development and Maintenance
<b>अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification</b>	<ul style="list-style-type: none"> <li>Assistive Tech</li> </ul>
<b>Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)</b>	15 Lakh (s)
<b>OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)</b>	15 Lakh (s)

Bid Details/बिड विवरण	
<b>Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष</b>	3 Year (s)
<b>MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है</b>	Yes
<b>Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है</b>	Yes
<b>Document required from seller/विक्रेता से मांगे गए दस्तावेज़</b>	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
<b>Do you want to show documents uploaded by bidders to all bidders participated in bid?/</b>	Yes
<b>Past Performance/विगत प्रदर्शन</b>	20 %
<b>Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया</b>	No
<b>Type of Bid/बिड का प्रकार</b>	Two Packet Bid
<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	2 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Total value wise evaluation
<b>Arbitration Clause</b>	No
<b>Mediation Clause</b>	No

#### EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	149000

#### ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
-----------------------------	---------------------

ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	0.01
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	37

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

#### **Beneficiary/लाभार्थी :**

DIRECTOR

Pandit Deendayal Upadhyaya National Institute For Persons With Physical Disabilities, Department of Empowerment of Persons with Disabilities, N/A, Ministry of Social Justice and Empowerment  
(Jitender Sharma)

#### **MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

#### **MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

6. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

7. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

9. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 20% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

## **Gait Analysis System With EMG And Software ( 1 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

### **Technical Specifications/तकनीकी विशिष्टियाँ**

Buyer Specification  
Document/क्रेता विशिष्टि दस्तावेज़

[Download](#)

**Installation Commissioning and Testing (ICT) details for the above item:**

% of Product Cost Payable on Product Delivery	90%
Min Cost Allocation for ICT as a % of product cost	10%
Number of days allowed for ICT after site readiness communication to seller	20 Days/दिन

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Laharee Ram Meena	110002,DIRECTOR, PANDIT DEENDAYAL UPADHYAYA NATIONAL INSTITUTE FOR THE PERSONS WITH PHYSICAL DISABILITIES (DIVYANGJAN) MINISTRY OF SOCIAL JUSTICE AND EMPOWERMENT (GOVT. OF INDIA) 4,VISHNU DIGAMBER MARG NEW DELHI 110002 GSTIN 07AAAAT2962P1ZZ	1	15

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**

**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 % of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

**2. Buyer Added Bid Specific ATC**

## **Gait Analysis System with EMG and Software: technical specifications.**

A Gait Analysis System with following technical specifications and quantities:

1. Portable EMG System to stream Pre-amplified EMG signals from wire-free EMG sensors directly transmitted to computer in real-time, without data drop.
2. Base Station should be able to accommodate upto 32 Sensors in the system.
3. Compatible 6 Nos. of Parallel bar EMG sensor electrodes, having Dual on-board stabilizing reference, fixed 10 mm Inter-Electrode Spacing with built-in tri-axial IMU, with Bluetooth and wifi connectivity, LED Status indicators, scalable EMG Bandwidth settings, onboard processing. Each sensor should provide 1 Channel of EMG and 6 channels raw IMU (3x ACC, 3x Gyro) OR 4 channels Orientation (QUAT) data.
4. Compatible 1 No. of special EMG Sensor for collecting EMG signals for further decomposition in individual motor units under dynamic conditions, with built-in tri-axial IMU, with Bluetooth and wifi connectivity, LED Status indicators, scalable EMG Bandwidth settings, onboard processing. Each sensor should provide 4 Channel of EMG from same muscle, and 6 channels raw IMU (3x ACC, 3x Gyro) OR 4 channels Orientation (QUAT) data.  
1 no. of Software licence of software for investigation of neural firing behavior. Software should automatically extract and visualize motor unit shapes and behavior, by motor unit extraction from EMG signals collected from same muscle site, using 4 point sensor above. Software should enable quantification and comparison of neural activation across time, muscles and subjects.
5. Sensors' body should be UV-sealed to prevent moisture from entering the sensor & to enhance patient safety and should be made of Medical-grade polycarbonate.
6. Operating Range: 40m for proprietary RF protocol and should ensure no data latency between sensors and a high level of transmission robustness with zero frame drops.
7. EMG Sampling Rate: Up to 4370 Hz
8. Accelerometer Sampling Rate: Up to 963 Hz
9. Gyroscope Sampling Rate Up to: 741 Hz
10. Orientation Sampling Rate Up to: 222 Hz
11. Resolution: 16 bit, 168 nV per bit
12. Baseline Noise: 750 nV typical
13. CMRR < -80 dB

14. EMG Bandwidth: Selectable cutoff frequencies between 10-850 Hz
15. Battery Life: 8 hours
16. Recharge Time: < 2.5 hours
17. Inter-Sensor Latency 0 ms (No inter-sensor latency)
18. Support for other optional Sensors: Mini EMG + IMU Sensor for smaller muscles, Duo Mini sensor with 2 EMG channels in a sensor, 4-ch mini EMG + IMU sensor, FSR Sensor, Load Cell Adapter, Goniometer Adapter, EKG Sensor, Analog Adapter.
19. Integration with 3rd party -Digital API / SDK -
20. Software Development Kit / API -Free SDK and API should be included -Common SDK plugins with 3rd party softwares like Matlab.
21. EMG Analysis Software - Windows compatible EMG signal analysis software with following features:
  - a. Integrated Database
  - b. Real-time Filters
  - c. Voice Prompts
  - d. Audio Feedback
  - e. Identify the best location of the sensor on the muscle for high amplitude EMG signal
  - f. Monitor the quality of the recorded EMG signals throughout the duration of experiment
  - g. Improve the quality of EMG data
  - h. Cyclical Analysis
  - i. Activation Timing
  - j. Amplitude Analysis and Normalization of data
  - k. Co-activation of muscles
  - l. Fatigue Analysis
  - m. Frequency Analysis
  - n. Activity Tracking
22. Software for decomposition of recorded EMG signals into Motor Units-Windows compatible EMG signal analysis software with following features:
  - a. Loading and previewing of EMG data collected using special 4 point EMG sensors.
  - b. Processing the files of EMG data collected using special 4 point EMG sensors to decompose or identifying Motor Units.
  - c. Automatic identification of signal clipping due to movement artifacts or repositioning of the sensor or other unknown reasons.
  - d. Visualize raw EMG data & MU firing rates
  - e. View MUAP waveforms
  - f. See the list of analysis intervals, select active interval, and remove
  - g. intervals
  - h. Report-specific figures & charts corresponding to the active analysis interval
  - i. Statistics
    - i. Analysis intervals
    - ii. Histogram
    - iii. Regression
    - iv. Statistics variables
      1. Peak Firing Rate
      2. Average Firing Rate
      3. Peak MUAP Amplitude
      4. Average MUAP Amplitude
      5. IPI Average
      6. IPI Standard Deviation
      7. IPI Standard Deviation
      8. IPI Coefficient of Variation

- j. Generate PDF report
- 23. Gait Analysis Software for lower body compatible with EMG+IMU Sensors above:
  - a. Available Protocols, depending on required no. of compatible sensors:
    - i. Individual joints (knee, hip, elbow, shoulder...)
    - ii. Head and neck
    - iii. Wrist (L or R)
    - iv. Pelvis and torso
    - v. Cervical and arms
    - vi. Shoulder and elbow (L or R)
    - vii. Epicondylitis test (L or R)
    - viii. Full arm (L or R)
    - ix. Cervical, pelvis & thighs
    - x. Both knees (free/gait)
    - xi. Full leg (free/gait)
    - xii. Both ankles (free/gait)
    - xiii. Both arms (no torso)
    - xiv. Back and arm, including scapula (L or R)
    - xv. Pelvis, back and head
    - xvi. Lower body (hips & knees)
    - xvii. Back, arms & thighs
    - xviii. Lower body (std. Gait)
  - b. Should have in-built DATABASE for Management of patients or subjects
  - c. Should have automatic and manual gait event identification feature
  - d. Should allow Integration of compatible high-speed video cameras
  - e. Should allow data import into other applications (for example Matlab), and biomechanical curves in CSV format for import into other applications (for example MS Excel).
- 24. Foot Pressure Mapping System-0.5m (single module) with Software (standalone):
  - a. Number of Sensing Points per module: 9216
  - b. Speed: 50/100 Hz (depending on the active sensors)
  - c. Pressure Range: 0 - 73 PSI (50 - 500Kpa)
  - d. Connection Method: USB only
  - e. Matrix: 192 x 48
  - f. Active Area: 48x48 square cm per module
  - g. Number of Modules that can be interconnected: 2-16
  - h. Query Speed: 50/100 hz
  - i. Weight: 11 lbs (5 kg) per module
  - j. Accuracy:  $\pm 10\%$
- 25. EMG System Compliance :
  - ISO certified facility (ISO 13485)
  - FDA registered (USA)
  - FCC ID (USA)
  - CE (Europe MDD 94/42/EEC)
  - IEC60601-1 (General Medical Devices)
  - IEC60601-1-2 (EMG Compatibility for Medical Devices)
  - IC (Canada)
  - UL recognized battery
  - ISEK/SENIAM compliant
- 26. 2 Year Warranty



The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

**---Thank You/धन्यवाद---**