



DISTRICT COURT HAMIRPUR, H.P.



Draft Disaster Management Plan 2021-2022



Location of Hamirpur in Himachal Pradesh



Message

The Disaster Management Plan (DMP), Hamirpur is a comprehensive document for a quick response of the stakeholders in the event of a disaster. Disaster can occur at any time without any forewarning. In case of Disaster, all the stakeholders including the Advocates and the litigants will have to shoulder the responsibility to minimize the damage to the life and property in the event of disaster/ hazard. This document has been prepared with the hope that such responsibility will be shared by all.

Looking forward to a favourable response from all quarters.

(J.K. Sharma)
District & Sessions Judge
Hamirpur, H.P.

Table of Contents

Title	Page Number
Message from the District and Sessions Judge	4
Table of Contents	5
1. Introduction	6-7
1.1 Definition	8
1.2 Aim and Objective	9
1.3 Organizational Structure	9
1.4 Infrastructure	10-11
2. Hazard, Vulnerability, Capacity and Risk Profile	12
2.1 Major Hazards in Hamirpur	12
2.2 Risk Analysis/vulnerability for District Courts Hamirpur	12-13
2.3 Capacity of Department to deal with Disasters	13
2.4 Gaps in existing capacity	13-14
3. Prevention, Mitigation and Preparedness Plan	15
3.1 Plan for necessary measures (Institutional)	15-17
3.2 Capacity Building	17
4. Response Plan	18
4.1 Installation of evacuation routes& maps and fire extinguishers	18
4.2 Constitution of the Incident Response Teams	18-19
4.3 Roles and responsibilities and coordination mechanism for the Department	19-21
5. Knowledge Management, Review and Updating & Dissemination of Plan	22
5.1 System of updating	22
5.2 Dissemination of Plan to stakeholders	22
Annexure	
Important Contacts and Other Emergency Resource Inventory	23-25

1. Introduction

The Disaster Management Act, 2005 describes the disaster as “a catastrophe, mishap, calamity or grave occurrence in any area, arising from natural or man-made causes or by accident or negligence which result in substantial loss of life or human suffering or damage to and destruction of, property or damage to or degradation of, environment, and is of such a nature or magnitude as to be beyond the coping capacity of the community of the affected area”. These events are sudden and they have severe consequences. Thus, a proper disaster management plan and its execution is the need of the hour to minimize the impact on human lives.

The Disaster Management Act, 2005 mandates every Government Department to prepare, review and update Disaster Management Plan. Courts, like other institutions, are vulnerable to disasters as well. The disruption caused by disasters in the working of Courts will severely affect the justice delivery system apart from the loss of life and property.

Section 37(1) of the Disaster Management Act, 2005 reads

- (1) Every Ministry or Department of the Government of India shall
 - (a) Prepare a disaster management plan specifying the following particulars,
 - (i) the measures to be taken by it for prevention and mitigation of disasters in accordance with the National Plan;
 - (ii) the specifications regarding integration of mitigation measures in its development plans in accordance with the guidelines of the National Authority and the National Executive Committee;
 - (iii) its roles and responsibilities in relation to

preparedness and capacity-building to deal with any threatening disaster situation or disaster;

(iv) its roles and responsibilities in regard to promptly and effectively responding to any threatening disaster situation or disaster;

(v) the present status of its preparedness to perform the roles and responsibilities specified in sub-clauses (iii) and (iv);

(vi) the measures required to be taken in order to enable it to perform its responsibilities specified in sub-clauses (iii) and (iv);

(b) review and update annually the plan referred to in clause (a);

(c) forward a copy of the plan referred to in clause (a) or clause (b), as the case may be, to the Central Government which Government shall forward a copy thereof to the National Authority for its approval.

This document describes the various processes and measures forming the comprehensive disaster management plan for District Courts Hamirpur H.P. The major outline of this plan is as follows:

- ✓ Organizational structure and infrastructure of Courts Hamirpur H.P.
- ✓ Vulnerability and capacity to deal with hazards.
- ✓ Preparedness and response in such situations.
- ✓ Knowledge Management and Dissemination of Plan along with important contacts.

The aims of this document is to serve as a ready reference at times of disasters and to assess the preparedness and filling the gaps in capacity to tackle such events continuously.

1.1 Definitions:

1. Hazard:

Hazard can be defined as a potentially damaging physical event, phenomenon or human activity that may cause the loss of life or injury, damage, social and economic disruption and environmental degradation.

2. Risk:

Risk denotes a potential negative impact on some characteristic of value that may arise from a future event.

3. Disaster:

A disaster is an event of natural or man-made causes, that lead to sudden disruption of the normal life of society, causing damage to life and property.

4. Mitigation:

Mitigation refers to the structural and non-structural measures undertaken to limit the adverse impact of natural hazards, environmental degradation and technological hazards.

5. Preparedness:

Preparedness refers to the activities and measures taken in advance to ensure effective early warning and the temporary removal of the people and property from threatened locations.

6. Response :

- 1) The act of responding.
- 2) A reaction to something

7. Vulnerability:

Vulnerability is a set of conditions and processes resulting from physical, social, economical and environmental factors, which increases the susceptibility of a community to the impact of hazards.

1.2 The Aim & Objectives of the Disaster Management Plan:

This document aims to serve as a ready reference at the time of disaster and to assess the preparedness and filling the gaps in capacity to tackle such events continuously.

The Objectives of the Disaster Management Plan shall be as follows:-

- To make the Court secure against disasters.
- To plan and implement disaster reduction activities in the Courts.
- To effectively prepare and respond to disasters.
- To train and build awareness among Court staff, Advocates and other stakeholders of the Court about disasters.
- To coordinate with local government offices and other emergency services

1.3 Organizational Structure of the Civil and Sessions Division Hamirpur :

There are eight (08) Courts working in District Court Complex, Hamirpur, namely, the Court of Ld. District and Sessions Judge, Ld. Additional District and Sessions Judges, Ld. Sr. Civil Judge-cum-CJM, Ld. Sr. Civil Judge-cum-ACJM, Court No. 1, Ld. Civil Judges-cum-JMIC's-I, II and III and touring Court of Ld. Mobile Traffic Magistrate.

The office of the Secretary, District Legal Services Authority is also situated in the independent wing of the ADR centre.

Besides the above, there are 02 Taluka Courts at the Sub-Divisional Level, such as Court of Ld. Sr. Civil Judge-cum-ACJM, Nadaun and Ld. Civil Judge-cum-JMIC, Barsar. The District and Sessions Judge is the Controlling Officer in respect of the Judicial Officers and employees working in the Civil and Sessions Division, Hamirpur, (H.P.).

1.4 Infrastructure:

The District Court Complex is a three-storeyed building constructed in the year 2006-2009 which houses all the Courts and Offices. The Court of Ld. District & Sessions Judge, Ld. Additional District & Sessions Judge, Ld. Sr. Civil Judge-cum-Chief Judicial Magistrate, Ld. Sr. Civil Judge-cum-ACJM, Court No. I, Ld. Civil Judge-cum-JMIC, Court No. II & III are situated on the first floor of the building & the Court of the Ld. Civil Judge-cum-JMIC, Court No. IV is situated on the ground floor. The Front Office of the District Legal Services Authority is also located on the ground floor near the stairs.

The building has a staircase for an easy approach to different parts. The complex has also parking spaces in the back and sideways. Entry for the Judge is separate and lies on one side of the building. The main entry gate falls on the road and is easily approachable from outside.

There is one litigant hall and two Advocate Bar Rooms. The description of the accommodations on each floor are as under:-

- I) **Top/Third floor:** The third floor consists of Offices of the staff of six courts i.e. Ld. District & Sessions Judge, Ld. Additional District & Sessions Judge, Ld. Sr. Civil Judge-cum-Chief Judicial Magistrate, Ld. Sr. Civil Judge-cum-ACJM, Court No. I, Ld. Civil Judge-cum-JMIC, Court No. II & III. The room of Chief Administrative Officer, English Clerk/LRC, Superintendent of all six courts. Civil Nazir, Naib Nazir of all six courts, Translator, Record Keeper, Civil and Criminal Ahlmads of all six courts, server room comprising a sitting arrangement for Court Manager, Assistant Programmer, System Officer and System Assistant, Daftri and Process Server room are situated on the third floor. Copying Agency is also situated on the third floor of the existing building. One storeroom and two toilets (one gents and one ladies) are situated on either side of the gallery.
- II) **Second floor:** The chambers of seven Judicial Officers i.e. Ld. District &

Sessions Judge, Ld. Additional District & Sessions Judge, Ld. Sr. Civil Judge -cum- Chief Judicial Magistrate, Ld. Sr. Civil Judge-cum-ACJM, Court No. I, Ld. Civil Judge-cum-JMIC, Court No. II, III and IV are situated on the second floor of the existing building. The second floor also consists of the room of Private Secretary, Steno & Judgment Writers. Apart from this one conference hall is also situated on the second floor of the existing building.

III) **First floor:** The first floor consists of seven courts of Judicial Officers including the touring court of Ld. Mobile Traffic Magistrate. The visiting litigant public, Advocates and staff face acute hardship at the peak hours of the court working on account of huge congestion on the 2nd floor. Toilets are situated adjoining to the court of Ld. Senior Civil Judge-cum-ACJM, Court No.1, Hamirpur.

IV) **Ground floor:** One Court of Ld. Civil Judge-cum-JMIC, Court No. IV, Hamirpur is situated on the ground floor of the existing building. The office of the staff of Ld. Civil Judge-cum-JMIC, Court No. IV, Hamirpur is also situated on the ground floor. There is one litigant hall and two Advocate Bar Rooms on the ground floor and two toilets (one gents and one ladies), are situated on one side of the gallery.

2. Hazard, Vulnerability, Capacity and Risk Profile

2.1 Major Hazards in Hamirpur:

TYPE	LEVEL OF VULNERABILITY
Earthquakes	Very High
Floods	Moderate
Landslides	Moderate
Forest Fires	High
Domestic Fires	Moderate
Industry Fires	Moderate
Const. Type & Density	Moderate
Overall Vulnerability	Moderate

2.2 Risk Analysis/ Vulnerability for District Courts Hamirpur:

Apart from natural calamities and hazards as stated above, many man-made disasters can have a devastating effect on human life and property. Courts being the backbone of the Justice delivery system, the effects of such disaster will be manifold.

District Court Complex at Hamirpur is the hub of activities with advocates, litigants and other stakeholders along with employees and officers. Such a public office is prone to various catastrophes such as-

- ✓ **Stampede-** Normal working hours in Courts see a huge rush and crowd. Such a situation is an easy recipe for the stampede. The visiting litigant public, Advocates and staff face acute hardship at the peak of the court working on account of huge congestion on the 2nd floor.
- ✓ **Fire-**Fire whether accidental or man-made may have a severe impact, reckoning the huge quantity of records and files apart from human life.
- ✓ Courts also see under trials and prisoners regularly, some of

them are hardcore criminals, thus, the possibility of security hazard cannot be ruled out.

- ✓ **COVID-19 and other VIRUSES:** Recent outbreak of the covid-19 virus has exposed the vulnerability of all to the various infections. Since all the courts are located on one floor and there is huge congestion of litigants at the peak hour, the place is highly susceptible to the transmission of any air-borne contagious virus/microbes making it a hotspot for the spread of air-borne infections.

2.3 Capacity of Department to deal with disasters

District Court Complex is structurally well built with ample open spaces around the building. There are multiple exit routes, which are critical in hazardous situations. The staircase for entry of Judges can also be used at the time of emergency. The floor plan of District Courts is placed properly at the main entrance. Open passageways and shafts in the complex aid to sufficient lighting and ventilation, which is helpful at times of fires.

The proximity of the Complex to major Government departments and the hospital is an added asset. The Court Complex is easily approachable for relief vehicles such as firefighting vans and ambulances etc. For a quick response, three vehicles of the Judicial Officers can be utilised in the event of a disaster.

2.4 Gaps in existing Capacity

Self-assessment of capacity is essential to deal with disasters effectively and that too, in a continuum. The Disaster Management Plan must focus on lacunae and shortcomings so that they can be corrected well before some untoward event happens.

District Courts Complex, Hamirpur has the following significant gaps in

capacity to deal with disasters effectively.

- The location of all the courts on one floor leads to heavy congestion on one floor making it difficult to evacuate the public in case of emergency. Fortunately, the courts are located on the first floor- one flight of staircase away from the main exit, which can lessen this gap to a certain extent. The steps are being taken to decongest the first floor by proposing the construction of one additional building where some of the courts would be shifted.
- The location of court staff in one room leads to another challenge as it will be difficult to evacuate them in case of an emergency. Since there would be a huge rush of litigants on the first floor, hence the evacuation will be hindered. Being away from the main exit by two flights of stairs will expose them to significant risks. The steps are being taken to shift the staff by proposing the construction of additional buildings where some of the offices would be shifted.

3. Prevention, Mitigation and Preparedness Plan (Institutional)

3.1 Plan for necessary measures

The Ld. Additional District & Sessions Judge, is the Chairman and the Ld. Senior Civil Judge-cum- ACJM, Court No.1 is a member of the Disaster Management Committee of the District Court Complex, Hamirpur which functions under the overall supervision of the District & Sessions Judge. The Disaster Management Committee of the District Court, Hamirpur monitors the implementation of the Disaster Management Plan and supervises all the quick response Teams. Below are the Committees of the Disaster Management Committee at the institution level.

Disaster Management Committee for District Courts, Hamirpur (H.P.)

1.	Addl. District and Sessions Judge, Hamirpur	Chairman.
2.	Sr. Civil Judge-cum-CJM, Hamirpur	Member.
3.	Secretary, DLSA, Hamirpur	Member.
4.	District Attorney, Hamirpur	Member.
5.	President Bar Association, Hamirpur	Member.
6.	Chief Administrative Officer, Hamirpur	Member.
7.	Court Manager, Hamirpur	Member Secretary.
	SPECIAL INVITEES	
1.	Additional District Magistrate, Hamirpur	Special Invitee.
2.	Dy.S.P., Hamirpur	Special Invitee.
3.	Chief Medical Officer, Hamirpur.	Special Invitee.
4.	Conservator (Forest), Hamirpur.	Special Invitee.
5.	Executive Engineer (I&PH), Hamirpur.	Special Invitee.

6.	Executive Engineer (H.P. PWD), Hamirpur.	Special Invitee.
7.	Executive Engineer, (Electricity), Hamirpur	Special Invitee.
8.	Representative from MC, Hamirpur.	Special Invitee.
9.	Commandant Home Guards, Hamirpur.	Special Invitee.
10.	Station Fire Officer, Hamirpur.	Special Invitee.

Disaster Management Committee for Sub-Divisional Court at Nadaun, H.P.

1.	Sr. Civil Judge-cum ACJM, Nadaun	Chairman.
2.	Assistant District Attorney, Nadaun	Member.
3.	President Bar Association, Nadaun	Member.
4.	Supdt Grade-II, court of Sr.Civil Judge-cum-ACJM, Nadaun	Member Secretary.
SPECIAL INVITEES		
1.	SDM, Nadaun	Special Invitee.
2.	Dy.S.P., Nadaun	Special Invitee.
3.	Block Medical Officer, Nadaun.	Special Invitee.
4.	Assistant Engineer (I&PH), Nadaun.	Special Invitee.
5.	Executive Engineer (H.P. PWD), Nadaun at Hamirpur	Special Invitee.
6.	Assistant Engineer (Electricity), Nadaun.	Special Invitee.
7.	Range Forest Officer, Nadaun.	Special Invitee.
8.	Representative of Nagar Panchayat, Nadaun	Special Invitee.
9.	Incharge, Fire Station Officer, Nadaun	Special Invitee.

Disaster Management Committee for Sub-Divisional Court at Barsar (H.P.)

1.	Civil Judge-cum JMFC, Barsar	Chairman.
2.	Assistant District Attorney, Barsar	Member.
3.	President Bar Association, Barsar	Member.
4.	Supdt. Grade-II, court of Civil Judge-cum-JMFC, Barsar.	Member Secretary.
SPECIAL INVITEES		
1.	SDM, Barsar	Special Invitee.
2.	Dy.S.P., Barsar	Special Invitee.
3.	Block Medical Officer, Barsar	Special Invitee.
4.	Executive Engineer (I&PH), Barsar	Special Invitee.
5.	Assistant Engineer (Electricity), Barsar	Special Invitee.
6.	Executive Engineer (H.P. PWD), Barsar	Special Invitee.
7.	Range Forest Officer, Barsar.	Special Invitee.
8.	Incharge, Fire Station Office, Barsar	Special Invitee.

Quick Response Teams

3.2 Capacity Building

To handle any disaster effectively, it is necessary to have the proper capacity. District Courts plan to have regular capacity building exercises in collaboration with other Government Agencies and District Disaster Management Authority. Mock drills are planned to be organized for the staff and bar members and may be conducted once a year to ascertain the preparedness for dealing with such disasters.

4. Response Plan

4.1 Installation of evacuation routes & maps and fire extinguishers

District Court Complex, Hamirpur plans to install signboards depicting exit routes in various parts of the building to help people navigate easily in exigencies. Such signboards are to be installed in corridors and pathways. Apart from these, ladders, ropes and first aid boxes are to be arranged. 18 fire extinguishers have been installed at different points in the Judicial Complex and near storerooms.

The Deputy Commissioner-cum-Chairman, Disaster Management Authority, Hamirpur has been requested to submit the suggestions/comments for the effective implementation of provisions & guidelines/instructions pertaining to all existing and newly constructed court halls and residential accommodations under CSS for Judicial Infrastructure of this Civil and Sessions Division and also to formulate development plans for preventive actions like hazard resistant construction, retrofitting and upgrading existing court buildings, early warning systems installation and drills for its use, training of manpower in various tasks of emergency etc. The valuable suggestions once received from the Deputy Commissioner-cum-Chairman, Disaster Management Authority, Hamirpur will be incorporated in the Disaster Management Plan.

4.2 Constitution of the Incident Response Teams

Quick response teams that comprise court officials are constituted with specific tasks assigned to them and these teams are supervised by the Disaster Management Committee. These teams will act in coordination at times of any hazard whether natural such as earthquake or man-made such as fire. These teams have been constituted at District Headquarter,

Hamirpur and Sub-Division, Barsar. The Ld. Senior Civil Judge-cum-ACJM, Nadaun has been requested to constitute the Incident Response Team at Sub-Division, Nadaun. Both the Judicial Officers have also been requested to prepare a Disaster Management Plan. Any changes in the teams will be updated in subsequent Disaster Management Plans.

4.3 Roles and Responsibilities and Coordination Mechanism for the Department.

Every official in the response teams has clear roles and responsibilities. Disaster specific teams have a responsibility to act quickly and coordinate with the concerned agencies in such situations. Each team has one senior official who has to supervise the efforts of other team members. Below is the list of teams constituted.

Teams at District Headquarters, Hamirpur

Team for Firefighting

S.No.	Member	Responsibilities
1	Chief Administrative Officer	Supervision of team Members
2	Sharistedar, O/o Ld. Senior Civil Judge-cum-CJM, Hamirpur	Mobilize local efforts in firefighting
3	Court Manager	Coordinating among team Members
4	Reader, O/o Civil Judge-cum-JMIC, Court No. IV, Hamirpur	Coordinating with firefighters and First Aid
5	Copiest, O/o Civil Judge-cum-JMIC, Court No. IV, Hamirpur	Rescue & Evacuation
6	System Officer	Turning off MCB Switches and securing the server
7	LRC, O/o District & Sessions Judge, Hamirpur	Efforts to limit damages to records and files
8	Orderly, O/o District & Sessions Judge, Hamirpur	To assist the Team

Team of tackling Health/Security Hazard/COVID-19

1.	Superintendent G-II, O/o Addl. District & Sessions Judge, Hamirpur	Supervision of Team Members
2	Sharistedar, O/o Senior Civil Judge-cum-ACJM, Court No. I, Hamirpur, H.P.	Arrangement of Ambulance
3	Sharistedar, O/o Civil Judge-cum-JMIC, Court No. IV, Hamirpur, H.P.	Transporting sick to the hospital
4	Copiest, O/o District & Sessions Judge, Hamirpur	Search, rescue and evacuation
5	Peon, O/o Civil Judge-cum-JMIC, Court No. II, Hamirpur	Coordinating with the team and first aid
6	Peon, O/o Civil Judge-cum-JMIC, Court No. III, Hamirpur	Coordinating with the team and first aid

Natural Hazards

1	Sharistedar, O/o Civil Judge-cum-JMIC, Court No. II, Hamirpur	Coordination with the District Management Authority
2	Sharistedar, O/o Civil Judge-cum-JMIC, Court No. III, Hamirpur	First Aid & Transportation
3	Nazir, O/o Civil Judge-cum-JMIC, Court No. III, Hamirpur	Search, rescue and evacuation
4	Civil Nazir, O/o Civil Judge-cum-CJM, Hamirpur	First Aid & Transportation
5	System Assistant	Information & Communication
6	Orderly, O/o Civil Judge-cum-CJM, Hamirpur	To assist the team
7	Orderly, O/o District & Sessions Judge, Hamirpur	To assist the team

The team at Sub-Division, Barsar

S.No	Member	Responsibilities
1	Shreistedar G-II	Supervision of team Members
2	Reader	Coordinating with firefighters and First Aid
3	Naib Nazir	Turning off MCB Switches and securing the Server
4	Execution Clerk	Search, rescue and evacuation, Information & Communication
5	Orderly	To assist the Team

5. Knowledge Management, Review and Updating & Dissemination of Plan

5.1 System of Updating DMP

Disaster Management Planning is a continuous activity and thus it requires regular updating. The document of Disaster Management Plan of District Courts, Hamirpur H.P. is to be updated as and when there are major changes in any aspect of it. A review of the Plan will be done by the committee yearly. The updating and review will also serve as a ready reference for self-assessment for preparedness.

5.2 Dissemination of Plan to stakeholders.

The plan is to be disseminated to the stakeholders namely Court Staff, Advocates, Litigants and General Public by uploading the DMP on the District Courts, Hamirpur H.P. website and displaying the same on the notice boards of the Court Complex.

Annexure

Important Contact Numbers

Emergency Numbers :

EMERGENCY NUMBERS	
Police Assistance	222810, 224306
Fire Services	222533
Ambulance	222222, 222205
POLICE CONTROL ROOM	112, +91-1972-224339
GUDIYA HELPLINE NUMBER	1515
VIGILANCE & ANTI CORRUPTION BUREAU	0177-2629893
CYBER CRIME	0177-2621

District Courts Hamirpur H.P.

Officer	Office Phone No.	Residence No.	Address
District & Sessions Judge, Hamirpur	01972-224344	01972-224345	District Court Complex, Hamirpur H.P.
Additional District & Sessions Judge, Hamirpur	01972-225944	01972-222425	District Court Complex, Hamirpur H.P.
Sr. Civil Judge-cum-CJM, Hamirpur	01972-224377	01972-224327	District Court Complex, Hamirpur H.P.
Sr. Civil Judge-cum-ACJM, Court No. I, Hamirpur	01972-221755	01972-224355	District Court Complex, Hamirpur H.P.
Civil Judge -cum-JMIC, Court No.II, Hamirpur	01972-221948	01972-224305	District Court Complex, Hamirpur H.P.
Civil Judge-cum-JMIC, Court No.III, Hamirpur	01972-225951	01972-225954	District Court Complex, Hamirpur H.P.
Civil Judge -cum-JMIC, Court No. IV, Hamirpur	01972-222344	01972-222343	District Court Complex, Hamirpur H.P.
Secretary, District Legal Services Authority, Hamirpur	01972-224399		ADR Center, Near HPSSSB, Matani Road, Pakka Baroh, Hamirpur

District Administration Hamirpur H.P.

Officer	Office Phone No.	Residence Number	Address
Deputy Commissioner	224300	224343	DC Office Hamirpur H.P.
Add. District Magistrate	224343	224325	DC Office Hamirpur H.P.
AC to DC	222449	222348	DC Office Hamirpur H.P.

SDO (Civil), Hamirpur	224304	224303	DC Office Hamirpur H.P.
District Revenue Officer	222649	----	DC Office Hamirpur H.P.
Tehsildar, Hamirpur	222226	----	
Naib Tehsildar, Hamirpur	222226		
District Planning Officer	222702		
District Informatics Officer, NIC	223036		
District Food & Supplies Controller	222335	---	DC Office Hamirpur H.P.
Commandant Home Guard & Civil Defense	222274	222823	Hamirpur
Commandant 4 th Bt. Jangaberi	276652/3/4		
Project Officer, DRDA	221407	223335	
Block Development Officer, Hamirpur	222278		
Chief Medical Officer	222223	---	Zonal Hospital, Hamirpur
Superintendent Engineer, H.P. PWD	223965	222228	PWD, Hamirpur
Executive Engineer HP PWD	222510	---	PWD, Hamirpur
Executive Engineer, N/H, Hamirpur	222783	224911	
SDO HP PWD	225333	----	PWD, Hamirpur
A.E. PWD Electrical, Hamirpur	222449	----	
SDO (PWD) Electrical	222349	---	
Superintendent Engineer, HPSEB	224330	222380	HPSEB, Hamirpur
Chief Engineer, IPH	221365/66/67	---	
Superintending Engineer, IPH, Hamirpur	224899	224898	
Executive Engineer, IPH, Hamirpur	222346	222010	
Executive Engineer, HPSEB	222213	222215	HPSEB, Hamirpur
Police Department			
Supdt. of Police	224358	224357	SP Office, Hamirpur
Addl. SP	224958	---	SP Office, Hamirpur

Dy. S.P. (HQ)	224338	---	SP Office, Hamirpur
Add. S.P. (Vigilance)	224958		
SHO Sadar	224306	9418495990	SP Office, Hamirpur
Fire Station/Ambulance/Transport/Home Guards			
District Public Relations Officer	222269	---	DC Office Hamirpur H.P.
Commander, Fire Station Hamirpur	222533	---	Fire Station Hamirpur H.P.
SMO Hamirpur (Ambulance Service)	222222	---	Reg. Hospital Hamirpur H.P.
Regional Manager, HRTC	222326	222347	
Command, Home Guards Hamirpur			
SDMA/NDMA/NDRF			
CEO, HP State Disaster Management Authority	0177-2621022		HP Secretariat, Shimla
DG, National Disaster Response Force	011-26712851	98189-16161	New Delhi
Member, National Disaster Management Authority	011-26701740		New Delhi

Other Emergency Resource Inventory

Resource Detail	Department/Agency	Contact Number
Electric Drill	1. HP State Electric Board HPSEB, Address: Elec. Division HPSEB Barsar.	01972-288036, 288023
	2. HRTC, Hamirpur H.P. Add. Regional Manager, HRTC Hamirpur	01972-222892, 222893
Chipping Hammer	1. HP State Electric Board HPSEB, Address: Supdt. Engineer HPSEB, Hamirpur, Barsar, Nadaun	01972-224330, 222386
Water Tanker	1. Fire Station Hamirpur Address: 10 th Battalion Hamirpur Commandant Hamirpur	01972-222533
Portable Oxygen Cylinders	1. Health Departments Address: Chief Medical Officer, Hamirpur	01972-222222, 222223