#### OFFICE OF THE DISTRICT AND SESSIONS COURT AT VIZIANAGARAM

Dated: 28.10.2023

#### QUOTATION CALL NOTICE

In pursuance of Office Order of the Principal District Judge, Vizianagaram dated. 28.10.2023, need and requirement for purchase of 30 Nos DESKTOP COMPUTER SYSTEMS, 30 Nos MONOCHROME LASER JET PRINTERS, 27 Nos MONITERS WITH 5 PORTS SPLITTERS, 30 Nos UPS (600VA) AND 9 Nos UPS (1000 VA) WITH 5 YEARS ONSITE WARRANTY for use in the District Court Unit, Vizianagaram, the authorized dealer/agencies are hereby invited to submit Quotations in closed cover should reach the undersigned on or before 10.11.2023, as per the specifications enclosed.

Sl no	Description Item make and model and also specifications	Rate per each	Total price

The 30 DESKTOP COMPUTER SYSTEMS, 30 MONOCHROME LASER JET PRINTERS, 27 MONITERS WITH 5 PORTS SPLITTERS, 30 UPS (600VA) AND 9 UPS (1000 VA) are to be supplied with in 10 days from the date of acceptance of the quotation with **post sale service**. The delivery of above items will be taken in the District Court, Vizianagaram, for fixing the same in the respective courts in the vizianagaram District unit

They are, in this connection, they are informed that the quotations will be considered on the following conditions:-

- 1. The purchase committee will examine the quotations before finalizing the agency and arrive at the lowest price after negotiations.
- 2.Good quality of items will also be taken into consideration for accepting the lowest quotations.
- 3.The committee is at liberty to cancel the quotations, if it is found later that the items delivered are not of the quality accepted.
- 4. The quality of item offered by the agency and found any as of not satisfactory by the committee later, such quotation will be canceled and the next lowest quotation will follow thereto

Hence, the interested dealers/agencies are further requested to submit their quotations duly followed the above on or before **10.11.2023** at **05.00 P.M.** before office hours.

PRINCIPAL DISTRICT JUDGE

To

All the Local Courts, with a request to get the above quotation affixed to their Court notice boards.

The District Collector, Vizianagaram.

The Revenue Divisional Officer, Vizianagaram.

The District Public Relation Officer, Vizianagaram.

The Mandal Revenue Officer, Vizianagaram.

The District Treasury Officer, Vizianagaram.

The Commissioner, Vizianagaram Municipality.

The President, Bar Association, Vizianagaram

The President, Chamber of Commerce, Vizianagaram.

Notice Board, District Court, Vizianagaram.

The system officer, E-Courts projects, Vizianagaram, with a direction to up load the same in the District Court Website. vizianagaram.dcourts.gov.in

Db 4498

With a request to display

Copy of this Notice in their

Respective Notice Boards.

# **<u>i3 DESKTOP COMPUTERS SPECIFICATIONS.</u>**

SL.		
No	Parameter/Feature	Proposed Specifications
1.	Make & Model	(Specify)
2.	Processor	Intel 10 <sup>th</sup> or 11 <sup>th</sup> Gen i3 Series /AMD
3.		Ryzen 3 5000 series equivalent or higher
4.	Chipset Motherboard	As per Manufacture OEM -Compatible
		Compatible OEM Motherboard.
5.	RAM	8GB DDR4-2667 MHz or Higher with 2
6.	Primary Storage	DIMM Slots expandable up to 16 GB 512 GB Solid State Drive (SSD)
7.		Integrated Audio with DUAL Speakers in
/.	Audio	the Monitor.
8.	Network Interface	10/100/1000 Mbps Network Interface
9.	Wireless LAN	802.11 B/G/N with Bluetooth 4.2 or Higher.
10.	Graphics	Intel UHD Graphics /AMD Radeon TM
		Graphics
11.	Display	23.5" IPS LED Monitor
12.	Input Devices	Standard wired Key Board & wired Mouse.
13.	Interfaces / Ports & Slots	1 HDMI; 1 Audio line-out; 1 R}-45 Giga Ethernet; 2 or more USB 2.0;
14	Cooling System	2 or more USB 3.1 or Higher Gen;
14.	Cooling System	80mm or higher case fan
15.	OS Support	Windows 10 professional 64 Bit or Higher with MS Office Home & Business Edition – 2021 or Higher
16.	Other Certifications	OEM should be listed in IDC Report - TOP 4 PC Companies having Market Share in India for past four quarters.  ISO 9001:2008; ISO 27001:2013 Certification or better, EPEAT Registered.
17.	Accessories	With required accessories, connecting cables and driver media
18.	Warranty	Five (05) Years OEM Comprehensive Onsite warranty for Desktops including Keyboard, Mouse and Accessories from the date of installation.
19.	Technical Support	1Technical Person has to be deployed onsite at District Head Quarters, for three years for maintenance along with in-house call logging software.

### **PRINTER SPECIFICATIONS**

SL. No	Parameter/Feature	Proposed Specifications		
1.	Make	(Specify)		
2.	Model	(Specify)		
3.	Technology	Laser Monochrome Printer		
4.	Print Directions	Duplex Printing.		
5.	Speed/Duplex Print Speed	25ppm or Higher Speed.		
6.	Duplex Printing (Automatic)	15 ppm or Higher Speed.		
7.	Memory	64 MB or Higher.		
8.	Resolution	600 X 600 dpi or Higher Resolution.		
9.	Input Paper Tray	Minimum 150 - sheet input tray.		
10.	Paper Output Tray	100 sheets or <b>above.</b>		
11.	Paper Size Support	A4, A5, Letter and Legal.		
12.	Language	PC .		
13.	Interface	USB 2.0 Ethernot 1/100, Built - in wireless, Wifi Direct, Networking (802.11b/g/n or Higher		
14.	Duty cycle Monthly	1 00 pag for Higher.		
15.	OS Compatibility	Ubuntu 18.04 LTS & 20.04 LTS and 22.04 LTS version or the er Version and winders.		
16.	Energy Star / BIS Complaint	V		
17.	Toner / Cartridge	With tone cartride, minimum yield of 1000 (C. Thouan ) pages or more		
18.	Paper Compatibility	All Quant of fine 70 to 90 GSM (Including all Made).		
19.	Accessories	With released A. Dries connecting cables an river a (with supported untu Linux and Windows ' ions') a reables should be sur al.		
20.	Warranty	5 Years EM co hensive onsite y.		

## PROPOSED GENERIC SPECIFICATION FOR 600 VA UPS

No	Feature	Specification Required	
1	Make	< <specify>&gt;</specify>	
2	Model	< <specify>&gt;</specify>	
3	Capacity	600VA (1 PC Load)	
4	Input Voltage Range	145V to 300VAC	
5	Output Voltage Regulation (Batt.)	+/-10%	
6	Output Frequency	+/-1 Hz	
O <sub>1</sub>	Regulation(Batt.)		
7	Transfer Time	Typical 2 - 6 ms	
8	Power Outlets	2 x 3 Pin (Indian)	
o	Power Odders	,	
0	Noise Level	Less than 40dB	
9	Typical Recharge Time	4 hours to charge 90% after	
10	Typical Recharge Time	completedischarge	
	Overland	Beeping every 0.5 seconds	
11	Overload	Dockard - 13-7	
		Onsite 3 to 5 Years for UPS and battery	
12	Warranty	Offsite 5 to 5 Teats for 512	
	The state of the s	Approx. 15 ~ 20 mins	
13	Back up Time (At single PC load@	Approx. 10 20 mino	
	100W)	Green LED Flashing	
14	Backup Mode	CIECTI PED LIGORIA	
		Continuously Beeping	
15	Fault	Continuously Deepg	
		230V AC	
16	Input Voltage	250 V AG	
	Tribage	230V AC	
17	Output Voltage		
	_	50HZ(default)	
18	Output Frequency	Joint (1977)	
		Modified sine wave	
19	Output Waveform	1710diffed office	
		Discharge, overcharge, and	
20	Full Protection	overloadprotection	
		0°C - 40°C	
21	Operating Environment	00-400	
	-	Beeping every second	
22	Low Battery	Beehing every second	
		2 5 Kas	
23	Net Weight (kgs)	3 - 5 Kgs	
20		40X//4 E A b	
24	Battery Type	12V/4.5Ah	
24	Dance, J. J. F.	TED lighting	
25	AC Mode	Green LED lighting	
25	AC Mose	10 seconds	
20	Back UP Mode	Beeping every 10 seconds	
26	Dack Of Made		

### **Specifications for 1KVA UPS**

Make:	Model:

Sr. No.	Parameter	Specifications
1.	Capacity	1KVA Offline
2.	Technology	MOSFET
3.	Input Voltage Range	Wide Range from 100V to 300 VAC Local Dependent
4.	Frequency Range	50/60 Hz +/-10 Hz Auto Sensing
	Phase	Single Phase with Ground
5. 6.	Power Factors	Active Power Factor Correction >0.60
7.	Inverter Efficiency	60%
17126		Output
8.	Voltage	230V -245V
9.	Voltage Battery Mode	230VAC +/-10%
10.	Frequency	50/60 Hz +/-0.1 %
11.	Output Waveform	Sine Wave
12.	Crest Factor	03:01
13.	Power Factor	0.6
14.	Battery Backup Time	30Min to 40Min
		Sealed Maintenance free lead Acid BLRA
15.	Battery Type	6 to 8 Hours to 90% after Complete Discharge
16.	Recharge Time	Ves
17.	DC Start	Audible, Low Battery, Over Load, Short Circuit and
18.	Alarm & Protection	Fault Conditions
19.	Cold Start	Should be available
	Audible Alarm	Main Failure Alarm, Low Battery Alarm and Overload
20.		Yes
21.	Auto Restart	BIS, ISO9001-2015, ISO-14001-2015 for OEM
22.	Certification	Proposed Model of UPS should be ROHS, CE, OHSAS 18001-2007 Certified Relevant and valid Certifications to be submitted  Comprehensive On-site 5 Years for UPS and battery
23.	Warranty	Comprehensive On-site 3 Tears for CT 2

#### NOTE:

1. The specifications mentioned in tender document are minimum and the vendor may quote the tender for the product equivalent or better of the given technical specifications.

## **Specifications for Monitors**

Model:	Make:	Model:		
--------	-------	--------	--	--

Sr. No.	Parameter	Specifications
	Disp	olay & Graphics
1.	Screen Size & Resolution	23.5 inch TFT LED Monitor (HD Resolution) or higher, TCO6 or higher Certification for Screen having VGA and HDMI Ports
2.	Screen Type	HD Wide Screen Backlit LED Anti – Glare Display
3.	Graphic Processor	Intel HD or equivalent integrated, HD Graphics & Sound Controller
4.	Monitor Mounting Support	VESA compliant
100	Warranty	& Service Support
5.	Warranty	5 years on site Comprehensive Warranty
6.	Service Center	Must have – Preferably Company's Authorized Service Center in the District Head Quarters

#### NOTE:

 The specifications mentioned in tender document are minimum and the vendor may quote the tender for the product equivalent or better of the given technical specifications.

## **Specifications for Splitters**

	Model:
Make:	

### Standards and Certifications

- CE
- FCC
- ISO 9002

#### General

- Power LED
- Computer-to-video splitter range: 7.5 m (25 ft.)
- Video splitter-to-monitor range: 50 m (165 ft.)
- Power: 9 V DC / 300 mA; cable, 1.6 m (5.5 ft.)

#### Connections

- · One HD15 male (input)
- Four HD15 female (output)

#### Signal

- Signal support: VGA, SVGA, Multisync
- VGA bandwidth: 350 MHz
- VGA resolution: 1920x1080
- Min./max. input voltage: 0.5 V p-p / 1.0 V p-p
- I/O impedance: 75 Ohms
- Horizontal frequency: 30 120 kHz
- Vertical frequency: 40 120 kHz

#### Physical:

- Dimensions: 54 x 208 x 104 mm (2.1 x 8.2 x 4 in.)
- Weight: 700 g (24.7 oz.)
- · Housing: metal

#### NOTE:

1. The specifications mentioned in tender document are minimum and the vendor may quote the tender for the product equivalent or better of the given technical specifications.