

KINNAUR CIVIL AND SESSIONS DIVISION, H.P.



Disaster Management Plan

2021-2022

Message

The Disaster Management Plan (DMP), for Kinnaur Civil and Sessions Division, is a comprehensive document which will serve as a dossier in preparation for quick response of the stake holders in the event of disasters. Disaster Management is not only the responsibility of the Institution/Government but also of all its stakeholders i.e. Judicial Officers, Advocates, Courts' Staff, Litigants & Public. All these stakeholders have to bear the responsibility and work in tandem to minimize the damage that may incur to life and property in the event of any disaster/hazard.

Looking forward to favorable response from all quarters.



**District and Sessions Judge,
Kinnaur at Rampur Bushahr, H.P.**

Table of Contents

Message from the District and Sessions Judge.....	2
Table of Contents.....	3
1.Introduction.....	4
1.1 Aim and Objectives of the Disaster Management Plan.....	5
1.2 Profile of Kinnaur Civil and Sessions Division (Organization Structure).....	5-6
1.3 Infrastructure.....	6-8
2.Hazard, Vulnerability, Capacity and Risk Profile.....	9
2.1 Major Hazards in Rampur Bushahr.....	9
2.2 Risk Analysis/ vulnerability for Kinnaur Civil and Sessions Division	9-10
2.3 Capacity of Department to deal with Disasters.....	10-11
2.4 Gaps in existing capacity.....	12
3. Prevention, Mitigation and Preparedness Plan.....	13
3.1 Plan for necessary measures (Institutional)	13-14
3.2 Capacity Building.....	15
4. Response Plan.....	16
4.1 Installation of evacuation routes& maps and fire extinguishers.....	16
4.2 Constitution of the Incident Response Teams.....	16
4.3 Roles and responsibilities and coordination mechanism for the department.....	17-20
5. Knowledge Management, Review and Updating, & Dissemination of Plan.....	21
5.1 System of updating.....	21
5.2 Dissemination of Plan to stakeholders.....	21
Annexure (Important Contacts).....	22-23

1. Introduction

The Disaster Management Act, 2005 describes disaster as “a catastrophe, mishap, calamity or grave occurrence in any area, arising from natural or manmade causes, or by accident or negligence which results in substantial loss of life or human suffering or damage to, and destruction of, property or damage to, or degradation of, environment, and is of such a nature or magnitude as to be beyond the coping capacity of the community of the affected area”. These events are sudden and with severe consequences. Thus a proper disaster management plan and its execution is the need of the hour.

The Disaster Management Act, 2005 mandates every Government Department to prepare, review and update Disaster Management Plan. Courts, like other institutions are vulnerable to disasters as well. The disruption caused by disasters in working of Courts will severely affect the justice delivery system apart from the loss of life and property. This document describes the various processes and measures that form the comprehensive Disaster Management Plan for Kinnaur Civil and Sessions Division, H.P. The major outline of this plan is as follows:

- Organizational structure and Infrastructure of Courts under Kinnaur Civil and Sessions Division, H.P.
- Vulnerability and capacity to deal with hazards.
- Preparedness and response in such situations.
- Knowledge Management and Dissemination of Plan along with important contacts.

The aim of this document is to serve as a ready reference at times of disasters and to assess the preparedness and filling the gaps in capacity to tackle such events in a continuous manner.

1.1 Aim and Objectives of the Disaster Management Plan:

The aim of this document is to serve as a ready reference at the time of disaster and to assess the preparedness and filling the gaps in capacity to tackle such events in a continuous and efficient manner.

Objectives of the Disaster Management Plan:

- To make the Court Complexes secure against disasters.
- To plan and implement disaster reduction activities in the Courts.
- To effectively prepare and respond to disasters.
- To train and build awareness among Court staff, Advocates and other stake holders of the Court about disasters.
- To coordinate with local government offices and emergency services.

1.2 Profile of Kinnaur Civil and Sessions Division (Organization Structure)

There are three Sub Divisions i.e. Rampur Bushahr (under Shimla District), Kinnaur and Ani (under Kullu District) in Kinnaur Civil and Sessions Division and headquarters of this Division is at Rampur Bushahr.

District Courts complex at Rampur Bushahr, houses three regular courts, namely, Courts of the District and Sessions Judge, Additional District and Sessions Judge and Senior Civil Judge-cum-Additional Chief Judicial Magistrate and one Circuit Court of Mobile Traffic Magistrate for Shimla and Kinnaur Divisions at Rampur Bushahr. The District and Sessions Judge is the Controlling Officer in respect of the Judicial Officers and employees working in this Civil and Sessions Division.

The **Judicial Courts Complex at Reckong Peo** houses two courts, i.e. one Circuit Court of the District and Sessions Judge and another is regular Court of the Senior Civil Judge-cum-Chief Judicial Magistrate. Despite above one building for ADR Centre at Reckong Peo, under District

Legal Services Authority, Kinnaur has been recently constructed by HP, PWD, Department which was inaugurated in the year 2019. The above said building is about 1 km from the above said Judicial Courts Complex.

The **Judicial Court Complex at Ani** houses only one Court of the Civil Judge-cum-Judicial Magistrate Ist Class.

1.3 Infrastructure

1.3.1 District Courts Complex at Rampur Bushahr

The District Courts Complex at Rampur Bushahr is a six storeyed building, in which 3 regular Courts and one Circuit Court along with its offices are housed. The Court of District and Sessions Judge is situated on the top floor (fifth floor) of the said building. The Court of Senior Civil Judge-cum-Additional Chief Judicial Magistrate is on fourth floor and the Court of Additional District and Sessions Judge is at third floor, however, the Mobile Traffic Magistrate for Kinnaur and Shimla Divisions is holding its Circuit Court in the second floor of this building.

The Mediation Centre is situated on the first floor near the front entry and the Front Office/ Server Room is housed on right side of the entry gate. The Bar Room and its Library of Advocates is situated on the left side of the front entry. The Court canteen is located in the ground floor besides which Judicial Record Room, Judicial Lock-up and Malkhana are also housed.

An elevator (lift) is also available in this Complex besides the stairs to facilitate the litigant public as well as differently abled persons, which connects to all floors. There is litigant halls/waiting area outside each Court of this Complex. Entry for the Judges is separate through stairs which is outside of the building. The main entry/exit gate is on the first floor adjacent to the road which makes it easily approachable from outside. The second entry/exit gate is on the ground floor towards the back side of the building, which approached Advocates' Chambers and main market. The complex has no provision of any parking space.

1.3.2 Judicial Courts Complex, Kinnaur at Reckong Peo.

The Judicial Courts Complex at Reckong Peo consists of two separate buildings viz. one for holding of Circuit Court of District and Sessions Judge, Kinnaur and another for holding of regular Court of Senior Civil Judge-cum-Chief Judicial Magistrate, Kinnaur at Reckong Peo.

The building of Circuit Court of District and Sessions Judge, Kinnaur at Reckong Peo, is a three storeyed building. The main entry to the building is from the ground floor which also houses the Bar room and chambers of the advocates. The first floor houses the Court Room with chamber etc. and the second floor houses the record room and rooms for the court staff. There is a second entrance to the building on the 1st floor along with ramp facility which can be used by disabled persons visiting in the Court premises and can also be useful in case of any emergency/disaster.

The building of the Court of the Senior Civil Judge-cum-Chief Judicial Magistrate, Kinnaur at Reckong Peo is two storeyed building in which Court room and some rooms for the Court staff are housed in ground floor. The first floor houses the Bar room, server room and other misc. office rooms. There are two entrances to the building viz. main one from the front and other from the back side of the ground floor.

The complex has no own parking, however, combined parking is available with other government offices, near DC office, which is at some distance from Judicial Courts Complex.

The ADR Centre building at Reckong Peo has 5 storeyed (with ground floor) and the same is being used for the office of Secretary, DLSA, Kinnaur, presently and there are only 5 staff members other than said Secretary. The cases of Lok Adalat are being taken up in the above said Judicial Courts Complex at Reckong Peo, so there is no rush of litigants etc. in the said ADR Centre. However, the Secretary, DLSA along with his staff using first floor of the building for office work.

1.3.3 Judicial Court Complex at Ani, Kullu.

The Judicial Court Complex at Ani is two storeyed building with two entrances on the ground floor facing each other. The Court room with some staff rooms housed in the Ground

floor and Bar room along with other staff rooms is housed in the first floor. The complex has its own parking facility.

2. Hazard, Vulnerability, Capacity and Risk Profile

2.1 Major Hazards in Kinnaur Civil and Sessions Division

Type	LEVEL OF VULNERABILITY
Earthquakes	Medium
Flash Floods	Medium
Landslides	Medium
Lightening	Medium
Cloud Burst	Low
Forest Fires	Medium
Domestic Fires	Low
Covid-19	Medium
Overall Vulnerability	Medium

2.2 Risk Analysis/ vulnerability for Kinnaur Civil and Sessions Division

Apart from natural calamities and hazards as stated above, many man-made disasters can have devastating effect on human life and property. Courts being the backbone of justice delivery system, effects of such disaster will be multifold.

Judicial Courts Complexes comprise of a lot of stockholders including Judicial Officers, Advocates, employees, litigants/general public and as such, they house a lot of rush during the working days. It is pertinent to mention that such an office is prone to various catastrophes such as:

- **Stampede:** - Normal working hours in Courts see a huge rush and crowd due to the ongoing cases for the day. Such a situation is an easy recipe for stampede.

- **Fire:** - Fire, whether accidental or man-made may have severe impact on life as well as property, specially reckoning the huge quantity of records and files apart from human life.
- Courts also see under trials and prisoners regularly, some of which are hard core criminals, thus, possibility of a security hazard cannot be ruled out.
- **Covid 19:-** Covid-19 virus has had a devastating effect on our lives in the last year or so. As the courts house a lot of public, advocates and staff, it is a matter of great concern as to how to contain the spread of this deadly virus.

2.3 Capacity of Department to deal with disasters

District Courts complex at Rampur Bushahr has been designed as earth quake resistant structure. There is adequate space and opening in the premises of building and sufficient doors to run out of rooms and stair cases of the building. There are two separate stair cases in the building. The lobby outside the Court room in each floor is also spacious enough. Also, there are multiple exit routes for escape in case of any hazardous situation. There are three exits in the building; one in the basement towards the back side, second on the first floor and third via the stair case located outside of the building. Hence, every precaution has been taken in designing the building to meet the earthquake resilient standards.

The building is safe against flash flood and landslides as it is constructed away from the river and hill side. For lightening, deflector/arrestor has to be provided to ensure safety against lightening. Fire extinguishers have been provided in the building to ensure the safety of the building against fire. Also, the matter regarding replacement of old fire fighting equipments with the latest such equipments in the Courts complex at Rampur has been taken with the PWD Authorities on the advice of Sub Fire Officer, Rampur Bushahr. There are multiple exit routes which are critical in hazardous situations. Proximity of the Complex to major Government departments and hospital is an added asset. The Court Complex is easily approachable for relief vehicles such as firefighting vans and ambulances etc. For quick response, in the event of any disaster, there are two official vehicles provided to the Judicial Officers.

The **Judicial Courts Complex at Reckong Peo**, comprising of two buildings, has a load wearing structure provided with seismic band for the building housing the Court of the Senior Civil Judge-cum-Chief Judicial Magistrate, Kinnaur at Reckong Peo. The other building housing the Circuit Court of the District and Sessions Judge, Kinnaur at Reckong Peo, is a framed structure which provides earthquake resistance. As the building of ADR centre at Reckong Peo has been constructed recently and the same is earthquake resistant. The said building is equipped with fire extinguishers in case of any fire hazard.

The **Judicial Court Complex at Ani** has been constructed as per structural drawings evolved by the Competent Authority. Since the area falls under the Seismic Zone V, all the buildings have been structurally designed to withstand the impact of earth quake.

To handle the ongoing pandemic i.e. Covid-19 as well as any other which may arise in the near future, several preventive measures have been taken. Medical staff has been deputed in the Courts Complex, Rampur Bushahr, for thermal screening as well as keeping a detailed record (name, phone number, address) of each and every person visiting the Courts complex. Also, a person from the Court staff has been deputed at the entrance to ensure social distancing and sanitization among visitors. Likewise, in the Judicial Courts Complex, Kinnaur at Reckong Peo and Judicial Court Complex at Ani, all the necessary preventive measures have also been taken regarding Covid-19.

As per the latest guidelines of the National Disaster Management Authority, Ministry of Home Affairs, consistent efforts are being made by the department to incorporate all the instructions issued from time to time. In this regard, various steps are being taken, the most prominent of which is greater involvement of women in the field of disaster risk management by their adequate representation and specific training. Apart from this, social media groups have been created for speedy transmission of directions and/or information in the times of any disaster.

2.4 Gaps in existing capacity

Self-assessment of capacity is essential to deal with disasters effectively and that too, in continuum. The disaster management plan must focus on lacunae and shortcomings so that they can be corrected well before some untoward event happens.

District Courts Complex, Rampur Bushahr has certain gaps in capacity necessary to deal with disasters effectively-

- **Lack of firefighting facility-** The fire extinguishers provided in the complex are inadequate. Further, no fire alarms have been installed in the complex. Also, there is no provision for setting up of fire hydrants. However, the matter for installation of the same is pending with HP, PWD authority.
- **Signboards to help people navigate** viz. Exit signboards etc. guiding people to navigate inside the building are available.
- **Mock Drill-** No mock drills have been conducted to ascertain the preparedness for dealing with such disasters.
- **Lack of awareness among staffs and advocates-** No training or awareness material is available for court staff and advocates.
- **Parking-** There is no parking facility in the Complex which may hamper easy approach in critical times.

3. Prevention, Mitigation and Preparedness Plan **(Institutional)**

3.1 Plan for necessary measures

The Disaster Management Committee for the **Kinnaur Civil and Sessions Division at Rampur Bushahr**, is as follows:

- District & Sessions Judge, Rampur Bushahr
Or
- The Additional District & Sessions Judge, Rampur Bushahr Chairman
- Senior Civil Judge-cum-ACJM, Rampur Bushahr Member
- Sub Divisional Police Officer, Rampur Bushahr Member
- Senior Medical Officer, MGMSC, Khaneri Member
- Chief Administrative Officer, Rampur Bushahr Secretary


The Disaster Management Committee for **Judicial Courts Complex at Reckong Peo and ADR Centre**, is as follows:

- Senior Civil Judge-cum-CJM, Kinnaur at Reckong Peo Chairman
- Secretary (Sr. Civil Judge-cum-ACJM), DLSA, Kinnaur
at Reckong Peo. Member
- SDO (Civil), Kalpa at Reckong Peo Member
- Executive Engineer, HP, PWD (B&R), Kalpa at Reckong Peo Member
- C.M.O. District Hospital, Kinnaur at Reckong Peo Member
- B.D.O., Reckong Peo Member
- Senior Shiristedar, Court of CJM, Kinnaur at Reckong Peo Secretary

The Disaster Management Committee for the **Judicial Court Complex, Ani**, is as follows:

➤ Civil Judge-cum-JMIC, Ani	Chairman
➤ SDO (Civil), Ani	Member
➤ Executive Engineer, HP, PWD (B&R), Nirmand	Member
➤ B.M.O., CHC, Ani	Member
➤ B.D.O., Ani	Member
➤ Shiristedar, Court of JMIC, Ani	Secretary

All the Disaster Management Committees constituted under the Kinnaur Civil and Sessions Division monitors the implementation of Disaster Management Plan and supervises all the quick response Teams. Below is the structure of the Disaster Management committee at institution level.



3.2 Capacity Building

To handle any disaster effectively, it is necessary to have proper capacity. Courts under this Division plan to have regular capacity building exercise in collaboration with other Government Agencies and District Disaster Management Authority. Mock drills are planned to be organized for staff and bar members.

Sr. No.	Mock Drill	Agency	Date
1.	Fire Breakout, Rescue	Firefighting Dept.	--
2.	Security Drill	Police Dept.	--
3.	Any other		

4. Response Plan

4.1 Installation of evacuation routes & maps and fire extinguishers

District Courts Complex, Rampur Bushahr, plans to install signboards depicting exit routes in various parts of the building to help people navigate easily in exigencies. Such signboards are to be installed in corridors and pathways. Additional fire extinguishers are also to be installed in different points in the Judicial Complex and near store rooms. Apart from these, other firefighting equipment such as Wet Riser, Hose Real Hose, Yard Hydrant, Automatic Sprinkler System, Automatic Detection and Alarm System, Fire Pump House are to be arranged.

Sr. No.	Item	Quantity
1.	Exit Sign Board	10
2.	Fire Extinguishers	24
3.	Hose Real Hose	6
4.	Fire Pump House	1 Electric & 1 Diesel
5.	Wet Riser, Yard Hydrant etc.	As per requirement

4.2 Constitution of the Incident Response Teams

Quick response teams that comprise Court officials are constituted with specific tasks assigned to them and these teams are supervised by the Disaster Management Committee. These teams will act in coordination at times of any hazard whether natural such as earthquake or man-made. Any changes in the teams will be updated in subsequent Disaster Management Plans.

4.3 Roles and responsibilities and coordination mechanism for the department

Every official in the response teams has clear roles and responsibilities. Disaster specific teams have the responsibility to act quickly and coordinate with the concerned agencies in such situations. Each team has one senior official who has to supervise the efforts of other team members. Below is the list of teams constituted:-

4.3.1 For Judicial Courts Complex, Rampur Bushahr

Team for Firefighting			
Sr. No	Member	Name	Responsibilities
1.	Reader Gr.I, O/o District & Sessions Judge, Rampur Bushahr	Sh. Surender Chauhan	Coordinating among team members.
2.	Civil Nazir O/o District & Sessions Judge, Rampur Bushahr	Sh. Devender Singh	Mobilize local efforts in firefighting.
3.	Naib Nazir O/o Civil Judge (Sr.Div.)-cum-ACJM, Rampur Bushahr.	Sh. Inder Sain	Search, Rescue & Evacuation
4.	Naib Nazir O/o District & Sessions Judge, Rampur Bushahr	Sh. Naveen Kumar	Coordinating with Firefighters, First Aid.
5.	System Officer	Sh. Kapil Verma	Turning off MCB switches and securing Server.
6.	Record Keeper O/o Civil Judge (Sr. Div.)-cum-ACJM, Rampur Bushahr.	Sh. Y.P. Khanaik	Efforts to limit damages to records and files.
Team for tackling Health/ Security Hazard			
1.	Civil Ahlmad, O/o Civil Judge (Sr. Div.)-cum-ACJM, Rampur Bushahr.	Sh. Sunder Bhagat Negi	Arrangement of Ambulance and transporting sick to hospital.
2.	Criminal Ahlmad O/o Civil Judge (Sr. Div.)-cum-ACJM, Rampur Bushahr.	Sh. Kuldeep Chauhan	Coordination with Police
Natural Hazards			

1.	Naib Nazir of Addl. District and Sessions Judge, Rampur Bushahr.	Sh. Hem Raj	Coordination with District Disaster Management Authority
2.	Civil Ahlmad O/o District & Sessions Judge, Rampur Bushahr	Sh. Sudhir Shita	First Aid & Transportation
3.	Criminal Ahlmad, O/o Addl. District and Sessions Judge, Rampur Bushahr	Sh. Sahil Kamal	Information & Communication

4.3.2 For Judicial Courts Complex and ADR Centre at Reckong Peo.

Team for Firefighting			
Sr. No	Member	Name	Responsibilities
1.	Shiristedar, O/o Senior Civil Judge-cum-CJM for JCC.	Sh. Amit Singh	Coordinating among team members, Mobilize local efforts in firefighting.
	Clerk, DLSA, Kinnaur at Reckong Peo for ADR Centre.	Sh. Ghanshyam	
2.	Reader, O/o Senior Civil Judge-cum-CJM for JCC.	Sh. Tapender Singh	Search, Rescue & Evacuation.
	Steno, DLSA, Kinnaur at Reckong Peo for ADR Centre.	Smt. Ankita	
3.	Civil Nazir, O/o Senior Civil Judge-cum-CJM, for JCC.	Sh. Negi Ram	Coordinating with Firefighters, First Aid.
	Data Entry Operator, DLSA, Kinnaur at Reckong Peo for ADR Centre.	Smt. Sushma	
4.	Civil Ahlmad, O/o Senior Civil Judge-cum-CJM, for JCC.	Sh. Saurav Thakur	Efforts to limit damages to records and files, Turning off MCB switches and securing Server.
	Peon, DLSA, Kinnaur at Reckong Peo for ADR Centre.	Sh. Pankaj Sharma	
Team for tackling Health/ Security Hazard			

1.	Copyist, O/o Senior Civil Judge-cum-CJM, for JCC	Smt. Chandresh Negi	Arrangement of Ambulance and transporting sick to hospital.
	Clerk, DLSA, Kinnaur at R/Peo, for ADR Centre.	Sh. Ghanshayam	
2.	Criminal Ahlmad, O/o Senior Civil Judge-cum-CJM, for JCC.	Sh. Jeevan Singh	Coordination with Police.
	Steno-typist, DLSA, Kinnaur at R/Peo, for ADR Centre.	Smt. Ankita	
Natural Hazards			
1.	Record Keeper, O/o Senior Civil Judge-cum-CJM, for JCC	Sh. Shashi Bhushan	Coordination with District Disaster Management Authority
	Clerk, DLSA, Kinnaur at R/Peo, for ADR Centre.	Sh. Ghanshyam	
2.	Stenographer Gr. II, O/o Senior Civil Judge-cum-CJM, for JCC	Sh. Hardayal Singh	Information & Communication.
	Data Entry Operator, DLSA, Kinnaur at R/Peo, for ADR Centre.	Smt. Sushma	

4.3.3 For Judicial Court Complex, Ani.

Team for Firefighting			
Sr. No	Member	Name	Responsibilities
1.	Sr. Shiristedar, O/o Civil Judge-cum-JMIC	Sh. Pramod Singh	Coordinating among team members, Mobilize local efforts in firefighting.
2.	Reader, O/o Civil Judge-cum-JMIC	Sh. Prem Chand	Search, Rescue & Evacuation.
3.	Naib Nazir, O/o Civil Judge-cum-JMIC	Sh. Mal Singh	Coordinating with Firefighters, First Aid.

4.	Civil Ahlmad, O/o Civil Judge-cum-JMIC	Sh. Harsh Mohan	Efforts to limit damages to records and files, Turning off MCB switches and securing Server.
Team for tackling Health/ Security Hazard			
1.	Copyist, O/o Civil Judge-cum-JMIC	Smt. Arvind Kumar	Arrangement of Ambulance and transporting sick to hospital.
2.	Criminal Ahlmad, O/o Civil Judge-cum-JMIC	Sh. Vivek Bharti Sharma	Coordination with Police.
Natural Hazards			
1.	Record Keeper, O/o Civil Judge-cum-JMIC	Sh. Kuldeep Singh	Coordination with District Disaster Management Authority
2.	Stenographer Gr. III, O/o Civil Judge-cum-JMIC	Sh. Narender Kumar (attached)	Information & Communication.

Note: In case of absence of any above said staff member(s), due to his/her transfer, promotion, leave, tour and retirement etc., it will be duty of his/her substitute (who will be deputed to look after his work) to discharge above said work of said official.

5. Knowledge Management, Review and Updating, & Dissemination of Plan

5.1 System of updating DMP

Disaster Management Planning is a continuous activity and thus it requires regular updating. The document of Disaster Management Plan of Kinnaur Civil and Sessions Division is to be updated as and when there are major changes in any aspect of it. Chief Administrative Officer is entrusted with this responsibility by the Disaster Management committee of Kinnaur Civil and Sessions Division, Review of the Plan will be done by the committee on yearly basis. The updating and review will also serve as a ready reference for self-assessment for preparedness.

5.2 Dissemination of Plan to stakeholders

The plan is to be disseminated to the stakeholders namely Courts' staff, advocates, litigants and general public by uploading the DMP on the website of Kinnaur Civil and Sessions Division and displaying the same on the notice boards of all the Courts Complexes.

Annexure

Important Contact Numbers

Judicial Courts Complex, Rampur Bushahr H.P.

Officer	Office Phone No.
District & Sessions Judge, Rampur Bushahr.	01782-234305
Additional District and Sessions Judge, Rampur Bushahr.	01782-234907
Civil Judge (Sr. Div.)-cum-ACJM, Rampur Bushahr.	01782-233061

Local Administration, Rampur Bushahr, H.P.

Officer	Office Phone No.
SDO(Civil) Rampur Bushahr	01782-233002
Tehsildar Rampur	01782-233003
SDPO Rampur	01782-234646
SE, HP PWD Rampur	01782-233044
E.E., HP, PWD Rampur	01782-233017
Sub Fire Officer, Rampur	01782-233168
S.H.O. Rampur	01782-233010
SE, HPSEB, Rampur	01782-233019
Nagar parishad, Rampur	01782-233024
DFO, Rampur	01782-233107

Judicial Courts Complex, Kinnaur at Reckong Peo

Officer	Office Phone No.
Senior Civil Judge-cum-CJM, Kinnaur at Reckong Peo	01786-222555
Secretary, DLSA, ADR Centre, Kinnaur at Reckong Peo	10786-223605

Local Administration, Kinnaur at Reckong Peo, H.P.

Officer	Office Phone No.
SDO(Civil) , Kalpa at Reckong Peo	01786-222253
DPRO , Kinnaur at Reckong Peo	01786-222263
CMO, District Hospital, Reckong Peo	01786-222922
SDPO , Reckong Peo	01786-223055
AE, HP, PWD, Reckong Peo	01786-222398
E.E., HP, PWD Kalpa	01786-226027
Fire Dept. Reckong Peo	01786-222219
S.H.O. P.S. Reckong Peo	01786-222210
SE, HPSEB, Reckong Peo.	01786-222286
Dist. Panchayat Officer, Reckong Peo	01786-222290
DFO Reckong Peo	01786-222195

Judicial Courts Complex, Ani

Officer	Office Phone No.
Civil Judge-cum-JMIC, Ani	01904-253461

Local Administration, Ani, H.P.

Officer	Office Phone No.
SDO(Civil), Ani	01904-253344
Tehsildar/Naib Tehsildar Ani	01904-253387
SDPO, Ani	01904-253410
A.E., HP, PWD, Ani	01904-253343
Fire Officer, Ani	01904-253101
S.H.O. , P.S. Ani	01904-253410
B.D.O., Ani.	01904-253346
B.M.O., Govt. Hospital, Ani	01904-253334
Sr. Xen., HP, SEB, Ani.	01904-253407
DFO, Luhri/Ani	01904-245874