



Commissioner, Health Services and
Mission Director, National Health Mission
Public Health Department, Govt. of Maharashtra



Tel. :- 022 - 22717500
Fax :- 022 - 22642955
Email :- mdnrhm.mumbai@gmail.com

'Arogya Bhavan', 3rd floor,
St. George Hospital Compound,
P D'mello Road, Fort, Mumbai 1

NHM/Store/ /2026./137506

Date: 17 /02/2026.

To,

**Sub: Invitation of quotations for "Purchase of 2 Nos. Computer and 1 No. Printer"
for Public Health Department, G.T. Mantralaya and 1 No. Printer and 1 No.
Tab for Joint Director, (NT) at Arogya Bhavan, Mumbai".**

Dear Sir/Madam,

We are here with inviting to submit your most competitive quotations for following material.

Sr. No	Description	Qty.	Rate per pcs. In Rs.	GST	Amount	Destination
1	Computer – The details of specification is attach with inquiry letter	2 Nos.				10 th floor, Public Health Department, G.T. Mantralaya, Mumbai
	Printer – The details of specification is attach with inquiry letter	1 No.				
2	Printer - Function– Print, Printing technology – Laser Paper Size – A4,legal or higher Print speed (minimum) – 25 PPM (Mono) or higher Print resolution - 600x600 dpi or higher, Duplex – Auto Connectivity- Hi speed USB 2.0 port or higher, wi-fi, Ethernet Duty Cycle (Monthly) – 10000 pages or higher, Memory – 128 MB or higher Input paper tray capacity - 150 pages or higher Compatible OS – windows and Linux Cables /Accessories - all the required cables, accessories Software Media- Driver & Utility software Model Specification Certifications-BIS Compliance – RoHS, ISO 9001 Warranty – 3 Years Comprehensive on site OEM warranty	1				Joint Director (NT), 4 th floor, Arogya Bhavan , Mumbai.

	Tab – Tab with AI, S Pen in-Box, 27.7 cm (10.9 Inch) Display, Object Eraser, 90Hz Refresh Rate, Pre Loaded Pro Apps, Touch Screen. IP42 Rating, 6 GB RAM, 128GB Storage, Wi-Fi Tablet, Warranty – 2 Years.					
	Total Amount with GST					

1. Bid Price:

- a) All duties, and other levies payable by the contractor under the contract shall be included in the total price and tax should be mention further.
- b) The rates quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to the adjustment on any account.

2. Each bidder shall submit only one quotation. Bidder has to write following matter on sealed envelope **Invitation of quotations for “Purchase of 2 Nos. Computer and 1 No. Printer” for Public Health Department, G.T. Mantralaya and 1 No. Printer and 1 No. Tab for Join Director, (NT) at Arogya Bhavan, Mumbai”.**

3. Validity of Quotation:

Quotation shall remain valid for a period of not less than 30 days after the deadline date specified for submission.

4. Evaluation of Quotations:

The purchaser shall evaluate and compare the quotations determined to be substantially responsive i.e. which

- a) are properly signed.
- b) Copy of GST, Pan card, registration certificate etc. relevant documents
- c) Conform to the terms and conditions and specifications.

5. Award of Contract:

The purchaser will award the contract to the bidder whose quotation has been determined to be substantially responsive and who has offered the lowest evaluated quotation price. The total amount quoted by the bidder will be on the basis for evaluation.

5.1) Notwithstanding the above, the Purchaser reserves the right to accept or reject any quotations and to cancel the bidding process and reject all quotations at any time prior to the award of contract.

5.2) The bidder whose quotation is accepted will be notified about the award of contract by the purchaser prior to expiration of the quotation validity period. The terms of the accepted offer shall be incorporated in the purchase order.

6. Liquidated Damages:

Liquidity damages at the rate of 0.5% per week for the delay in services subject to maximum of 10% computed on the value of goods supplied delayed.

7. Payment will be made after acknowledgement receipt of material in good condition along with the bill.

8. You are requested to provide your offer latest by **2.00 pm hours on 27/12/2026**

9. Quotations will be open in the presence of the committee at 3.30 PM on 27/02/2026 in the office of the Arogya Bhavan, 1st floor, St. George Hospital Compound, P.D'mello Road, Mumbai-400 001.
10. We look forward to receiving your quotations for your interest in this project.


Joint Director, 23.2.2026

National Health Mission, Mumbai

HEALTHY VILLAGE, HEALTHY NATION



Desktop

Parameter	Values Finalized in Dec 2022	Revision as per the technical committee Meeting dated 31.08.2023
Chipset Series	Intel Q Series/AMD Pro Series	Include 'B' series alongwith Q series <i>Mukesh</i>
Chipset Number	Any Intel Q Series/AMD Pro Series	—
Processor Make	Intel/AMD	Intel/AMD with Base Frequency 3.3 Ghz or Higher
Processor Generation	Latest	Intel 12th Generation /AMD R5-5000 or higher
Number of Cores per Processor	6 or Higher	—
Processor Description	Intel Core i5/AMD Ryzen 5 or higher	—
Processor Number	Any Intel Q Series/AMD Pro Series	—
Operating System (Factory Pre-Loaded)	Windows 10 Professional or higher	Windows 10/11/12 Professional or higher
Type of RAM	DDR4	—
RAM Size (GB)	8 or Higher	—
RAM Expandability up to(using spare DIMM Slots in GB)	64 or Higher	—
Type of drives used to populate the Internal Bays	HDD	SSD
Total HDD Capacity (GB)	1000 or Higher	0
Total SSD Capacity (GB)	0	512
Total SSHD Capacity in addition to 8 GB Flash (GB)	0	—
Cabinet Form Factor	SFF (7 to 13 Litres)	—
Monitor Technology	TN	<i>IP</i> —
LED Backlit Monitor Size (INCHES)	19.5 or Higher	21.5/23.8 or higher
Monitor Resolution (PIXELS)	1600 x 900 or Higher	1920 X 1080 <i>is higher Mukesh</i>
On Site OEM Warranty (Year)	5 or Higher	3 or Higher
Number of USB Ports	5 or More	—
Number of HDMI Ports	1	—
Number of Ethernet Ports	1	—
Mouse Connectivity	Wired	—
Type of Mouse	Optical Scroll	—
Keyboard Connectivity	Wired	—
Type of Keyboard	Standard with Rupee Symbol	—
Certifications	ROHS,BIS,CE,UL/CB,TPM 2.0,EPEAT India Gold	EPEAT India Gold/Silver <i>Mukesh</i>
Out of Band Management	Intel vPro	Not Required
Any Other	1. OEM Should be Leader in magic quadrant of gartner report, 2. Warranty should be comprehensive	1.OEM Should be listed in top 5 as per the latest IDC Report 2. Warranty should be comprehensive & visible on OEM Website along with serial number . 3. Microsoft certification regarding OS should be submitted from OEM <i>Mukesh</i> 4. Make In India -Class1

*Kani Insh D. Sizer
Sr - comp Specialist*

*Kiran 2019 jage
Computer specialist (IT)*

*(Shruti Jain)
Sr. Consultant (IT)*

D. B. Gauri Rathod

*Mukesh
OS (DIT)*

*U.D. Phose
DIT, Mumbai*

JD (CT)
JD (NT)

Single Function Machine(Print)

Parameter	Values Finalized in Dec 2022	Revision as per the technical committee Meeting dated 31.08.2023
Cartridge Technology	Composite Cartridge/Ink	Composite Cartridge
Printing Technology	Inkjet/Laser	Laser
Type of Printing	Mono	— —
Paper Size	A4	— —
Print Speed per minute as per ISO/IEC 24734 in (A4) Size - Mono	20 or Higher	33 ppm or higher <i>Instead 30 PPM or higher</i>
Print Speed per minute as per ISO/IEC 24734 in (A4) - Color	0	— —
Memory (MB)	256 or Higher	— —
Duplexing Feature	Yes	— —
Duplex Print Speed (IPM)	8 or Higher	— —
Wireless Connectivity	No	— —
USB Port	Yes	— —
Number of Main Paper Trays	1	— —
Bypass Tray Facility	No	— —
On site OEM warranty (Years)	5 or higher	3 or higher
Duty Cycle (No of Prints/month)	8000 or Higher	50000 Pages or higher
Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19752/2004(E) for Black (Number of prints)	1000 or Higher	— —
Ethernet Port	Yes	— —
Certifications	ROHS,BIS,CE,UL/CB	ROHS,BIS
Each Main Paper Tray Capacity	150 or Higher	— —
Any Other	1. OEM Should be Leader in magic quadrant of gartner report, 2. Warranty should be comprehensive	1.OEM Should be listed in top 5 as per the latest gartner Report <i>Instead IDC report</i> 2. Warranty should be comprehensive & visible on OEM Webiste along with serial number

*Kamlesh D. Sissat
Jr. comp. specialist*

*Bronjage
Kiran Zanjage
computer specialist (IT)*

*Jain
(Shruti Jain)
Sr. Consultant (IT)*

Dr. Anand Rathod

*(Signature)
Sr. Consultant (IT)*

*Mukesh
JS(DIT)*

*(Signature)
V. P. Phore
VJTE, Mumbai*

*(Signature)
JD(LT)*

*(Signature)
JD(NT)*