

Govt.of Maharashtra
Public Health Department
Civil Hospital Aurangabad
pin code -431001

1) Name of Dept. Civil Surgeon
Civil Hospital Aurangabad

2) Telefax.No -

3) email id – dpoaurangabad@mahasacs.org

QUOTATION FOR Injection Benzathine Penicillin & Crystalline
/Benzyl Penicillin (For DAPCU)

YEAR 2026-27

NAME OF ITEM
Last Date of Quotation Submission

3) Supply Terms & Condition

1	Rates	Not Exceed than M.R.P To be Quote for unit pack Inclusive Transport, Uploading charges.
2	Taxes	Inclusive fo all Taxes like VAT ,CSE ,LBT, Cen. Excise etc
3	Delivery	DAPCU Civil Hospital Aurangabad dist- Aurangabad
4	Acceptance of Rate	Minimum 3 Quotation is required for comparison of Rates
5	Deliver Period	One week
6	Validity of Quotation	One Year from date of Acceptance of Quotation Rate
7	Payment	From purchasing Authority PFMS/CMP /NEFT/Cheque/RTGS within 30 days or Depend upon Govt.Funds
8	Self Attested Documents for New Supplier Registered supplier not necessary to submit document	Supplier should submit wholesale Dealer/Drug License Shop Act License copy VAT Reg certificate PAN Card
9	Filling of Quotation Rate	Prescribed format on supplier letter pad with Duly signature & rubber stamp
10	Method of Submission	One envelope scaled with supplier rubber seal & signature front &back said of envelope following words to be write on envelope Quotation for supply of (Item Name) TO, Civil Surgeon , Civil Hospital Aurangabad From Supplier Stamp &sign.
11	Disqualification	Rates over MRP Overwriting in Rates, Not in prescribed format Non submission of documents in case of unregistered supplier
12	Judicial Jurisdiction	Aurangabad District Court
13	Rights of Quotation	All Rights are reserved by Civil Surgeon ,Civil Hospital Aurangabad


Civil Surgeon
 Chhatrapati Sambhajnagar

FORMAT FOR QUOTATION
TO BE TYPE ON SUPPLIER LETTER PAD

Date-

To
Civil Surgeon
Civil Hospital, Aurangabad.

Sub- Quotation-----
Ref – Your office Notice Dated

With ref to above subject .We are herewith submitting following item rate
fir Gov purchase.

Item No	Name of item	specification	Unit	Rate	Mfg.by

Noted Before Filling Qutation Rate


- 1) Rates – INclusive of all Taxes (CST/VAT /LBT/OCTRIO ECT)
- 2) Delivery – 48 Hours.Twice in week
- 3) Enclosed Documents self attested -1)shop act licensee copy
2)PAN CARD 3)CST/VAT Reg certificate

CERTIFICATE

I undersigned hereby certify that. Above rates not exceed than MRP or current
market rate. I accept all terms & conditions with any complaint. Submitted all
information & documents are true

your faithfully,

Supplier Stamp & sign


Civil Surgeon
Chhatrapati Sambhajanagar

Govt. of Maharashtra
District AIDS Prevention & control Unit
Civil Hospital Aurangabad

Web site Quotation Notice No. /2021-22/Date 17/10/2021

OPEN NOTICE


Civil Surgeon civil hospital Aurangabad Dist Aurangabad is invite quotation rate for purchase of following item from eligible supplier. The supplier who is interested for filling of rate see Conditions of supply.

1) Item Description

Item No	Name of Item	Specification	Unit	Approximate Quantity Required
1	Benzathine Penicillin	As per attached paper	1	835
2	Crystalline /Benzyl Penicillin	As per attached paper	1	125

2) Submission of Quotation

1	Submission of Quotation by Hand Delivery or his/her own risk by post or courier before last date	Last Date - <u>22/10/2021</u> Time before-5.30 P.M Place- DAPCU Civil Hospital Aurangabad
2	Opening of Quotation	Date- Time before-4.00 P.M Place-Civil Hospital Aurangabad


Civil Surgeon
Chhatrapati Sambhajnagar

	जिल्हा एड्स प्रतिबंध व नियंत्रण पथक सामान्य रुग्णालय, औरंगाबाद		
पत्ता- शासकिय वैद्यकिय महाविद्यालय (घाटी)समोर,पानचक्की जवळ , औरंगाबाद.४३१००१			
फोन कार्यालय: (०२४०)२३५६५९५,		फॅक्स: २३४१८९२ Email :- dpoaurangabad@mahasacs.org	
आरोग्य सेवा	जा.क्र.सारुऔ/डापकू/दरपत्रक/ 1357	/२६	दि:-१३/०७/२०२६

प्रति,

.....
.....

विषय:- जिल्हा एड्स नियंत्रण पथक कार्यालयास आवश्यक

Benzathine Penicillin

Crystalline /Benzyl Penicillin

चे दरपत्रक कळविण्या

बाबत.

उपरोक्त विषयान्वये आपणास कळविण्यात येते की, जिल्हा एड्स नियंत्रण पथक ,औरंगाबाद कार्यक्रमांतर्गत आवश्यक

Benzathine Penicillin

Crystalline /Benzyl Penicillin

पुरवठा करण्यासाठी पुरवठा धारकाकडून दरपत्रक सादर करणे बाबत वेबसाईट दरपत्रके नोटीसद्वारे कळविण्यात येत आहे.


करीता आपण दि. 14/07/2026 ते दि. 22/08/2026 पर्यंत कार्यालयीन सुटटी वगळून या कार्यालयात सादर करावेत.

सोबत:- आवश्यक असलेल्या

Benzathine Penicillin

Crystalline /Benzyl Penicillin

ची माहिती जोडण्यात आलेली आहे.


जिल्हा शल्य चिकित्सक
सामान्य रुग्णालय, औरंगाबाद
Civil Surgeon
Chhatrapati Sambhajnagar

Penicillin G refers to the same drug and the terms are used interchangeably. Since the Indian Pharmacopoeia (IP) uses the term Inj Benzyl Penicillin, the same should be used in the technical specifications. It was further recommended to also mention the term Inj Penicillin G for avoiding confusion in the fields.

- b. The committee recommended that IP standards (for the time being in-force) are applicable for drugs which are available in IP. For drugs which are not available in IP, other official Pharmacopoeia(s) are applicable. If not available in any of the official Pharmacopoeia, 'In House' standards specified are applicable as per Drugs and Cosmetics Act, 1940 and Rules there under.
 - c. Since there is limited manufacturing in the country and the availability of these crucial drugs is scarce, it was recommended that if more than one strength of these formulations is available in the market, the Technical Specifications should provide the necessary flexibility to SACS to procure the drugs in required strength(s) according to the available market landscape.
- 4 After due discussions and deliberations, the committee approved the technical specifications as detailed below.

Ph *Q* *Am* *Sup* *Santhi* *ACI*

Technical Specifications of Benzyl Penicillin Injection (for Pediatric Use only)

Product Name (Generic)	Pharmacopoeia Standards*	Strength**	Dosage Form	Number of generic products per kit	Product Indication and Description
Benzyl Penicillin Injection	I.P.	0.5 million units or 1 million units	Vial (Powder)	1	For treatment of Congenital Syphilis; for intravenous use only among children (Also called as Penicillin G Injection)
Sterile water for injection	I.P.	10 ml	Vial	1	

* Indian Pharmacopoeia (IP) standards are applicable for drugs which are available in IP (for the time being in-force). For drugs which are not available in IP, other official Pharmacopoeia(s) are applicable. If not available in any of the official Pharmacopoeia, 'In House' standards specified are applicable as per Drugs and Cosmetics Act, 1940 and Rules there under.

** If more than one strength is available in the market, required strength (s) to be procured as per the requirement and market availability.

General Technical Specifications:

1. The product specifications indicate dosage form (e.g., tablet, powder, liquid, injectable, emulsion, suspension etc.) and the drug content (exact number of mg or Unit or percentage v/v with acceptable range).
2. Not only the pharmaceuticals or vaccine items, but also packaging components (e.g., vials, bottles and closures etc.) should also confirm to specifications

24

[Signature]

[Signature]

[Signature]

[Signature]

[Signature]


[Signature]

[Signature]

[Signature]

suitable for use in a climate similar to that prevailing in the country of the purchaser. All packaging must be properly sealed and tamper proof.

3. The manufacturer should obtain and submit the copy of approval for packaging the drug kit from concerned drug control authorities (CLA and/ or SLA, wherever applicable).
4. Pharmaceuticals requiring refrigeration or freezing for stability must specifically indicate storage requirements on labels and containers and be shipped in the special containers to ensure stability in transit from point of shipment to the port of entry.
5. All products must indicate the dates of manufacture and expiry.
6. All products must arrive at the consignee point with a remaining shelf life of at least five/ sixth ($5/6^{\text{th}}$) of the total shelf life at the time of manufacture.
7. Shelf life of Drug:
 - i) Benzyl Penicillin Injection: shelf life should be at least 24 months or more from the date of manufacture.
 - ii) Sterile Water for Injection: shelf life should be at least 24 months or more from the date of manufacture.

A series of handwritten signatures and initials in black ink, including a large signature on the left, a signature in the center, a signature on the right, and a signature at the bottom right.

Technical Specifications of Procaine Penicillin Injection (for Pediatric Use only)

Product Name (Generic)	Pharmacopeia Standards*	Strength**	Dosage Form	Number of generic products per kit	Product Indication and Description
Procaine Penicillin Injection	Any official Pharmacopoeia(s) or 'In House' standards	0.4 million units or 0.6 million units in 0.2 ml	Vial (Liquid)	1	For treatment of Congenital Syphilis; for intramuscular use only among children

* Indian Pharmacopoeia (IP) standards are applicable for drugs which are available in IP (for the time being in-force). For drugs which are not available in IP, other official Pharmacopoeia(s) are applicable. If not available in any of the official Pharmacopoeia, 'In House' standards specified are applicable as per Drugs and Cosmetics Act, 1940 and Rules there under.

** If more than one strength is available in the market, required strength (s) to be procured as per the requirement and market availability.

General Technical Specifications:

1. The product specifications indicate dosage form (e.g., tablet, powder, liquid, injectable, emulsion, suspension etc.) and the drug content (exact number of mg or Unit or percentage v/v with acceptable range).
2. Not only the pharmaceuticals or vaccine items, but also packaging components (e.g., vials, bottles and closures etc.) should also confirm to specifications suitable for use in a climate similar to that prevailing in the country of the Purchaser. All packaging must be properly sealed and tamper proof.

RU

Pandey

3. The manufacturer should obtain and submit the copy of approval for packaging the drug kit from concerned drug control authorities (CLA and/ or SLA; wherever applicable).
4. Pharmaceuticals requiring refrigeration or freezing for stability must specifically indicate storage requirements on labels and containers and be shipped in the special containers to ensure stability in transit from point of shipment to the port of entry.
5. All products must indicate the dates of manufacture and expiry.
6. All products must arrive at the consignee point with a remaining shelf life of at least five/ sixth ($5/6^{\text{th}}$) of the total shelf life at the time of manufacture.
7. Shelf life of Drug:
 - i) Procaine Penicillin injection: shelf life should be at least 24 months or more from the date of manufacture.

4. Pharmaceuticals requiring refrigeration or freezing for stability must specifically indicate storage requirements on labels and containers and be shipped in the special containers to ensure stability in transit from point of shipment to the port of entry.

5. All products must indicate the dates of manufacture and expiry.

6. All products must arrive at the consignee point with a remaining shelf life of at least five/ sixth ($5/6^{\text{th}}$) of the total shelf life at the time of manufacture.

7. Shelf life of Drug:

i) Procaine Penicillin injection: shelf life should be at least 24 months or more from the date of manufacture.

Handwritten signatures and initials:

- Top left: Ph
- Top center: S
- Top right: Landm
- Middle left: Q
- Middle center: Alum
- Middle right: my
- Bottom left: Sm
- Bottom center: (1/2)
- Bottom right: RU

Technical Specifications of Benzyl Penicillin Injection (for Adult Use only)

Product Name (Generic)	Pharmacopeia Standards*	Strength**	Dosage Form	Number of generic products per kit	Product Indication and Description
Benzyl Penicillin Injection	I.P.	5 million units	Vial (Powder)	1	For treatment of Neuro-Syphilis, Oto-Syphilis and Ocular Syphilis; for intravenous use only among adults. (also called as Penicillin G injection)
Sterile water for injection	I.P.	10 ml	Vial	1	

* Indian Pharmacopoeia (IP) standards are applicable for drugs which are available in IP (for the time being in-force). For drugs which are not available in IP, other official Pharmacopoeia(s) are applicable. If not available in any of the official Pharmacopoeia, 'In House' standards specified are applicable as per Drugs and Cosmetics Act, 1940 and Rules there under.

** If more than one strength is available in the market, required strength (s) to be procured as per the requirement and market availability.

General Technical Specifications:

1. The product specifications indicate dosage form (e.g., tablet, powder, liquid, injectable, emulsion, suspension etc.) and the drug content (exact number of mg or Unit or percentage v/v with acceptable range).

RY

Sandhu

2. Not only the pharmaceuticals or vaccine items, but also packaging components (e.g., vials, bottles, and closures etc.) should also confirm to specifications suitable for use in a climate similar to that prevailing in the country of the Purchaser. All packaging must be properly sealed and tamper proof.
3. The manufacturer should obtain and submit the copy of approval for packaging the drug kit from concerned drug control authorities (CLA and/ or SLA, wherever applicable).
4. Pharmaceuticals requiring refrigeration or freezing for stability must specifically indicate storage requirements on labels and containers and be shipped in the special containers to ensure stability in transit from point of shipment to the port of entry.
5. All products must indicate the dates of manufacture and expiry.
6. All products must arrive at the consignee point with a remaining shelf life of at least five/ sixth ($5/6^{\text{th}}$) of the total shelf life at the time of manufacture.
7. Shelf life of Drug:
 - iii) Benzyl Penicillin injection: shelf life should be at least 24 months or more from the date of manufacture.
 - iv) Sterile Water for Injection: shelf life should be at least 24 months or more from the date of manufacture.

RH S D AHU PUP FZ Landhi
Sind RU

Technical Specifications of Procaine Penicillin Injection (for Adult Use only)

Product Name (Generic)	Pharmacopeia Standards*	Strength**	Dosage Form	Number of generic products per kit	Product Indication and Description
Procaine Penicillin Injection	Any official Pharmacopoeia(s) or 'In House' standards	2.4 million units or 1.2 million units	Vial (Liquid)	1	For treatment of Neuro-Syphilis, Oto-Syphilis and Ocular Syphilis; for intramuscular use only among adults.

* Indian Pharmacopoeia (IP) standards are applicable for drugs which are available in IP (for the time being in-force). For drugs which are not available in IP, other official Pharmacopoeia(s) are applicable. If not available in any of the official Pharmacopoeia, 'In House' standards specified are applicable as per Drugs and Cosmetics Act, 1940 and Rules there under.


** If more than one strength is available in the market, required strength (s) to be procured as per the requirement and market availability.

General Technical Specifications:

1. The product specifications indicate dosage form (e.g., tablet, powder, liquid, injectable, emulsion, suspension etc.) and the drug content (exact number of mg or Unit or percentage v/v with acceptable range).
2. Not only the pharmaceuticals or vaccine items, but also packaging components (e.g., vials, bottles, and closures etc.) should also confirm to specifications

suitable for use in a climate similar to that prevailing in the country of the Purchaser. All packaging must be properly sealed and tamper proof.

3. The manufacturer should obtain and submit the copy of approval for packaging the drug kit from concerned drug control authorities (CLA and/ or SLA, wherever applicable).
4. Pharmaceuticals requiring refrigeration or freezing for stability must specifically indicate storage requirements on labels and containers and be shipped in the special containers to ensure stability in transit from point of shipment to the port of entry.
5. All products must indicate the dates of manufacture and expiry.
6. All products must arrive at the consignee point with a remaining shelf life of at least five/ sixth ($5/6^{\text{th}}$) of the total shelf life at the time of manufacture.
7. Shelf life of Drug:
 - ii) Procaine Penicillin Injection: shelf life should be at least 24 months or more from the date of manufacture.

A series of handwritten signatures and initials in black ink. From left to right: a stylized 'Ph', a signature that appears to be 'S. Sankar', a signature that appears to be 'S. Sankar', a signature that appears to be 'S. Sankar', a signature that appears to be 'S. Sankar', a signature that appears to be 'S. Sankar', and a signature that appears to be 'S. Sankar' with 'RU' written below it.