

Data Gaps: State Level Energy Conservation

2023-24

Cat. No.	Applicant Name and District	Remarks/Data –gaps
1	Industries and MSMEs	
1.A. (I)	Connected Load 1 MW and above	
(i)	Honda Motor Cycle and Scooter Pvt., Gurugram	<ul style="list-style-type: none"> • Supporting documents for electricity consumption, investment as per energy audit report and energy saving to be provided. • Application signed by BEE Certified energy auditor to be provided. • Details of Solar power plant and street lights along with location to be provided under CSR component. • ISO 50001 certification, if available to be provided • GEO tagged photographs of live tree to be provided • GEO tagged photographs of ETP to be provided • GEO tagged photo of Rain water harvesting system to be provided.
(ii)	Denso Haryana Pvt. Ltd, Plot No. – 3, Sec-3, IMT Manesar, Gurugram, Haryana – 122052	<ul style="list-style-type: none"> • Energy Conservation policy to be provided • ISO 50001 certification, if available to be provided • GEO tagged photographs of live tree to be provided • GEO tagged photographs of ETP to be provided • GEO tagged photo of Rain water harvesting system to be provided.
(iii)	Jindal Stainless Limited, Hisar.	<ul style="list-style-type: none"> • Not eligible since won First Prize in Last three years(in State Level Energy Conservation 2022-23 in Category 'Industry-Connected load more than 01MW).
(iv)	Marelli Motherson Automotive Lighting India Private Limited,Rewari	<ul style="list-style-type: none"> • GEO tagged photographs of ETP to be provided • GEO tagged photographs of live tree to be provided • Rain water harvesting system anddocuments to be provided.

		<ul style="list-style-type: none"> • Supporting data for energy saving and investment to be provided. • Details of Training Programme conducted as per guidelines to be provided.
(v)	National Fertilisers Limited, Panipat	<ul style="list-style-type: none"> • Supporting documents for Energy Consumption, Saving , Investment to be provided. • Copy of energy audit report to be provided. • Copy of ISO certifications to be provided • GEO tagged photographs of ETP to be provided • GEO tagged photographs of live tree to be provided • GEO tagged photo of Rain water harvesting system to be provided. • Supporting documents for CSR activities related to energy conservation to be provided.
(vi)	Panipat Refinery, Indian oil Corporation Limited, Panipat	<ul style="list-style-type: none"> • Copy of Energy Audit report to be provided, since energy audit is prerequisite for eligibility. • Supporting documents for investment and saving as per energy audit report to be provided. • GEO tagged photographs of ETP to be provided • GEO tagged photographs of live tree to be provided • GEO tagged photo of Rain water harvesting system to be provided. • Details of Energy management cell to be provided.
(vii)	Sirsa Cooperative Milk Producers Union Ltd., Sirsa	<ul style="list-style-type: none"> • Category of Award application not indicated • Energy Conservation policy to be provided • Awareness campaign supporting documents required • Copy of ISO 14001 certifications to be provided. • Supporting Details for Investment and Energy Saving to be provided. • CSR Activity details for EC activity to be provided with supporting documents. • GEO tagged photographs of ETP, live tree and Rain water harvesting system to be provided

(viii)	Deen Bandhu Chotu Ram Thermal Plant, Yamuna Nagar	<ul style="list-style-type: none"> • Only basic information is provided. Application and other requisite documents not attached
(ix)	ISGEC Heavy Engineering Limited	<ul style="list-style-type: none"> • Only basic information is provided. Application and other requisite documents not attached
(x)	M/S Wonder Cement Limited Unit Jhanswa	<ul style="list-style-type: none"> • Only basic information is provided. Application and other requisite documents not attached
(xi)	Panipat Naptha Cracker,iocl	<ul style="list-style-type: none"> • Only basic information is provided. Application and other requisite documents not attached
(xii)	Polyplastic Industries Pvt. Ltd,	<ul style="list-style-type: none"> • Only basic information is provided. Application and other requisite documents not attached
(xiii)	IOCL, NRPL	<ul style="list-style-type: none"> • Only basic information is provided. Application and other requisite documents not attached.
(xiv)	C W workshop Jagadhri Northern Railway	<ul style="list-style-type: none"> • Supporting documents of saving and Investment as per energy audit report to be provided. • Details of CSR activities carried out in 2023-24 to be provided. • Supporting documents for consumption for 2022-23 and 2023-24 to be provided.
1.A. (II)	Connected Load below 1 MW	
(i)	Tata Consumer Products Limited, Sampla Packeting Centre, Rohtak	<ul style="list-style-type: none"> • Copy of Energy Audit report to be provided, since energy audit is prerequisite for eligibility. • Energy Saving and Investment details as per energy audit report to be provided. • GEO tagged photographs of live tree , Rain water harvesting system and ETP to be provided • ISO 50001 certification, if available to be provided • CSR Activity details for EC activity to be provided with supporting documents.

		<ul style="list-style-type: none"> • Awareness campaign supporting documents required.
(ii)	The Shahabad Cooperative Sugar Mill Ltd., Kurukshetra.	<ul style="list-style-type: none"> • Copy of Energy Conservation policy and energy management cell to be provided • Copy of Energy Audit report to be provided • Supporting documents for energy consumption for 2022-23 and 2023-24 to be provided. • Supporting documents for Energy Saving and investment as per energy audit report to be provided • GEO tagged photographs of live tree, Rain water harvesting system and ETP to be provided • Supporting documents for ISO certifications, if available to be provided • CSR Activity details for EC activity to be provided with supporting documents. • Awareness campaign supporting documents required.
(ii)	Shree Rice Mills	<ul style="list-style-type: none"> • Only basic information is provided. Application and other requisite documents not attached.
(iii)	<p>Abhi Automotives Pvt. Ltd. Plot No.244, Sec-6 IMT Manesar, Gurugram-122050</p> <p>0124-4148555 accounts@abhiautos.com http://abhiautos.com/</p>	<ul style="list-style-type: none"> • Details of Investment Made on RE and EC Technologies to be provided. • Energy Policy details to be provided. • EC Management Cell details to be provided. • ISO 50001 certification, if available to be provided • CSR Activity details for EC activity to be provided with supporting documents. • Electricity bills for FY 2022-23 & 2023-24 be provided. • Awareness campaign supporting documents to be provided. • Geo tagged photos of Live tree photographs to be provided.
1.B	MSMEs	

1.B.(I)	Registered MSME(Micro, Small and Medium Enterprise) Industries of Haryana and IT Industries of Haryana under IT & ESDM Policy, 2017 having: (Connected load of 1 MW or above)	
(i)		
(ii)		
1.B.(II)	Registered MSME(Micro, Small and Medium Enterprise) Industries of Haryana and IT Industries of Haryana under IT & ESDM Policy, 2017 having: (Connected load of 100 kW or above and below 1 MW)	
(i)		
2.	Category 2:Any type Commercial Buildings (Shopping Malls/ Plazas / Hotel/ Hospitals /Corporate/ Resorts/ ITs etc)including GRIHA/ LEED/GEM/ or IGBC/ ECBC compliant buildings:	
2. (I)	(Connected Load 1 MV and above)	
(i)	Arnon Builders and developers limited, Wordmark sec-65, Gurgaon.	<ul style="list-style-type: none"> • Application signed by BEE Certified energy auditor to be provided. • Copy of Energy Audit report to be provided, since energy audit is prerequisite for eligibility. • Energy Saving and Investment details as per energy audit report to be provided. • GEO tagged photographs of live tree, Rain water harvesting system and ETP to be provided • Copy of supporting documents (like Investment proof, energy saving data, electricity bills, energy audit report, ETP, ISO certification) including application filled in Performa signed by Energy Auditor to be provided.

(ii)	Airtel Centre Rostrum Realty Private Limited, Gurugram, Haryana	<ul style="list-style-type: none"> • Detailed Energy Audit report to be provided. • Supporting documents for Energy saving and Investment as per energy audit report to be provided. • Details/ Documents for Diesel consumption to be provided. • CSR Activity details for EC activity to be provided with supporting documents. • Supporting documents for training/awareness campaign to be provided. • EPI calculation to be updated including diesel consumption • GEO tagged photographs of live tree, Rain water harvesting system and ETP to be provided
(iii)	Global health Ltd., Medanta The Medicity Hospital	Only basic information is provided. Application and other requisite documents not attached.
2 (II)	Connected Load of 100 kW or above and below 1 MW	
(i)	DCM Shriram Limited	Only basic information is provided. Application and other requisite documents not attached.
3.	Govt. Buildings	
3. (a)	Govt./ CPSUs/ PSUs Buildings/ Offices including LEED/Green Building, GRIHA rated or ECBC Compliant building (having connected load above 500 kW)	
(i)	Vidyut Sadan Vidyut Nagar Hisar	<ul style="list-style-type: none"> • A copy of energy audit report to be provided • Energy Saving and investment supporting documents to be provided • Consumption details to be provided for 2021-22 and 2022-23 • GEO tagged photographs of live tree, Rain water harvesting system and ETP to be provided • EPI details of building need to be provided.
(ii)	Kalpna Chawla Govt. Medical College and Hospital	Only basic information is provided. Application and other requisite documents not attached.

(iii)	GBN GOVERNMENT POLYTECHNIC NILOKHERI	<ul style="list-style-type: none"> • Detail of Energy management cell to be provided. • Supporting documents for energy saving and investment as per energy report to be provided • Details of Investment Made on RE and EC Technologies to be provided. • GEO tagged photographs of live tree, Rain water harvesting system and ETP to be provided • Calculation sheet for EPI to be provided. • Writeup on training programme to be provided • Energy Policy to be provided.
3.(b)	Govt./CPSUs/ PSUs Buildings/ Offices having connected load below 500 kW and above 30 kW	
(i)	BSNL Telephone Exchange Building Sector -05 Panchkula	<ul style="list-style-type: none"> • Detail of Energy management cell to be provided. • Details/ Documents for Diesel consumption to be provided. • Capacity building programmes details to be provided • Energy Conservation Policy and Energy Management Cell supporting documents need to be provided. • Energy Auditor Certification to be provided.
(ii)	BSNL Telephone Exchange Sector 20 Panchkula	<ul style="list-style-type: none"> • Calculation sheet for EPI to be provided. • Detail of Energy management cell to be provided. • Details of Investment Made on RE and EC Technologies to be provided. • Live tress photographs to be provided
(iii)	District Prison- Kaithal	<ul style="list-style-type: none"> • Supporting documents not attached. Copy of supporting documents (like Investment proof, energy saving data, electricity bills, energy audit report, ETP, ISO certification) including application filled in Performa signed by Energy Auditor to be provided.
(iv)	Shri Mata Mansa Devi Shrine Board, Panchkula	<ul style="list-style-type: none"> • Live tress photographs to be provided • Calculation sheet for EPI to be provided. • Certification of Energy Auditor to be provided. • Details of Investment Made on RE and EC Technologies to be provided.
(v)	Northern Railway Extra Divisional Hospital Jagadhri workshop	<ul style="list-style-type: none"> • Details of Energy Conservation Policy to be provided. • Detailed Energy Audit report to be provided. • Detail of Energy management cell to be provided.

		<ul style="list-style-type: none"> • Details/ Documents for Diesel consumption to be provided. • CSR Activity details for EC activity to be provided with supporting documents. • Live tress photographs to be provided. • ETP details to be provided. • ISO certifications 140001 and 50001 to be provided. • Rain water harvesting photographs to be provided. • Electricity bills are missing for FY 2022-23& 2023-24 • Calculation sheet for EPI to be provided.
4.	Institutions organization and societies	
4. A.	Institutions & Organizations	
4. A. (a.)	Govt. &Pvt. Schools / Colleges /Institutions/ Universities (Having connected load of 500 kW or above)	
(i)	GDC MEMORIAL COLLEGE	Only basic information is provided. Application and other requisite documents not attached.
(ii)	GOVERNMENT BUILDING (GBN GOVT. POLYTECHNIC NILOKHERI)	<ul style="list-style-type: none"> • Detail of Energy management cell to be provided. • Supporting documents for energy saving and investment as per energy report to be provided • Details of Investment Made on RE and EC Technologies to be provided. • GEO tagged photographs of live tree, Rain water harvesting system and ETP to be provided • Calculation sheet for EPI to be provided. • Writeup on training programme to be provided • Energy Policy to be provided.
(iii)	Manav Rachna International Institute of Research Studies	<ul style="list-style-type: none"> • EPI details / calculations to be provided. • Supporting documents / consolidated statement of saving and investment as per EA report to be provided.
4. A. (b.)	Govt. &Pvt. Schools / Colleges /Institutions/ Universities (Having connected load below 500 kW and above 30 kW)	
(i)	GVM Girls College (Gita Vidya Mandir Girls College, Sonipat)	<ul style="list-style-type: none"> • Copy of supporting documents for energy saving, consumption and investment as per energy audit report to be provided. • GEO tagged photographs of live tree, Rain water harvesting system and

		ETP to be provided <ul style="list-style-type: none"> EPI calculations to be provided.
(ii)	RKSD College, Kaithal	<ul style="list-style-type: none"> Application Copy duly signed by Energy Auditor to be provided Electricity bills for FY 2022-23 & 2023-24 to be provided. Energy Saving and Investment as per energy audit report to be provided. CSR Activity details for EC activity to be provided if any with supporting documents. GEO tagged photographs of live tree, Rain water harvesting system and ETP to be provided Calculation sheet for EPI to be provided. Details/ Documents for Diesel consumption to be provided.
(iii)	Ch, Devi Lal State Institute of Engineering and Technology	<ul style="list-style-type: none"> Only basic information is provided. Application and other requisite documents not attached.
(iv)	RANBIR SINGH MODEL SCHOOL	<ul style="list-style-type: none"> Only basic information is provided. Application and other requisite documents not attached. Connected load 6kW. Applicant above 30 kW eligible for awards
4. (B)	Group Housing Societies/ Residential Buildings having connected load more than 100 kW	
(i)		
5	Innovation/ New Technologies / R&D Projects including innovative promotional Projects , Research & Innovation in energy conservation, energy efficiency, Waste to Energy and Renewable Energy Area, efficient natural resource management	
(i)	JINDAL STAINLESS LIMITED	Only basic information is provided. Application in format and other requisite documents not submitted.
(ii)	Marelli Motherson Automotive Lighting India Private Limited	Only basic information is provided. Application in format and other requisite documents not submitted.

(iii)	AAPSI	Only basic information is provided. Application in format and other requisite documents not submitted.
(iv)	SAINSONS PAPER IND PVT LTD	Only basic information is provided. Application in format and other requisite documents not submitted.
6	Best Energy Auditing/ Green Buildings/ ECBC Implementing Firms/ Agencies	
(i)	A-Z Energy Engineers Pvt. Ltd 423, Sector -21A, Faridabad – 121001	Only basic information is provided. Application in format and other requisite documents not submitted.
(ii)	Operative Save Urja Solutions Private Limited House No. 1286, Sec 23A, Gurgaon, Haryana - 122017	Only basic information is provided. Application in format and other requisite documents not submitted.
7	Energy Efficient substation of Power Utilities	
7 (I)	66kV or below	
(i)	Uttar Haryana Bijli Vitran Nigam	Only basic information is provided. Application in format and other requisite documents not submitted.
(ii)	Uttar Haryana Bijli Vitran Nigam	Only basic information is provided. Application in format and other requisite documents not submitted.
(iii)	66 kV Substation Sec-38 Gurgaon DHBVN	Only basic information is provided. Application in format and other requisite documents not submitted.
(iv)	66 kV Substation HVPN Sec-2 IMT Manesar	Only basic information is provided. Application in format and other requisite documents not submitted.
(v)	33 kV Sub-station Model Town Rewari	Only basic information is provided. Application in format and other requisite documents not submitted.

(vi)	33 kV Sub-Station Sector 9-11 DHBNV Hisar	Only basic information is provided. Application in format and other requisite documents not submitted.
7 (II)	Above 66 kV	
(I)	132 kV S/Stn Cantt. Hisar	Only basic information is provided. Application in format and other requisite documents not submitted.
(II)	220 KV Sub-Station Sector -58	Only basic information is provided. Application in format and other requisite documents not submitted.
(iii)	220 KV Sub-Station Daultabad Gurugram	Only basic information is provided. Application in format and other requisite documents not submitted.