

11

PM SHRI KV DINJAN

CONSOLIDATED CONDEMNATION DETAILS

S.NO.	DEPARTMENT	COST OF ITEMS	REDUCED PRICE	REMARK
1	LIBRARY	43572.00	2178.59	
2	FURNITURE	74040.00	3702.00	
3	CHEMISTRY LAB	38854.00	1942.70	
TOTAL		1,56,466	7823.29	

INCHARGE

1. MANISHA BISHT, CHEM.LAB *M.Bisht*
2. MR.SURAJ K.SINGH, FURNITURE DEPT. *Suraj*
3. MRS.MEGHA RANI, LIBRARY *Megha*

VMC MEMBERS

1. MR.CHARAN SAINI *Charan*
2. MRS.NARGIS *Nargis*



PRINCIPAL

प्राचार्य / PRINCIPAL
पी.एम. श्री केन्द्रीय विद्यालय दिनजान
PM SHRI KENDRIYA VIDYALAYA DINJAN

CHAIRMAN

अध्यक्ष / Chairman *mehl*
वि.प्र.स. VMC
के.वि. दिनजान / K.V. Dinjan

PM SHRI KENDRIYA VIDYALAYA DINJAN

CS-49

List of articles recommended for write off under the head in Furniture Department

S.No.	Name of the items	Quantity	Cost of the items	Date of Purchase	Reduced Price	Reason for Condemnation
1	G-type Chairs	46	44160.00	27.01.2006	2208.00	damaged, unserviceable
2	Chairs with Writing Pad	60	29880.00	28.03.2004	1494.00	damaged, unserviceable
3					0.00	damaged, unserviceable
4					0.00	damaged, unserviceable
			74040.00		3702.00	

CERTIFICATE

- 1 Certified that information given in column 2 to 7 is correct.
- 2 Certified that articles mentioned in column 2 were rendered unserviceable or outdated on
- 3 The report of condemnation board is enclosed.

I/C Furniture

VMC Member

1. *S. Naqvi*
2. *Naqvi*
- 3.

Principal
प्राचार्य / PRINCIPAL
पी.एम. श्री केन्द्रीय विद्यालय दिनजान
PM SHRI KENDRIYA VIDYALAYA DINJAN

Chairman
अध्यक्ष/Chairman
वि.प्र.स. VMC
के वि दिनजान /K.V. Dinjan

(iii)

PM SHRI KENDRIYA VIDYALAYA DINJAN

List of articles recommended for write off under the head in Chemistry lab

CS-49


Name of the items	Quantity	Cost of the items	Date of Purchase	Reduced Price	Life Fixed by KVS	Reason for Condemnation
Burette	10	4000	04-02-2020	200	3 Years	Unserviceable
2 Water Distiller	1	4660.00	08-04-2007	233	5 Years	Broken & unserviceable
3 Crucible Tong	5	67.50	01-07-2003	3.38	5 Years	Broken & unserviceable
4 Bunsen Burner	15	960.00	01-07-1993	48	5 Years	Broken & unserviceable
5 Dropper	14	560.00	04-02-2020	28	5 Years	Broken & unserviceable
6 Watch Glass	10	63.00	29-03-1997	3.15	1 Year	Broken & unserviceable
7 Analytical Balance	10	20000.00	30-03-1994	1000	1 Years	Broken & unserviceable
8 Weight Box	7	3815.00	08-04-2007	190.75	5 Years	Unserviceable
9 Evaporating Dish	5	175.00	11-02-2019	8.75	5 Years	Unserviceable
10 Test Tube Brush Small	5	65.00	27-03-2009	3.25	1 Year	Unserviceable
11 Tripod Stand	17	1275.00	29-03-2006	63.75	3 Years	Unserviceable
12 Beaker (100 ml)	4	380.00	27-03-2009	19	5 Years	Unserviceable
13 Beaker (250 ml)	4	480.00	27-03-2009	24	3 Year	Unserviceable
14 Beaker (500 ml)	3	594.00	27-03-2009	29.7	3 Years	Broken & unserviceable
15 Beaker (1000 ml)	1	250.00	04-02-2020	12.5	3 Years	Unserviceable
16 Conical (250 ml)	3	91.50	08-02-1991	4.575	3 Years	Unserviceable
17 Conical (500 ml)	4	148.00	08-02-1991	7.4	3 Years	Unserviceable
18 Reagent Bottles (250 ml)	10	750.00	27-03-1999	37.5	5 Years	Broken & unserviceable
19 Mortar Pistle	1	280.00	27-03-2009	14	5 Years	Broken & unserviceable
20 Test Tube Holder	24	240.00	01-07-2003	12	3 Years	Broken & unserviceable
		✓ 38854.00				
					1942.70	

1 Certified that is information given in column 2 to 7 is correct.

2 Certified that articles mentioned in column 2 were rendered unserviceable or outdated on account of normal wear & tear and there has been no case willful breakage due to negligence of an official, which requires fixation of responsibility.


3 The report of condemnation board is enclosed.

CERTIFICATE



I/C Of Chemistry Lab

VMC Member

1. 
2. 
3. 



Principal

प्राचार्य - PRINCIPAL
श्रीम. श्री केन्द्रीय विद्यालय दिनजान
PM SHRI KENDRIYA VIDYALAYA DINJAN



Chairman
वि.प्र.स. VMC
के.वि. दिनजान K.V. Dinjan