



18

केन्द्रीय विद्यालय संगठन (मुख्यालय)  
शहीदजील सिंह मार्ग, १८ संस्थागत क्षेत्र,  
नई दिल्ली-११० ०१६

KENDRIYA VIDYALAYA SANGATHAN (HQ)  
18, INSTITUTIONAL AREA, SJS MARG,  
NEW DELHI-110 016  
Ph. 26858570 Fax - 26514179.

फ. नं० 110115-13/2023-के.वि.सं० (मु०)/कार्य-2/1887

दिनांक: 11.09.2024

उपायुक्त,  
केन्द्रीय विद्यालय संगठन,  
क्षेत्रीय कार्यालय, बेंगलोर।

431

30/9/2024

विषय: Revised AA&ES for construction of PM SHRI Single Lab of Size 7x10.60 mt at Kendriya Vidyalaya, listed below.

महोदय,

This is in continuation to KVS(HQ) letter of even dated 15.03.2024 regarding issue of AA&ES for PM SHRI Lab. I am directed to convey the revised Administrative Approval of the Competent Authority KVS for construction of single composite laboratory of 7x10.60 mt. under PM SHRI SCHEME as per details given below.

It is essential that Principal of concerned KV to liaise with the construction agency without delay and communicate the modified AA&ES to expedite the tender process and ensure an early commencement of the work. Construction agency strict adhere the scope of lab communicated earlier by KVS.

Your immediate attention and action on this matter are crucial for maintaining the momentum of the construction of Labs under PMSHRI scheme's implementation. The revised AA&ES for PMSHRI Kendriya Vidyalayas under your jurisdiction are detailed below:

| SL NO. | Region    | KV Code | Agency | KV Name             | Revised Administration Approval (In Rs. ) lakh | Expenditure sanction                                                          |
|--------|-----------|---------|--------|---------------------|------------------------------------------------|-------------------------------------------------------------------------------|
| 1      | Bangalore | 1044    | MES    | ASC Centre          | 31.7                                           | Restricted to Tender amount plus ESI, EPF, applicable taxes and Contingencies |
| 2      | Bangalore | 1050    | MES    | MEG & Centre        | 31.74                                          |                                                                               |
| 3      | Bangalore | 1051    | MES    | No.1 AFS Jalahalli  | 29.38                                          |                                                                               |
| 4      | Bangalore | 1054    | MES    | AFS Yelahanka       | 39.08                                          |                                                                               |
| 5      | Bangalore | 1055    | CPWD   | CRPF Yelahanka      | 39.54                                          |                                                                               |
| 6      | Bangalore | 1057    | MES    | No.2 Belagavi Cantt | 29.43                                          |                                                                               |

के.वी.सं.  
2/2024  
30/09/24  
[Signature]

:2:

|    |           |      |      |                       |       |
|----|-----------|------|------|-----------------------|-------|
| 7  | Bangalore | 1061 | MES  | AFS Bidar             | 30.80 |
| 8  | Bangalore | 1073 | CPWD | Hosapete              | 42.95 |
| 9  | Bangalore | 1074 | CPWD | Dharwad               | 42.83 |
| 10 | Bangalore | 1075 | CPWD | No.1 Hubli            | 43.21 |
| 11 | Bangalore | 1076 | CPWD | No.2 Hubli            | 52.1  |
| 12 | Bangalore | 1085 | CPWD | Raichur               | 61.55 |
| 13 | Bangalore | 1086 | CPWD | Tumkur                | 38.36 |
| 14 | Bangalore | 2116 | CPWD | No.3 Machhe, Balagavi | 50.76 |

An amount released vide letter dated 15.03.2024 will be adjusted in above modified AA&ES. Other terms & conditions mentioned in the aforesaid letter remains unchanged.

भवदीय,

MES - 6  
CPWD - 8  
14/11

*(Signature)*  
11/09/24  
(अमित अवस्थी)

तकनीकी अधिकारी

प्रतिलिपि सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित :

- संयुक्त आयुक्त (प्रशिक्षण), के.वि.सं.(मु.) नई दिल्ली ।
- संबन्धित प्राचार्य, केन्द्रीय विद्यालय
- लेखा अनुभाग को सूचनार्थ हेतु ।
- व्यय नियंत्रण रजिस्टर (ई.सी.आर.) ।
- Concerned EE, CPWD/GE, MES

तकनीकी अधिकारी