



केन्द्रीय माध्यमिक शिक्षा बोर्ड
Central Board of Secondary Education
School Affiliation Re-engineered Automation System 7.0
(SARAS 7.0) (संबद्धता)



Details OF SCHOOL AFFILIATED TO
Central Board of Secondary Education

Details Of The School Filled up AFFILIATION/OASIS	
Name of Institution	PM SHRI KENDRIYA VIDYALAYA
Affiliation Number	2100056
State	UTTAR PRADESH
District	FIROZABAD
Postal Address	(O.E.F) HAZRATPUR FIROZABAD UTTAR PRADESH
Pin Code	283103
Website	https://oefhazaratpur.kvs.ac.in
Year of Foundation	1985
Date of First Opening of School	
Name of Principal/ Head of Institution	SATISH KUMAR SHARMA
Gender	Male
Principal's Educational/Professional Qualifications:	M.SC. BEd M.PHILL
No of Experience (in Years):	
Administrative:	13
Teaching:	28
Status of The School	Senior Secondary Level
School Type	KV
Affiliation Period	From : 01/04/2022 To : 31/03/2027
Name of Trust/ Society/ Managing Committee	KENDRIYA VIDYALAYA SANGATHAN
Remarks, if any	

SELF - CERTIFICATION FORMAT**Category of application : Extension of Affiliation**

We (i) SATISH KUMAR SHARMA (Principal) of the school PM SHRI KENDRIYA VIDYALAYA certify that :

1. The following uploaded documents are genuine and valid
 - * Establishment letter issued by the appropriate authority i.e Kendriya Vidyalaya Sangathan/Navodaya vidyalaya Samiti /Directorate of Education /Education Department:
 - * Approval letter issued by appropriate Govt authority : CBSE
 - * Fire Safety Certificate No.: UPFS/2022/55936/FIR/FIRO
 - * Fire Safety Certificate Issuing Authority : UP FIRE SERVICE
 - * Fire Safety Certificate Expiry Date: 31/08/2026
 - * Date of Application for Fire Safety Certificate: 05/08/2026
 - * Building Safety Certificate No.: IIT032458421
 - * Building Safety Certificate Issuing Authority (Not below the rank of Asstt. Engineer in PWD) : IIT KANPUR
 - * Building Safety Certificate Expiry Date: 30/09/2026
 - * Date of Application for Building Safety Certificate: 05/08/2026
2. The mandatory Public disclosure has been displayed on the school's website and it's link has been filled in the Part A of the affiliation application
3. That we have uploaded/submitted all the self-attested documents/ information on the School's Web-Portal and link in the application and the same are true and genuine.
4. That if any of the information is found to be false, misleading and /or that the fail(s) to disclose all the information and /or suppress any information and /or misrepresent the information, the Board shall also be free to take any action including withdrawal of affiliation

Names and Signature(s) :



Principal

प्रभादी/आचार्य
पीएम श्री केन्द्रीय विद्यालय
आयुध उपस्कर निर्माणी, हज़रतपुर
फ़िरोज़ाबाद - 283103

Date :18/08/2026


Place : FIROZABAD, UTTAR PRADESH

Building Safety - Undertaking

Category of application : Extension of Affiliation

I, SATISH KUMAR SHARMA, Principal of the school PM SHRI KENDRIYA VIDYALAYA do hereby undertake that the school run/applied under regular category is unable to obtain / renew Building Safety Certificate issued from the competent government authority / the empanelled engineers by Municipal Corporations/Development Authorities/PWD/Roads/Building Department etc. of the concerned area till date of application. The school was last inspected for the building safety on : 01/07/2026

I assure that before starting of the regular school/commencement of session the above safety certificate will be obtained and submitted. In the meanwhile whole responsibility of the safety and security of staff and students will be on undersigned. Therefore, being a regular category school it may be provisionally allowed.



Principal Sign :

Principal Name : Satish Kumar Sharma

School Address : Ordnance Equipment Factory, NH-2, Firozabad 283103 (UP)

Date : 19/08/2026

Place : Hapuratpur

Seal :

प्रभारी/प्राचार्य
पीएम श्री केन्द्रीय विद्यालय
आयुध उपकरण निर्माणी, हफ़ास्तपुर
फ़िरोज़ाबाद - 283103

Fire Safety - Undertaking

Category of application : Extension of Affiliation

I, SATISH KUMAR SHARMA, Principal of the school PM SHRI KENDRIYA VIDYALAYA do hereby undertake that the school run/applied under regular category is unable to obtain / renew Fire Safety Certificate issued from the Fire Safety Department of the State Government/ Competent Government Authority eg. Municipal Corporation etc. of the concerned area till date of application. The school was last inspected for the fire safety on : 31/07/2026

I, assure that before starting of the regular school/commencement of session the above safety certificate will be obtained and submitted. In the meanwhile whole responsibility of the safety and security of staff and students will be on undersigned. Therefore, being a regular category school it may be provisionally allowed.



Principal Sign :

Principal Name : *Satish Kumar Sharma*

School Address : *Ordnance equipment factory, NH-2, Firozabad 283103 (UP)*

Date : *19/0/2026*

Place : *Hazratpur*

Seal :

प्रधानी/प्राचार्य
पीएम श्री केन्द्रीय विद्यालय
आयुध उद्योग, निर्मात्री, हज़रतपुर
फ़िरोज़ाबाद



Regional Water Testing Laboratory

Address: 4/4 Sanjay Place U.P. Jal Nigam (Rural) Agra, 282002



TEST REPORT

Report No	UPJN/AGR/26/08/521	Issue Date:	10/08/2026	Page No	1
Remark :	This Sample has been Collected and Submitted to the lab by the customer himself and all information related to the sample ,such as customer details of the sample has been filled in as per as customers' instructions. This Report is only intended to provide a testing report of the Submitted sample and does not claim or take responsibility for any location or Source.				

Customer Details

Office Name and Address	PM SHRI KENDRIYA VIDYALAYA.O.E.F HAZRATPUR & Ordnance Equipment Factory, NH-2, District Firozabad -283103, Uttar Pradesh
-------------------------	--

Ref Letter No & Date	172647/2026-27/K.V./O.E.F.Hazratpur/158 & 07/08/2026
----------------------	--

Basic details of sample

Block/City	Firozabad
Village/city	Firozabad
Location	PM SHRI KENDRIYA VIDYALAYA O.E.F. HAZRATPUR
Sample No.	01
Date of Collection	07/08/2026
S. Collector	Mr.Satish Kumar Sharma
Sampling Method	As per IS 17614: Part 1: 2021
Analysis Completion Date:	08/08/2026

Technical Data of Analysis

S. No.	Analyzed parameters (Unit of Measurement)	Observed Value	Specified Values as per BIS, 10500:2012		Ref. Method of Analysis Joint testing(100-130
			Acceptable Limit	Permissible Limit	
1	2	3	4	5	6
1	pH (@ 25°C)	7.06	6-8.5	6.5-8.5	IS 3025 (Part 11):2022(Electrometric method)
2	Turbidity NTU	0.284	1	5	IS 3025 (Part 10):2023 (Nephelometric Method)
3	Total Dissolved Solid mg/L	109	500	2000	IS 3025 (Pt 16):2023 (Gravimetric Method)
4	Fluoride mg/L	0.642	1	1.5	APHA 24 th Edition 4500-F Method C (Electrode method) 2023
5	Total Hardness mg/L	40	200	600	IS 3025 (Part 21):2023(EDTA Method)
6	Total Alkalinity mg/L	34	200	600	IS 3025 (Part 23):1986 (Potentiometric method)
7	Chloride mg/L	20	250	1000	IS 3025 (Part 32):2025 (Argentometric method)
8	Iron mg/L	Nil	1	1	APHA 24 th Edition 3500-Fe Method B (Phenanthroline Method) 2023
9	Sulphate mg/L	02	200	400	APHA 24 th Edition 4500-SO4 Method E (Turbidity Method) 2023
10	Calcium mg/L	28	75	200	IS 3025 (Part 40):2024(EDTA Titrimetric Method)
11	Magnesium mg/L	2.91	30	100	IS 3025 (Part 46):2023(Volumetric Method)
12	Color (Hazen)	2	5	15	IS3025 Edition(Part 4) Color (Visual Comparison Method)
13	Taste	Agreeable	Agreeable	Agreeable	IS 3025 (PART 08) 2023 (Qualitative Method)
14	Nitrate (mg/l)	Nil	45	45	APHA 24 Edition -4500 NO3 method B (UV Spectrophotometric method:2023)

Note:

1. This Certificate refers only to the particular sample(s) submitted for testing.
2. This certificate shall not be reproduced, except in full, unless written permission for the publication of an approved abstract.
3. The test results reported in this certificate are valid at the time of and under the stated conditions of measurements.
4. Sample will be stored up to 07 days (in case of non-perishable items only) from the date of issue of tests

Prepared by
Ranjana

Authorized Signatory:
(Amita Devi)

End of Report



Analysis Report

Regional Water Testing Laboratory

Address :4/4 Sanjay Place U.P. Jal Nigam(Rural), Agra, 282002

Report No.	Agr/micro/547/2026-27	Issue Date:	10/08/2026		
Remark	This Sample has been Collected and Submitted to the lab by the customer himself and all information related to the sample, such as customer details of the sample has been filled in as per as customers instructions. This Reports is only intended to provide a testing reports of the Submitted sample and does not claim or take responsibility for any location or Source.			Page No	1
Contact Person:	Aditya Kumar Singh	Address:	UPJN Agra	Mob:	8449462628

Customer Details

Office Name and Address	PM SHRI KENDRIYA VIDYALAYA O.E.F. HAZRATPUR & Ordnance Equipment Factory, NH-2, District-Firozabad -283103, Uttar Pradesh
Ref Letter No & Date	172647/2026-27/K.V./O.E.F.Hazratpur/158 & 07/08/2026

Basic details of sample


District	Firozabad	Block/city	Firozabad
Gram Panchayat	-	Village/	-
Habitation	-	Location	PM SHRI KENDRIYA VIDYALAYA O.E.F. HAZRATPUR
Water Source	RO Water	Sample No.	01
Quantity of Sample	1 L	Date of Collection	07/08/2026
Receiving Date	07/08/2026	S. Collector	Mr.Satish Kumar Sharma
Sample Depositor	Mr.Satish Kumar Sharma	Sampling Method	IS 1622 : 1981
Analysis Start Date	07/08/2026	Analysis Completion Date:	08/08/2026

Technical Data of Analysis

S.No	Analyzed parameters	Unit of Measurement	Observed Value	Specified Values as per BIS		Ref. Method of Analysis
				Acceptable Limit	Permissible Limit	
1	2	3	4	5	6	7
1	Total Coliform	CFU/100 ml	00	No Relaxation	No Relaxation	IS 15185:2016
2	E.Coli	CFU/100 ml	00	No Relaxation	No Relaxation	IS 15185:2016

Note

1. This Certificate refers only to the particular sample(s) submitted for testing.
2. This certificate shall not be reproduced, except in full, unless written permission for the publication of an approved abstract.
3. The test results reported in this certificate are valid at the time of and under the stated conditions of measurements.
4. Sample will be stored up to 07 days (in case of non-perishable items only) from the date of issue of tests reports.


Aditya Kumar Singh
(Microbiologist)

Laboratory Contact details :

Email-regionalwatertestinglabagra@gmail.com

SELF - CERTIFICATION FORMAT

Category of application : Extension of Affiliation

We (i) SATISH KUMAR SHARMA (Principal) of the school PM SHRI KENDRIYA VIDYALAYA certify that :

1. The following uploaded documents are genuine and valid
 - * Establishment letter issued by the appropriate authority i.e Kendriya Vidyalaya Sangathan/Navodaya vidyalaya Samiti /Directorate of Education /Education Department:
 - * Approval letter issued by appropriate Govt authority : CBSE
 - * Fire Safety Certificate No.: UPFS/2022/55936/FIR/FIRO
 - * Fire Safety Certificate Issuing Authority : UP FIRE SERVICE
 - * Fire Safety Certificate Expiry Date: 31/08/2026
 - * Date of Application for Fire Safety Certificate: 05/08/2026
 - * Building Safety Certificate No.: IIT032458421
 - * Building Safety Certificate Issuing Authority (Not below the rank of Asstt. Engineer in PWD) : IIT KANPUR
 - * Building Safety Certificate Expiry Date: 30/09/2026
 - * Date of Application for Building Safety Certificate: 05/08/2026
2. The mandatory Public disclosure has been displayed on the school's website and it's link has been filled in the Part A of the affiliation application
3. That we have uploaded/submitted all the self-attested documents/ information on the School's Web-Portal and link in the application and the same are true and genuine.
4. That if any of the information is found to be false, misleading and /or that the fail(s) to disclose all the information and /or suppress any information and /or misrepresent the information, the Board shall also be free to take any action including withdrawal of affiliation

Names and Signature(s) :



Principal

प्रधान/प्राचार्य

पीएम श्री केन्द्रीय विद्यालय

आयुव उपस्कर विर्माजी, हज़रतपुर

फिरोजाबाद - 283103

Date :18/08/2026

Place : FIROZABAD, UTTAR PRADESH