

**केंद्रीय विद्यालय, बंगलुरु संभाग**  
**KENDRIYA VIDYALAYA SANGATHAN, BENGALURU REGION**

**प्रथम प्री-बोर्ड परीक्षा २०२४-२५**  
**FIRST PRE-BOARD EXAMINATION (2024-25)**

**MARKING SCHEME**

**CLASS : X**

**MAX MARKS :80**

**SUBJECT: MATHEMATICS (STANDARD -041)**

**TIME : 3 hrs.**

**Note : Any alternative methods to be awarded equal marks.**

Q No	SECTION - A	Marks
1	(b) both negative	1
2	(b) inconsistent	1
3	(c) $126^\circ$	1
4	(c) $\sqrt{162}$	1
5	(d) 16 : 9	1
6	(b) 17/12	1
7	(a) 5	1
8	(b) 2	1
9	(b) 30-40	1
10	(a) $30^\circ$	1
11	(c) real and distinct	1
12	(b) $3/2$	1
13	(c) $\frac{1}{3}\pi r^2(2r+h)$ cm <sup>3</sup>	1
14	(c) 7/17	1
15	(a) -12	1
16	(d) 7.51	1
17	(a) 9	1
18	(d) 1/7	1
19	(a)	1
20	(b)	1
	<b>SECTION - B</b>	
21	$96 = 2 \times 2 \times 2 \times 2 \times 2 \times 3$ $404 = 2 \times 2 \times 101$ HCF = 4 LCM = 9696 OR HCF(65,117) = 13 ATQ $65m - 117 = 13$ $m = 2$	1 0.5 0.5 1 1
22	(i) $\frac{5}{17}$ (ii) $\frac{13}{17}$	1+1



	<p>In <math>\triangle ABC</math>, <math>AB^2 = AC^2 + BC^2</math> (By Pythagoras theorem)  <math>AB^2 = 25 + 144 = 169</math>  <math>AB = 13\text{cm}</math>  <math>\frac{AB}{AD} = \frac{BC}{DE} = \frac{AC}{AE}</math>  <math>\frac{13}{3} = \frac{12}{DE} = \frac{5}{AE} \Rightarrow DE = \frac{36}{13}</math> and <math>AE = \frac{15}{13}</math></p>	<p>1/2 1/2 1</p>
27	<p>Let one number be <math>x</math> and another number <math>(34 - x)</math>  ATQ <math>(x - 3)(34 - x + 2) = 260</math>  Solving and getting the quadratic equation  <math>x^2 - 39x + 368 = 0</math>  <math>(x - 16)(x - 23) = 0</math>  <math>\Rightarrow x = 16, 23</math>  If one number is 16, then another number = <math>34 - 16 = 18</math>  If one number is 23, then another number = <math>34 - 23 = 11</math></p>	<p>1 1 1</p>
28	<p><math>6y^2 - 7y + 2</math>  <math>\alpha + \beta = \frac{7}{6}</math>  <math>\alpha\beta = \frac{2}{6} = \frac{1}{3}</math>  <math>\frac{1}{\alpha} + \frac{1}{\beta} = \frac{\alpha + \beta}{\alpha\beta} = \frac{7}{2}</math>  <math>\frac{1}{\alpha} \times \frac{1}{\beta} = \frac{1}{\alpha\beta} = 3</math>  Quadratic polynomial is  <math>y^2 - \frac{7}{2}y + 3</math> or <math>2y^2 - 7y + 6</math></p>	<p>1 1 1</p>
29	<p>R.H.S. = <math>x^2 + y^2</math>  = <math>(a \cos \theta - b \sin \theta)^2 + (a \sin \theta + b \cos \theta)^2</math>  = <math>a^2 \cos^2 \theta + b^2 \sin^2 \theta - 2ab \cos \theta \sin \theta + a^2 \sin^2 \theta + b^2 \cos^2 \theta + 2ab \sin \theta \cos \theta</math>  = <math>a^2(\cos^2 \theta + \sin^2 \theta) + b^2(\sin^2 \theta + \cos^2 \theta)</math>  = <math>a^2 + b^2 = \text{L.H.S.} \dots [\because \cos^2 \theta + \sin^2 \theta = 1]</math></p>	<p>1 1 1</p>
30	<p>Area of sector = <math>\frac{\theta}{360} \times \pi r^2</math>  Area of the segment = Area of the sector - Area of the corresponding <math>\Delta</math>  Here, radius, <math>r = 15 \text{ cm}</math>, <math>\theta = 60^\circ</math>  AB is the chord that subtends <math>60^\circ</math> angle at the</p>	

$$\begin{aligned} \text{Area of the sector} &= \theta/360^\circ \times \pi r^2 \\ &= 60^\circ/360^\circ \times 3.14 \times 15 \times 15 \text{ cm}^2 \\ &= 117.75 \text{ cm}^2 \end{aligned}$$

1

In  $\triangle AOB$ ,

$$OA = OB = r$$

$\angle OBA = \angle OAB$  (Angles opposite to the equal sides in a triangle are equal)

$$\angle AOB + \angle OBA + \angle OAB = 180^\circ$$

$$60^\circ + \angle OAB + \angle OAB = 180^\circ$$

$$2 \angle OAB = 120^\circ$$

$$\angle OAB = 60^\circ$$

$\therefore \triangle AOB$  is an equilateral triangle because all its angles are equal.

$$\Rightarrow AB = OA = OB = r$$

$$\text{Area of } \triangle AOB = \frac{\sqrt{3}}{4} \times (\text{side})^2$$

$$= \frac{\sqrt{3}}{4} r^2$$

$$= \frac{\sqrt{3}}{4} \times (15 \text{ cm})^2$$

$$= \frac{1.73}{4} \times 225 \text{ cm}^2$$

$$= 97.3125 \text{ cm}^2$$

1

(i) Area of minor segment APB = Area of sector - Area of  $\triangle AOB$

$$= 117.75 \text{ cm}^2 - 97.3125 \text{ cm}^2$$

$$= 20.4375 \text{ cm}^2$$

1

OR

Total length of wire required will be the length of 5 diameters and the circumference of the brooch.

$$\frac{35}{2} \text{ mm}$$

$$\text{Radius of circle} = \frac{35}{2}$$

$$\text{Circumference of brooch} = 2\pi r$$

$$= 2 \times \frac{22}{7} \times \left(\frac{35}{2}\right)$$


$$= 110 \text{ mm}$$

$$\text{Length of wire required} = 110 + 5 \times 35$$

$$= 110 + 175 = 285 \text{ mm}$$

1.5

It can be observed from the figure that each of 10 sectors of the circle is subtending  $36^\circ$  at the centre of the circle.




$$\text{Therefore, area of each sector} = \frac{36^\circ}{360^\circ} \times \pi r^2$$



34

Correct figure

In the figure, let C be the position of the observer (the girl). A and P are two positions of the balloon. CD is the horizontal line from the eyes of the (observer) girl. Here  $PD = AB = 88.2 \text{ m} - 1.2 \text{ m} = 87 \text{ m}$



$$\text{In rt } \triangle ABC, \frac{AB}{BC} = \tan 60^\circ$$

$$\frac{87}{BC} = \sqrt{3}$$

$$BC = \frac{87}{\sqrt{3}}$$

$$\text{In rt } \triangle PDC, \frac{PD}{CD} = \tan 30^\circ$$

$$\frac{87}{CD} = \frac{1}{\sqrt{3}}$$

$$CD = 87\sqrt{3}$$

$$BD = CD - CB = 87\sqrt{3} - \frac{87}{\sqrt{3}} = 58\sqrt{3} = 58 \times 1.732 = 100.46 \text{ m}$$

Hence distance travelled by the balloon is 100.46m

35

Finding correct cf column

$$x + y + 61 = 100$$

$$\Rightarrow x + y = 39$$

$$\text{Given data, } n = 100 \Rightarrow \frac{n}{2} = 50$$

$$\text{Median} = 868$$

$$cf = 21 + x$$

$$\text{Lower Limit (l)} = 860$$

$$f = 25 \text{ and } h = 20$$

$$\text{Median} = l + \left( \frac{\frac{n}{2} - cf}{f} \right) \times h$$

Substituting the values and getting  $x = 19$

$$\text{Also } x + y = 39$$

substituting the value of  $x$  and getting  $y = 20$

$$\text{Hence } x = 19 \text{ and } y = 20$$

OR

Weight (in kgs)	No of students
-----------------	----------------

		Below 40	3			
		40-42	2		1	
		42-44	4			
		44-46	5		1	
		46-48	14			
		48-50	3			
		50-52	4			
		<p>Maximum frequency is 14, Modal class is 46-48  Lower limit (l) = 46, <math>f_1 = 14</math>, <math>f_0 = 5</math>, <math>f_2 = 3</math> <math>h = 2</math></p> $\text{Mode} = l + \frac{f_1 - f_0}{2f_1 - f_0 - f_2} \times h$ <p>Substituting the given values in the above formula and getting answer  = 46.9 kg</p>				1 1 1
<b>SECTION - E</b>						
36	(a) 133 (b) 128 (c) 1365 <b>OR</b> 952				1 1 2	
37	(a) $150^\circ$ (b) $75^\circ$ . (c) $75^\circ$ <b>OR</b> $180^\circ$				1 1 2	
38	(i) $15\text{cm} \times 10\text{cm} \times 3.5\text{cm} = 525\text{cm}^3$ (ii) $\frac{1}{3} \times \frac{22}{7} \times 0.5 \times 0.5 \times 1.4 = 0.37\text{cm}^3$ (app) (iii) $525 - 1.48 = 523.52\text{cm}^3$ (app) <b>[OR]</b> TSA = $2(lb + bh + hl)$ = $2(15 \times 10 + 10 \times 3.5 + 15 \times 3.5)$ = $475\text{cm}^2$				1 1 2	