

पाराशय 1

Appendix-1A

CERTIFICATE OF REGISTRATION UNDER SOCIETIES REGISTRATION ACT XXI OF 1860 (PUNJAB AMENDMENT) ACT 1957 AS EXTENDED TO THE UNION TERRITORY OF DELHI.

No. 5,2884 of 1965 -1966 .

I hereby certify that \*CENTRAL SCHOOLS ORGANIZATION\* has this day been registered under the Societies Registration Act XXI of 1860 (Punjab Amendment) Act 1957, as extended to the Union Territory of Delhi.

Given under my hand at DELHI

this 15th day of DECEMBER

One thousand nine hundred and SIXTY FIVE.

Fee Rs. 50.00 paid.



Handwritten signature and stamp of the Registrar of Societies, Delhi, dated 15/12/65.

Handwritten notes in blue ink: 'Mr. K.D. Bhogal', 'for n.a.', 'Munir Jafar', and '22/12/65'.

No. S/2984/167

Dated 15-12-1965

From The Registrar of Societies, Old Secretariat, Delhi.

To Shri S.N. Dutt, Under Secy., Central School Union, Room No. 36, N-Block, Ministry of Education, N. Delhi.

Reg: \*CENTRAL SCHOOLS ORGANIZATION\*

Dear Sir,

I am enclosing herewith the certificate of registration of your society named above. Please acknowledge receipt.

Handwritten acknowledgment: 'Acknowledged', 'Date 13/12', and 'Encl: One Certificate'.

Handwritten signature and stamp of the Registrar of Societies, Delhi, dated 13/12/65.

\*BHINGRA\*

पत्रांक.....121...../ दिनांक- 08/02/2021

प्रेषक,

अग्निशामालय पदाधिकारी,  
कटिहार ।

सेवा में,

प्रधानाध्यापक,  
केन्द्रीय विद्यालय  
लंगड़ा गान, साहेब पाड़ा, कटिहार

**विषय :- आग से सुरक्षा एवं बचाव हेतु किये गये व्यवस्थाओं के जाँच के संबंध में ।**

प्रसंग:- आपका अनुरोध पत्र 00 दिनांक-06.02.2021

महाशय,

उपयुक्त विषयक प्रासंगिक अनुरोध पत्र के आलोक में केन्द्रीय विद्यालय, लंगड़ा गान, साहेब पाड़ा, कटिहार में आग से सुरक्षा एवं बचाव हेतु अधिष्ठापित किये गये अग्निशमन यंत्रों/व्यवस्थाओं को जाँच किया गया जो, इस प्रकार है :-

1	कार्यालय कक्ष	डी० सी० पी० फायर स्टींगवीशर	5 किलो का	1 अदद
2	सभा कक्ष	डी० सी० पी० फायर स्टींगवीशर	5 किलो का	2 अदद
3	प्रति लैब	डी० सी० पी० फायर स्टींगवीशर	5 किलो का	1 अदद
4	भूतल	डी० सी० पी० फायर स्टींगवीशर	5 किलो का	5 अदद
5	प्रथम तल	डी० सी० पी० फायर स्टींगवीशर	4.5 किलो का	6 अदद
6	कम्प्युटर कक्ष	सी० ओ० <sub>2</sub> फायर स्टींगवीशर	9 किलो का	3 अदद
7	पुस्तकालय	वाटर सी० ओ० <sub>2</sub> फायर स्टींगवीशर	10 लिटर का	1 अदद
8	जैनरेटर कक्ष	फ़ोम फायर स्टींगवीशर	9 किलो का	1 अदद
9	ओभर हेड पानी टंकी भल्वयुक्त	.....	1000 लिटर का	5 अदद
10	भूतल बरामदा	सूखे बालू से भरी बाल्टियाँ	5 लिटर का	6 अदद

उपरोक्त सभी अग्निशमन यंत्र (पोर्टेबल फायर स्टींगवीशर) नवीकृत है, जिसका नवीनीकरण अवधि 05.02.2022 तक है तथा सही हालत में समुचित स्थानों पर संस्थापित पाया गया । पोर्टेबल फायर स्टींगवीशर के संधारण एवं आकस्मिक अग्निकाण्डों के समय उपयोग करने के विधि की जानकारियाँ विद्यालय प्रबंधन से जुड़े कर्मचारियों को सांकेतिक रूप से दिया गया तथा समय-समय पर फायर मॉक ड्रिल करने का भी सुझाव दिया गया । उचित रख-रखाव के अभाव में अग्निशमन यंत्र निष्क्रिय हो सकते हैं, जिसकी पूर्ण जिम्मेवारी विद्यालय प्रबंधन की होगी । प्रत्येक वर्ष स-समय नवीनीकरण के पश्चात अग्निशमन कार्यालय जाँच प्रमाण पत्र प्राप्त करना आवश्यक होगा । अन्य व्यवस्था **राष्ट्रीय भवन निर्माण संहिता के खण्ड -iv** में वर्णित अग्निकाण्ड सुरक्षा के प्रावधानों को अनुपालन करना आवश्यक होगा । प्रत्येक तल पर "नो-स्मोकिंग" का तथा फायर स्टेशन कटिहार का टेलिफोन नं०-242200/101 का बोर्ड लगाना आवश्यक है ।

अभी केन्द्रीय विद्यालय, लंगड़ा गान, साहेब पाड़ा, कटिहार में आग से सुरक्षा एवं बचाव के लिए किये गये व्यवस्था संतोषजनक है । इन्हें अग्रतर कार्य हेतु अगले नवीनीकरण अवधि तक अग्नि सुरक्षा प्रमाण पत्र निर्गत किया जाता है ।

विश्वासभाजन

अग्निशामालय पदाधिकारी  
कटिहार  
Fire Station Officer  
Katihar

N.F.Railway

Office of the  
ADEN/II/KIR  
Date: 17.06.2015


No. WG/2/K.Vidyalaya

To  
The Principal  
Kendriya Vidyalaya, katihar

Sub : Safety & Security of School building – regarding.  
Ref : Your L/No. 1-43/KV/KTR/2015-16/179 dt. 16.06.2015

In reference to your above subjected letter I have personally inspected that the structural condition of building is fit for running school, but the toilets, classrooms etc. needs minor repair. Some cracks have developed in between roof slab & chajja, Chajja over windows are broken in some places which required dismantling and further construction. Painting is also necessary for better aesthetic look except asbestos sheet roof building is not fit for running school.

Copy to:-  
(1) DEN/IV/KIR- For kind information please.

  
ADEN/II/KIR  
N.F. Railway  
पू. सी. रेलवे, कटिहार  
Assistant Div. Engineer- II  
N. F. Rly. / Katihar

ADEN/II/KIR  
N.F.Railway

**The Principal,**

**KENDRIYA VIDYALAYA SAHEB PARA KATIHAR BIHAR**

**KENDRIYA VIDYALAYA, LAHGRABAGAM, SAHEB PARA**

**BIHAR, KATIHAR, 854105**

**(M: 06452-231397)**

**SUBJECT: -Extension of Regular Affiliation up to Secondary/Senior Secondary Level.**

This is with reference to school application on the subject cited above. In this connection, it is to intimate that in view of current COVID-19 pandemic which has severely affected the normal functioning of schools in the country, however, the school is pursuing to provide extension of affiliation so as to avoid any difficulty for the purpose of admission/ registration/ obtaining loan/ renewal of various safety certificates from appropriate state authorities.

Therefore, the Board after due consideration has accorded one time relaxation for extension of affiliation based on details/ data submitted by school in online application for further period of 05 years as per details given below:-

<b>Affiliation No used as User ID for both OASIS and LOC/Registration System</b>	<b>300018</b>
<b>School No</b>	69018
<b>Affiliated for</b>	Extension of Regular Affiliation
<b>Category</b>	Extension of Affiliation
<b>Period of affiliation</b>	01.04.2022 to 31.03.2027

The above sanction is subject to fulfillment of following conditions:-

1. The approval is based upon the documents /data/information uploaded by the school online. The school will be responsible for its genuineness. In case of any discrepancies, necessary action will be initiated against the school as per Affiliation Bye -Laws-2018.
2. The school will follow the RTE Act, 2009 and instructions issued thereon by the CBSE/Respective State /UT Govt. from time to time. The school will also abide by the conditions prescribed, if any, by the State Government concerned.
3. The School is required to apply on online for extension of affiliation along with the requisite fee and other documents as per Rule 10.3 of Affiliation Bye Laws.
4. The school should go through the provision of Affiliation and Examination Bye Laws and subsequent amendment therein as well as circulars and guidelines /instructions issued by the Board time to time and keep a copy there of for reference purpose and is also advised to regularly visit CBSE websites i.e., <http://cbseacademic.nic.in/> & <http://cbse.nic.in/> for updates.
5. The school to renew mandatory certificates from time to time.
6. The school shall be solely responsible for any legal consequences arising out of the use of school name/logo/society/trust or any other identity /activity related to running of school affiliated to CBSE. All legal expenses incurred by the Board, if any, arising out of these circumstances, shall be borne by the school.
7. The school should go through the Circular No. 13/2021 dated 27.07.2021 for strict compliance.  
**"The school shall possess valid fire safety certificate and Building safety certificate during functioning of the school which shall be renewed from time to time as per norms".**

**DEPUTY SECRETARY/JOINT SECRETARY (AFF.)**

## ENROLMENT TABLE


SN	Location of School	Campus area	Affiliation Allowed	Optimum No. of Sections (From classes I/VI to X/XII)
A	Areas/Cities mentioned in clause 3.6	1600 sqm	Up to Class-X only	10
B	Areas/Cities mentioned in clause 3.6	2400 sqm	Up to Class-XII	24
C	Areas/Cities mentioned in clause 3.6	3200 sqm	Up to Class-XII	28
D	Class-X Cities (Clauses 3.5) and Areas mentioned in clause 3.7	2000 sqm	Up to Class-X only	10
E	Class-X Cities (Clauses 3.5) and Areas mentioned in clause 3.7	3000 sqm	Up to Class-XII	24
F	Class-X Cities (Clause 3.5) and Areas mentioned in clause 3.7 and Areas/Cities mentioned in clause 3.4	4000 sqm	Up to Class-XII	28
G	Pan India (Clause 3.3)	6000 sqm	Up to Class-XII	38
H	Pan India (Clause 3.2)	8000 sqm	Up to Class-XII	48
I	Pan India (Clause 3.2)	>8000 sqm	<b>Up to Class-XII</b> The number of sections shall be restricted in accordance with 'H' above with land requirement unit scaled down to 2000 square meters i.e. 12 sections for every 2000 square meter additional land.	
· The total number of sections taken together for classes XI and XII should not be more than 1/3 of optimum number of section allowed on the basis of land holding for any school.				
· The number of sections and students shall be restricted as per the actual facilities in the school.				
· For class rooms of size less than 500 sq feet the enrolment shall be 0.08 X size of class rooms in sq feet				

**Important Notes : NA**

### SELF - CERTIFICATION FORMAT

#### Category of application : Extension of Affiliation

We (i) Dr Anand Prakash (Principal) of the school KENDRIYA VIDYALAYA SAHEB PARA KATIHAR BIHAR certify that :

1.	The following uploaded documents are genuine and valid
*	Establishment letter issued by the appropriate authority i.e Kendriya Vidyalaya Sangathan/Navodaya vidyalaya Samiti /Directorate of Education /Education Department:
*	Approval letter issued by appropriate Govt authority : DEPUTY COMMISSIONER RO PATNA
*	Fire Safety Certificate No.: 121
*	Fire Safety Certificate Issuing Authority : FIRE OFFICER KATIHAR
*	Fire Safety Certificate Expiry Date: 05/02/2022
*	Building Safety Certificate No.: WG/2/K .VIDYALAYA
*	Building Safety Certificate Issuing Authority : ADEN NF RAILWAY KATIHAR
*	Building Safety Certificate Expiry Date: 31/03/2025
2.	The mandatory Public disclosure has been displayed on the school's website and it's link has been filled in the Part A of the affiliation application
3.	That we have uploaded/submitted all the self-attested documents/ information on the School's Web-Portal and link in the application and the same are true and genuine.
4.	That if any of the information is found to be false, misleading and /or that the fail(s) to disclose all the information and /or suppress any information and /or misrepresent the information, the Board shall also be free to take any action including withdrawal of affiliation
Names and Signature(s): <i>Dr. S. N. Singh, PGT (Eco.) cum Sr. Mast Teacher</i>	
 Principal	<i>30/7/21</i>
<b>प्राचार्य</b> <b>Principal</b> <b>के० वि० कटिहार</b> <b>K. V. KATIHAR</b>	
Date :30/07/2021	Place : KATIHAR , BIHAR