

MANDATORY PUBLIC DISCLOSURE

A. GENERAL INFORMATION

SL No.	INFORMATION	DETAILS
1	NAME OF THE SCHOOL	PM SHRI KENDRIYA VIDYALAYA NO.3, SAGAR
2	AFFILIATION NO (IF APPLICABLE)	1000079
3	SCHOOL CODE	54139
4	COMPLETE ADDRESS WITH PIN CODE	PM SHRI KENDRIYA VIDYALAYA NO.3 SAGAR, NEAR KISHORE NYALAYA RAJGHAT ROAD SAGAR 470002
5	PRINCIPAL NAME & QUALIFICATION	DHARMENDRA BHARADWAJ
6	SCHOOL EMAIL ID	sagar3kv@gmail.com
7	CONTACT DETAILS	075822 98235

B. DOCUMENTS AND INFORMATION

SL N O.	DOCUMENTS/INFORMATION	UPLOAD DOCUMENTS
1	COPIES OF AFILIATION/UPGRADATION LETTER AND RECENT EXTENSION OF AFFILIATION, ID ANY	Click here to See
2	COPIES OF SOCIETIES/TRUST/COMPANY REGISTRATION/RENEWAL CERTIFICATE, AS APPLICABLE	Click here to See
3	COPY OF NO OBJECTION CERTIFICATE (NOC) ISSUED, IF APPLICABLE BY THE STATE GOVT/UT	NA
4	COPY OF VALID BUILDING SAFETY CERTIFICATE AS PER THE NATIONAL BUILDING CODE	Click here to See
5	COPY OF VALID FIRE SAFETY CERTIFICATE ISSUED BY THE COMPETENT AUTHORITY	Click here to See
6	COPIES OF VALID WATER, HEALTH AND SANITATION CERTIFICATE	Click here to See

C. RESULT AND ACADEMICS

SL NO.	DOCUMENTS/INFORMATION	UPLOAD DOCUMENTS
1	FEE STRUCTURE OF THE SCHOOL	https://kvsangathan.nic.in/kvs-fee-structure/

2	ANNUAL ACADEMIC CALENDER	Click Here →
3	LIST OF SCHOOL MANAGEMENT COMMITTEE (SMC)	Click here to see
4	LIST OF PARENTS TEACHERS ASSOCIATION (PTA) MEMBERS	Click to See
5	LIST OF THREE-YEAR RESULT OF THE BOARD EXAMINATION AS PER APPLICABILITY	Click to See

RESULT

CLASS: X

S.NO.	YEAR	NO. OF REGISTERED STUDENTS	NO. OF STUDENTS PASSED	PASS PERCENTAGE	REMARKS
1	2025-26	67	67	100	
2	2024-25	75	74	98.6	
3	2023-24	58	58	100	

RESULT CLASS: XII

S.NO.	YEAR	NO. OF REGISTERED STUDENTS	NO. OF STUDENTS PASSED	PASS PERCENTAGE	REMARKS
1	2025-26	47	47	100	
2	2024-25	58	58	100	
3	2023-24	57	57	100	

D. STAFF (TEACHING)

S.NO.	INFORMATION	DETAILS
1	PRINCIPAL	01
2	TOTAL NO. OF TEACHERS	35
	○ PGT	9
	○ TGT	12
	○ PRT	11
3	TEACHERS SECTION RATIO	1:2
4	DETAILS OF SPECIAL EDUCATOR	1
5	DETAILS OF COUNCELLOR AND WELLNESS TEACHER	1

E. SCHOOL INFRASTRUCTURE

S.NO.	INFORMATION	
1	TOTAL CAMPUS AREA OF THE SCHOOL (IN SQUARE MTR)	60702.8
2	NO AND SIZE OF THE CLASS ROOMS (IN SQ MTR)	Rooms-25, Size-10x7
3	NO. AND SIZE OF LABORATORIES INCLUDING COMPUTER LABS (IN SQ MTR)	Lab-7, Size-10x7
4	INTERNET FACILITY (Y/N)	Yes
5	NO. OF GIRLS TOILETS	16
6	NO. OF BOYS TOILETS	16
7	LINK OF YOUTUBE VIDEO OF THE INSPECTION OF SCHOOL COVERING THE INFRASTRUCTURE OF THE SCHOOL	https://youtu.be/USbQTl4zEzk?feature=shared

AFILIATION

16/07/2024, 10:32

about:blank

NO : CBSE/1000079/EX-90043-2324/2023-24/

Dated: 08/12/2022

The Principal,
PM SHRI KENDRIYA VIDYALAYA NO. 3 GOPAL GANJ SAGAR MP
MLB CAMPUS BTI HOSTAL, GOPAL GANJ SAGAR
MADHYA PRADESH, SAGAR, 470002
(M: 07582-298235)

SUBJECT: -Extension of Regular Affiliation up to Senior Secondary Level.

This is with reference to school application on the subject cited above. In this connection, I am directed to convey the approval of the Board for Extension of General Affiliation as per details given below:-

Affiliation No used as User ID for both OASIS and LOC/Registration System	1000079
School No	54139
Affiliated for	Extension of Regular Affiliation
Category	Extension of Affiliation
Period of affiliation	01.04.2023 to 31.03.2028

The above sanction is subject to fulfillment of following conditions:-

1. The approval is based upon the documents /data/information uploaded by the school online. The school will be responsible for its genuineness. In case of any discrepancies, necessary action will be initiated against the school as per Affiliation Bye -Laws-2018.
2. The school will follow the RTE Act, 2009 and instructions issued thereon by the CBSE/Respective State /UT Govt. from time to time. The school will also abide by the conditions prescribed, if any, by the State Government concerned.
3. The School is required to apply on online for extension of affiliation along with the requisite fee and other documents as per Rule 10.3 of Affiliation Bye Laws.
4. The school should go through the provision of Affiliation and Examination Bye Laws and subsequent amendment therein as well as circulars and guidelines /instructions issued by the Board time to time and keep a copy there of for reference purpose and is also advised to regularly visit CBSE websites i.e., <http://cbseacademic.nic.in/> & <http://cbse.nic.in/> for updates.
5. The school is required to renew mandatory certificates from time to time.
6. The school shall be solely responsible for any legal consequences arising out of the use of school name/logo/society/trust or any other identity /activity related to running of school affiliated to CBSE. All legal expenses incurred by the Board, if any, arising out of these circumstances, shall be borne by the school.

“The school shall possess valid fire safety certificate and Building safety certificate during functioning of the school which shall be renewed from time to time as per norms”.

DEPUTY SECRETARY/JOINT SECRETARY (AFF.)

ENROLMENT TABLE

SN	Location of School	Campus area	Affiliation Allowed	Optimum No. of Sections (From classes I/VI to X/XII)
----	--------------------	-------------	---------------------	---

about:blank

1/2

Building Safety

भारत सरकार
कार्यालय सहायक अभियन्ता
सागर केन्द्रीय उपमण्डल,
केलोनिवि सागर



Government of India
O/o Assistant Engineer
Sagar Central Sub Division,
CPWD, Sagar (470003)

दूरभाष-07582-221290 (फैक्स)

Email- Subdivision2sagar@gmail.com

क्रमांक : 23(KV-03)/स.अ./साकेउम/2026-27/Sagar/305

दिनांक:-15/07/26

प्रति,

प्राचार्य महोदय
केन्द्रीय विद्यालय क्रमांक-03
सागर

सन्दर्भ:- आपका पत्र क्रमांक- F.1-4/KV3/Sagar/2026-27/46 Date- 24.04.2026

विषय:- विद्यालय भवन,स्टाफ क्वार्टर एवं चार दीवारी के सुरक्षा प्रमाण पत्र के संबंध में।

महोदय,

उपरोक्त विषय में संदर्भित पत्र के तारतम्य में अधोहस्ताक्षरी द्वारा केन्द्रीय विद्यालय क्रमांक-03 एवं चाहर दीवारी का निरीक्षण दिनांक 25.04.2026 को कर लिया गया है। निरीक्षण के पश्चात प्रमाणित किया जाता है कि विद्यालय भवन निरीक्षण के दिन संरचनात्मक रूप से सुदृढ़ एवं पूर्णतः सुरक्षित पाया गया।


सहायक अभियन्ता
केलोनिवि सागर


प्रतिलिपि:- कार्यपालक अभियन्ता-2 केलोनिवि भोपाल को सूचनार्थ।

सहायक अभियन्ता

Fire Safety

GSTIN - 23DLCPK6658C1Z9

Reg. No.: MP-39-0001454



M/s VIJAY FIRE TRADERS

DEALER AND SERVICE OF FIRE EXTINGUISHER

Our Service : Fire Protection Services & Other Petrol Pump Related Spare Parts

Near Bhuteshwar Mandir, Motinagar Road,
Sant Ravidas Ward, Sagar 470 002 (M.P.)

Mob. : 8120230800, 7566511527, 8839788714



CERTIFICATE

Date ..02-02-26..

Customers Name : ..पी एम श्री केंद्रीय विद्यालय क्र.3..

Address : ..राजघाट रोड सागर..

Subject : REFILING OF FIRE EXTINGUISHER

This is certified M/s. Vijay Fire Traders

- 1) DRY CHEMICAL POWDER TYPE FIRE EXTINGUISHER D.C.P.

1 KG	2 KG	5 KG	10 KG	25 KG	50 KG
QTY	QTY	QTY	QTY	QTY	QTY

- 2) Co₂ GAS TYPE FIRE EXTINGUISHER

2 KG	3.2 KG	4.5 KG	09 KG	22 KG
QTY 02	QTY	QTY 10	QTY	QTY

- 3) WATER Co₂ TYPE FIRE EXTINGUISHER

2 LTR	9 LTR	50 LTR		
QTY	QTY	QTY	QTY	QTY

- 4) FORM TYPE FIRE EXTINGUISHER

6 KG	9 KG	50 KG		
QTY	QTY	QTY	QTY	QTY

- 5) ABC STORED TYPE FIRE EXTINGUISHER

1 KG	2 KG	4 KG	5 KG	6 KG	9 KG
QTY	QTY	QTY	QTY	QTY 14	QTY

At your premises refilling of fire Extinguisher Date on ..02-02-26..

The validity of New Refilling Date ..01-02-27.. After that in Regarded.

M/s. Vijay Fire Traders
Sant Ravidas Ward
Near Bhuteshwar Mandir
Motinagar Road, Sagar (M.P.)
AUTHORIZED SIGNATURE

For : M/S. VIJAY FIRE TRADERS

KVS Society Registration

4/10/1965

CERTIFICATE OF REGISTRATION UNDER SOCIETIES REGISTRATION
ACT XXI OF 1960 (PUNJAB AMENDMENT) ACT 1957
AS EXTENDED TO THE UNION TERRITORY OF
D E L H I.

Appendix-1A

No. S.2884 of 1965 -1966 .

I hereby certify that *CENTRAL SCHOOLS

ORGANIZATION*

has this day been registered under the Societies Registration
Act XXI of 1960 (Punjab Amendment) Act 1957, as extended to the
Union Territory of Delhi.

Given under my hand at DELHI

this 15th day of DECEMBER

One thousand nine hundred and SIXTY FIVE

Fee Rs. 50.00 paid.



DHINGRA

(SUNENDU KISHORE)
REGISTRAR OF SOCIETIES
D E L H I.

No. S/2884/167

Dated 15-12-1965

From

The Registrar of Societies,
Old Secretariat,
Delhi.

To

Shri S.N. Dutt, Under Secy.,
Central School Unit,
Room No. 36, E-Block,
Ministry of Education, N.D.H.

Re: * CENTRAL SCHOOLS ORGANIZATION *

Dear Sir,

I am enclosing herewith the certificate of registration
of your society named above. Please acknowledge receipt.

Acknowledged recd.
J.K.
12/12

Encl: One Certificate.

DHINGRA

(SUNENDU KISHORE)
REGISTRAR OF SOCIETIES
D E L H I.

[illegible]



केन्द्रीय विद्यालय संगठन

केन्द्रीय विद्यालय संगठन, क्षेत्रीय कार्यालय, जबलपुर

Kendriya Vidyalaya Sangathan, Regional Office, Jabalpur

शिक्षा मंत्रालय, भारत सरकार

Ministry of Education, Govt. of India

जी.सी.एफ.इस्टेट, साइंस कॉलेज के पीछे, जबलपुर- 482011 (म.प्र.)

GCF Estate, Behind Science College, Jabalpur-482011 (MP)

ई-पेन/Email: ro-jabalpur@kvs.gov.in; वेबसाइट/Website: https://rojabalpur.kvs.gov.in

दूरभाष/Telephone: उपायुक्त/Deputy Commissioner 0761-2678391(0), स.आ./प.अ./वि.अ. AC/AO/EO-2678390

फा.क्र.22082/2023-24/के.वि.सं.(छे.का.)जबलपुर/प्रशा. 908 - 910

दिनांक: 01.04.2024

(द्वारा ई-मेल से एवरेट डाक)

कार्यालय आदेश

केन्द्रीय विद्यालय क्र.3 सागर के पत्र दिनांकित 20.03.2024 के अलावा में अधोस्तराक्षरी द्वारा केन्द्रीय विद्यालय क्र.3 सागर की विद्यालय प्रबंधन समिति के पुनर्गठन की स्वीकृति दिनांक 01.01.2024 से दिनांक 31.03.2027 तक की अवधि के लिए प्रदान की जाती है, जिसमें निम्नलिखित सदस्य सम्मिलित हैं:

क्र.सं.	वि.प्र.सं. में पद	नाम	पद एवं पता
1	2	3	4
1	Chairman	Shri. Deepak Arya	Collector, Sagar
2	Chairman's Nominee	Shri Rupesh Upadhyay	Adtl. Collector, Sagar
3	VMC Member (Eminent Educationist)	Dr. Neha Niranjana	Professor Pol Science, Dr. H.S.Gour Mahavidyalaya, Sagar
4	VMC Member (Eminent Educationist)	Dr. Nisha Indra	Professor English, govt. Girls College, Sagar
5	VMC Member (Eminent person in the field of culture)	Shri Awadesh Tomar	Prof. Music, Dr. H.S.Gour Mahavidyalaya, Sagar
6	VMC Parent Member (Male)	Dr. Neeraj Shrivastava	F/o Kartik Shrivastava, Class V
7	VMC Parent Member (Female)	Meena Dangl	M/o Aditya Dangl Class X
8	Eminent Doctor	Dr. Aditya Dubey	M.D. Psychiatry, District Hospital, Sagar
9	VMC Member (Representative of SC/ST belonging to class I Service)	Dr. Abhay Tinkay	MD (Medicine) District Hospital, Sagar
10	VMC Member (Teacher Representative)	Ms. Bharvi Mishra	✓ TGT (Maths), KV No.3 Sagar
11	Member Secretary	Sh. Dharmendra Bhardwaj	Principal, KV No.3 Sagar
12	Co-Opted Member	Dr. Anand Tiwari	Principal, Girls Degree College, Sagar
13	VMC Member (Chairman, CGEWCC)	Sh. S.N.Rawal	Income Tax Office Sagar
14	VMC Member (Technical Member)	Sagar Anand Singh	Assistant Engineer, CPWD, Sagar

दिनांक 01.04.24

(दिग्गज गीला)

उपायुक्त

सिगनेचर:

1. अध्यक्ष वि.प्र.सं., के.वि.सं.3 सागर

2. प्राचार्य, के.वि.सं.3 सागर की ओर के पत्र F/1-36/KV3/SAGR/2023-24/871, दिनांकित 20.03.2024 के सम्बन्ध में सूचनाएं

3. कार्यालय प्रति

P.M. SHRI K.V. No.3 Sagar (M.P.)

Inward No. 18

Date 01.04.24

[Signature]
Clerk

Principal

Water Safety Certificate

Format No. D.W.T.L./PHED/SAG/ 2.5

District Water testing Laboratory, (D.W.T.L.)
Public Health Engineering Department, P.H.E.D.
Near Tahsildar Sagar
Test Report

Issue No. 41 D.W.T.L./PHED/SAG /2026-27

Issue Date 25/04/2026

Name of sample :- Drinking Water Sample / Others	Not sampled by District Water testing Lab		Unique Identification No.	
Sender's name and address:- PMSHREE KVS NOL3 RAIGHAT ROAD TALIL SAGAR	Sender's letter no.	-	Sender's letter Date	-
	DWTL Ref. No	41/26	DWTL receipt date	24/04/2026
	Date of analysis started	24/04/2026	Date of analysis completed	25/04/2026
	Quantity Of sample	2 LTR.		

Sample details

Particulars of Samples :-				
No.	Block	Panchayat	Village	Location
1	SAGAR	SAGAR	SAGAR	IN SCHOOL
2				
3				
4				

RESULTS

Characteristics unit and test methods	BIS -10500:2012		Test Results				
	Desirable Limit	Permissible Limit	1	2	3	4	5
2	3	4					
Chloride as Cl in mg/l. (IS 3025 Part 32)	250	1000	42				
Total Alkalinity as CaCO ₃ in mg/l. (IS 3025 Part 23)	200	600	96				
Calcium as Ca++ in mg/l. (IS 3025 Part 40)	75	200	46				
Magnesium as Mg++ in mg/l. (IS 3025 Part 46)	30	100	12.2				
Total hardness as CaCO ₃ in mg/l. (IS 3025 Part 21)	200	600	236				
pH (pH scale)	6.5 to 8.5	6.5 to 8.5	7.2				
Iron as Fe Mg/l	1.0	1.0	0.12				
Nitrate as NO ₃ Mg/l	45	45	8.42				
Fluoride as F Mg/l	1.0	1.5	0.18				
TDS Mg/l	500	2000	378.4				
Turbidity NTU	1.0	5.0	0.8				
Sulphate as SO ₄ Mg/l	200	400	10.6				
Manganese as Mn Mg/l	0.1	0.3	0.0				
Faecal Coliform (TTC) per 100 ml	NIL		-				
Total Coliform per 100 ml	NIL for treated water and water in distribution system		NIL				
Arsenic By kit Mg/l	0.01	0.01	-				

1. This report should not be produced partly or full without approval of signatory authority for legal purposes.
2. It is recommended that acceptable limit is to be implemented. Values in excess of those mentioned under "acceptable" render the water not suitable, but still may be tolerated in the absence of an alternative source but upto the limits indicated under the "permissible limit in the absence of alternate source" in column 4, above which the sources will have to be rejected.
3. The results refer only to tested samples and parameters tested
4. Samples will be stored for a period of 7 days from the date of issue of report. (For tests from S.No. 1 to 17)
5. This lab does not hold any responsibility for variation in results for samples kept on hold for want of clarification.
6. The tests marked with an * are accredited by NABL.

Remark:-

Reviewed

Sharma

Authorized Signatory

सहस्रक यंत्र
लोक स्वा. यॉ. उपखण्ड
क्र.1 सागर (म.प्र.)