

Kendriya Vidyalaya Sangathan			
PART - B			
ASSESSMENT TOOL FOR SESSION 2024-25			
<b>GENERAL INFORMATION</b>			
NAME OF THE VIDYALAYA	PM SHRI KV OLF	REGION	Type of Building A
SCHOOL CODE	84055	AFFILIATION NO.	3500030
YEAR OF ESTABLISHMENT	1993	SECTOR	DEFENCE
PM SHRI SCHOOL	YES / NO	IF YES,	2024
GEOGRAPHICAL LOCATION	30Degree18'02.56" N	UDISE No.	
AREA (BUILT UP)	20000 SQ MTR	TOTAL AREA	31929.7 SQ METER
ADDRESS OF THE VIDYALAYA	PM SHRI KV OLF	CONSTITUENC	RAIPUR
e-Mail of the Vidyalaya	kvolfraipur1234@	Rural/Urban	URBAN
NAME OF THE PRINCIPAL		Landline (o)-0135-2788742	
		Landline (R)- 0135-2788742	
		Mobile-9719357100	
DATE OF JOINING IN	PRESENT KV-	PRESENT POST-	
NAME OF THE PERSON WHO CAN BE CONTACTED IN ABSENCE OF PRINCIPAL	MS.MANISHA BHARDWAJ	PGT CHEM.	
		Mobile-	8279861293
NAME OF THE CHAIRMAN	VIPUL KUMAR	0135-2787325	
		Landline (R)-	
		Mobile-	
		E-mail--olf.ofb@nic.in	
ADDRESS OF THE CHAIRMAN			

# 1. SCHOOL PLANT (MM-100):

## PM SHRI PILLAR-2 (Access Infrastructure)- Wherever Applicable

S.No	Heading	Area of Evaluation	Points	Total Points	Points Awarded	Reference to Vidyalaya Plan	Rationale( reference to SQAA)
1	Vidyalaya Plant			40			
		Display of vision and	10	10	8	I ( C)	Domain 5.1.1
		Optimum utilization of Space and	10	10	9	2(A)	Domain 5.4.1
		Cleanliness, Sanitation and	10	10	8	2(A) & 3(A)	Domain 5.4.
		Waste management/ Composting	10	10	8	2(A)	Domain 5.4., Domain 2.4
2	Play Ground			10			
		Development as per the available area	5	5	5	2(A)	Domain 2.9.1.1
		Upkeep and maintenance	5	5	5		
3	Labs			30		2(A)	Domain 2.1.3.1
		Availability, optimum use and learning outcome of:	6	6	6		
		Physics/ Chemistry/ Biology/ Comp.sc. /Geography etc.	6	6	6		
		Junior Science Lab/Social Science Lab/Language Lab	6	6	6		
		Maths Lab/Maths Garden	6	6	6		
		Atl Lab/Vocational Lab/Skill Lab	6	6	0		
4	Library			10		2(E)	Domain 2.1.2.1
		Availability and adequate no. of books/Maintenance	2	2	2		
		Optimum Utilization of books/Library blog/e Granthalaya/Digital Library	2	2			
		Classroom Library/Toy Library	2	2	2		
		Activities to inculcate reading habits	2	2	2		
		Impact on students/Reading Challenge	2	2	2		
5	Art Room			5		2(A)	Domain 2.1.5.1
		Infrastructure	3	3	3		
		Optimum Utilization	2	2	2		
6	Work Experience Room			5		2(G)	
		Infrastructure	3	3	3		

S.No	Heading	Area of Evaluation	Points	Total Points	Points Awarded	Reference to Vidyalaya Plan	Rationale( reference to SQAA)
		Optimum Utilization	2	2	2		
7	e-class Room			20		2(A)	Domain 2.1.4.1
		Infrastructure	10	10	10		
		Maintenance of E-Classroom equipments and Optimum utilization	10	10	10		
8	Music Room			5		2(F)	Domain 2.1.5.1
		Infrastructure	3	3	3		
		Optimum Utilization	2	2	2		
9	NIPUN/ FLN Activity/ Jadui Pitara Room			15		2(A)	
		Infrastructure	5	5	5		
		Optimum Utilisation	10	10	10		
10	Wash Rooms			10		2(A)	Domain 2.4.1.1
		Infrastructure/ Availability of Incinerators & vending Machine.	5	5	5		
		Cleanliness	5	5	5		
11	Furniture			20		2(A)	Domain 2.5.1.1
		Availability/ Adequacy/ Availability of CWsN friendly	10	10	10		
		Maintenance	10	10	10		
12	Medical Room			5		2(I)	Domain 2.3.1.1
		Availability of room/Medical Equipments/ CWsN Assisitive devices/ Medical Health Records	3	3	3		
		Facilities & Cleanliness	2	2	2		
14	Sports Facility			15		2(A)	Domain 2.9.1.1 & domain 1.4
		Facilities and equipments available/Open Gym/ Childrens Park/ CWsN friendly Games equipments.	10	10	10		
		Optimum Utilization of equipments/facility	5	5	5		
15	Implementation of Standard			10		3	Annexure A School safety Checklist of

S.No	Heading	Area of Evaluation	Points	Total Points	Points Awarded	Reference to Vidyalaya Plan	Rationale( reference to SQAA)
	<b>Operating Procedures (SOP) for student safety(Implementation of NDMA/CBSE guidelines on school safety policy</b>	Infrastructure/Signs / Display of evacuation Plan/Drills	5	5	5		Safety Checklist of SQAA
		Plan/ Implementation & Formation of Emergency Response team	5	5	5		
	<b>TOTAL</b>		<b>200</b>	<b>400</b>	<b>185</b>		

# 1. SCHOOL PLANT (MM-100):

## PM SHRI PILLAR-2 (Access Infrastructure)- Wherever Applicable

S.No	Heading	Area of Evaluation	Points	Total Points	Points Awarded	Reference to Vidyalaya Plan	Rationale( reference to SQAA)
1	Vidyalaya Plant			40			
		Display of vision and	10	10	8	I ( C)	Domain 5.1.1
		Optimum utilization of Space and	10	10	9	2(A)	Domain 5.4.1
		Cleanliness, Sanitation and	10	10	8	2(A) & 3(A)	Domain 5.4.
		Waste management/ Composting	10	10	8	2(A)	Domain 5.4., Domain 2.4
2	Play Ground			10			
		Development as per the available area	5	5	5	2(A)	Domain 2.9.1.1
		Upkeep and maintenance	5	5	5		
3	Labs			30		2(A)	Domain 2.1.3.1
		Availability, optimum use and learning outcome of:	6	6	6		
		Physics/ Chemistry/ Biology/ Comp.sc. /Geography etc.	6	6	6		
		Junior Science Lab/Social Science Lab/Language Lab	6	6	6		
		Maths Lab/Maths Garden	6	6	6		
		Atl Lab/Vocational Lab/Skill Lab	6	6	0		
4	Library			10		2(E)	Domain 2.1.2.1
		Availability and adequate no. of books/Maintenance	2	2	2		
		Optimum Utilization of books/Library blog/e Granthalaya/Digital Library	2	2			
		Classroom Library/Toy Library	2	2	2		
		Activities to inculcate reading habits	2	2	2		
		Impact on students/Reading Challenge	2	2	2		
5	Art Room			5		2(A)	Domain 2.1.5.1
		Infrastructure	3	3	3		
		Optimum Utilization	2	2	2		
6	Work Experience Room			5		2(G)	
		Infrastructure	3	3	3		

S.No	Heading	Area of Evaluation	Points	Total Points	Points Awarded	Reference to Vidyalaya Plan	Rationale( reference to SQAA)
		Optimum Utilization	2	2	2		
7	e-class Room			20		2(A)	Domain 2.1.4.1
		Infrastructure	10	10	10		
		Maintenance of E-Classroom equipments and Optimum utilization	10	10	10		
8	Music Room			5		2(F)	Domain 2.1.5.1
		Infrastructure	3	3	3		
		Optimum Utilization	2	2	2		
9	NIPUN/ FLN Activity/ Jadui Pitara Room			15		2(A)	
		Infrastructure	5	5	5		
		Optimum Utilisation	10	10	10		
10	Wash Rooms			10		2(A)	Domain 2.4.1.1
		Infrastructure/ Availability of Incinerators & vending Machine.	5	5	5		
		Cleanliness	5	5	5		
11	Furniture			20		2(A)	Domain 2.5.1.1
		Availability/ Adequacy/ Availability of CWsN friendly	10	10	10		
		Maintenance	10	10	10		
12	Medical Room			5		2(I)	Domain 2.3.1.1
		Availability of room/Medical Equipments/ CWsN Assisitive devices/ Medical Health Records	3	3	3		
		Facilities & Cleanliness	2	2	2		
14	Sports Facility			15		2(A)	Domain 2.9.1.1 & domain 1.4
		Facilities and equipments available/Open Gym/ Childrens Park/ CWsN friendly Games equipments.	10	10	10		
		Optimum Utilization of equipments/ facility	5	5	5		
15	Implementation of Standard			10		3	Annexure A School safety Checklist of

S.No	Heading	Area of Evaluation	Points	Total Points	Points Awarded	Reference to Vidyalaya Plan	Rationale( reference to SQAA)
	<b>Operating Procedures (SOP) for student safety(Implementation of NDMA/CBSE guidelines on school safety policy</b>	Infrastructure/Signs / Display of evacuation Plan/Drills	5	5	5		Safety Checklist of SQAA
		Plan/ Implementation & Formation of Emergency Response team	5	5	5		
	<b>TOTAL</b>		<b>200</b>	<b>400</b>	<b>185</b>		

<b>2. ACADEMICS/ (MM- 400):</b>				
<b>PM SHRI PILLAR-1 (Curriculum,Pedagogy &amp; Assessment)- Wherever Applicable</b>				
<b>2.A -EXAMINATION RESULTS (MM-200):</b>				
<b>S. No.</b>	<b>CLASS</b>	<b>VALUE POINTS (MM)</b>	<b>% of Students who obtained 60% and above marks (P)</b>	<b>POINTS AWARDED</b>
<b>1</b>	<b>XII</b>	<b>5</b>	School PI $\geq$ KVS PI + 10 ( 5 value point) School PI $\geq$ KVS PI but less than KVS PI + 10 (4 value point) School PI < KVS PI and KVS PI - 10 (3 value point) School PI < KVS PI - 10 ( 2 Value Point)	<b>1.5</b>
<b>2</b>	<b>X</b>	<b>5</b>	School PI $\geq$ KVS PI + 10 ( 5 value point) School PI $\geq$ KVS PI but less than KVS PI + 10 (4 value point) School PI < KVS PI and KVS PI - 10 (3 value point) School PI < KVS PI - 10 ( 2 Value Point)	<b>1.75</b>
			<b>% of Students who obtained 60% and above marks (P)</b>	
3	XI-XII	65	100	<b>45</b>
4	IX- X	55	100	<b>25</b>
5	VI-VIII	40	100	<b>30</b>
6	III- V	20	100	<b>15</b>
			<b>% of Students who obtained Grade A and above</b>	
7	I-II	10	100	<b>8</b>
<b>TOTAL</b>		<b>200</b>		<b>126.25</b>

<b>FORMULA TO CALCULATE VALUE POINTS</b>		
1. P X 65/100		
2. PX 55/100		
3. PX 40/100		
4. PX 20/100		
5. PX 10/100		
P=% of Students who obtained 70% and above marks		