



Details OF SCHOOL AFFILIATED TO
Central Board of Secondary Education
Details Of The School Filled up AFFILIATION/OASIS

Name of Institution KENDRIYA VIDYALAYA
Affiliation Number 200038
State ASSAM
District BONGAIGAON
Postal Address N F RAILWAY NEW BONGAIGAON DT-
 BONGAIGAON ASSAM
Pin Code 783381
Phone No. with STD Code 3664
Office 231653 ,
Residence 0984649206
FAX No 08418-2542
Email pandeygsphy@gmail.com
Website
Year of Foundation 1986
Date of First Opening of School 1/25/2009 12:00:00 AM
Name of Principal/ Head of Institution GHANSHYAM PANDEY
Sex 1
Principal's Educational/Professional Qualifications: MSC GEO M.Phil
No of Experience (in Years):
Administrative: 09
Teaching: 23
Status of The School Senior Secondary
Type of affiliation General
Affiliation Period
From 1/4/2018
To 31/ 3/ 2023
Name of Trust/ Society/ Managing Committee KENDRIYA VIDYALAYA SANGATHAN

- [Location of School](#)
- [Nature of the School](#)
- [Enrolment of the Students](#)
- [InfraStructure Details](#)
- [Particulars of Teaching Staff](#)
- [Physical Infrastructure and Sanitary Conditions](#)
- [Facilities](#)


SELF - CERTIFICATION FORMAT

Category of application : Extension of Affiliation


We (i) PRAKASH CHANDRA SRIVASTAVA (Principal) of the school KENDRIYA VIDYALAYA certify that :


1. The following uploaded documents are genuine and valid
 - * Establishment letter issued by the appropriate authority i.e Kendriya Vidyalaya Sangathan/Navodaya vidyalaya Samiti /Directorate of Education /Education Department:
 - * Approval letter issued by appropriate Govt authority :
 - * Fire Safety Certificate No.: BNGN F ESS SB 66 2020
 - * Fire Safety Certificate Issuing Authority : CHIEF FIRE OFFICER BONGAIGAON ASSAM
 - * Fire Safety Certificate Expiry Date: 23/01/2022
 - * Date of Application for Fire Safety Certificate: 17/09/2022
 - * Building Safety Certificate No.: CSD-6/A/KV/2017-18/173
 - * Building Safety Certificate Issuing Authority : OFFICE OF THE ASSISTANT ENGINEER AP PWD ITANAGAR
 - * Building Safety Certificate Expiry Date: 31/03/2018
 - * Date of Application for Building Safety Certificate: 17/09/2022
2. The mandatory Public disclosure has been displayed on the school's website and it's link has been filled in the Part A of the affiliation application
3. That we have uploaded/submitted all the self-attested documents/ information on the School's Web-Portal and link in the application and the same are true and genuine.
4. That if any of the information is found to be false, misleading and /or that the fail(s) to disclose all the information and /or suppress any information and /or misrepresent the information, the Board shall also be free to take any action including withdrawal of affiliation

Names and Signature(s) : PRAKASH CHANDRA SRIVASTAVA


Principal 17/09/2022

केन्द्रीय विद्यालय / KENDRIYA VIDYALAYA
Date : 17/09/2022
केन्द्रीय विद्यालय / NEW BONGAIGAON
असम-783381 / ASSAM-783381
Place : BONGAIGAON , ASSAM





GOVERNMENT OF ASSAM
OFFICE OF THE ASSTT. EXECUTIVE ENGINEER (PHE): BONGAIGAON SUB-DIVISION: BONGAIGAON

LAB No. 1076

Date: 30-09-20

Water Analysis Report

1 Location				
Block	G.P.	Village	Habitation	Pin Point Location
Dangtol	Dangtol	New Bongaigaon	New Bongaigaon	K.V. NBQ

- 2) Type of Source : DTW
- 3) Depth of Source :
- 4) Date and Time of Sample Collection : 29-09-20
- 5) Date and Time of Testing : 29-09-20
- 6) Test Result :

Parameter Tested	Result obtained	Acceptable Limit	Permissible Limit
i) PH Value	6.84	6.5 to 8.5	No Relaxation
ii) Turbidity	2	1 NTU	5 NTU
iii) Iron	0.42	0.3 mg/l	No Relaxation
iv) Nitrate	5	45 mg/l	No Relaxation
v) Chloride	46	250 mg/l	1000 mg/l
vi) Hardness	120	200 mg/l	600 mg/l
vii) Fluoride	0.22	1 mg/l	1.5 mg/l
viii) Arsenic	0.001	0.01 mg/l	No Relaxation
ix) Manganese	0.12	0.1 mg/l	0.3 mg/l
X) Residual Chlorine	NIL	0.2 mg/l	1 mg/l
Xi) Bacteriological (Coli form)	Absent	Absent in any 100ml Sample	

7) Impression: Filtrations needed

Tested By
(Laboratory Staff)

Asstt. Engineer (PHE)
i/c District Water, Analysis Laboratory
Bongaigaon

प्रमुख / PRINCIPAL
केन्द्रीय विद्यालय / KENDRIYA VIDYALAYA
न्यू बंगाईगाँव / NEW BONGAIGAON
असम-783381 / ASSAM-783381
Asstt. Executive Engineer (PHE)
Bongaigaon Sub- Division
Bongaigaon

Mr. ... Kumar TIA to live in Land & Build

Building Safety - Undertaking

Category of application : Extension of Affiliation

I, PRAKASH CHANDRA SRIVASTAVA, Principal of the school KENDRIYA VIDYALAYA do hereby undertake that the school run/applied under regular category is unable to obtain / renew Building Safety Certificate issued from the competent government authority / the empanelled engineers by Municipal Corporations/Development Authorities/PWD/Roads/Building Department etc. of the concerned area till date of application. The school was last inspected for the building safety on : 26/05/2017

I assure that before starting of the regular school/commencement of session the above safety certificate will be obtained and submitted. In the meanwhile whole responsibility of the safety and security of staff and students will be on undersigned. Therefore, being a regular category school it may be provisionally allowed.

Principal Sign :

P. Srivastava

Principal Name : PRAKASH CHANDRA SRIVASTAVA

School Address : BONGARGAON, ASSAM

Date : 17/09/22

Place : BONGAIGAON, ASSAM

Seal :

प्राचार्य / PRINCIPAL

केन्द्रीय विद्यालय / KENDRIYA VIDYALAYA

न्यू बंगाईगाँव / NEW BONGAIGAON

असम-783381 / ASSAM-783381



Fire Safety - Undertaking

Category of application : Extension of Affiliation

I, PRAKASH CHANDRA SRIVASTAVA, Principal of the school KENDRIYA VIDYALAYA do hereby undertake that the school run/applied under regular category is unable to obtain / renew Fire Safety Certificate issued from the Fire Safety Department of the State Government/ Competent Government Authority eg. Municipal Corporation etc. of the concerned area till date of application. The school was last inspected for the fire safety on : 11/01/2021

I, assure that before starting of the regular school/commencement of session the above safety certificate will be obtained and submitted. In the meanwhile whole responsibility of the safety and security of staff and students will be on undersigned. Therefore, being a regular category school it may be provisionally allowed.

Principal Sign :



Principal Name :

PRAKASH CHANDRA SRIVASTAVA

School Address :

BONGALGAON, ASSAM

Date :

17/09/22

Place :

BONGALGAON

प्रधान / PRINCIPAL

Seal :

केन्द्रीय विद्यालय / KENDRIYA VIDYALAYA


न्यू बंगाईगाँव / NEW BONGAIGAON

असम-783381 / ASSAM-783381



B - Form SR.No. 04

F.110



Kendriya Vidyalaya Sangathan
18 Institutional Area,
Shaheed Jeet Singh Marg
New Delhi - 110602
Tel: 26965154 Fax No. 26514179
Website: www.kvsangathan.nic.in

Dated: 8th April 2010

F.11011/01/2010-KVSHQ/Acad/

Speed Post

The Assistant Commissioner
Kendriya Vidyalaya Sangathan
All Regions.

e-mail

Sub: Implementation of Right to Education Act.

Madam/Sir,

The Government of India has made Gazette Notification of The Right to Education Act (RTE) 2009 and it has become effective from 1st April 2010. Article 16 of Chapter 4 of RTE Act states that no child admitted in a school shall be held back in any class or expelled from school till the completion of elementary education. In this context, it is stated that some Articles of KVS Education Code are under review so that these Articles no longer contradict or impede various Articles of RTE Act 2009. You are requested to inform Principals of all the Kendriya Vidyalayas functioning in your Region not to issue T.C. or to detain the students of Classes I to VIII, who have failed, till the outcome of the review.

Yours faithfully,

Sd/-

(Dr. Shachi Kant)

Joint Commissioner(Acad)I/c

केन्द्रीय विद्यालय संगठन

(मानव संसाधन विकास मंत्रालय, भारत सरकार)

क्षेत्रीय कार्यालय 92, गांधीनगर मार्ग, बजाज नगर जयपुर - 302015 (राजस्थान)

दिनांक : 9th April, 2010

F.10-18(I)/केविसं(ज.सं)/2009/

समस्त प्राचार्यागण, केन्द्रीय विद्यालय, जयपुर संभाग को सूचनाार्थ एवं आवश्यक कार्यवाही हेतु प्रस्तुत है।

[Signature]
प्राचार्य / PRINCIPAL

केन्द्रीय विद्यालय / KENDRIYA VIDYALAYA
न्यू बंगाईगाँव / NEW BANGAIGANON
संयम.783381 / ASSAM-783381

भवदीय,
समिर्था

(श्रीमती संतोष मिर्चा)
सहायक आयुक्त प्रभारी

समिर्था

सहायक आयुक्त प्रभारी

प्रतिलिपि सूचनाार्थ -

1) समस्त शिक्षा अधिकारीगण, के.वि.सं. क्षेत्रीय कार्यालय, जयपुर।

पारासष्ट 1

Appendix-1A

CERTIFICATE OF REGISTRATION UNDER SOCIETIES REGISTRATION ACT XXI OF 1860 (PUNJAB AMENDMENT) ACT 1957 AS EXTENDED TO THE UNION TERRITORY OF D E L H I.


No. S.2884 of 1965 -1966 .

I hereby certify that *CENTRAL SCHOOLS ORGANIZATION* has this day been registered under the Societies Registration Act XXI of 1860 (Punjab Amendment) Act 1957, as extended to the Union territory of Delhi.

Given under my hand at DELHI this 15th day of NOVEMBER One thousand nine hundred and SIXTY FIVE.

Fee Rs. 50.00 paid.

DHINGRA



(SUKENDRA KISHORE) REGISTRAR OF SOCIETIES, D E L H I.

No. S/2884/1670

Dated 15-11-1965

From The Registrar of Societies, Old Secretariat, Delhi.

To Shri S.N. Dutt, Under Secy., Central School Units, Room No. 36, M-Block, Ministry of Education, W.D.I.I.

Regd. *CENTRAL SCHOOLS ORGANIZATION*

Dear Sir,

I am enclosing herewith the certificate of registration of your society named above. Please acknowledge receipt.

Acknowledged.

15/12

Encl: One Certificate.

ब्रजवर्मा / PRINCIPAL

(SUKENDRA KISHORE) REGISTRAR OF SOCIETIES, D E L H I.

DHINGRA

केन्द्रीय विद्यालय / KENDRIYA VIDYALAYA

न्यू बंगाईगाँव / NEW BONGAIGAON

असम-783381 / ASSAM-783381



केन्द्रीय विद्यालय KENDRIYA VIDYALAYA NOTE SHEET

K.V.NEW BONGAIGAON

In compliance to Article 147 of Education Code for KVs and also to constitute the executive committee of Parent Teacher Association, following members are proposed to be the office bearers of Executive committee of Parent Teacher Association

1. Chairman: Dr. Jay Kumar Jha, I/C Principal K.V. New Bongaigaon
2. Vice Chairman: Mr. P. Milan Kumar Narzary
(Father of Master Sasanka Narzary, Class XIA)
3. Secretary: Mr. Subhash Daimary, RTO Bongaigaon
(Father of Master Suhriday Daimary, Class VI B)
4. Joint Secretary: Mr. Anjay Kumar, PGT Chemistry, K.V. New Bongaigaon

Three other members:

5. Dr. Antony Dasgupta
(Father of Miss Alompriya Dasgupta, VIIC)
6. Mrs. Gouri Roy
(Mother of Miss Arooparna Roy, Class VIII C, Miss Arkalina Roy, Class V A)
7. Mr. Ranu Choudhary, PGT (Comm), K.V. New Bongaigaon

Forwarded to the Chairman VMC for his kind consideration and approval. The parent members as approved by Chairman shall be considered as members recommended by the Chairman.

DR. J.K. JHA
I/C PRINCIPAL
K.V. NEW BONGAIGAON

केन्द्रीय विद्यालय / K.V. NEW BONGAIGAON
न्यू बंगाईगाँव / NEU BONGAIGAON
असम-783381 / ASSAM-783381

APPROVED/NOT APPROVED

MR. P.P. ROY
VMC CHAIRMAN
K.V. NEW BONGAIGAON

विद्यालय प्रबन्ध समिति / Vidyalaya Management Committee

के.वि. न्यू बंगाईगाँव / K.V. New Bongaigaon

पिन/Pin-783381