

**FORM-III**

**APPLICATION FOR FIRE SAFETY CERTIFICATE**

[ See rule-13(1) of the Odisha Fire Prevention and Fire Safety Rules.2017 ]

Application No : FSC14103500120250000052

To,

**The Director, Fire Services,  
Odisha, Cuttack.**

Sir/Madam,

I/We

1.

(1) Nitesh Chandel

Son of Omprakash Chandel

Applicant's Address:

*Locality	BHAWANIPATNA
*Land Mark	NEAR GOVERNMENT ITI
*City	BHAWANIPATNA
*District	KALAHANDI
*State	ODISA
*Pin Code	766001
*Mobile No.	9079536393

Applicant's Photo ID Proof: ID Proof: Aadhar Card

ID Proof  
Number:  
416197688731

[View](#)

is the Promoter

**of following buildings/premises:**

Approved Building Plan/Layout plan/Floor Plan/Elevation Plan [View](#)

Approval letter issued by the Plan approving Authority concerned [View](#)

Ownership documents and development agreement if any [View](#)

Fire Safety installation plan [View](#)

Whether the building(s)/ premise(s) are owned by a company? No

Resolution of Board of Directors authorizing the applicant (s)

Whether any Fire Safety Supervisor appointed for the proposed building/ occupancy? No

Appointment letter with salary details of Fire Safety Supervisor

Other documents ( if any)

2.1 Detailed Location & full address of the buildings / Premises:

\*Plot No. PM SHRI KENDRIYA VIDYALAYA BHAWANIPATNA

*Khata No.	4/2
*Street	NEAR GOVT ITI
*Mauza	2023-24
*Police Station	BHAWANIPATNA
*District	Bhawanipatana
*Fire Station	Bhawanipatana

2.2	Plot area	15 acre
2.3	Width of the road abutting the building or premises:	0.00 mtr
2.4	Type of occupancy of the Building or premises:	

Total No. of buildings for which Fire Safety Certificate is required 2

#### Building/Block 1

Building Type:	Educational Buildings:- (Building height: less than 12 mtrs.) (i) having built up area of one thousand square meters or above Or, (ii) 3 storied buildings.
Building Name:	PM SHRI KENDRIYA VIDYALAYA BHAWANIPATNA
Proposed occupancy:	SCHOOL
No. of Floors (including all underground, basement, Stilt, mezzanine and ground) of each building or tower or block etc.)	2
Height:	9.14 mtr
Category:	Others
Built up area (Total covered area on all floors of the building including covered area of all underground, basements, Stilt, mezzanine and ground floors) :	1767 sqmtr
Fees required in INR:	3534

#### Building/Block 2

Building Type:	Educational Buildings:- (Building height: less than 12 mtrs.) (i) having built up area of one thousand square meters or above Or, (ii) 3 storied buildings.
Building Name:	PM SHRI KENDRIYA VIDYALAYA BHAWANIPATNA
Proposed occupancy:	SCHOOL
No. of Floors (including all underground, basement, Stilt, mezzanine and ground) of each building or tower or block etc.)	2
Height:	9.14 mtr
Category:	Others
Built up area (Total covered area on all floors of the building	1767 sqmtr

Including covered area of all underground, basements, Stilt, mezzanine and ground floors) :

Fees required in INR:

3534

3 Details of the buildings/ premises.

Sl No.	Particulars	Requirement as per National Building Code of India	Requirement as per approved plan	Provision made in the building	Deviation/Shortfall deficiency if any
1	Plot area with dimensions				
2	Total covered/constructed area (at ground level)				
3	No. of buildings (occupancy wise)				
4	Height of each building from ground level				
5	Total number (including all underground, basement, stilt, mezzanine and ground floors)				
6	Covered area of a Typical floor (total)				
7	No. of underground or basements (indicate level below ground in each case)				
8	Area of each underground or basement floor				
9	If underground or basement extends beyond the building line please indicate the load bearing strength of the roof or basement				
10	Occupancy (usage) (mention separately for each underground, basement, stilt, mezzanine, ground and other floors)				
11	Details of parking areas (mention separately the underground, covered and open parking areas)				
12	Details of property/features surrounding the				

	premises			
13	No. of gates provided at the boundary for entrance and exit. (indicate their width and height)			
14	Open spaces around each of the buildings or blocks or towers. Note: If there is no interconnection between any two blocks or towers at every floor level, then each of those blocks or towers will be treated as separate buildings for the purpose of fire safety measures			
	Front			
	Rear			
	Left			
	Right			
15	Has driveway been provided around each building? If so, indicate its width, turning radius and load bearing capacity			
16	How many staircases have been provided in the building? Please indicate in each case			
	a) The width of the stairway			
	b) The width of treads			
	c) The height of riser			
17	Has "Fire tower" been provided in the building? If so, please indicate			
	a) Fire rating of the walls			
	b) Fire rating of the Exit doors at each floor			
18	What is the average occupant load per floor?			

19	Number and details of all lifts? Please indicate in each case.			
	a) The floor between which lift runs			
	b) The type of doors fitted to the lift car and each landing			
	c) Fire resistance rating of lift car landing doors if known			
	d) Floor area of the lift car			
	e) Loading capacity of the lift car			
	f) Has communication system installed in the lift car			
	g) Has a "Fireman" switch been installed in the lift for grounding it in the event of fire?			
20	Where more than one lift are installed in the common enclosure, have individual lifts been separated by fire rating?			
21	Has the lift shafts, lift lobby or stair well been pressurized?			
22	Have the lift lobby and staircases been effectively enclosed to prevent fire/smoke entering them from outside at any floor?			
23	Have all the "Exits" and "Way to Exits" been signposted with illuminated signages?			
24	Has Wet Riser (s)/Dry Riser (s) been provided? If so please indicate the no. of risers and internal diameter of each			
	Has Down Comer (s) been			

25	provided? If so please give details				
26	Have internal hydrants been provided? If so, please indicate  a) No. of hydrants on each floor (Indicate whether single or twin outlets)				
27	Have first-aid hose reels been provided? If so, please indicate  a) No. of hose reels in each floor including basement (s)  b) Bore and length of hose reel tubing on each reel drum  c) Size (Bore) and type of nozzle fitted to each hose reel  d) Is the hose reel connected directly to the riser or to the hydrant outlet?				
28	Has fire hose been provided near each hydrant in hose box? If so, please indicate  a) The type of hose  b) The size of (bore) of hoses  c) The length of each hose  d) Total no. of hoses provided in each hydrant				
29	Have branch pipe been provided? If so, please indicate  a) The type of branch pipe  b) Size of nozzle fitted to each branch  Is the building equipped				

30	with automatic fire detection and alarm system? If so, please indicate				
	a) The type of detectors used				
	b) The standard to which it conforms				
	c) Whether detectors provided above false ceiling				
	d) The code to which the installation conforms				
31	Have manual call boxes been installed in building for raising an alarm in the event of an outbreak of fire? If so, please give details				
32	Have public address system been installed in the building with loudspeakers on each floor?				
33	Has any yard hydrant been provided from the building's fire pump?				
34	Is the building sprinklered? If so, indicate				
	a) The type of sprinklers used				
	b) Standard to which it conforms				
	c) Whether sprinklers provided above false ceiling				
	d) Has the basement been sprinklered?				
	e) The code to which the installation conforms				
35	Have any stationary fire pumps been installed for pressurizing the Wet Riser? If so, please indicate				

	<p>a) The number of pumps</p> <p>b) The size of suction and delivery connections of each pump</p> <p>i) Suction (mm)</p> <p>ii) Delivery (mm)</p> <p>c) The output of each pump</p> <p>d) The maximum head against which the pump can operate at the output mentioned at (c) above</p>		
36	<p>e) Is the pump automatic in action?</p> <p>Please give the capacity and size of the underground static tank if any exclusively for firefighting</p>		
37	<p>Please indicate the present arrangements for replenishment of the underground tank</p>		
38	<p>Is any public or other water storage facility available nearby? If so, please give the capacity and distance from the building. Is it readily accessible?</p>		
39	<p>Number and type of fire extinguishers provided at various locations (building wise)</p>		
40	<p>Whether all fire extinguishers bear the ISI certification mark</p>		
41	<p>Has a stand by source of power been provided? If it through a generator, please indicate</p> <p>a) The capacity (output)</p>		

	<p>b) The functions that can be maintained simultaneously by the use of generator such as operating lifts, fire pumps, emergency lighting etc.</p>			
42	<p>c) Is the generator automatic in action or has to be started manually?</p> <p>Provision of fire control room and its location</p>			
43	<p>Is the building centrally air conditioned? If so, please indicate</p>			
	<p>a) The material used for construction of ducts and its fittings</p>			
	<p>b) The type of lining used for ducts if any</p>			
	<p>c) Type of legging used, if any for insulating any portion of ducts and indicate how the legging is secured</p>			
	<p>d) If false ceiling is provided please give the fire resistance rating of the ceiling material</p> <p>e) If plenum is used as returned air passage, has it been protected with fire detectors? Please give details</p>			
	<p>f) Has a separate AHU been provided for each floor?</p>			
	<p>g) Is the AHU having auto shut off system in case of actuation of detector</p>			
	<p>h) Has fire dampers been provided inside ducts, if so indicate the no. and type of dampers</p>			

44	Is the ducting for each floor effectively isolated or is it continuous for more than one floor?			
45	Basement ventilation detail:-			
	a) Whether natural ventilation is relied upon? If so, give details of vents with area for the stairwell, lift shafts			
	b) Whether mechanical ventilation has been provided If so, give details of the system indicating the numbers of air changes for the basement and other floors			
	c) Whether mechanical ventilation is coupled with automatic detection system? Please give details of the system			
46	Where are the switch gear and transformers located? If inside the building, please indicate			
	a) If the switch gear and transformer (s) have been housed in separate compartments effectively separated from each other and from portion of the buildings by 04 hrs. fire resistive wall?			
	b) What precautions have been taken to prevent a possible fire in transformer (s) from spreading?			
47	Where electric cables, telephone cables, dry/wet risers/down comers pass through a floor or wall, have the spaces (apertures) round the cables/pipes been			

effectively sealed/plugged with non combustible, fire resistive materials?

48 Are the occupants of the building periodically trained in use and operation of fire safety measures and emergency procedure? If so, please give details of training. If not, why?

49 Does an emergency organization exist in the building? If so, please give detail and append a copy of emergency (Fire) orders

50 Has a qualified fire safety supervisor been appointed for the building or premises? If so, his full details. If not, why?

51 Has the building been protected against lightning? If so, does the lightning protector conform to any code? Please indicate details

52 Has helipad been provided over the building? If so, whether it has been approved by the authority?

4 Self attested copies of the following documents are uploaded/ enclosed herewith (original should be produced for inspection and comparison as and when asked for)

- i. Approved building plans (complete set) containing floor plan, elevation plan, section plan, site plan etc.
- ii. Approval letter issued by the Plan approving Authority concerned.
- vii. Fire Installation Plan.

5 **You are requested to take necessary action for issue of Fire Safety Certificate for occupancy of the aforementioned buildings/ Premises.**

**Applicant:-(1)**

Signature of Applicant :



Applicant Name:

Nitesh Chandel

Applicant Designation:

TGT (WE)

Applicant Photo:



Name and Address of Building/Project :

PM SHRI KENDRIYA VIDYALAYA BHAWANIPATNA, NEAR GOVT. ITI,  
KALAHANDI, ODISHA - 766001

Date:

03-11-2025

Contact person's detail.

\* Name:

NITESH CHANDEL

\* Email:

sachinahlawat403@gmail.com

\*Mobile No.

8570003350

Alternative Mobile No. / Telephone No.

9079536393

Total Amount (in INR)

7068



ODISHA FIRE & EMERGENCY SERVICE  
**FIRE SAFETY CERTIFICATE**

**FORM-V**

[Under rule-13 of the Odisha Fire Prevention and Fire Safety Rules, 2017]



Certificate No:	FIRCER1410350012023002766	Application No:	FSC14103500120230000011
Date of Issue:	04-05-2023	Date of Receipt of Application:	29-04-2023
Valid Up to:	03-05-2025 (midnight)		
(Apply for Renewal of Fire Safety Certificate at least three months before its expiry)			

Certified that the

KV BHAWANIPATNANEAR GOVT ITI  
BHAWANIPATNABHAWANIPATNA  
KALAHANDI ODISHAPIN- 766001

Situated at

Plot No-1 2 3 4 5 6 7 8 9 10 11 12 13 42 43 44 45 46 47 48 49 50 51 52 53 54 55,  
Khata No.-3, Street-NEAR GOVT ITI BHAWANIPATNA, Mouza-KUSADANGARI,  
Police Station-BHAWANIPATNA, District Bhawanipatana, Fire Station-  
Bhawanipatana,

Consisting of total

1 Number of Towers/Blocks, was  
inspected by officers of the Fire Service  
on

04-05-2023

In presence of

SRI SUJIT ROY, PRINCIPAL



and it has been found to comply with the fire prevention and safety requirements in accordance with the Odisha Fire Prevention and Fire Safety Rules, 2017 read with Odisha Fire Prevention and Fire Safety(Amendment) Rules,2019 and that its various floors are fit for occupancy or usage as noted hereunder against each subject to compliance to the conditions as prescribed herein below:

1. \* Name of the Building(s)/Tower(s)/Block(s): KV BHAWANIPATNA(MAIN BUILDING)

\* Floor wise occupancy:-

Sl.No.	Floors in Tower/Block	Usage
1	G+1 FLOORS	EDUCATIONAL

**CONDITIONS:-**

1. Fire prevention and safety measures and appliances, availability of water supplies and means of access thereto etc provided in the building or premises, should be maintained by the occupier(s) in best repairs and efficient working condition at all times for use by the occupants or the members of the Fire Service or both in the event of outbreak of fire.
2. The set-backs, driveways, entrance gates, exits, staircases, corridors and escape way should not be changed, obstructed or modified in any way.
3. The occupiers(s) shall train all staff and occupants periodically to make them well conversant in use and operation of the fire prevention and safety measures.
4. Fire drills/rehearsals should be organised at least once in six months by involving Local Fire Station.
5. The occupier(s) shall appoint Fire Safety Supervisor exclusively for this building or premises.
6. Photocopies of this Certificate should be framed and displayed at all conspicuous places in all lobbies/corridors in all floors of all Towers/Blocks of building/premises.
7. The maintenance of fire safety installation in the building / premise shall be owner's / occupier's liability as per Rule-16 of OFP & FS Rules, 2017. He shall maintain the same in good repairs and working condition at all times. Any lapses in fire safety installation during fire incident if any shall end with owner's / occupier's responsibility.

By order of the Director of Fire Service

Birabhadra Tudu

Deputy Fire Officer, Koraput Circle

**NOTE**

- (i) It is a digitally signed electronically generated certificate and therefore needs no ink-signed signature.
- (ii) This Certificate is issued as per section 4, 5, & 6 of Information Technology Act 2000 and its subsequent amendments in 2008.
- (iii) For any Query or Verification, Agency /Department / Office may visit <https://agnishamaseva.odisha.gov.in>
- (iv) Tampering of this Certificate will attract penal action.