

पीएम श्री केंद्रीय विद्यालय सेक्टर-8, रोहिणी, दिल्ली-110085

शिक्षा मंत्रालय, भारत सरकार के अधीन स्वायत्त संस्थान

PM SHRI KENDRIYA VIDYALAYA SECTOR-8, ROHINI, DELHI-110085

An Autonomous Body under Ministry of Education, Government of India

वेबसाइट Website: www.rohinisec8.kvs.ac.in | ईमेल Email: pmshrikv.sec8rohini@gmail.com | दूरभाष Tel.: 011-27944923 के.वि. कोड KV Code: 1443 | सीबीएसई संबद्धता कोड CBSE Aff. Code: 2700034 | सीबीएसई स्कूल कोड CBSE School Code: 89008

F.10/KV S-8Rohini(S1)/Quotation(M&R)/2025-26/	Date:
	
	

Sub.: "Invitation for Quotations for Maintenance & Repair Works"

Sir/Madam,

The Kendriya Vidyalaya Sangathan, a centrally funded Autonomous Body, is a Society registered under Societies' Registration Act, 1860. The Sangathan administers the Scheme of Kendriya Vidyalaya set up for imparting education to the children of transferable Central Govt. Employees.

2. Sealed competitive quotations from the Registered Firms are invited by the undersigned for Kendriya Vidyalaya Sector-8 Rohini for supply of the following items:

S.	Brief description of goods	
No 1	While washing with lime to give an even shade in New Work (Two or more coats).	(approx)
		per sq.ft.
2	While washing with lime to give an even shade in Old Work (Two or more coats).	per sq.ft.
3	Distempering with oil bound washable distemper of approved brand and manufacturer to give an even shade. New Work (One & Two coats)	per sq.ft
	Distempering with oil bound washable distemper of approved brand and manufacturer to give	
4	an even shade. Old Work (One & Two coats) as per manufacturers specification (Ready made)	per sq.ft.
5	Painting with synthetic enamel paint of approved brand and manufacturer to give an even shade on walls . (One & Two coats)	per sq.ft.
6	Finishing wall with water proofing cement paint over plaster explored to weather of approved brand and manufacturer.	per sq.ft.
	Removing white or colour wash by scrapping and sand preparing the surface smooth including	
7	Necessary repair to scratches etc. complete.	per sq.ft.
	Painting with acrylic emulsion paint on plaster explored to weather complete. (One &Two	
8	coats) of approved brand and manufacturer.	per sq.ft.
	06 mm cement plaster finished with a floating coats of neat cement of mix. 1:6 (1 cement : 6	
9	coarse Sand)	per sq.ft.
	12 mm cement plaster finished with a floating coats of neat cement of mix. 1:6 (1 cement : 6	
10	coarse Sand)	per sq.ft.
	15 mm cement plaster finished with a floating coats of neat cement of mix. 1:6 (1 cement : 6	
11	coarse Sand)	per sq.ft.
	Painting of Grill with synthetic enamel paint of approve brand and manufacturer of required	
12	color to give an even shade.	per sq.ft.
	Painting of Ventilation /Window complete with synthetic enamel paint of approve brand and	
13	manufacturer of required color to give an even shade.	per sq.ft.
14	Applying one coats of primer of approved brand and manufacturer on walls surface.	per sq.ft.
	Deduct for not grouting the joints with white cement and matching pigment	
15	In the items of fixing of Vitrified tiles and Ceramic tile	Per sq.ft.
16	Providing 3.5 mm thick glass panes of window/Door etc.	Per Sq. ft.
17	Providing 5 mm thick glass panes of window/Door etc.	Per Sq. ft

		D
18	Glass putty	Per. Packet
19	Fixing glass labour	PerSq.ft.
19	Providing and Fixing 20 mm thick kota stone slab over 20 mm thick cement motor of mix 1 :5	per sq.
20	with polishing complete.	ft
		per
21	Repainting with black Japan paint of approved brand and manufacture.	sq.mtr.
	Providing and Fixing of tiles on wall size 12" x 8" of (Kazaria / Somany / Orient) make and joint	
22	with the white cement slurry and matching pigment etc.	per sq. ft
	Providing and Fixing of tiles on Floor size 12" x 12" of (Kazaria / Somany / Orient) make and	
23	joint with the white cement slurry and matching pigment etc.	per sq. ft.
	Providing and Fixing of tiles on Floor size 16" x 16" of (Kazaria / Somany / Orient) make and	
24	joint with the white cement slurry and matching pigment etc.	per sq. ft.
	Providing and Fixing of tiles on Floor size 24" x 24" of (Kazaria / Somany / Orient) make and	
25	joint with the white cement slurry and matching pigment etc.	per sq. ft.
26	Denting & Spray Painting of steel Elmira (Skirting Rs.)	Each
27	Spray Painting of wooden Elmira.	Each
28	Providing and changing of Almirah lock.	Each
29	Providing and fixing of Almirah lag.	Each
30	Providing and fixing of Almirah handle. Dismantling of Old Plaster.	Each
31	Dismantling of Old Plaster. Dismantling old floor, old plaster or skirting out of joints and cleaning the surface including disposal to	sq. ft.
32	the dumping ground.	Sq.ft.
33	Supply and Fixing Falls ceilings at ant pitch including fixing etc. (Complete)	per sq. ft.
34	Brick 1st	per pcs.
35	Cement bag-1 quality	per Bag.
36	sand	Cub. Feet
37	Dust (Baderpur)	Cub. Feet
38	Grinded Stone	Cub. Feet
39	Grinded Stone brick	Cub. Feet
40	TMT Rod	Per kg.
41	Steel pipe 3" Round	Per kg.
	Cement Concrete 1:2:4 (1 Cement :2 coarse sand :4 graded stone aggregate 40 mm nominal	
	size) in pavements (road) laid to required slope and camber in panels as required including	Dor Ca
42	consolidation finishing and tamping complete.	Per. Sq .ft.
43	Applying Wall putty coat company brand on wall making smooth surface. (new work)	Per sq. ft.
43	Finishing walls with acrylic smooth exterior paint company brand required shad making a	r er 3q. rt.
44	smooth surface one or two coat	Per Sq. ft.
45	Providing & Fixing cement concrete interlocking paver block of any design/shape laid in	
	required line, level curvature, color and pattern over and including 50mm	
	Thick compacted bed of coarse sand filling the joints with fine sand etc.	Sq Feet
	Providing and Fixing of on wall Skirting tiles of (Kazaria / Somany / Orient) make and joint with	
	the white cement slurry and matching pigment etc.	
46		R.ft.
	School Boundary wall Fencing work (Barbed wire punched tape concertina coils, G.I wires	
	35X35X5 24inch Iron Angle hits Y shape Angle work in built up tubular trusses including cutting hosting fixing etc. in position and applying a painting and priming cost of approved	
47	cutting, hosting fixing etc. in position and applying a painting and priming coat of approved steel primer welded and bolted including special shaped washers etc.	R.Feet
77	Providing and laying flamed finish Granite stone flooring &wall laying with 18mm thick stone	
	slab over 20 mm (average) thick base of cement mortar 1:4 (1 Cement :4 coarse sand) laid	
	and	
48	Jointed with cement with pigment of matching including rubbing polishing complete.	Sq.Feet
49	Providing and fixing in specified door MS steel with sheet 16swg 35x35x4 angle support patti	-
	35x35x3 including cutting, hosting welded in position and apply red oxide primer company	Sq. Feet
	brand safety security	/Per
		piece.
50.	Providing and laying in specified steel MS sheet 16 swag including cutting, hosting, welded in	Sq. Feet
	position and applying a primer and company bread paint complete	/Per

		piece.
51.	(Channel gate) Providing and fixing in position collapsible steel shutters with vertical	Sq. Feet
	channels 20X10X2mm and braced with flat iron diagonals 20X5mm die steel pulleys,	/Per
	complete with bolts, nuts, locking arrangement, stoppers, handles, including applying priming coat of approved steel primer of heavy gauge steel structure.	piece
52.	Providing and laying in position specified grade of Aluminum Partition work including cost of	Sq. Feet
	finishing specifications : -Aluminum section 16swg.Aluminum weeding Heavy , Clear glass	/Per
	5mm, Laminate board 12mm, glass packing rubber	piece
53.	Providing and laying in position specified grade of Aluminum window work including cost of	Sq. Feet
	finishing specifications: - Aluminum section 16swg. Clear glass 5mm glass, packing rubber,	/Per
	handle, lock, etc.	piece
54.	Providing and laying in position specified grade of Aluminum Door work including cost of	Sq. Feet
	finishing specifications: - Aluminum section 16swg. Clear glass 5mm, Laminate board 12mm,	/Per
	glass packing rubber, tower bolt door closer, Handle, Lock, Door closer etc	piece
55.	Steel Frame gate Elmira with 18 gauge sheet included paint, primer lock handle with fixing	Sq. Feet
		/Per
		piece
56.	Dismantling dressed stone work ashlar face stone work marble work or precast concrete work	Sq. Feet
	manually /by mechanical means including stacking of serviceble and disposal of unserviceable	/Per
	material within 50 meters lead.	piece
57.	Steel work in steel Elmira daunting & painting change look, handle Per Almirah	Sq. Feet
		/Per
		piece
58.	Providing fall Ceiling company brand sheet 60cmX60cm with G.I frame with installation	Sq. Feet
	charge.	/Per
		piece
59.	Providing and fixing of powder coated CGI sheet roofing as per size and shape including	Sq. Feet
	fixing with polymer coated J hooks bolts and nuts 8 mm die with bitumen and GI limpet	/Per
<u></u>	washers (Profile GI Metro Sheet)	piece
60.	MS Steel work in built up tubular trusses including cutting, hosting fixing with fasteners etc. in position and applying a steel priming coat of approved brand as per the specification ms pipe	Sq. Feet /Per
	35x3 outer frame Engle2"x1"pipe window frame 13x3 mm flate Patti jali ms SS	· ·
	for class room window	piece
61.	MS Steel work in built up tubular trusses including cutting, hosting fixing with fasteners etc. in	Sq. Feet
	position and applying a priming coat of approved steel primer welded and bolted including	/Per
	special shaped washers etc. as per the specification:- 1"X 1"or 1.5"X1.5" jail with 35x35x3 mm	piece
	angle and 35x4 support Patti (Safety & security for child)	'
62.	Providing & Fixing Acrylic fiber sheet fixing at window pane including old glass remove 3mm	Sq. Feet
	thick fiber	/Per
	Sheet.	piece
63.	Providing & fixing white vitreous china water squatting pan WC Seat type.	Sq. Feet
		/Per
		piece
64.	Providing & fixing white vitreous china water closet squatting pan Indian seat type	Sq. Feet
		/Per
		piece
65.	Providing & Fixing CPVC Pipe with fitting cutting, L.Bow, Nipple, Socket all fitting complete	Sq. Feet
	work	/Per
	(Per running ft.) 1/2"	piece
66	Providing & Fixing CPVC Pipe with fitting cutting, L.Bow, Nipple, Socket all fitting complete	Sq. Feet
	Work (Par rupping ft.) 2/4"	/Per
	(Per running ft.) 3/4"	piece
67	Providing & Fixing CPVC Pipe with fitting cutting, L.Bow, Nipple, Socket all fitting complete	Sq. Feet
57	work	/Per
	(Per running ft.) 1"	piece
		p.000
68	Providing & Fixing CPVC Pipe with fitting cutting, L.Bow, Nipple, Socket all fitting complete	Sq. Feet
	work	/Per
	•	

	(Per running ft.) 1 1/4"	piece
69	Providing & Fixing CPVC Pipe with fitting cutting, L.Bow, Nipple, Socket all fitting complete work (Per running ft.) 1 1/2"	Sq. Feet /Per piece
70	Providing & Fixing CPVC Pipe with fitting cutting, L.Bow, Nipple, Socket all fitting complete work (Per running ft.)2"	Sq. Feet /Per piece
71	Providing & Fixing CPVC Pipe with fitting cutting, L.Bow, Nipple, Socket all fitting complete work (Per running ft.) 3'	Sq. Feet /Per piece
72	Providing & Fixing CPVC Pipe with fitting cutting, L.Bow, Nipple, Socket all fitting complete work (Per running ft.)4"	Sq. Feet /Per piece
73	Educative wall painting with company brand marital making of base and etc. New/Fresr (Balacconcept)	Sq. Feet /Per piece
74	Touch up of existing walls educative wall painting with company brand	Sq. Feet /Per piece
75	Providing and fixing 3MM Fiber clear sheet on window pain of class room with old glass removing Glass fixing with silicone sealant adhesive waterproof.	Sq. Feet /Per piece
76	Welder Wages per day	
77	Welding Machine Rent per day	
78	Welding rod per day	
	GST EXTRA	

Where Bureau of Indian Standards (BIS) certification marked goods are available in market, goods with those or equivalent making only shall be offered.

3. Bid Price

- a. The contract shall be for the supply of the mentioned items to the KVS. The bidder shall quote for items in the format of quotation attached. Corrections, if any, shall be made by crossing out, initiating, dating and rewriting;
- b. All duties, taxes and other levies payable by the bidder, shall be included in the total price. However, the tax and duties leviable should be quoted separately.
- c. The prices should be quoted in Indian Rupees only,
- d. Each bidder shall submit only one quotation;
- e. TELEX, FACSIMILE OR BY HAND QUOTATIONS ARE NOT ACCEPTABLE
- f. The bid should be submitted along with EMD for Rs. 15000/- (Rupees Fifteen Thousand only) by bank draft in favour of K.V.Sec-8 Rohini VVN(I Shift).
- g. The firm should enclose supporting documents regarding registration of GST.
- h. A CANCELLED CHEQUE OF THE FIRM.

4. Validity of quotations

The quotation shall remain valid upto **31.07.2026**.

5. Evaluation of quotations

The Purchaser will evaluate and compare the quotations determined to be substantially responsive, i.e., which are:

- a) properly signed, and
- b) Confirm to the terms and conditions and specifications.

6. Award of contract

- a) The purchaser will award the contract to the bidder whose quotation has been determined to be substantially responsive and who has offered the lowest price as per para 5 above;
- b) The bidder whose bid is accepted will be notified of the award of the contract by the Office prior to expiration of the quotation validity period.
- c) The notification of Ward to clearly specify any change in the unit price or any other terms and conditions accepted.
- d) Normal commercial warranty/ guarantee shall be applicable to the supplied goods;
- e) Payment shall be made within 30 days after the delivery of goods and their acceptance;
- f) Notwithstanding the above, the Purchaser reserves the right to accept or reject any quotations and to cancel the bidding process and reject all quotations at any time prior to the award of the contract.
- g) The successful bidder has to deposit performance security in the form of bank draft in favour of **K.V.Sec-8 Rohini VVN(I Shift)** for an amount of Rs. 25,000/- (Rupees Twenty Five Thousand only) valid for fourteen months from the date of award of the contract. The Performance Security shall be submitted within 10 days from the date of notification of award. The earnest money shall be returned only after the performance security is submitted by the contracting agency.

7. Last date and time of receipt of quotations:

You are requested to send the sealed quotations through speed post/registered post only super scribed on the envelope as 'Quotations for the civil (M&R),' due on 26.07.2025.

The quotations shall be opened at Principal Chamber on 28.07.2025 at 11:30 a.m. The bidders of their representatives who choose to be present at the time of opening of quotations are invited to do so.

The purchaser looks forward to receiving the quotation and appreciate the interest of the bidders in the KVS.

Yours faithfully,

PRINCIPAL

KENDRIYA VIDYALAYA SECTOR-8 ROHINI, DELHI-11085

FORMAT OF QUOTATION FOR THE SESSION 2025-26

S. No	Brief description of goods	Unit	Unit Rate	GST%	Total amount
					(With GST)
	While washing with lime to give an even shade in New Work				usij
1	(Two or more coats).	per sq.ft.			
	While washing with lime to give an even shade in Old Work				
2	(Two or more coats).	per sq.ft.			
	Distempering with oil bound washable distemper of approved				
	brand and manufacturer to give an even shade. New Work (One				
3	& Two coats)	per sq.ft			
	Distempering with oil bound washable distemper of approved				
	brand and manufacturer to give an even shade. Old Work (One	_			
4	& Two coats) as per manufacturers specification (Ready made)	per sq.ft.			
	Painting with synthetic enamel paint of approved brand and				
_	manufacturer to give an even shade on walls . (One & Two				
5	coats)	per sq.ft.			
_	Finishing wall with water proofing cement paint over plaster				
6	explored to weather of approved brand and manufacturer.	per sq.ft.			
	Removing white or colour wash by scrapping and sand preparing the surface smooth including				
7	Necessary repair to scratches etc. complete.	nor sa ft			
	Painting with acrylic emulsion paint on plaster explored to	per sq.ft.			
	weather complete. (One &Two coats) of approved brand and				
8	manufacturer.	per sq.ft.			
	06 mm cement plaster finished with a floating coats of neat	per sque			
9	cement of mix. 1:6 (1 cement : 6 coarse Sand)	per sq.ft.			
	12 mm cement plaster finished with a floating coats of neat	por oque			
10	cement of mix. 1:6 (1 cement : 6 coarse Sand)	per sq.ft.			
	15 mm cement plaster finished with a floating coats of neat				
11	cement of mix. 1:6 (1 cement : 6 coarse Sand)	per sq.ft.			
	Painting of Grill with synthetic enamel paint of approve brand				
12	and manufacturer of required color to give an even shade.	per sq.ft.			
	Painting of Ventilation /Window complete with synthetic				
	enamel paint of approve brand and manufacturer of required				
13	color to give an even shade.	per sq.ft.			
	Applying one coats of primer of approved brand and				
14	manufacturer on walls surface.	per sq.ft.			
	Deduct for not grouting the joints with white cement and				
	matching pigment				
15	In the items of fixing of Vitrified tiles and Ceramic tile	Per sq.ft.			
16	Providing 3.5 mm thick glass panes of window/Door etc.	Per Sq. ft.			
17	Providing 5 mm thick glass panes of window/Door etc.	Per Sq. ft			
		Per.			
18	Glass putty	Packet			
19	Fixing glass labour	PerSq.ft.	-		
22	Providing and Fixing 20 mm thick kota stone slab over 20 mm	per sq.			
20	thick cement motor of mix 1 :5 with polishing complete.	ft			
24	Repainting with black Japan paint of approved brand and	per			
21	manufacture.	sq.mtr.			
	Providing and Fixing of tiles on wall size 12" x 8" of (Kazaria /				
22	Somany / Orient) make and joint with the white cement slurry	nor ca ft			
	and matching pigment etc. Providing and Fixing of tiles on Floor size 12" x 12" of (Kazaria /	per sq. ft	1		
23	Somany / Orient) make and joint with the white cement slurry	per sq. ft.			
23	Somany / Orient/ make and joint with the white tement sturry	per 34. it.	L	1	

		I		
	and matching pigment etc.			
	Providing and Fixing of tiles on Floor size 16" x 16" of (Kazaria /			
	Somany / Orient) make and joint with the white cement slurry			
24	and matching pigment etc.	per sq. ft.		
	Providing and Fixing of tiles on Floor size 24" x 24" of (Kazaria /			
	Somany / Orient) make and joint with the white cement slurry			
25	and matching pigment etc.	per sq. ft.		
26	Denting & Spray Painting of steel Elmira (Skirting Rs.)	Each		
27	Spray Painting of wooden Elmira.	Each		
28	Providing and changing of Almirah lock.	Each		
29	Providing and fixing of Almirah lag.	Each		
30	Providing and fixing of Almirah handle.	Each		
31	Dismantling of Old Plaster.	sq. ft.		
	Dismantling old floor, old plaster or skirting out of joints and cleaning			
32	the surface including disposal to the dumping ground.	Sq.ft.		
	Supply and Fixing Falls ceilings at ant pitch including fixing etc.			
33	(Complete)	per sq. ft.		
34	Brick 1st	per pcs.		
35	Cement bag-1 quality	per Bag.		
36	sand	Cub. Feet		
37	Dust (Baderpur)	Cub. Feet		
38	Grinded Stone	Cub. Feet		
39	Grinded Stone brick	Cub. Feet		
40	TMT Rod	Per kg.		
41				
41	Steel pipe 3" Round	Per kg.		
	Cement Concrete 1:2:4 (1 Cement :2 coarse sand :4 graded stone aggregate 40 mm nominal size) in pavements (road) laid to			
	required slope and camber in panels as required including			
	consolidation finishing and tamping complete.	Per. Sq		
42	consolidation miniming and tamping complete.	.ft.		
72	Applying Wall putty coat company brand on wall making	.10.		
43	smooth surface. (new work)	Per sq. ft.		
	Finishing walls with acrylic smooth exterior paint company			
44	brand required shad making a smooth surface one or two coat	Per Sq. ft.		
	Providing & Fixing cement concrete interlocking paver block of			
	any design/shape laid in required line, level curvature, color and			
45	pattern over and including 50mm			
	Thick compacted bed of coarse sand filling the joints with fine			
	sand etc.	Sq Feet		
	Providing and Fixing of on wall Skirting tiles of (Kazaria /		 	
	Somany / Orient) make and joint with the white cement slurry			
	and matching pigment etc.			
46		R.ft.		
	School Boundary wall Fencing work (Barbed wire punched tape		 	
	concertina coils, G.I wires 35X35X5 24inch Iron Angle hits Y			
	shape Angle work in built up tubular trusses including cutting,			
	hosting fixing etc. in position and applying a painting and			
	priming coat of approved steel primer welded and bolted			
47	including special shaped washers etc.	R.Feet		
	Providing and laying flamed finish Granite stone flooring &wall			
	laying with 18mm thick stone slab over 20 mm (average) thick			
	base of cement mortar 1:4 (1 Cement :4 coarse sand) laid and			
	Jointed with cement with pigment of matching including			
48	rubbing polishing complete.	Sq.Feet		
49	Providing and fixing in specified door MS steel with sheet	1		
	16swg 35x35x4 angle support patti 35x35x3 including cutting,			
	hosting welded in position and apply red oxide primer company	Sq. Feet		
	brand safety security	/Per		
		piece.		
50.	Providing and laying in specified steel MS sheet 16 swag	Sq. Feet		
			_	

			
	including cutting, hosting, welded in position and applying a	/Per	
	primer and company bread paint complete	piece.	
51.	(Channel gate) Providing and fixing in position collapsible steel	Sq. Feet	
	shutters with vertical channels 20X10X2mm and braced with	/Per	
	flat iron diagonals 20X5mm die steel pulleys, complete with	piece	
	bolts, nuts, locking arrangement, stoppers, handles, including		
	applying priming coat of approved steel primer of heavy gauge		
	steel structure.		
52.	Providing and laying in position specified grade of Aluminum	Sq. Feet	
	Partition work including cost of finishing specifications : -	/Per	
	Aluminum section 16swg.Aluminum weeding Heavy , Clear glass	piece	
	5mm, Laminate board 12mm, glass packing rubber		
53.	Providing and laying in position specified grade of Aluminum	Sq. Feet	
	window work including cost of finishing specifications: -	/Per	
	Aluminum section 16swg. Clear glass 5mm glass, packing	piece	
	rubber, handle, lock, etc.		
54.	Providing and laying in position specified grade of Aluminum	Sq. Feet	
	Door work including cost of finishing specifications: - Aluminum	/Per	
	section 16swg. Clear glass 5mm, Laminate board 12mm, glass	piece	
	packing rubber, tower bolt door closer, Handle, Lock, Door		
	closer etc	6 5 1	
55.	Steel Frame gate Elmira with 18 gauge sheet included paint,	Sq. Feet	
	primer lock handle with fixing	/Per	
		piece	
56.	Dismantling dressed stone work ashlar face stone work marble	Sq. Feet	
	work or precast concrete work manually /by mechanical means	/Per	
	including stacking of serviceble and disposal of unserviceable	piece	
	material within 50 meters lead.	0.5.	
57.	Steel work in steel Elmira daunting & painting change look,	Sq. Feet	
	handle Per Almirah	/Per	
		piece	
58.	Providing fall Ceiling company brand sheet 60cmX60cm with	Sq. Feet	
	G.I frame with installation charge.	/Per	
		piece	
59.	Providing and fixing of powder coated CGI sheet roofing as per	Sq. Feet	
	size and shape including fixing with polymer coated J hooks	/Per	
	bolts and nuts 8 mm die with bitumen and GI limpet washers (piece	
60	Profile GI Metro Sheet)	6 5 1	
60.	MS Steel work in built up tubular trusses including cutting,	Sq. Feet	
	hosting fixing with fasteners etc. in position and applying a steel	/Per	
	priming coat of approved brand as per the specification ms pipe	piece	
	35x3 outer frame Engle2"x1"pipe window frame 13x3 mm flate		
	Patti jali ms SS		
61	for class room window MS Steel work in built up tubular trusses including cutting,	Sa Foot	
61.		Sq. Feet	
	hosting fixing with fasteners etc. in position and applying a	/Per	
	priming coat of approved steel primer welded and bolted	piece	
	including special shaped washers etc. as per the specification:-		
	1"X 1"or 1.5"X1.5" jail with 35x35x3 mm angle and 35x4		
62	support Patti (Safety & security for child) Providing & Fixing Acrylic fiber shoot fixing at window page.	Sa Foot	
62.	Providing & Fixing Acrylic fiber sheet fixing at window pane	Sq. Feet	
	including old glass remove 3mm thick fiber Sheet.	/Per	
62		piece Sq. Foot	
63.	Providing & fixing white vitreous china water squatting pan WC	Sq. Feet	
	Seat type.	/Per	
64.	Providing & fixing white vitreous china water closet squatting	piece Sa Foot	
04.	pan Indian seat type	Sq. Feet /Per	
	pan malan seat type		
		piece	

	T •	1 - 1			I
65.	Providing & Fixing CPVC Pipe with fitting cutting, L.Bow,	Sq. Feet			
	Nipple,Socket all fitting complete work	/Per			
	(Per running ft.) 1/2"	piece			
66	Providing & Fixing CPVC Pipe with fitting cutting, L.Bow, Nipple,	Sq. Feet			
	Socket all fitting complete work	/Per			
	(Per running ft.) 3/4"	piece			
67	Providing & Fixing CPVC Pipe with fitting cutting, L.Bow, Nipple,	Sq. Feet			
	Socket all fitting complete work	/Per			
	(Per running ft.) 1"	piece			
68	Providing & Fixing CPVC Pipe with fitting cutting, L.Bow, Nipple,	Sq. Feet			
	Socket all fitting complete work	/Per			
	(Per running ft.) 1 1/4"	piece			
69	Providing & Fixing CPVC Pipe with fitting cutting, L.Bow, Nipple,	Sq. Feet			
	Socket all fitting complete work	/Per			
	(Per running ft.) 1 1/2"	piece			
70	Providing & Fixing CPVC Pipe with fitting cutting, L.Bow, Nipple,	Sq. Feet			
	Socket all fitting complete work	/Per			
	(Per running ft.)2"	piece			
71	Providing & Fixing CPVC Pipe with fitting cutting, L.Bow, Nipple,	Sq. Feet			
	Socket all fitting complete work	/Per			
	(Per running ft.) 3'	piece			
72	Providing & Fixing CPVC Pipe with fitting cutting, L.Bow, Nipple,	Sq. Feet			
	Socket all fitting complete work	/Per			
	(Per running ft.)4"	piece			
73	Educative wall painting with company brand marital making of	Sq. Feet			
	base and etc. New/Fresr (Balacconcept)	/Per			
		piece			
74	Touch up of existing walls educative wall painting with company	Sq. Feet			
	brand	/Per			
		piece			
75	Providing and fixing 3MM Fiber clear sheet on window pain of	Sq. Feet			
	class room with old glass removing	/Per			
	Glass fixing with silicone sealant adhesive waterproof.	piece			
76	Welder Wages per day	As per			
		govt. rate			
77	Welding Machine Rent per day				
78	Welding rod per day				
į.	GST EXTRA				
	We agree to supply the above goods in accordance v	with the cne	cificatio	one for t	ha ahova

We agree to supply the above goods in accordance with the specifications for the above mention unit price shown against the item(s) for which quotations have been submitted, within the period specification in the Invitation for Quotations.

We also confirm that the normal commercial warranty/guarantee of___ months shall apply to the offered goods.

Earnest Money Deposit of Rs	(Rupees) is
furnished herewith vide Bank Draft No	dateddrawn on	
	(Bidder)	
	Signature	
	Name	
	Date	