

## GENERAL INFORMATION

SL NO.	INFORMATION	DETAILS
1	NAME OF THE SCHOOL	PM SHRI KV NABARANGPUR
2	AFFILIATION NUMBER	1500035
3	SCHOOL CODE	19104
4	COMPLETE ADDRESS WITH PIN CODE	AT- CHUTIAGUDA, NABARANGPUR, ODISHA-764059
5	PRINCIPAL NAME AND QUALIFICATION	SHRI HITESH KUMAR VERMA
6	SCHOOL EMAIL ID	Kendriyavidyalaya.nabarangpur@gmail.com
7	CONTACT DETAILS	68582 99954

## STAFF (TEACHING & NONTEACHING):

SL NO.	INFORMATION	DETAILS
1	PRINCIPAL	Shri Hitesh Kumar Verma
2	TOTAL NO. OF TEACHERS	22
	PGT	04
	TGT	07
	PRT	11
3	TEACHERS SECTION RATIO	30
4	SPECIAL EDUCATOR	1(Contractual)

<b>5</b>	<b>COUNSELLOR AND WELLNESS TEACHER</b>	<b>1 (Contractual)</b>
<b>6</b>	<b>Librarian</b>	<b>1</b>
<b>7</b>	<b>PH&amp;E</b>	<b>1</b>
<b>8</b>	<b>WE</b>	<b>1</b>
<b>9</b>	<b>SSA</b>	<b>1</b>

पीएम श्री केन्द्रीय विद्यालय नाबारंगपुर  
चुटियागुड़ा नाबारंगपुर (ओडिशा) पिन 764059  
वेबसाइट/website:- [www.nabarangpur.kvs.ac.in](http://www.nabarangpur.kvs.ac.in)  
मोबाइल(कार्यालय):-+918280204836  
Estd:- 2007 CBSE Affil.No :- 1500035  
Ref.No.F.320/KV-NPR/2069/2021-2022



PM SHRI KENDRIYA VIDYALAYA NABARANGPUR  
CHUTIAGUDA,NABARANGPUR (ODISHA) PIN:-764059  
ई-मेल/E-mail:kendriyavidyalaya.nabarangpur@gmail.com  
Mobile(Office):- +918280204836  
CBSE Sch.Code:13/08/2021 KV Code: 2026  
Dated: 13/08/2021

To  
The Chairman VMC  
Collector & DM Nabarangpur  
Sub: Self-attested copies by chairman and principal for extension of the CBSE affiliation of KV Nabarangpur- Reg.  
Sir,


With reference to the subject cited above, this is to bring under your kind notice that KV Nabarangpur CBSE affiliation, this is mandatory to have fire safety certificate and building safety certificate. As per CBSE letter no. CBSE/AFF/2021, in order to avoid hardship to the schools/students, the competent authority of the board, after due consideration has accorded one time relaxation for furnishing relevant safety certificates, thereby granting approval to the schools that had applied under SARAS (Online application portal for CBSE affiliation) for session 2022-23. KV Nabarangpur has already applied for the same but not received the necessary certificate till date from concerned department.

Your kind approval is required to upload the self-attested copies of the above said documents on CBSE website to continue the academic benefits of the students for forthcoming academic sessions.

This is for kind information and necessary action.

Thanking you.

Yours Sincerely

  
(Mantu Kumar)  
Principal

प्राचार्य/PRINCIPAL

केन्द्रीय विद्यालय/Kendriya Vidyalaya  
नाबारंगपुर/Nabarangpur-764059  
ओडिशा/Odisha

Approved / Not-Approved

  
The Chairman VMC,  
Collector & DM Nabarangpur  
अध्यक्ष / Chairman  
वि.प्र.स/के.वि, नवरंगपुर  
V. M. C/ Nabarangpur

Scanned with CamScanner

COLLECTORATE: NABARANGPUR.

(RES. OFFICE)

e.mail: [dm-nawarangpur@nic.in](mailto:dm-nawarangpur@nic.in)

Te. No.06858-222345, 223123, 222034.

Date. 5.8.2021

No. 1181/2021

From: Dr. Ajit Kumar Mishra,  
Collector & Dist. Magistrate,  
Nabarangpur.

To

The Dy. Fire Officer, Koraput.

Sub.: Issue of Fire Safety Certificate in favor of the Kendriya Vidyalaya, Nabarangpur - Reg.

Sir,

With reference to the subject cited above, I am to say that the Principal, Kendriya Vidyalaya, Nabarangpur has applied for issue of Fire Safety Certificate in favour of the said institution for further processing of the matter for CBSE affiliation of the Vidyalaya. In this connection, I am told that you have already inspected this Institution for the purpose.

In this connection, I request you to expedite the matter at your end and accordingly issue the requisite Fire Safety Certificate at the earliest possible time.

A note of compliance on the matter is desired within next 7 days.

Yours faithfully,

Memo No. 1182/2021

COLLECTOR, NABARANGPUR.

Date. 05.8.2021

Copy to the Principal, Kendriya Vidyalaya, Nabarangpur for information and necessary action.

COLLECTOR, NABARANGPUR.

प्राचार्य/PRINCIPAL  
केन्द्रीय विद्यालय/Kendriya Vidyalaya  
नबरंगपुर/Nabarangpur-764059  
ओडिशा/Odisha

अध्यक्ष / Chairman  
वि.प्र.स/के.वि, नबरंगपुर  
V. M. C/ Nabarangpur

## केन्द्रीय माध्यमिक शिक्षा बोर्ड

### Central Board of Secondary Education

#### संबंधता - Online School Affiliation & Monitoring System R-2.0

As per new Affiliation Bye-Laws

Click Here to Generate Acknowledge Letter Of Regularization of Affiliation	
ANNUAL FEE FOR GOVERNMENT SCHOOLS	
Affiliation Number	1500035
School Name	KENDRIYA VIDYALAYA
	NABARANGPUR, AT. CHUTIAGUDA. PO NABARANGPUR, ORRISA
FEE FOR SESSION Senior Secondary Level	
PAID YEAR FROM	PAID YEAR
2019	2022
NEW FROM	NEW TO
TOTAL PAYMENT	Rs.
PAYMENT CALCULATION VIEW DETAILS      RESET	



**Office of the Asst. Executive Engineer  
Nabarangpur(R&B)Sub-Division, Nabarangpur**

No. 366//NgP.

Dated: 18.8.21

To.

The Principal, Kendriya Vidyalaya, Nabarangpur  
Sub: Structural Safety Certificate in favour of Kendriya Vidyalaya,  
Nabarangpur

Ref: Your letter no-F.320/KV-NPR/2069/2021-22/44-45 addressed to the  
Executive Engineer (R&B) Division, Nabarangpur.

Sir.

With reference to the subject cited above, it is inspected the Kendriya Vidyalaya Building at Nabarangpur on 18.05.202 along with Assistant Engineer (R&B)Section No-1, which was constructed during the year 2009 & found the building is structurally safe in normal weather condition.

This is for favour of your kind information and necessary action.

Yours faithfully

Asst.Executive Engineer  
Nabarangpur(R&B)Sub-Divn.

Dated-

Memo No-

Copy subrnitted to the Executive Engineer (R&B) Division, Nabarangpur for favour of kind information and necessary action.

Asst.Executive Engineer  
Nabarangpur(R&B)Sub-Divn.

# PM SHRI KENDRIYA VIDYALAYA NABARANGPUR

## RESULT ANALYSIS

### Board Classes Result (2023-24)

Class	Appeared	Passed	Failed	Pass %	P.I.
X	73	72	1	98.63	
XII	23	22	1	95.65	

### Board Classes Result (2022-23)

Class	Appeared	Passed	Failed	Pass %	P.I.
X	52	52	0	100	
XII	37	36	1	97.29	

### Board Classes Result (2021-22)

Class	Appeared	Passed	Failed	Pass %	P.I.
X	47	47	00	100	
XII	35	35	00	100	

### Board Classes Result (2020-21)

class	Appeared	Passed	Failed	Pass %	P.I.
X	49	49	00	100	
XII	22	22	00	100	



