



तत् त्वं पूषन् अपवृणु
केन्द्रीय विद्यालय संगठन



पीएम श्री केन्द्रीय विद्यालय, हिनू (प्रथम पाली)/

PM SHRI KENDRIYA VIDYALAYA, HINOO (1st SHIFT)

पो०-डोरंडा, राँची-८३४००२ / PO: Doranda, RANCHI – 834 002

e-mail : kvhinoo1ranchi@gmail.com,

Website: www.hinoo.kvs.ac.in

Ph.(☎): 0651-2482242 (O)

School No. 69508, Affiliation No. 3400002

Ref.No.F.40029/2025-26/KVHR/1184/

दिनांक 21-06-2025

नीलामी सूचना

केन्द्रीय विद्यालय संगठन , राँची संभाग के पत्रांक एफ. 40084 / के.वि.सं. (राँची) / प्रशा / 2024-25 / 31590-92 दिनांक 27 / 12 / 2024 के अनुपालन में पीएम श्री केन्द्रीय विद्यालय हिनू, राँची में उपलब्ध निष्प्रयोजन उपस्करों के निस्तारण हेतु (As it is where it is आधार पर) इच्छुक संस्थाओं / व्यक्तियों से निविदाएँ आमंत्रित की जाती है। नीलामी में भाग लेने वाले इच्छुक फर्म या व्यक्ति विद्यालय में रूपए 1000/- जमानत राशि जमा कराकर नीलामी में भाग ले सकते हैं। नीलामी दिनांक 25.06.2025 को प्रातः 10:00 बजे कार्यालय प्रांगण में की जाएगी।

नीलामी हेतु सर्वोच्च बोली लगाने वाले निविदाकर्ता को जमानत राशि के समायोजन के उपरांत बची हुई राशि उसी समय जमा करवानी होगी। सफल निविदाकर्ता को संबंधित समान को उसी समय सौंप दिया जाएगा तथा वे उसी दिन कार्यालय परिसर से निकलवाने के लिए बाध्य होंगे ।

प्राचार्य

Principal

पीएम श्री के.वि. हिनू / PM SHRI K.V. Hinoo
(प्रथम पाली) राँची / (1st Shift) Ranchi

09

PM SHRI KENDRIYA VIDYALAYA, HINOO (1st SHIFT)
LIST OF THE ARTICLES RECOMMENDED FOR WRITE OFF UNDER THE HEAD FURNITURE Non - Consumable (V. V. N.)

CS-49

S. No.	Name of The Articles	Quantity Damaged/ Broken	Total Cost of Broken / Damaged Articles	Date of Purchase	NO. of Years till march 2023	NO. of Years after March 2023	Depreciation Value (On 95%)	Condemnation Cost	Life Period fixed by KVS	Date when it became unserviceable	Reason for Condemnation	Stock Reg.No/Page No.
1	2	3	4	5	6	7	8	9	10	11	12	13
1	Stool for laboratory ✓	10	162.50	13/10/69	54	53	154	8	5years	1974-75	Recommended for writoff	14/93(Vol.-1) ✓
2	Wooden Almirah ✓	3	1357.00	24/11/76	46	45	1289	68	5 years	1981-82	Recommended for writoff	19(Vol.-1) ✓
3	Library Chair ✓	24	2040.00	30/03/83	40	39	1938	102	5	1988-89	Recommended for writoff	75(Vol.-1) ✓
4	Office Rack 6'x3'x1.5' ✓	2	440.00	31/03/84	39	38	418	22	18 year	2002-03	Recommended for writoff	81(Vol.-1) ✓
5	Stools for Physics Lab (30x45x60 CM) ✓	10	790.00	30/03/87	36	35	751	40	10	1997-98	Recommended for writoff	47(Vol.-2) ✓
6	Office Rack 3'x1'x2.5' (Teak wood) ✓	5	1625	28/03/87	36	35	1544	81	5	1992-93	Recommended for writoff	54(Vol.-2) ✓
7	Honour Board 4'x2.5'x1" ✓	3	1160	27/03/91 & 01/11/2000	23	22	1102	58	10	2001-02/2010-11	Recommended for writoff	70(Vol.-2) ✓
8	Godrej Multiple Open shelves 6'x36"x18" ✓	3	5495.4	17/07/97	26	25	5221	275	20	2017-18	Recommended for writoff	80(Vol.-2) ✓
9	Display Board 6'x3' ✓	8	9080	30/09/97 & 06/02/98	21	20	8626	454	10	2007-08/2008/09	Recommended for writoff	84(Vol.-2) ✓
10	Chair all Wooden for hexagonal table ✓	12	5100	29/03/2004	19	18	4845	255	5	2009-10	Recommended for writoff	19(Vol.-3) ✓
11	Single desk with chair pipe framed ✓	82	77900	29/03/2004	19	18	74005	3895	7	2011-12	Recommended for writoff	17/23(Vol.-3) ✓
12	Teachers Chair iron framed/Principal ch ✓	3	17442	10/04/2012	11	10	16570	872	5	2017-18	Recommended for writoff	9/10(Vol.-4) ✓
13	Single seated dual desk ✓	50	49950	27/01/2006	19	18	47453	2498	3	2009-10	Recommended for writoff	15/16(Vol.-4) ✓
14	Tubular Chair ✓	22	23760	25/03/2009	14	13	22572	1188	3	2012-13	Recommended for writoff	26(Vol.-4) ✓
15	Steel tubular chair ✓	8	12150	23/03/2010	13	12	11543	608	3	2013-14	Recommended for writoff	36(Vol.-4) ✓
16	Students Chair ✓	32	47424	28/02/2013	10	9	45053	2371	3	2016-17	Recommended for writoff	56(Vol.-4) ✓
17	Students Dual Desk ✓	22	75867	28/02/2013	10	9	72074	3793	3	2016-17	Recommended for writoff	56(Vol.-4) ✓
18	Teachers Chair Plastic ✓	10	7866	12/07/2013	10	9	7473	393	5	2017-18	Recommended for writoff	58(Vol.-4) ✓
19	Wooden Almirah ✓	6	2550	30/03/1978	46	45	2423	128	20 Years	1998-99	Recommended for writoff	19(Vol.-1) ✓
20	Wooden Almirah with glass panel door ✓	5	2200	30/03/1978	46	45	2090	110	20 Years	1998-99	Recommended for writoff	92(Vol.-1) ✓

Principal
 श्री के. वि. हिन्दी PM SHRI K.V. Hinoo
 (प्रथम शिफ्ट) चौबीस (1st Shift) K.V. Hinoo

21	multi seater	2	2121	24/07/1997	27	26	2015	106	5 Years	2002-03	Recommended for writoff	83(Vol.-2)
22	Single desk with chair pipe framed	17	33250	29.03.2004	20	19	31588	1663	3 Year	2007-08	Recommended for writoff	17(Vol.-3)
23	Single desk with chair pipe framed	18	17100	29.03.2004	20	19	16245	855	3 Year	2007-08	Recommended for writoff	23(Vol.-3)
24	Single seater dual desk	15	26625	19/09/2014	10	9	25294	1331	3 Years	2017-18	Recommended for writoff	15/16(Vol.-4)
25	Steel tubular chair	8	12150	23/03/2010	14	13	11543	608	3 Years	2013-14	Recommended for writoff	36(Vol.-4)
TOTAL (C/F)			435604.90				322628	16980				

CERTIFICATE

- 1 Certified that information given in column 1 to 13 is correct.
- 2 Certified that articles mentioned in Col.(2) & (3) were rendered unserviceable only on account of normal & tear and there has been no case of willful breakage due to negligence of an official, which requires fixation of responsibility.
- 3 The report of the condemnation Board is enclosed.

Teacher-in-Charge

Name & Signature of Condemnation Committee:-

1 .Ms. Namita Bhanj
VICE-PRINCIPAL

2. Mrs. Meena Marandi
HM

3. Mr. B.Krishan
PGT (Hindi)

4. Mr.Dinesh Kumar Ram
PGT(CS)

5.Mr. Ajit K
PGT(Chem)

6. Mr. Sajit Minj
TGT(AE)

7.Mr. Ratneshwar Prasad
TGT(WE)

8. Mrs. Kiran, Librarian

PRINCIPAL

पीएम श्री के.वि. हिनु / PM SHRI K.V. Hinoo
(प्रथम पाली) राँची / (1st Shift) Ranchi

PMSHRI KENDRIYA VIDYALAYA HINOO, (1ST SHIFT) RANCHI

List of Articles Recommended for Write Off Under the Head of PHYSICS LAB, PMSHRI KV HINOO 1ST SHIFT RANCHI

CS-49

Sl	Name of articles	Stock Register page No.	Stock Register Vol. No.	Quantity damaged/broken	Total cost damaged broken articles	Depreciation Value @ (in Rs.)	Net amount to write off	Date of purchase	Age of articles as on 31.03.2024	LIFE FIXED BY KVS	Date when it became unserviceable or date of breakage	Reason of Condemnation
1	2	3	4	5	6	7	8	9	10	11	12	13
1	MULTI METER	1	Vol.-1	1	390	370.5	19.50	12.01.2004	20	5 Year	MARCH'2020	Unservicable
2	DIGITAL MULTIMETER	2	Vol.-1	1	241	228.95	12.05	12.01.2004	20	5 Year	MARCH'2020	Do
3	PRISM	10	Vol.-1	5	550	522.5	27.50	08.05.2013	10	5 Year	MARCH'2020	Do
4	CONCAVE MIRROR	11	Vol.-1	5	425	403.75	21.25	28.01.2017	7	5Year	MARCH'2022	Do
5	CONVEX LENS	12	Vol.-1	13	1300	1235	65.00	24.01.2018	6	5Year	MARCH'2023	Do
6	PENDULUM BOB	13	Vol.-1	2	96	91.2	4.80	30.03.2010	14	7Year	MARCH'2020	Do
7	RUBBER PAD	14	Vol.-1	4	40	38	2.00	23.01.2009	15	3Year	MARCH'2020	Do
8	CONCAVE LENS	15	Vol.-1	5	506	480.7	25.30	30.03.2010	14	5Year	MARCH'2020	Do
9	SCREW GUAGE	16	Vol.-1	5	2081	1976.95	104.05	30.03.2010	14	5Year	MARCH'2020	Do
10	BOIL'S LAW APPARATUS	17	Vol.-1	3 Sets	5153	4895.35	257.65	08.05.2013	10	5Year	MARCH'2020	Do
11	VISCOSITY APPARATUS	18	Vol.-1	2 Sets	2025	1923.75	101.25	30.03.2010	14	5Year	MARCH'2020	Do
12	SPHEROMETER	19	Vol.-1	4	990	940.5	49.50	30.03.2010	14	5Year	MARCH'2020	Do
13	PARALLELOGRAM LAW OF FORCES APPARATUS	20	Vol.-1	1 Set	2081	1976.95	104.05	30.03.2010	14	5Year	MARCH'2020	Do
14	HELICAL SPRING WITH METER SCALE	21	Vol.-1	1 Set	889	844.55	44.45	30.03.2010	14	5Year	MARCH'2022	Do
15	FRICTION APPARATUS	22	Vol.-1	1 Set	731	694.45	36.55	30.03.2010	14	5Year	MARCH'2022	Do
16	IRON STAND	23	Vol.-1	2 Set	1238	1176.1	61.90	30.03.2010	14	7Year	MARCH'2020	Do
17	SURFACE TENSION APPARATUS	24	Vol.-1	1 Set	2138	2031.1	106.90	30.03.2010	14	5Year	MARCH'2020	Do
18	RESISTANCE COIL	25	Vol.-1	5	842	799.9	42.10	18.03.2011	13	5Year	MARCH'2020	Do
19	GLASS SLAB	26	Vol.-1	10	1600	1520	80.00	08.05.2013	10	5Year	MARCH'2020	Do
20	ZENER DIODE CHARACTERISTICS APPARATUS	28	Vol.-1	2 Set	8550	8122.5	427.50	18.03.2011	13	5Year	MARCH'2020	Unservicable
21	TRANSISTOR CHARACTERISTICS APPARATUS	29	Vol.-1	2 Set	10800	10260	540.00	30.03.2010	14	5Year	MARCH'2020	Do
22	P-N JUNCTION DIODE CHARACTERISTICS APPARATUS	30	Vol.-1	2 Set	10800	10260	540.00	18.03.2011	13	5Year	MARCH'2020	Do
23	MIRROR & LENS HOLDER	31	Vol.-1	15 Set	6328	6011.6	316.40	18.03.2011	13	5Year	MARCH'2020	Do
24	EXTENSION CHORD	37	Vol.-1	2	826	784.7	41.30	30.01.2013	11	5Year	MARCH'2021	Do
				3	660	627	33.00	28.01.2017	7	5Year	FEB'2024	Do
25	BATTERY ELLIMINATOR	38	Vol.-1	6	8100	7695	405.00	08.05.2013	10	5Year	MARCH'2021	Do
26	THERMOMETER 110	41	Vol.-1	6	840	798	42.00	08.05.2013	10	5Year	MARCH'2021	Do
27	PEN DRIVE	1	Vol.-2	1	735	698.25	36.75	17.11.2006	17	5Year	MARCH'2022	Do
28	METER BRIDGE	2	Vol.-2	5	5906	5610.7	295.30	29.03.2007	17	5Year	MARCH'2020	Do
29	POTENTIOMETER	3	Vol.-2	3	4219	4008.05	210.95	29.03.2007	17	5Year	MARCH'2020	Do

Dr. U. C. Mandal

1. Mr. B. Krishna Behra
2. Mr. Krishna Behra
checked by

PRINCIPAL
केन्द्रीय विद्यालय हिनू (प्रथम शिफ्ट)
Kendriya Vidyalaya Hinoo (1st Shift)
Ranchi - 834002

30	RHEOSTATE	4	Vol.-2	6	3780	3591	189.00	29.03.2007	17	5Year	MARCH'2020	Do
31	OHM'S LAW APPARATUS	6	Vol.-2	1	1912	1816.4	95.60	29.03.2007	17	5Year	MARCH'2020	Do
32	MULTI METER	11	Vol.-2	3	1650	1567.5	82.50	22.03.2008	16	5 Year	MARCH'2020	Do
33	RESISTANCE BOX	12	Vol.-2	8	19800	18810	990.00	22.03.2008	16	5 Year	MARCH'2020	Do
34	VOLTMETER	13	Vol.-2	6	2160	2052	108.00	23.01.2009	15	5 Year	MARCH'2020	Do
35	AMMETER	14	Vol.-2	6	2385	2265.75	119.25	&30.03.2010	14	5 Year	MARCH'2020	Do
36	INCLINED PLANE	20	Vol.-2	2 Set	2475	2351.25	123.75	23.01.2009	15	5Year	MARCH'2020	Do
37	RESONANCE COLUMN APPARATUS	21	Vol.-2	5 Set	9281	8816.95	464.05	23.01.2009 &30.03.2010	14	5Year	MARCH'2020	Do
38	GALVANOMETER	25	Vol.-2	5	2050	1947.5	102.50	26.03.2012	12	5Year	MARCH'2020	Do
39	MAGNETIC NEEDLE	30	Vol.-2	6	60	57	3.00	08.05.2013	10	3Year	MARCH'2020	Do

TOTAL 126633 120301.35 6331.65

Certificate

1. Certified that the information given in column 2 to 12 is correct.
2. Certified that articles mentioned in column (2, 5) were rendered unserviceable only on account of normal wear and tear and there had been no case of wilful breakage due to negligence of an official, which requires fixation of responsibility.
3. The report of Condemnation committee is enclosed.

Dr. U. C. Mandal, PGT(Physics)
Teacher In-Charge

1. Mr. B. Krishna PGT(Hindi)
2. Mr. Krishanu Bishwas, PGT(Eng.)
Checked By

Principal
केन्द्रीय विद्यालय हिनू (प्रथम पाली)
Kendriya Vidyalaya Hinoo (1st Shift)
राँची / Ranchi - 834002

134

10ml	1	6.6	27-03-1985	39	38	24	1	24	6	5 Year	MARCH 1990	Do	38(V)
der 25ml	1	21.75	20-12-1976	48	47	97	2	99	21	5 Year	MARCH 1981	Do	39(V)
Cylinder 100ml	7	194.95	20-12-1976	48	47	870	19	890	185	5 Year	MARCH 1981	Do	40(V)
Cylinder 250ml	5	214.25	20-12-1976	48	47	957	21	978	204	5 Year	MARCH 1981	Do	41(V)
Flask(FB) 250ml	24	236.4	20-12-1976	48	47	1056	24	1079	225	5 Year	MARCH 1981	Do	42(V)
Flask(RB) 500ml	10	114.5	20-12-1976	48	47	511	11	523	109	5 Year	MARCH 1981	Do	43(V)
Flask(FB) 1000ml	3	42.75	20-12-1976	48	47	191	4	195	41	5 Year	MARCH 1981	Do	44(V)
Distilling Flask 100ml	2	32.1	20-12-1976	48	47	143	3	147	30	5 Year	MARCH 1981	Do	45(V)
Centrifuge Test Tube	36	262.8	20-12-1976	48	47	1173	26	1200	250	5 Year	MARCH 1981	Do	47(V)
Centrifuge Hand Driven	1	92	15-01-1977	47	46	402	9	411	87	10 Year	MARCH 1987	Do	48(V)
Balance Equal Arm 5kg	1	152	15-01-1977	47	46	664	15	679	144	10 Year	MARCH 1987	Do	49(V)
Weight Box of Balance	3	1428	15-01-1977	47	46	6240	143	6383	1357	10 Year	MARCH 1987	Do	50(V)
Clamp for Burette	15	89.25	20-12-1976	48	47	399	9	407	85	10 Year	MARCH 1986	Unservicable	52(V)
Connector Y Shaped	3	2.22	20-12-1976	48	47	10	0	10	2	10 Year	MARCH 1986	Do	54(V)
Beaker Aluminium	38	74.86	10-01-1977	47	46	327	7	335	71	10 Year	MARCH 1987	Do	56(V)
Bottle WM 250ml	2	2.58	10-01-1977	47	46	11	0	12	2	10 Year	MARCH 1987	Do	57(V)
Bottle 1000ml	4	9.16	10-01-1977	47	46	40	1	41	9	10 Year	MARCH 1987	Do	58(V)
Funnel Pouring Polythene	6	31.2	10-01-1977	47	46	136	3	139	30	10 Year	MARCH 1987	Do	59(V)
Thistle Funnel Polythene	12	17.28	11-07-1977	46	45	74	2	76	16	10 Year	MARCH 1988	Do	62(V)
Bottle narrow mouth polythene 2000ml	7	126	11-07-1977	46	45	539	13	551	120	10 Year	MARCH 1988	Do	64(V)
Glazed Tiles (Porcelain)	6	32.4	10-02-1978	46	45	139	3	142	31	10 Year	MARCH 1988	Do	70(V)
Sintered Glass Crucible 30ml	3	48.6	24-01-1978	46	45	208	5	213	46	10 Year	MARCH 1988	Do	74(V)
Crucible With Lid Silica	1	70.2	24-01-1978	46	45	300	7	307	67	10 Year	MARCH 1988	Do	75(V)
Filter flask Sigcol 500ml	3	40.5	24-01-1978	46	45	173	4	177	38	10 Year	MARCH 1988	Do	76(V)
Filter flask Sigcol 1000ml	3	48.6	24-01-1978	46	45	208	5	213	46	10 Year	MARCH 1988	Do	77(V)
Magnifying Glass	5	21.06	24-01-1978	46	45	90	2	92	20	10 Year	MARCH 1988	Do	83(V)
Porous tiles Procelain unglazed	6	12	21-03-1979	45	44	50	1	51	11	10 Year	MARCH 1988	Do	85(V)
Measuring Flask 500ml	14	269.5	05-02-1980	44	43	1101	27	1128	256	10 Year	MARCH 1990	Do	91(V)
Measuring Flask 1000ml	6	183	05-02-1980	44	43	748	18	766	174	10 Year	MARCH 1990	Do	92(V)
Bottle reagent	2	4.5	05-02-1980	44	43	18	0	19	4	10 Year	MARCH 1990	Do	93(V)
Thistle Funnel Polythene	14	21.00	05-02-1980	44	43	86	2	88	20	10 Year	MARCH 1990	Unservicable	94(V)
Horse Shoe Magnet	8	24.00	21-01-1980	44	43	98	2	100	23	10 Year	MARCH 1990	Do	95(V)
Bar Magnet	6	21.00	13-11-1981	43	42	84	2	86	20	10 Year	MARCH 1991	Do	95(V)
Gas Jar	20	60.00	25-03-1985	39	38	217	6	223	57	10 Year	MARCH 1995	Do	98(V)
Gas Lid	15	60.00	25-03-1985	39	38	217	6	223	57	10 Year	MARCH 1995	Do	98(V)
Hard Glass test tube	50	160	25-03-1985	39	38	578	16	594	152	10 Year	MARCH 1995	Do	99(V)
Porcelain Basin	20	37.5	07-07-1984	40	39	139	4	143	36	10 Year	MARCH 1995	Do	100(V)
Triangular Files	10	60	25-03-1985	39	38	217	6	223	57	10 Year	MARCH 1995	Do	101(V)
TOTAL (C/F)		29203.12				68414	2919	71334	27743				

CERTIFICATE

- 1 Certified that information given in column 1 to 16 is correct.
- 2 Certified that articles mentioned in Col.(2) & (3) were rendered unserviceable only on account of normal & tear and there has been no case of willful breakage due to negligence of an official, which requires fixation of responsibility.
- 3 The report of the condemnation Board is enclosed.

Shelnam
Teacher-in-Charge

Checker 1. Mr. D.K. Ram
2. Mr. Kishanu

PRINCIPAL
प्रधान/Principal
प्रीत श्री के.वि. हिन्नु/PM SHRI K.V. Hinnu
(प्रथम पाली) हिन्नु