A. GENERALINFORMATION

SL.NO.	INFORMATION	DETAILS
1	NAMEOFTHESCHOOL	KENDRIYAVIDYALAYACRPFYELAHANKA
2	AFFILIATIONNUMBER	800028
3	SCHOOLCODE	49061
4	COMPLETEADDRESS	PM SHRI KENDRIYA VIDYALAYA CRPF
		DODDABALLAPUR ROAD
		YELAHANKA,BENGALURU-560064
5	PRINCIPAL NAME	DR. RUBINA M R
	&QUALIFICATION	Dr(Mrs) Rubina M R, MEd, PhD(
		Chemistry)
6	SCHOOLEMAILID	kvcrpfyelfin@rediffmail.com
7	CONTACT DETAILS	080-28567017
	(LANDLINE/MOBILE)	

B. DOCUMENTSANDINFORMATION

SNO	DOCUMENTS/INFORM ATION	UPLOAD	DOCUMENTS			
1	COPIES OF AFFILIATION/UPGRA DATIONLETTERAND	के नहीं प माध्यमिक विश्वत बोर्ड Central Board of Secondary Education संबद्धता - School Affiliation Re-Engineered Automation System (SARAS) 4.0				
	RECENT EXTENSION OF AFFILIATION,	Details OF SCHOOL AFFILIATED TO Central Board of Secondary Education Details Of The School Filled up AFFILIATION/OASIS				
	IFANY	Name of Institution	PM SHRI KENDRIYA VIDYALAYA			
		Affiliation Number	800028			
		State	KARNATAKA			
		District	BENGALURU URBAN			
		Postal Address	CRPF YELAHANKA BANGLORE KARNATAKA			
	The second secon	Pin Code	560064			
		Website				
		Year of Foundation	1995			
		Date of First Opening of School	01 Apr 1991			
		Name of Principal/ Head of Institution	RUBINA M R			
		Gender	Male			
		Principal's Educational/Professional Qualifications:	Ph D, M. Ed			
		No of Experience (in Years):				
		Administrative:				
		Teaching:				
		Status of The School	Senior Secondary Level			
		Affiliation Period Name of Trust/ Society/ Managing Committee	From: 01/04/2024 To: 31/03/2029 KVS			
		Name or Trust/ Society/ Managing Committee	V A 2			

Y REGISTE	ES/COMPAN ATION/REN ERTIFICATE, CABLE ORGANIZATION* Dat IXI of 1860 (Purjub Anendment) Ship day been registered under the lat IXI of 1860 (Purjub Anendment) Ship day been registered under the lat IXI of 1860 (Purjub Anendment) Ship light One thousand nine hundred and sight of societies, Palmi Page - CENTRAL SCHOOLS ORGANIZATION Dear Sir.	Dated 15-11- 1965- To Shri S.N. Date. Under lecy., Cantral School Units. Shook No. 16. NBlock. Ministry of Education, M. Della.
ISSUED,	ON CATE (NOC) F BLE,BYTHE	
	ITION CATEUNDE CT 2009, AND CWAL, IF	

COPY OF VALID BUILDING SAFETY CERTIFICATEASPER THE NATIONAL **BUILDING CODE**



भारत सरकार

Government of India केन्द्रीय लोक निर्माण विभाग



CENTRAL PUBLIC WORKS DEPARTMENT

OFFICE OF THE ASSISTANT ENGINEER BANGALORE CENTRAL SUB-DIVISION NO.III C.P.W.D., BANGALORE

No. 5(5)/AE/BCSD 3/III/2020/ 508

Dt. 20 /02/2021

To

The Principal, Kendriya Vidyalaya, CRPF, Yelahanka, Bangalore.

Sub: Safety Certificate for Kendriya Vidyalaya CRPF, Yelahanka, Bangalore-Reg.

Ref No: 13/118/KV/CRPF/2020-21/145 Dated: 22.12.2020.

Wit reference to above the building in general with respect to Civil Engineering aspects are safe. However wash rooms are having seepage problems mainly at two places including class room walls and at some places plastering, cracks are developed which needs to be attended immediately.

It is also suggested that Electrical and Mechanical services may also be got inspected by Executive Engineer (Electrical) of CPWD at the earliest.

This letter is issued with the approval of the EE BCD-III.

Yours faithfully,

Assistant Engineer, BCSD 3/III, CPWD, Bangalore

Copy to:

1. The Executive Engineer BCD-III, CPWD, Bangalore for information please

Assistant Engineer, BCSD 3/III, CPWD, Bangalore

COPY OF VALID FIRE SAFETYCERTIFICATE ISSUED BY THE **COMPETENT AUTHORITY**

Aim Fire Services FIRE PROTECTION ENGINEERS

GSTIN: 29ARUPN2983N1ZK

#8, "A" Block, 4th Cross, Thirumala Nagar, Near Thirumala Dhaba, Attur Layout, Yelahanka, Bangalore - 560064. Mob: 9743748229, 9964448243, 9964445

REFILLING CERTIFICATE

D-05/01/2022

M/S.KENDHRIYA VIDHYALAYA C.R.P.F, YELAHANKA, BANGALORE-560064

Dear Sir,

This is to Certify that the existing Fire Extingusher at your premises has been REFILLING 05/01/2022-04/01/2023.

SL N	Type of F/E.	Qty	Refillingdate	N. Refilling Date
1	Recharging of ABC 5 kg cap. F/E.	2.00	5/01/2022.	04/01/2023.
2	Recharging of ABC 2 kg cap. F/E.	3.00	5/01/2022.	04/01/2023.
3	Recharging of CO2 2 kg cap. F/E.	3.00	5/01/2022.	04/01/2023.
4	Recharging of ABC 6 kg cap. F/E.	4.00	5/01/2022.	04/01/2023.

All the above mentioned Fire Extingusher are ready to use for any

emergency and are guaranted against manufacturing defects for a period of 1 year, (Subject to any tampering or misuse)

Thanking You

Yours faithfully, For Aim Fire Services

Authorised Signatory

ತ್ರಾಂಶುಪಾಲದು/पावार्य/PRINCIPAL ಕೇಂದ್ರಿಯ ವಿದ್ಯಾಲಯ, ಸಿ.ಆರ್.ಪಿ.ಎಫ್. ಹೆಗ್ಡಾಗಿದ विद्यालय, सी.आर.सी.एक. KENDRIYA VIDYALAYA, C.R.P.F. ಯಲವಂಶ, ಚಿಂಗಳೂರು 560 064 महार्थका, बेगालुङ-५६० ०६४ ҮЕLAHANKA, BENGALURU-560 144

COPY OF THE DEO
CERTIFICATE
SUBMITTED BY THE
SCHOOLFOR
AFFILIATION/UPGRA
DATION/EXTENSION
OF AFFILIATION OR
SELFCERTIFICATION
BY THE SCHOOL

NOTAPPLICABLE

WATER, HEALTHAND

2015 Certified and NABL Accredited Laboratory

SANITA IN CONF. Temple Arch, Mob.: 9844846082, E - mail: info@hatlindia.com, www.infohatlindia.in

TEST REPORT

Description: - Colorless Odorless Transparent Liquid.

TESTS	RESULTS	Maximum Acceptable Limits (mg/l)	Maximum Permissible Limits (mg/l)	Protocol	
Liver and the second		(As per IS 10500:2012)			
Color, Hazen Units	<5	5	15	1S-3025/Part-4	
Odor	Agreeable	Agreeable	Agreeable	IS-3025/Part-5	
Turbidity,NTU	0.2	1	5	IS-3025/Part-10	
pH Value	8.1	6.5 - 8.5	No Relaxation	IS-3025/Part-11	
Total Hardness as CaCO ₃ , mg/l	160.0	200	600	APHA 23 rd Edition	
Calcium as Ca, mg/l	36.0	75	200	APHA 23rd Edition	
Magnesium, as Mg. mg/l	17.0	30	100	APHA 23 rd Edition	
Chloride as Cl. mg/l	70.0	250	1000	1S-3025/Part-32	
Total Dissolved solids, mg/l	412.0	500	2000	IS-3025/Part-16	
Sulphate as SO ₄ , mg/l	23.0	200	400	IS-3025/Part-24	
Nitrate as NO _b mg/1	12.0	45	No Relaxation	IS-3025/Part-34	
Fluoride as F, mg/l	0.4	1.0	1.5	APHA 23etp.mice	
Iron as Fe, mg/1	0.1	0.3	No Relaxation	IS-3025/Part-53	
Chromium as Cr6+, mg/1	<0.05	0.05	No Relaxation	IS-3025/Part-53	
Copper as Cu, mg/1	<0.05	0.05	1.5	IS-3025/Part-42	
Manganese as Mn, mg/l	<0.1	0.1	0.3	IS-3025/Part-9	
Residual Free Chlorine, mg/I	<0.2	0.2	1	15-3025/Part-2	
Total Alkalinity as CaCOs, mg/I	150.0	200	600	IS-3025/Part-21	
Aluminium, as Al, mg/l	0.03	0.03	0.2	IS-3025/Part-55	
Boron as B, mg/l	0.1	0.5	1.0	APHA 23 rd Edmo	

Remarks: The given water sample meet the maximum acceptable limits as per IS 10500-2012 standard for above physio chemical testing.

to tax: 1. The results listed pertain only to the tested samples and applicable parameters. 2. Samples will be destroyed after 35 styrs from the date to the samples and cannot be used an evidence to the samples and cannot be used an evidence to the samples and cannot be used an evidence to the samples are samples and cannot be used an evidence to the samples are samples and cannot be used an evidence to the samples are samples and cannot be used an evidence to the samples are samples and cannot be used an evidence to the samples are samples and cannot be used an evidence to the samples are samples and applicable parameters.

C. RESULTANDACADEMICS

SL.NO.	DOCUMENTS/INFORMA TION	UPLOADDOCUMENTS				
1	FEE STRUCTURE OF THE	KVS Fee Structure				
	SCHOOL	1	Admission Fee	25.00		
		2	Re Admission Fee	100.00		
		3	Tuition Fee (per month)			
		3(a)	Class IX & X (Boy)	200.00		
		3(b)	Class XI & XII Commerce & Humanities (Boy)	300.00		
		3(c)	Class XI & XII Science (Boy)	400.00		
		4	Computer Fund			
		4(a)	Class III on wards	100.00		
		4(b)	Computer Science Fee.(for elective subjects in class XI & XII)	150.00		
		5	VidyalayaVikasNidhi from classes I - XII (per month)	500.00		
2	ANNUAL ACADEMIC CALENDER	https://kvsangathan.nic.in/sites/default/files/hq/FEES_STRUCTURE. PM SHRI KV CRPF YELAHANKA, BENGALURU EXAMINATION 2024-25 Periodic Test -1 in 2nd week of August April to July Syllabus PTA Meeting in August Mid_term Examination in September 4th week April to September Syllabus PT-2 in 4th week of September		RU		

1			Designation	Status		idence Address
MANAGEMENT		Smt. Anitha Devi	Member Nominated By Chairman		GC CRPF Yealhanka	
	100	Shri K V Yadav	Educationist Member	Dy Commandant	PRINCIPAL CIT, GC	CRPF
COMMITTEE(SMC)	3	Shri R. Chakravarthy	Educationist Member	Principal	Jawahar Navodaya V	/idyalaya, Doddaballa
		Shri Nagrajan	Artist Member	Specialist Bharathnatyam		
		Shri B Rama Rao	Parent Member	Parent Of Student	CRPF Yelahanka	
		Mrs Kavitha	Parent Member	Parent Of Student	CRPF Yelahanka	
		Dr. S. Manjunath	Doctor Member	MBBS	New Town Yelahanko	
		Shri Venkatagiri	Member	Assistant Commandant	GC CRPF Yelahanka	
		Shri. K R V P Rao	Teacher Member	PGT Chemistry	KV CRPF Yelahanka	
		Sri Parvez Hussain	Principal	Principal KV CRPF	Kv CRPF Yelahanka	
		Shri Anto Jose	Co-Opted Member	Assistant Engineer, CPWD	CPWD BCD-111, Ko	ormangala, Bangalore
		Shri. Jai Deva	Chairman, CGEWCC Technical Member	Accietant Environ-	COMPA	
		Mr. Himanshu Kumar		Assistant Engineer	CPWD Koramangla	
	14	ivii. minianshu Kumar	Cridiffialt	DIGP	GCCRPF,Yelahanka	
LASTTHREE-YEAR						
RESULTOFTHEBOARD						
EXAMINATIONASPER			RESUL	CLAS	S:X	
APPLICABILITY						
	S.	YEAR	NO.OF	NO.OF	PASS	REMAR
	NO				PERCEN	
			DSTUD	SPASSED	TAGE	
			ENTS			
	1	2021	148	148	100	
	2	2022	126	124	98.43	
	3	2023	138	138	100	
	3					
	3		138 RESULT			
	3 S.					REMAR
		YEAR	NO. OFREGIST	NO. OFSTUDE	S:XII PASSP ERCENT	REMAR
	S.	YEAR	NO. OFREGIST	CLAS	S:XII	REMAI
	S.	YEAR	NO. OFREGIST ERE	NO. OFSTUDE NTS	S:XII PASSP ERCENT	REMAR
	S.	YEAR	NO. OFREGIST ERE D	NO. OFSTUDE NTS	S:XII PASSP ERCENT	REMAR
	S. NO	YEAR	NO. OFREGIST ERE D STUDENTS	NO. OFSTUDE NTS PASSED	PASSP ERCENT AGE	REMAR

D. STAFF(TEACHING)

SL.	DOCUMENTS/INFORMATION	UPLOADDOCUMENTS
NO.	PRINCIPAL	DR. RUBINA M R
2	VICE-PRINCIPAL	VACANT
3	HEADMASTER	01
3	TOTALNO.OF TEACHERS:	
	• PGT	PGT:09
	• TGT	TGT:14
	• PRT	PRT:17
4	TEACHERS SECTION RATIO	4:3
5	DETAILSOF SPECIALE DUCATOR	01
6.	DETAILS OF COUNSELLORANDWELNESS TEACHER	01

E. SCHOOLINFRASTRUCTURE

SL.	INFORMATION	DETAILS
NO.		
1	TOTALCAMPUSAREAOFTHESCHOOL(IN	40,468Sqm.
	SQUAREMTR)	(10Acres)
2	NO. AND SIZEOFTHE CLASS ROOMS(IN	36
	SQ UAREMTR)	(54Sqm.)
3	NO. ANDSIZE OF LABORATORIES INCLUDING	07
	COMPUTER LAB(IN SQUARE MTR)	(83Sqm.)
4	INTERNETFACILITY(Y/N)	YES
5	NO.OFGIRLSTOILETS	6x4=24
6.	NO.OFBOYSTOILETS	6x4=24
7.	LINKOFYOUTUBEVIDEOOFTHEINSPECTION	
	OFSCHOOLCOVERINGTHEINFRASTRUCTURE OF	N A
	THE SCHOOL	