

Mandatory Public Disclosure

A : GENERAL INFORMATION :

SL No.	INFORMATION	DETAILS
1	NAME OF THE SCHOOL	KENDRIYA VIDYALAYA
2	AFFILIATION NO.(IF APPLICABLE)	2700002
3	SCHOOL CODE (IF APPLICABLE)	29013
4	COMPLETE ADDRESS WITH PIN CODE	SECTOR II R K PURAM NEW DELHI, NEW DELHI , DELHI - 110022
5	PRINCIPAL NAME	SATYA NARAIN
6	PRINCIPAL QUALIFICATION	Msc B.Ed
7	SCHOOL EMAIL ID	kvrkpsec2@gmail.com
8	CONTACT DETAILS (LANDLINE/MOBILE)	9830040875

B : DOCUMENTS AND INFORMATION:

SL No.	DOCUMENTS/INFORMATION	LINKS OF UPLOADED DOCUMENTS ON YOUR SCHOOL'S WEBSITE
1	COPIES OF AFFILIATION/UPGRADATION LETTER AND RECENT EXTENSION OF AFFILIATION, IF ANY	https://rkpuramsec2shift2.kvs.ac.in/cbse-mandatory-public-disclosure/
2	COPIES OF SOCIETIES/TRUST/COMPANY REGISTRATION/RENEWAL CERTIFICATE, AS APPLICABLE	https://rkpuramsec2shift2.kvs.ac.in/cbse-mandatory-public-disclosure/
3	COPY OF NO OBJECTION CERTIFICATE (NOC) ISSUED, IF APPLICABLE, BY THE STATE GOVT./UT	https://rkpuramsec2shift2.kvs.ac.in/cbse-mandatory-public-disclosure/
4	COPIES OF RECOGNITION CERTIFICATE UNDER RTE ACT, 2009, AND IT’S RENEWAL IF APPLICABLE	https://rkpuramsec2shift2.kvs.ac.in/cbse-mandatory-public-disclosure/
5	COPY OF VALID BUILDING SAFETY CERTIFICATE AS PER THE NATIONAL BUILDING CODE	https://rkpuramsec2shift2.kvs.ac.in/cbse-mandatory-public-disclosure/
6	COPY OF VALID FIRE SAFETY CERTIFICATE ISSUED BY THE COMPETENT AUTHORITY	https://rkpuramsec2shift2.kvs.ac.in/cbse-mandatory-public-disclosure/
7	COPY OF THE DEO CERTIFICATE SUBMITTED BY THE SCHOOL FOR AFFILIATION/UPGRADATION/EXTENSION OF AFFILIATIONOR SELF CERTIFICATION BY SCHOOL	https://rkpuramsec2shift2.kvs.ac.in/cbse-mandatory-public-disclosure/
8	COPIES OF VALID WATER, HEALTH AND SANITATION CERTIFICATES	https://rkpuramsec2shift2.kvs.ac.in/cbse-mandatory-public-disclosure/

NOTE: THE SCHOOLS NEEDS TO UPLOAD THE SELF ATTESTED COPIES OF ABOVE LISTED DOCUMETNS BY CHAIRMAN/MANAGER/SECRETARY AND PRINCIPAL. IN CASE, IT IS NOTICED AT LATER STAGE THAT UPLOADED DOCUMENTS ARE NOT GENUINE THEN SCHOOL SHALL BE LIABLE FOR ACTION AS PER NORMS.

C : RESULT AND ACADEMICS :

SL No.	DOCUMENTS/INFORMATION	LINKS OF UPLOADED DOCUMENTS ON YOUR SCHOOL'S WEBSITE
1	FEE STRUCTURE OF THE SCHOOL	https://rkpuramsec2shift2.kvs.ac.in/fee-structure/
2	ANNUAL ACADEMIC CALENDER	https://rkpuramsec2shift2.kvs.ac.in/academic-planner/
3	LIST OF SCHOOL MANAGEMENT COMMITTEE (SMC)	https://rkpuramsec2shift2.kvs.ac.in/vidyalaya-mangement-committee/
4	LIST OF PARENTS TEACHERS ASSOCIATION (PTA) MEMBERS	https://rkpuramsec2shift2.kvs.ac.in/vidyalaya-mangement-committee/
5	LAST THREE-YEAR RESULT OF THE BOARD EXAMINATION AS PER APPLICABILITY	https://rkpuramsec2shift2.kvs.ac.in/result-analysis/

D : STAFF (TEACHING) :

SL No.	INFORMATION	DETAILS
1	PRINCIPAL	SATYA NARAIN

2	TOTAL NO. OF TEACHERS	38
	PGT	10
	TGT	09
	PRT	12
3	TEACHERS SECTION RATIO	1:1
4	DETAILS OF SPECIAL EDUCATOR	01
5	DETAILS OF COUNSELLOR AND WELLNESS TEACHER	01

RESULT CLASS: X

SL No.	YEAR	NO. OF REGISTERED STUDENTS	NO. OF STUDENTS PASSED	PASS PERCENTAGE	REMARKS
1	2024-25	60	60	100	

RESULT CLASS: XII

SL No.	YEAR	NO. OF REGISTERED STUDENTS	NO. OF STUDENTS PASSED	PASS PERCENTAGE	REMARKS
1	2024-25	84	83	98.81	

E : SCHOOL INFRASTRUCTURE:

SL No.	INFORMATION	DETAILS
1	TOTAL CAMPUS AREA OF THE SCHOOL (IN SQ MTR)	20615
2	NO. AND SIZE OF THE CLASS ROOMS (IN SQ MTR)	52 & 41
3	NO. AND SIZE OF LABORATORIES INCLUDING COMPUTER LABS (IN SQ MTR)	9 & 80
4	INTERNET FACILITY	YES
5	NO. OF GIRLS TOILETS	5
6	NO. OF BOYS TOILETS	5
7	LINK OF YOUTUBE VIDEO OF THE INSPECTION OF SCHOOL COVERING THE INFRASTRUCTURE OF THE SCHOOL	https://www.youtube.com/watch?v=HoOXHpPBfYM&feature=youtu.be

NO : CBSE/2700002/EX-02853-2324/2023-24/

Dated: 27/09/2022

The Principal,
KENDRIYA VIDYALAYA SEC-II RK PURAM NEW DELHI
SECTOR II R K PURAM, NEW DELHI
DELHI, CENTRAL DELHI, 110022
(M: 011-26175262)

M.s. Poonam
for mra to
kept in record
29/9/22

SUBJECT: -Extension of Regular Affiliation up to Secondary/Senior Secondary Level

This is with reference to school application on the subject cited above. In this connection, I am directed to convey the approval of the Board for Extension of General Affiliation as per details given below:-

Affiliation No used as User ID for both OASIS and LOC/Registration System	2700002
School No	29013
Affiliated for	Extension of Regular Affiliation
Category	Extension of Affiliation
Period of affiliation	01.04.2022 to 31.03.2027

The above sanction is subject to fulfillment of following conditions:-

1. The approval is based upon the documents /data/information uploaded by the school online. The school will be responsible for its genuineness. In case of any discrepancies, necessary action will be initiated against the school as per Affiliation Bye -Laws-2018.
2. The school will follow the RTE Act, 2009 and instructions issued thereon by the CBSE/Respective State /UT Govt. from time to time. The school will also abide by the conditions prescribed, if any, by the State Government concerned.
3. The School is required to apply on online for extension of affiliation along with the requisite fee and other documents as per Rule 10.3 of Affiliation Bye Laws.
4. The school should go through the provision of Affiliation and Examination Bye Laws and subsequent amendment therein as well as circulars and guidelines /instructions issued by the Board time to time and keep a copy there of for reference purpose and is also advised to regularly visit CBSE websites i.e., <http://cbseacademic.nic.in/> & <http://cbse.nic.in/> for updates.
5. The school to renew mandatory certificates from time to time.
6. The school shall be solely responsible for any legal consequences arising out of the use of school name/logo/society/trust or any other identity /activity related to running of school affiliated to CBSE. All legal expenses incurred by the Board, if any, arising out of these circumstances, shall be borne by the school.

"The school shall possess valid fire safety certificate and Building safety certificate during functioning of the school which shall be renewed from time to time as per norms".

DEPUTY SECRETARY/JOINT SECRETARY (AFF.)

ENROLMENT TABLE

about:blank				
	Location of School	Campus area	Affiliation Allowed	Optimum No. of Sections (From classes I/VI to X/XII)
A	Areas/Cities mentioned in clause 3.6	1600 sqm	Up to Class-X only	10
B	Areas/Cities mentioned in clause 3.6	2400 sqm	Up to Class-XII	24
C	Areas/Cities mentioned in clause 3.6	3200 sqm	Up to Class-XII	28
D	Class-X Cities (Clauses 3.5) and Areas mentioned in clause 3.7	2000 sqm	Up to Class-X only	10
E	Class-X Cities (Clauses 3.5) and Areas mentioned in clause 3.7	3000 sqm	Up to Class-XII	24
F	Class-X Cities (Clause 3.5) and Areas mentioned in clause 3.7 and Areas/Cities mentioned in clause 3.4	4000 sqm	Up to Class-XII	28
G	Pan India (Clause 3.3)	6000 sqm	Up to Class-XII	38
H	Pan India (Clause 3.2)	8000 sqm	Up to Class-XII	48
I	Pan India (Clause 3.2)	>8000 sqm	Up to Class-XII The number of sections shall be restricted in accordance with 'H' above with land requirement unit scaled down to 2000 square meters i.e. 12 sections for every 2000 square meter additional land.	
The total number of sections taken together for classes XI and XII should not be more than 1/3 of optimum number of section allowed on the basis of land holding for any school.				
The number of sections and students shall be restricted as per the actual facilities in the school.				
For class rooms of size less than 500 sq feet the enrolment shall be 0.08 X size of class rooms in sq feet				

Important Notes : NA

School is required to appoint wellness teacher as per affiliation bye laws.

This is an electronically generated document. It does not need any signature.

*To verify the authenticity of the document, please visit
(<http://www.saras.cbse.gov.in/saras/AffiliatedList/ListOfSchdirReport>).*

Print

भारत सरकार
Government of India

केन्द्रीय लोक निर्माण विभाग
कार्यालय- सहायक अभियन्ता, 3/एस उपमंडल
नई दिल्ली-110022

Central Public Works Department
O/O Assistant Engineer, 3/S Sub Div
New Delhi-110022

पत्र सं 3(1)/स0ई0/3-एस/2022-2023/266
सेवा में

दिनांक:- 12/09/2022

✓ The Principal,
Kendriya Vidyalah,
R.K. Puram, Sector-2,
New Delhi.

विषय:- केन्द्रीय माध्यमिक शिक्षा बोर्ड द्वारा संबद्धता (affiliation) प्राप्त करने हेतु विद्यालय सुरक्षा प्रमाण-पत्र प्रदान करने के सन्दर्भ में।

सन्दर्भ:- के0वि0/सैक्टर-2/आर.के.पुरम/2022-23/213 दिनांक 01/09/2022

महोदय,

With reference to above cited subject, Kendriya Vidyalaya Secctor-2, R.K.Puram inspected by the undersigned on today i.e 12.09.2022. During the inspection following points have been observed. Which are as under below.

The school building is a R.C.C framed structure. There are two blocks. One of the large building (G+3) and other is (G+1).

These buildings are visually seems as structurally serviceable and safe, subject to the following minor repairs.

1. Annual repair works required.
2. The Condition of all the toilets are not in good condition. Hence needs renovation works.
3. External & Internal painting works required. Some portions of Staircase & Muntly are damaged. These needs to be repaired on priority.
4. Hair cracks are visible at some locations. This needs to be repaired.

In View of the above, this school building is structurally serviceable and in safe conditions.

This is for your information and necessary actions please.

सहायक अभियन्ता,
3/एस उपमंडल, के0लो0नि0वि0,
सैक्टर-4, आर के पुरम, नई दिल्ली

प्रतिलिपि

- 1- कार्यापालक अभियन्ता, एस मंडल, के0लो0नि0वि0, रामा0कृष्णा0पुरम, आपके पत्रांक 23(3/5)/एस म0 (यो0)/2225 दिनांक 02/09/2022 के सदर्भ में सूचनार्थ।

सैक्टर-2, सहायक अभियन्ता
आगत सं. 12/09/2022
दिनांक 12/09/2022
सहायक अभियन्ता

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI
HEAD QUARTERS: DELHI FIRE SERVICE: CONNAUGHT PLACE
NEW DELHI-110001

No.F.6 DFS/MS/School/2021/SZ/ 930

Dated: 12/11/2021

FIRE SAFETY CERTIFICATE

Certified that Kendriya Vidyalaya located at Sector -2, R.K Puram, New Delhi 110022 comprised of Ground plus Three upper floors owned/occupied by Kendriya Vidyalaya was issued Fire Safety Certificate by this department vide letter No. F6/DFS/MS/2012/School/3107 Dated 27/08/2012. The said premises was re-inspected by officer concerned of this department on 01/11/2021 in presence of Sh. Awadhesh Dubey (Principal) and found that the said school building have deemed complied with the fire prevention and fire safety requirements in accordance with rule 33 of the Delhi Fire Service Rules, 2010 and the building is fit for occupancy class "Educational Building Group - B" with effect from 12/11/2021 for a period of Three years in accordance with rule 36 unless renewed under rule 37 or sooner cancelled under Rule 40 and subject to compliance of the conditions under rule 38 of Delhi Fire Service Rules 2010.

Issued on 12/11/2021 at New Delhi by

(SUNIL CHAUDHARY)
DY. CHIEF FIRE OFFICER

Copy to:-

1. The Principal, Kendriya Vidyalaya at Sector -2, R.K Puram, New Delhi 110022
2. The Director of Education, Govt. of NCT of Delhi, Old Secretariat, New Delhi 110054

Conditions for the validity of Fire Safety Certificate

1. All the means of escape/entry/exit shall be kept free from any obstruction.
2. All the fire safety arrangements provided therein shall be maintained in good working condition at all time as seen during inspection. Any loss of life or property due to non-functional fire safety measures shall be at the responsibility of the management.
3. All the staff members must know the correct method of operation of firefighting system.
4. The owner/ occupier shall submit a declaration every year in Form 'K' provided in the first schedule of Delhi Fire Service Rules 2010. The form is available on www.dfs.delhi.gov.in
5. This fire safety certificate may not in any way be treated as regularization (Clause 2.8 of UBBL-2016) of unauthorized construction or Alteration (Clause 1.4.3 of UBBL-2016), if any.
6. "The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director in Form 'J' [sub rule (1) of rule 37] along with a copy of this Certificate, six months prior to its expiry."

23/11/2021

original kept
in Directorate
Almirah

केन्द्रीय विद्यालय
सेक्टर-2, रा.कु.पु. नई दिल्ली-110022
आगत संख्या 31
दिनांक 24/11/2021

Signature



TEST CERTIFICATE

ULR No. : TC536922000008358F

Sample : Drinking Water		Report No. : 11006011/A	
Sample Description: Said to be" RO Water"			
Party's Ref No.: F.1437-3/KVRKPSEC2/2022-23, Date: 14/09/2022		Report Issue Date: 16/09/2022	
Customer Name & Address : Kendriya Vidyalaya Sector-2, R.K. Puram, New Delhi-110022		Job Code : STRC/11006011	
		Sample Received On : 14/09/2022	
		Date of Testing : 14/09/2022 To 16/09/2022	
		Sample quantity : 2.5 Ltr.	
Sample Condition		Filled in Plastic & Sterilized glass bottle	
Sample Collected By		Lab Representative	

TEST RESULTS

S.No.	Test Parameters	Test Result	Requirement As Per IS:10500:2012 Acceptable Limit/Permissible Limit	Test Method	Conformity
Chemical Testing-Water-Drinking Water					
1	Colour, Hazen units	<3.0	5.0/15.0 Max.	IS:3025(P-4)2021	Yes
2	Odour	Agreeable	Agreeable	IS:3025(P-5)2018	Yes
3	pH value (at 25.0°C)	7.07	6.5-8.5/No relaxation	IS:3025(P-11)2022	Yes
4	Turbidity, NTU	<0.1	1.0/5.0 Max.	IS:3025(P-10)1984	Yes
5	Fluoride (as F), mg/l	<1.0	1.0/1.5 Max.	IS:3025(P-60)2008	Yes
6	Chloride (as Cl), mg/l	17.4	250/1000 Max.	IS:3025(P-32)1988	Yes
7	Total Hardness (as CaCO ₃), mg/l	111.0	200/600 Max.	IS:3025(P-21)2009	Yes
8	Total Dissolved Solids, mg/l	210.0	500/2000 Max.	IS:3025(P-16)1984	Yes
Biological Testing-Water-Drinking Water					
9	E. coli, per 250ml	Absent	Shall not be detectable in any 100ml. sample	IS:15185:2016	Yes
10	Coliform, per 250ml	Absent	Shall not be detectable in any 100ml. sample	IS:15185:2016	Yes

Note : According to IS :10500-2012, it is recommended that the acceptable limit is to be implemented. Values greater than the acceptable limits render the water is not suitable, but still may be tolerated in the absence of an alternate source but upto

11006011/A-1



Format No.: STRC/7.8/F/TC/Z/02

Aparna

Aparna
Quality Manager

Santram

Santram Rajput
Technical Manager

Page No.: 1 of 2

Scan QR Code to verify the authenticity of Report.

(1) The Test results listed refer only to tested samples and applicable parameters. Endorsement of product is neither intended nor implied. (2) Total liability of our laboratory is limited to the invoiced amount. (3) Sample(s) are retained for 7 days on case of perishable items, and 30 days for non-perishable samples, or unless otherwise specified. (4) This Test Report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law, and should not be used in any advertising or promotional material without our special permission in writing. (5) The Test Report refer to the sample submitted to us and not drawn by Sigma Test & Research Centre unless mentioned otherwise.

AN ISO 9001:2015 & 14001:2015 ACCREDITED LABORATORY

NO: CBSE/2700002/EX-02853-2324/2023-24/

Dated: 27/09/2022

The Principal,
KENDRIYA VIDYALAYA SEC-II RK PURAM NEW DELHI
SECTOR II R K PURAM, NEW DELHI
DELHI, CENTRAL DELHI, 110022
(M: 011-26175262)

*Ms. Poonam
for mra to
keep in record
29/9/22*

SUBJECT: -Extension of Regular Affiliation up to Secondary/Senior Secondary Level.

This is with reference to school application on the subject cited above. In this connection, I am directed to convey the approval of the Board for Extension of General Affiliation as per details given below:-

Affiliation No used as User ID for both OASIS and LOC/Registration System	2700002
School No	29013
Affiliated for	Extension of Regular Affiliation
Category	Extension of Affiliation
Period of affiliation	01.04.2022 to 31.03.2027

The above sanction is subject to fulfillment of following conditions:-

1. The approval is based upon the documents /data/information uploaded by the school online. The school will be responsible for its genuineness. In case of any discrepancies, necessary action will be initiated against the school as per Affiliation Bye -Laws-2018.
2. The school will follow the RTE Act, 2009 and instructions issued thereon by the CBSE/Respective State /UT Govt. from time to time. The school will also abide by the conditions prescribed, if any, by the State Government concerned.
3. The School is required to apply on online for extension of affiliation along with the requisite fee and other documents as per Rule 10.3 of Affiliation Bye Laws.
4. The school should go through the provision of Affiliation and Examination Bye Laws and subsequent amendment therein as well as circulars and guidelines /instructions issued by the Board time to time and keep a copy there of for reference purpose and is also advised to regularly visit CBSE websites i.e., <http://cbseacademic.nic.in/> & <http://cbse.nic.in/> for updates.
5. The school to renew mandatory certificates from time to time.
6. The school shall be solely responsible for any legal consequences arising out of the use of school name/logo/society/trust or any other identity /activity related to running of school affiliated to CBSE. All legal expenses incurred by the Board, if any, arising out of these circumstances, shall be borne by the school.

"The school shall possess valid fire safety certificate and Building safety certificate during functioning of the school which shall be renewed from time to time as per norms".

DEPUTY SECRETARY/JOINT SECRETARY (AFF.)

ENROLMENT TABLE

about:blank

	Location of School	Campus area	Affiliation Allowed	Optimum No. of Sections (From classes I/VI to X/XII)
A	Areas/Cities mentioned in clause 3.6	1600 sqm	Up to Class-X only	10
B	Areas/Cities mentioned in clause 3.6	2400 sqm	Up to Class-XII	24
C	Areas/Cities mentioned in clause 3.6	3200 sqm	Up to Class-XII	28
D	Class-X Cities (Clauses 3.5) and Areas mentioned in clause 3.7	2000 sqm	Up to Class-X only	10
E	Class-X Cities (Clauses 3.5) and Areas mentioned in clause 3.7	3000 sqm	Up to Class-XII	24
F	Class-X Cities (Clause 3.5) and Areas mentioned in clause 3.7 and Areas/Cities mentioned in clause 3.4	4000 sqm	Up to Class-XII	28
G	Pan India (Clause 3.3)	6000 sqm	Up to Class-XII	38
H	Pan India (Clause 3.2)	8000 sqm	Up to Class-XII	48
I	Pan India (Clause 3.2)	>8000 sqm	Up to Class-XII The number of sections shall be restricted in accordance with 'H' above with land requirement unit scaled down to 2000 square meters i.e. 12 sections for every 2000 square meter additional land.	
The total number of sections taken together for classes XI and XII should not be more than 1/3 of optimum number of section allowed on the basis of land holding for any school.				
The number of sections and students shall be restricted as per the actual facilities in the school.				
For class rooms of size less than 500 sq feet the enrolment shall be 0.08 X size of class rooms in sq feet				

Important Notes : NA

School is required to appoint wellness teacher as per affiliation bye laws.

This is an electronically generated document. It does not need any signature.

*To verify the authenticity of the document , please visit
(<http://www.saras.cbse.gov.in/saras/AffiliatedList/ListOfSchdirReport>).*

Print

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI
HEAD QUARTERS: DELHI FIRE SERVICE: CONNAUGHT PLACE
NEW DELHI-110001

No.F.6 DFS/MS/School/2021/SZ/ 930

Dated: 12/11/2021

FIRE SAFETY CERTIFICATE

Certified that Kendriya Vidyalaya located at Sector -2, R.K Puram, New Delhi 110022 comprised of Ground plus Three upper floors owned/occupied by Kendriya Vidyalaya was issued Fire Safety Certificate by this department vide letter No. F6/DFS/MS/2012/School/3107 Dated 27/08/2012. The said premises was re-inspected by officer concerned of this department on 01/11/2021 in presence of Sh. Awadhesh Dubey (Principal) and found that the said school building have deemed complied with the fire prevention and fire safety requirements in accordance with rule 33 of the Delhi Fire Service Rules, 2010 and the building is fit for occupancy class "Educational Building Group - B" with effect from 12/11/2021 for a period of Three years in accordance with rule 36 unless renewed under rule 37 or sooner cancelled under Rule 40 and subject to compliance of the conditions under rule 38 of Delhi Fire Service Rules 2010.

Issued on 12/11/2021 at New Delhi by

(SUNIL CHAUDHARY)
DY. CHIEF FIRE OFFICER

Copy to:-

1. The Principal, Kendriya Vidyalaya at Sector -2, R.K Puram, New Delhi 110022
2. The Director of Education, Govt. of NCT of Delhi, Old Secretariat, New Delhi 110054

Conditions for the validity of Fire Safety Certificate

1. All the means of escape/entry/exit shall be kept free from any obstruction.
2. All the fire safety arrangements provided therein shall be maintained in good working condition at all time as seen during inspection. Any loss of life or property due to non-functional fire safety measures shall be at the responsibility of the management.
3. All the staff members must know the correct method of operation of firefighting system.
4. The owner/ occupier shall submit a declaration every year in Form 'K' provided in the first schedule of Delhi Fire Service Rules 2010. The form is available on www.dfs.delhi.gov.in
5. This fire safety certificate may not in any way be treated as regularization (Clause 2.8 of UBBL-2016) of unauthorized construction or Alteration (Clause 1.4.3 of UBBL-2016), if any.
6. "The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director in Form 'J' [sub rule (1) of rule 37] along with a copy of this Certificate, six months prior to its expiry."

23/11/2021

original kept
in Directorate
Almirah

केन्द्रीय विद्यालय
सेक्टर-2, राक्षसपुरा, नई दिल्ली-110022
आगत संख्या 31
दिनांक 24/11/2021

Signature

भारत सरकार
Government of India

केन्द्रीय लोक निर्माण विभाग
कार्यालय- सहायक अभियन्ता, 3/एस उपमंडल
नई दिल्ली-110022

Central Public Works Department
O/O Assistant Engineer, 3/S Sub Div
New Delhi-110022

पत्र सं 3(1)/सं0ई0/3-एस/2022-2023/266
सेवा में

दिनांक:- 12/09/2022

✓ The Principal,
Kendriya Vidyalah,
R.K. Puram, Sector-2,
New Delhi.

विषय:- केन्द्रीय माध्यमिक शिक्षा बोर्ड द्वारा संबद्धता (affiliation) प्राप्त करने हेतु विद्यालय सुरक्षा प्रमाण-पत्र प्रदान करने के सन्दर्भ में।

सन्दर्भ:- के0वि0/सेक्टर-2/आर.के.पुरम/2022-23/213 दिनांक 01/09/2022

महोदय,

With reference to above cited subject, Kendriya Vidyalaya Secctor-2, R.K.Puram inspected by the undersigned on today i.e 12.09.2022. During the inspection following points have been observed. Which are as under below.

The school building is a R.C.C framed structure. There are two blocks. One of the large building (G+3) and other is (G+1).

These buildings are visually seems as structurally serviceable and safe, subject to the following minor repairs.

1. Annual repair works required.
2. The Condition of all the toilets are not in good condition. Hence needs renovation works.
3. External & Internal painting works required. Some portions of Staircase & Muntly are damaged. These needs to be repaired on priority.
4. Hair cracks are visible at some locations. This needs to be repaired.

In View of the above, this school building is structurally serviceable and in safe conditions.

This is for your information and necessary actions please.

12/09/2022
सहायक अभियन्ता,
3/एस उपमंडल, के0लो0नि0वि0,
सेक्टर-4, आर के पुरम, नई दिल्ली

प्रतिलिपि

- 1- कार्यापालक अभियन्ता, एस मंडल, के0लो0नि0वि0, रामा0कृष्णा0पुरम, आपके पत्रांक 23(3/S)/एस म0 (यो0)/2225 दिनांक 02/09/2022 के सदर्भ में सूचनार्थ।

सेक्टर-2, सहायक अभियन्ता
आगत सं 12/09/2022
दिनांक 12/09/2022
सहायक अभियन्ता



TEST CERTIFICATE

ULR No. : TC536922000008358F	
Sample : Drinking Water	Report No. : 11006011/A
Sample Description: Said to be "RO Water"	
Party's Ref No.: F.1437-3/KVRKPSEC2/2022-23, Date: 14/09/2022	
Report Issue Date: 16/09/2022	
Customer Name & Address : Kendriya Vidyalaya Sector-2, R.K. Puram, New Delhi-110022	Job Code : STRC/11006011
	Sample Received On : 14/09/2022
	Date of Testing : 14/09/2022 To 16/09/2022
	Sample quantity : 2.5 Ltr.
Sample Condition	Filled in Plastic & Sterilized glass bottle
Sample Collected By	Lab Representative

TEST RESULTS

S.No.	Test Parameters	Test Result	Requirement As Per IS:10500:2012 Acceptable Limit/Permissible Limit	Test Method	Conformity
Chemical Testing-Water-Drinking Water					
1	Colour, Hazen units	<3.0	5.0/15.0 Max.	IS:3025(P-4)2021	Yes
2	Odour	Agreeable	Agreeable	IS:3025(P-5)2018	Yes
3	pH value (at 25.0°C)	7.07	6.5-8.5/No relaxation	IS:3025(P-11)2022	Yes
4	Turbidity, NTU	<0.1	1.0/5.0 Max.	IS:3025(P-10)1984	Yes
5	Fluoride (as F), mg/l	<1.0	1.0/1.5 Max.	IS:3025(P-60)2008	Yes
6	Chloride (as Cl), mg/l	17.4	250/1000 Max.	IS:3025(P-32)1988	Yes
7	Total Hardness (as CaCO ₃), mg/l	111.0	200/600 Max.	IS:3025(P-21)2009	Yes
8	Total Dissolved Solids, mg/l	210.0	500/2000 Max.	IS:3025(P-16)1984	Yes
Biological Testing-Water-Drinking Water					
9	E. coli, per 250ml	Absent	Shall not be detectable in any 100ml. sample	IS:15185:2016	Yes
10	Coliform, per 250ml	Absent	Shall not be detectable in any 100ml. sample	IS:15185:2016	Yes

Note : According to IS :10500-2012, it is recommended that the acceptable limit is to be implemented. Values greater than the acceptable limits render the water is not suitable, but still may be tolerated in the absence of an alternate source but upto

11006011/A-1



Format No.: STRC/7.8/F/TC/Z/02

Aparna

Aparna
Quality Manager

Santram Rajput

Santram Rajput
Technical Manager

Page No.: 1 of 2

Scan QR Code to verify the authenticity of Report.

(1) The Test results listed refer only to tested samples and applicable parameters. Endorsement of product is neither intended nor implied by total liability. (2) Retention of sample is upto 7 days for perishable items and 30 days for non-perishable samples, unless otherwise specified. (3) This Test Report is not to be reproduced wholly or in part and cannot be used as an evidence in the court of law and should not be used in any advertising material without our special permission in writing. (5) The Test Report refer to the sample submitted to us and not drawn by Sigma Test & Research Centre unless mentioned otherwise.

AN ISO 9001:2015 & 14001:2015 ACCREDITED LABORATORY

Appendix-1 A

CERTIFICATE OF REGISTRATION UNDER SOCIETIES REGISTRATION
ACT XXI OF 1860 (PUNJAB AMENDMENT) ACT 1957
AS EXTENDED TO THE UNION TERRITORY OF
D E L H I.

No. S.2884 of 1965 -1966 .

I hereby certify that. *CENTRAL SCHOOLS

ORGANIZATION*

has this day been registered under the Societies Registration
Act XXI of 1860 (Punjab Amendment) Act 1957, as extended to the
Union Territory of Delhi.

Given under my hand at DELHI

this 15th day of DECEMBER

One thousand nine hundred and SIXTY FIVE.

Fee Rs. 50.00 paid.

DHINGRA



(SURENDRA KISHORE)
REGISTRAR OF SOCIETIES
DELHI.

No. S/2884/1670

Dated 15-12-1965

From

The Registrar of Societies,
Old Secretariat,
Delhi.

To

Shri S.N. Dutt, Under Secy.,
Central School Units,
Room No. 36, N-Block,
Ministry of Education, N.D.U.

Reg: *CENTRAL SCHOOLS ORGANIZATION*

Dear Sir,

I am enclosing herewith the certificate of registration
of your society named above. Please acknowledge receipt.

Acknowledged.

12/12

Encl: One Certificate.

DHINGRA

Yours faithfully,

(SURENDRA KISHORE)
REGISTRAR OF SOCIETIES,
DELHI.